Amazon MQ Broker Setup

Amazon MQ is for migrating existing applications that already use standard messaging protocols like AMQP or MQTT. You create a managed broker and connect using the same protocol your existing app uses.

<u>Implementation steps:</u>

1. AWS Console Search Amazon MQ Click Get started



2. Select broker type as RabbitMQ



3. Deployment as single storage



4. In Configure settings name and instance type medium

Configure settings

Details

Broker name

My-Broker-first

Must be 1-50 characters long. Limited to alphanumeric characters, dashes, and underscores.

Broker engine version | Info

4.2

For brokers on this version, Amazon MQ will always manage upgrades to the latest supported patch version.

Turn on automatic minor version upgrades

When you turn on automatic minor version upgrades, Amazon MQ upgrades your broker to new patch versions as they become available.

Broker instance type | Info

mq.m7g.medium

Use for regular development, testing, and production workloads.

1 vCPU 4Gb RAM High Network

Deployment mode | Info

Single-instance broker

Estimated deployment time

20 minutes

Storage type | Info

Amazon Elastic Block Store

Broker engine | Info

RabbitMQ

5. Username and password

RabbitMQ access

Username

Create a user with administrator permissions. This user can create additional users using the RabbitMQ management API or web console.

admin

Can't contain commas (,), colons (:), equals signs (=), or spaces.

Password

••••••••••••••••

Minimum 12 characters, at least 4 unique characters. Can't contain commas (,), colons (:), equals signs (=), spaces or non-printable ASCII characters.

Show password

Additional access methods - new Info

Authenticate and authorize users using the broker configuration. Supported methods include OAuth 2.0, IAM, LDAP, HTTP, SSL an

Enable additional access methods

6. In additional settings kept as default

Additional settings

Broker configuration

Configuration
Create configuration

Automatic minor version upgrade
Enabled

Monitoring

CloudWatch Logs
Disabled

Network settings

Accessibility
Public

VPC
vpc-096ec8a65d98c6729

Subnet(s)
Default VPC and subnet(s)

Data encryption

Encryption
AWS owned CMK

7. Create broker and it takes some time to active



8. RabbitMQ Web Console URL copy it and open



9. RabbitMQ will open give login to it



10. After login added a new queue with name and given the message and get message that



Publish message



Get message


Payload encoding:
String (default)
Publish message
Get messages
Warning: getting messages from a queue is a destructive action. ?
Ack Mode:
Nack message requeue true
Encoding:
Auto string / base64
?
Messages:
1
Get Message(s)
Message 1
The server reported 0 messages remaining.
Exchange
(AMQP default)
Routing Key
K.Arunsai
Redelivered
o
Properties
delivery_mode: 2
headers:
Payload
23 bytes
Encoding: string
Hi Arunsai, how are you