

App and Web Servers

1) Install nginx and run nginx on port number 81.

Steps to install Nginx:

1. We can install the Nginx by using these commands

`sudo apt install nginx`

2. once installation done, we can use these commands to check it is running or not

`sudo systemctl enable nginx`

`sudo systemctl start nginx`

`sudo systemctl status nginx`

```
[root@ip-172-31-0-121 ec2-user]# systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-04-01 08:55:18 UTC; 3h 21min ago
     Main PID: 2110 (nginx)
       Tasks: 3 (limit: 1043)
      Memory: 4.5M
         CPU: 85ms
    CGroup: /system.slice/nginx.service
            └─2110 "nginx: master process /usr/sbin/nginx"
              └─2111 "nginx: worker process"
                └─2112 "nginx: worker process"

Apr 01 08:55:18 ip-172-31-0-121.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy serve
Apr 01 08:55:18 ip-172-31-0-121.ec2.internal nginx[2081]: nginx: the configuration file /etc/nginx/nginx.conf syntax is
Apr 01 08:55:18 ip-172-31-0-121.ec2.internal nginx[2081]: nginx: configuration file /etc/nginx/nginx.conf test is succe
Apr 01 08:55:18 ip-172-31-0-121.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy serve
lines 1-16/16 (END)
```

3. To change the port number from default 8080 to 81

```
include /etc/nginx/mime.types;
default_type application/octet-stream;

# Load modular configuration files from the /etc/nginx/conf.d directory.
# See http://nginx.org/en/docs/nginx_core_module.html#include
# for more information.
include /etc/nginx/conf.d/*.conf;

server {
    listen 81;
    listen [::]:81;
    server_name _;
    root /usr/share/nginx/html;

    # Load configuration files for the default server block.
    include /etc/nginx/default.d/*.conf;

    error_page 404 /404.html;
    location = /404.html {
    }

    error_page 500 502 503 504 /50x.html;
    location = /50x.html {
    }
}

Settings for a TLS enabled server.
```

2) Deploy a sample index.html file on nginx.

- We can get the follow welcome page of Welcome to Nginx if its working on browser by using new port number and Ip address of EC2.



- To deploy **usr/share/nginx/html** by using this path we can to change in **index.html**



- The location of logs is **var/log/nginx**

```
[root@ip-172-31-0-121 html]# pwd
/usr/share/nginx/html
[root@ip-172-31-0-121 html]# cd /etc/nginx/nginx.conf^C
[root@ip-172-31-0-121 html]# cd /var/log/nginx/
[root@ip-172-31-0-121 nginx]# ll
total 12
-rw-r--r--. 1 root root 1253 Apr  1 09:54 access.log
-rw-r--r--. 1 root root 7427 Apr  1 09:06 error.log
[root@ip-172-31-0-121 nginx]#
```

3) Install Apache and run Apache on port number 82

Steps to install Httpd:

1. We can install **Httpd** by using these commands
sudo yum install httpd -y
2. To check it is running or not by using **systemctl status httpd**.

```
ec2-user@ip-172-31-0-121/html$ sudo systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-04-01 08:55:15 UTC; 1h 25min ago
     Docs: man:httpd.service(8)
  Main PID: 1740 (httpd)
    Status: "Total requests: 7; Idle/Busy workers 100/0; Requests/sec: 0.00136; Bytes served/sec: 1 B/sec"
    Tasks: 230 (limit: 1043)
   Memory: 22.5M
      CPU: 6.839s
   CGroup: /system.slice/httpd.service
           └─1740 /usr/sbin/httpd -DFOREGROUND
             └─1749 /usr/sbin/httpd -DFOREGROUND
               └─1756 /usr/sbin/httpd -DFOREGROUND
                 └─1757 /usr/sbin/httpd -DFOREGROUND
                   └─1811 /usr/sbin/httpd -DFOREGROUND
                     └─3976 /usr/sbin/httpd -DFOREGROUND


Apr 01 08:55:15 ip-172-31-0-121.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
Apr 01 08:55:15 ip-172-31-0-121.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
Apr 01 08:55:15 ip-172-31-0-121.ec2.internal httpd[1740]: Server configured, listening on: port 80
```

2. To changing port no from 80 to 82

```
# ports, instead of the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on a specific IP address, but note that if
# httpd.service is enabled to run at boot time, the address may not be
# available when the service starts. See the httpd.service(8) man
# page for more information.
#
#Listen 12.34.56.78:80
Listen 82
#
# Dynamic Shared Object (DSO) Support
```

4) Deploy a sample index.html file on Apache.

1. Open new browser and copy Ip address and new port number we can get this below page.



It works!

2. We need change in index apache file as we need to create it and save it with index.html



5) Install Apache tomcat on port number 8082

Steps to install Apache Tomcat:

1.To install Tomcat, we can go to the website and type tomcat download from there we can get the tar version and copy the link and paste in cd.

sudo **wget** <https://downloads.apache.org/tomcat/tomcat-9/v9.0.85/bin/apache-tomcat-9.0.85.tar.gz>

2.We can extract the tomcat by using tar command

sudo **tar -xvzf** apache-tomcat-9.0.116.tar.gz and move to tar to tomcat file name changed
sudo **mv** apache-tomcat-9.0.116 tomcat

3. From there we can tomcat installation and change the owner name and start the start startup shell by using the below commands.

```
cd /tomcat/bin
```

```
sudo chmod +x *.sh
```

```
sudo ./startup.sh
```

4. We must change the port no from 8080 to 8082

5. Below is the tomcat port no we can change in server default it comes we have to change and save and exit.


```
sudo vi /opt/tomcat/conf/server.xml
```

6. Then again, we must restart it and check it is running by below commands

```
cd /opt/tomcat/bin
```

```
sudo ./shutdown.sh
```

```
sudo ./startup.sh
```



6) Deploy a sample app on webapps

- We need check the web apps from tomcat home directory and move to webapps then
- We need to download the **sample.war** from the website from sample application by
- Using **wget url** then deploy on sample app

```
Apr 01 12:06:50 ip-172-31-0-121.ec2.internal systemd[1]: tomcat.service: Start request repeated too quickly.
Apr 01 12:06:50 ip-172-31-0-121.ec2.internal systemd[1]: tomcat.service: Failed with result 'exit-code'.
Apr 01 12:06:50 ip-172-31-0-121.ec2.internal systemd[1]: Failed to start tomcat.service - Apache Tomcat.

[root@ip-172-31-0-121 system]# cd ..
[root@ip-172-31-0-121 systemd]# cd
[root@ip-172-31-0-121 ~]# cd tomcat
bash: cd: tomcat: No such file or directory
[root@ip-172-31-0-121 ~]# cd /tomcat/webapps
bash: cd: /tomcat/webapps: No such file or directory
[root@ip-172-31-0-121 ~]# cd /home/ec2-user/tomcat
[root@ip-172-31-0-121 tomcat]# ls
BUILDING.txt  LICENSE  README.md  RUNNING.txt  conf  logs  webapps
CONTRIBUTING.md  NOTICE  RELEASE-NOTES  bin  lib  temp  work
[root@ip-172-31-0-121 tomcat]# cd webapps
[root@ip-172-31-0-121 webapps]# ls
ROOT  docs  examples  host-manager  manager
[root@ip-172-31-0-121 webapps]# wget https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war
--2026-04-01 12:10:49-- https://tomcat.apache.org/tomcat-6.0-doc/appdev/sample/sample.war
Resolving tomcat.apache.org (tomcat.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to tomcat.apache.org (tomcat.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 4606 (4.5K)
Saving to: 'sample.war'

sample.war          100%[=====] 4.50K  --.-KB/s  in 0s

2026-04-01 12:10:49 (43.5 MB/s) - 'sample.war' saved [4606/4606]
```

- Then we copy that sample and followed by tomcat website beside we paste we can get below page.


```

root@ip-172-31-69-115 ~]# yum install httpd -y
Last metadata expiration check: 0:01:40 ago on Wed Apr 1 14:02:38 2026.
Dependencies resolved.
=====
Package                               Architecture      Version           Repository        Size
=====
Installing:
httpd                                x86_64            2.4.66-1.amzn2023.0.1  amazonlinux      47 k
Installing dependencies:
apr                                  x86_64            1.7.5-1.amzn2023.0.4  amazonlinux      129 k
apr-util                             x86_64            1.6.3-1.amzn2023.0.2  amazonlinux      97 k
apr-util-ldap                        x86_64            1.6.3-1.amzn2023.0.2  amazonlinux      13 k
generic-logos-httpd                 noarch            18.0.0-12.amzn2023.0.3 amazonlinux      19 k
httpd-core                           x86_64            2.4.66-1.amzn2023.0.1  amazonlinux     1.4 M
httpd-filesystem                     noarch            2.4.66-1.amzn2023.0.1  amazonlinux      13 k
httpd-tools                          x86_64            2.4.66-1.amzn2023.0.1  amazonlinux      81 k
libbrotli                             x86_64            1.0.9-4.amzn2023.0.2  amazonlinux     315 k
mailcap                              noarch            2.1.49-3.amzn2023.0.3  amazonlinux      33 k
Installing weak dependencies:
apr-util-openssl                     x86_64            1.6.3-1.amzn2023.0.2  amazonlinux      15 k
mod_http2                            x86_64            2.0.27-1.amzn2023.0.3  amazonlinux     166 k
mod_lua                              x86_64            2.4.66-1.amzn2023.0.1  amazonlinux      60 k
=====
Transaction Summary
=====
Install 13 Packages

Total download size: 2.4 M
Installed size: 6.9 M
Downloading Packages:
ip-172-31-69-115.ec2-user@ec2-18-204-48-248.compute-1.amazonaws.com

```

```

Complete!
[root@ip-172-31-69-115 ~]# vi /etc/hosts
[root@ip-172-31-69-115 ~]# cat /etc/hosts
127.0.0.1    localhost localhost.localdomain localhost4 localhost4.localdomain4
::1         localhost6 localhost6.localdomain6
98.93.3.163 load_balancer
[root@ip-172-31-69-115 ~]#

```

```

[root@ip-172-31-69-115 ~]# vi /etc/hosts
[root@ip-172-31-69-115 ~]# cat /etc/hosts
127.0.0.1    localhost localhost.localdomain localhost4 localhost4.localdomain4
::1         localhost6 localhost6.localdomain6
98.93.3.163 load_balancer
[root@ip-172-31-69-115 ~]# ping load_balancer -c 4
PING load_balancer (98.93.3.163) 56(84) bytes of data.
64 bytes from load_balancer (98.93.3.163): icmp_seq=1 ttl=126 time=0.306 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=2 ttl=126 time=0.324 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=3 ttl=126 time=0.337 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=4 ttl=126 time=0.308 ms

--- load_balancer ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3141ms
rtt min/avg/max/mdev = 0.306/0.318/0.337/0.012 ms
[root@ip-172-31-69-115 ~]#

```

```

[root@ip-172-31-69-115 ~]# systemctl start httpd
[root@ip-172-31-69-115 ~]# systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; disabled; preset: disabled)
   Active: active (running) since Wed 2026-04-01 14:11:03 UTC; 11s ago
     Docs: man:httpd.service(8)
  Main PID: 25699 (httpd)
    Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
    Tasks: 177 (limit: 1015)
   Memory: 13.3M
      CPU: 101ms
   CGroup: /system.slice/httpd.service
           └─25699 /usr/sbin/httpd -DFOREGROUND
             └─25724 /usr/sbin/httpd -DFOREGROUND
               └─25725 /usr/sbin/httpd -DFOREGROUND
                 └─25726 /usr/sbin/httpd -DFOREGROUND
                   └─25728 /usr/sbin/httpd -DFOREGROUND

Apr 01 14:11:03 ip-172-31-69-115.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server.
Apr 01 14:11:03 ip-172-31-69-115.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
Apr 01 14:11:03 ip-172-31-69-115.ec2.internal httpd[25699]: Server configured, listening on: port 80
[root@ip-172-31-69-115 ~]#

```

2. SERVER -2

[illegible]

```

~/. -/ -/
  -/ -/
    -/m/'
[ec2-user@ip-172-31-72-151 ~]$ sudo -i
[root@ip-172-31-72-151 ~]# yum update -y
Amazon Linux 2023 Kernel Livepatch repository
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-72-151 ~]#

```

```

ec2-user@ip-172-31-72-151 ~]$ sudo -i
root@ip-172-31-72-151 ~]# yum update -y
Amazon Linux 2023 Kernel Livepatch repository                240 kB/s | 31 kB          00:00
Dependencies resolved.
Nothing to do.
Complete!
root@ip-172-31-72-151 ~]# yum install nginx -y
Last metadata expiration check: 0:00:28 ago on Wed Apr 1 14:14:38 2026.
Dependencies resolved.
=====
Package                                Architecture      Version                                Repository          Size
=====
Installing:
nginx                                  x86_64            1:1.28.2-1.amzn2023.0.1              amazonlinux          33 k
Installing dependencies:
generic-logos-httpd                   noarch            18.0.0-12.amzn2023.0.3              amazonlinux          19 k
gperftools-libs                       x86_64            2.9.1-1.amzn2023.0.3              amazonlinux          308 k
libunwind                             x86_64            1.4.0-5.amzn2023.0.3              amazonlinux          66 k
nginx-core                            x86_64            1:1.28.2-1.amzn2023.0.1              amazonlinux          687 k
nginx-filesystem                      noarch            1:1.28.2-1.amzn2023.0.1              amazonlinux          9.7 k
nginx-mimetypes                       noarch            2.1.49-3.amzn2023.0.3              amazonlinux          21 k
=====
Transaction Summary
-----
Install 7 Packages

```

```
[root@ip-172-31-72-151 ~]# yum install nginx -y
Last metadata expiration check: 0:02:47 ago on Wed Apr 1 14:14:38 2026.
Package nginx-1:1.28.2-1.amzn2023.0.1.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-72-151 ~]#
```

```

[ec2-user@ip-172-31-72-151 ~]$ vi /etc/hosts
[ec2-user@ip-172-31-72-151 ~]$ ping load_balancer -c 4
PING load_balancer (98.93.3.163) 56(84) bytes of data.
64 bytes from load_balancer (98.93.3.163): icmp_seq=1 ttl=126 time=0.311 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=2 ttl=126 time=0.309 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=3 ttl=126 time=0.291 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=4 ttl=126 time=0.325 ms

--- load_balancer ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3154ms
rtt min/avg/max/mdev = 0.291/0.309/0.325/0.012 ms
[ec2-user@ip-172-31-72-151 ~]$

```

```

[ec2-user@ip-172-31-72-151 ~]$ ping load_balancer -c 4
PING load_balancer (98.93.3.163) 56(84) bytes of data.
64 bytes from load_balancer (98.93.3.163): icmp_seq=1 ttl=126 time=0.311 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=2 ttl=126 time=0.309 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=3 ttl=126 time=0.291 ms
64 bytes from load_balancer (98.93.3.163): icmp_seq=4 ttl=126 time=0.325 ms

--- load_balancer ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3154ms
rtt min/avg/max/mdev = 0.291/0.309/0.325/0.012 ms
[ec2-user@ip-172-31-72-151 ~]$ systemctl start nginx
[ec2-user@ip-172-31-72-151 ~]$ systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; disabled; preset: disabled)
   Active: active (running) since Wed 2026-04-01 14:20:07 UTC; 6s ago
     Process: 25870 ExecStartPre=/usr/bin/rm -f /run/nginx.pid (code=exited, status=0/SUCCESS)
     Process: 25887 ExecStartPre=/usr/sbin/nginx -t (code=exited, status=0/SUCCESS)
     Process: 25900 ExecStart=/usr/sbin/nginx (code=exited, status=0/SUCCESS)
    Main PID: 25921 (nginx)
      Tasks: 3 (limit: 1015)
     Memory: 3.2M
        CPU: 69ms
    CGroup: /system.slice/nginx.service
            └─25921 "nginx: master process /usr/sbin/nginx"
              └─25922 "nginx: worker process"
                └─25923 "nginx: worker process"

Apr 01 14:20:07 ip-172-31-72-151.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy serv>
Apr 01 14:20:07 ip-172-31-72-151.ec2.internal nginx[25887]: nginx: the configuration file /etc/nginx/nginx.conf syntax >
Apr 01 14:20:07 ip-172-31-72-151.ec2.internal nginx[25887]: nginx: configuration file /etc/nginx/nginx.conf test is suc>
Apr 01 14:20:07 ip-172-31-72-151.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy serv>
lines 1-19/19 (END)

```

3.HX Proxy Server -3

Steps for HX proxy server

```

C:\Users\LENOVO\Downloads> ssh -i "linux-testing.pem" ec2-user@ec2-98-93-3-163.compute-1.amazonaws.com
The authenticity of host 'ec2-98-93-3-163.compute-1.amazonaws.com (98.93.3.163)' can't be established.
ED25519 key fingerprint is SHA256:AaoNEDh9fkHhv8ZMLDL+ZdhhosFXu0o+HF9HI4v09lI.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-98-93-3-163.compute-1.amazonaws.com' (ED25519) to the list of known hosts.

_#_
~\  #####_      Amazon Linux 2023
~~ \_#####\
~~  \#####|
~~   \##|
~~    \#/  ---  https://aws.amazon.com/linux/amazon-linux-2023
~~     V~'  '--->
~~~~
~~  _.'
~~ _/
~~ _/m/'

[ec2-user@ip-172-31-67-199 ~]$

```

```

_#_
~/m/'
[ec2-user@ip-172-31-67-199 ~]$ sudo -i
[root@ip-172-31-67-199 ~]# yum update -y
Amazon Linux 2023 Kernel Livepatch repository
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-67-199 ~]#

```



```
Amazon Linux 2023 Kernel Livepatch repository
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-67-199 ~]# yum install haproxy -y
Last metadata expiration check: 0:00:57 ago on Wed Apr 1 14:22:12 2026.
Dependencies resolved.
```

```
=====
Package                Architecture      Version
=====
Installing:
haproxy                x86_64            3.0.5-1.amzn2023.0.1

Transaction Summary
=====
Install 1 Package

Total download size: 2.6 M
Installed size: 8.2 M
=====
```

```
# Main frontend which proxys to the backends
#-----
frontend main
    bind *:80
    acl url_static      path_beg       -i /static /images /javascript /stylesheets
    acl url_static      path_end       -i .jpg .gif .png .css .js

    use_backend static   if url_static
    default_backend      app

#-----
# static backend for serving up images, stylesheets and such
#-----
backend static
    balance      roundrobin
    server       static 127.0.0.1:4331 check

#-----
# round robin balancing between the various backends
#-----
backend app
    balance      roundrobin
    server app1 127.0.0.1:5001 check
    server app2 127.0.0.1:5002 check
    server app3 127.0.0.1:5003 check
    server app4 127.0.0.1:5004 check
    server app5 18.204.48.248:80 check
    server app6 3.236.55.185:80 check
"/etc/haproxy/haproxy.cfg" 92L, 3361B
```

```

Complete!
[root@ip-172-31-67-199 ~]# vi /etc/hosts
[root@ip-172-31-67-199 ~]# vi /etc/haproxy/haproxy.cfg
[root@ip-172-31-67-199 ~]# systemctl enable haproxy
Created symlink /etc/systemd/system/multi-user.target.wants/haproxy.service → /usr/lib/systemd/system/haproxy.service.
[root@ip-172-31-67-199 ~]# systemctl start haproxy
[root@ip-172-31-67-199 ~]# systemctl status haproxy
● haproxy.service - HAProxy Load Balancer
   Loaded: loaded (/usr/lib/systemd/system/haproxy.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-04-01 14:31:31 UTC; 13s ago
 Process: 26282 ExecStartPre=/usr/sbin/haproxy -f $CONFIG -f $CFGDIR -c -q $OPTIONS (code=exited, status=0/SUCCESS)
 Main PID: 26284 (haproxy)
    Status: "Ready."
     Tasks: 3 (limit: 1015)
  Memory: 6.8M
     CPU: 44ms
   CGroup: /system.slice/haproxy.service
           └─26284 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -f /etc/haproxy/conf.d -p /run/haproxy.pid
             26286 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -f /etc/haproxy/conf.d -p /run/haproxy.pid

Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26284]: [ALERT] (26284) : config : parsing [/etc/haproxy/hapro>
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26284]: [NOTICE] (26284) : New worker (26286) forked
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal systemd[1]: Started haproxy.service - HAProxy Load Balancer.
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26286]: [WARNING] (26286) : Server static/static is DOWN, reason>
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26286]: [ALERT] (26286) : backend 'static' has no server avail>
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26284]: [NOTICE] (26284) : Loading success.
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26286]: [WARNING] (26286) : Server app/app1 is DOWN, reason: Lay>
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26286]: [WARNING] (26286) : Server app/app2 is DOWN, reason: Lay>
Apr 01 14:31:31 ip-172-31-67-199.ec2.internal haproxy[26286]: [WARNING] (26286) : Server app/app3 is DOWN, reason: Lay>
Apr 01 14:31:32 ip-172-31-67-199.ec2.internal haproxy[26286]: [WARNING] (26286) : Server app/app4 is DOWN, reason: Lay>
lines 1-23/23 (END)

```

← → ↺ ⚠ Not secure 98.93.3.163

It works!

← → ↺ ⚠ Not secure 98.93.3.163

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.