


AWS SQS

AWS Simple Queue Service (SQS) is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications.

Implementation Steps:

1. Open AWS SQS in console and click on create queue



2. Select standard and given new name

Create queue

Details

Type
Choose the queue type for your application or cloud infrastructure.

☒ **Standard** [Info](#)
At-least-once delivery, message ordering isn't preserved

- At-least once delivery
- Best-effort ordering

☐ **FIFO** [Info](#)
First-in-first-out delivery, message ordering is preserved

- First-in-first-out delivery
- Exactly-once processing

ⓘ You can't change the queue type after you create a queue.

Name

A queue name is case-sensitive and can have up to 80 characters. You can use alphanumeric characters, hyphens (-), and underscores (_).

3. Configuration settings kept as default

Configuration [Info](#)

Set the maximum message size, visibility to other consumers, and message retention.

Visibility timeout [Info](#)

Seconds

Should be between 0 seconds and 12 hours.

Message retention period [Info](#)

Days

Should be between 1 minute and 14 days.

Delivery delay [Info](#)

Seconds

Should be between 0 seconds and 15 minutes.

Maximum message size [Info](#)

KiB

Should be between 1 KiB and 1024 KiB.

Receive message wait time [Info](#)

Seconds

Should be between 0 and 20 seconds.

4. Created a new queue

Amazon SQS > Queues > First_queue

Queue First_queue created successfully
You can now send and receive messages.

[Edit](#) [Delete](#) [Purge](#) [Send and receive messages](#) [Start DLQ redrive](#)

First_queue

Details [Info](#)

Name First_queue	Type Standard	ARN arn:aws:sqs:us-east-1:928430096503:First_queue
Encryption Amazon SQS key (SSE-SQS)	URL https://sqs.us-east-1.amazonaws.com/928430096503/First_queue	Dead-letter queue -

5. In Send & Receive messages type some message in the message body

Send and receive messages

Use this page to send, retrieve and view messages, helping you experiment with various queue features.

Send message [Info](#)

Your message has been sent and is ready to be received.

[View sent message details](#)

Message body
Enter the message to send to the queue.

Message group ID - optional, new [Info](#)
A group identifier for the message to allow fair processing across message groups in a standard queue.

6. Receive message successfully from poll for messages

Receive messages [Info](#)

[Edit poll settings](#) [Stop polling](#) [Poll for messages](#)

Messages available
1

Polling duration
30

Maximum message count
10

Polling progress
Success
0 receives/second

Messages (1)

☐

ID

Sent

Size

Receive count

☐


f91550ea-e588-4651-b585-0834fedcd6f6

2026-05-07T14:30+05:30

20 bytes

2

7. Select the message and deleted it



8. Successfully deleted

