


Jenkins-03

1. Create one Jenkins job using the below code and create three stages.

- **stage1:** Git clone to download the source code.

➤ Create a new job from new item



The screenshot shows the Jenkins 'Configure' page for a job named 'V-profile'. The left sidebar has tabs for 'General', 'Source Code Management', 'Triggers', 'Environment', 'Build Steps', and 'Post-build Actions'. The 'General' tab is selected. The 'Description' field contains 'V-profile-app'. There is a checkbox for 'Discard old builds' which is currently unchecked. Below the 'General' tab, there are instructions for 'Source Code Management' and a list of repositories. The 'Repository URL' field is filled with 'https://github.com/betawins/VProfile-1.git'.

Configure **General**

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Description

V-profile-app

Plain text Preview

☐ Discard old builds ?

➤ In source management select git and given public URL of V-profile

➤ **Source Code:** <https://github.com/betawins/VProfile-1.git>

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

☐ None

☒ Git ?


Repositories ?

Repository URL ?

Credentials ?

Advanced ▾

➤ Now save and build it success



The screenshot shows the Jenkins 'Console Output' for a successful build. The left sidebar has tabs for 'Status', 'Changes', 'Console Output', 'Edit Build Information', 'Delete build #1', 'Timings', 'Git Build Data', 'Open Blue Ocean', and 'Next Build'. The 'Console Output' tab is selected. The console output shows the following steps:

```
Started by user Kathi Arunsai
Running as SYSTEM
Building on the built-in node in workspace /var/lib/jenkins/workspace/V-profile
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/V-profile/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/betawins/VProfile-1.git # timeout=10
Fetching upstream changes from https://github.com/betawins/VProfile-1.git
> git --version # timeout=10
> git --version # 'git version 2.50.1'
> git fetch --tags --force --progress -- https://github.com/betawins/VProfile-1.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision afc137167b41aaaffaeef82b81aee721ec883901 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f afc137167b41aaaffaeef82b81aee721ec883901 # timeout=10
Commit message: "Update README.md"
First time build. Skipping changelog.
Finished: SUCCESS
```

- **stage2:** SonarQube Integration to check the quality of code.
 - First create new EC2 instance for SonarQube in that installation has done

Saved filter sets: Running Find Instance by attribute or tag (case-sensitive)

Instance state = running Clear filters

	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	
☐	Jenkins-master	i-0a7b283c5cc3a77a5	Running	c7i-flex.large	...	us-east-1c	ec2-54-90-207-64.com...	5
☐	Sonarqube-ser...	i-065b53781e28d1cfc	Running	c7i-flex.large	...	us-east-1c	ec2-98-93-68-193.com...	9

- First java 1.8* installed

```

on most systems).
[ec2-user@ip-172-31-30-70 ~]$ sudo su -
[root@ip-172-31-30-70 ~]# yum install java-1.8*
Amazon Linux 2023 Kernel Livepatch repository 336 kB/s | 38 kB 00:00
Dependencies resolved.

=====
Package                        Arch Version                        Repository Size
=====
Installing:

```

- Installed MySQL community server with link

```

[complete]
[root@ip-172-31-30-70 ~]# wget https://dev.mysql.com/get/mysql57-community-release-el7-11.noarch.rpm
--2026-05-14 16:04:42-- https://dev.mysql.com/get/mysql57-community-release-el7-11.noarch.rpm
Resolving dev.mysql.com (dev.mysql.com)... 23.13.181.57, 2600:1408:c400:188c::2e31, 2600:1408:c400:1881::2e31
Connecting to dev.mysql.com (dev.mysql.com)|23.13.181.57|:443... connected.
HTTP request sent, awaiting response... 302 Moved Temporarily
Location: https://repo.mysql.com/mysql57-community-release-el7-11.noarch.rpm [following]
--2026-05-14 16:04:42-- https://repo.mysql.com/mysql57-community-release-el7-11.noarch.rpm
Resolving repo.mysql.com (repo.mysql.com)... 23.33.203.94, 2600:1408:c400:168d::1d68, 2600:1408:c400:1692::1d68
Connecting to repo.mysql.com (repo.mysql.com)|23.33.203.94|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 25680 (25K) [application/x-redhat-package-manager]
Saving to: 'mysql57-community-release-el7-11.noarch.rpm'

mysql57-community-rel 100%[=====>] 25.08K --.-KB/s in 0.001s

```

```

[root@ip-172-31-30-70 ~]# yum localinstall mysql57-community-release-el7-11.noarch.rpm
Last metadata expiration check: 0:01:07 ago on Thu May 14 16:03:46 2026.
Dependencies resolved.

=====
Package                        Architecture Version                        Repository Size
=====
Installing:
mysql57-community-release     noarch      el7-11                        @commandline 25 k

Transaction Summary
=====
Install 1 Package

```

- After installation start the mysqld. service

```
Installed:
  libxcrypt-compat-4.4.33-7.amzn2023.x86_64
  mysql-community-client-5.7.44-1.el7.x86_64
  mysql-community-common-5.7.44-1.el7.x86_64
  mysql-community-libs-5.7.44-1.el7.x86_64
  mysql-community-server-5.7.44-1.el7.x86_64
  ncurses-compat-libs-6.6-1.amzn2023.0.1.x86_64

Complete!
[root@ip-172-31-30-70 ~]# systemctl start mysqld.service
[root@ip-172-31-30-70 ~]# systemctl start mysqld
[root@ip-172-31-30-70 ~]# systemctl enable mysqld
[root@ip-172-31-30-70 ~]# netstat -na | grep 3306
tcp6      0      0 :::3306          :::*              LISTEN
[root@ip-172-31-30-70 ~]# grep 'temporary' /var/log/mysqld.log
2026-05-14T16:05:52.100249Z 1 [Note] A temporary password is generated for root@localhost: #fpPSfI16,%7
2026-05-14T16:05:54.401093Z 0 [Note] InnoDB: Creating shared tablespace for temporary tables
```

- Now connected with MySQL root with password

```
[root@ip-172-31-30-70 ~]# mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 2
Server version: 5.7.44

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
```

- Now exit from mysql install sonarqube with link

```
Bye
[root@ip-172-31-30-70 ~]# cd /opt
[root@ip-172-31-30-70 opt]# wget https://binaries.sonarsource.com/Distribution/sonarqube/sonarqube-6.6.zip
--2026-05-14 16:09:46-- https://binaries.sonarsource.com/Distribution/sonarqube/sonarqube-6.6.zip
Resolving binaries.sonarsource.com (binaries.sonarsource.com)... 3.167.37.10, 3.167.37.88, 3.167.37.95, ...
Connecting to binaries.sonarsource.com (binaries.sonarsource.com)|3.167.37.10|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 164350442 (157M) [application/zip]
Saving to: 'sonarqube-6.6.zip'

sonarqube-6.6.zip  100%[=====>] 156.74M  247MB/s  in 0.6s
```

- Unzip the sonar and rename it

```
creating: sonarqube-6.6/elasticsearch/plugins/
[root@ip-172-31-30-70 opt]# mv /opt/sonarqube-6.6 /opt/sonar
[root@ip-172-31-30-70 opt]# ls
aws sonar sonarqube-6.6.zip
[root@ip-172-31-30-70 opt]# mysql -u root -p
Enter password:
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)
[root@ip-172-31-30-70 opt]# mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 5
```

- Login mysql and create database of sonar

```
mysql> CREATE DATABASE sonar CHARACTER SET utf8 COLLATE utf8_general_ci;
Query OK, 1 row affected (0.00 sec)

mysql> CREATE USER sonar@localhost IDENTIFIED BY 'Sonar@123';
Query OK, 0 rows affected (0.00 sec)

mysql> CREATE USER sonar@ '%' IDENTIFIED BY 'Sonar@123';
Query OK, 0 rows affected (0.00 sec)

mysql> GRANT ALL ON sonar.* TO sonar@localhost;
Query OK, 0 rows affected (0.00 sec)

mysql> GRANT ALL ON sonar.* TO sonar@ '%';
Query OK, 0 rows affected (0.00 sec)

mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sonar |
| sys |
+-----+
5 rows in set (0.00 sec)
```

- Now create new user

```
mysql> SELECT User FROM mysql.user;
+-----+
| User |
+-----+
| sonar |
+-----+

[root@ip-172-31-30-70 opt]# useradd Arunsai
[root@ip-172-31-30-70 opt]# passwd Arunsai
Changing password for user Arunsai.
New password:
BAD PASSWORD: The password is shorter than 8 characters
Retype new password:
passwd: all authentication tokens updated successfully.
```

- In sonar properties changes these comments

```
# IMPORTANT: the embedded database is used by default. It is recommended for tests but not for
# production use. Supported databases are MySQL, Oracle, PostgreSQL and Microsoft SQLServer.

# User credentials.
# Permissions to create tables, indices and triggers must be granted to JDBC user.
# The schema must be created first.
sonar.jdbc.username=sonar
sonar.jdbc.password=Sonar@123

#----- Embedded Database (default)
# H2 embedded database server listening port, defaults to 9092
#sonar.embeddedDatabase.port=9092

#----- MySQL 5.6 or greater
# Only InnoDB storage engine is supported (not myISAM).
# Only the bundled driver is supported. It can not be changed.
sonar.jdbc.url=jdbc:mysql://localhost:3306/sonar?useUnicode=true&characterEncoding=utf8&rewriteBatchedStatements=true&useConfigs=maxPerformance&useSSL=false

#----- Oracle 11g/12c
# The Oracle JDBC driver must be copied into the directory extensions/jdbc-driver/oracle/.
# Only the thin client is supported, and only the versions 11.2.x or 12.2.x must be used. See
# https://jira.sonarsource.com/browse/SONAR-9758 for more details.
# If you need to set the schema, please refer to http://jira.sonarsource.com/browse/SONAR-5000
#sonar.jdbc.url=jdbc:oracle:thin:@localhost:1521/XE
```

- Now login with user and given permissions and start sonar

```

Arunasai@ip-172-31-30-70 logs]$ sudo su -
[sudo] password for Arunsai:
last login: Thu May 14 16:03:08 UTC 2026 on pts/1
root@ip-172-31-30-70 ~)# chown -R Arunsai:Arunasai /opt/sonar
root@ip-172-31-30-70 ~)# chmod -R 775 /opt/sonar
root@ip-172-31-30-70 ~)# chmod -R 775 /opt/sonar
root@ip-172-31-30-70 ~)# ls -ld /opt/sonar
lrwxrwxr-x. 11 Arunsai Arunsai 141 Oct 20 2017 /opt/sonar
root@ip-172-31-30-70 ~)# sudo su - Arunsai
last login: Thu May 14 16:40:07 UTC 2026 on pts/2
Arunasai@ip-172-31-30-70 ~)$ cd /opt/sonar/bin/linux-x86-64
Arunasai@ip-172-31-30-70 linux-x86-64]$ ./sonar.sh start
starting SonarQube...
started SonarQube.
Arunasai@ip-172-31-30-70 linux-x86-64]$ ./sonar.sh status

```

- Open Jenkins ec2 and check the Jenkins is running or not

```

[root@ip-172-31-21-129 ~]# sudo systemctl restart jenkins
[root@ip-172-31-21-129 ~]# sudo systemctl restart jenkins
[root@ip-172-31-21-129 ~]# sudo systemctl status jenkins
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: 
   Active: active (running) since Thu 2026-05-14 17:06:56 UTC; 3s ago
     Main PID: 6658 (java)
       Tasks: 51 (limit: 4523)
      Memory: 322.5M
         CPU: 13.787s
        CGroup: /system.slice/jenkins.service
                └─6658 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java

```

- In Jenkins server install sonar-scanner

```

[root@ip-172-31-21-129 ~]# cd /opt/
[root@ip-172-31-21-129 opt]# wget https://binaries.sonarsource.com/Distribution/sonar-scanner-cli/sonar-scanner-cli-4.6.2.2472-linux.zip
--2026-05-14 17:23:49-- https://binaries.sonarsource.com/Distribution/sonar-scanner-cli/sonar-scanner-cli-4.6.2.2472-linux.zip
Resolving binaries.sonarsource.com (binaries.sonarsource.com)... 3.167.37.10, 3.167.37.95, 3.167.37.121, ...
Connecting to binaries.sonarsource.com (binaries.sonarsource.com)|3.167.37.10|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 43099390 (41M) [application/zip]
Saving to: 'sonar-scanner-cli-4.6.2.2472-linux.zip'

sonar-scanner-cli-4 100%[=====>] 41.10M --.-KB/s in 0.1s

```

- Unzip scanner and rename it

```


[root@ip-172-31-21-129 opt]# curl -LO https://repo.maven.apache.org/maven2/org/sonarsource/scanner/cli/sonar-scanner-cli/4.6.2.2472/sonar-scanner-cli-4.6.2.2472-linux.zip
  % Total    % Received % Xferd Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
100 42089k 100 42089k  0     0 204.1M    0 --:--:-- --:--:-- --:--:-- 204.4M
[root@ip-172-31-21-129 opt]# unzip sonar-scanner-cli-4.6.2.2472-linux.zip
Archive:  sonar-scanner-cli-4.6.2.2472-linux.zip
  creating: sonar-scanner-4.6.2.2472-linux/
  creating: sonar-scanner-4.6.2.2472-linux/bin/

```

- After open sonar properties with vi and change comments and save it

```
/java.base/ASSEMBLY_EXCEPTION
[root@ip-172-31-21-129 opt]# mv sonar-scanner-4.6.2.2472-linux /opt/sonar_scanner
[root@ip-172-31-21-129 opt]# ls /opt/
aws sonar-scanner-cli-4.6.2.2472-linux.zip sonar_scanner
[root@ip-172-31-21-129 opt]# cd sonar_scanner/
[root@ip-172-31-21-129 sonar_scanner]# ls
bin conf jre lib
[root@ip-172-31-21-129 sonar_scanner]# cd conf/
[root@ip-172-31-21-129 conf]# ls
sonar-scanner.properties
[root@ip-172-31-21-129 conf]# vi sonar-scanner.properties
[root@ip-172-31-21-129 conf]# vi sonar-scanner.properties
[root@ip-172-31-21-129 conf]# cd /opt/sonar_scanner/
[root@ip-172-31-21-129 sonar_scanner]# ls
bin conf jre lib
[root@ip-172-31-21-129 sonar_scanner]# cd bin/
[root@ip-172-31-21-129 bin]# pwd
/opt/sonar_scanner/bin
[root@ip-172-31-21-129 bin]# |
```


- Now open Jenkins and install sonar scanner



The screenshot shows the Jenkins 'Manage Jenkins' > 'Plugins' page. A search bar at the top contains 'sonar'. Below it, a table lists installed plugins. The 'SonarQube Scanner' plugin (version 2.18.2) is checked as installed. It has a green health indicator with '84' inside. The description states: 'This plugin allows an easy integration of SonarQube, the open source platform for Continuous Inspection of code quality.' The release date is '5 mo 4 days ago'.

Install	Name ↓	Released	Health
☒	SonarQube Scanner 2.18.2 External Site/Tool Integrations Build Reports This plugin allows an easy integration of SonarQube , the open source platform for Continuous Inspection of code quality.	5 mo 4 days ago	84
☐	Sonar Quality Gates 364.v67a_f255f340f		

- In Jenkins open system add sonarqube details



The screenshot shows the 'SonarQube servers' configuration page in Jenkins. It includes a checkbox for 'Environment variables' (unchecked). Below, there's a section for 'SonarQube installations' with a 'List of SonarQube installations' table. The table has one entry: 'Sonarqube-server1'. Below the table, there are input fields for 'Server URL' (default is http://localhost:9000, current value is http://54.83.95.41:9000/sonar) and 'Server authentication token' (current value is Sonarqube-server).

SonarQube servers

If checked, job administrators will be able to inject a SonarQube server configuration as environment variables in the build environment.

☐ Environment variables

SonarQube installations

List of SonarQube installations

Name
Sonarqube-server1


Server URL
Default is http://localhost:9000

http://54.83.95.41:9000/sonar

Server authentication token
SonarQube authentication token. Mandatory when anonymous access is disabled.

Sonarqube-server


- In Jenkins Tools add this sonar scanner details



The screenshot shows the 'Add SonarQube Scanner' configuration page in Jenkins. At the top, there is a button labeled '+ Add SonarQube Scanner'. Below it, the 'SonarQube Scanner' section is expanded, showing the following fields:

- Name:** sonar_scanner
- SONAR_RUNNER_HOME:** /opt/sonar_scanner/
- Install automatically:** ☐ (with a help icon)

- Now open V-profile and add analysis properties




The screenshot shows the 'Execute SonarQube Scanner' configuration page in Jenkins. The 'Execute SonarQube Scanner' section is expanded, showing the following fields:

- JDK:** (with a help icon) - Value: (Inherit From Job)
- Path to project properties:** (with a help icon) - Value: (empty)
- Analysis properties:** (with a help icon) - Value: sonar.projectKey=Arunsai
sonar.projectName=Arunsai
sonar.projectVersion=1.0
sonar.sources=/var/lib/jenkins/workspace/\$JOB_NAME/src/
sonar.binaries=target/classes/com/visualpathit/account/controller/
sonar.junit.reportsPath=target/surefire-reports
sonar.jacoco.reportPath=target/jacoco.exec
sonar.java.binaries=src/main/java/com/visualpathit/account/
- Additional arguments:** (with a help icon) - Value: (empty)

- Now save and build it and check console log Success


```
INFO: Sensor Zero Coverage Sensor
INFO: Sensor Zero Coverage Sensor (done) | time=12ms
INFO: Sensor CPD Block Indexer
INFO: Sensor CPD Block Indexer (done) | time=21ms
INFO: 6 files had no CPD blocks
INFO: Calculating CPD for 10 files
INFO: CPD calculation finished
INFO: Analysis report generated in 61ms, dir size=104 KB
INFO: Analysis reports compressed in 14ms, zip size=45 KB
INFO: Analysis report uploaded in 46ms
INFO: ANALYSIS SUCCESSFUL, you can browse http://98.93.68.193:9000/sonar/dashboard/index/Arunsai
INFO: Note that you will be able to access the updated dashboard once the server has processed the submitted analysis report
INFO: More about the report processing at http://98.93.68.193:9000/sonar/api/ce/task?id=AZ4n10cSh-ukaRb8635R
INFO: Task total time: 2.268 s
INFO: -----
INFO: EXECUTION SUCCESS
INFO: -----
INFO: Total time: 3.121s
INFO: Final Memory: 7M/27M
INFO: -----
Finished: SUCCESS
```

➤ Check status in Jenkins



The screenshot shows the Jenkins V-profile page. On the left is a sidebar with navigation options: Status (selected), Changes, Workspace, Build Now, Configure, Delete Project, Favorite, SonarQube, Open Blue Ocean, and Rename. The main content area shows a green checkmark and 'V-profile' status. Below this is the SonarQube Quality Gate section, indicating 'Arunsai' has 'Passed' with 'server-side processing: Success'. A 'Permalinks' section lists four links for the last build, stable build, successful build, and completed build, all from 2 minutes and 5 seconds ago. At the bottom, there is a 'Builds' section with a dropdown menu.


➤ Successfully get passed in sonar-qube server



The screenshot shows the SonarQube 'Projects' page. The top navigation bar includes 'sonarqube', 'Projects' (selected), 'Issues', 'Rules', 'Quality Profiles', 'Quality Gates', and 'Administration'. A search bar is on the right. The left sidebar has 'My Favorites' and 'All' tabs, and a 'Filters' section for 'Quality Gate' with 'Passed' (1), 'Warning' (0), and 'Failed' (0) counts. The main area shows a project 'Arunsai' with a 'Passed' status. Below the project name are metrics: 0 Bugs, 0 Vulnerabilities, 0 Code Smells, and 0.0% Duplications. The 'Last analysis' timestamp is 'May 14, 2026 at 11:14 PM'. A 'Reliability' section shows '148 XML' files. The bottom of the page indicates '1 of 1 shown'.

- **stage3:** Slack Integration to send the alerts to slack.

➤ Create new slack with Gmail create workspace



The screenshot shows the Slack workspace interface. The left sidebar contains navigation options: Home, DMs, Activity, Files, More, and Admin. The main area is titled 'Huddles' and shows a 'Set up your space' button. Below this is a 'Huddles' section with a 'Directories' button. A 'Starred' section is also visible. The 'Channels' section lists '# all-arun', '# new-channel', and '# social', with an 'Add channels' button. The 'Direct messages' section shows 'Arunsai you' and an 'Invite people' button. The 'Apps' section is partially visible at the bottom.

- Installed Jenks CI and added to my workspace

salesforce AgentExchange Salesforce Slack

Browse Categories ▾ Collections ▾ Manage Build

Find an app or a service you already use

< Browse Apps



Jenkins CI

Description Configuration Security & Compliance

Jenkins CI is a customizable continuous integration server with over 600 plugins, allowir to meet your needs.

This integration will post build notifications to a channel in Slack.

Add to Slack

Learn more & Support

- Install slack notification and also add credentials for slack

Jenkins / Manage Jenkins ▾ / Plugins

Plugins

Updates 3 Available plugins Installed plugins Advanced settings

slack

Install	Name	Released	Health
☒	Slack Notification 795.v4b_9705b_e6d47 slack Build Notifiers Integrates Jenkins with Slack, allows publishing build statuses, messages and files to Slack channels.	9 mo 13 days ago	95
☐	Global Slack Notifier 1.5		

- Now open Jenkins in that system and add slack details

Slack

Workspace ?

arun-mmm8244

Credential ?

Slack


Default channel / member id ?

C0B426FA97U

☐ Custom slack app bot user ?

Advanced ▾

- In V-profile add post build actions and slack details enabled and save it




The screenshot shows the Jenkins configuration page for a V-profile. The left sidebar contains the following menu items: General, Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions (which is highlighted). The main content area is titled 'Slack Notifications' and contains the following settings:


- ☐ Notify Build Start
- ☒ Notify Success
- ☐ Notify Aborted
- ☐ Notify Not Built
- ☐ Notify Unstable
- ☐ Notify Regression
- ☒ Notify Every Failure
- ☒ Notify Back To Normal

Below these settings is an 'Advanced' dropdown menu. At the bottom of the configuration panel are two buttons: 'Save' (in blue) and 'Apply' (in grey).

- Now save and build it again and check in slack




- Do changes in port of sonar and check it gets failure and do changes again



2. Create one Jenkins job using the below code and create three stages.

- **stage1:** Git clone to download the source code.
- **Source Code:** <https://github.com/betawins/hiring-app.git>
 - Create new job in new item as hiring and attach above git **URL** build and get success




The screenshot shows the Jenkins 'Configure' page for a job named 'Hiring-app'. The left sidebar contains a menu with 'General', 'Source Code Management', 'Triggers', 'Environment', 'Build Steps', and 'Post-build Actions'. The 'Source Code Management' tab is selected. The main content area shows the 'Source Code Management' configuration. Under 'Connect and manage your code repository to automatically pull the latest code for your builds.', there are two radio buttons: 'None' and 'Git'. The 'Git' option is selected. Below this, there is a 'Repositories' section with a 'Repository URL' field containing 'https://github.com/betawins/hiring-app.git' and a 'Credentials' dropdown menu set to '- none -'. There is also an 'Advanced' expandable section.

- **stage2:** SonarQube Integration to check the quality of code.

Same process done above for V-profile

- Attached Analysis properties and save it and build now




The screenshot shows the configuration for the 'Execute SonarQube Scanner' build step. The 'JDK' dropdown is set to '(Inherit From Job)'. The 'Path to project properties' field is empty. The 'Analysis properties' section contains the following text: `sonar.projectKey=Test` and `sonar.sources=/var/lib/jenkins/workspace/$JOB_NAME/src/`. The text is underlined in red.

➤ Check console output as success

```
Jenkins / Hiring-app / #5

INFO: Sensor Zero Coverage Sensor
INFO: Sensor Zero Coverage Sensor (done) | time=5ms
INFO: Sensor CPD Block Indexer
INFO: Sensor CPD Block Indexer (done) | time=0ms
INFO: SCM provider for this project is: git
INFO: 1 files to be analyzed
INFO: 1/1 files analyzed
INFO: Calculating CPD for 0 files
INFO: CPD calculation finished
INFO: Analysis report generated in 42ms, dir size=20 KB
INFO: Analysis reports compressed in 7ms, zip size=6 KB
INFO: Analysis report uploaded in 236ms
INFO: ANALYSIS SUCCESSFUL, you can browse http://54.83.95.41:9000/sonar/das
INFO: Note that you will be able to access the updated dashboard once the se
INFO: More about the report processing at http://54.83.95.41:9000/sonar/api
INFO: Task total time: 1.979 s
INFO: -----
INFO: EXECUTION SUCCESS
INFO: -----
INFO: Total time: 2.718s
INFO: Final Memory: 8M/30M
INFO: -----
Finished: SUCCESS
```

➤ Check in Sonar-qube Success



- **stage3:** Slack Integration to send the alerts to slack.

➤ Now check in slack as already last time v-profile enabled the settings

