


What is Linux?

Linux is an open-source operating system. It is similar to Unix and is mainly used in servers, cloud environments, and DevOps.

In simple terms, Linux is the software that acts as a bridge between the user and the hardware.

Basic Commands:



```
MINGW64:/
Arunasai@DESKTOP-N6MPCBS MINGW64 ~
$ pwd
/c/Users/LENOVO

Arunasai@DESKTOP-N6MPCBS MINGW64 ~
$ cd /

Arunasai@DESKTOP-N6MPCBS MINGW64 /
$ pwd
/

Arunasai@DESKTOP-N6MPCBS MINGW64 /
$ pwd
/

Arunasai@DESKTOP-N6MPCBS MINGW64 /
$ ls
LICENSE.txt      bin/  dev/  git-bash.exe*  mingw64/  tmp/  unins000.exe*  usr/
ReleaseNotes.html  cmd/  etc/  git-cmd.exe*   proc/     unins000.dat  unins000.msg

Arunasai@DESKTOP-N6MPCBS MINGW64 /
$ ls -a
./  LICENSE.txt  bin/  dev/  git-bash.exe*  mingw64/  tmp/  unins000.exe*  usr/
../ ReleaseNotes.html  cmd/  etc/  git-cmd.exe*   proc/     unins000.dat  unins000.msg

Arunasai@DESKTOP-N6MPCBS MINGW64 /
$ |
```

To check current directory:

👉 pwd

To change directory:

👉 cd

To list files:

👉 ls

To list hidden files:

👉 ls -a

```

MINGW64/c/Users/LENOVO
Arunsaï@DESKTOP-N6MPCBS MINGW64 ~
$ echo $0
/usr/bin/bash

Arunsaï@DESKTOP-N6MPCBS MINGW64 ~
$ cd /

Arunsaï@DESKTOP-N6MPCBS MINGW64 /
$ pwd
/

Arunsaï@DESKTOP-N6MPCBS MINGW64 /
$ ls
LICENSE.txt      bin/   dev/   git-bash.exe*  mingw64/  tmp/   unins000.exe*  usr/
ReleaseNotes.html  cmd/   etc/   git-cmd.exe*   proc/     unins000.dat  unins000.msg
Arunsaï@DESKTOP-N6MPCBS MINGW64 /
$ cd ~

Arunsaï@DESKTOP-N6MPCBS MINGW64 ~
$ pwd
/c/Users/LENOVO

```

To echo "Script name:

👉 echo \$0

The tilde command: Home Directory

👉 ~

```

Arunsaï@DESKTOP-N6MPCBS MINGW64 ~
$ mkdir sai

```

To create a folder:

👉 mkdir

```

Arunsaï@DESKTOP-N6MPCBS MINGW64 ~/sai
$ ll
total 0
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 ajay
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 deepak
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 manoj
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 shiva

```

Lists the contents of the current directory in the long format.

👉 ll

```

Arunsaï@DESKTOP-N6MPCBS MINGW64 ~/sai
$ mv manoj .manoj

```

To hidden:

👉 mv

```

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ mkdir aditya

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ ls
aditya/  ajay  deepak  ganesh/  shiva

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ cp ajay aditya

```

To copy:

👉 cp

```

$ rm ganesh
rm: cannot remove 'ganesh': Is a directory

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ rm -rf ganesh

```

To remove:

👉 rm -rf

```

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ ps

```

PID	PPID	PGID	WINPID	TTY	UID	STIME	COMMAND
1167	1	1167	25440	?	197609	14:41:45	/usr/bin/mintty
1597	1168	1597	22624	pty0	197609	16:27:02	/usr/bin/ps
1168	1167	1168	26372	pty0	197609	14:41:45	/usr/bin/bash

To check running processes:

👉 ps

```

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ ls -ltr
total 0
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 ajay
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 shiva
-rw-r--r-- 1 Arunsai 197121 0 Mar 26 16:08 deepak
drwxr-xr-x 1 Arunsai 197121 0 Mar 26 16:21 aditya/

```

The recent modified file:

👉 ls -ltr

```

Arunasai@DESKTOP-N6MPCBS MINGW64 ~
$ cd ..

```

one step backward:

👉 cd ..

```

Arunasai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ cd ../../

```

two step backward:

👉 cd ../../

```
Arunsai@DESKTOP-N6MPCBS MINGW64 /c/Users
$ date
Thu Mar 26 16:49:41 IST 2026
```

Date:

👉 date

```
Arunsai@DESKTOP-N6MPCBS MINGW64 ~/sai
$ vi
```

To add text in the file:

👉 vi filename

```
Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ touch document

Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ vi document

Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ cat document

Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ vi document

Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ cat document
hello welcome to techie, this is Arunsai
```

To read the filename:

👉 cat filename

```
Arunsai@DESKTOP-N6MPCBS MINGW64 ~
$ ls -l
```

The long list format:

👉 ls -l