ECE449, Intelligent Systems Engineering

Fall 2019

Department of Electrical and Computer Engineering, University of Alberta

Dr. Petr Musilek

1. Show that drastic sum and drastic product satisfy the law of excluded middle and the law of contradiction. [Hint: substitute the **s**-norm and **t**-norm operation for intersection and union in the two laws, respectively]

```
Recall:
                               A \cap A^* = \emptyset
Law of contradiction:
Law of excluded middle:
                                   A \cup A^* = X
Drastic product
                          x \mathbf{t} y = x \text{ if } y = 1
                                      v if x = 1
                                      0 otherwise
Drastic sum
                          x \mathbf{s} y = y \text{ if } x = 0
                                     x if y = 0
                                     1 otherwise
Clearly:
               x \mathbf{t} (1-x) = 0 \Rightarrow A \cap A^* = \emptyset
               x \mathbf{s} (1-x) = 1 \Rightarrow A \cup A^* = X
and thus drastic sum and product satisfy the two laws.
```

2. Assume fuzzy set A = [1.0, 0.8, 0.5, 0.1, 0] defined in the universe $X = \{1, 2, 3, 4, 5\}$. Find all of it's α -cuts. Show how A can be expressed in terms of the family composed of all of its α -cuts.

```
\alpha_1 = 1.0, \alpha_2 = 0.8, \alpha_3 = 0.5, \alpha_4 = 0.1, \alpha_5 = 0.0
\alpha-levels:
\alpha-cuts: A\alpha_1 = \{1\}
                          A\alpha_2 = \{1, 2\}
                          A\alpha_3 = \{1, 2, 3\}
                          A\alpha_4 = \{1, 2, 3, 4\}
                          A\alpha_5 = \{1, 2, 3, 4, 5\}
Reconstruction:
                          \alpha_1 A \alpha_1 = \{1.0/1.0\}
                          \alpha_2 A \alpha_2 = \{0.8/1, 0.8/2\}
                          \alpha_3 A \alpha_3 = \{0.5/1, 0.5/2, 0.5/3\}
                          \alpha_4 A \alpha_4 = \{0.1/1, 0.1/2, 0.1/3, 0.1/4\}
                          \alpha_5 A \alpha_5 = \{0.0/1, 0.0/2, 0.0/3, 0.0/4, 0.0/5\}
                          A(x) = \sup [\alpha A \alpha(x)]
                                     = sup [\alpha_1 A \alpha_1, \alpha_2 A \alpha_2, \alpha_3 A \alpha_3, \alpha_4 A \alpha_4, \alpha_5 A \alpha_5]
                                   = \cup [\alpha A \alpha(x)] = \cup [\alpha_1 A \alpha_1, \alpha_2 A \alpha_2, \alpha_3 A \alpha_3, \alpha_4 A \alpha_4, \alpha_5 A \alpha_5]
                                    = \{1.0/1, 0.8/2, 0.5/3, 0.1/4, 0.0/5\}
```