HDOC Day-76


1. **Create an enumeration for user roles (ADMIN, USER, GUEST) and display messages based on role.**
   Input: GUEST
   Output: Welcome Guest

   CODE

```
#include <stdio.h>
enum Role {
   ADMIN,
   USER,
   GUEST
};
int main() {
   enum Role role;
   int choice;
   scanf("%d", &choice);
   role = choice;
   switch (role) {
      case ADMIN:
         printf("Welcome Admin");
         break;
      case USER:
         printf("Welcome User");
         break;
      case GUEST:
```

```
            printf("Welcome Guest");
            break;
        default:
            printf("Invalid Role");
    }
    return 0;
}
```

OUTPUT



2. **Print all enum names and integer values of 12 colors using a loop.**
   Input: No Input
   Output: RED=0, BLUE=1, GREEN=2

CODE

```
#include <stdio.h>
enum Color {
   RED,
   BLUE,
   GREEN,
   YELLOW,
   ORANGE,
   PURPLE,
   PINK,
   BROWN,
   BLACK,
   WHITE,
   GRAY,
   CYAN
};
int main() {
   enum Color color;
   char *colorNames[] = {
      "RED", "BLUE", "GREEN", "YELLOW",
      "ORANGE", "PURPLE", "PINK", "BROWN",
      "BLACK", "WHITE", "GRAY", "CYAN"
   };
```

```
    for (color = RED; color <= CYAN; color++) {
        printf("%s=%d", colorNames[color], color);
        if (color < CYAN) {
            printf(", ");
        }
    }
    return 0;
}
```

OUTPUT

