

Confidence Intervals

Confidence Interval

What is the average income of an Indian Person ?

Population



Confidence Interval

What is the average income of an Indian Person ?

Population



A Confidence Interval is an interval of numbers containing the most plausible values for our Population Parameter.

(1850 , 2150)USD

Confidence Interval

What is the average income of an Indian Person ?

Population



A Confidence Level is the degree of confidence.

Confidence Interval

What is the average income of an Indian Person ?

Population



A Confidence Level is the degree of confidence.

Generally 90%, 95%, 98%

Confidence Interval

What is the average income of an Indian Person ?

Population



Repeating this survey again and again, 95% times the result would be between (1850 USD-2150 USD)

Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

$$\bar{X} \pm Z \frac{\sigma}{\sqrt{n}}$$

Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

$$\bar{X} \pm Z \frac{\sigma}{\sqrt{n}}$$

$\bar{X} \rightarrow$ Sample Mean

$Z \rightarrow$ Z score

$\sigma \rightarrow$ Standard deviation

$n \rightarrow$ Sample Size

Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

$$\bar{X} \pm \boxed{Z} \frac{\sigma}{\sqrt{n}}$$

$\bar{X} \rightarrow$ Sample Mean


$Z \rightarrow$ Z score

$\sigma \rightarrow$ Standard deviation

$n \rightarrow$ Sample Size

$$Z = \frac{x - \mu}{\sigma}$$


Confidence Interval



Confidence Interval



Do we need to use
integral everytime ?



Confidence Interval

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670

Confidence Interval

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670

Confidence Interval


STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670

Confidence Interval

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.


Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670




Confidence Interval

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670



Confidence Interval



Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

$$CI = \bar{X} \pm Z \frac{\sigma}{\sqrt{n}}$$

$$CI = 2195 \pm 596 \frac{1.96}{\sqrt{100}}$$

Confidence Interval

The survey of 100 people reported the average income to be \$2,195. If the standard deviation for average income was \$596.

Construct a 95% confidence interval for the average income?

$$CI = \bar{X} \pm Z \frac{\sigma}{\sqrt{n}}$$

$$CI = 2195 \pm 596 \frac{1.96}{\sqrt{100}}$$

$$CI = 2195 \pm 116.8$$

$$CI = (2078.2, 2311.8) \text{USD}$$

Thank You!