

# Z Test

# Hypothesis Testing



**STEP 1:** State the hypothesis  
(Population)



$\alpha$

**STEP 2:** Set the level of Significance  
(Criterion)




$p$

**STEP 3:** Compute test Statistics  
(Sample)

**STEP 4:** Make a decision based on  $p$  value

# Z-Test



$\alpha$  is the area of critical region

The p-value is the area to the right of the test statistic

**When test statistic in critical region,  
 $p\text{-value} < \alpha$**

Reject  $H_0$

# One Sample Z Test

Large Sample Size

# One Sample Z Test

Large Sample Size

Known Population Variance

# One Sample Z Test

Large Sample Size

Known Population Variance

If on average,  
Girls score more than 600 ?



# One Sample Z Test

Large Sample Size

Known Population Variance

Suppose standard  
deviation for girls score is  
100

If on average,  
Girls score more than 600 ?



# One Sample Z Test

Large Sample Size

Known Population Variance

Suppose standard  
deviation for girls score is  
100

If on average,  
Girls score more than 600 ?



$$H_0 : \mu \leq 600$$

$$H_1 : \mu > 600$$

$$\alpha = 0.05$$



# One Sample Z Test

Large Sample Size

Known Population Variance

Suppose standard deviation for girls score is 100

If on average,  
Girls score more than 600 ?



$$H_0 : \mu \leq 600$$

$$H_1 : \mu > 600$$

$$\alpha = 0.05$$

Score

574.0

573.0

622.0

663.0

674.0

569.0

623.0

614.0

640.0

619.0

674.0

612.0

606.0

724.0

707.0

667.0

666.0

639.0

630.0

635.0

638.0

593.0

634.0

685.0

658.0

585.0


593.0

716.0

570.0

599.0


# One Sample Z Test



# One Sample Z Test

$$\begin{aligned}\text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83\end{aligned}$$

# Z-Test



# One Sample Z Test

$$\begin{aligned}
 \text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\
 &= \frac{633.4 - 600}{100 / \sqrt{30}} \\
 &= 1.83
 \end{aligned}$$

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670

# One Sample Z Test

$$\begin{aligned} \text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83 \end{aligned}$$


$$\text{p value} = .0336$$

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.


Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670

1 - this value

# Z-Test




# Z-Test





# Z-Test



# One Sample Z Test

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449

1- alpha

# One Sample Z Test

$$\begin{aligned} \text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83 \end{aligned}$$

$$\text{p value} = .0336$$

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449

1- alpha

# One Sample Z Test

$$\begin{aligned} \text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83 \end{aligned}$$

$$\text{p value} = .0336$$

Critical Value = 1.645

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449

1- alpha

# One Sample Z Test

$$\begin{aligned}\text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83\end{aligned}$$

$$\text{p value} = .0336$$

$$\text{Critical Value} = 1.645$$

$$\text{Z score} > \text{Critical Value}$$

$$\text{P value} < 0.05$$

# Z-Test


$$\begin{aligned}\text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83\end{aligned}$$

$$\text{p value} = .0336$$

$$\text{Critical Value} = 1.645$$

$$\text{Z score} > \text{Critical Value}$$

$$\text{P value} < 0.05$$



# One Sample Z Test

$$\begin{aligned}\text{z score} &= \frac{\bar{x} - \mu}{\sigma / \sqrt{n}} \\ &= \frac{633.4 - 600}{100 / \sqrt{30}} \\ &= 1.83\end{aligned}$$

$$\text{p value} = .0336$$

$$\text{Critical Value} = 1.645$$

$$\text{Z score} > \text{Critical Value}$$

$$\text{P value} < 0.05$$



$$H_0 : \mu \leq 600$$

$$H_1 : \mu > 600$$



Thank You!