

Wind & Co.

G2 Report: Design Exploration, Prototyping, and Early Evaluation

Arush Gupta, Vennise Ho, Gaia Miccancio, Prisha Patel, Miral Yousef

CSC318

4 March, 2026

Table of contents

1. [Design requirements](#)
2. [Design alternatives and comparison](#)
3. [Convergence rationale](#)
4. [Storyboards](#)
5. [Paper prototype explanation](#)
6. [Early evaluation methods and findings](#)
7. [Design implications](#)
8. [Appendices](#)
9. [G2 Contribution Report](#)

Design requirements (brief recap from G1)

Design Requirement 1: Filtering for Weather & Activity

Requirement: The system must filter and prioritize clothing options that satisfy the user's current weather conditions and scheduled activities for the day.

Success Metric: This requirement is met if the user can view a selection of clothes already filtered for the day's weather and events without having to manually check and exclude incompatible items first.

Design Requirement 2: Visual Outfit Preview

Requirement: The system must provide a way for users to visually assemble and preview how multiple clothing items look together as a single outfit before they are physically worn.

Success Metric: This requirement is met if a user can visually verify that multiple pieces (e.g., top, bottom, and shoes) are well coordinated before they physically put any of the items on.

Design Requirement 3: Availability/Status Tracking

Requirement: The system must track and display the current availability and cleanliness of clothing items within the user's inventory.

Success Metric: This requirement is met if the user can identify which items are currently "unavailable" (e.g., in the laundry) before selecting them for an outfit.

Design Requirement 4: Saved Outfit Archive

Requirement: The system must allow users to save and quickly retrieve combinations of clothing that have been previously verified as successful.

Success Metric: This requirement is met if the user can save a coordinated outfit to a personal library and successfully retrieve it for use at a later date.


Design Requirement 5: Social History Log

Requirement: The system must record and display the date, social context, and audience associated with previously worn outfits.

Success Metric: This requirement is met if the user can view the specific date and the social group or event associated with a previously worn outfit.

Design alternatives and comparison


Design 1: High-Fidelity Virtual Avatar



Description: This approach uses a personalized 3D avatar that accurately represents the user's physical proportions and silhouette. Users can "try on" digital versions of their clothing in a virtual environment to see how items work together before physically dressing.

- **Advantages:**
 - **Directly Bridges the Visualization Gap:** Makes coordination concrete for users who struggle with mental imagery, addressing the "Spatial Cognition Gap" identified in our findings.
 - **Reduces Physical Friction:** Minimizes the need for multiple physical outfit changes, saving time and physical effort during the Trial Phase.
- **Disadvantages:**
 - **Implementation Complexity:** Accurate 3D modeling of fabric drape and fit poses a high feasibility barrier compared to 2D alternatives.
 - **Learning Curve:** Users may find navigating a 3D interface more time-consuming than traditional mirror-based trials during a rushed morning.
- **Requirements Traceability:**
 - **Supports Well:** *Design Requirement 2 (Visual Outfit Preview).*
 - **Struggles to Support:** *Design Requirement 1 (Weather/Activity Filtering) and Design Requirement 3 (Laundry/Availability Tracking).*

Design 2: Visual Collage & Timestamped Archive



Description: This approach focuses on a 2D “mood board” approach, allowing users to assemble flat-lay collages and save them to a timestamped library. It leverages existing mental models of social media apps (like Instagram) to track when and where outfits were worn.

- **Advantages:**

- **Low Barrier to Entry:** Fits seamlessly into existing user behaviors of taking photos or saving inspiration, making it intuitive to use from day one.
- **Social & Recency Verification:** The timestamped archive allows users to verify social context, solving “Audience Anxiety” by checking exactly when a group last saw an outfit.


- **Disadvantages:**

- **Manual Upkeep:** The system's value depends entirely on the user's discipline to save and tag outfits; an empty archive provides no utility in a “panic” morning.
- **Static Representation:** Unlike an avatar, a 2D collage cannot show how an outfit fits the body or how layers interact spatially.

- **Requirements Traceability:**

- **Supports Well:** *Design Requirement 2 (Visual Outfit Preview)* and *Design Requirement 4 (Saved Outfit Archive)*.
- **Struggles to Support:** *Design Requirement 2 (Visual Outfit Preview)*.

Design 3: Context-Aware Inventory Manager



Description: This approach functions as a digital “control center” for the closet, focusing on item status and logistical constraints. It automatically filters the wardrobe based on real-time weather and scheduled events, while tracking which items are currently clean, dirty, or missing.

- **Advantages:**

- **Eliminates "Failed" Selections:** Prevents the frustration of choosing an outfit only to find a piece is in the laundry or incompatible with the rain.
- **Reduced Cognitive Load:** Automatically handles the “mental sorting” and “survival logistics” of weather/activity, allowing users to jump straight to styling.

- **Disadvantages:**

- **High Data Input:** Requires users to maintain an accurate digital inventory and sync their calendars to provide meaningful event-based filters.
- **Logistical Rigidity:** May struggle with nuanced weather (e.g., "it's sunny but windy") or unexpected changes in daily plans that weren't logged in a calendar.

- **Requirements Traceability:**

- **Supports Well:** *Design Requirement 1 (Weather and Activity Filtering) and Design Requirement 3 (Laundry and Availability Tracking).*
- **Struggles to Support:** *Design Requirement 4 (Saved Outfit Archive)* as it focuses on individual items rather than coordinated looks.

Convergence rationale

After evaluating our three alternatives, we have chosen to pursue Design 2: Visual Collage & Timestamped Archive as our primary design direction. This choice is based on how well it addresses the emotional and social friction points found in our research while remaining highly intuitive for the user.

Comparison Against Requirements

Design 2 provides a strong foundation by supporting Design Requirement 2 (Visual Outfit Preview) through the collage feature and Design Requirement 4 (Saved Outfit Archive) via the timestamped library. While Design 1 (Virtual Avatar) offered a high-tech solution for the “Spatial Cognition Gap,” its complexity and lack of historical tracking made it a less versatile starting point.

Acknowledging Tradeoffs

We recognize that Design 2 relies on manual user discipline more than the automated filtering of Design 3 (Context-Aware Inventory Manager). However, our research shows that users value personal expression and “creative spark” over purely logistical dressing. While a manual archive could be empty on first use, it matches existing mental models of some users who already utilize “Instagram archives” to remember their looks. We believe the trade-off of manual upkeep is justified because it removes the mental burden of memorizing past combinations. Instead of relying on memory to ensure variety and social appropriateness, the user can rely on a verified record, significantly reducing morning cognitive load.

Reasoning for Selection

Design 2 hits the most significant pain points of the Trial Phase such the frustration of physically coordinating pieces or remembering if you had worn an outfit in front of some crowd before and the Finalizing Phase (the time-pressed panic that results in boring yet safe outfits). By providing a solution for the morning bottleneck through a verified library of past successes, we can significantly reduce the decision fatigue and physical effort identified in our experience map.

Future Development

Design 2 serves as the best foundation because it captures the creative and social aspects of dressing. We intend to use this as a core that can eventually integrate logistical elements from Design 3, such as automated weather and activity tracking, as the system evolves to become even more context-aware.


Storyboards

Part 1: High-Level Storyboards (Context & Workflow)

These storyboards focus on the human element: the environment, the user's emotional state, and how the app fits into their physical world to relieve friction.

Storyboard 1: Beating the Morning Bottleneck


- **Scenario:** Timely Tina wakes up late and is incredibly rushed. Instead of her usual routine of trying on and discarding multiple outfits in a panic, she uses the app to instantly pull up a verified, comfortable outfit.
- **Grounded In:**
 - Job Story 4: Selecting from Reliable Outfits.
 - Requirement 4: Saved Outfit Archive.
- **Design Rationale:** We found that 73% of respondents default to "safe" outfits when under time pressure, which often leads to a drop in confidence. This storyboard illustrates the app's core value: replacing the physical trial-and-error and emotional drain of a rushed morning with a quick, digital selection.



Storyboard 2: Navigating Social Anxiety

- **Scenario:** Fabulous Fabrizio is getting ready for a party. He wants to wear a specific statement piece but is anxious because he can't remember if he wore it the last time he hung out with this specific friend group. He checks the app's history to verify he is clear to wear it.
- **Grounded In:**

- Job Story 5: Tracking Social Context.
- Requirement 5: Social History Log.
- **Design Rationale:** Participants noted that they do not care about repeating an outfit in a week, but they deeply care if the same audience sees it twice. This storyboard validates the user's social constraints and demonstrates how the timestamped archive acts as a "Social Verification" tool.



Part 2: Screen-Level Storyboards (Detailed Interaction Steps)

These storyboards zoom in on the device interface, detailing the exact taps, swipes, and UI screens the user navigates to accomplish their goals.

Storyboard 3: Assembling the Visual Collage



- **Scenario:** The user has a bit of free time and wants to plan a new look. They open the "My Closet" tab, drag and drop a top, bottom, and shoes onto the canvas, and then visually verify that they match, and hit "Save" to add it to their archive.
- **Grounded In:**
 - Job Story 3: Visualizing the Outfit.
 - Requirement 2: Visual Outfit Preview.
- **Design Rationale:** Users currently suffer from a "Spatial Cognition Gap" where they cannot mentally visualize how pieces will interact without putting them on their physical bodies. This storyboard maps the specific interaction of building a 2D flat-lay collage. It proves how the interface allows users to verify coordination digitally, saving significant physical effort.

STORYBOARD PLANNER Assembling the Visual Collage

1 of 4

STORYBOARD PLANNER Assembling the Visual Collage

2 of 4





STORYBOARD PLANNER Assembling the Visual Collage

3 of 4

STORYBOARD PLANNER

4 of 4




Storyboard 4: Filtering for Constraints & Retrieving an Outfit

- Scenario:** The user opens the "Outfit Archive" sidebar. They select filters for "Summer" and "School" (or use integrated weather data) to narrow down their saved collages. They tap on a saved outfit to view it and confirm it is their choice for the day.
- Grounded In:**
 - Job Story 1: Planning for Weather & Events.
 - Requirement 1: Filtering for Weather & Activity.
- Design Rationale:** Getting dressed is a constraint-first problem, with over 80% of users prioritizing weather and planned activities. This flow demonstrates how users interact with the archive sidebar to bypass manual mental sorting. By filtering their pre-verified outfits, users can make a highly efficient, confidence-boosting choice in seconds.


STORYBOARD PLANNER Filtering for constraints

1 of 2



STORYBOARD PLANNER Filtering for constraints

2 of 2




Storyboard 5: The Post-Wear Social Log (Gaia)

- Scenario:** At the end of the day, the user receives a prompt or opens the app to log the outfit they just wore. They tag the date, the event, and the audience, officially saving this data to the outfit's history.
- Grounded In:**
 - Job Story 5: Tracking Social Context.
 - Requirement 5: Social History Log.
- Design Rationale:** Because Design 2 heavily relies on manual user discipline to maintain the archive, the interaction for logging social data must be frictionless. This storyboard focuses on the critical data-entry step that powers the "Social & Recency Verification" feature. It shows how a user effortlessly records social context so it can be reliably referenced in the future.

Title The Post-War Social Log (Screen Level Storyboard)

Page 1 of 4




Title The Post-War Social Log (Screen Level Storyboard)

Page 2 of 4




Title The Post-War Social Log (Screen Level Storyboard)

Page 3 of 4



Title The Post-War Social Log (Screen Level Storyboard)


Page 4 of 4



Storyboard 6: Catalog, Timestamping, Tracking

- **Scenario:** User views their catalog of saved outfits. They can see when they wore them in the past, or log the fact that they wore them. They can tag the date, the event, and the audience, officially saving this data to the outfit's history.
- **Grounded In:**
 - Job Story 5: Tracking Social Context.
 - Requirement 5: Social History Log.
- **Design Rationale:** Because Design 2 heavily relies on manual user discipline to maintain the archive, the interaction for logging social data must be frictionless. This storyboard focuses on the critical data-entry step that powers the "Social & Recency Verification" feature. It shows how a user effortlessly records social context so it can be reliably referenced in the future.

Title Catalog, Timestamping, and Tracking




Notes:
User can see history of saved and past outfits

4.a




Notes:
user clicks history button



Notes:
User clicks on outfit

4.1a



Notes:
User presses x icon to close page up
User can scroll to bottom



Notes:
User sees larger version of outfit with additional information on last worn and audience

4.2a




Notes:
user presses x icon to close page up

Title Catalog, Timestamping, and Tracking



Notes:
User selects I wore this

4.21b




Notes:
User manually changes month and day




Notes:
User selects audience outfit based on selected leaving event, null if no event or audience

4.3b




Notes:
User selects to add another event



Notes:
User selects target or couldn't upload yesterday automatically, selects yesterday

4.31b




Notes:
New event can be added same as other 4.32b


Title Catalog, Timestamping and Tracking

Page 3 of 5


4.32b



4.33b



4.34b



Notes:
Use select dropdown menu to change event


Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event


5.a



4.4b



4.41b



Notes:
Use select dropdown menu to change event


Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event


Title Catalog, Timestamping and Tracking

Page 4 of 5


4.42b



4.43b



4.44b




Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event


5.b



5.1b



4.5b



Notes:
Use select dropdown menu to change event


Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event

Title Catalog, Timestamping and Tracking

Page 5 of 5


1



4.c





1



Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event

Notes:
Use select dropdown menu to change event



Notes:

Notes:

Notes:

Paper prototype explanation

WRITTEN EXPLANATION - MIRAL

(attach video?)

Early evaluation methods and findings

For the evaluation methods we chose to do heuristic evaluations with our classmates acting as experts, and think-aloud evaluations with target users. For the heuristic evaluation, we used Nielsen's 10 Usability Heuristics, collecting a log of usability problems categorized by Heuristic Number and Severity Rank (0–4) and any qualitative notes from the experts on issues or places to improve. We had 5 classmates acting as expert evaluators. Since they are familiar with UX standards and Nielsen's Heuristics, they could objectively catch system flaws—like missing "emergency exits" or inconsistent labels—that we might have missed because we are too close to the design. For the think-aloud evaluations, we looked for 4–6 university students (ages 18–25) who regularly deal with outfit creation in the morning. We needed to see if our collage and archive logic actually felt intuitive to them and if it successfully offloads the mental burden of remembering past outfits. We found participants through our questionnaire from G1, and by scouting students in study spaces who seemed interested in fashion. Our note takers collected verbal "stream-of-consciousness" feedback, task completion rates, and events where users got stuck or confused. This data shows us where the user's mental model doesn't match our design and whether the app actually reduces their cognitive load.

Finding 1: The "drag and drop" interaction when building outfits in their closet

Observation

Across multiple evaluation sessions, participants consistently struggled with the "drag and drop" functionality used to build outfits in the closet. During the heuristic evaluation (Round 3), evaluators noted confusion about the drag and drop option (violating H9: Help Recognize/Recover from Errors and H10: Help and Documentation). This was echoed in the think-aloud sessions (Rounds 1, 2, and 4), where users paused, became confused, or tried to click placeholders and preexisting clothing items instead of dragging and dropping them.

Interpretation

A core design goal of this app is to reduce the friction people face when trying on multiple outfits. The "drag and drop" mechanism was designed to emulate real-life planning (Nielsen's H2: Match between system and real world) where people take their clothes and arrange them in their room, but it actually introduced *more* friction because it clashed with users' standard mental models for mobile interfaces. Users intuitively expected a tap-to-select or tap-to-swap interaction.

Why it matters / Design Implication

Because outfit creation is the primary task of the app, any friction here is a major barrier. In the next iteration, the design should pivot away from drag-and-drop toward a more standard mobile interaction pattern, such as automatically placing the clothes in the outfit box on click.

Finding 2: Clarity of system design (friction in basic navigation)

Observation

Users experienced significant friction when trying to figure out how to log an outfit. In the heuristic evaluation (Round 3), an expert noted that in view mode, the “I wore this” button looked like an unclickable tag rather than an actionable button (violating H4: Consistency and Standards). In both the heuristic evaluation and the think-aloud sessions, users paused at the “history”, unsure if it and its contents were clickable. Additionally, they appeared confused by the “history,” as its purpose was not immediately apparent and they had to explore its functionality to understand what it did. In the heuristic evaluation (Round 2, Round 5), experts noted it would be useful to have more information on existing data, such as the amount of clothing or the amount of outfits (Violating H8: Aesthetic and Minimalist Design and H1: Visibility of System Status).

Interpretation

A secondary design goal of the app is to successfully “offload the mental burden of remembering past outfits”. To achieve this, logging a daily outfit and viewing past logs needs to be instantaneous and obvious. When calls-to-action like “I wore this” blend in as tags, or the “history” requires exploration just to understand its purpose, users experience unnecessary cognitive load trying to navigate the app. This friction in basic navigation directly undermines the app's core purpose of making outfit tracking effortless. Having information like easy to find outfit counts, further reduces mental load and saves users time.

Why it matters / Design Implication

The findings suggest that the chosen visual cues, terminology, and workflows are failing to guide the user intuitively. For the next iteration, the UI needs clearer signifiers—specifically ensuring that actionable items like buttons look distinctly clickable and do not resemble static tags. Terminology must also be refined to be more representative of the intended action so users do not have to guess the purpose of features like the “history”.

Finding 3: Flexibility in use

Observation

Evaluators noted several moments in which they may have wanted to execute a process differently, or view information in a different way. In the heuristic evaluation (Round 4) an evaluator noted that the “Daily Recap” took a lot of steps and time to input information (Violating H2: Match Between System and Real World and H7: Flexibility and Efficiency of Use). In Round 2, the evaluator noted a desire for an “add all” button so they could more quickly add clothing to their closet (Violating H7: Flexibility and Efficiency of Use). In Round 5, the evaluator noted that events may pile up and lead to inefficiency of scrolling and searching for events (Violating H7: Flexibility and Efficiency of Use). In the think-aloud sessions, users noted desire for different ways of viewing several types of information, for example seeing the closet sorted by date (Round 1), wanting to be

able to layer or add accessories (Round 1, Round 2), changing a part of a preexisting outfit (Round 2), to have preselects in their closet (Round 4), have edit and view next to each other (Round 4).

Interpretation

There are different ways in which users may want to view information and use the app that depend on their schedule, stress levels, time, style, and the type of person that they are. Being able to view information and execute processes in a more personally intuitive way contributes to our goal of reducing mental load in choosing outfits, as they can do it in a way that more accurately mimics how they might do it in person (but without taking up the same amount of time). It also helps them remember who they wore an outfit in front of (one of our design directions) better if they can view it in a way that makes more sense for them (calendar, recency, date, etc.).

Why it matters / Design Implication:

The findings suggest that the design is failing to most efficiently and effectively help users accomplish their goals on the app. In future implementations, there should be more flexibility in use, where users can specify how they would like to view information, and processes should have simplification options for users who don't want to log as much information.

Design implications

Chosen Design Direction

Our design direction focuses on reducing the friction people encounter when trying on multiple outfits in the morning and reducing the mental burden of remembering outfits and if they've worn it in front of specific people. While the early evaluation methods suggest that these goals resonate with users, our current design has not been as effective as we had hoped in achieving that goal. Instead of streamlining the experience, elements of our design such as unclear buttons and user flows that require more steps than necessary are increasing cognitive effort and making tasks feel more complicated than they should be. Moving forward, we will be shifting toward a more automated, yet flexible approach that aligns with familiar mobile-standard interactions. The default experience should simplify and automate the workflow, minimizing manual effort for common tasks. At the same time, users with more specific needs should be able to adjust or override these defaults, ensuring flexibility without increasing cognitive load for everyone.

Changes to be made in the next iteration

Based on our evaluation findings, here are the key changes we plan to implement in the next iteration of our design:

- **Replace drag-and-drop with click-to-select interactions:** Drag-and-drop caused unnecessary confusion when building an outfit. Instead, clicking an item should automatically place it into the outfit box, following familiar mobile interaction patterns.
- **Clarify buttons and terminology:** Some actions were not clearly distinguishable from unclickable labels. For example, "I wore this" should feel like an obvious action, and "history" should better reflect what the feature actually does for easier navigation of the system.
- **Make system status more visible:** Displaying data such as clothing counts or total outfits provides users with immediate, useful information about the current state of their digital closet.
- **Improve event management in the scroll view:** Users should be able to delete events or reorder them (by recency, popularity, or day) so the feed doesn't become overwhelming or cluttered.
- **Introduce a simplified Daily Recap option:** Not every user wants to navigate multiple steps just to log an outfit. A streamlined, optional fast-track version reduces friction, while keeping the full manual flow available for users who prefer more control.
- **Add an "add all" option for clothing uploads:** When multiple items are detected in one photo, users should be able to add them all at once instead of confirming each individually.
- **Enable filtering and flexible viewing options:** Instead of forcing users to scroll through a chronological feed, they should be able to filter by date, audience, and event and switch between views like calendar or recency-based sorting.

- **Support layering and accessories:** Users expressed interest in building more complex outfits, such as adding multiple tops or accessories, so the system should support that flexibility.
- **Add smart preselects and automatic filters:** Instead of requiring users to manually narrow down their closet every time, the system should automatically apply filters based on context (i.e. weather conditions) or generate a randomized preselect of suitable items to reduce mental effort.
- **Place “edit” and “view” side-by-side:** These actions are often used together, so positioning them next to each other makes the flow more intuitive.

Reflection on Limitations and Uncertainty

While these evaluations provided actionable insights, several limitations in our methodology introduce uncertainty into our findings and affect our overall confidence in the current design direction.

Lack of Consensus and Incomplete Data in Heuristic Evaluations

There was a notable lack of consensus among our expert evaluators, with “drag and drop” being the only issue consistently identified across multiple sheets. Furthermore, experts frequently didn’t add enough detail to the heuristic evaluation forms as they tested, leading to gaps in our formal data. This inconsistency means some usability issues may have been missed or overemphasized based on the specific evaluator's focus.

Potential Observer Bias

Much of our observational data was recorded from the perspective of team members who have worked extensively on the project. This familiarity may have led to a biased interpretation of user pauses or errors, potentially overlooking fundamental flaws that a neutral observer would have caught.

Small Sample Size and Low Participant Engagement

Our think-aloud sessions were limited by a small number of participants who provided relatively few verbal comments. This lack of “stream-of-consciousness” data makes it difficult to definitively map out the user's mental model or understand exactly why certain friction points occurred beyond what we could observe visually.

Appendices

G2 Contribution Report

Purpose

The purpose of the **G2 Contribution Report** is to document **actual contributions** made by each team member during G2 and to compare them against the planned contributions outlined in the G2 Contribution Plan.

The report does **not** change the group's assessed score. Instead, it is used to adjust **individual grades upward or downward relative to the group grade**.

Group Information

Group name: Wind & Co.

Project title/problem space: Getting Dressed

Date: March 2nd, 2026

Team members

Planned
Contribution %

Actual
contribution %

1. Prisha Patel	20	20
2. Miral Yousef	20	20
3. Arush Gupta	20	20
4. Gaia Micciancio	20	20
5. Vennise Ho	20	20
6.		

Actual Distribution of Work

Percentages should reflect **actual effort**, not intended effort, and should sum to approximately 100% across the table. Additionally, the sum of the percentage splits for each student should match the actual contribution % on page 1.

Artifact/Activity (approximate effort range)	Actual effort %	Primary owner (percentage split)	Secondary contributors (percentage split)
Design alternatives (exploration) (15-20%)	15	Prisha (10)	Vennise (5)
Alternatives comparison & convergence rationale (10-15%)	10	Vennise (5)	Arush (5)
Storyboards (tasks & interaction flow) (15-20%)	20	Arush (15)	Gaia (5)
Paper prototype implementation (15-20%)	20	Miral (10)	Prisha (10)
Early evaluation design & execution (15-20%)	15	Gaia (10)	Vennise (5)
Evaluation synthesis & design implications (10-15%)	10	Vennise (5)	Gaia (5)
Report integration & editing (5-10%)	10	Miral (10)	

Reference to Contribution Plan

Briefly summarize (3–5 sentences):

- How closely the group was able to follow the original G2 Contribution Plan

We followed the original contribution plan very closely, without any changes to each person's intended contributions.

- Any significant deviations from the plan

There were no significant deviations from the plan. The one notable thing is that the expected effort for the storyboard was lower than the actual effort required, since we found that we needed to add an extra storyboard (we did 6 instead of 5).

- Why those deviations occurred

We added the extra storyboard to help in creating the paper prototype, after we realized that there were some interactions missing.

Individual Contribution Summary

Each student must complete **one row** summarizing their own contribution. Percentages should be consistent with the table above.

Focus on contributions for which you had primary or shared responsibility in the Contribution Plan.

Team member	Planned %	Actual %	Key Contributions (2-4 bullet points)	Major Challenges or Additional Effort
1. Prisha Patel	20	20	• Brainstormed and sketched out 3 design alternatives • Made many of the paper prototype pieces, including new materials once we realized we needed more interactions	One of the biggest challenges was conceptually mapping out how the interactions would flow in a real setting from the user's perspective. The storyboards had multiple and diverse interactions, but integrating these features into one

				cohesive app was difficult.
2. Miral Yousef	20	20	- Created a portion of the paper prototype materials, flagging potential usability issues in the design along the way. - Integrated the report to ensure that our use of dependencies was clear, and that our cohesive line of thought is evident throughout.	The biggest challenge I found was dealing with the small non-solution based features of the app. Although the storyboards accounted for the big issues we wanted to tackle, there are certain things we take for granted when drawing up a design such as back buttons.
3. Arush Gupta	20	20	- Created 1 high level story board to describe the process of combatting social anxiety with our product - Created 2 Screen Level story boards to show different aspects of functionality in our design - Helped review design direction finalization	The biggest challenge I faced was just imagining how the process of adding new clothes would and visualizing it through storyboards. It took some back and forth with my group members and ideation to get a solid foundational idea to visualize.

4. Gaia Micciancio	20	20	• Created 3 of the storyboards, 1 high level and 2 screen level • Planned out the evaluation methods with Vennise • Brainstormed and collaborated on evaluation synthesis and findings • Wrote finding 3	It took a bit to wrap my head around all the data in the findings, and recognize the links between our different evaluations. Had to create extra storyboard later in process when paper prototype people realized there was a gap
5. Vennise Ho	20	20	• Brainstormed design alternatives with Prisha • Worked with Arush to discuss benefits and tradeoffs to choose our design direction • Planned our evaluation methods with Gaia • Synthesized evaluation findings and reflected on the implications of those findings in our next iteration	Data from our early evaluation was difficult to synthesize into concrete findings as there was not too much overlap between what our different users said.
6.				

Reflection on Contribution Changes

Briefly answer (5–8 sentences total):

- Which contributions increased or decreased relative to the plan?
 - Overall, the percentage that each person contributed did not change from the plan
- Why did these changes occur?
 - N/A
- How did the group adapt during iteration, convergence, and evaluation?
 - As a group, we made sure to communicate our progress on the group chat so that the next person was able to start working once prior steps had been completed. We made sure to have regular meetings with our entire group as well as separate meetings with other members working on the same section as us. Additionally, if we found issues with prior steps, we consulted the people who had been working on the respective part so they could iterate and refine their work, in order to make it easier for people down the line.

Acknowledgement of Grading Policy

Each team member must read and acknowledge the following statement:

I understand that the G2 submission is graded based on its overall quality. My individual grade may be adjusted upward or downward relative to the group grade based on how my actual contribution compares to what was documented in the G2 Contribution Plan and this G2 Contribution Report.

Team members

Signatures

1. Miral Yousef	Miral Yousef
2. Prisha Patel	Prisha Patel
3. Vennise Ho	Vennise Ho
4. Gaia Micciancio	Gaia Micciancio
5. Arush Gupta	Arush Gupta
6.	

Submission Instructions

- Submit this document as a single PDF
- One submission per group
- Submit alongside the final G2 report