order20 RESULTS
PREREG sha256 b96dce4a2dc14d335654733e25959524941ef69e4ac03244cc868196f3ab5f85 (hashed before numerics; Map RG7 hashed there).
test	value	verdict
RG6′ corrected (same N and classes)	abs 1.536, rel 9.5e−4, κ = 1.0000015 − 4.8e−5 i	inconclusive (abs ≥1e−4 but rel < 1e−3)
L_B (i) at x, 49 cases	max abs 1.4e−15	PASS
L_B (ii) S-law into shifted characteristics, 49 cases	max abs 2.7e−15	PASS
Map RG7: S-image leaves the 35-component law vector span	joint ranks 90 / 72 / 90 vs 36	PASS
Category A
Prop. L_B (paper v7 Prop. bern): exact S-law for the Bernoulli-weighted Gauss sums via aliased $1/k^2$ weights, into Gauss means with characteristics $\beta+\lambda'_{k+p}$ outside the 105 companions. This explains (as a theorem) why no fixed-M law exists for A2^corner.
Category B
L_B numerical check; RG7 rank result; RG6′ inconclusive.
Paper
RTA_FOUNDATION_BOUND_v7.pdf, 132 pages.

order20 NOTES
- RG6′ correction: re-running with the same N and classes gave the identical number as order19 (rel 9.5e−4), so the order19 normalisation concern did not affect that value (the separately found periods coincided). Verdict by the preregistered rule: inconclusive.
- The near-law (κ ≈ 1 to 1.5e−6, residual ~1e−3) of C2b − G_N/6 at w=1 is unexplained; post-hoc hypothesis (untested): it is carried by the low-|k| aliased weights c'_k whose shifted characteristics are close to companions. Candidate for order21, to be preregistered.
- L_B is a direct corollary of STlaw (general α,β); its numeric check is consistency only.
- RG7 is residual-geometric/internal; a PASS is not a bridge. No Resonant-side object used; E1–E3 OPEN. Ξ: not closer to identification; what is shown is where A2 lives (outside the 35-component span), which narrows where a completion would have to act.
- nice, OMP_NUM_THREADS=1, <3 GB; ~1 min run; no push/sends; new files only.