order44 RESULTS: RG41, RG42
PREREG sha256 8a162be878bdb9eb39409c18257532ae5673d659b3a0e5ec04210a8df1932c5c (hashed before numerics). κând M fixed.
RG41: PASS (consistency identity; no new theorem)
(b) is predicted entirely from data at x: the L_B (ii) shifted-characteristic S-law at x, plus LD0, plus M·Rem(x). It matches the measured (b) with max relative error 3.6e−14 at x ∈ {2, 3, 4, ½, ⅔, 3/2}.
This is a consequence of L_B (Category A since v7) and LD0 (order43). Not new; no v11.
Why (b) ≈ −(a), as stated in PREREG: (a) + (b) = C2b(−1/x) − κ̂35^{ −1/2}M·C2b(x) identically. So the near-cancellation is exactly the near-law of C2b itself. The split supplies no independent mechanism.
Descriptive: q = ‖C2b(x)‖/‖D0(x)‖ = 2.907 at x = 2, 3, 4; 11.62 at x = ½ and 3/2; 26.14 at x = ⅔. The k ≠ 0 terms dominate C2b at these points; there is no internal cancellation.
RG42 (blind): INCONCLUSIVE
pair	c(x)	c(1/x)	rel diff
5/7 ↔ 7/5	0.2953692	0.2953673	6.5e−6
4 ↔ 1/4	0.0759982	0.0759973	1.3e−5
9/2 ↔ 2/9	0.0936508	0.0936480	3.0e−5
5 ↔ 1/5	0.0647995	0.0647982	1.9e−5
7/3 ↔ 3/7	0.1865376	0.1865253	6.6e−5

Every pair lies between the PASS (1e−8) and FAIL (1e−4) thresholds. The invariance holds to 4–5 digits but is not exact, so there is no exact symmetry. Prediction PASS (blind): not confirmed.
Category, v11, follow-up
A: none new. B: RG42 numbers. v11: no. order45: not run (preregistered rule: only after an RG42 PASS). Ξ: not identified. E1–E3 OPEN.

order44 NOTES
- The (a)/(b) split is closed as an explanatory route: it is algebraically equivalent to the C2b near-law itself.
- The x ↔ 1/x near-invariance (rel 1e−5) is approximate. A natural source is the closeness of κ̂to 1, since an exact x ↔ 1/x symmetry would follow if κ̂= 1 and C2b had a parity under x → −x. That is untested.
- Open next step (not started): preregister RG43, recomputing c(x) and c(1/x) with κ = 1 exactly instead of κând testing exact invariance (1e −10). A PASS would point to a provable symmetry, a Category A candidate. Alternatively, return to the central open question: an exact law for C2b (or the corner) in the Bernoulli-column span (order38: 54-dim, floor r ≈ 0.0021).
- Naming: RG* only, no labels L1–L7; "36" only as dim V. MAPS_CANDIDATES untouched; no Resonant objects; no new Bernoulli objects; no bridge claim; CORE_FREEZE. nice, OMP_NUM_THREADS=1, ~28 s; no push or sends; new files only.