

Minikube

Minikube is a tool that allows you to run a single-node Kubernetes cluster locally on your machine. It is primarily used for development, testing, and learning purposes. Minikube creates a lightweight Kubernetes environment that simulates a full Kubernetes cluster, enabling developers to test their applications locally before deploying them to a production cluster.

Key Features of Minikube

1. Local Kubernetes Cluster:

- Minikube runs a single-node Kubernetes cluster inside a virtual machine (VM) or container on your local machine.
- It provides a simplified environment for testing Kubernetes features without needing a full-scale cluster.

2. Supports Multiple Hypervisors:

- Minikube supports various hypervisors like VirtualBox, VMware, Hyper-V, KVM, and Docker.
- It can also run on bare metal using the none driver.

3. Easy to Set Up:

- Minikube is designed to be simple and easy to install, making it ideal for beginners and developers.

4. Supports Kubernetes Features:

- Minikube supports most Kubernetes features, including:
 - Deployments
 - Services
 - ConfigMaps
 - Secrets
 - Ingress
 - Persistent Volumes
 - RBAC (Role-Based Access Control)

5. **Add-ons:**

- Minikube comes with optional add-ons like the Kubernetes Dashboard, Ingress, and storage provisioners, which can be enabled with a single command.

6. **Cross-Platform:**

- Minikube works on Linux, macOS, and Windows.
-

How Minikube Works

1. **Virtual Machine or Container:**

- Minikube creates a virtual machine (VM) or container on your local machine.
- Inside this VM/container, it runs a single-node Kubernetes cluster.

2. **Kubernetes Components:**

- Minikube installs and configures all the necessary Kubernetes components, such as:
 - **kube-apiserver:** The API server for Kubernetes.
 - **kube-scheduler:** Schedules workloads on the node.
 - **kube-controller-manager:** Manages controllers like deployments and replicaset.
 - **etcd:** A key-value store for Kubernetes cluster data.
 - **kubelet:** Manages containers on the node.
 - **kube-proxy:** Handles networking and service routing.

3. **Networking:**

- Minikube sets up networking so that you can access your Kubernetes cluster from your local machine.
- It also provides a local IP address for the cluster.

4. **Storage:**

- Minikube supports persistent storage using local directories or persistent volumes.

5. **Add-ons:**

- Minikube allows you to enable additional features like the Kubernetes Dashboard, Ingress, and metrics server.
-

Why Use Minikube?

1. Local Development:

- Minikube allows developers to test Kubernetes applications locally without needing a cloud-based cluster.

2. Learning Kubernetes:

- It is an excellent tool for learning Kubernetes concepts and experimenting with Kubernetes features.

3. Cost-Effective:

- Since Minikube runs locally, it eliminates the need for expensive cloud-based Kubernetes clusters for development and testing.

4. Isolation:

- Minikube provides an isolated environment, so you can experiment without affecting production clusters.

5. Quick Setup:

- Minikube can be set up in minutes, making it ideal for quick testing and prototyping.
-

Minikube Architecture

1. Host Machine:

- Your local machine where Minikube is installed.

2. Hypervisor:

- A hypervisor (e.g., VirtualBox, Docker, KVM) is used to create a VM or container for the Kubernetes cluster.

3. Minikube VM/Container:

- A lightweight VM or container that runs the Kubernetes components.

4. Kubernetes Cluster:

- A single-node Kubernetes cluster running inside the VM/container.

Minikube Commands

Here are some common Minikube commands:

Command	Description
minikube start	Starts a local Kubernetes cluster.
minikube stop	Stops the running Minikube cluster.
minikube delete	Deletes the Minikube cluster.
minikube status	Displays the status of the Minikube cluster.
minikube dashboard	Opens the Kubernetes Dashboard in your browser.
minikube ssh	SSH into the Minikube VM/container.
minikube addons list	Lists available Minikube add-ons.
minikube addons enable <name>	Enables a specific add-on (e.g., minikube addons enable ingress).
minikube ip	Displays the IP address of the Minikube cluster.
minikube kubectl -- <command>	Runs a kubectl command against the Minikube cluster.

Limitations of Minikube

1. Single-Node Cluster:

- Minikube runs a single-node Kubernetes cluster, so it cannot simulate multi-node cluster behavior.

2. Resource Constraints:

- Since Minikube runs on your local machine, it is limited by your machine's resources (CPU, memory, etc.).

3. Not for Production:

- Minikube is not suitable for production use. It is designed for development and testing only.

4. Limited Networking:

- Networking configurations in Minikube may differ from production clusters.

Minikube vs Other Tools

Feature	Minikube	Kind (Kubernetes IN Docker)	K3s
Cluster Type	Single-node	Multi-node	Lightweight Kubernetes
Resource Usage	Moderate	Low	Very Low
Ease of Setup	Easy	Moderate	Easy
Use Case	Development, Testing, Learning	Development, Testing, CI/CD	Edge, IoT, Development
Production Use	No	No	Yes

Conclusion

Minikube is a powerful tool for developers and learners who want to experiment with Kubernetes locally. It provides a simple and lightweight way to run a Kubernetes cluster on your machine, enabling you to test applications, learn Kubernetes concepts, and develop Kubernetes manifests without needing a full-scale cluster. While it has some limitations, it remains one of the most popular tools for local Kubernetes development.

BASIC COMMANDS:

`minikube start`

`minikube start`

`minikube status`

`kubectl get pod`

`kubectl get deploy`

`kubectl get replica`

`kubectl get pod -o wide`

Terminal commands:

```
arvind_2004@ARVINDM:/$ sudo apt install openjdk-17-jdk
```

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:

alsa-topology-conf alsa-ucm-conf ca-certificates-java fonts-dejavu-extra java-common
libasound2-data libasound2t64

libatk-wrapper-java libatk-wrapper-java-jni libgif7 libice-dev libice6 libnspr4 libnss3
libpcsclite1 libpthread-stubs0-dev

libsm-dev libsm6 libx11-dev libxau-dev libxaw7 libxcb-shape0 libxcb1-dev libxdmcp-dev
libxft2 libxkbfile1 libxmu6 libxpm4

libxt-dev libxt6t64 libxv1 libxxf86dga1 openjdk-17-jdk-headless openjdk-17-jre openjdk-17-
jre-headless x11-utils x11proto-dev

xorg-sgml-doctools xtrans-dev

Suggested packages:

default-jre alsa-utils libasound2-plugins libice-doc pcscd libsm-doc libx11-doc libxcb-doc
libxt-doc openjdk-17-demo

openjdk-17-source visualvm libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho fonts-
wqy-microhei | fonts-wqy-zenhei

fonts-indic mesa-utils

Recommended packages:

luit

The following NEW packages will be installed:

alsa-topology-conf alsa-ucm-conf ca-certificates-java fonts-dejavu-extra java-common
libasound2-data libasound2t64

libatk-wrapper-java libatk-wrapper-java-jni libgif7 libice-dev libice6 libnspr4 libnss3
libpcsclite1 libpthread-stubs0-dev

libsm-dev libsm6 libx11-dev libxau-dev libxaw7 libxcb-shape0 libxcb1-dev libxdmcp-dev
libxft2 libxkbfile1 libxmu6 libxpm4

libxt-dev libxt6t64 libxv1 libxxf86dga1 openjdk-17-jdk openjdk-17-jdk-headless openjdk-17-jre openjdk-17-jre-headless x11-utils

x11proto-dev xorg-sgml-doctools xtrans-dev

0 upgraded, 40 newly installed, 0 to remove and 56 not upgraded.

Need to get 123 MB/128 MB of archives.

After this operation, 298 MB of additional disk space will be used.

Do you want to continue? [Y/n] Y

Get:1 [http://archive.ubuntu.com/ubuntu/noble/main amd64 xorg-sgml-doctools](http://archive.ubuntu.com/ubuntu/noble/main/amd64/xorg-sgml-doctools) all 1:1.11-1.1 [10.9 kB]

Get:2 [http://archive.ubuntu.com/ubuntu/noble/main amd64 x11proto-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/x11proto-dev) all 2023.2-1 [602 kB]

Get:3 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libice-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libice-dev) amd64 2:1.0.10-1build3 [51.0 kB]

Get:4 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libnspr4](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libnspr4) amd64 2:4.35-1.1build1 [117 kB]

Get:5 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libpcsclite1](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libpcsclite1) amd64 2.0.3-1build1 [21.4 kB]

Get:6 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libpthread-stubs0-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libpthread-stubs0-dev) amd64 0.4-1build3 [4746 B]

Get:7 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libsm-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libsm-dev) amd64 2:1.2.3-1build3 [17.8 kB]

Get:8 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libxau-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libxau-dev) amd64 1:1.0.9-1build6 [9570 B]

Get:9 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libxdmcp-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libxdmcp-dev) amd64 1:1.1.3-0ubuntu6 [26.5 kB]

Get:10 [http://archive.ubuntu.com/ubuntu/noble/main amd64 xtrans-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/xtrans-dev) all 1.4.0-1 [68.9 kB]

Err:10 [http://archive.ubuntu.com/ubuntu/noble/main amd64 xtrans-dev](http://archive.ubuntu.com/ubuntu/noble/main/amd64/xtrans-dev) all 1.4.0-1

Hash Sum mismatch

Hashes of expected file:

-

SHA512:bd7b220c57f705f7f6274f1c12166042f5f82d4a39ef54c8b968c8fc58fa3439233431a6a175ab41487a45ce09e035eecd6baffb1eebac845328d4d50363d16f

- SHA256:45277c51d5d83db351b61859314b59595c9626ac372fbb2fc0d5542e169d9086
- SHA1:edb12d6a666d507e1cb1589ab0c24434001878d5 [weak]
- MD5Sum:5411362f7caecccc1185750f3a1a508ee [weak]
- Filesize:68900 [weak]

Hashes of received file:

-

SHA512:2a6e68c4a1c1e77686e91587d22af07d3794bd032800b941c48b515d96753cc21846cc32aa6ddb8bfe67c87897986e19856436635a582943346164be6bb7b52d

- SHA256:fe422a124ab303029cec066dfba7d87094a4642903c32a5fbf9994bedadb77cf
- SHA1:51f6d51aeca59415e4e507bc3f794812d8e5028f [weak]
- MD5Sum:c4ba840f3e252e9d260f93314664a208 [weak]
- Filesize:68900 [weak]

Last modification reported: Wed, 26 Feb 2020 17:23:28 +0000

Get:11 <http://archive.ubuntu.com/ubuntu noble/main amd64 libxcb1-dev amd64 1.15-1ubuntu2> [85.8 kB]

Ign:11 <http://archive.ubuntu.com/ubuntu noble/main amd64 libxcb1-dev amd64 1.15-1ubuntu2>

Err:12 <http://archive.ubuntu.com/ubuntu noble/main amd64 libx11-dev amd64 2:1.8.7-1build1>

403 Forbidden [IP: 185.125.190.83 80]

Get:13 <http://archive.ubuntu.com/ubuntu noble/main amd64 libxt-dev amd64 1:1.2.1-1.2build1> [394 kB]

Ign:14 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jre-headless amd64 17.0.14+7-1~24.04>

Err:14 <http://security.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jre-headless amd64 17.0.14+7-1~24.04>

403 Forbidden [IP: 185.125.190.83 80]

Get:15 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04> [71.4 MB]

Ign:15 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04>

Get:16 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk-amd64 17.0.14+7-1~24.04> [1523 kB]

Get:11 <http://archive.ubuntu.com/ubuntu noble/main amd64 libxcb1-dev amd64 1.15-1ubuntu2> [85.8 kB]

Err:11 <http://archive.ubuntu.com/ubuntu noble/main amd64 libxcb1-dev amd64 1.15-1ubuntu2>

Hash Sum mismatch

Hashes of expected file:

-

SHA512:ea9c0f7f5e00aa3abe0b885a04733859f50fb819734531ce96a9d29ccc3dd01b3d95fbf4119e26750ad44aee995847638128416685b36a00e467880254f94763

- SHA256:1bafec3432feafc9e57f858721da524dfb3ee1f6fc4ef6b0c73023e79eadb9c28

- SHA1:ca750f2589dde1d1a48188e9c79d3474cae94622 [weak]

- MD5Sum:1e4450158a96673730029fda74fdfac6 [weak]

- Filesize:85790 [weak]

Hashes of received file:

-

SHA512:6f7431b7066973975db79a949c112a17ad51a44f8d46079b35bb7937092c56e568419f923fefc1b094e14b7e3a06615fbc5a7fecfe153216c476ba3ac99bf7c6

- SHA256:7d678d7e1ff07f42de7d3427c98fdad995baac89589a36fb1bd919eb2aba9e6

- SHA1:4c0058efc85d5d15261ff447b931a9af125f19aa [weak]

- MD5Sum:3c0c7a86fe5eb36ec050dd4d5e44422a [weak]

- Filesize:85790 [weak]

Last modification reported: Thu, 18 Apr 2024 16:08:56 +0000

Ign:15 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04>

Ign:15 [http://archive.ubuntu.com/ubuntu/noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04](http://archive.ubuntu.com/ubuntu/noble-updates/main/amd64/openjdk-17-jdk-headless-amd64_17.0.14+7-1~24.04)

Err:15 [http://security.ubuntu.com/ubuntu/noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04](http://security.ubuntu.com/ubuntu/noble-updates/main/amd64/openjdk-17-jdk-headless-amd64_17.0.14+7-1~24.04)

Connection timed out [IP: 185.125.190.83 80]

Fetched 2916 kB in 1min 52s (26.0 kB/s)

E: Failed to fetch http://archive.ubuntu.com/ubuntu/pool/main/x/xtrans/xtrans-dev_1.4.0-1_all.deb Hash Sum mismatch

Hashes of expected file:

-

SHA512:bd7b220c57f705f7f6274f1c12166042f5f82d4a39ef54c8b968c8fc58fa3439233431a6a175ab41487a45ce09e035eecd6baffb1eebac845328d4d50363d16f

- SHA256:45277c51d5d83db351b61859314b59595c9626ac372fbb2fc0d5542e169d9086

- SHA1:edb12d6a666d507e1cb1589ab0c24434001878d5 [weak]

- MD5Sum:5411362f7caecccc1185750f3a1a508ee [weak]

- Filesize:68900 [weak]

Hashes of received file:

-

SHA512:2a6e68c4a1c1e77686e91587d22af07d3794bd032800b941c48b515d96753cc21846cc32aa6ddb8bfe67c87897986e19856436635a582943346164be6bb7b52d

- SHA256:fe422a124ab303029cec066dfba7d87094a4642903c32a5fbf9994bedadb77cf

- SHA1:51f6d51aeca59415e4e507bc3f794812d8e5028f [weak]

- MD5Sum:c4ba840f3e252e9d260f93314664a208 [weak]

- Filesize:68900 [weak]

Last modification reported: Wed, 26 Feb 2020 17:23:28 +0000

E: Failed to fetch http://archive.ubuntu.com/ubuntu/pool/main/libx/libxcb/libxcb1-dev_1.15-1ubuntu2_amd64.deb Hash Sum mismatch

Hashes of expected file:

-

SHA512:ea9c0f7f5e00aa3abe0b885a04733859f50fb819734531ce96a9d29ccc3dd01b3d95fbf4119e26750ad44aee995847638128416685b36a00e467880254f94763

- SHA256:1bafe3432feafc9e57f858721da524dfb3ee1f6fc4ef6b0c73023e79eadb9c28
- SHA1:ca750f2589dde1d1a48188e9c79d3474cae94622 [weak]
- MD5Sum:1e4450158a96673730029fda74fdfac6 [weak]
- Filesize:85790 [weak]

Hashes of received file:

-

SHA512:6f7431b7066973975db79a949c112a17ad51a44f8d46079b35bb7937092c56e568419f923fefc1b094e14b7e3a06615fbc5a7fecfe153216c476ba3ac99bf7c6

- SHA256:7d678d7e1ff07f42de7d3427c98fdad995baac89589a36fb1bd919eb2aba9e6
- SHA1:4c0058efc85d5d15261ff447b931a9af125f19aa [weak]
- MD5Sum:3c0c7a86fe5eb36ec050dd4d5e44422a [weak]
- Filesize:85790 [weak]

Last modification reported: Thu, 18 Apr 2024 16:08:56 +0000

E: Failed to fetch http://archive.ubuntu.com/ubuntu/pool/main/libx/libx11/libx11-dev_1.8.7-1build1_amd64.deb 403 Forbidden [IP: 185.125.190.83 80]

E: Failed to fetch http://security.ubuntu.com/ubuntu/pool/main/o/openjdk-17/openjdk-17-jre-headless_17.0.14%2b7-1%7e24.04_amd64.deb 403 Forbidden [IP: 185.125.190.83 80]

E: Failed to fetch http://security.ubuntu.com/ubuntu/pool/main/o/openjdk-17/openjdk-17-jdk-headless_17.0.14%2b7-1%7e24.04_amd64.deb Connection timed out [IP: 185.125.190.83 80]

E: Unable to fetch some archives, maybe run apt-get update or try with --fix-missing?

arvind_2004@ARVINDM:/\$ java --version

Command 'java' not found, but can be installed with:

sudo apt install openjdk-17-jre-headless # version 17.0.14+7-1~24.04, or

sudo apt install openjdk-21-jre-headless # version 21.0.6+7-1~24.04.1

sudo apt install default-jre # version 2:1.17-75

sudo apt install openjdk-11-jre-headless # version 11.0.26+4-1ubuntu1~24.04

sudo apt install openjdk-8-jre-headless # version 8u442-b06~us1-0ubuntu1~24.04

sudo apt install openjdk-19-jre-headless # version 19.0.2+7-4

sudo apt install openjdk-20-jre-headless # version 20.0.2+9-1

```
sudo apt install openjdk-22-jre-headless # version 22~22ea-1
```

```
arvind_2004@ARVINDM:/ $ sudo apt-get update --fix-missing
```

```
Hit:1 http://security.ubuntu.com/ubuntu noble-security InRelease
```

```
Hit:2 http://archive.ubuntu.com/ubuntu noble InRelease
```

```
Hit:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease
```

```
Err:4 http://archive.ubuntu.com/ubuntu noble-backports InRelease
```

```
403 Forbidden [IP: 91.189.91.81 80]
```

```
Reading package lists... Done
```

```
E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble-backports/InRelease 403  
Forbidden [IP: 91.189.91.81 80]
```

```
E: The repository 'http://archive.ubuntu.com/ubuntu noble-backports InRelease' is not  
signed.
```

```
N: Updating from such a repository can't be done securely, and is therefore disabled by  
default.
```

```
N: See apt-secure(8) manpage for repository creation and user configuration details.
```

```
arvind_2004@ARVINDM:/ $ sudo apt install openjdk-17-jdk
```

```
Reading package lists... Done
```

```
Building dependency tree... Done
```

```
Reading state information... Done
```

```
The following additional packages will be installed:
```

```
alsa-topology-conf alsa-ucm-conf ca-certificates-java fonts-dejavu-extra java-common  
libasound2-data libasound2t64
```

```
libatk-wrapper-java libatk-wrapper-java-jni libgif7 libice-dev libice6 libnspr4 libnss3  
libpcsc-lite1 libpthread-stubs0-dev
```

```
libsm-dev libsm6 libx11-dev libxau-dev libxaw7 libxcb-shape0 libxcb1-dev libxdmcp-dev  
libxft2 libxkbfile1 libxmu6 libxpm4
```

```
libxt-dev libxt6t64 libxv1 libxxf86dga1 openjdk-17-jdk-headless openjdk-17-jre openjdk-17-  
jre-headless x11-utils x11proto-dev
```

```
xorg-sgml-doctools xtrans-dev
```

```
Suggested packages:
```

default-jre alsa-utils libasound2-plugins libice-doc pcsd libsm-doc libx11-doc libxcb-doc
libxt-doc openjdk-17-demo

openjdk-17-source visualvm libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho fonts-
wqy-microhei | fonts-wqy-zenhei

fonts-indic mesa-utils

Recommended packages:

luit

The following NEW packages will be installed:

alsa-topology-conf alsa-ucm-conf ca-certificates-java fonts-dejavu-extra java-common
libasound2-data libasound2t64

libatk-wrapper-java libatk-wrapper-java-jni libgif7 libice-dev libice6 libnspr4 libnss3
libpcsc-lite libpthread-stubs0-dev

libsm-dev libsm6 libx11-dev libxau-dev libxaw7 libxcb-shape0 libxcb1-dev libxdmcp-dev
libxft2 libxkbfile1 libxmu6 libxpm4

libxt-dev libxt6t64 libxv1 libxxf86dga1 openjdk-17-jdk openjdk-17-jdk-headless openjdk-17-
jre openjdk-17-jre-headless x11-utils

x11proto-dev xorg-sgml-doctools xtrans-dev

0 upgraded, 40 newly installed, 0 to remove and 56 not upgraded.

Need to get 120 MB/128 MB of archives.

After this operation, 298 MB of additional disk space will be used.

Do you want to continue? [Y/n] Y

Get:1 <http://archive.ubuntu.com/ubuntu/noble/main amd64 xtrans-dev all 1.4.0-1> [68.9 kB]

Get:2 <http://archive.ubuntu.com/ubuntu/noble/main amd64 libxcb1-dev amd64 1.15-1ubuntu2> [85.8 kB]

Get:3 <http://archive.ubuntu.com/ubuntu/noble/main amd64 libx11-dev amd64 2:1.8.7-1build1> [732 kB]

Get:4 <http://archive.ubuntu.com/ubuntu/noble-updates/main amd64 openjdk-17-jre-headless amd64 17.0.14+7-1~24.04> [47.9 MB]

Get:5 <http://archive.ubuntu.com/ubuntu/noble-updates/main amd64 openjdk-17-jdk-headless amd64 17.0.14+7-1~24.04> [71.4 MB]

Fetched 893 kB in 5s (185 kB/s)

Extracting templates from packages: 100%

Selecting previously unselected package alsa-topology-conf.

(Reading database ... 40768 files and directories currently installed.)

Preparing to unpack .../00-alsa-topology-conf_1.2.5.1-2_all.deb ...

Unpacking alsa-topology-conf (1.2.5.1-2) ...

Selecting previously unselected package libasound2-data.

Preparing to unpack .../01-libasound2-data_1.2.11-1build2_all.deb ...

Unpacking libasound2-data (1.2.11-1build2) ...

Selecting previously unselected package libasound2t64:amd64.

Preparing to unpack .../02-libasound2t64_1.2.11-1build2_amd64.deb ...

Unpacking libasound2t64:amd64 (1.2.11-1build2) ...

Selecting previously unselected package alsa-ucm-conf.

Preparing to unpack .../03-alsa-ucm-conf_1.2.10-1ubuntu5.4_all.deb ...

Unpacking alsa-ucm-conf (1.2.10-1ubuntu5.4) ...

Selecting previously unselected package ca-certificates-java.

Preparing to unpack .../04-ca-certificates-java_20240118_all.deb ...

Unpacking ca-certificates-java (20240118) ...

Selecting previously unselected package fonts-dejavu-extra.

Preparing to unpack .../05-fonts-dejavu-extra_2.37-8_all.deb ...

Unpacking fonts-dejavu-extra (2.37-8) ...

Selecting previously unselected package java-common.

Preparing to unpack .../06-java-common_0.75+exp1_all.deb ...

Unpacking java-common (0.75+exp1) ...

Selecting previously unselected package libice6:amd64.

Preparing to unpack .../07-libice6_2%3a1.0.10-1build3_amd64.deb ...

Unpacking libice6:amd64 (2:1.0.10-1build3) ...

Selecting previously unselected package libsm6:amd64.

Preparing to unpack .../08-libsm6_2%3a1.2.3-1build3_amd64.deb ...

Unpacking libsm6:amd64 (2:1.2.3-1build3) ...
Selecting previously unselected package libxt6t64:amd64.
Preparing to unpack .../09-libxt6t64_1%3a1.2.1-1.2build1_amd64.deb ...
Unpacking libxt6t64:amd64 (1:1.2.1-1.2build1) ...
Selecting previously unselected package libxmu6:amd64.
Preparing to unpack .../10-libxmu6_2%3a1.1.3-3build2_amd64.deb ...
Unpacking libxmu6:amd64 (2:1.1.3-3build2) ...
Selecting previously unselected package libxpm4:amd64.
Preparing to unpack .../11-libxpm4_1%3a3.5.17-1build2_amd64.deb ...
Unpacking libxpm4:amd64 (1:3.5.17-1build2) ...
Selecting previously unselected package libxaw7:amd64.
Preparing to unpack .../12-libxaw7_2%3a1.0.14-1build2_amd64.deb ...
Unpacking libxaw7:amd64 (2:1.0.14-1build2) ...
Selecting previously unselected package libxcb-shape0:amd64.
Preparing to unpack .../13-libxcb-shape0_1.15-1ubuntu2_amd64.deb ...
Unpacking libxcb-shape0:amd64 (1.15-1ubuntu2) ...
Selecting previously unselected package libxft2:amd64.
Preparing to unpack .../14-libxft2_2.3.6-1build1_amd64.deb ...
Unpacking libxft2:amd64 (2.3.6-1build1) ...
Selecting previously unselected package libxkbfile1:amd64.
Preparing to unpack .../15-libxkbfile1_1%3a1.1.0-1build4_amd64.deb ...
Unpacking libxkbfile1:amd64 (1:1.1.0-1build4) ...
Selecting previously unselected package libxv1:amd64.
Preparing to unpack .../16-libxv1_2%3a1.0.11-1.1build1_amd64.deb ...
Unpacking libxv1:amd64 (2:1.0.11-1.1build1) ...
Selecting previously unselected package libxxf86dga1:amd64.
Preparing to unpack .../17-libxxf86dga1_2%3a1.1.5-1build1_amd64.deb ...
Unpacking libxxf86dga1:amd64 (2:1.1.5-1build1) ...

Selecting previously unselected package x11-utils.

Preparing to unpack .../18-x11-utils_7.7+6build2_amd64.deb ...

Unpacking x11-utils (7.7+6build2) ...

Selecting previously unselected package libatk-wrapper-java.

Preparing to unpack .../19-libatk-wrapper-java_0.40.0-3build2_all.deb ...

Unpacking libatk-wrapper-java (0.40.0-3build2) ...

Selecting previously unselected package libatk-wrapper-java-jni:amd64.

Preparing to unpack .../20-libatk-wrapper-java-jni_0.40.0-3build2_amd64.deb ...

Unpacking libatk-wrapper-java-jni:amd64 (0.40.0-3build2) ...

Selecting previously unselected package libgif7:amd64.

Preparing to unpack .../21-libgif7_5.2.2-1ubuntu1_amd64.deb ...

Unpacking libgif7:amd64 (5.2.2-1ubuntu1) ...

Selecting previously unselected package xorg-sgml-doctools.

Preparing to unpack .../22-xorg-sgml-doctools_1%3a1.11-1.1_all.deb ...

Unpacking xorg-sgml-doctools (1:1.11-1.1) ...

Selecting previously unselected package x11proto-dev.

Preparing to unpack .../23-x11proto-dev_2023.2-1_all.deb ...

Unpacking x11proto-dev (2023.2-1) ...

Selecting previously unselected package libice-dev:amd64.

Preparing to unpack .../24-libice-dev_2%3a1.0.10-1build3_amd64.deb ...

Unpacking libice-dev:amd64 (2:1.0.10-1build3) ...

Selecting previously unselected package libnspr4:amd64.

Preparing to unpack .../25-libnspr4_2%3a4.35-1.1build1_amd64.deb ...

Unpacking libnspr4:amd64 (2:4.35-1.1build1) ...

Selecting previously unselected package libnss3:amd64.

Preparing to unpack .../26-libnss3_2%3a3.98-1build1_amd64.deb ...

Unpacking libnss3:amd64 (2:3.98-1build1) ...

Selecting previously unselected package libpcsclite1:amd64.

Preparing to unpack .../27-libpcsc-lite1_2.0.3-1build1_amd64.deb ...
Unpacking libpcsc-lite1:amd64 (2.0.3-1build1) ...
Selecting previously unselected package libpthread-stubs0-dev:amd64.
Preparing to unpack .../28-libpthread-stubs0-dev_0.4-1build3_amd64.deb ...
Unpacking libpthread-stubs0-dev:amd64 (0.4-1build3) ...
Selecting previously unselected package libsm-dev:amd64.
Preparing to unpack .../29-libsm-dev_2%3a1.2.3-1build3_amd64.deb ...
Unpacking libsm-dev:amd64 (2:1.2.3-1build3) ...
Selecting previously unselected package libxau-dev:amd64.
Preparing to unpack .../30-libxau-dev_1%3a1.0.9-1build6_amd64.deb ...
Unpacking libxau-dev:amd64 (1:1.0.9-1build6) ...
Selecting previously unselected package libxdmcp-dev:amd64.
Preparing to unpack .../31-libxdmcp-dev_1%3a1.1.3-0ubuntu6_amd64.deb ...
Unpacking libxdmcp-dev:amd64 (1:1.1.3-0ubuntu6) ...
Selecting previously unselected package xtrans-dev.
Preparing to unpack .../32-xtrans-dev_1.4.0-1_all.deb ...
Unpacking xtrans-dev (1.4.0-1) ...
Selecting previously unselected package libxcb1-dev:amd64.
Preparing to unpack .../33-libxcb1-dev_1.15-1ubuntu2_amd64.deb ...
Unpacking libxcb1-dev:amd64 (1.15-1ubuntu2) ...
Selecting previously unselected package libx11-dev:amd64.
Preparing to unpack .../34-libx11-dev_2%3a1.8.7-1build1_amd64.deb ...
Unpacking libx11-dev:amd64 (2:1.8.7-1build1) ...
Selecting previously unselected package libxt-dev:amd64.
Preparing to unpack .../35-libxt-dev_1%3a1.2.1-1.2build1_amd64.deb ...
Unpacking libxt-dev:amd64 (1:1.2.1-1.2build1) ...
Selecting previously unselected package openjdk-17-jre-headless:amd64.
Preparing to unpack .../36-openjdk-17-jre-headless_17.0.14+7-1~24.04_amd64.deb ...

Unpacking openjdk-17-jre-headless:amd64 (17.0.14+7-1~24.04) ...
Selecting previously unselected package openjdk-17-jre:amd64.
Preparing to unpack .../37-openjdk-17-jre_17.0.14+7-1~24.04_amd64.deb ...
Unpacking openjdk-17-jre:amd64 (17.0.14+7-1~24.04) ...
Selecting previously unselected package openjdk-17-jdk-headless:amd64.
Preparing to unpack .../38-openjdk-17-jdk-headless_17.0.14+7-1~24.04_amd64.deb ...
Unpacking openjdk-17-jdk-headless:amd64 (17.0.14+7-1~24.04) ...
Selecting previously unselected package openjdk-17-jdk:amd64.
Preparing to unpack .../39-openjdk-17-jdk_17.0.14+7-1~24.04_amd64.deb ...
Unpacking openjdk-17-jdk:amd64 (17.0.14+7-1~24.04) ...
Setting up libice6:amd64 (2:1.0.10-1build3) ...
Setting up libxft2:amd64 (2.3.6-1build1) ...
Setting up libxpm4:amd64 (1:3.5.17-1build2) ...
Setting up java-common (0.75+exp1) ...
Setting up libxcb-shape0:amd64 (1.15-1ubuntu2) ...
Setting up libxxf86dga1:amd64 (2:1.1.5-1build1) ...
Setting up libpthread-stubs0-dev:amd64 (0.4-1build3) ...
Setting up libasound2-data (1.2.11-1build2) ...
Setting up xtrans-dev (1.4.0-1) ...
Setting up libasound2t64:amd64 (1.2.11-1build2) ...
Setting up libnspr4:amd64 (2:4.35-1.1build1) ...
Setting up libxv1:amd64 (2:1.0.11-1.1build1) ...
Setting up libpcsclite1:amd64 (2.0.3-1build1) ...
Setting up libgif7:amd64 (5.2.2-1ubuntu1) ...
Setting up fonts-dejavu-extra (2.37-8) ...
Setting up alsa-topology-conf (1.2.5.1-2) ...
Setting up xorg-sgml-doctools (1:1.11-1.1) ...
Setting up libxkbfile1:amd64 (1:1.1.0-1build4) ...

Setting up ca-certificates-java (20240118) ...

No JRE found. Skipping Java certificates setup.

Setting up libsm6:amd64 (2:1.2.3-1build3) ...

Setting up alsa-ucm-conf (1.2.10-1ubuntu5.4) ...

Setting up libnss3:amd64 (2:3.98-1build1) ...

Setting up libxt6t64:amd64 (1:1.2.1-1.2build1) ...

Setting up openjdk-17-jre-headless:amd64 (17.0.14+7-1~24.04) ...

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/java to provide /usr/bin/java (java) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jpackage to provide /usr/bin/jpackage (jpackage) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/keytool to provide /usr/bin/keytool (keytool) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/rmiregistry to provide /usr/bin/rmiregistry (rmiregistry) in auto m

ode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/lib/jexec to provide /usr/bin/jexec (jexec) in auto mode

Setting up libxmu6:amd64 (2:1.1.3-3build2) ...

Setting up libxaw7:amd64 (2:1.0.14-1build2) ...

Setting up x11-utils (7.7+6build2) ...

Setting up libatk-wrapper-java (0.40.0-3build2) ...

Setting up libatk-wrapper-java-jni:amd64 (0.40.0-3build2) ...

Processing triggers for libc-bin (2.39-0ubuntu8.4) ...

Processing triggers for man-db (2.12.0-4build2) ...

Processing triggers for sgml-base (1.31) ...

Setting up x11proto-dev (2023.2-1) ...

Processing triggers for fontconfig (2.15.0-1.1ubuntu2) ...

Setting up libxau-dev:amd64 (1:1.0.9-1build6) ...

Processing triggers for hicolor-icon-theme (0.17-2) ...

Setting up libice-dev:amd64 (2:1.0.10-1build3) ...

Setting up libsm-dev:amd64 (2:1.2.3-1build3) ...

Setting up libxdmcp-dev:amd64 (1:1.1.3-0ubuntu6) ...

Setting up libxcb1-dev:amd64 (1.15-1ubuntu2) ...

Setting up libx11-dev:amd64 (2:1.8.7-1build1) ...

Setting up libxt-dev:amd64 (1:1.2.1-1.2build1) ...

Processing triggers for ca-certificates-java (20240118) ...

Adding debian:ACCVRAIZ1.pem

Adding debian:AC_RAIZ_FNMT-RCM.pem

Adding debian:AC_RAIZ_FNMT-RCM_SERVIDORES_SEGUROS.pem

Adding debian:ANF_Secure_Server_Root_CA.pem

Adding debian:Actalis_Authentication_Root_CA.pem

Adding debian:AffirmTrust_Commercial.pem

Adding debian:AffirmTrust_Networking.pem

Adding debian:AffirmTrust_Premium.pem

Adding debian:AffirmTrust_Premium_ECC.pem

Adding debian:Amazon_Root_CA_1.pem

Adding debian:Amazon_Root_CA_2.pem

Adding debian:Amazon_Root_CA_3.pem

Adding debian:Amazon_Root_CA_4.pem

Adding debian:Atos_TrustedRoot_2011.pem

Adding debian:Atos_TrustedRoot_Root_CA_ECC_TLS_2021.pem

Adding debian:Atos_TrustedRoot_Root_CA_RSA_TLS_2021.pem

Adding debian:Autoridad_de_Certificacion_Firmaprofesional_CIF_A62634068.pem

Adding debian:BJCA_Global_Root_CA1.pem

Adding debian:BJCA_Global_Root_CA2.pem

Adding debian:Baltimore_CyberTrust_Root.pem

Adding debian:Buypass_Class_2_Root_CA.pem
Adding debian:Buypass_Class_3_Root_CA.pem
Adding debian:CA_Disig_Root_R2.pem
Adding debian:CFCA_EV_ROOT.pem
Adding debian:COMODO_Certification_Authority.pem
Adding debian:COMODO_ECC_Certification_Authority.pem
Adding debian:COMODO_RSA_Certification_Authority.pem
Adding debian:Certainly_Root_E1.pem
Adding debian:Certainly_Root_R1.pem
Adding debian:Certigna.pem
Adding debian:Certigna_Root_CA.pem
Adding debian:Certum_EC-384_CA.pem
Adding debian:Certum_Trusted_Network_CA.pem
Adding debian:Certum_Trusted_Network_CA_2.pem
Adding debian:Certum_Trusted_Root_CA.pem
Adding debian:CommScope_Public_Trust_ECC_Root-01.pem
Adding debian:CommScope_Public_Trust_ECC_Root-02.pem
Adding debian:CommScope_Public_Trust_RSA_Root-01.pem
Adding debian:CommScope_Public_Trust_RSA_Root-02.pem
Adding debian:Comodo_AAA_Services_root.pem
Adding debian:D-TRUST_BR_Root_CA_1_2020.pem
Adding debian:D-TRUST_EV_Root_CA_1_2020.pem
Adding debian:D-TRUST_Root_Class_3_CA_2_2009.pem
Adding debian:D-TRUST_Root_Class_3_CA_2_EV_2009.pem
Adding debian:DigiCert_Assured_ID_Root_CA.pem
Adding debian:DigiCert_Assured_ID_Root_G2.pem
Adding debian:DigiCert_Assured_ID_Root_G3.pem
Adding debian:DigiCert_Global_Root_CA.pem

Adding debian:DigiCert_Global_Root_G2.pem

Adding debian:DigiCert_Global_Root_G3.pem

Adding debian:DigiCert_High_Assurance_EV_Root_CA.pem

Adding debian:DigiCert_TLS_ECC_P384_Root_G5.pem

Adding debian:DigiCert_TLS_RSA4096_Root_G5.pem

Adding debian:DigiCert_Trusted_Root_G4.pem

Adding debian:Entrust.net_Premium_2048_Secure_Server_CA.pem

Adding debian:Entrust_Root_Certification_Authority.pem

Adding debian:Entrust_Root_Certification_Authority_-_EC1.pem

Adding debian:Entrust_Root_Certification_Authority_-_G2.pem

Adding debian:Entrust_Root_Certification_Authority_-_G4.pem

Adding debian:GDCA_TrustAUTH_R5_ROOT.pem

Adding debian:GLOBALTRUST_2020.pem

Adding debian:GTS_Root_R1.pem

Adding debian:GTS_Root_R2.pem

Adding debian:GTS_Root_R3.pem

Adding debian:GTS_Root_R4.pem

Adding debian:GlobalSign_ECC_Root_CA_-_R4.pem

Adding debian:GlobalSign_ECC_Root_CA_-_R5.pem

Adding debian:GlobalSign_Root_CA.pem

Adding debian:GlobalSign_Root_CA_-_R3.pem

Adding debian:GlobalSign_Root_CA_-_R6.pem

Adding debian:GlobalSign_Root_E46.pem

Adding debian:GlobalSign_Root_R46.pem

Adding debian:Go_Daddy_Class_2_CA.pem

Adding debian:Go_Daddy_Root_Certificate_Authority_-_G2.pem

Adding debian:HARICA_TLS_ECC_Root_CA_2021.pem

Adding debian:HARICA_TLS_RSA_Root_CA_2021.pem

Adding debian:Hellenic_Academic_and_Research_Institutions_ECC_RootCA_2015.pem

Adding debian:Hellenic_Academic_and_Research_Institutions_RootCA_2015.pem

Adding debian:HiPKI_Root_CA_-_G1.pem

Adding debian:Hongkong_Post_Root_CA_3.pem

Adding debian:ISRG_Root_X1.pem

Adding debian:ISRG_Root_X2.pem

Adding debian:IdenTrust_Commercial_Root_CA_1.pem

Adding debian:IdenTrust_Public_Sector_Root_CA_1.pem

Adding debian:Izenpe.com.pem

Adding debian:Microsec_e-Szigno_Root_CA_2009.pem

Adding debian:Microsoft_ECC_Root_Certificate_Authority_2017.pem

Adding debian:Microsoft_RSA_Root_Certificate_Authority_2017.pem

Adding debian:NAVER_Global_Root_Certification_Authority.pem

Adding debian:NetLock_Arany_=Class_Gold=_Főtanúsítvány.pem

Adding debian:OISTE_WISeKey_Global_Root_GB_CA.pem

Adding debian:OISTE_WISeKey_Global_Root_GC_CA.pem

Adding debian:QuoVadis_Root_CA_1_G3.pem

Adding debian:QuoVadis_Root_CA_2.pem

Adding debian:QuoVadis_Root_CA_2_G3.pem

Adding debian:QuoVadis_Root_CA_3.pem

Adding debian:QuoVadis_Root_CA_3_G3.pem

Adding debian:SSL.com_EV_Root_Certification_Authority_ECC.pem

Adding debian:SSL.com_EV_Root_Certification_Authority_RSA_R2.pem

Adding debian:SSL.com_Root_Certification_Authority_ECC.pem

Adding debian:SSL.com_Root_Certification_Authority_RSA.pem

Adding debian:SSL.com_TLS_ECC_Root_CA_2022.pem

Adding debian:SSL.com_TLS_RSA_Root_CA_2022.pem

Adding debian:SZAFIR_ROOT_CA2.pem

Adding debian:Sectigo_Public_Server_Authentication_Root_E46.pem
Adding debian:Sectigo_Public_Server_Authentication_Root_R46.pem
Adding debian:SecureSign_RootCA11.pem
Adding debian:SecureTrust_CA.pem
Adding debian:Secure_Global_CA.pem
Adding debian:Security_Communication_ECC_RootCA1.pem
Adding debian:Security_Communication_RootCA2.pem
Adding debian:Security_Communication_RootCA3.pem
Adding debian:Security_Communication_Root_CA.pem
Adding debian:Starfield_Class_2_CA.pem
Adding debian:Starfield_Root_Certificate_Authority_-_G2.pem
Adding debian:Starfield_Services_Root_Certificate_Authority_-_G2.pem
Adding debian:SwissSign_Gold_CA_-_G2.pem
Adding debian:SwissSign_Silver_CA_-_G2.pem
Adding debian:T-TeleSec_GlobalRoot_Class_2.pem
Adding debian:T-TeleSec_GlobalRoot_Class_3.pem
Adding debian:TUBITAK_Kamu_SM_SSL_Kok_Sertifikasi_-_Surum_1.pem
Adding debian:TWCA_Global_Root_CA.pem
Adding debian:TWCA_Root_Certification_Authority.pem
Adding debian:TeliaSonera_Root_CA_v1.pem
Adding debian:Telia_Root_CA_v2.pem
Adding debian:TrustAsia_Global_Root_CA_G3.pem
Adding debian:TrustAsia_Global_Root_CA_G4.pem
Adding debian:Trustwave_Global_Certification_Authority.pem
Adding debian:Trustwave_Global_ECC_P256_Certification_Authority.pem
Adding debian:Trustwave_Global_ECC_P384_Certification_Authority.pem
Adding debian:TunTrust_Root_CA.pem
Adding debian:UCA_Extended_Validation_Root.pem

Adding debian:UCA_Global_G2_Root.pem

Adding debian:USERTrust_ECC_Certification_Authority.pem

Adding debian:USERTrust_RSA_Certification_Authority.pem

Adding debian:XRamp_Global_CA_Root.pem

Adding debian:certSIGN_ROOT_CA.pem

Adding debian:certSIGN_Root_CA_G2.pem

Adding debian:e-Szigno_Root_CA_2017.pem

Adding debian:ePKI_Root_Certification_Authority.pem

Adding debian:emSign_ECC_Root_CA_-_C3.pem

Adding debian:emSign_ECC_Root_CA_-_G3.pem

Adding debian:emSign_Root_CA_-_C1.pem

Adding debian:emSign_Root_CA_-_G1.pem

Adding debian:vTrus_ECC_Root_CA.pem

Adding debian:vTrus_Root_CA.pem

done.

Setting up openjdk-17-jre:amd64 (17.0.14+7-1~24.04) ...

Setting up openjdk-17-jdk-headless:amd64 (17.0.14+7-1~24.04) ...

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jar to provide
/usr/bin/jar (jar) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jarsigner to provide
/usr/bin/jarsigner (jarsigner) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javac to provide
/usr/bin/javac (javac) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javadoc to provide
/usr/bin/javadoc (javadoc) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/javap to provide
/usr/bin/javap (javap) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jcmd to provide
/usr/bin/jcmd (jcmd) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdb to provide /usr/bin/jdb (jdb) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeprscan to provide /usr/bin/jdeprscan (jdeprscan) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jdeps to provide /usr/bin/jdeps (jdeps) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jfr to provide /usr/bin/jfr (jfr) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jimage to provide /usr/bin/jimage (jimage) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jinfo to provide /usr/bin/jinfo (jinfo) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jlink to provide /usr/bin/jlink (jlink) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmap to provide /usr/bin/jmap (jmap) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jmod to provide /usr/bin/jmod (jmod) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jps to provide /usr/bin/jps (jps) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jrunscript to provide /usr/bin/jrunscript (jrunscript) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jshell to provide /usr/bin/jshell (jshell) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstack to provide /usr/bin/jstack (jstack) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstatd to provide /usr/bin/jstatd (jstatd) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode

Setting up openjdk-17-jdk:amd64 (17.0.14+7-1~24.04) ...

update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode

arvind_2004@ARVINDM:/\$ java --version

openjdk 17.0.14 2025-01-21

OpenJDK Runtime Environment (build 17.0.14+7-Ubuntu-124.04)

OpenJDK 64-Bit Server VM (build 17.0.14+7-Ubuntu-124.04, mixed mode, sharing)

arvind_2004@ARVINDM:/\$ ls

bin boot etc init lib.usr-is-merged lost+found mnt proc run sbin.usr-is-merged
srv tmp var

bin.usr-is-merged dev home lib lib64 media opt root sbin snap sys
usr

arvind_2004@ARVINDM:/\$ sudo apt install maven -y

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:

libaopalliance-java libapache-pom-java libatinject-jsr330-api-java libcdi-api-java
libcommons-cli-java libcommons-io-java

libcommons-lang3-java libcommons-parent-java liberror-prone-java libgeronimo-
annotation-1.3-spec-java

libgeronimo-interceptor-3.0-spec-java libguava-java libguice-java libjansi-java libjsr305-java
libmaven-parent-java

libmaven-resolver-java libmaven-shared-utils-java libmaven3-core-java libplexus-cipher-java
libplexus-classworlds-java

libplexus-component-annotations-java libplexus-interpolation-java libplexus-sec-dispatcher-
java libplexus-utils2-java

libsisu-inject-java libsisu-plexus-java libslf4j-java libwagon-file-java libwagon-http-shaded-
java libwagon-provider-api-java

Suggested packages:

libatinject-jsr330-api-java-doc libel-api-java libcommons-io-java-doc libasm-java libcglib-java libjsr305-java-doc

libmaven-shared-utils-java-doc liblogback-java libplexus-utils2-java-doc junit4 testng libcommons-logging-java liblog4j1.2-java

The following NEW packages will be installed:

libaopalliance-java libapache-pom-java libatinject-jsr330-api-java libcdi-api-java libcommons-cli-java libcommons-io-java

libcommons-lang3-java libcommons-parent-java liberror-prone-java libgeronimo-annotation-1.3-spec-java

libgeronimo-interceptor-3.0-spec-java libguava-java libguice-java libjansi-java libjsr305-java libmaven-parent-java

libmaven-resolver-java libmaven-shared-utils-java libmaven3-core-java libplexus-cipher-java libplexus-classworlds-java

libplexus-component-annotations-java libplexus-interpolation-java libplexus-sec-dispatcher-java libplexus-utils2-java

libsisu-inject-java libsisu-plexus-java libslf4j-java libwagon-file-java libwagon-http-shaded-java libwagon-provider-api-java

maven

0 upgraded, 32 newly installed, 0 to remove and 56 not upgraded.

Need to get 10.1 MB of archives.

After this operation, 13.1 MB of additional disk space will be used.

Get:1 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libapache-pom-java all 29-2> [5284 B]

Get:2 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libatinject-jsr330-api-java all 1.0+ds1-5> [5348 B]

Get:3 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libgeronimo-interceptor-3.0-spec-java all 1.0.1-4fakesync> [8616 B]

Get:4 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libcdi-api-java all 1.2-3> [54.3 kB]

Get:5 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libcommons-cli-java all 1.6.0-1> [59.9 kB]

Get:6 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libcommons-parent-java all>
56-1 [10.7 kB]

Get:7 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libcommons-io-java all>
2.11.0-2 [297 kB]

Get:8 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libcommons-lang3-java all>
3.14.0-1 [586 kB]

Get:9 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libjsr305-java all>
0.1~+svn49-11 [27.0 kB]

Get:10 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libguava-java all> 32.0.1-1
[2692 kB]

Get:11 <http://archive.ubuntu.com/ubuntu noble/universe amd64 liberror-prone-java all>
2.18.0-1 [22.5 kB]

Get:12 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libgeronimo-annotation-1.3-spec-java all> 1.3-1 [11.2 kB]

Get:13 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libaopalliance-java all>
20070526-7 [8166 B]

Get:14 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libguice-java all> 4.2.3-2
[1434 kB]

Get:15 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libjansi-java all> 2.4.1-2
[83.0 kB]

Get:16 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libmaven-parent-java all>
35-1 [5810 B]

Get:17 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libplexus-utils2-java all>
3.4.2-1 [256 kB]

Get:18 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libwagon-provider-api-java all> 3.5.3-1 [47.9 kB]

Get:19 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libmaven-resolver-java all>
1.6.3-1 [544 kB]

Get:20 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libmaven-shared-utils-java all> 3.3.4-1 [137 kB]

Get:21 <http://archive.ubuntu.com/ubuntu noble/universe amd64 libplexus-cipher-java all>
2.0-1 [14.7 kB]

Get:22 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libplexus-classworlds-java all 2.7.0-1 [50.0 kB]

Get:23 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libplexus-component-annotations-java all 2.1.1-1 [6550 B]

Get:24 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libplexus-interpolation-java all 1.26-1 [76.8 kB]

Get:25 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libplexus-sec-dispatcher-java all 2.0-3 [28.1 kB]

Get:26 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libslf4j-java all 1.7.32-1 [141 kB]

Get:27 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libsisu-inject-java all 0.3.4-2 [347 kB]

Get:28 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libsisu-plexus-java all 0.3.4-3 [181 kB]

Get:29 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libmaven3-core-java all 3.8.7-2 [1565 kB]

Get:30 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libwagon-file-java all 3.5.3-1 [7918 B]

Get:31 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 libwagon-http-shaded-java all 3.5.3-1 [1332 kB]

Get:32 <http://archive.ubuntu.com/ubuntu> noble/universe amd64 maven all 3.8.7-2 [18.3 kB]

Fetches 10.1 MB in 7s (1530 kB/s)

Extracting templates from packages: 100%

Selecting previously unselected package libapache-pom-java.

(Reading database ... 42827 files and directories currently installed.)

Preparing to unpack .../00-libapache-pom-java_29-2_all.deb ...

Unpacking libapache-pom-java (29-2) ...

Selecting previously unselected package libatinject-jsr330-api-java.

Preparing to unpack .../01-libatinject-jsr330-api-java_1.0+ds1-5_all.deb ...

Unpacking libatinject-jsr330-api-java (1.0+ds1-5) ...

Selecting previously unselected package libgeronimo-interceptor-3.0-spec-java.

Preparing to unpack .../02-libgeronimo-interceptor-3.0-spec-java_1.0.1-4fakesync_all.deb ...

Unpacking libgeronimo-interceptor-3.0-spec-java (1.0.1-4fakesync) ...

Selecting previously unselected package libcdi-api-java.

Preparing to unpack .../03-libcdi-api-java_1.2-3_all.deb ...

Unpacking libcdi-api-java (1.2-3) ...

Selecting previously unselected package libcommons-cli-java.

Preparing to unpack .../04-libcommons-cli-java_1.6.0-1_all.deb ...

Unpacking libcommons-cli-java (1.6.0-1) ...

Selecting previously unselected package libcommons-parent-java.

Preparing to unpack .../05-libcommons-parent-java_56-1_all.deb ...

Unpacking libcommons-parent-java (56-1) ...

Selecting previously unselected package libcommons-io-java.

Preparing to unpack .../06-libcommons-io-java_2.11.0-2_all.deb ...

Unpacking libcommons-io-java (2.11.0-2) ...

Selecting previously unselected package libcommons-lang3-java.

Preparing to unpack .../07-libcommons-lang3-java_3.14.0-1_all.deb ...

Unpacking libcommons-lang3-java (3.14.0-1) ...

Selecting previously unselected package libjsr305-java.

Preparing to unpack .../08-libjsr305-java_0.1~+svn49-11_all.deb ...

Unpacking libjsr305-java (0.1~+svn49-11) ...

Selecting previously unselected package libguava-java.

Preparing to unpack .../09-libguava-java_32.0.1-1_all.deb ...

Unpacking libguava-java (32.0.1-1) ...

Selecting previously unselected package liberror-prone-java.

Preparing to unpack .../10-liberror-prone-java_2.18.0-1_all.deb ...

Unpacking liberror-prone-java (2.18.0-1) ...

Selecting previously unselected package libgeronimo-annotation-1.3-spec-java.

Preparing to unpack .../11-libgeronimo-annotation-1.3-spec-java_1.3-1_all.deb ...

Unpacking libgeronimo-annotation-1.3-spec-java (1.3-1) ...
Selecting previously unselected package libaopalliance-java.
Preparing to unpack .../12-libaopalliance-java_20070526-7_all.deb ...
Unpacking libaopalliance-java (20070526-7) ...
Selecting previously unselected package libguice-java.
Preparing to unpack .../13-libguice-java_4.2.3-2_all.deb ...
Unpacking libguice-java (4.2.3-2) ...
Selecting previously unselected package libjansi-java.
Preparing to unpack .../14-libjansi-java_2.4.1-2_all.deb ...
Unpacking libjansi-java (2.4.1-2) ...
Selecting previously unselected package libmaven-parent-java.
Preparing to unpack .../15-libmaven-parent-java_35-1_all.deb ...
Unpacking libmaven-parent-java (35-1) ...
Selecting previously unselected package libplexus-utils2-java.
Preparing to unpack .../16-libplexus-utils2-java_3.4.2-1_all.deb ...
Unpacking libplexus-utils2-java (3.4.2-1) ...
Selecting previously unselected package libwagon-provider-api-java.
Preparing to unpack .../17-libwagon-provider-api-java_3.5.3-1_all.deb ...
Unpacking libwagon-provider-api-java (3.5.3-1) ...
Selecting previously unselected package libmaven-resolver-java.
Preparing to unpack .../18-libmaven-resolver-java_1.6.3-1_all.deb ...
Unpacking libmaven-resolver-java (1.6.3-1) ...
Selecting previously unselected package libmaven-shared-utils-java.
Preparing to unpack .../19-libmaven-shared-utils-java_3.3.4-1_all.deb ...
Unpacking libmaven-shared-utils-java (3.3.4-1) ...
Selecting previously unselected package libplexus-cipher-java.
Preparing to unpack .../20-libplexus-cipher-java_2.0-1_all.deb ...
Unpacking libplexus-cipher-java (2.0-1) ...

Selecting previously unselected package libplexus-classworlds-java.

Preparing to unpack .../21-libplexus-classworlds-java_2.7.0-1_all.deb ...

Unpacking libplexus-classworlds-java (2.7.0-1) ...

Selecting previously unselected package libplexus-component-annotations-java.

Preparing to unpack .../22-libplexus-component-annotations-java_2.1.1-1_all.deb ...

Unpacking libplexus-component-annotations-java (2.1.1-1) ...

Selecting previously unselected package libplexus-interpolation-java.

Preparing to unpack .../23-libplexus-interpolation-java_1.26-1_all.deb ...

Unpacking libplexus-interpolation-java (1.26-1) ...

Selecting previously unselected package libplexus-sec-dispatcher-java.

Preparing to unpack .../24-libplexus-sec-dispatcher-java_2.0-3_all.deb ...

Unpacking libplexus-sec-dispatcher-java (2.0-3) ...

Selecting previously unselected package libslf4j-java.

Preparing to unpack .../25-libslf4j-java_1.7.32-1_all.deb ...

Unpacking libslf4j-java (1.7.32-1) ...

Selecting previously unselected package libsisu-inject-java.

Preparing to unpack .../26-libsisu-inject-java_0.3.4-2_all.deb ...

Unpacking libsisu-inject-java (0.3.4-2) ...

Selecting previously unselected package libsisu-plexus-java.

Preparing to unpack .../27-libsisu-plexus-java_0.3.4-3_all.deb ...

Unpacking libsisu-plexus-java (0.3.4-3) ...

Selecting previously unselected package libmaven3-core-java.

Preparing to unpack .../28-libmaven3-core-java_3.8.7-2_all.deb ...

Unpacking libmaven3-core-java (3.8.7-2) ...

Selecting previously unselected package libwagon-file-java.

Preparing to unpack .../29-libwagon-file-java_3.5.3-1_all.deb ...

Unpacking libwagon-file-java (3.5.3-1) ...

Selecting previously unselected package libwagon-http-shaded-java.

Preparing to unpack .../30-libwagon-http-shaded-java_3.5.3-1_all.deb ...

Unpacking libwagon-http-shaded-java (3.5.3-1) ...

Selecting previously unselected package maven.

Preparing to unpack .../31-maven_3.8.7-2_all.deb ...

Unpacking maven (3.8.7-2) ...

Setting up libslf4j-java (1.7.32-1) ...

Setting up libplexus-utils2-java (3.4.2-1) ...

Setting up libplexus-classworlds-java (2.7.0-1) ...

Setting up libjsr305-java (0.1~+svn49-11) ...

Setting up libaopalliance-java (20070526-7) ...

Setting up libcommons-cli-java (1.6.0-1) ...

Setting up libplexus-component-annotations-java (2.1.1-1) ...

Setting up libgeronimo-annotation-1.3-spec-java (1.3-1) ...

Setting up libgeronimo-interceptor-3.0-spec-java (1.0.1-4fakesync) ...

Setting up libjansi-java (2.4.1-2) ...

Setting up libapache-pom-java (29-2) ...

Setting up libatinject-jsr330-api-java (1.0+ds1-5) ...

Setting up libplexus-interpolation-java (1.26-1) ...

Setting up libwagon-http-shaded-java (3.5.3-1) ...

Setting up libcdi-api-java (1.2-3) ...

Setting up libwagon-provider-api-java (3.5.3-1) ...

Setting up libmaven-parent-java (35-1) ...

Setting up libcommons-parent-java (56-1) ...

Setting up libsisu-inject-java (0.3.4-2) ...

Setting up libplexus-cipher-java (2.0-1) ...

Setting up libsisu-plexus-java (0.3.4-3) ...

Setting up libcommons-lang3-java (3.14.0-1) ...

Setting up libplexus-sec-dispatcher-java (2.0-3) ...

Setting up libwagon-file-java (3.5.3-1) ...

Setting up libcommons-io-java (2.11.0-2) ...

Setting up libmaven-resolver-java (1.6.3-1) ...

Setting up libmaven-shared-utils-java (3.3.4-1) ...

Setting up libguava-java (32.0.1-1) ...

Setting up liberror-prone-java (2.18.0-1) ...

Setting up libguice-java (4.2.3-2) ...

Setting up libmaven3-core-java (3.8.7-2) ...

Setting up maven (3.8.7-2) ...

update-alternatives: using /usr/share/maven/bin/mvn to provide /usr/bin/mvn (mvn) in auto mode

```
arvind_2004@ARVINDM:/$ sudo wget -O /usr/share/keyrings/jenkins-keyring.asc \
```

```
https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
```

```
echo "deb [signed-by=/usr/share/keyrings/jenkins-keyring.asc]" \
```

```
https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
```

```
/etc/apt/sources.list.d/jenkins.list > /dev/null
```

```
sudo apt-get update
```

```
sudo apt-get install jenkins
```

```
--2025-03-19 05:38:22-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
```

```
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.158.133, 2a04:4e42:25::645
```

```
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.158.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 3175 (3.1K) [application/pgp-keys]
```

```
Saving to: '/usr/share/keyrings/jenkins-keyring.asc'
```

```
/usr/share/keyrings/jenkins-keyri
```

```
100%[=====>] 3.10K --.-
```

```
KB/s in 0s
```

2025-03-19 05:38:22 (13.0 MB/s) - '/usr/share/keyrings/jenkins-keyring.asc' saved
[3175/3175]

Hit:1 <http://security.ubuntu.com/ubuntu noble-security InRelease>

Ign:2 <https://pkg.jenkins.io/debian-stable binary/ InRelease>

Hit:3 <http://archive.ubuntu.com/ubuntu noble InRelease>

Get:4 <https://pkg.jenkins.io/debian-stable binary/ Release> [2044 B]

Get:5 <http://archive.ubuntu.com/ubuntu noble-updates InRelease> [126 kB]

Get:6 <https://pkg.jenkins.io/debian-stable binary/ Release.gpg> [833 B]

Get:7 <https://pkg.jenkins.io/debian-stable binary/ Packages> [28.7 kB]

Get:8 <http://archive.ubuntu.com/ubuntu noble-backports InRelease> [126 kB]

Get:9 <http://archive.ubuntu.com/ubuntu noble-backports/main amd64 Components> [208 B]

Get:10 <http://archive.ubuntu.com/ubuntu noble-backports/main amd64 c-n-f Metadata>
[112 B]

Get:11 <http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages> [14.2
kB]

Get:12 <http://archive.ubuntu.com/ubuntu noble-backports/universe Translation-en> [12.1
kB]

Get:13 <http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components>
[20.0 kB]

Get:14 <http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata>
[1256 B]

Get:15 <http://archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components>
[212 B]

Get:16 <http://archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata>
[116 B]

Get:17 <http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components>
[212 B]

Get:18 [http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f
Metadata](http://archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata) [116 B]

Fetched 332 kB in 7s (51.1 kB/s)

Reading package lists... Done

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:

net-tools

The following NEW packages will be installed:

jenkins net-tools

0 upgraded, 2 newly installed, 0 to remove and 56 not upgraded.

Need to get 95.0 MB of archives.

After this operation, 97.6 MB of additional disk space will be used.

Do you want to continue? [Y/n] y

Get:1 <http://archive.ubuntu.com/ubuntu/noble/main/amd64/net-tools> amd64 2.10-0.1ubuntu4 [204 kB]

Get:2 <https://pkg.jenkins.io/debian-stable/binary/> jenkins 2.492.2 [94.8 MB]

Fetched 95.0 MB in 49s (1959 kB/s)

Selecting previously unselected package net-tools.

(Reading database ... 43816 files and directories currently installed.)

Preparing to unpack .../net-tools_2.10-0.1ubuntu4_amd64.deb ...

Unpacking net-tools (2.10-0.1ubuntu4) ...

Selecting previously unselected package jenkins.

Preparing to unpack .../jenkins_2.492.2_all.deb ...

Unpacking jenkins (2.492.2) ...

Setting up net-tools (2.10-0.1ubuntu4) ...

Setting up jenkins (2.492.2) ...

Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.

Processing triggers for man-db (2.12.0-4build2) ...

arvind_2004@ARVINDM:/\$ sudo service jenkins restart

```
arvind_2004@ARVINDM:/$ jenkins --version
```

2.492.2

```
arvind_2004@ARVINDM:/$ sudo cat var/lib/jenkins/secrets/initialAdminPassword
```

59edc6648f0446a5a1e4e8aed37c699c

```
arvind_2004@ARVINDM:/$ sudo service jenkins status
```

- jenkins.service - Jenkins Continuous Integration Server

Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)

Active: active (running) since Wed 2025-03-19 05:40:21 UTC; 10min ago

Main PID: 3353 (java)

Tasks: 62 (limit: 9329)

Memory: 923.0M ()

CGroup: /system.slice/jenkins.service

└─3353 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpP>

```
Mar 19 05:50:17 ARVINDM jenkins[3353]: 2025-03-19 05:50:17.284+0000 [id=102] INFO h.m.UpdateCenter$UpdateCenterConfigu>
```

```
Mar 19 05:50:20 ARVINDM jenkins[3353]: 2025-03-19 05:50:20.732+0000 [id=102] INFO h.model.UpdateCenter$DownloadJob#run>
```

```
Mar 19 05:50:20 ARVINDM jenkins[3353]: 2025-03-19 05:50:20.733+0000 [id=102] INFO h.model.UpdateCenter$DownloadJob#run>
```

```
Mar 19 05:50:20 ARVINDM jenkins[3353]: 2025-03-19 05:50:20.734+0000 [id=102] INFO h.m.UpdateCenter$UpdateCenterConfigu>
```

```
Mar 19 05:50:23 ARVINDM jenkins[3353]: 2025-03-19 05:50:23.780+0000 [id=102] INFO h.model.UpdateCenter$DownloadJob#run>
```

```
Mar 19 05:50:23 ARVINDM jenkins[3353]: 2025-03-19 05:50:23.780+0000 [id=102] INFO h.model.UpdateCenter$DownloadJob#run>
```

```
Mar 19 05:50:23 ARVINDM jenkins[3353]: 2025-03-19 05:50:23.781+0000 [id=102] INFO h.m.UpdateCenter$UpdateCenterConfigu>
```

```
Mar 19 05:50:26 ARVINDM jenkins[3353]: 2025-03-19 05:50:26.852+0000 [id=102] INFO h.model.UpdateCenter$DownloadJob#run>
```

Mar 19 05:50:26 ARVINDM jenkins[3353]: 2025-03-19 05:50:26.852+0000 [id=102] INFO
h.model.UpdateCenter\$DownloadJob#run>

Mar 19 05:50:26 ARVINDM jenkins[3353]: 2025-03-19 05:50:26.853+0000 [id=102] INFO
h.m.UpdateCenter\$UpdateCenterConfigu>

```
arvind_2004@ARVINDM:/$ sudo apt install docker.io -y
```

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

The following additional packages will be installed:

bridge-utils containerd dns-root-data dnsmasq-base iptables libip4tc2 libip6tc2 libnetfilter-
conntrack3 libnftnl11 nftables pigz runc ubuntu-fan

libnftables1 libnftnl11 nftables pigz runc ubuntu-fan

Suggested packages:

ifupdown aufs-tools btrfs-progs cgroupfs-mount | cgroup-lite debootstrap docker-buildx
docker-compose-v2 docker-doc rinse

zfs-fuse | zfsutils firewalld

The following NEW packages will be installed:

bridge-utils containerd dns-root-data dnsmasq-base docker.io iptables libip4tc2 libip6tc2
libnetfilter-conntrack3 libnftnl11 nftables pigz runc ubuntu-fan

libnftables1 libnftnl11 nftables pigz runc ubuntu-fan

0 upgraded, 16 newly installed, 0 to remove and 56 not upgraded.

Need to get 79.6 MB of archives.

After this operation, 306 MB of additional disk space will be used.

Get:1 [http://archive.ubuntu.com/ubuntu/noble/universe amd64 pigz amd64 2.8-1](http://archive.ubuntu.com/ubuntu/noble/universe/amd64/pigz) [65.6 kB]

Get:2 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libip4tc2 amd64 1.8.10-
3ubuntu2](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libip4tc2) [23.3 kB]

Get:3 [http://archive.ubuntu.com/ubuntu/noble/main amd64 libip6tc2 amd64 1.8.10-
3ubuntu2](http://archive.ubuntu.com/ubuntu/noble/main/amd64/libip6tc2) [23.7 kB]

Get:4 <http://archive.ubuntu.com/ubuntu noble/main amd64 libnfnetwork0 amd64 1.0.2-2build1> [14.8 kB]

Get:5 <http://archive.ubuntu.com/ubuntu noble/main amd64 libnetfilter-conntrack3 amd64 1.0.9-6build1> [45.2 kB]

Get:6 <http://archive.ubuntu.com/ubuntu noble/main amd64 libnftnl11 amd64 1.2.6-2build1> [66.0 kB]

Get:7 <http://archive.ubuntu.com/ubuntu noble/main amd64 iptables amd64 1.8.10-3ubuntu2> [381 kB]

Get:8 <http://archive.ubuntu.com/ubuntu noble/main amd64 libnftables1 amd64 1.0.9-1build1> [358 kB]

Get:9 <http://archive.ubuntu.com/ubuntu noble/main amd64 nftables amd64 1.0.9-1build1> [69.8 kB]

Get:10 <http://archive.ubuntu.com/ubuntu noble/main amd64 bridge-utils amd64 1.7.1-1ubuntu2> [33.9 kB]

Get:11 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 runc amd64 1.1.12-0ubuntu3.1> [8599 kB]

Get:12 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 containerd amd64 1.7.24-0ubuntu1~24.04.1> [37.0 MB]

Get:13 <http://archive.ubuntu.com/ubuntu noble-updates/main amd64 dns-root-data all 2024071801~ubuntu0.24.04.1> [5918 B]

Get:14 <http://archive.ubuntu.com/ubuntu noble/main amd64 dnsmasq-base amd64 2.90-2build2> [375 kB]

Get:15 <http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 docker.io amd64 26.1.3-0ubuntu1~24.04.1> [32.4 MB]

Get:16 <http://archive.ubuntu.com/ubuntu noble/universe amd64 ubuntu-fan all 0.12.16> [35.2 kB]

Fetches 79.6 MB in 28s (2819 kB/s)

Preconfiguring packages ...

Selecting previously unselected package pigz.

(Reading database ... 43879 files and directories currently installed.)

Preparing to unpack .../00-pigz_2.8-1_amd64.deb ...

Unpacking pigz (2.8-1) ...

Selecting previously unselected package libip4tc2:amd64.

Preparing to unpack .../01-libip4tc2_1.8.10-3ubuntu2_amd64.deb ...

Unpacking libip4tc2:amd64 (1.8.10-3ubuntu2) ...

Selecting previously unselected package libip6tc2:amd64.

Preparing to unpack .../02-libip6tc2_1.8.10-3ubuntu2_amd64.deb ...

Unpacking libip6tc2:amd64 (1.8.10-3ubuntu2) ...

Selecting previously unselected package libnftnl0:amd64.

Preparing to unpack .../03-libnftnl0_1.0.2-2build1_amd64.deb ...

Unpacking libnftnl0:amd64 (1.0.2-2build1) ...

Selecting previously unselected package libnetfilter-contrack3:amd64.

Preparing to unpack .../04-libnetfilter-contrack3_1.0.9-6build1_amd64.deb ...

Unpacking libnetfilter-contrack3:amd64 (1.0.9-6build1) ...

Selecting previously unselected package libnftnl11:amd64.

Preparing to unpack .../05-libnftnl11_1.2.6-2build1_amd64.deb ...

Unpacking libnftnl11:amd64 (1.2.6-2build1) ...

Selecting previously unselected package iptables.

Preparing to unpack .../06-iptables_1.8.10-3ubuntu2_amd64.deb ...

Unpacking iptables (1.8.10-3ubuntu2) ...

Selecting previously unselected package libnftables1:amd64.

Preparing to unpack .../07-libnftables1_1.0.9-1build1_amd64.deb ...

Unpacking libnftables1:amd64 (1.0.9-1build1) ...

Selecting previously unselected package nftables.

Preparing to unpack .../08-nftables_1.0.9-1build1_amd64.deb ...

Unpacking nftables (1.0.9-1build1) ...

Selecting previously unselected package bridge-utils.

Preparing to unpack .../09-bridge-utils_1.7.1-1ubuntu2_amd64.deb ...

Unpacking bridge-utils (1.7.1-1ubuntu2) ...

Selecting previously unselected package runc.

Preparing to unpack .../10-runc_1.1.12-0ubuntu3.1_amd64.deb ...
Unpacking runc (1.1.12-0ubuntu3.1) ...
Selecting previously unselected package containerd.
Preparing to unpack .../11-containerd_1.7.24-0ubuntu1~24.04.1_amd64.deb ...
Unpacking containerd (1.7.24-0ubuntu1~24.04.1) ...
Selecting previously unselected package dns-root-data.
Preparing to unpack .../12-dns-root-data_2024071801~ubuntu0.24.04.1_all.deb ...
Unpacking dns-root-data (2024071801~ubuntu0.24.04.1) ...
Selecting previously unselected package dnsmasq-base.
Preparing to unpack .../13-dnsmasq-base_2.90-2build2_amd64.deb ...
Unpacking dnsmasq-base (2.90-2build2) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../14-docker.io_26.1.3-0ubuntu1~24.04.1_amd64.deb ...
Unpacking docker.io (26.1.3-0ubuntu1~24.04.1) ...
Selecting previously unselected package ubuntu-fan.
Preparing to unpack .../15-ubuntu-fan_0.12.16_all.deb ...
Unpacking ubuntu-fan (0.12.16) ...
Setting up libip4tc2:amd64 (1.8.10-3ubuntu2) ...
Setting up libip6tc2:amd64 (1.8.10-3ubuntu2) ...
Setting up libnftnl11:amd64 (1.2.6-2build1) ...
Setting up runc (1.1.12-0ubuntu3.1) ...
Setting up dns-root-data (2024071801~ubuntu0.24.04.1) ...
Setting up bridge-utils (1.7.1-1ubuntu2) ...
Setting up pigz (2.8-1) ...
Setting up libnfnetwork0:amd64 (1.0.2-2build1) ...
Setting up containerd (1.7.24-0ubuntu1~24.04.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service →
/usr/lib/systemd/system/containerd.service.

Setting up libnftables1:amd64 (1.0.9-1build1) ...

Setting up nftables (1.0.9-1build1) ...

Setting up libnetfilter-contrack3:amd64 (1.0.9-6build1) ...

Setting up iptables (1.8.10-3ubuntu2) ...

update-alternatives: using /usr/sbin/iptables-legacy to provide /usr/sbin/iptables (iptables) in auto mode

update-alternatives: using /usr/sbin/ip6tables-legacy to provide /usr/sbin/ip6tables (ip6tables) in auto mode

update-alternatives: using /usr/sbin/iptables-nft to provide /usr/sbin/iptables (iptables) in auto mode

update-alternatives: using /usr/sbin/ip6tables-nft to provide /usr/sbin/ip6tables (ip6tables) in auto mode

update-alternatives: using /usr/sbin/arptables-nft to provide /usr/sbin/arptables (arptables) in auto mode

update-alternatives: using /usr/sbin/ebtables-nft to provide /usr/sbin/ebtables (ebtables) in auto mode

Setting up docker.io (26.1.3-0ubuntu1~24.04.1) ...

info: Selecting GID from range 100 to 999 ...

info: Adding group `docker' (GID 109) ...

Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /usr/lib/systemd/system/docker.service.

Created symlink /etc/systemd/system/sockets.target.wants/docker.socket → /usr/lib/systemd/system/docker.socket.

Setting up dnsmasq-base (2.90-2build2) ...

Setting up ubuntu-fan (0.12.16) ...

Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service → /usr/lib/systemd/system/ubuntu-fan.service.

Processing triggers for man-db (2.12.0-4build2) ...

Processing triggers for dbus (1.14.10-4ubuntu4.1) ...

Processing triggers for libc-bin (2.39-0ubuntu8.4) ...

arvind_2004@ARVINDM:/\$ sudo service docker restart

arvind_2004@ARVINDM:/\$ sudo service docker status

● docker.service - Docker Application Container Engine

Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)

Active: active (running) since Wed 2025-03-19 05:55:19 UTC; 17s ago

TriggeredBy: ● docker.socket

Docs: <https://docs.docker.com>

Main PID: 4479 (dockerd)

Tasks: 16

Memory: 35.3M ()

CGroup: /system.slice/docker.service

└─4479 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.602923236Z"
level=info msg="Default bridge (docker0) is assigned wi>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.777283894Z"
level=info msg="Loading containers: done."

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.816833574Z"
level=warning msg="WARNING: No blkio throttle.read_bps>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.816895864Z"
level=warning msg="WARNING: No blkio throttle.write_bps>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.816903517Z"
level=warning msg="WARNING: No blkio throttle.read_iops>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.816909308Z"
level=warning msg="WARNING: No blkio throttle.write_iop>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.816945065Z"
level=info msg="Docker daemon" commit="26.1.3-0ubuntu1~>

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.817041446Z"
level=info msg="Daemon has completed initialization"

Mar 19 05:55:19 ARVINDM dockerd[4479]: time="2025-03-19T05:55:19.863331403Z"
level=info msg="API listen on /run/docker.sock"

Mar 19 05:55:19 ARVINDM systemd[1]: Started docker.service - Docker Application Container Engine.

lines 1-21/21 (END)

```
arvind_2004@ARVINDM:/$ sudo usermod -aG docker $USER
```

```
arvind_2004@ARVINDM:/$ docker images
```

permission denied while trying to connect to the Docker daemon socket at unix:///var/run/docker.sock: Head "http://%2Fvar%2Frun%2Fdocker.sock/_ping": dial unix /var/run/docker.sock: connect: permission denied

```
arvind_2004@ARVINDM:/$ sudo systemctl start docker
```

```
arvind_2004@ARVINDM:/$ sudo systemctl enable docker
```

```
arvind_2004@ARVINDM:/$ sudo docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
------------	-----	----------	---------	------

```
arvind_2004@ARVINDM:/$ sudo docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

```
arvind_2004@ARVINDM:/$ sudo usermod -aG docker $USER
```

```
arvind_2004@ARVINDM:/$ newgrp docker
```

```
arvind_2004@ARVINDM:/$ docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
------------	-----	----------	---------	------

```
arvind_2004@ARVINDM:/$ docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
--------------	-------	---------	---------	--------	-------	-------

```
arvind_2004@ARVINDM:/$ sudo chmod 666 /var/run/docker.sock
```

```
arvind_2004@ARVINDM:/$ minikube
```

Command 'minikube' not found, did you mean:

command 'minitube' from deb minitube (3.9.3-2)

Try: sudo apt install <deb name>

```
arvind_2004@ARVINDM:/$ docker --version
```

Docker version 26.1.3, build 26.1.3-0ubuntu1~24.04.1

```
arvind_2004@ARVINDM:/$ curl -LO
```

```
https://dl.k8s.io/release/v1.32.0/bin/linux/amd64/kubectl
```

```
% Total   % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload  Total  Spent    Left  Speed
100  138  100  138    0     0   234    0 --:--:-- --:--:-- --:--:--  234
```

Warning: Failed to open the file kubect!l: Permission denied

```
0 54.6M    0     0     0     0     0  0 --:--:-- 0:00:01 --:--:--    0
```

curl: (23) Failure writing output to destination

arvind_2004@ARVINDM:/\$ cd ~

arvind_2004@ARVINDM:~\$ curl -LO

<https://dl.k8s.io/release/v1.32.0/bin/linux/amd64/kubect!l>

```
% Total   % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload  Total  Spent    Left  Speed
100  138  100  138    0     0   226    0 --:--:-- --:--:-- --:--:--  226
```

```
100 54.6M  100 54.6M    0     0 2683k    0 0:00:20 0:00:20 --:--:-- 3563k
```

arvind_2004@ARVINDM:~\$ sudo install -o root -g root -m 0755 kubect!l /usr/local/bin/kubect!l

arvind_2004@ARVINDM:~\$ chmod +x kubect!l

mkdir -p ~/.local/bin

mv ./kubect!l ~/.local/bin/kubect!l

arvind_2004@ARVINDM:~\$

kubect!l version --client

error: unknown command "version\u00a0--client" for "kubect!l"

arvind_2004@ARVINDM:~\$ kubect!l version --client

error: unknown command "version\u00a0--client" for "kubect!l"

arvind_2004@ARVINDM:~\$ kubect!l version --client

Client Version: v1.32.0

Kustomize Version: v5.5.0

arvind_2004@ARVINDM:~\$ curl -LO

<https://github.com/kubernetes/minikube/releases/latest/download/minikube-linux-amd64>

sudo install minikube-linux-amd64 /usr/local/bin/minikube && rm minikube-linux-amd64

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload Total Spent Left Speed				
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
100	119M	100	119M	0	0	3604k	0

'arvind_2004@ARVINDM:~\$ docker login

Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over to <https://hub.docker.com/> to create one.

You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is required for organizations using SSO. Learn more at <https://docs.docker.com/go/access-tokens/>

Username: Arvind

Password:

Error response from daemon: Get "https://registry-1.docker.io/v2/": unauthorized: incorrect username or password

arvind_2004@ARVINDM:~\$ docker login

Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over to <https://hub.docker.com/> to create one.

You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is required for organizations using SSO. Learn more at <https://docs.docker.com/go/access-tokens/>

Username: arvind

Password:

Error response from daemon: Get "https://registry-1.docker.io/v2/": unauthorized: incorrect username or password

arvind_2004@ARVINDM:~\$ docker logout

Removing login credentials for https://index.docker.io/v1/

arvind_2004@ARVINDM:~\$ docker login

Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over to <https://hub.docker.com/> to create one.

You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is required for organizations using SSO. Learn more at <https://docs.docker.com/go/access-tokens/>

Username: arvind

Password:

Error response from daemon: Get "https://registry-1.docker.io/v2/": unauthorized: incorrect username or password

arvind_2004@ARVINDM:~\$ docker logout

Removing login credentials for https://index.docker.io/v1/

arvind_2004@ARVINDM:~\$ docker login -u "arvind" -p "31-Aug-04"

WARNING! Using --password via the CLI is insecure. Use --password-stdin.

Error response from daemon: Get "https://registry-1.docker.io/v2/": unauthorized: incorrect username or password

arvind_2004@ARVINDM:~\$ docker login -u "arvind"

Password:

Error response from daemon: Get "https://registry-1.docker.io/v2/": unauthorized: incorrect username or password

arvind_2004@ARVINDM:~\$ docker login -u "arvindm2004"

Password:

WARNING! Your password will be stored unencrypted in /home/arvind_2004/.docker/config.json.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/engine/reference/commandline/login/#credentials-store>

Login Succeeded

arvind_2004@ARVINDM:~\$ minikube start

😊 minikube v1.35.0 on Ubuntu 24.04 (amd64)

 Automatically selected the docker driver. Other choices: none, ssh

 Using Docker driver with root privileges

 Starting "minikube" primary control-plane node in "minikube" cluster

 Pulling base image v0.0.46 ...

 Downloading Kubernetes v1.32.0 preload ...

 > preloaded-images-k8s-v18-v1...: 333.57 MiB / 333.57 MiB 100.00% 1.14 Mi

 > gcr.io/k8s-minikube/kicbase...: 500.31 MiB / 500.31 MiB 100.00% 1.15 Mi

 Creating docker container (CPUs=2, Memory=2200MB) ...

 Preparing Kubernetes v1.32.0 on Docker 27.4.1 ...

- Generating certificates and keys ...
- Booting up control plane ...
- Configuring RBAC rules ...

 Configuring bridge CNI (Container Networking Interface) ...

 Verifying Kubernetes components...

- Using image gcr.io/k8s-minikube/storage-provisioner:v5

 Enabled addons: storage-provisioner, default-storageclass

 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default

arvind_2004@ARVINDM:~\$ minikube status

minikube

type: Control Plane

host: Running

kubelet: Running

apiserver: Running

kubeconfig: Configured

arvind_2004@ARVINDM:~\$ kubectl get pod

No resources found in default namespace.

```
arvind_2004@ARVINDM:~$ kubectl get deploy
```

No resources found in default namespace.

```
arvind_2004@ARVINDM:~$ kubectl cluster-info
```

Kubernetes control plane is running at https://127.0.0.1:32769

CoreDNS is running at https://127.0.0.1:32769/api/v1/namespaces/kube-system/services/kube-dns:dns/proxy

To further debug and diagnose cluster problems, use 'kubectl cluster-info dump'.

```
arvind_2004@ARVINDM:~$ kubectl get namespaces
```

NAME	STATUS	AGE
default	Active	6m47s
kube-node-lease	Active	6m47s
kube-public	Active	6m47s
kube-system	Active	6m48s

```
arvind_2004@ARVINDM:~$ kubectl get pods -n default
```

No resources found in default namespace.

```
arvind_2004@ARVINDM:~$ kubectl get pods --all-namespaces
```

NAMESPACE	NAME	READY	STATUS	RESTARTS	AGE
kube-system	coredns-668d6bf9bc-6lcpd	1/1	Running	0	7m41s
kube-system	etcd-minikube	1/1	Running	0	7m45s
kube-system	kube-apiserver-minikube	1/1	Running	0	7m48s
kube-system	kube-controller-manager-minikube	1/1	Running	0	7m45s
kube-system	kube-proxy-cpvwc	1/1	Running	0	7m41s
kube-system	kube-scheduler-minikube	1/1	Running	0	7m45s
kube-system	storage-provisioner	1/1	Running	1 (7m8s ago)	7m43s

```
arvind_2004@ARVINDM:~$ kubectl get deployments --all-namespaces
```

NAMESPACE	NAME	READY	UP-TO-DATE	AVAILABLE	AGE
-----------	------	-------	------------	-----------	-----

```
kube-system coredns 1/1 1 1 8m6s
```

```
arvind_2004@ARVINDM:~$ kubectl get services --all-namespaces
```

NAMESPACE	NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
default	kubernetes	ClusterIP	10.96.0.1	<none>	443/TCP	8m18s
kube-system	kube-dns	ClusterIP	10.96.0.10	<none>	53/UDP,53/TCP,9153/TCP	8m17s

```
arvind_2004@ARVINDM:~$ kubectl get nodes
```

NAME	STATUS	ROLES	AGE	VERSION
minikube	Ready	control-plane	8m35s	v1.32.0

```
arvind_2004@ARVINDM:~$ kubectl create deployment nginx --image=nginx
```

```
deployment.apps/nginx created
```

```
arvind_2004@ARVINDM:~$ kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-5869d7778c-skzgz	0/1	ContainerCreating	0	7s

```
arvind_2004@ARVINDM:~$ kubectl config view --minify | grep namespace
```

```
namespace: default
```

```
arvind_2004@ARVINDM:~$ kubectl get pod
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-5869d7778c-skzgz	1/1	Running	0	64s

```
arvind_2004@ARVINDM:~$ kubectl get deploy
```

```
kubectl: command not found
```

```
arvind_2004@ARVINDM:~$ kubectl get deploy
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
nginx	1/1	1	1	112s

```
arvind_2004@ARVINDM:~$ kubectl get pod -o wide
```

```
kubectl get pod -o wide: command not found
```

```
arvind_2004@ARVINDM:~$ kubectl get pod -o wide
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE	NOMINATED NODE
READINESS GATES							

```
nginx-5869d7778c-skzgz 1/1   Running 0    2m44s 10.244.0.3 minikube <none>
<none>
```

```
arvind_2004@ARVINDM:~$
```

Microsoft Windows [Version 10.0.22631.4751]

(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Arvind M>wsl -d Ubuntu
```

```
arvind_2004@ARVINDM:/mnt/c/Users/Arvind M$ cd ..
```

```
arvind_2004@ARVINDM:/mnt/c/Users$ cd ..
```

```
arvind_2004@ARVINDM:/mnt/c$ cd ..
```

```
arvind_2004@ARVINDM:/mnt$ cd ..
```

```
arvind_2004@ARVINDM:/$ cd ..
```

```
arvind_2004@ARVINDM:/$ docker login
```

Authenticating with existing credentials...

WARNING! Your password will be stored unencrypted in
/home/arvind_2004/.docker/config.json.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/engine/reference/commandline/login/#credentials-store>

Login Succeeded

```
arvind_2004@ARVINDM:/$ minikube status
```

minikube

type: Control Plane

host: Stopped

kubelet: Stopped

apiserver: Stopped

kubeconfig: Stopped

arvind_2004@ARVINDM:/\$ minikube start

😊 minikube v1.35.0 on Ubuntu 24.04 (amd64)

🌟 Using the docker driver based on existing profile

👍 Starting "minikube" primary control-plane node in "minikube" cluster

🚚 Pulling base image v0.0.46 ...

🔄 Restarting existing docker container for "minikube" ...

👤 StartHost failed, but will try again: driver start: start: docker start minikube: exit status 1

stdout:

stderr:

Error response from daemon: failed to create task for container: failed to create shim task:
OCI runtime create failed: runc create failed: unable to start container process: error during
container init: error setting cgroup config for procHooks process: failed to write "a *:* rwm":
write

/sys/fs/cgroup/devices/docker/12b267417d8b3be2eb4ba7f5f62ccae26497c699239886050d
e0aa72f5e90e5d/devices.allow: invalid argument: unknown

Error: failed to start containers: minikube

^C

arvind_2004@ARVINDM:/\$ minikube start

😊 minikube v1.35.0 on Ubuntu 24.04 (amd64)

🌟 Using the docker driver based on existing profile

👍 Starting "minikube" primary control-plane node in "minikube" cluster

🚚 Pulling base image v0.0.46 ...

🔄 Restarting existing docker container for "minikube" ...

🏗️ Preparing Kubernetes v1.32.0 on Docker 27.4.1 ...

🔍 Verifying Kubernetes components...

- Using image gcr.io/k8s-minikube/storage-provisioner:v5

✨ Enabled addons: storage-provisioner, default-storageclass

🐙 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default

```
arvind_2004@ARVINDM:/$ minikube status
```

minikube

type: Control Plane

host: Running

kubelet: Running

apiserver: Running

kubeconfig: Configured

```
arvind_2004@ARVINDM:/$ git --version
```

git version 2.43.0

```
arvind_2004@ARVINDM:/$ mvn --version
```

Apache Maven 3.8.7

Maven home: /usr/share/maven

Java version: 17.0.14, vendor: Ubuntu, runtime: /usr/lib/jvm/java-17-openjdk-amd64

Default locale: en, platform encoding: UTF-8

OS name: "linux", version: "5.15.167.4-microsoft-standard-wsl2", arch: "amd64", family: "unix"

```
arvind_2004@ARVINDM:/$ sudo apt install docker-compose -y
```

[sudo] password for arvind_2004:

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

E: Unable to locate package docker-compose -y

```
arvind_2004@ARVINDM:/$ docker-compose.yml simple-web-app
```

docker-compose.yml: command not found

```
arvind_2004@ARVINDM:/$ kubectl get pod
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-5869d7778c-skzgz	1/1	Running	1 (7m10s ago)	126m

arvind_2004@ARVINDM:/\$ docker start david-db-1

Error response from daemon: No such container: david-db-1

Error: failed to start containers: david-db-1

arvind_2004@ARVINDM:/\$ docker-compose up -d

ERROR:

Can't find a suitable configuration file in this directory or any parent. Are you in the right directory?

Supported filenames: docker-compose.yml, docker-compose.yaml, compose.yml, compose.yaml

arvind_2004@ARVINDM:/\$ docker-compose.yml

docker-compose.yml: command not found

arvind_2004@ARVINDM:/\$ docker-compose.yml up -d

docker-compose.yml: command not found

arvind_2004@ARVINDM:/\$ docker ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
--------------	-------	---------	---------	--------

NAMES

12b267417d8b	gcr.io/k8s-minikube/kicbase:v0.0.46	"/usr/local/bin/entr..."	2 hours ago	Up 9 minutes	
127.0.0.1:32777->22/tcp	127.0.0.1:32776->2376/tcp	127.0.0.1:32775->5000/tcp	127.0.0.1:32774->8443/tcp	127.0.0.1:32773->32443/tcp	minikube

arvind_2004@ARVINDM:/\$ docker-compose up -d

ERROR:

Can't find a suitable configuration file in this directory or any parent. Are you in the right directory?

Supported filenames: docker-compose.yml, docker-compose.yaml, compose.yml, compose.yaml

```
arvind_2004@ARVINDM:/$ ls
```

```
bin          boot etc  init lib.usr-is-merged lost+found mnt proc run  sbin.usr-is-merged
srv tmp var
```

```
bin.usr-is-merged dev  home lib  lib64      media   opt root sbin snap      sys
usr
```

```
arvind_2004@ARVINDM:/$ find ~ -name "docker-compose.yml"
```

```
/home/arvind_2004/docker-compose.yml
```

```
arvind_2004@ARVINDM:/$ cd /home/arvind_2004/docker-compose.yml
```

```
-bash: cd: /home/arvind_2004/docker-compose.yml: Not a directory
```

```
arvind_2004@ARVINDM:/$ cd /home/arvind_2004
```

```
arvind_2004@ARVINDM:~$ docker-compose up -d
```

```
Creating network "arvind_2004_default" with the default driver
```

```
Pulling web (nginx:latest)...
```

```
latest: Pulling from library/nginx
```

```
6e909acdb790: Pull complete
```

```
5eaa34f5b9c2: Pull complete
```

```
417c4bccf534: Pull complete
```

```
e7e0ca015e55: Pull complete
```

```
373fe654e984: Pull complete
```

```
97f5c0f51d43: Pull complete
```

```
c22eb46e871a: Pull complete
```

```
Digest:
```

```
sha256:124b44bfc9ccd1f3cedf4b592d4d1e8bddb78b51ec2ed5056c52d3692baebc19
```

```
Status: Downloaded newer image for nginx:latest
```

```
Pulling db (mysql:latest)...
```

```
latest: Pulling from library/mysql
```



```

804bb8ae89de: Pull complete
1b515e7ceb69: Pull complete
eaa11c0a9f08: Pull complete
8d18181893b8: Pull complete
e0a910cc8604: Pull complete
bc0c792ca096: Pull complete
8d73d2a73425: Pull complete
4a7e00d873b9: Pull complete
27a2553d6a80: Pull complete
69e76254f502: Pull complete

Digest: sha256:9b9d0aab4860798acff13d2a0ece3bc26639fe18b83fa5cd3e3d0e16b3ed05dd
Status: Downloaded newer image for mysql:latest
Creating arvind_2004_db_1 ... done
Creating arvind_2004_web_1 ... done
arvind_2004@ARVINDM:~$ docker exec -it david-db-1 /bin/bash
Error response from daemon: No such container: david-db-1
arvind_2004@ARVINDM:~$ sudo curl -L
"https://github.com/docker/compose/releases/latest/download/docker-compose-$(uname -
s)-$(uname -m)" -o /usr/local/bin/docker-compose

% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload  Total  Spent    Left  Speed

  0   0   0    0    0    0     0      0  --:--:-- --:--:-- --:--:--    0
  0   0   0    0    0    0     0      0  --:--:-- --:--:-- --:--:--    0
100 71.4M 100 71.4M    0    0 3706k    0  0:00:19  0:00:19 --:--:-- 4355k

arvind_2004@ARVINDM:~$ remove
Command 'remove' not found, did you mean:

  command 'remote' from snap remote (1.09)

See 'snap info <snapname>' for additional versions.

arvind_2004@ARVINDM:~$ minikub remove

```

minikub: command not found

arvind_2004@ARVINDM:~\$ minikube delete

 Deleting "minikube" in docker ...

 Deleting container "minikube" ...

 Removing /home/arvind_2004/.minikube/machines/minikube ...

 Removed all traces of the "minikube" cluster.

arvind_2004@ARVINDM:~\$ minikube restart

Error: unknown command "restart" for "minikube"

Did you mean this?

start

Run 'minikube --help' for usage.

arvind_2004@ARVINDM:~\$ minikube start

 minikube v1.35.0 on Ubuntu 24.04 (amd64)

 Automatically selected the docker driver. Other choices: none, ssh

 Using Docker driver with root privileges

 Starting "minikube" primary control-plane node in "minikube" cluster

 Pulling base image v0.0.46 ...

 Creating docker container (CPUs=2, Memory=2200MB) ...

 Preparing Kubernetes v1.32.0 on Docker 27.4.1 ...

- Generating certificates and keys ...

- Booting up control plane ...

- Configuring RBAC rules ...

 Configuring bridge CNI (Container Networking Interface) ...

 Verifying Kubernetes components...

- Using image gcr.io/k8s-minikube/storage-provisioner:v5

✱ Enabled addons: storage-provisioner, default-storageclass

🔧 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default

```
arvind_2004@ARVINDM:~$ ls
```

```
docker-compose.yml
```

```
arvind_2004@ARVINDM:~$ mkdir simplewebapp
```

```
arvind_2004@ARVINDM:~$ ls
```

```
docker-compose.yml simplewebapp
```

```
arvind_2004@ARVINDM:~$ cd simplewebapp
```

```
arvind_2004@ARVINDM:~/simplewebapp$ git clone
```

```
https://github.com/Arvind22cse/Devops_Guivi.git
```

```
Cloning into 'Devops_Guivi'...
```

```
remote: Enumerating objects: 14, done.
```

```
remote: Counting objects: 100% (14/14), done.
```

```
remote: Compressing objects: 100% (10/10), done.
```

```
remote: Total 14 (delta 0), reused 14 (delta 0), pack-reused 0 (from 0)
```

```
Receiving objects: 100% (14/14), done.
```

```
arvind_2004@ARVINDM:~/simplewebapp$ ls
```

```
Devops_Guivi
```

```
arvind_2004@ARVINDM:~/simplewebapp$ cd Devops_Guivi
```

```
arvind_2004@ARVINDM:~/simplewebapp/Devops_Guivi$ mvn --version
```

```
Apache Maven 3.8.7
```

```
Maven home: /usr/share/maven
```

```
Java version: 17.0.14, vendor: Ubuntu, runtime: /usr/lib/jvm/java-17-openjdk-amd64
```

```
Default locale: en, platform encoding: UTF-8
```

```
OS name: "linux", version: "5.15.167.4-microsoft-standard-wsl2", arch: "amd64", family: "unix"
```

```
arvind_2004@ARVINDM:~/simplewebapp/Devops_Guivi$ mvn clean
```

```
[INFO] Scanning for projects...
```

[INFO]

[INFO] -----< com.mycompany.app:my-app >-----

[INFO] Building my-app Maven Webapp 1.0-SNAPSHOT

[INFO] -----[war]-----

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/3.1.0/maven-clean-plugin-3.1.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/3.1.0/maven-clean-plugin-3.1.0.pom> (5.2 kB at 9.2 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-plugins/31/maven-plugins-31.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-plugins/31/maven-plugins-31.pom> (10 kB at 78 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/31/maven-parent-31.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/31/maven-parent-31.pom> (43 kB at 230 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/19/apache-19.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/19/apache-19.pom> (15 kB at 127 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/3.1.0/maven-clean-plugin-3.1.0.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/3.1.0/maven-clean-plugin-3.1.0.jar> (30 kB at 256 kB/s)

[INFO]

[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ my-app ---

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-plugin-api/3.0/maven-plugin-api-3.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-plugin-api/3.0/maven-plugin-api-3.0.pom> (2.3 kB at 17 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven/3.0/maven-3.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven/3.0/maven-3.0.pom> (22 kB at 175 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/15/maven-parent-15.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/15/maven-parent-15.pom> (24 kB at 192 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/6/apache-6.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/6/apache-6.pom> (13 kB at 85 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-model/3.0/maven-model-3.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-model/3.0/maven-model-3.0.pom> (3.9 kB at 41 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.4/plexus-utils-2.0.4.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.4/plexus-utils-2.0.4.pom> (3.3 kB at 34 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus/2.0.6/plexus-2.0.6.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus/2.0.6/plexus-2.0.6.pom> (17 kB at 143 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-artifact/3.0/maven-artifact-3.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-artifact/3.0/maven-artifact-3.0.pom> (1.9 kB at 20 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-plexus/1.4.2/sisu-inject-plexus-1.4.2.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-plexus/1.4.2/sisu-inject-plexus-1.4.2.pom> (5.4 kB at 39 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/sonatype/sisu/inject/guice-plexus/1.4.2/guice-plexus-1.4.2.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/sonatype/sisu/inject/guice-plexus/1.4.2/guice-plexus-1.4.2.pom> (3.1 kB at 22 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/sonatype/sisu/inject/guice-bean/1.4.2/guice-bean-1.4.2.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/sonatype/sisu/inject/guice-bean/1.4.2/guice-bean-1.4.2.pom> (2.6 kB at 20 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject/1.4.2/sisu-inject-1.4.2.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject/1.4.2/sisu-inject-1.4.2.pom> (1.2 kB at 10 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-parent/1.4.2/sisu-parent-1.4.2.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-parent/1.4.2/sisu-parent-1.4.2.pom> (7.8 kB at 52 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/sonatype/forge/forge-parent/6/forge-parent-6.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/sonatype/forge/forge-parent/6/forge-parent-6.pom> (11 kB at 23 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-component-annotations/1.7.1/plexus-component-annotations-1.7.1.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-component-annotations/1.7.1/plexus-component-annotations-1.7.1.pom> (770 B at 7.5 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-containers/1.7.1/plexus-containers-1.7.1.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-containers/1.7.1/plexus-containers-1.7.1.pom> (5.0 kB at 38 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus/4.0/plexus-4.0.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus/4.0/plexus-4.0.pom> (22 kB at 110 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/sonatype/forge/forge-parent/10/forge-parent-10.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/sonatype/forge/forge-parent/10/forge-parent-10.pom> (14 kB at 40 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-classworlds/2.2.3/plexus-classworlds-2.2.3.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-classworlds/2.2.3/plexus-classworlds-2.2.3.pom> (4.0 kB at 16 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.5/plexus-utils-2.0.5.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.5/plexus-utils-2.0.5.pom> (3.3 kB at 14 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-bean/1.4.2/sisu-inject-bean-1.4.2.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-bean/1.4.2/sisu-inject-bean-1.4.2.pom> (5.5 kB at 25 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-guice/2.1.7/sisu-guice-2.1.7.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-guice/2.1.7/sisu-guice-2.1.7.pom> (11 kB at 49 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-utils/3.2.1/maven-shared-utils-3.2.1.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-utils/3.2.1/maven-shared-utils-3.2.1.pom> (5.6 kB at 31 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-components/30/maven-shared-components-30.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-components/30/maven-shared-components-30.pom> (4.6 kB at 22 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/30/maven-parent-30.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-parent/30/maven-parent-30.pom> (41 kB at 169 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/18/apache-18.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/18/apache-18.pom> (16 kB at 71 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/commons-io/commons-io/2.5/commons-io-2.5.pom>

Downloaded from central: <https://repo.maven.apache.org/maven2/commons-io/commons-io/2.5/commons-io-2.5.pom> (13 kB at 59 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/commons/commons-parent/39/commons-parent-39.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/commons/commons-parent/39/commons-parent-39.pom> (62 kB at 187 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/16/apache-16.pom>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/apache/16/apache-16.pom> (15 kB at 70 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-plugin-api/3.0/maven-plugin-api-3.0.jar>

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-model/3.0/maven-model-3.0.jar>

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.4/plexus-utils-2.0.4.jar>

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-artifact/3.0/maven-artifact-3.0.jar>

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-plexus/1.4.2/sisu-inject-plexus-1.4.2.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-model/3.0/maven-model-3.0.jar> (165 kB at 329 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-component-annotations/1.7.1/plexus-component-annotations-1.7.1.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-plugin-api/3.0/maven-plugin-api-3.0.jar> (49 kB at 81 kB/s)

Downloading from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-classworlds/2.2.3/plexus-classworlds-2.2.3.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/maven-artifact/3.0/maven-artifact-3.0.jar> (52 kB at 86 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-bean/1.4.2/sisu-inject-bean-1.4.2.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-component-annotations/1.7.1/plexus-component-annotations-1.7.1.jar> (4.3 kB at 5.9 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-guice/2.1.7/sisu-guice-2.1.7-noaop.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/2.0.4/plexus-utils-2.0.4.jar> (222 kB at 306 kB/s)

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-plexus/1.4.2/sisu-inject-plexus-1.4.2.jar> (202 kB at 277 kB/s)

Downloading from central: <https://repo.maven.apache.org/maven2/commons-io/commons-io/2.5/commons-io-2.5.jar>

Downloading from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-utils/3.2.1/maven-shared-utils-3.2.1.jar>

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-classworlds/2.2.3/plexus-classworlds-2.2.3.jar> (46 kB at 59 kB/s)

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-inject-bean/1.4.2/sisu-inject-bean-1.4.2.jar> (153 kB at 165 kB/s)

Downloaded from central:

<https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-shared-utils/3.2.1/maven-shared-utils-3.2.1.jar> (167 kB at 160 kB/s)

Downloaded from central: <https://repo.maven.apache.org/maven2/commons-io/commons-io/2.5/commons-io-2.5.jar> (209 kB at 200 kB/s)

Downloaded from central: <https://repo.maven.apache.org/maven2/org/sonatype/sisu/sisu-guice/2.1.7/sisu-guice-2.1.7-noaop.jar> (472 kB at 298 kB/s)

[INFO] Deleting /home/arvind_2004/simplewebapp/Devops_Guivi/target

[INFO] -----

[INFO] BUILD SUCCESS

[INFO] -----

[INFO] Total time: 8.642 s

[INFO] Finished at: 2025-03-19T09:45:44Z

[INFO] -----

arvind_2004@ARVINDM:~/simplewebapp/Devops_Guivi\$ cd ..

arvind_2004@ARVINDM:~/simplewebapp\$ cd ..

arvind_2004@ARVINDM:~\$ /var/lib/jenkins/workspace/Maven1/target

-bash: /var/lib/jenkins/workspace/Maven1/target: Is a directory

arvind_2004@ARVINDM:~\$ cd /var/lib/jenkins/workspace/Maven1/target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ ls

maven-archiver my-app my-app.war

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ sudo nano Jenkinsfile

[sudo] password for arvind_2004:

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git config --global user.name "Arvind22cse"

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git config --global user.email "arvindm.22cse@kongu.edu"

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git init

/var/lib/jenkins/workspace/Maven1/target/.git: Permission denied

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ sudo git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:

hint: git config --global init.defaultBranch <name>

hint:

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:

hint: git branch -m <name>

Initialized empty Git repository in /var/lib/jenkins/workspace/Maven1/target/.git/

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ sudo chown -R

arvind_2004:arvind_2004 /var/lib/jenkins/workspace/Maven1/target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git init

Reinitialized existing Git repository in /var/lib/jenkins/workspace/Maven1/target/.git/

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git add .

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git commit -m
"Jenkins"

[master (root-commit) 4d49c54] Jenkins

5 files changed, 49 insertions(+)

create mode 100644 Jenkinsfile

create mode 100644 maven-archiver/pom.properties

create mode 100644 my-app.war

create mode 100644 my-app/WEB-INF/web.xml

create mode 100644 my-app/index.jsp

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ git branch -M master

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ git remote add origin  
https://github.com/Arvind22cse/sample_jenkins.git
```

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ git push -u origin  
master
```

```
Username for 'https://github.com': Arvind22cse
```

```
Password for 'https://Arvind22cse@github.com':
```

```
remote: Support for password authentication was removed on August 13, 2021.
```

```
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-  
remote-repositories#cloning-with-https-urls for information on currently recommended  
modes of authentication.
```

```
fatal: Authentication failed for 'https://github.com/Arvind22cse/sample_jenkins.git/'
```

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ git push -u origin  
master
```

```
Username for 'https://github.com': Arvind22cse
```

```
Password for 'https://Arvind22cse@github.com':
```

```
remote: Support for password authentication was removed on August 13, 2021.
```

```
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-  
remote-repositories#cloning-with-https-urls for information on currently recommended  
modes of authentication.
```

```
fatal: Authentication failed for 'https://github.com/Arvind22cse/sample_jenkins.git/'
```

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ git push -u origin  
master
```

```
Username for 'https://github.com': Arvind22cse
```

```
Password for 'https://Arvind22cse@github.com':
```

```
remote: Support for password authentication was removed on August 13, 2021.
```

```
remote: Please see https://docs.github.com/get-started/getting-started-with-git/about-  
remote-repositories#cloning-with-https-urls for information on currently recommended  
modes of authentication.
```

```
fatal: Authentication failed for 'https://github.com/Arvind22cse/sample_jenkins.git/'
```

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ git push -u origin  
master
```

Username for 'https://github.com': Arvind22cse

Password for 'https://Arvind22cse@github.com':

Enumerating objects: 10, done.

Counting objects: 100% (10/10), done.

Delta compression using up to 12 threads

Compressing objects: 100% (8/8), done.

Writing objects: 100% (10/10), 2.56 KiB | 2.56 MiB/s, done.

Total 10 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/Arvind22cse/sample_jenkins.git

* [new branch] master -> master

branch 'master' set up to track 'origin/master'.

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cat Jenkinsfile

```
pipeline {
```

```
    agent any
```

```
    stages {
```

```
        stage('scm') {
```

```
            steps {
```

```
                git 'https://github.com/Arvind22cse/Devops_Guivi.git'
```

```
            }
```

```
        }
```

```
        stage('build') {
```

```
            steps {
```

```
                sh "mvn clean"
```

```
                sh "mvn install"
```

```
            }
```

```
        }
```

```
        stage('build to images') {
```

```

    steps {
        script{
            sh 'docker build -t arvindm2004/simplewebapp .'
        }
    }
}

stage('push to hub') {
    steps {
        script{
            withDockerRegistry(credentialsId: 'docker_ctl', url: 'https://index.docker.io/v1/') {
                sh 'docker push arvindm2004/simplewebapp'
            }
        }
    }
}
}
}
}

```

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cd ..

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1\$ ls

Dockerfile pom.xml src target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1\$ cd target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ ls

Jenkinsfile maven-archiver my-app my-app.war

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cd /

-bash: cd/: No such file or directory

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cd /

arvind_2004@ARVINDM:/\$ ls

bin boot etc init lib.usr-is-merged lost+found mnt proc run sbin.usr-is-merged
srv tmp var

bin.usr-is-merged dev home lib lib64 media opt root sbin snap sys
usr

arvind_2004@ARVINDM:/\$ cd home

arvind_2004@ARVINDM:/home\$ ls

arvind_2004

arvind_2004@ARVINDM:/home\$ cd arvind_2004]

-bash: cd: arvind_2004]: No such file or directory

arvind_2004@ARVINDM:/home\$ cd arvind_2004

arvind_2004@ARVINDM:~\$ ls

docker-compose.yml simplewebapp

arvind_2004@ARVINDM:~\$ mkdir day2

arvind_2004@ARVINDM:~\$ cd /

arvind_2004@ARVINDM:/\$ cd var/lib/jenkins/workspace/Maven1

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1\$ cd target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ ls

Jenkinsfile maven-archiver my-app my-app.war

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ mv Jenkinsfile day2

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cd /

arvind_2004@ARVINDM:/\$ cd home/arvind_2004

arvind_2004@ARVINDM:~\$ cd day2

arvind_2004@ARVINDM:~/day2\$ ls

arvind_2004@ARVINDM:~/day2\$ cat Jenkinsfile

cat: Jenkinsfile: No such file or directory

arvind_2004@ARVINDM:~/day2\$ cd /

arvind_2004@ARVINDM:/\$ cd /var/lib/jenkins/workspace/Maven1/target

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cat Jenkinsfile

cat: Jenkinsfile: No such file or directory


```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ ls
```

```
day2 maven-archiver my-app my-app.war
```

```
arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target$ cat day2
```

```
pipeline {
    agent any

    stages {
        stage('scm') {
            steps {
                git 'https://github.com/Arvind22cse/Devops_Guivi.git'
            }
        }
        stage('build') {
            steps {
                sh "mvn clean"
                sh "mvn install"
            }
        }
        stage('build to images') {
            steps {
                script{
                    sh 'docker build -t arvindm2004/simplewebapp .'
                }
            }
        }
        stage('push to hub') {
            steps {
                script{
```

```

        withDockerRegistry(credentialsId: 'docker_ctl', url: 'https://index.docker.io/v1/') {
            sh 'docker push arvindm2004/simplewebapp'
        }
    }
}
}
}
}
}
}
}

```

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ mv day2 Jenkinsfile

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ ls

Jenkinsfile maven-archiver my-app my-app.war

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cat Jenkinsfile

```

pipeline {
    agent any

    stages {
        stage('scm') {
            steps {
                git 'https://github.com/Arvind22cse/Devops_Guivi.git'
            }
        }
        stage('build') {
            steps {
                sh "mvn clean"
                sh "mvn install"
            }
        }
        stage('build to images') {

```

```

    steps {
        script{
            sh 'docker build -t arvindm2004/simplewebapp .'
        }
    }
}

stage('push to hub') {
    steps {
        script{
            withDockerRegistry(credentialsId: 'docker_ctl', url: 'https://index.docker.io/v1/') {
                sh 'docker push arvindm2004/simplewebapp'
            }
        }
    }
}

```

arvind_2004@ARVINDM:/var/lib/jenkins/workspace/Maven1/target\$ cd /

arvind_2004@ARVINDM:/\$ cd home/arvind_2004/day2

arvind_2004@ARVINDM:~/day2\$ sudo nano Jenkinsfile.txt

[sudo] password for arvind_2004:

arvind_2004@ARVINDM:~/day2\$ git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:

hint: git config --global init.defaultBranch <name>

hint:

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:

hint: git branch -m <name>

Initialized empty Git repository in /home/arvind_2004/day2/.git/

arvind_2004@ARVINDM:~/day2\$ git add Jenkinsfile.txt

arvind_2004@ARVINDM:~/day2\$ git commit -m "JF"

[master (root-commit) 84bb3f9] JF

1 file changed, 33 insertions(+)

create mode 100644 Jenkinsfile.txt

arvind_2004@ARVINDM:~/day2\$ git branch -M "JF"

arvind_2004@ARVINDM:~/day2\$ git branch -M master

arvind_2004@ARVINDM:~/day2\$ git remote add origin

https://github.com/Arvind22cse/Jenkins_Ubuntu.git

arvind_2004@ARVINDM:~/day2\$ git push -u origin master

Username for 'https://github.com': Arvind22cse

Password for 'https://Arvind22cse@github.com':

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 12 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 483 bytes | 483.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/Arvind22cse/Jenkins_Ubuntu.git

* [new branch] master -> master

branch 'master' set up to track 'origin/master'.

arvind_2004@ARVINDM:~/day2\$ [Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (build to images)

[Pipeline] script

[Pipeline] {

[Pipeline] sh

+ docker build -t arvindm2004/simplewebapp .

DEPRECATED: The legacy builder is deprecated and will be removed in a future release.

Install the buildx component to build images with BuildKit:

<https://docs.docker.com/go/buildx/>

permission denied while trying to connect to the Docker daemon socket at

unix:///var/run/docker.sock: Post

"http://%2Fvar%2Frun%2Fdocker.sock/v1.45/build?buildargs=%7B%7D&cachefrom=%5B%5D&cgroupparent=&cpuperiod=0&cpuquota=0&cpusetcpus=&cpusetmems=&cpushares=0&dockerfile=Dockerfile&labels=%7B%7D&memory=0&memswap=0&networkmode=default&rm=1&shmsize=0&t=arvindm2004%2Fsimplewebapp&target=&ulimits=%5B%5D&version=1": dial unix /var/run/docker.sock: connect: permission denied

[Pipeline] }

[Pipeline] // script

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (push to hub)

Stage "push to hub" skipped due to earlier failure(s)

[Pipeline] getContext

[Pipeline] }

[Pipeline] // stage

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

[Pipeline] // node

[Pipeline] End o^C

arvind_2004@ARVINDM:~/day2\$ sudo usermod -aG docker \$USER

[sudo] password for arvind_2004:

31Sorry, try again.

[sudo] password for arvind_2004:

Sorry, try again.

[sudo] password for arvind_2004:

sudo: 2 incorrect password attempts

arvind_2004@ARVINDM:~/day2\$ cd ..

arvind_2004@ARVINDM:~\$ sudo chmod 666 /var/run/docker.sock

[sudo] password for arvind_2004:

arvind_2004@ARVINDM:~\$ sudo nano Jenkins

arvind_2004@ARVINDM:~\$ git init

hint: Using 'master' as the name for the initial branch. This default branch name

hint: is subject to change. To configure the initial branch name to use in all

hint: of your new repositories, which will suppress this warning, call:

hint:

hint: git config --global init.defaultBranch <name>

hint:

hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and

hint: 'development'. The just-created branch can be renamed via this command:

hint:

hint: git branch -m <name>

Initialized empty Git repository in /home/arvind_2004/.git/

arvind_2004@ARVINDM:~\$ git add Jenkins

arvind_2004@ARVINDM:~\$ git commit -m "JK"

[master (root-commit) c264aa9] JK

1 file changed, 36 insertions(+)

create mode 100644 Jenkins

arvind_2004@ARVINDM:~\$ git remote add origin https://github.com/Arvind22cse/JK_UB.git

arvind_2004@ARVINDM:~\$ git branch -u master

warning: not setting branch 'master' as its own upstream

arvind_2004@ARVINDM:~\$ git branch -M master

arvind_2004@ARVINDM:~\$ git push -u origin master

Username for 'https://github.com': Arvind22cse

Password for 'https://Arvind22cse@github.com':

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 12 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 493 bytes | 493.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/Arvind22cse/JK_UB.git

* [new branch] master -> master

branch 'master' set up to track 'origin/master'.

arvind_2004@ARVINDM:~\$ docker login

Authenticating with existing credentials...

WARNING! Your password will be stored unencrypted in
/home/arvind_2004/.docker/config.json.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/engine/reference/commandline/login/#credentials-store>

Login Succeeded

arvind_2004@ARVINDM:~\$