

AI-Powered Discovery Engine

It is a PM's autonomous research partner which uses the scientific method and PM methodology to discover new knowledge about products, users or any specific problem a PM might have.

Constraint: This engine is tied only to one problem — Discover the underlying user problem that acts a barrier/friction/resistance for increasing the wishlist-to-purchase conversion for Myntra

Your workflow should go beyond summarizing reviews or performing sentiment analysis. It should enable you to **identify, quantify where possible, and compare potential opportunity areas** that could influence the stated business metric.

It follows this loop:

Step 1: Gathers user feedback online — real user feedback from app reviews, reddit discussions, social media conversations, Youtube comments, fashion and shopping communities, academic/credible corporate research on user behaviour of this industry or any relevant research on this industry, product reviews and Q&A where relevant, other publicly available conversations about online fashion shopping

Product: Data Bank: It organises the collected data and lets the users access it through the app

Step 2: Using a PM's knowledge base and it's analytical framework, it analyzes the data, finds patterns, hidden relationships between multiple variables/factors, themes, affinities, clusters, sentiments and visually/graphically represents them in a clear way

App user journey, hypotheses

Step 3: Using a PM's knowledge base/expertise, generate insights and then hypotheses on the underlying user problem that acts as barrier in increasing the wishlist-to-purchase conversion while citing sources, references and discovered insights as the rationale.

Step 4: Q/A chatbot— can answer any relevant question regarding the problem statement, analysis, insights, hypotheses, raw data. It should understand the context of the question and judge whether we have the answer for it from above steps. If not, then refuse. If yes, then answer based on data only. If somewhere in between, try to answer those aspects of the question that could be answered using the data.

Your discovery engine should help answer questions such as these and many more:

- Why do users add fashion products to their wishlist?
- What prevents wishlisted products from eventually being purchased?
- What uncertainties remain after users have identified a product they like?
- What causes users to postpone a purchase?
- How do users compare multiple shortlisted products?
- What information do users seek outside Myntra/AJIO before purchasing?
- What role do fit, size, styling, price, reviews, occasion and social validation play?
- When do users use the wishlist as genuine purchase intent versus simply as a bookmarking mechanism?
- How do these behaviors differ across user segments?
- What unmet needs emerge consistently across user conversations?

Every product prompt has two spaces — problem space(one long thought), solution space(one long thought)

Problem Space:

Which business outcome are we focused on and why?

Increase wishlist-to-purchase conversion: the percentage of users who purchase at least one item from their wishlist within 30 days of adding it.(business metric)

Improving wishlist-to-purchase conversion could increase purchase frequency, improve monetization from existing users, and help the company extract greater value from high-intent demand already present on the platform. (lagging indicators)

Why users aren't purchasing at least one wishlisted items within 30 days of adding it?

Which product outcomes(=user actions, =user behaviour) leads to an increase in wishlist-to-purchase conversion? (map out the product's user flow; KPI tree) (We solve for business outcome by defining as a function of human behaviour(product outcomes)) (Product outcomes gets translated into themes in the roadmap) (leading indicators)

Business metric breakdown into user behaviour/actions/product outcomes:

wishlist-to-purchase conversion

- # users who added an item in wishlist while browsing
 - # users who searched/browsed for an item
 - browse-to-wishlist %
- # users purchasing atleast one item within 30 days of adding it
 - # wishlist page opens
 - # app opens
 - % wishlist button clicks
 - % users who purchased a wishlisted item
 - # users who purchased via 'buy now'
 - # users who purchased via 'add to bag'
 - # users who added the wishlisted item in the bag
 - % users who clicked on 'add-to-bag'
 - # users who found the item they were searching in the wishlist
 - # users who opened the wishlist
 - % of users who found the item/clicked on the product item that they were searching for
 - % users who purchased an item once it is added in the bag
 - # users who opens the bag after the wishlisted item is added
 - # users who purchase the bag items

The relevant product outcomes:

A. Recall/discovery problem: % of wishlist-adders who open the wishlist within 30 days. People who didn't open the wishlist.

Stage A — Recall / Discovery

Metric: % of wishlist-adders who open the wishlist within 30 days

Population: saved an item, never came back to the list

Sub-theme	Hypotheses	Barrier in the user's words	Root cause
A1. No trigger to return	Recall H1	"I forgot I even had a wishlist"	List is write-only — it never reaches back out
	(new)	"Nothing told me anything had changed"	No price/stock/low-inventory signal
	(new)	"It was one tap while scrolling"	Save never encoded as a decision
A2. Access friction	Recall H2	"I don't know where the wishlist lives"	Entry point buried in nav
	(new)	"I saved on phone, I shop on laptop"	Cross-device / logged-out saves

Sub-theme	Hypotheses	Barrier in the user's words	Root cause
A3. No reason to return	(new)	"It's the same list as last time"	Static list, no new information since save
	(new)	"I just search for it again"	Users re-enter via feed/search instead

B. Wishlist-level problem: % of users who found the item/clicked on the product item that they were searching for. People who couldn't locate their item in the wishlist once they open it.

Stage B — Wishlist-level

Metric: % of wishlist-openers who click into the item they came for

Population: opened the list, couldn't get to the item

Sub-theme	Hypotheses	Barrier	Root cause
B1. Retrieval failure at scale	H1	"I can't find the kurta I saved last month"	No sort, filter, or search within wishlist
	H1	"Old stuff is at the bottom forever"	Reverse-chronological only
	(new)	"It's one long undifferentiated grid"	No grouping by category, occasion, or intent
B2. Dead inventory clutter	H1	"Half of it is sold out"	OOS items still occupy the grid
	(new)	"This one just vanished"	Delisted products, brand exits
	(new)	"I've saved the same thing three times"	No duplicate detection
B3. Recognition failure	(new)	"I don't remember why I saved this"	Thumbnail-only, no save context
	(new)	"Which colour did I want?"	Variant not preserved on the tile

C. Item-level problem: % of users who click 'Add to Bag' once they've opened the item from their wishlist. People who didn't click on add to bag once they have located their item in the wishlist.

Stage C — Item-level

Metric: % of item-viewers who click 'Add to Bag'

Population: found the item, opened it, didn't add it

This is where your sub-themes become candidate segments, so it needs the most depth.

#	Sub-theme	Hypotheses	The unresolved question	Observable workaround
C1	Fit & size uncertainty	H6 (part), H11 (part)	"Which size, when every brand runs different?"	Ordering two sizes; checking a garment they own; abandoning
C2	Physical-vs-digital gap	H6 (part)	"Will the fabric, colour and quality match the photos?"	Zooming images; hunting buyer photos; asking in comments
C3	Styling & self-image	H4	"Will it look good on <i>me</i> , with what I own?"	Screenshotting to compare with wardrobe; Pinterest checks
C4	External validation	H5, H13	"What did people who actually received it say?"	Leaving for YouTube unboxings, Reddit, WhatsApp polls
C5	Comparison paralysis	H2, H3	"Which of these five do I actually pick?"	Opening multiple tabs; screenshot collages; deferring
C6	Value & price uncertainty	H7, H9, H10	"Is this the right price, and is now the right time?"	Cross-platform price checks; waiting on sale calendars
C7	Fulfilment & returns trust	H8	"If it's wrong, how painful is sending it back?"	Reading return policy; preferring COD; buying in-store

#	Sub-theme	Hypotheses	The unresolved question	Observable workaround
C8	Availability at decision time	H11	"My size isn't there right now"	Waiting; checking back manually; buying elsewhere
C9	Intent was never live ⚠️	H12, H14	<i>(no question — no live intent)</i>	None; behaviour is correct as-is

Addition	Where it sits	Why it's distinct
Approval / shared money	New C4b	"I need to check with my partner/parent" — that's permission, not validation. Different solve.
Need extinguished	New C6b	Already bought it, or a substitute, off-platform. Loses to a competitor — distinct from H9's "better deal for the same purchase."

D. Cart-level problem: % users who purchased an item once it is added in the bag. People who haven't purchased the item after clicking on add to cart.

Stage D — Cart-level

Metric: % of add-to-bag users who complete purchase

Population: added to bag, didn't pay

Sub-theme	Hypotheses	Barrier	Note
D1. Cost surprise	Cart H1	Shipping, platform/convenience fee, COD charge, tax revealed late	Survives the no-money constraint — it's a disclosure fix, not a discount
D2. Mechanical friction	<i>(new)</i>	Payment failure, no preferred method, OTP drop, pincode rejected at checkout	Cheapest wins available anywhere in the funnel
D3. Late-revealed terms	<i>(new)</i>	Delivery date too late for the occasion; item turns out non-returnable	Information-timing problem
D4. Final reconsideration	<i>(new)</i>	Basket total triggers second thoughts; cart used as a holding pen	Overlaps C6 — count it once, at D

These are 4 potential areas of opportunity. To choose one of them, we need to know where we find the highest drop-off rate. This requires app data, since it isn't provided in the problem statement, you have to get online user feedback as a proxy to choose one.

AI-discovery engine results: Theme C had the highest drop offs. It will provide the most likely hypothesis why that might be the case as per the user feedback.

By combining the product outcomes and AI-powered engines findings, we base our segmentation on theme C

User segmentation: Why do people wishlist items? Based on the wishlisting behaviour we have three segments: (put it in a tree structure)

Segment	Re-engagement Levels (T<=30 Days): Whether the user returns to active browsing sessions after the wishlist event./ Frequency	Intent and Urgency	Price sensitivity
Buying-soon — immediate need	Very high — Active re-engagers	High	low, they have a budget range
Buying at a future event — life event, an occasion, sale events, size availability	Moderate — may come for price change, size checks	Moderate	high — waiting for sales, salary cycle, price drops, better deals

Bookmarkers/taste archives/aspirational	Very low, may never visit again — Dormant users	Zero	N/A
---	---	------	-----

Why did we choose this segment?

Impact sizing: Guesstimate the number of [] who purchased a wishlisted item and find how many of them we can convert

How many 'buying-soon' users don't click on add to bag?

Probability of success(difficulty in changing user behaviour)

HMWs based on product outcomes (the goal; the natural momentum in towards the goal):

How might we get 'Buying-soon' users to click on 'add to bag' once they've located their items in the wishlist?

Hypothesis (user problem/opportunities; barriers, blockers, friction points, pain points that restricts/prevents user's movement towards the goal) (How to generate hypothesis? First, your own experience, then analyse online user feedback, then talk to 5-6 users deeply, then a survey to validate the findings at scale. Does it guarantee all possible hypotheses? No. But this is the only way we know. That means, there is a chance that we might even miss the core problem/opportunity just bcs we couldn't conceptualised it. It's better if you list out all possible hypothesis so that you get a better understanding of user behaviour and the problem statement)

Why aren't 'Buying-soon' users clicking on 'add to bag' once they've located their item?

H1: Unable to locate their older wishlisted items in the wishlist or have forgotten about them (bcs out of stock clutter, older items sink to the bottom so they go unnoticed, lack of sorting/filters)

H2: Unable to arrive at a decision/choice overload, too many choices

H3: Unable to compare items within the wishlist

H4: Apprehensions about the style/about how the product would look on them or with their clothes; **Styling and Versatility:** Buyers often question if the item will actually look good on them outside a studio setting, or if it will match the clothes and items they already own.

H5: Review and Social Proof Validation: Users often delay a purchase to read off-platform reviews, watch unboxing videos, or ask friends for feedback on product quality, sizing accuracy, trend-alignment(this is a workaround)

H6: Apprehensions/uncertainty regarding the gap between digital representation and physical reality

Apprehensions/uncertainty about the fit/size as size vary across brands, material and fabric feel, color discrepancy, hidden product defects, counterfeit risk

H7: Price increased/fluctuating prices

H8: Past bad delivery experience of a similar product/item/brand(fit issue, wrong product delivered, quality mismatch creates a hassle of return and loss of trust

H9: Found a better deal/style elsewhere, cross-platform research

H10: Discount anticipation that never happens

H11: Waiting for size availability

H12: Waiting for an occasion/right time/necessity to arrive (sale, wedding, etc)

H13: Bad reviews on product

H14: They've added an item for a collection, reference, aspiration

H15: Impulse cooled off

Immediate/short-term intent vs aspirational/long-term intent

Buying-soon user's decision making journey. Narrow it down to one using surveys and user research. That will be your opportunity/user problem:

#	Stage	Phase	Criteria the user evaluates	Drop-off hypothesis	If it fails	Funnel stage	Solve without
1	Availability	Eliminator	Size in stock; colour/variant present; pincode serviceable; delivery date vs. need-by date	DH1: Item not purchasable in the required size, variant or timeframe	Exit	C	No — side; i
2	Price vs. budget band	Eliminator	Price inside category band; movement since save; effective price after visible discount	DH2: Price rose above the saved-price anchor and reads as a loss, even when still affordable	Exit / Defer	C	Partly histor transp not th
3	Risk floor	Eliminator	Returnable; exchange available; COD eligible; perceived return effort	DH3: Non-returnable or return seen as costly, so every later uncertainty becomes a dealbreaker	Exit	C	Partly not pc
4	Desire re-confirmation	Confidence	Still appeals; still in style; taste shifted; on-screen colour genuinely wanted	DH4: Impulse cooled, item feels dated, or colour doubt	Exit	C	Partly
5	Fit & size resolution	Confidence	Correct size <i>in this brand</i> ; chart vs. lived fit; proportions on my frame; chart trustworthiness; past size returns	DH5: Brand size variance leaves no confident choice	Defer	C	Yes
6	Material & quality inference	Confidence	Composition; weight, drape, opacity; stitch and finish; washability; value given the fabric	DH6: Digital–physical gap; quality or counterfeit doubt	Defer	C	Yes
7	Real-buyer evidence	Confidence	Rating volume and recency; on-body photos; sizing comments; complaint patterns; whether a negative	DH7: Reviews thin, stale, photo-less, or don't answer the specific question	Defer	C	Yes

#	Stage	Phase	Criteria the user evaluates	Drop-off hypothesis	If it fails	Funnel stage	Solve without
			applies to <i>my</i> concern				
8	Off-platform verification	Confidence	YouTube hauls and unboxings; Reddit, Instagram; cross-platform price; brand reputation	DH8: Leaves to verify and the session dies — or finds a deterrent or a cheaper source	Defer / lost to competitor	C	Yes — value
9	Styling & wardrobe integration	Confidence	What to pair it with; do I own those pieces; how many occasions it serves; duplicates something I own; suits my body type	DH9: Can't picture the outfit; too single-use; already own similar	Defer	C	Yes
10	Validation & permission	Confidence	Friend or partner opinion; group poll; family view; approval for the spend	DH10: No reply received, negative feedback, or approval never sought	Defer	C	Yes
11	Shortlist commitment	Confidence	Which saved near-substitute wins; attributes not comparable across brands; whether something better exists	DH11: Comparison paralysis — defers to avoid choosing	Defer	C	Yes
12	Trigger to act now	Trigger	Need-by date; imminent sale; payday; low-stock or price-drop signal	DH12: Nothing distinguishes today from tomorrow — indefinite deferral	Defer	A / C	Yes
13	Checkout	Transaction	Total after shipping, platform and COD fees; payment method works; basket total acceptable	DH13: Cost surprise, payment failure, or second thoughts at the total	Exit	D	Partly disclose fees

Design a survey for the user segment for user research and validate some of these hypotheses

Do 5-6 1:1 focus interview with the same user segment know their goals, pain points, JTBDs.

Create a decision-making user journey for choosing items

Pick the validated hypotheses and then prioritise them and find a single user problem/ opportunity.

Summarize the contents of problem space in a problem framing canvas

Opportunities(Business pov) = user problems(user pov); Hypotheses = unvalidated opportunities/user problems

You have to pick those opportunities that drive our desired business outcome

You have three ways of spotting opportunities/problems:

- Metrics(if you have an existing product). Track user journey, drop off points etc.
- Talking to (potential)customers to understand pain points
 - analyse online user feedback at scale
 - surveys
 - user interviews
- Looking at macro trends/industry/ecosystem patterns

Solution space:

Three solution ideas

Prioritised Solution (a product idea that eliminated the user problem so that they can naturally move towards their goal, that is, purchasing a wishlisted item)

User flow

Wireframes

System Design

Prototype

Metrics, Risks and Mitigation