

Jul 31 12:15

New Tab x You are signed in as 24 x Captive portal detectio x Free Cloud Computing x Instances | EC2 | eu-nor x EC2 Instance Connect | x

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:

Search [Alt+S] Ask Amazon Q Europe (Stockholm) Arvind S Iyer (667815592211) Arvind S Iyer

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

▼ Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager New

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Successfully initiated termination (deletion) of i-01c3ed45f70c8192c

Instances (1/1) Info

Saved filter sets Choose filter set Find instance by attribute or tag (case-sensitive)

☒	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS
☒	practical1	i-01c3ed45f70c8192c	Terminated	t3.micro	-	eu-north-1c	-

i-01c3ed45f70c8192c (practical1)


Details Status and alarms Monitoring Security Networking Storage Tags

▼ Instance summary Info

Instance ID	Public IPv4 address	Private IPv4 addresses
i-01c3ed45f70c8192c	-	-
IPv6 address	Instance state	Public DNS
-	Terminated	-
Hostname type		
-		

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Jul 31 12:11

New Tab x You are signed in as 24 x Captive portal detectio x Free Cloud Computing x Instances | EC2 | eu-nor x EC2 Instance Connect | x +

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:

Search [Alt+S]

Europe (Stockholm) Arvind S Iyer (667815592211) Arvind S Iyer

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

▼ Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager New

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Instances (1/1) info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Find instance by attribute or tag (case-sensitive)

☒	Name	Instance ID	Instance state	Instance type	Zone	Public IPv4 DNS
☒	practical1	i-01c3ed45f70c8192c	Running	t3.micro	eu-north-1a	ec2-13-53-43-131.eu-n...

Stop instance

Start instance

Reboot instance

Hibernate instance

Terminate (delete) instance

i-01c3ed45f70c8192c (practical1)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary

Instance ID

i-01c3ed45f70c8192c

IPv6 address

-

Public IPv4 address

13.53.43.131 | open address

Instance state

Running

Private IPv4 addresses

172.31.15.53

Public DNS

ec2-13-53-43-131.eu-north-1.compute.amazonaws.com | open address

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Jul 31 12:11

New Tab

You are signed in as 24

Captive portal detectio

Free Cloud Computing

Instances | EC2 | eu-nor

EC2 Instance Connect

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:

Search

[Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815592211)

Arvind S Iyer

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Instances (1/1) info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Choose filter set

Find instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS
practical1	i-01c3ed45f70c8192c	Running	t3.micro	3/3 checks passed	eu-north-1c	ec2-13-53-43-131.eu-n...

i-01c3ed45f70c8192c (practical1)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

Instance summary

Instance ID

i-01c3ed45f70c8192c

Public IPv4 address

13.53.43.131 | open address

Private IPv4 addresses

172.31.15.53

Instance state

Running

Public DNS

ec2-13-53-43-131.eu-north-1.compute.amazonaws.com | open address

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

System Just now

Connection Failed

Activation of network connection failed

ance | E x

EC2 Instance Connect | x

+ v

eu-north-1.console.aws.am

Search

[AIHS]

Europe (Stockholm)

Arvind S Iyer (667815592211)

Arvind S Iyer

Installing:

python-unversioned-command

noarch

3.9.25-1.amzn2023.0.8

amazonlinux

12 k

Transaction Summary

Install 1 Package

Total download size: 12 k

Installed size: 23

Downloading Packages:

python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch.rpm

354 kB/s | 12 kB | 00:00

Total

169 kB/s | 12 kB | 00:00

Running transaction check

Transaction check succeeded.

Running transaction test

Transaction test succeeded.

Running transaction

Preparing : 1/1

Installing : python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Running scriptlet: python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Verifying : python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Installed:

python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch

Complete!

[root@ip-172-31-15-53 ~]# nano hellow.py

[root@ip-172-31-15-53 ~]# python hellow.py

Hello World,Arvind S Iyer on AWS instance

[root@ip-172-31-15-53 ~]#

i-01c3ed45f70c8192c (practical1)

PublicIPs: 13.53.43.131 PrivateIPs: 172.31.15.53

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Jul 31 12:10

New Tab

You are signed in as 24

Captive portal detectio

Free Cloud Computing

Connect to instance | E

EC2 Instance Connect |

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-01c3ed45f70c8192c

Search

Europe (Stockholm)

Arvind S Iyer (667815592211)

Arvind S Iyer

Package	Architecture	Version	Repository	Size
Installing:				
python-unversioned-command	noarch	3.9.25-1.amzn2023.0.8	amazonlinux	12 k

Transaction Summary

Install 1 Package

Total download size: 12 k

Installed size: 23

Downloading Packages:

python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch.rpm	354 kB/s	12 kB	00:00
Total	169 kB/s	12 kB	00:00

Running transaction check

Transaction check succeeded.

Running transaction test

Transaction test succeeded.

Running transaction

Preparing : 1/1

Installing : python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Running scriptlet: python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Verifying : python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch 1/1

Installed:

python-unversioned-command-3.9.25-1.amzn2023.0.8.noarch

Complete!

[root@ip-172-31-15-53 ~]# nano hellow.py

[root@ip-172-31-15-53 ~]#

i-01c3ed45f70c8192c (practical1)

PublicIPs: 13.53.43.131 PrivateIPs: 172.31.15.53

CloudShellAgent Toolkit for AWSFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Jul 31 12:07

New Tab

You are signed in as 2401

Captive portal detection

Free Cloud Computing Se

Connect to Instance | EC2

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-01c3ed45f70c8192c

Search

[Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815597211)

Arvind S Iyer

EC2 > Instances > i-01c3ed45f70c8192c > Connect to instance

Choose how to connect

Public subnet access

Managed SSH keys

EC2 Instance Connect

Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.

Private subnet access

Managed SSH keys

EC2 Instance Connect Endpoint

Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.

Maximum security

IAM authentication

SSM Session Manager

Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.

Direct

Troubleshoot

EC2 Serial Console

Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.

Settings

Connect assist

Choose public IP address

IPv4 address (13.53.43.131)

IPv6 address

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

root

Port 22 (SSH) is open to all IPv4 addresses

Port 22 (SSH) is currently open to all IPv4 addresses, indicated by 0.0.0.0/0 in the inbound rule in [your security group](#). For increased security, consider restricting access to only the EC2 Instance Connect service IP addresses for your Region: 13.48.4.200/30. [Learn more](#)

Cancel

Connect

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Jul 31 12:07

New Tab

You are signed in as 2401

Captive portal detection

Free Cloud Computing S

Connect to Instance | EC2

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-01c3ed45f70c8192c

Search [Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815592211)

Arvind S Iyer

EC2

Instances

I-01c3ed45f70c8192c

Connect to instance

Connect to Linux instance Info

Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.

Instance Info

Instance

I-01c3ed45f70c8192c (practical1)

State: Running

Status: 0/2 checks passed

VPC

vpc-016aad675966c3394

Subnet

subnet-03b6b77b7ed9fe1d4

Security groups

sg-0f874bf94ad1dae95 (launch-wizard-1)

In web browser

In SSH client

Choose how to connect

Public subnet access

Managed SSH keys

EC2 Instance Connect

Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.

Private subnet access

Managed SSH keys

EC2 Instance Connect Endpoint

Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.

Maximum security

IAM authentication

SSM Session Manager

Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.

Direct

Troubleshoot

EC2 Serial Console

Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.

Settings

Choose public IP address

IPv4 address (13.53.43.131)

IPv6 address

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Connect assist

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Jul 31 12:07

New Tab

You are signed in as 2401

Captive portal detection

Free Cloud Computing Se

Instance details | EC2 | eu

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#InstanceDetails:instanceId=i-01c3ed45f70c8192c&tutorialId=ec2-13-53-43-131

Search

[Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815597211)

Arvind S Iyer

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Instance summary for i-01c3ed45f70c8192c (practical1)

Updated less than a minute ago

Instance ID

i-01c3ed45f70c8192c

IPv6 address

-

Hostname type

IP name: ip-172-31-15-53.eu-north-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

13.53.43.131 [Public IP]

IAM role

-

IMDSv2

Required

Operator

-

Public IPv4 address

13.53.43.131 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-15-53.eu-north-1.compute.internal

Instance type

t3.micro

VPC ID

vpc-016aad675966c3394

Subnet ID

subnet-03b6b77b7ed9fe1d4

Instance ARN

arn:aws:ec2:eu-north-1:667815597211:instance/i-01c3ed45f70c8192c

Private IPv4 addresses

172.31.15.53

Public DNS

ec2-13-53-43-131.eu-north-1.compute.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations.

Auto Scaling Group name

-

Managed

false

Connect

Instance state

Actions

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Jul 31 12:06

New Tab

You are signed in as 2401

Captive portal detection

Free Cloud Computing Se

Launch an instance | EC2

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances/tutorialId=launch-a-test-instance

Search [Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815592211)

Arvind S Iyer

EC2

Instances

Launch an instance

Success

Successfully initiated launch of Instance (i-01c3ed45f70c8192c)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

1

2

3

4

5

6

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

Manage detailed

Create Load Balancer

Create AWS budget

Manage CloudWatch

Info

Tutorial

Launch a test instance - Post Launch Setup

Task 1: Post launch setup

Total steps: 2

Step 1: Create billing alerts

Step 2: Connect to your instance

Task 2: Terminate (delete) your instance

Total steps: 2

Dismiss tutorial

CloudShell

Agent Toolkit for AWS

Feedback


Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Jul 31 12:06

New Tab

You are signed in as 2401

Captive portal detection

Free Cloud Computing Se

Launch an instance | EC2

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances/tutorialId=launch-a-test-instance

aws

Search

[Alt+S]

Europe (Stockholm)

Arvind S Iyer (667815597211)

Arvind S Iyer

EC2

Instances

Launch an instance

It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices

Take a walkthrough

Do not show me this message again.

Launch an instance

Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Info

Name

practical1

Add additional tags

Application and OS Images (Amazon Machine Image)

Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE

Browse more AMIs

Summary

Number of instances

Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12...[read more](#)

ami-0cc0615fa97a51072

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

Launch a test instance

Task 1: Launch a test instance

Total steps: 8

Step 1: Name your instance

Step 2: Select an AMI

Step 3: Select an instance type

Step 4: Create a new key pair

Step 5: Edit your security group rules

Step 6: Security group settings

Step 7: Storage

Step 8: Review and launch your instance

Task 2: Post Launch Setup

Total steps: 1

Task 3: Terminate (delete) your instance

Total steps: 2

Dismiss tutorial

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

