


DC:

```
add GND GND
add VoltageSourceV1 n001 GND 5
add R1 n001 n002 1k
add R2 n002 GND 5k
add R3 n001 n002 1k
.print DC R1 1k 10k 2k V(n002) I(R1) I(R2)
end
```


Tran:(cap)

```
add GND GND
add VoltageSourceV1 n001 GND 5
add R1 n001 n002 1k
add C1 n002 GND 1u
.print TRAN 0.0001 0.003 0 V(n002)
end
```



Tran:(inductor)

```
add GND GND
add VoltageSourceV1 n001 GND 5
add R1 n001 n002 1k
add L1 n002 GND 1
.print TRAN 0.0001 0.003 0 V(n002)
end
```



Sine source:

add GND GND


add Vsin n001 GND SIN(1 2 10)

add R1 n001 n002 1k

add R2 n002 GND 1k


.print TRAN 0.005 0.1 0 V(n002)

end



Sine source and RL circuit:

```
add GND GND
add R1 n001 n002 1k
add L1 n002 GND 1
add Vsin n001 GND SIN(1 2 5000)
.print TRAN 0.00001 0.003 0 V(n002)
end
```



Creating new schematic, performing analysis, saving, loading , performing analysis:

```
NewFile
add GND GND
add VoltageSourceV1 n001 GND 5
add R1 n001 n002 1k
add C1 n002 GND 1u
.print TRAN 0.0001 0.003 0 V(n002)
.list
-save circuit
end
```

```
-show existing schematics
2
yes
.print TRAN 0.0001 0.003 0 V(n002)
end
exit
```