



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** IX **Month of publication:** September 2023

DOI: <https://doi.org/10.22214/ijraset.2023.55901>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Social Network Mental Disorders Detection

Siddharth Nashikkar¹, Aryaa Hanamar², Nuren Pathan³, Heena Mulla⁴

^{1,2,3,4}Department of Computer Science and Engineering, D.Y. Patil College of Engineering and Technology, Kasaba Bawada, Kolhapur, 416006, Maharashtra, India.

Abstract: *With the rise in popularity of online social networks (OSNs), new terms such as Phubbing and Nomophobia have been introduced, and Social network mental illnesses (SNMDs) such as Information Overload and Net Compulsion have been noted. Studies show that 1 in 8 Americans experience it suffer from problems internet use, as well as SNMD Overuse, depression, social withdrawal, and other negative behaviors can occur if SNMDs are socially relevant and frequent for them interactive users through online social media. Internet addiction (IAD) is a behavioral disorder, and research on depression in online social networks is increasing unlike most previous attention-grabbing research emphasizes individual behaviors and entries but does not fully explore social network structures and psychological possibilities we propose a learning approach for those that require a thorough examination of OSN topologies.*

Keywords: *Information Overload, Cyber Relationship, Net Compulsion, Tkinter*

I. INTRODUCTION

A. Introduction

With the explosive growth in popularity of social networking and messaging apps, Online Social Networks (OSNs) have become part of our daily lives. OSNs seemingly increase their user's social contacts but they may decrease face to face interpersonal interactions in the real world. Due to these new terms like Phubbing (Phone Snubbing) and Nomophobia (No mobile phone phobia) have been introduced[1]. It has also given rise to many Social network mental disorders (SNMDs) such as information overload or net compulsion associated with loss of sense of time or a neglect of basic drives – including anger, tension, or depression when computer/apps are not accessible. In fact, some social network mental disorders (SNMDs), such as Information Overload and Net Compulsion, have been recently noted. For example, studies point out that 1 in 8 Americans suffer from problematic Internet use. Moreover, leading journals in mental health, such as the American Journal of Psychiatry, have reported that the SNMDs may incur excessive use, depression, social withdrawal, and a range of other negative repercussions[2]. Indeed, these symptoms are important components of diagnostic criteria for SNMDs e.g., excessive use of social networking apps – usually associated with a loss of the sense of time or a neglect of basic drives, and withdrawal – including feelings of anger, tension, and/or depression when the computer/apps are inaccessible. SNMDs are social-oriented and tend to happen to users who usually interact with others via online social media. Those with SNMDs usually lack offline interactions, and as a result, seek cyber-relationships to compensate. Today, identification of potential mental disorders often falls on the shoulders of supervisors (such as teachers or parents) passively.

B. Need of Work

Internet Addiction Disorder (IAD) is a type of behaviour addiction with the patients addicted to the Internet, just like those addicting to drugs or alcohol[3]. Many research works in Psychology and Psychiatry have studied the important factors, possible consequences, and correlations of IAD. They investigated the problem of simulated gambling via digital and social media to analyze the correlation of different factors, e.g., grade, ethnicity. Internet user behaviour can be used to investigate the reason for addiction. We can examine the risk factors related to Internet addiction, and also investigate the association of sleep quality and suicide attempts of Internet addicts. On the other hand, recent research in Psychology and Sociology reports several mental factors related to social network mental disorders.

Research on mental disorders in online social networks receives increasing attention recently. Among them, content-based textual features are extracted from user-generated information (such as blogs, social media) for sentiment analysis and topic detection. An NLP-based approach is used to collect and extract linguistic and content-based features from online social media to identify Borderline Personality Disorder and Bipolar Disorder patients. The topical and linguistic features are extracted from online social media for depression patients to analyze their patterns.

To analyze emotion and linguistic styles of social media data for Major Depressive Disorder (MDD)[3]. However, most previous research focuses on individual behaviors and their generated textual contents but do not carefully examine the structure of social networks and potential Psychological features. Moreover, the developed schemes are not designed to handle the sparse data from multiple OSNs. In contrast, we propose a new multi-source machine learning approach, i.e., STM, to extract proxy features in Psychology for different diseases that require careful examination of the OSN topologies, such as Cyber-Relationship Addiction and Net Compulsion. As per our literature survey, there is a strong correlation between suicidal attempts and SNMDs[1]. Research also reveals that social network addiction may negatively impact emotional status causing higher hostility, depressive mood and compulsive disorder. Even more alarming is that the delay of early intervention may seriously damage individuals social functioning. Hence, we need to have the ability to actively detect potential SNMD users on OSNs at an early stage.

C. Objectives

- 1) To analyze various symptoms experienced by the user.
- 2) To develop a machine learning framework for detecting SNMD's
- 3) To create a GUI based application for the user's understanding.

D. Problem Definition

Nowadays in Health Industry there are various problems related to machines or devices which will give wrong or unacceptable results, so to avoid those results and get the correct and desired results we are building a program or project which will give accurate predictions based on information provided by the user and also based on the datasets that are available in that machine. The health industry is information yet and knowledge poor and this industry is a very vast industry that has a lot of work to be done. So, with the help of all those algorithms, techniques and methodologies we have done this project which will help the people who are in the need. So the problem here is that many people go to hospitals or clinics to know how is their mental health but they have to travel to get to know their answers and to avoid all those reasons and confusion we are making a project which will help all those person's and all the patients who are in need to know the condition of their mental health, and at sometimes if the person has been observing few symptoms and he/she is not sure about the disorder he/she is encountered with so this will lead to various diseases in future. So, to avoid that and get to know the disorder in the early stages of the symptoms this disorder prediction will help a lot to the various people.

II. REQUIREMENT ANALYSIS AND SPECIFICATION

A. Information Gathering

A machine learning framework can be created for detecting SNMDs which we call Social Network Mental Disorder Detection (SNMDD).

This is a Supervised Classification Problem to detect 3 types of SNMDs:

- Cyber Relationship Addiction.
- Net Compulsion.
- Information Overload.

Technologies used-

- Python 3: version 3.6
- Machine learning algorithms

Software Requirements-

- Operating System : Windows 7 or Higher Versions
- Platform : Pycharm
- Front End : Python Tkinter
- Back End : Python and Files
- Programming Language : Python

Hardware requirements-

- System : IntelCorei3,i5,i7and2GHzMinimum
- RAM : 512Mb orabove
- HardDisk : 10GBor above
- Input Device : Keyboard and Mouse
- Output Device : Monitor or PC
- Monitor Resolution : 1024*768

Libraries used-

- Pandas
- Numpy
- Sklearn
- Tkinter

B. Survey

On 5th March 2021, we visited Dhanvantari Nurs- ing Home in Kolhapur to getting details about the mental conditions of people. We had a detailed discussion about the cause of technology addictionon people and its effects. As per our discussion, it is clear that we need to take precautionary mea- sures in the initial stage to avoid critical effects in the future. Below case studies is a clear indication of the severity of these disorders. Effects such as phone addiction, constant gaming/gambling and many similar seem to be very normal and harm- less at the initial stage but the lesser-known factis that these things can be fatal for the people andcan have a major loss. It affects the emotional sta-bility of a person and this needs to be taken care of.



Fig. 1 Teen commits suicide after 'missing task' in online game

LAHORE: An online game reportedly claimed the life of a teenage boy in Hanjarwal area late on Monday.

He committed suicide by hanging himself from a ceiling fan of his house when he "missed his mission" he was assigned in the world-over most-played game Player Unknown's Battlegrounds (PUBG).

The police high-ups confirmed that Mohammad Zakarya (16) took the extreme step for not completing his task while playing the online game.

"We found his mobile phone on the bed with the PUBG game on at that time near his body. We immediately called the Punjab Forensic Science Agency for further investigation into the incident," Saddar Division SP Operations Ghazanfar Syed told Dawn.

The boy was a son of businessman Wajid Sohail, a resident of Gulshan-i-Abbas Phase-II.

"It was purely a case of addiction as the boy used to play PUBG game for many hours a day," the SP said.

The most popular smartphone game in the world, the PUBG is affecting mental health of the children.


"The PUBG has been under scrutiny for being a violent game and due to this,

Fig. 2 Teen commits suicide after 'missing task' in online game

Prediction using traditional methods and models involves various risk factors and it consists of various measures of algorithms such as datasets, programs and much more to add on[1]. High-risk and Low-risk patient classification is done based on the tests that are done in the group. But these models are only valuable in clinical situations and not in the big industry sector. So, to include the disorder predictions in various mental health-related industries, we have used the concepts of machine learning and supervised learning methods to build the predictions system[2].

After doing the research and comparison of all the algorithms and theorems of machine learning we have concluded that all those algorithms such as Decision Tree, KNN, Naïve Bayes, Regression and Random Forest Algorithm all are important in building a disease prediction system has predict the disorder of the patients from which he/she is suffering from. After using various techniques such as neural networks to make predictions of the disorder and after doing that we conclude that it can predict up to 90% accuracy rate after doing the experimentation and verifying the results. The information of patient statistics, results, disease history is recorded in EHR, which enables the identification of the potential data-centric solution, which reduces the cost of medical case studies[3]. The existing system can predict the disorder but not the subtype of the disorder and it fails to predict the condition of the people.

C. Life Cycle Model



In this project, we are using an agile model. The waterfall model is the oldest model used by the IT industry to develop software. The Agile software development model was mainly intended for helping developers build a project which can adapt to transforming requests quickly. So, the most important endeavour for developing the Agile model is to make easy and rapid project achievement. For attaining this task, developers need to preserve agility during development. Agility can be achieved by correcting the progression to the project by eliminating activities that may not be crucial for that specific project.

Following are the phases in the Agile model areas follows:

- 1) *Design the Requirements:* When you have identified the project, work with stakeholders to define requirements. You can use the user flow diagram or the high-level UML diagram to show the work of new features and show how it will apply to your existing system.
- 2) *Testing:* In this phase, the Quality Assurance team examines the product's performance and looks for the bug.
- 3) *Employment:* In this phase, the team issues a product for the user's work environment.
- 4) *Feedback:* After releasing the product, the last step is feedback. In this, the team receives feedback about the product and works through the feedback.

III. SRS

- 1) The user should be able to check for all categories of SNMDs.
- 2) The user should receive simple understandable results.
- 3) The framework should give a proper explanation of the results obtained.

IV. DESIGN

The Design goals consist of various designs which we have implemented in our system mental health disorder prediction using machine learning. This system has been built with various designs such as data flow diagram, sequence diagram, class diagram, use case diagram, component diagram, activity diagram, statechart diagram, deployment diagram. After doing the sevarious diagrams andbased on these diagrams we have done our project.

- 1) *Entering Symptoms:* He/she has to select the symptoms from the given drop-down menu.
- 2) *Prediction:* The predictive model predict the disorder of a person he might have ,based on the user entered symptoms.

A. Modules

1) Front End

GUI Application using Tkinter Our GUI Design is a simple Tkinter framework that is veryeasy to understand and use. The user will just have to enter basic information which is easily available to get information about the respective SNMDs and also the results available are easy tounderstand.




Fig. 3 GUI

2) Back End

- 1) *Data Acquisition:* The Dataset was readily available on the platforms Kaggle from which we can take the required information or the features from the dataset.
- 2) *Feature Extraction:* Our data consists of three categories Information Over- load(IO), Cyber Relationship(CR) and Net Com- pulsion(NC).Through our study we could find out different symptoms related to these three categories of SNMDs. IO includes a variety of symp- toms like Depression, Headache, Poor Concen- tration, Sleeping Problem, Anxious, Unfocused, Stressed, Memory Impairment. CR includes Depression, Headache, Memory Impairment, Mood Swing, Social Isolation, Low Self Esteem, Feeling of Guilt, Restlessness, Bore- dom.NC includes Depression, Headache, Lying About Internet Use, Inability to Prioritize, No Sense of time, Feeling of Euphoria, Anger. We take these symptoms experienced by the user and use it in our model to evaluate the respective SNMD.
- 3) *Model Evaluation:* As the number of SAD patients (positive examples) is much fewer than the number of no SAD patients (negative examples), we employ an outlier detection approach, i.e., One-class SVM, to identify the decision boundary of the negative examples (non- SAD patients)[2], and if a user does not fall into the decision boundary, the user is classifiedas a positive example (SAD patient). Moreover,we also compare the performance of using solely One-class SVM and the ensemble of multiple One-class SVMs (Ensemble for show Furthermore, the classical SVM classifier (SVM for short) is also employed as a baseline, where we up sample the positive examples such that the training set includes the same number of positive and nega- tive examples. In our evaluation, we adopt 5-fold cross-validation and report the accuracy, preci- sion, recall, and the F1-score of each approach.

B. System Architecture

Mental health disorder prediction using machine learning predicts the presence of the disorder for the user based on various symptoms and the infor-mation the user gives such as depression, anxiety and many more such general information through the symptoms[3].

The architecture of the system mental health disorder prediction using machine learning consists of various datasets through which we will compare the symptoms of the user and predicts it, then the datasets are transformed into smaller sets and from there it gets classified based on the classification algorithms later on the




Fig. 4 System Architecture

Classified data is then processed into the machine learning technologies through which the data gets processed and goes into the disorder prediction model using all the inputs from the user that is mentioned above[1]. Then after the user entering the above information and overall processed data combines and compares in the prediction model of the system and finally predicts the disorder. An architecture diagram is a graphical representation of a set of concepts, that is part of the architecture, including their principles, elements and components. The diagram explains the system software in the perception of the overview of the system.

C. Data Flow Diagram




Fig. 5 Data Flow Diagram

The dataflow diagram of the project mental health disorder prediction using machine learning consists of all the various aspects a normal flow diagram requires. This data flow diagram shows how from starting the model flows from one step to another like he enter into the system then enters all the information's and all other general information along with the symptoms that goes into the system, compares with the prediction model and if true it is predicted the appropriate results otherwise it shows the details where the user if gone wrong while entering the information.

V. IMPLEMENTATION DETAILS




Fig. 6 Implementation flow

The project Mental health disorder Prediction using Machine Learning is developed to overcome general disorders in earlier stages as we all know in the competitive environment of economic development the mankind has involved so much that he/she is not concerned about health according to research there are 40% peoples who ignore about general symptoms which lead to harmful mental disorder later. The Project “Social Network Mental Disorders Detection” is implemented using python completely[1]. Even the interface of this project is done using python’s library interface called Tkinter. Here the first user needs to enter the name and needs to select the symptoms from the given drop-down menu, for a more accurate result the user needs to enter all the given symptoms, then the system will provide the accurate result. This prediction is done with the help of an algorithm of machine learning such as a Decision Tree. When the user enters all the symptoms then he needs to press the buttons of predict. The project is designed user-friendly and also secure to use every user requires authentication to enter into the system after which it provides the result based on the user input let me explain the complete implementation.

A. Working of Project stepwise below

- 1) First, enter the name of the patient.
- 2) After the user enters the system user has to provide the symptoms which he/she is going through based on which we have several algorithms which predict the disease and also displays the percentage of accuracy.
- 3) The user needs to enter all the columns of symptoms to get an accurate result.
- 4) Data collection and dataset preparation This will involve the collection of medical information from various sources like hospitals, then pre-processing is applied to the dataset which will remove all the unnecessary data and extract important features from data.
- 5) Training and experimentation on datasets The Mental Health disorder Prediction model will be trained on the dataset of diseases to do the prediction accuracy and produce. In this project, we used Decision Tree Algorithm.
- 6) Deployment and analysis on the real-life scenario the trained and tested prediction model will be deployed in a real-life scenario made by the human experts & will be leveraged for further improvement in the methodology.

B. Decision Tree Algorithm

Decision tree induction is the learning of decision trees from class-labeled training tuples. A decision tree is a flowchart-like tree structure,[1]




Fig. 7 Decision tree

- 1) Decision tree induction is a non-parametric approach for building classification models.
- 2) Finding an optimal decision tree is an NP-complete problem
- 3) Techniques developed for constructing decision trees are computationally inexpensive, making it possible to construct models even when the training set size is very large.
- 4) Decision trees, especially smaller-sized trees are relatively easy to interpret.
- 5) Decision trees provide an expressive representation for learning discrete-valued functions.
- 6) Decision tree algorithms are quite robust to the presence of noise, especially when methods for avoiding overfitting.

C. Development Tools Used

- 1) *PyCharm*: It is an integrated development environment (IDE) used in computer programming, specifically for the Python language. It is developed by the Czech company JetBrains. It provides code analysis, a graphical debugger, an integrated unit tester, integration with version control systems (VCSes), and supports web development with Django as well as Data Science with Anaconda. PyCharm is cross-platform, with Windows, macOS and Linux versions.
- 2) *Libraries*
 - a) *Pandas*: Pandas is a fast, powerful, flexible and easy to use open-source data analysis and manipulation tool, built on top of the Python programming language. Data analysis was done using pandas.
 - b) *Numpy*: NumPy was used as an efficient multi-dimensional container of generic data. Arbitrary datatypes can be defined.
 - c) *Sklearn*: This module was used to implement the different machine learning algorithms used in the project.
 - d) *Tkinter*: Tkinter is the Python interface to the Tk GUI toolkit shipped with Python. The GUI of the projected id was created using the library.
- 3) *Microsoft Excel*: Used Microsoft's product Excel to cover a range of machine learning tasks such as data mining, data analytics, smart visualization

D. Supporting Tools Used

Train test split is a function in Sklearn model selection for splitting data arrays into two subsets: for training data and testing data. With this function, you don't need to divide the dataset manually.

VI. TESTING AND RESULT

Testing is a process of executing a program or application with the intent of finding software bugs. Software Testing is necessary because we all make mistakes. Some of those mistakes are unimportant, but some of them are expensive or dangerous. We need to check everything and anything we produce because things can always go wrong – humans make mistakes all the time.

A. Testing of Initialization and Components

Table 1 Test Case for Prediction Result

Serial Number of Test Case	TC01
Module Under Test	Prediction Result
Description	The user needs to enter the name and symptoms to get the prediction result.
Input	Name and Symptoms
Output	If a user enters all 5 correct symptoms then the accuracy will be high. If a user enters only a few symptoms then accuracy will be low.
Remarks	Test Successful.

B. Snapshots




Fig. 8 Fill in the name



Fig. 9 Minimum 3 symptoms need to enter



Fig. 10 Predication output1

VII. CONCLUSION

[H] Mental health conditions should be addressed long before they reach the most critical points in the disease process. Many people do not seek treatment in the early stages of mental illnesses because they don't recognize the symptoms. Tech-nology can have a large impact on users' mental and physical health. Being overly connected can cause psychological issues such as distraction, nar-cissism, the expectation of instant gratification, and even depression. In this era where there is a necessity for people to be overly dependent on technology, the effects caused by it on the mental health of people must be addressed and taken care of at a very initial state. This project will help spread awareness about these issues and check them. We will also try to give more information about the same so that early precautions can be taken and critical effects can be avoided.



Fig. 11 Predication output2




Fig. 12 Predication output3

VIII. FUTURE ENHANCEMENT

- 1) Facility for modifying user detail.
- 2) More interactive user interface.
- 3) Facilities for Backup creation.
- 4) Can be done as a Webpage.
- 5) Can be done as Mobile Application.
- 6) More Details and Latest Diseases.

IX. STATEMENTS AND DECLARATIONS

A. Competing Interests

The authors declare that they have no conflict of interest. All the authors have agreed to the submission.

B. Code base

<https://github.com/sid732/Social-Network-Mental-Disorders-Detection>

REFERENCES

- [1] Hong-Han Shuai, Chih-Ya Shen, De-Nian Yang and Yi-Feng Carol Lan, "A Comprehensive Study on Social Network Mental Disorders Detection via Online Social Media Mining," vol. 30, no. 7, July 2018.
- [2] Ming-Yi Chang, Chih-Ying Tseng, "Detecting Social Anxiety with Online Social Network Data," Department of Computer Science, National TsingHua University, Hsinchu, Taiwan(DCS), August 2020.
- [3] Subhan Tariq, Nadeem Akhtar, Humaira Afzal, Muhammad Rafiq Mufti, "A Novel Co-Training-Based Approach for the Classification of Mental Illnesses Using SocialMedia Posts," vol. 7, November 2019.

Books

- [1] Introduction to machine learning with Python – Andreas C. Muller and Sarah Guido.
- [2] Machine Learning by Kevin P. Murphy.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)