


Software Engineering Lab – 2

Agile Backlog Creation & Sprint Simulation in Jira


Name: Aryaman DK

SRN: PES1UG24AM344


1. Jira Product Backlog — Epics and User Stories




2. User Stories with Assigned Priorities and Story Points




3. Sprint 1 — Active Sprint Board




4. Sprint 2 — Active Sprint Board



5. Burndown Chart — Sprint 1



6. Burndown Chart — Sprint 2



Reflection Questions

1. Did your estimations reflect the actual effort?

Yes, the Fibonacci-based story point estimations reasonably reflected the relative effort and complexity of the user stories. Larger and more complex tasks were assigned higher story points.

2. Was your backlog well-prioritized?

Yes, the backlog was prioritized based on the importance and dependency of features. Core functionality was placed in earlier sprints, while additional analysis and optimization features were scheduled later.

3. How did your simulated sprint align with your plan?

The simulated sprints largely followed the planned workflow. Sprint 1 focused on query monitoring and metadata extraction, while Sprint 2 focused on query plan analysis and detecting performance issues.

4. What insights did the burndown chart give about your team's capacity?

The burndown charts showed the planned reduction of story points over each sprint. They helped visualize the workload distribution and indicated that the team's simulated capacity was sufficient to complete the planned work within the sprint duration.