

# Day 8 : Create a Container Instance, Container Registry By ARM templates

- Created Container Registry by ARM

The image shows a development environment in VS Code and the Azure Portal. In VS Code, the Explorer pane shows a project structure for 'Day8-ARM's' with files like 'ContainerInstance', 'ContainerRegistry', 'acr.json', and 'acr.sh'. The 'ContainerRegistry' folder is expanded, showing 'acr.json' and 'acr.sh'. The 'acr.json' file is open in the editor, displaying an ARM template for creating a Container Registry. The 'acr.sh' file is also open, showing the command to create the deployment group. The Terminal pane shows the output of the 'acr.sh' command, which successfully creates the Container Registry. The Azure Portal screenshot shows the 'Container registry' page for the 'FardeenAttar-rg' resource group. The 'Overview' tab is selected, showing details such as 'Resource group: FardeenAttar-rg', 'Location: East US 2', 'Subscription: Vanguard Class Training', and 'Provisioning state: Succeeded'. The 'Get started' section provides links for 'Monitoring', 'Capabilities (9)', and 'Tutorials'.

```
1 {
2   "$schema": "https://schema.management.azure.com/schemas/2019-04-01/deploymentTemplate.json#",
3   "contentVersion": "1.0.0.0",
4   "parameters": {
5     "acrName": {
6       "type": "string"
7     },
8     "location": {
9       "type": "string"
10    },
11    "sku": {
12      "type": "string",
13      "allowedValues": [
14        "Basic",
15        "Standard",
16        "Premium"
17      ]
18    }
19  }
```

```
1 az deployment group create \
2 --resource-group FardeenAttar-rg \
3 --template-file acr.json \
4 --parameters param.acr.json
5
```

```
{
  "templateLink": null,
  "timestamp": "2026-02-12T05:33:02.720063+00:00",
  "validatedResources": null,
  "resourceGroup": "FardeenAttar-rg",
  "tags": null,
  "type": "Microsoft.Resources/deployments"
}
```

Fardeen Attar@ATTAR MINGW64 ~/Interns2026/Day8-ARM's/ContainerRegistry (Fardeen)  
\$ sh acr.sh

Home > Resource Manager | Resource groups > FardeenAttar-rg

webserver Container registry

Check AKS clusters pulling from this registry Run Canpull to validate access to this ACR Test if this ACR is accessible from connected AKS

Search

Overview

Activity log

Access control (IAM)

Tags

Quick start

Resource visualizer

Events

Settings

Access keys

Encryption

Identity

Networking

Microsoft Defender for Cloud

Properties

Essentials

Resource group (move) : FardeenAttar-rg

Location : East US 2

Subscription (move) : Vanguard Class Training

Subscription ID : 4d980a42-0e1f-4d8b-b07a-fae39d4a2973

Soft delete (Preview) : Disabled

Tags (edit) : Add tags

Login server : webserver.azurecr.io

Creation date : 2/12/2026, 11:02 AM GMT+5:30

Provisioning state : Succeeded

Pricing plan : Basic

Domain name label scope : Unsecure

Get started Monitoring Capabilities (9) Tutorials

Simplify container lifecycle management

Container registry allows you to build, store, and manage container images and artifacts in a private registry for all types of container deployments. [Learn more](#)

- Created Container Instance by ARM, and Logged In

The screenshot shows Visual Studio Code with two ARM templates open in the Explorer and Editor. The left template, `instance.json`, defines a container instance with parameters for location, image, and dnsNameLabel. The right template, `param.json`, provides values for these parameters. Below the templates, the Output window shows the execution of `Sh instance.sh`, which outputs the details of the created container instance.


```

// instance.json
{
  "parameters": {
    "containerName": {
      "type": "string",
      "defaultValue": "[resourceGroup().location]",
      "metadata": {
        "description": "Azure region for deployment"
      }
    },
    "image": {
      "type": "string"
    },
    "dnsNameLabel": {
      "type": "string"
    }
  },
  "resources": [
    {
      "type": "Microsoft.Resources/deployments",
      "name": "[concat('webappinstance', parameters('containerName'))]",
      "apiVersion": "2019-06-01",
      "properties": {
        "templateLink": null,
        "timestamp": "2026-02-12T05:20:12.855739+00:00",
        "validatedResources": null
      },
      "resourceGroup": "FardeenAttar-rg",
      "tags": null,
      "type": "Microsoft.Resources/deployments"
    }
  ]
}

// param.json
{
  "parameters": {
    "containerGroupName": {
      "value": "webappinstance"
    },
    "containerName": {
      "value": "webappinstance"
    },
    "location": {
      "value": "eastus2"
    },
    "image": {
      "value": "fardeenattar/mario-image:20251104055210"
    },
    "dnsNameLabel": {
      "value": "webappinstance98765"
    }
  }
}

Output:
Fardeen Attar@ATTAR MINGW64 ~/Interns2026/Day8-ARM's/ContainerInstance (fardeen)
$ Sh instance.sh
{
  "templateLink": null,
  "timestamp": "2026-02-12T05:20:12.855739+00:00",
  "validatedResources": null
},
  "resourceGroup": "FardeenAttar-rg",
  "tags": null,
  "type": "Microsoft.Resources/deployments"
}

```



- Accessed It

