

| Test Report                |                             |                             |                      | Test Completion Status : <b>Test completed by user</b> |                    |
|----------------------------|-----------------------------|-----------------------------|----------------------|--|--------------------|
| Test Duration              | Test Start Time             | Test End Time               | Exam Mode            | Marks Scored   | Test Status        |
| 10 mins                    | 21 Feb 2023 17:46:51 +05:30 | 21 Feb 2023 17:49:33 +05:30 | Virtual              | <b>20</b>  | <b>Passed</b>      |
| Total Questions            | Attempted Questions         | Correct Questions           | Incorrect Questions  | Skipped Questions                                      | Pending Evaluation |
| <b>5</b>                   | <b>5</b>                    | <b>5</b>                    | <b>0</b>             | <b>0</b>   | <b>0</b>           |
| No. of times switched tabs | Total Time Outside Test     |                             | No. of times Resumed | Duration Between Pause and Resume                      |                    |
| 0                          | 00 Min : 00 Sec             |                             | 0                    | 00 Min : 00 Sec  |                    |

### List of Sections

| Basics Of Python   |              |         |                                  |        |              |       | Marks per question : 4 | Marks Scored : 20 |
|--|--------------|---------|----------------------------------|--------|--------------|-------|------------------------|-------------------|
| #  | Q. No.       | Q. Type | Q. Tag                           | Status | Time Taken   | Marks |                        |                   |
| 1.   | Q. No: 23791 | MC-MA   | assessment<br>infosys<br>infityq | ✓      | 00 : 00 : 59 | 4 / 4 | <div>Hide Answer</div> |                   |
| <div>A user-specified value can be assigned to a variable with this function ...</div> <div><div><input type="checkbox"/> user</div><div><input type="checkbox"/> enter</div><div><input checked="" type="checkbox"/> input</div><div><input type="checkbox"/> value</div></div> |              |         |                                  |        |              |       |                        |                   |
| 2.   | Q. No: 23787 | MC-MA   | assessment<br>infosys            | ✓      | 00 : 00 : 25 | 4 / 4 | <div>Hide Answer</div> |                   |



Search



5:53 PM  
21-Feb-23

2.

Q. No: 23787

MC-MA

assessment

infosys

infityq



00 : 00 : 25

4 / 4

Hide Answer

The function which is used to display a specified message on the screen is \_\_\_\_\_

☒ print☐ display☐ run☐ output

3.

Q. No: 23789

MC-MA

assessment

infosys

infityq



00 : 00 : 31

4 / 4

Hide Answer

Which of the following is used to initialize multiple variables with a common value?

☐ x = y; y = 33☒ x = y = z = 33☐ x = z; y = z; x = 33;☐ x & y & z = 33

4.

Q. No: 24474

MC-MA

assessment

infosys

infityq



00 : 00 : 13

4 / 4

Hide Answer

Which of the following is used by interpreter to identify code blocks?

☐ Brace

Search

5:53 PM  
21-Feb-23

4.

Q. No: 24474

MC-MA

assessment

infosys

infityq



00 : 00 : 13

4 / 4

Hide Answer

Which of the following is used by interpreter to identify code blocks?

☐ Braces☒ Indentation☐ Commas☐ Expressions

5.

Q. No: 23795

MC-MA

assessment

infityq

infosys



00 : 00 : 30

4 / 4

Hide Answer

Which of the following will provide an ! character as alternative separator for the print function?

☐ sep is !☐ separate = !☐ sep >> '!'☒ sep = '!'

Search

