

## DATA COMMUNICATION AND NETWORKING (BCSE2370 PR)

Question <b>1</b> Not yet	is a multiple-access method in which the available bandwidth of a link is shared in time, frequency, or through code, between different stations
answered	Select one:
Marked out of 0.50	O a. Random access
₹ Flag question	O b. Controlled access
	c. Channelization
	O d. None of the above
	Clear my choice
Question <b>2</b> Not yet	A remote procedure call is
answered	Select one:
Marked out of 0.50	O a. a single process
₱ Flag question	O b. a single thread
	O c. a single stream
	d. inter-process communication
	<u>Clear my choice</u>
Question <b>3</b> Not yet	An RPC (remote procedure call) is initiated by the
answered	Select one:
Marked out of 0.50	a. client
₹ Flag question	O b. server
	O c. client after the server
	O d. a third party
	Clear my choice













In cyclic redundancy checking, what is the CRC?

The private key in asymmetric key cryptography is kept by?

## GALGOTIAS MAAC AL LMS

## Clear my choice

Select one:

a. the divisor

O b. the quotient

O c, the dividend o d, the remainder Clear my choice

Question 7 Not yet answered

Marked out of 0.50

Flag question

Question 8

Not yet answered

Marked out of Flag question

Question 9 Not yet answered

Marked out of 0.50

♥ Flag question

What does MAC stand for?

O c. Sender and Receiver O d. None of the these Clear my choice

Select one:

Select one:

O a. Sender b. Receiver

- a. Media Access Control
- O b. Mass Access Control
- O c. Media Access Carriage
- O d. None

Clear my choice























