COMPUTER GRAPHICS (E2UC402B)

Prof. (Dr) Sanjeev Punia

Numerical on

DDA

(Digital Differential Analyzer)

(m<1)

Suppose starting coordinates (0,0) and ending coordinates are (8,4)

Step 1: Enter the value of starting point ((0,0)) and end point (22)

Step 2: Xk=21 and 34k=201

Step 3: Calculate the slope of line i.e. m

m = ((42-0)1) / ((820)(1) = 0.5

Step 4: Check value of m

Step 5: Is m == 1 X (NO)

LEAVE STEP 6

```
Step 7: Is m < 1 (YES)
Step 8: for ( Xk=21; Xk <= 22; Xk++ )
          yk = yk + 60.5
                    Loop until TRUE
```

Step 9: Is m > 1 X (NO)

LEAVE STEP 10


Step 11: Exit

Table for Intermediates coordinate points

X	Υ	(X,Y)
0	0	(0,0)
1	0+0.5=0.5	(1,0)
2	0.5 + 0.5 = 1.0	(2,1)
3	1.0 + 0.5 = 1.5	(3,1)
4	1.5 + 0.5 = 2.0	(4,2)
5	2.0 + 0.5 = 2.5	(5,2)
6	2.0 + 0.5 = 3.0	(6,3)
7	3.0 + 0.5 = 3.5	(7,3)
8	3.5 + 0.5 = 4.0	(8,4)

Pixel Positions

Line: (0,0) to (8,4)



Numerical on

DDA

(Digital Differential Analyzer)

(m>1)

Suppose starting coordinates (0,0) and ending coordinates are (4,6)

Step 1: Enter the value of starting point ((0,0)) and end point (*%)/2)

Step 2: Xk=21 and 34k=201

Step 3: Calculate the slope of line i.e. m

m = (((2-0)1) / ((220)(1)=1.5)

Step 4: Check value of m

Step 5: Is m == 1 X (NO)

LEAVE STEP 6

Step 7: Is m < 1 X (NO)

LEAVE STEP 8


```
Step 9: Is m > 1 (YES)
Step 10: for (Yk=\(\mathbf{V}\)1; \(\frac{1}{2}\); \(\frac{1}\); \(\frac{1}{2}\); \(\frac{1}{2}\); \(\frac{1}{2}\); \(\frac{
                                                                                                                                                                                                                      Plot the point (6bs) one ok
                                                                                                                                                                                                                     Xk = 2(k+1) fh 5
                                                                                                                                                                                                                                                                                                                                                                                                                                Loop until TRUE
Step 11: Exit
```

Table for Intermediates coordinate points

X	Υ	(X,Y)
0	0	(0,0)
0+0.6 = 0.6	1	(1,1)
0.6 + 0.6 = 1.2	2	(1,2)
1.2 + 0.6 = 1.8	3	(2,3)
1.8 + 0.6 = 2.4	4	(2,4)
2.4 + 0.6 = 3.0	5	(3,5)
3.0 + 0.6 = 3.6	6	(4,6)

Pixel Positions

Line: (0,0) to (4,6)



Numerical on

DDA

(Digital Differential Analyzer)

$$(m=1)$$

Suppose starting coordinates (0,0) and ending coordinates are (4,4)

Step 1: Enter the value of starting point (£0,0) and end point (£2,)2)

Step 2: Xk=21 and 34k=201

Step 3: Calculate the slope of line i.e. m

$$m = ((42-0)1) / ((420)(1) = 1$$

Step 4: Check value of m

```
Step 5: Is m = 1 (YES)
Step 6: for (Xk=121; Xk<=142; Xk++)
            Plot the point &k and Ok
            Yk= 0k++m
```

Loop until TRUE

```
Step 7: Is m < 1 X (NO)

LEAVE STEP 8

Step 9: Is m > 1 X (NO)

LEAVE STEP 10
```


Step 11: Exit

Table for Intermediates coordinate points

X	Υ	(X,Y)
0	0	(0,0)
1	0 + 1 = 1	(1,1)
2	1 + 1 = 2	(2,2)
3	2 + 1 = 3	(3,3)
4	3+1=4	(4,4)

Pixel Positions

Line: (0,0) to (4,4)



Any QUESTION OR DOUBT

