










DSI/CSI Connectors



CIPHER - by ARYAN-GIT-BYTE

Sheet: /Main-Board/Ports/NVMe Socket & Connectors/
File: nvme-socket.kicad_sch



Title:

Size: A4 Date:


KiCad E.D.A. 9.0.7

Rev:

Id: 4/10




WS-90 CONNECTORS




BATTERY PROTECTION CIRCUIT


NMOS = HUASHUO HSBA4094






JST-XH CONNECTOR TO CONNECT TO THE NAVIGATION BOARD



JST-XH CONNECTORS



FUEL GAUGE METER



CIPHER - by ARYAN-GIT-BYTE

Sheet: /Power Board/
File: power-supply.kicad_sch

Title:

Size: A3

Date:


Rev:


KiCad E.D.A. 9.0.7

Id: 5/10


R42= 6.2K, CONFIGURE IT FOR 2S
R32 = 10K, SETS MAX CHARGE VOLTAGE AS 4.2V FOR 1 CELL, 8.4V TOTAL
R44 = 27K, SETS THE PD INPUT POWER LIMIT TO 100W
R43 = 12.4K, TELLS THAT THE TOTAL CURRENT OF 4P CELLS ARE 10,000 mA

TYPE-C CHARGER







KEYBOARD MATRIX 84 KEYS



MCU & GPIO EXPANDER




ROTARIES



DISPLAYS

TFT FOR MACROPAD/WIDGETS
&
OLED FOR SYSTEM INFO

Pin	Signal	Description
1	RST	Reset
2	INT	Interrupt
3	VDD	Power Voltage
4	SDA	I ² C Serial Data Input And Output
5	SCL	I ² C Serial Clock Input
6	GND	Ground



TOUCH PANEL FOR TRACKPAD

CIPHER by ARYAN-GIT-BYTE

Sheet: /Navigation Board/
File: Navigation-Board.kicad_sch

Title:





Size: A3

Date:

Rev:

KiCad E.D.A. 9.0.7

Id: 6/10



Sheet: /Instrument board/
File: Instrument.kicad_sch


Title:





Size: A4
KiCad E.D.A. 9.0.7

Date:

Rev:

Id: 7/10





CIPHER - by ARYAN-GIT-BYTE

Sheet: /GPIO breakout board/
File: GPIO-board.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.7



Date:

Rev:


Id: 9/10





Ethernet POE Protection



POE Header



POWER LOAD SWITCH FOR SD CARD



CM5Lite SDCARD I/F

Sheet: /Main-Board/Connectors/
File: connectors.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.7

Date:

Rev:
Id: 10/10