



Table of Contents

Section No.	Title	Page
	Certification	
1	Acknowledgement	1
2	System requirements	2
3	Languages Used	3
4	Project Description	4
5	Project Overview	5
6	Project Code	8
7	References & Software's Used	54



System Requirements

OS	Windows Requirements	Mac Requirements	Linux Requirements
	Windows vista or above	Mac OS X Yosemite 10.1 or above	64-Bit Ubuntu 14.04, or Fedora Linux 24+
Processor	Inter i5 or above	Intel	Intel i5 or above
Memory	2 GB minimum		
Screen Resolution	1280 X 1024 or greater		
Internet Connection	Required		
Web Browser	Chrome Microsoft Edge Firefox TORR	Safari	Chrome Firefox



Project Description

This is a unique website made for the students of NIT Kurukshetra. It allows all the students to view the various different types of official **Cultural Clubs & Technical Societies** that are present in the institute. It also gives the students what all tasks are performed by a particular club or society.

Using HTML5, CSS, JavaScript and PHP, the website is made interactive and user friendly. The site contains a registration and login page which enables the users to create their own profiles. In their profiles they can add their interests and check which club or society best suits them. The **About Me** page enables the users to mail their queries regarding any club or society that they might have.



Languages Used

Frontend




Backend




Project Overview

(Given below are screenshots for the overview of project & database used)



(Home Page)



(Registration Page)

localhost / 127.0.0.1 / nit / users / x Login V1

localhost/Website%20Aryan/login_1/index.php

Apps Dashboard | Hacker... Bore Bore - YouTube Eye of the tiger -Lyr... hold me close till i... Kick Lee ft Nuk One... Chhote Chhote Peg... Gifts | Alohomora |...

Member Login

username

Password

LOGIN

Forgot Username / Password?

Activate Windows
Go to Settings to activate Windows.

Type here to search

ENG IN 6:23 PM 5/18/2020

(Login Page)

localhost / 127.0.0.1 / nit / users / x NIT Kurukshetra

localhost/Website%20Aryan/about.html

Apps Dashboard | Hacker... Bore Bore - YouTube Eye of the tiger -Lyr... hold me close till i... Kick Lee ft Nuk One... Chhote Chhote Peg... Gifts | Alohomora |...

Drop Us A Message

Name: Aryan

Address: aryan 11923003@nitke.ac.in

Email: Email

Message: this is a temporary email, please ignore it

SEND

Address:
NIT,
Kurukshetra,
India

Phone:
+911234567890

Email:
admin@ngitke.com


We Are available.

Let's work together!


© 2020 | All Rights Reserved | Design by Aryan

Activate Windows

(About Page)



(XAMPP Control Panel)



(XAMPP Database)



HTML Documents

Registration Page

```
<?php include"db.php"; ?>
<?php session_start();?>
<?php
if(isset($_POST['submit']))
{
    $username = $_POST['username'];
    $firstname = $_POST['firstname'];
    $lastname = $_POST['lastname'];
    $password = $_POST['password'];
    $branch = $_POST['branch'];
    $password_repeat = $_POST['password_repeat'];

    $username = mysqli_real_escape_string($connection,$username);
    $firstname = mysqli_real_escape_string($connection,$firstname);
    $lastname = mysqli_real_escape_string($connection,$lastname);
    $password = mysqli_real_escape_string($connection,$password);
    $password_repeat =
mysqli_real_escape_string($connection,$password_repeat);
    $branch = mysqli_real_escape_string($connection,$branch);
    if($password==$password_repeat)
    {
        $message = "";
        if(strlen($password)<7)
        {
            $message = "password too small";
        }
        $query = "SELECT * FROM users where username = '$username'";
        $result = mysqli_query($connection,$query);
        if(mysqli_num_rows($result)>0)
        {
            $message = "this username is already taken";
        }
        else{
            $query = "INSERT INTO
users(username,firstname,lastname,branch,password) "
            $query .= "VALUES('{$username}','{$firstname}','{$lastname}','{$branch}','{$password}')";
            $register_user_query = mysqli_query($connection,$query);
            if(!$register_user_query)
            {
                die("QUERY FAILED ".mysqli_error($connection));
            }
            header("Location: index.php");
        }
    }
}
```



```

    }
    else
    {
        $message = "password not matching";
    }
}
else{
    $message="";
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <style>
        body {
            font-family: Arial, Helvetica, sans-serif;
            background-image: url("https://i.redd.it/51h0kd9yrjdz.jpg");
            background-position: center;
            background-attachment: fixed;
            background-size: cover;
            margin-right: 23%;
            margin-left: 23%;
        }

        * {
            box-sizing: border-box;
        }

        /* Add padding to containers */
        .container {
            padding: 40px;
            background: rgba(64, 58, 57 ,0.95);
            padding-bottom: 20px;
        }

        /* Full-width input fields */
        input[type=password] {
            width: 100%;
            padding: 15px;
            margin: 5px 0 22px 0;
            display: inline-block;
            border: none;
            background: #f1f1f1;
        }

        input[type=text]
        {
            width: 100%;
            padding: 15px;
            margin: 5px 0 22px 0;
            border: none;
            background: #f1f1f1;
            display: inline;
        }

```

```

input[type=text]:focus, input[type=password]:focus {
    background-color: #ddd;
    outline: none;
}

/* Overwrite default styles of hr */
hr {
    border: 1px solid #f1f1f1;
    margin-bottom: 25px;
}
/* Set a style for the submit button */
.registerbtn {
    background-color: #4CAF50;
    color: white;
    padding: 16px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
    width: 100%;
    opacity: 0.9;
}
.registerbtn:hover {
    opacity: 1;
}
/* Add a blue text color to links */
a {
    color: dodgerblue;
}
.signin {
    background: rgba(64, 58, 57 ,0.95);
    text-align: center;
    padding-top: 1px;
}
.my_color{
    color:floralwhite !important;
}
</style>
</head>
<body>
<form action="registration.php" method="post">
    <div class="container">
        <center><h1>Register</h1></center>
        <p><center>Please fill in this form to create an
account.</center></p>
        <hr>
        <center><p class="my_color"><?php echo $message; ?></p></center>
        <label for="username"><b>Username</b></label>
        <input type="text" placeholder="Enter Username" name="username"
required>

        <label for="firstname"><b>Firstname</b></label>
        <input type = "text" placeholder="First name" name="firstname"
required>
        <label for="lastname"><b>Lastname</b></label>
        <input type = "text" placeholder="last name" name="lastname"
required>


```

```

<br/>
<label for="branch"><b>Branch</b></label>
<input type = "text" placeholder="branch" name="branch" required>

<label for="password"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="password"
required>
<label for="password-repeat"><b>Repeat Password</b></label>
<input type="password" placeholder="Repeat Password"
name="password_repeat" required>
<hr>
<p>By creating an account you agree to our <a href="#">Terms &
Privacy</a>.</p>
<button type="submit" class="registerbtn"
name="submit">Register</button>
<hr>
</div>
<div class="container signin">
<p>Already have an account? <a href="login_1/index.php">Sign
in</a>.</p>
</div>
</form>
</body>
</html>

```



Login Page

```
<head><style>
```

```
.modal {  
    display: none; /* Hidden by default */  
    position: fixed; /* Stay in place */  
    z-index: 1; /* Sit on top */  
    left: 0;  
    top: 0;  
    width: 100%; /* Full width */  
    height: 100%; /* Full height */  
    overflow: auto; /* Enable scroll if needed */  
    background-color: rgb(0,0,0); /* Fallback color */  
    background-color: rgba(0,0,0,0.4); /* Black w/ opacity */  
    padding-top: 60px;  
}  
  
.modal-content {  
    background-color: #fefefe;  
    margin: 5px auto; /* 15% from the top and centered */  
    border: 1px solid #888;  
    width: 80%; /* Could be more or less, depending on screen size */  
}  
  
.close {  
    position: absolute;  
    right: 25px;  
    top: 0;  
    color: #000;  
    font-size: 35px;  
    font-weight: bold;
```

```

    }

    .close:hover,

    .close:focus {

        color: red;

        cursor: pointer;

    }

    .animate {

        -webkit-animation: animatezoom 0.6s;

        animation: animatezoom 0.6s

    }

    @-webkit-keyframes animatezoom {

        from {-webkit-transform: scale(0)}

        to {-webkit-transform: scale(1)}

    }

    @keyframes animatezoom {

        from {transform: scale(0)}

        to {transform: scale(1)}

    }

</style></head><body>

<button
onclick="document.getElementById('id01').style.display='block'">Login</button
>

<!-- The Modal -->

    <div id="id01" class="modal">

<span onclick="document.getElementById('id01').style.display='none'"

class="close" title="Close Modal">&times;</span>

    <!-- Modal Content -->

    <form class="modal-content animate" action="/action_page.php">

        <div class="imgcontainer">

```

```

    </div><div class="container">

        <label for="uname"><b>Username</b></label>

        <input type="text" placeholder="Enter Username" name="uname" required>

        <label for="psw"><b>Password</b></label>

        <input type="password" placeholder="Enter Password" name="psw" required>

        <button type="submit">Login</button>

        <label>

            <input type="checkbox" checked="checked" name="remember"> Remember me


        </label></div><div class="container" style="background-
color:#f1f1f1">

<button type="button" onclick= "document.getElementById ('id01')
.style.display ='none'" class = "cancelbtn">Cancel</button>

<span class="psw">Forgot <a href="#">password?</a></span>

</div></form></div></body>

```



Database & Index.php Page

```
<?php include"C:/xampp/htdocs/Website Aryan/db.php"; ?>

<?php session_start(); ?>

<?php

if(isset($_POST['submit']))

{

    $username = $_POST['username'];

    $password = $_POST['password'];

    $username = mysqli_real_escape_string($connection,$username);

    $password = mysqli_real_escape_string($connection,$password);

    $query = "SELECT * FROM users where username = '{ $username}'";

    $select_user_query = mysqli_query($connection,$query);

    if(!$select_user_query)

    {

        die("QUERY FAILED ".mysqli_error($connection));

    }

    $num_row = mysqli_num_rows($select_user_query);

    if($num_row>0)

    {

        while($row = mysqli_fetch_assoc($select_user_query))

        {

            $db_username = $row['username'];

            $db_password = $row['password'];

            if($username==$db_username && $password==$db_password)

            {

                header("Location: ../index.php");

            }

        }

    }

}
```

```
    }

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

    <title>Login V1</title>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1">

<!--
=====
----->

    <link rel="icon" type="image/png" href="images/icons/favicon.ico"/>

<!--
=====
----->

    <link                rel="stylesheet"                type="text/css"
href="vendor/bootstrap/css/bootstrap.min.css">

<!--
=====
----->

    <link    rel="stylesheet"    type="text/css"    href="fonts/font-awesome-
4.7.0/css/font-awesome.min.css">

<!--
=====
----->

    <link                rel="stylesheet"                type="text/css"
href="vendor/animate/animate.css">

<!--
=====
----->

    <link            rel="stylesheet"            type="text/css"            href="vendor/css-
hamburgers/hamburgers.min.css">
```

```

<!--
=====
=====-->

    <link                rel="stylesheet"                type="text/css"
href="vendor/select2/select2.min.css">

<!--
=====
=====-->

    <link rel="stylesheet" type="text/css" href="css/util.css">
    <link rel="stylesheet" type="text/css" href="css/main.css">

<!--
=====
=====-->

</head>

<body>

    <div class="limiter">

        <div class="container-login100">

            <div class="wrap-login100">

                <div class="login100-pic js-tilt" data-tilt>

                </div>

                <form                class="login100-form                validate-form"
action="index.php" method="post">

                    <span class="login100-form-title">

                        Member Login

                        7

                    </span>

                    <div class="wrap-input100 validate-input">

                        <input        class="input100"        type="text"
name="username" placeholder="username" required>

```

```
hidden="true"></i>

        <span class="focus-input100"></span>

        <span class="symbol-input100">

            <i class="fa fa-envelope" aria-

</span>

</div>
```

```
<div class="wrap-input100 validate-input" >

    <input class="input100" type="password"
name="password" placeholder="Password" required>

    <span class="focus-input100"></span>

    <span class="symbol-input100">

        <i class="fa fa-lock" aria-

hidden="true"></i>

    </span>

</div>
```

```
<div class="container-login100-form-btn">

    <button class="login100-form-btn" name =

"submit">

        Login

    </button>

</div>
```

```
<div class="text-center p-t-12">

    <span class="txt1">

        Forgot

    </span>

    <a class="txt2" href="#">

        Username / Password?
```

```
</a>

</div>

<div class="text-center p-t-136">

    <a class="txt2" href="registration.php">

        Create your Account

        <i class="fa fa-long-arrow-right m-
1-5" aria-hidden="true"></i>

    </a>

</div>

</form>

</div>

</div>

</div>

<!--
=====
=====-->

<script src="vendor/jquery/jquery-3.2.1.min.js"></script>

<!--
=====
=====-->

<script src="vendor/bootstrap/js/popper.js"></script>

<script src="vendor/bootstrap/js/bootstrap.min.js"></script>

<!--
=====
=====-->

<script src="vendor/select2/select2.min.js"></script>

<!--
=====
=====-->

<script src="vendor/tilt/tilt.jquery.min.js"></script>
```

```
<script >
    $($('.js-tilt').tilt({
        scale: 1.1
    })
</script>

<!--
=====
=====-->

<script src="js/main.js"></script>

</body>
</html>
```


Home page

```
<?php include "db.php"; ?>
<?php session_start(); ?>

<!doctype html>
<html lang="en">

<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">

    <title>NIT Kurukshetra</title>

    <!-- Template CSS -->
    <link rel="stylesheet" href="assets/css/style-starter.css">
    <!-- web fonts -->
    <link
href="//fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,8
00,900&display=swap" rel="stylesheet">
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700,800&display
=swap" rel="stylesheet">
    <!-- /web fonts -->
</head>

<body>
    <!-- header -->
    <header class="w3l-header">
        <div class="hero-header-11">
            <div class="hero-header-11-content">
                <div class="container">
                    <nav class="navbar navbar-expand-xl navbar-light py-sm-2 py-1 px-
0">
                        <a class="navbar-brand" href="index.php">
                            
                        </a>
                        <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarSupportedContent"
                            aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
                            <span class="navbar-toggler-icon fa fa-bars"></span>
                        </button>

                        <div class="collapse navbar-collapse"
id="navbarSupportedContent">
                            <ul class="navbar-nav ml-auto">
                                <li class="nav-item active">
                                    <a class="nav-link" href="index.php">Home <span class="sr-
only">(current)</span></a>
                                </li>
```

```
<li class="nav-item">  
  <a class="nav-link" href="about.html">About</a>  
</li>  
<li class="nav-item dropdown">  
  <a class="nav-link dropdown-toggle" href="#"  
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"  
aria-expanded="false">  
    Cultural  
  </a>  
  <div class="dropdown-menu" aria-  
labelledby="navbarDropdown">  
    <a class="dropdown-item" href="avclub.html">AV Club</a>  
    <a class="dropdown-item"  
href="spicmacay.html">Spicmacay</a>  
    <a class="dropdown-item"  
href="photography.html">Photography</a>  
  </div>  
</li>  
<li class="nav-item dropdown">  
  <a class="nav-link dropdown-toggle" href="#"  
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"  
aria-expanded="false">  
    Technical  
  </a>  
  <div class="dropdown-menu" aria-  
labelledby="navbarDropdown">  
    <a class="dropdown-item"  
href="aeromodelling.html">Aeromodelling</a>  
    <a class="dropdown-item"  
href="electroreck.html">Electroreck</a>  
    <a class="dropdown-item" href="emr.html">EMR</a>  
    <a class="dropdown-item" href="icell.html">Industry  
Cell</a>  
    <a class="dropdown-item"  
href="infra.html">Infrastructure</a>  
    <a class="dropdown-item" href="mechsoc.html">Mechsoc</a>  
    <a class="dropdown-item"  
href="microbus.html">Microbus</a>  
    <a class="dropdown-item" href="sae.html">SAE</a>  
    <a class="dropdown-item"  
href="technobyte.html">Technobyte</a>  
  
  </div>  
</li>  
</ul>  
</div>  
</nav>  
</div>  
</div>  
</div>  
</header>  
<!-- //header -->  
<!-- Main banner section -->  
<section class="w3l-main-banner">  
  <div class="companies20-content">  
    <div class="companies-wrapper">  
      <div class="item">
```

```

        <li>
            <div class="slider-info banner-view">
                <div class="banner-info container">
                    <h3 class="banner-text"><small>Hello, Welcome To</small><br>
                        Our WebSite
                    </h3>
                    <p class="my-4 mb-5">NIT Kurukshetra</p><br>
                    <a href="about.html" class="btn btn-primary theme-button mr-
3">Contact Us</a>
                </div>
            </div>
        </li>
    </div>
</div>
</section>
<!-- //Main banner section -->

<!-- Footer -->
<footer class="w3l-footer">
    <div id="footersl4-block" class="py-3">
        <div class="container">
            <div class="footersl4-bottom text-center">
                <div class="social">
                    <a href="#facebook" class="facebook"><span class="fa fa-facebook"
aria-hidden="true"></span></a>
                    <a href="#google" class="google"><span class="fa fa-google-plus"
aria-hidden="true"></span></a>
                    <a href="#twitter" class="twitter"><span class="fa fa-twitter"
aria-hidden="true"></span></a>
                    <a href="#instagram" class="instagram"><span class="fa fa-
instagram" aria-hidden="true"></span></a>
                    <a href="#youtube" class="youtube"><span class="fa fa-youtube"
aria-hidden="true"></span></a>
                </div>
                <div class="copyright mt-1">
                    <p>© 2020 | All Rights Reserved | Design by <a
href="https://best-e.in/">Team Best-E</a></p>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- move top -->
<button onclick="topFunction()" id="movetop" title="Go to top">
    <span class="fa fa-angle-up" aria-hidden="true"></span>
</button>
<script>
    // When the user scrolls down 20px from the top of the document, show
the button
    window.onscroll = function () {
        scrollFunction()
    };

    function scrollFunction() {
        if (document.body.scrollTop > 20 ||
document.documentElement.scrollTop > 20) {

```

```

        document.getElementById("movetop").style.display = "block";
    } else {
        document.getElementById("movetop").style.display = "none";
    }
}

// When the user clicks on the button, scroll to the top of the
document
function topFunction() {
    document.body.scrollTop = 0;
    document.documentElement.scrollTop = 0;
}
</script>
<!-- /move top -->

</footer>
<!-- Footer -->

<!-- jQuery and Bootstrap JS -->
<script src="assets/js/jquery-3.4.1.slim.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Template JavaScript -->
<script src="assets/js/jquery.magnific-popup.min.js"></script>
<script>
    $(document).ready(function () {
        $('.popup-with-zoom-anim').magnificPopup({
            type: 'inline',

            fixedContentPos: false,
            fixedBgPos: true,

            overflowY: 'auto',

            closeBtnInside: true,
            preloader: false,

            midClick: true,
            removalDelay: 300,
            mainClass: 'my-mfp-zoom-in'
        });

        $('.popup-with-move-anim').magnificPopup({
            type: 'inline',

            fixedContentPos: false,
            fixedBgPos: true,

            overflowY: 'auto',

            closeBtnInside: true,
            preloader: false,

            midClick: true,
            removalDelay: 300,
            mainClass: 'my-mfp-slide-bottom'
        });
    });

```

```


    });
</script>

<!-- disable body scroll which navbar is in active -->
<script>
    $(function () {
        $('.navbar-toggler').click(function () {
            $('body').toggleClass('noscroll');
        });
    });
</script>
<!-- disable body scroll which navbar is in active -->

<script src="assets/js/smartphoto.js"></script>
<script>
    document.addEventListener('DOMContentLoaded', function () {
        const sm = new SmartPhoto(".js-img-viwer", {
            showAnimation: false
        });
        // sm.destroy();
    });
</script>

</body>

```



About Page

```
<!doctype html>

<html lang="en">

<head>

  <!-- Required meta tags -->

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">


  <title>NIT Kurukshetra</title>


  <!-- Template CSS -->

  <link rel="stylesheet" href="assets/css/style-starter.css">

  <!-- web fonts -->

  <link
href="//fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,8
00,900&display=swap" rel="stylesheet">

  <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700,800&display
=swap" rel="stylesheet">

  <!-- /web fonts -->

</head>


<body>

  <!-- header -->

  <header class="w3l-header">

    <div class="hero-header-11">

      <div class="hero-header-11-content">

        <div class="container">
```



```

0">
    <nav class="navbar navbar-expand-xl navbar-light py-sm-2 py-1 px-

    <a class="navbar-brand" href="index.php">

    </a>

    <button          class="navbar-toggler"          type="button"          data-
toggle="collapse" data-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent"          aria-expanded="false"
aria-label="Toggle navigation">

        <span class="navbar-toggler-icon fa fa-bars"></span>

    </button>

    <div          class="collapse          navbar-collapse"
id="navbarSupportedContent">

        <ul class="navbar-nav ml-auto">

            <li class="nav-item active">

                <a class="nav-link" href="index.php">Home <span class="sr-
only">(current)</span></a>

            </li>

            <li class="nav-item">

                <a class="nav-link" href="about.html">About</a>

            </li>

            <li class="nav-item dropdown">

                <a          class="nav-link          dropdown-toggle"          href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"

                    aria-expanded="false">

                    Cultural

                </a>

                <div          class="dropdown-menu"          aria-
labelledby="navbarDropdown">

                    <a class="dropdown-item" href="avclub.html">AV Club</a>

```

```

                <a                                class="dropdown-item"
href="spicmacay.html">Spicmacay</a>

                <a                                class="dropdown-item"
href="photography.html">Photography</a>

            </div>

        </li>

        <li class="nav-item dropdown">

            <a            class="nav-link            dropdown-toggle"            href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">

                Technical

            </a>

            <div                                class="dropdown-menu"                                aria-
labelledby="navbarDropdown">

                <a                                class="dropdown-item"
href="aeromodelling.html">Aeromodelling</a>

                <a                                class="dropdown-item"
href="electroreck.html">Electroreck</a>

                <a class="dropdown-item" href="emr.html">EMR</a>

                <a            class="dropdown-item"            href="icell.html">Industry
Cell</a>

                <a                                class="dropdown-item"
href="infra.html">Infrastructure</a>

                <a class="dropdown-item" href="mechsoc.html">Mechsoc</a>

                <a                                class="dropdown-item"
href="microbus.html">Microbus</a>

                <a class="dropdown-item" href="sae.html">SAE</a>

                <a                                class="dropdown-item"
href="technoby.html">Technoby</a>

            </div>

        </li>

    </ul>
```

```

        </div>

    </nav>

</div>

</div>

</div>

</header>

<!-- //header -->


<!-- Contact section -->

<section class="w3l-contact py-5" id="contact">

    <div class="container py-lg-3">

        <h3 class="global-title">Drop us a Message</h3>

        <div class="row">

            <div class="col-md-8 contact-form">

                <form action="https://sendmail.w3layouts.com/submitForm" method="post">

                    <input type="text" class="form-control" name="w3lName" placeholder="Name"
                    /><br />

                    <input type="email" class="form-control" name="w3lSender" placeholder="E-
                    mail" /><br />

                    <input type="text" class="form-control" name="w3lSubject"
                    placeholder="Subject" /><br />

                    <textarea class="form-control" name="w3lMessage" placeholder="Your Message"
                    style="height:150px;"></textarea><br />

                    <button class="btn btn-primary theme-button" type="submit">Send</button>

                </form>

            </div>

            <div class="col-md-4 mt-md-0 mt-5 w3-contact-address">

                <b>Address:</b>

                <p>NIT,</p>

                <p>Kurukshetra,</p>

```

```
<p>India.</p>

<br />

<b>Phone:</b>

<p><a href="tel:+911234567890">+911234567890</p>

<br />

<b>Email:</b>

<p><a href="mailto:admin@mysite.com">admin@mysite.com</a></p>

</div>

</div>

</div>

</section>

<!-- //Contact section -->

<section class="w3l-grid-quot py-5">

    <div class="container py-lg-3">

        <h6>We Are available.</h6>

        <h3>Let's work together!</h3>

    </div>

</section>

<!-- Footer -->

<footer class="w3l-footer">

    <div id="footers14-block" class="py-3">

        <div class="container">

            <div class="footers14-bottom text-center">

                <div class="social">

                    <a href="#facebook" class="facebook"><span class="fa fa-facebook"
aria-hidden="true"></span></a>

                    <a href="#google" class="google"><span class="fa fa-google-plus"
aria-hidden="true"></span></a>
```

```
<a href="#twitter" class="twitter"><span class="fa fa-twitter"
aria-hidden="true"></span></a>
```

```
<a href="#instagram" class="instagram"><span class="fa fa-
instagram" aria-hidden="true"></span></a>
```

```
<a href="#youtube" class="youtube"><span class="fa fa-youtube"
aria-hidden="true"></span></a>
```

```
</div>
```

```
<div class="copyright mt-1">
```

```
<p>© 2020 | All Rights Reserved | Design by <a
href="#">Aryan</a></p>
```

```
</div>
```

```
</div>s
```

```
</div>
```

```
</div>
```

```
<!-- move top -->
```

```
<button onclick="topFunction()" id="movetop" title="Go to top">
```

```
<span class="fa fa-angle-up" aria-hidden="true"></span>
```

```
</button>
```

```
<script>
```

```
// When the user scrolls down 20px from the top of the document, show
the button
```

```
window.onscroll = function () {
```

```
    scrollFunction()
```

```
};
```

```
function scrollFunction() {
```

```
    if (document.body.scrollTop > 20 ||
document.documentElement.scrollTop > 20) {
```

```
        document.getElementById("movetop").style.display = "block";
```

```
    } else {
```

```
        document.getElementById("movetop").style.display = "none";
```

```
    }
```

```
    }

    function topFunction() {

        document.body.scrollTop = 0;

        document.documentElement.scrollTop = 0;

    }

</script>

<!-- /move top -->


</footer>

<!-- Footer -->

<!-- jQuery and Bootstrap JS -->

<script src="assets/js/jquery-3.4.1.slim.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<!-- Template JavaScript -->

<script src="assets/js/jquery.magnific-popup.min.js"></script>

<script>

    $(document).ready(function () {

        $('.popup-with-zoom-anim').magnificPopup({

            type: 'inline',

            fixedContentPos: false,

            fixedBgPos: true,

            overflowY: 'auto',

            closeBtnInside: true,

            preloader: false,

            midClick: true,

            removalDelay: 300,

            mainClass: 'my-mfp-zoom-in'

        });

    });
```



```
    $('popup-with-move-anim').magnificPopup({
      type: 'inline',
      fixedContentPos: false,
      fixedBgPos: true,
      overflowY: 'auto',
      closeBtnInside: true,
      preloader: false,
      midClick: true,
      removalDelay: 300,
      mainClass: 'my-mfp-slide-bottom'
    });
  });
</script>
<!-- disable body scroll which navbar is in active -->
<script>
  $(function () {
    $('.navbar-toggler').click(function () {
      $('body').toggleClass('noscroll');
    })
  });
</script>
<!-- disable body scroll which navbar is in active -->
<script src="assets/js/smartphoto.js"></script>
<script>
  document.addEventListener('DOMContentLoaded', function () {
    const sm = new SmartPhoto(".js-img-viwer", {
      showAnimation: false
    });
  });
</script>
```


```
// sm.destroy();

});

</script>

</body>

</html>
```



Technical Societies

(All pages are similar and only the main content of the page differs)

TechnoByte

```
<!doctype html>

<html lang="en">

<head>

    <!-- Required meta tags -->

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">

    <title>NIT Kurukshetra</title>

    <!-- Template CSS -->

    <link rel="stylesheet" href="assets/css/style-starter.css">

    <!-- web fonts -->

    <link
href="//fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,8
00,900&display=swap" rel="stylesheet">

    <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700,800&display
=swap" rel="stylesheet">

    <!-- /web fonts -->

</head>

<body>

    <!-- header -->

    <header class="w3l-header">

        <div class="hero-header-11">

            <div class="hero-header-11-content">

                <div class="container">
```

```

<nav class="navbar navbar-expand-xl navbar-light py-sm-2 py-1 px-0">

  <a class="navbar-brand" href="index.php">

    </a>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
    target="#navbarSupportedContent"

    aria-controls="navbarSupportedContent"      aria-expanded="false"      aria-
    label="Toggle navigation">

      <span class="navbar-toggler-icon fa fa-bars"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">

        <li class="nav-item active">

          <a class="nav-link" href="index.php">Home <span class="sr-only">
          (current)</span></a>

          </li>

          <li class="nav-item">

            <a class="nav-link" href="about.html">About</a>

          </li>

          <li class="nav-item dropdown">

            <a      class="nav-link      dropdown-toggle"      href="#"
            id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
            aria-expanded="false">

              Cultural

            </a>

            <div      class="dropdown-menu"      aria-
            labelledby="navbarDropdown">

              <a class="dropdown-item" href="avclub.html">AV Club</a>

              <a      class="dropdown-item"
              href="spicmacay.html">Spicmacay</a>

```

```

                <a                                class="dropdown-item"
href="photography.html">Photography</a>

            </div>

        </li>

        <li class="nav-item dropdown">

            <a            class="nav-link            dropdown-toggle"            href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
                aria-expanded="false">

                Technical

            </a>

            <div                                class="dropdown-menu"                                aria-
labelledby="navbarDropdown">

                <a                                class="dropdown-item"
href="aeromodelling.html">Aeromodelling</a>

                <a                                class="dropdown-item"
href="electroreck.html">Electroreck</a>

                <a class="dropdown-item" href="emr.html">EMR</a>

                <a            class="dropdown-item"            href="icell.html">Industry
Cell</a>

                <a                                class="dropdown-item"
href="infra.html">Infrastructure</a>

                <a class="dropdown-item" href="mechsoc.html">Mechsoc</a>

                <a                                class="dropdown-item"
href="microbus.html">Microbus</a>

                <a class="dropdown-item" href="sae.html">SAE</a>

                <a                                class="dropdown-item"
href="technoby.html">Technoby</a>

            </div>

        </li>

    </ul>
```

```
        </div>

    </nav>

</div>

</div>

</div>

</header>

<!-- //header -->


<!-- About section -->

<div class="w3l-about1 pt-5" id="about">

    <div class="container pt-lg-3">

        <h3 class="global-title">Technobyte</h3>

        <div class="aboutgrids row">

            <div class="col-lg-6 aboutgrid2"><br>

            </div>

            <div class="col-lg-6 aboutgrid1 my-lg-0 my-5">

                <p>Technobyte is the official technical society of Computer and IT Engineering geeks of NIT Kurukshetra. Students here develop and hone the technical skills. We conduct different workshops on the latest technologies, organise events and Guest lectures by the remarkable persons out there in the industry for the students during the Techspardha. Here the vision is to guide students to become a great technical geek by providing a quality technical environment to learn different fundamentals of computer technology.</p>

            </div>

        </div>

    </div>

</div>

<!-- //About section -->
```

```
<!-- Footer -->

<footer class="w3l-footer">

  <div id="footersl4-block" class="py-3">

    <div class="container">

      <div class="footersl4-bottom text-center">

        <div class="social">

          <a href="#facebook" class="facebook"><span class="fa fa-facebook"
aria-hidden="true"></span></a>

          <a href="#google" class="google"><span class="fa fa-google-plus"
aria-hidden="true"></span></a>

          <a href="#twitter" class="twitter"><span class="fa fa-twitter"
aria-hidden="true"></span></a>

          <a href="#instagram" class="instagram"><span class="fa fa-
instagram" aria-hidden="true"></span></a>

          <a href="#youtube" class="youtube"><span class="fa fa-youtube"
aria-hidden="true"></span></a>

        </div>

        <div class="copyright mt-1">

          <p>© 2020 | All Rights Reserved | Design by <a
href="https://best-e.in/">Team Best-E</a></p>

        </div>

      </div>

    </div>

  </div>

  <!-- move top -->

  <button onclick="topFunction()" id="movetop" title="Go to top">

    <span class="fa fa-angle-up" aria-hidden="true"></span>

  </button>

  <script>

    // When the user scrolls down 20px from the top of the document, show
the button
```

```
        window.onscroll = function () {  
            scrollFunction()  
        };  
  
        function scrollFunction() {  
            if (document.body.scrollTop > 20 ||  
document.documentElement.scrollTop > 20) {  
                document.getElementById("movetop").style.display = "block";  
            } else {  
                document.getElementById("movetop").style.display = "none";  
            }  
        }  
  
        // When the user clicks on the button, scroll to the top of the  
document  
        function topFunction() {  
            document.body.scrollTop = 0;  
            document.documentElement.scrollTop = 0;  
        }  
  
</script>  
  
<!-- /move top -->  
  
</footer>  
  
<!-- Footer -->  
  
<!-- jQuery and Bootstrap JS -->  
  
<script src="assets/js/jquery-3.4.1.slim.min.js"></script>  
  
<script src="assets/js/bootstrap.min.js"></script>
```



```
<!-- Template JavaScript -->

<script src="assets/js/jquery.magnific-popup.min.js"></script>

<script>

$(document).ready(function () {

    $('.popup-with-zoom-anim').magnificPopup({

        type: 'inline',

        fixedContentPos: false,

        fixedBgPos: true,

        overflowY: 'auto',

        closeBtnInside: true,

        preloader: false,

        midClick: true,

        removalDelay: 300,

        mainClass: 'my-mfp-zoom-in'

    });

    $('.popup-with-move-anim').magnificPopup({

        type: 'inline',

        fixedContentPos: false,

        fixedBgPos: true,

        overflowY: 'auto',
```

```
        closeBtnInside: true,

        preloader: false,

        midClick: true,

        removalDelay: 300,

        mainClass: 'my-mfp-slide-bottom'

    });

});

</script>

<!-- disable body scroll which navbar is in active -->

<script>

    $(function () {

        $('.navbar-toggler').click(function () {

            $('body').toggleClass('noscroll');

        })

    });

</script>

<!-- disable body scroll which navbar is in active -->

<script src="assets/js/smartphoto.js"></script>

<script>

    document.addEventListener('DOMContentLoaded', function () {

        const sm = new SmartPhoto(".js-img-viwer", {

            showAnimation: false

        });

        // sm.destroy(); });

    });


});

</script>
```

```
</script>
```

```
</body>
```

```
</html>
```



Mechsoc



Mihsooc is the official technical society of the department of Mechanical Engineering and Management. Formed in the late 90s along with all the other student societies, Mihsooc functions with the objective of enhancing the technical acumen of the students who come under its umbrella, timing its work during the technical competition season in alignment with the national benchmark. The society accomplishes this mission by organising a plethora of activities, the primary among which are the two major technical festivals of the institution that are organised in a laboratory with the other societies, and the various workshops it organises on and off the year. Ahiwin and Tedispandha are the two main technical festivals of the institution, and Mihsooc organises more than 10 events a part of the fest, giving away hefty cash prizes to the winners.

Microbus



micaceous, sophisticated and professional outfit of the first rate where the brains- of the ELECTRONICS major- terminals are nurtured and the talent of the whiz kids synchronized to make e-very program successful. In recent times, Micubus has been a hub of a still lively and have brought laurels to the last of India. To call them here is a society would undermine its very rationale. Here all true students get integrated all the "ironclad like reinforce", do so to drive a greater mileage from them. Prima ry focus is on the e-ducational aspects of their respective branches, it will not touch e-very nook and corner of the vast info highway. We are not only a technical society but also an open oriented one where every single viewpoint is paid heed to. We strive to achieve perfection par excellence with several successful ventures and, our belt. The events have been witnessing increasing response from institutions throughout the country. They have been an unreluctant open of endowment, skills and talent.

Cultural Societies

(All pages are similar and only the main content of the page differs)

Spicmacay

```
</html>

<!doctype html>

<html lang="en">

<head>

  <!-- Required meta tags -->

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">

  <title>NIT Kurukshetra</title>

  <!-- Template CSS -->

  <link rel="stylesheet" href="assets/css/style-starter.css">

  <!-- web fonts -->

  <link
href="//fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700,8
00,900&display=swap" rel="stylesheet">

  <link
href="//fonts.googleapis.com/css?family=Open+Sans:300,400,600,700,800&display
=swap" rel="stylesheet">

  <!-- /web fonts -->

</head>

<body>

  <!-- header -->

  <header class="w3l-header">

    <div class="hero-header-11">
```

```

<div class="hero-header-11-content">

  <div class="container">

    <nav class="navbar navbar-expand-xl navbar-light py-sm-2 py-1 px-
0">

      <a class="navbar-brand" href="index.php">

      </a>

      <button          class="navbar-toggler"          type="button"          data-
toggle="collapse" data-target="#navbarSupportedContent"

        aria-controls="navbarSupportedContent"          aria-expanded="false"
aria-label="Toggle navigation">

        <span class="navbar-toggler-icon fa fa-bars"></span>

      </button>

      <div          class="collapse          navbar-collapse"
id="navbarSupportedContent">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item active">

            <a class="nav-link" href="index.php">Home <span class="sr-
only">(current)</span></a>

          </li>

          <li class="nav-item">

            <a class="nav-link" href="about.html">About</a>

          </li>

          <li class="nav-item dropdown">

            <a          class="nav-link          dropdown-toggle"          href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"

              aria-expanded="false">

              Cultural

            </a>

```



```

        </div>

    </li>

</ul>

</div>

</nav>

</div>

</div>

</div>

</header>

<!-- //header -->

<!-- About section -->

<div class="w3l-about1 pt-5" id="about">

    <div class="container pt-lg-3">

        <h3 class="global-title">Spicamay</h3>

        <div class="aboutgrids row">

            <div class="col-lg-6 aboutgrid2">

            </div>

            <div class="col-lg-6 aboutgrid1 my-lg-0 my-5">

                <p>SPICMACAY (Society for the Promotion of Indian Classical Music and Culture Amongst Youth) is a non-political nationwide voluntary movement that organizes programs of classical music and dance, folk arts, crafts, yoga, classic cinema screenings and much more inside the schools and colleges throughout the world to make students more aware about the Indian and world heritage. It was founded by a renowned professor of IIT Delhi, Dr. Kiran Seth in 1977. SPICMACAY in NIT Kurukshetra, is an official club which provides a great platform for all the talented performers. The club is not just an exquisite platform to showcase the talent but also an opportunity to grow and learn from other fellow performers and enhance their pre-acquired skills. It also organizes various workshops where famous and approachable artists are invited to learn more and improve.

            </div>

```



```
</div>

</div>

</div>

<!-- //About section -->

<!-- Footer -->

<footer class="w3l-footer">

    <div id="footers14-block" class="py-3">

        <div class="container">

            <div class="footers14-bottom text-center">

                <div class="social">

                    <a href="#facebook" class="facebook"><span class="fa fa-facebook"
aria-hidden="true"></span></a>

                    <a href="#google" class="google"><span class="fa fa-google-plus"
aria-hidden="true"></span></a>

                    <a href="#twitter" class="twitter"><span class="fa fa-twitter"
aria-hidden="true"></span></a>

                    <a href="#instagram" class="instagram"><span class="fa fa-
instagram" aria-hidden="true"></span></a>

                    <a href="#youtube" class="youtube"><span class="fa fa-youtube"
aria-hidden="true"></span></a>

                </div>

                <div class="copyright mt-1">

                    <p>© 2020 | All Rights Reserved | Design by <a
href="https://best-e.in/">Team Best-E</a></p>

                </div>

            </div>

        </div>

    </div>

</div>

<!-- move top -->

<button onclick="topFunction()" id="movetop" title="Go to top">

    <span class="fa fa-angle-up" aria-hidden="true"></span>


```

```
</button>

<script>

    // When the user scrolls down 20px from the top of the document, show
the button

    window.onscroll = function () {

        scrollFunction()

    };

    function scrollFunction() {

        if (document.body.scrollTop > 20 ||
document.documentElement.scrollTop > 20) {

            document.getElementById("movetop").style.display = "block";

        } else {

            document.getElementById("movetop").style.display = "none";

        }

    }

    // When the user clicks on the button, scroll to the top of the
document

    function topFunction() {

        document.body.scrollTop = 0;

        document.documentElement.scrollTop = 0;

    }

</script>

<!-- /move top -->

</footer>

<!-- Footer -->
```

```
<!-- jQuery and Bootstrap JS -->

<script src="assets/js/jquery-3.4.1.slim.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>


<!-- Template JavaScript -->

<script src="assets/js/jquery.magnific-popup.min.js"></script>

<script>

    $(document).ready(function () {

        $('.popup-with-zoom-anim').magnificPopup({

            type: 'inline',

            fixedContentPos: false,

            fixedBgPos: true,

            overflowY: 'auto',

            closeBtnInside: true,

            preloader: false,

            midClick: true,

            removalDelay: 300,

            mainClass: 'my-mfp-zoom-in'

        });

        $('.popup-with-move-anim').magnificPopup({

            type: 'inline',

            fixedContentPos: false,
```

```
        fixedBgPos: true,

        overflowY: 'auto',

        closeBtnInside: true,
        preloader: false,

        midClick: true,
        removalDelay: 300,
        mainClass: 'my-mfp-slide-bottom'
    });
});
</script>

<!-- disable body scroll which navbar is in active -->
<script>
    $(function () {
        $('.navbar-toggler').click(function () {
            $('body').toggleClass('noscroll');
        })
    });
</script>

<!-- disable body scroll which navbar is in active -->

<script src="assets/js/smartphoto.js"></script>
<script>
    document.addEventListener('DOMContentLoaded', function () {
```

```

    const sm = new SmartPhoto(".js-img-viwer", {
        showAnimation: false
    });


    // sm.destroy();

});
</script>

```

```
</body>
```

```
</html>
```



References & Software's Used

- www.w3schools.com
- www.udemy.com
- www.codecademy.com
- www.html.com
- www.learn-html.org
- Brackets
- XAMPP
- Bootstrap