

7116051
ARYAN

✓ CrewAI Practical MCQ Quiz

Q1.

You built a CrewAI pipeline with 3 agents: Researcher → Writer → Editor.
However, the Writer is generating content without using the Researcher's output.

What is the MOST likely issue?

- A. Writer agent role is not defined properly
 - B. Tasks are not linked via context/output passing**
 - C. CrewAI does not support sequential execution
 - D. Agents need to be initialized twice
-

Q2.

In a CrewAI system, you want an agent to behave differently based on its responsibility (e.g., research vs writing).

Which is the BEST way to achieve this?

- A. Use one agent with multiple prompts
 - B. Define separate agents with distinct roles and goals**
 - C. Use only tools to differentiate behavior
 - D. Run the same agent multiple times
-

Q3.

You are designing a system where:

- Agent A analyzes a query
- Based on output, either Agent B or Agent C is triggered

What concept is being implemented?

- A. Static task execution
- B. Sequential pipeline

C. Conditional task orchestration

D. Parallel processing

Q4.

In a CrewAI workflow, tasks are executed but outputs are inconsistent because agents are not aligned.

What is the BEST fix?

A. Increase number of agents

B. Clearly define goals, backstory, and expected outputs per agent

C. Remove orchestration

D. Run tasks in parallel

Q5.

You want multiple agents to collaborate on a single output where each improves the previous result.

Which approach should you use?

A. Independent execution

B. Parallel agents without communication

C. Sequential task orchestration with context passing

D. Single-agent execution

Q6.

A CrewAI system fails when one agent produces irrelevant output, affecting downstream agents.

What is the MOST practical solution?

A. Remove that agent

B. Add validation or review task between agents

C. Increase temperature of model

D. Skip orchestration

Q7.

You are building a customer support system where:

- Simple queries are handled automatically
- Complex queries are escalated to a different agent

Which design pattern is MOST suitable?

- A. Linear workflow
 - B. Role-based conditional routing**
 - C. Single-agent system
 - D. Random agent selection
-

Q8.

In CrewAI, what ensures that one agent's output becomes another agent's input?

- A. Agent memory
 - B. Task dependency and context passing**
 - C. Tools
 - D. API keys
-

Q9.

You created multiple agents but all are producing similar outputs.

What is the MOST likely reason?

- A. Agents are using different models
 - B. Agents lack distinct roles/goals/prompts**
 - C. Too many tasks are defined
 - D. CrewAI does not support multi-agent systems
-

Q10.

You want to optimize task execution time by running independent tasks simultaneously.

Which strategy should you use?

- A. Sequential execution
- B. Conditional routing
- C. Parallel task execution
- D. Single-agent workflow