Test Run Report

Test Run Overview

Started	11 Jul 2022, 16:59:14
Ended	11 Jul 2022, 17:00:53
Duration (mm:ss)	01:38.691

Test Results Summary

1 Failed (100%)

0 Skipped (0%)
0 Passed (0%)

● Passed ● Failed ● Skipped

Passed	0
Failed	1
Skipped	0

Test Case Summary

📁 tests   ● failed

    🗐 Test Case 10.testcase   ● failed

● Error doing interaction. Connection Name: Admin, cause: [IllegalArgumentException: Cannot find elements when the XPath expression is null. Stack Trace: java.lang.IllegalArgumentException: Cannot find elements when the XPath expression is null. at org.openqa.selenium.By.xpath(By.java:113) at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateDropdown(SfLightningLocatorSupport.java:810) at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateOneActionDropDown(SfLightningLocatorSupport.java:761) at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV46.getActionLinkXpathForViewMode(SfLightningLayoutWebElementLocatorV46.java at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsForActionLink(SfLightningLayoutWebElementLocatorV41.java:46 at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsBasedOnUiBinding(SfLightningLayoutWebElementLocatorV41.ja at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElements(SfLightningLayoutWebElementLocatorV41.java:202) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2049) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5461) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857) at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:746) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access $11(LocalTestExecutionContainerRunner.java:678) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner $MessageProcessor.run(LocalTestExecutionContainerRunner.java:1402)]

● java.lang.IllegalArgumentException: Cannot find elements when the XPath expression is null.

● at org.openqa.selenium.By.xpath(By.java:113)

● at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateDropdown(SfLightningLocatorSupport.java:810)

● at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateOneActionDropDown(SfLightningLocatorSupport.java:761)

- at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV46.getActionLinkXpathForViewMode(SfLightningLayoutWebElementLocatorV46.java:
- at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsForActionLink(SfLightningLayoutWebElementLocatorV41.java:46
- at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsBasedOnUiBinding(SfLightningLayoutWebElementLocatorV41.ja
- at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElements(SfLightningLayoutWebElementLocatorV41.java:202)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2049)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5461)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:746)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:678)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1402)
- One or more Sub-Test Steps failed.
- Sub-Test Steps failed for iteration 1

Test Case 10.testcase

Summary

Started	11 Jul 2022, 16:59:14
Ended	11 Jul 2022, 17:00:53
Duration (mm:ss)	01:38.691
Outcome	🔴 failed

Output

- 🟢 Set Values: test — 16:59:14(00:00.016)
- 🟢 Salesforce Connect: Admin (Test) — 16:59:14(00:00.033)
- 🔴 While: {test > 0} — 16:59:21(00:07.319)
  - 🔴 Iteration 1 — 16:59:21(00:07.368)
    - 🟢 Set Values: test — 16:59:21(00:07.377)
    - 🔴 Call Task1 — 16:59:21(00:07.424)
      - 🔴 Task1 — 16:59:21(00:07.435)
        - 🟢 Salesforce Connect: Admin (Test) — 16:59:21(00:07.452)
        - 🟢 Create Object: Lead=>LeadId — 16:59:26(00:12.420)
          - 📄 Lead created successfully. Object Id: 00Q1X000005WjilUAC, Result Name: LeadId
        - 🟢 Read Object: Lead = 00Q1X000005WjilUAC — 16:59:29(00:15.502)
        - 🔴 On SF Lead View screen — 16:59:30(00:16.401)
          - 🔴 Click the Convert button — 17:00:09(00:55.281)

Error Screenshot

🔴 Error doing interaction. Connection Name: Admin, cause: [IllegalArgumentException: Cannot find elements when the XPath expression is null. Stack Trace: java.lang.IllegalArgumentException: Cannot find elements when the XPath expression is null. at org.openqa.selenium.By.xpath(By.java:113) at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateDropdown(SfLightningLocatorSupport.java:810) at com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateOneActionDropDown(SfLightningLocatorSupport.java:761) at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV46.getActionLinkXpathForViewMode(SfLightningLayoutW at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsForActionLink(SfLightningLayoutWeb at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsBasedOnUiBinding(SfLightningLayou at com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElements(SfLightningLayoutWebElementLoca at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2049) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5461) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857) at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:746 at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access

$11(LocalTestExecutionContainerRunner.java:678) at
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner
$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1402)]

- java.lang.IllegalArgumentException: Cannot find elements when the XPath expression is null.

- at org.openqa.selenium.By.xpath(By.java:113)

- at
com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateDropdown(SfLightningLocatorSupport.java:810)

- at
com.provar.plugins.forcedotcom.core.support.SfLightningLocatorSupport.activateOneActionDropDown(SfLightningLocatorSupport.java:761)

- at
com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV46.getActionLinkXpathForViewMode(SfLightningLayoutW

- at
com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsForActionLink(SfLightningLayoutWeb

- at
com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElementsBasedOnUiBinding(SfLightningLayou

- at
com.provar.plugins.forcedotcom.core.ui.lightning.SfLightningLayoutWebElementLocatorV41.getWebElements(SfLightningLayoutWebElementLoca

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2049)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5461)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)

- at
com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:346)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:337)

- at
com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:857)

- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)

- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at
com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)

- at
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:746

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access
$11(LocalTestExecutionContainerRunner.java:678)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner
$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1402)

- One or more Sub-Test Steps failed.

⚠ On SF Lead Convert screen   ⓘ 17:00:48(01:33.704)

⚠ Read Object: Lead = {LeadId}   ⓘ 17:00:48(01:33.749)

- Sub-Test Steps failed for iteration 1