Test Run Report




Test Run Overview

Started 16 Jun 2022, 15:59:46 Ended 16 Jun 2022, 16:11:39


Duration (mm:ss) 11:52.285

Test Results Summary

Passed 7
Failed 10
Skipped 0



Test Case Summary



One or more Sub-Test Steps failed.	
Create case.testcase	failed
The locator resolution failed	
Failed to resolve the field to a WebElement.	
One or more Sub-Test Steps failed.	
_	failed
☐ Create case2.testcase The locator resolution failed	lalled
Failed to resolve the field to a WebElement.	
One or more Sub-Test Steps failed.	
Create opportunity.testcase	failed
The locator resolution failed	
Failed to resolve the field to a WebElement.	
One or more Sub-Test Steps failed.	
Create opportunity2.testcase	failed
The locator resolution failed	
Failed to resolve the field to a WebElement.	
One or more Sub-Test Steps failed.	
_	
CustomTablemapping.testcase	successful
DateAdd.testcase	successful
DateAdd1.testcase	successful
DateFormat.testcase	successful
DateParse.testcase	successful
Email.testcase	failed
Failing Test Step because the Max Attempts has been reached.	
ExcelLead.testcase	🛟 pending
ExcelPdf.testcase	📫 pending
LeadExcel.testcase	pending
☐ Log a call.testcase	📫 pending
☐ MS.testcase	pending
Manage Account.testcase	pending
☐ Not.testcase	pending
NumberFormat.testcase	pending
Pallete.testcase	pending
Read-write.testcase	pending
Rest.testcase	pending
Task 2.testcase	pending
Task1.testcase	pending
Test Case 1.testcase	pending
Test Case 2.testcase	pending
Test Case 3.testcase	pending
Test Case 4.testcase	pending
Test Case 5.testcase	pending
Test Case 6.testcase	pending
Test Case 7.testcase	pending
acall it.testcase	pending
practice1.testcase	pending
Callable	pending
Callable Create Case.testcase	pending
Callable Create Opportunity.testcase	pending

☐ Scenario	nding nding nding
	•
Account.testcase pe	nding
Case.testcase pe	nding
Case1.testcase	nding
☐ Main.testcase pe	nding
☐ Scenario2	nding
☐ Account.testcase pe	nding
Contact1.testcase	nding
Main.testcase pe	nding
☐ Scenario3 pe	nding
Account.testcase pe	nding
☐ Main.testcase pe	nding
Task pe	nding
Account1.testcase	nding
Contact.testcase	nding
☐ Main.testcase pe	nding
Tasks pe	nding
Account.testcase pe	nding
☐ Task1.testcase	nding

API Create Account.testcase

Output

- Salesforce Connect: Aryan (Test)
 - (i) Connecting to Salesforce as Aryan
 - Error when attempting to connect to Salesforce as Aryan
- Create Object: Account=>AccountId
- Call Callable Create Case
- Read Object: Account = {AccountId}
- ▲ Create Object: Account=>AccountId

Contact.testcase

Output

- Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - (i) Successfully connected to Salesforce as Admin

Control and UI.testcase

- Salesforce Connect: Admin (Test)
 - (i) Connecting to Salesforce as Admin
 - (i) Successfully connected to Salesforce as Admin
- 1 Loading data from Parameter Value Source ...
- 1) Loading Parameter Value Source row 1:
- 1 ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> LastName = PrimitiveValueImpl [value: Patrick, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 2:
- 1 == Column = RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> LastName = PrimitiveValueImpl [value: Bateman, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Harco, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① Loading Parameter Value Source row 3:
- ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LastName = PrimitiveValueImpl [value: Mary, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Narco, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loaded 3 rows from Parameter Value Source.
- For Each: {SourceData}=>Row
 - (i) Loading data from Parameter Value Source ...
 - (i) Loading Parameter Value Source row 1:
 - ① ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

 - 1 ==Column=> Company = PrimitiveValueImpl [value: Provar, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

- 1 Loading Parameter Value Source row 2:
- 🛈 ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> LastName = PrimitiveValueImpl [value: Bateman, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Company = PrimitiveValueImpl [value: Harco, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 3:
- 🛈 ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> LastName = PrimitiveValueImpl [value: Mary, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Company = PrimitiveValueImpl [value: Narco, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loaded 3 rows from Parameter Value Source.
- Start of iteration 1 of 3
- Iteration 1
 - On SF Lead New screen
 - (1) Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=New
 - Opening Chrome webdriver instance to https://test.salesforce.com/
 - Successfully opened Chrome webdriver to https://test.salesforce.com/
 - A Failed to connect to Master Lock Manager in timeout period assuming dead. Host: localhost, port: 50703
 - ① Opening Page context. Name: screen, data: null, frame: null
 - (i) Opening Salesforce page. Object: Lead, RelatedList: null, Action: New, Page URL: /lightning/o/00Q/list, Current URL: chrome://new-tab-page/
 - (i) Opening Salesforce user home page
 - Successfully opened user home page
 - (i) Clicking the New Button
 - ① Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'wsTabBarHidden'))] and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//div[contains(@class, 'forceListViewManager')]// ul[contains(@class, 'oneActionsRibbon')]] //div[contains(@class, 'orceActionsDropDownMenuList') and contains(@class, 'visible')])// a[contains(@data-aura-rendered-by, '605:0')]
 - ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]
 - ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Lead]
 - Maximizing window
 - (i) Going to update browser window handles.
 - (i) Successfully updated browser window handles.
 - Click the New button
 - UI Fill
 - i Start of UI Fill. Connection: Admin
 - ① Processing Named Value. Name: LastName, Value: PrimitiveValueImpl [value: Patrick, valueId=51, createdUpdateSeq=10, updatedUpdateSeq=10]
 - ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])/[[self::lecords-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))/[[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::ightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Last Name'] or .//text() = 'Last Name')]/ancestor::div[1]
 - i Find field using relative xpath: .//input
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e00ac905 -> unknown locator]] -> xpath: .//input]
 - ① Got webElement. tagName: INPUT, id: input-171, type: text, class: slds-input
 - ① Typing value. tagName: INPUT, type: text, value: Patrick, blur: false

- ① Processing Named Value. Name: Company, Value: PrimitiveValueImpl [value: Provar, valueId=53, createdUpdateSeq=10, updatedUpdateSeq=10]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@e00ac909 -> unknown locator]] -> xpath: .//input
- (i) Got webElement. tagName: INPUT, id: input-177, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Provar, blur: false
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Click the Save button

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26action%3Dsave, before wait: null, after wait: null, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165537547773336682&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal')) or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form] [@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']// *[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (892094817e48c378e57e1f896ed30195)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaTUAS/view
- Injecting script to get created object ID from aura component
- (i) Discarding created Salesforce Object Id because no Result Name was specified.
- ① Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q1X000005VuaTUAS
- (1) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaTUAS/view
- Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Lead View screen


- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=View&noOverride=true
- A Loading quick action Error reading metadata file from Salesforce. Message: [SoapFaultException: targetObject is invalid] targetObject is invalid
- A Not populating record types for Salesforce Object no objectMetadata. Connection: Admin, object: Calendar, metadataTrace: null
- (i) Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- UI Assert
 - (i) Start of UiAssert. Connection: Admin
 - Resolving field title
 - ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaTUAS/view
 - ① Find title using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]] or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[(self::sh1 or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]//*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - i Doing before wait. waitUrl: default
 - i End of <default> wait.
 - ① Found element: [[ChromeDriver: chrome on XP (892094817e48c378e57e1f896ed30195)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabSet') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'declass, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]/*[(self::hard or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]/*[(self::span and
 - Asserting field attributes: title
 - ① Asserting Attribute: value to PrimitiveValueImpl [value: Patrick, valueId=51, createdUpdateSeq=10, updatedUpdateSeq=10]
 - Assertion successful.Patrick EqualTo Patrick
 - (i) Object read successfully. Result Name: Values
 - (i) Going to update browser window handles.
 - (i) Successfully updated browser window handles.
- Navigate: Refresh
 - i Start of UI Navigate. Connection: Admin
 - (i) Refreshing the current page
 - (i) Going to update browser window handles.
 - (i) Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaTUAS/view
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- (i) Start of iteration 2 of 3.
- Iteration 2
 - On SF Lead New screen

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=New
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Lead, RelatedList: null, Action: New, Page URL: /lightning/o/00Q/list, Current URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaTUAS/view
- (i) Opening Salesforce user home page
- (i) Successfully opened user home page
- (i) Clicking the New Button
- Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//div[contains(@class, 'forceListViewManager')]// ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])// a[contains(@data-aura-rendered-by, '604:0')]
- ① Clicking WebElement. WebElement [tag: a, text: New, href: javascript:void(0);]
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Lead]
- Maximizing window
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- Click the New button
- UI Fill
 - 1 Start of UI Fill. Connection: Admin
 - ① Processing Named Value. Name: LastName, Value: PrimitiveValueImpl [value: Bateman, valueId=58, createdUpdateSeq=10, updatedUpdateSeq=10]
 - ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][1]//*[(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Last Name'] or .//text() = 'Last Name')/ancestor::div[1]
 - Find field using relative xpath: .//input
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@edd19643 -> unknown locator]] -> xpath: .//input
 - 1 Got webElement. tagName: INPUT, id: input-171, type: text, class: slds-input
 - ① Typing value. tagName: INPUT, type: text, value: Bateman, blur: false
 - ① Processing Named Value. Name: Company, Value: PrimitiveValueImpl [value: Harco, valueId=5a, createdUpdateSeq=10, updatedUpdateSeq=10]
 - ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, forceFormPageError')])][last()]/*[contains(@class, 'forcePormPageError')])][last()]/*[contains(@class, 'forcePormPageError')]]/[*[contains(@class, 'forcePormPageError')]]/[*[contains(@class, 'forcePormPageError')]]/[*[contains(@class, 'records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePormPageBlockSection '))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label'))) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'feid-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Company'] or .//text() = 'Company']/ancestor::div[1]
 - (i) Find field using relative xpath: .//input
 - (1) Waiting for element to be present. Timeout(seconds): 10
 - 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@edd19647 -> unknown locator]] -> xpath: .//input
 - (1) Got webElement. tagName: INPUT, id: input-177, type: text, class: slds-input
 - ① Typing value. tagName: INPUT, type: text, value: Harco, blur: false
 - Going to update browser window handles.
 - Successfully updated browser window handles.
- Click the Save button
 - ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead %26action%3Dsave, before wait: null, after wait: null, auto retry: default

- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DLead%26action%3Dsave
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Lead/new? count=1&nooverride=1&useRecordTypeCheck=1&novigationLocation=LIST_VIEW&uid=16553755219195424&backgroundContext=%2Flightning%2Fo%2FLead%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active') or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form] [@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']// *[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (892094817e48c378e57e1f896ed30195)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait, waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- ⑤ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaYUAS/view
- (1) Injecting script to get created object ID from aura component
- 1 Discarding created Salesforce Object Id because no Result Name was specified.
- 1 Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q1X000005VuaYUAS
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaYUAS/view
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

On SF Lead View screen

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=View&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- Ul Assert



Error Screenshot

- (1) Start of UiAssert. Connection: Admin
- (i) Resolving field title
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaYUAS/view
- ① Find title using xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPrinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]/*[(self::h1 or self::slot) and contains(@class, 'slds-page-header') and contains(@class, 'title')]//*[(self::span and contains(@class, 'uiOutputText')) or (self::a and contains(@class, 'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (892094817e48c378e57e1f896ed30195)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and (contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate')

and contains(@class, 'hasActiveSubtab')])))]//*[(self::h1 or self::div or self::slot) and contains(@class,'slds-page-header') and contains(@class,'title')]//*[(self::span and contains(@class,'uiOutputText')) or (self::a and contains(@class,'forceOutputLookup')) or (self::lightning-formatted-text) or (self::lightning-formatted-name)]]

- (i) Asserting field attributes: title
- ① Asserting Attribute: value to PrimitiveValueImpl [value: Patrick, valueId=51, createdUpdateSeq=10, updatedUpdateSeq=10]
- Assertion Failed.Bateman EqualTo Patrick
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Successfully updated browser window handles.
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- Navigate: Refresh
- One or more Sub-Test Steps failed.
- ① Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Lead/00Q1X000005VuaYUAS/view
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Sub-Test Steps failed for iteration 2
- Handle Alert
- Mait For: =>{30}
- ♠ If: {flag = "1"}

Count.testcase


Output

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - Successfully connected to Salesforce as Trial
- SOQL Query: select id from Account=>AccountRows
 - 1 Reading a Salesforce object. Connection Name: Trial, Query: select id from Account
 - (i) Query successful. Row Count: 1785.
- Set Values: RowCount
 - (i) Setting value RowCount to 1785
 - (i) Successfully set RowCount to 1785
- If: {1785 > 0}
 - Then
 - Assert: {1785} GreaterThan 0
 - ☑ Assertion successful. (result) 1785 > 0 (target)

Create Account and Contact.testcase

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - 1 Successfully connected to Salesforce as Trial
- On SF Account Home screen
 - 1 Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Account&action=ObjectHome

- ⚠ Partner Connection retry was successful. Method: query
- △ Salesforce Object not found for Builtin Tab. Key prefix: Quote
- A Partner Connection retry was successful. Method: describeAvailableQuickActions
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (i) Opening Page context. Name: screen, data: null, frame: null
- 1 Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /001/o, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- ⚠ Warning opened user home page
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the New button




- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3DNew, before wait: default, after wait: default, auto retry: default
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.

- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Set Values: AccountName
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Account New screen
- 6 On SF Account Home screen
- On SF Account View screen
- On SF Contact Record Type selection screen
- A On SF Contact (Employee) New screen
- On SF Account View screen

Create account.testcase

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - Successfully connected to Salesforce as Trial
- On SF Account Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Account&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - (i) Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /001/o, Current URL: chrome://new-tab-page/
 - ① Opening Salesforce user home page

 - (i) Going to update browser window handles.
 - Successfully updated browser window handles.
 - Click the New button




- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- i Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- ① Doing before wait. waitUrl: default
- i End of <default> wait.
- i Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- i Doing after wait. waitUrl: default
- 1 End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (1) Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ⑤ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Account New screen

Create account2.testcase

Output

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - (i) Successfully connected to Salesforce as Trial
- On SF Account Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Account&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - (i) Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /001/o, Current URL: chrome://new-tab-page/
 - Opening Salesforce user home page

 - (i) Going to update browser window handles.
 - Successfully updated browser window handles.
 - Click the New button




- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- i Doing before wait. waitUrl: default
- i End of <default> wait.

- i Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- i Doing after wait. waitUrl: default
- 1 End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- USwitched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- 6 On SF Account New screen
- On SF Account View screen

Create case.testcase

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - (i) Successfully connected to Salesforce as Trial
- On SF Case Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Case&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - (1) Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /500/o, Current URL: chrome://new-tab-page/
 - (i) Opening Salesforce user home page
 - ▲ Warning opened user home page
 - (i) Going to update browser window handles.
 - (i) Successfully updated browser window handles.
 - Click the New Case button



- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26action%3DNewCase, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- i Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Case/list?filterName=Recent
- i Doing before wait. waitUrl: default
- ① End of <default> wait.
- i Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (1) Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Case/list?filterName=Recent
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Case New screen

Create case2.testcase

Output

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - (i) Successfully connected to Salesforce as Trial
- On SF Case Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Case&action=ObjectHome
 - (i) Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - (i) Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Case, RelatedList: null, Action: ObjectHome, Page URL: /500/o, Current URL: chrome://new-tab-page/
 - Opening Salesforce user home page
 - ⚠ Warning opened user home page
 - (i) Going to update browser window handles.
 - (i) Successfully updated browser window handles.
 - Click the New Case button



This site can't be reached

Check if there is a typo in provar-trial-org--training.my.salesforce.com.

If spelling is correct, try running Windows Network Diagnostics.

DNS_PROBE_FINISHED_NXDOMAIN



- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase %26action%3DNewCase, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- 1 Interaction: ui:interaction?name=action
- Switched focus to main window. URL: chrome-error://chromewebdata/
- ① Doing before wait. waitUrl: default
- ① End of <default> wait.
- 1 Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.

- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- On SF Case New screen
- On SF Case View screen
- On SF Case Edit screen

Create opportunity.testcase

Output

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - (i) Successfully connected to Salesforce as Trial
- On SF Opportunity Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Opportunity&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - ① Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: /006/o, Current URL: chrome://new-tab-page/
 - Opening Salesforce user home page

 - (i) Going to update browser window handles.
 - ① Successfully updated browser window handles.
 - Click the New button



This site can't be reached

Check if there is a typo in provar-trial-org--training.my.salesforce.com
If spelling is correct, try running Windows Network Diagnostics.

DIAS_PROBE_FINISHED_NADOWA



- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3DNew
- i Interaction: ui:interaction?name=action
- (i) Switched focus to main window. URL: chrome-error://chromewebdata/
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.

- ① Doing after wait. waitUrl: default
- 1 End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- On SF Opportunity New screen

Create opportunity2.testcase

Output

- Salesforce Connect: Trial (Test)
 - (i) Connecting to Salesforce as Trial
 - (i) Successfully connected to Salesforce as Trial
- On SF Opportunity Home screen
 - ① Start of With Screen. Connection Name: Trial, target: sf:ui:target?object=Opportunity&action=ObjectHome
 - ① Opening Chrome webdriver instance to https://test.salesforce.com/
 - ① Successfully opened Chrome webdriver to https://test.salesforce.com/
 - (i) Opening Page context. Name: screen, data: null, frame: null
 - 1 Opening Salesforce page. Object: Opportunity, RelatedList: null, Action: ObjectHome, Page URL: /006/o, Current URL: chrome://new-tab-page/
 - (i) Opening Salesforce user home page
 - ⚠ Warning opened user home page
 - (i) Going to update browser window handles.
 - Successfully updated browser window handles.
 - Click the New button



This site can't be reached

Check if there is a typo in cs101.salesforce.com.

If spelling is correct, try running Windows Network Diagnostics

DNS_PROBE_FINISHED_NXDOMAIN

Reload

- ① Start of Interact. Connection: Trial, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity %26action%3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DOpportunity%26action%3DNew
- 1 Interaction: ui:interaction?name=action

- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- i Doing after wait. waitUrl: default
- The locator resolution failed
- Failed to resolve the field to a WebElement.
- i Doing after wait. waitUrl: default
- 1 End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Going to update browser window handles.
- Successfully updated browser window handles.
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: chrome-error://chromewebdata/
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- On SF Opportunity New screen

CustomTablemapping.testcase

- UI Connect: W3
 - ① Opening Selenium Connection. Connection Name: W3, Base URL: http://w3schools.com, Private Browsing Mode: false
 - ① Opening Chrome webdriver instance to http://w3schools.com
 - ① Successfully opened Chrome webdriver to http://w3schools.com
 - (1) Selenium Connection opened successfully.
- On My Page Object page
 - ① Start of With Screen. Connection Name: W3, target: ui:pageobject:target?pageId=pageobjects.MyPageObject
 - 1 Navigating to URL: http://w3schools.com
 - ① Opening Page context. Name: screen, data: pageobjects.MyPageObject@5ad014f9, frame: null
 - (i) Going to update browser window handles.
 - Successfully updated browser window handles.
 - Click the Learn SQL
 - ① Start of Interact. Connection: W3, Locator: ui:pageobject:field?field=learnSQL&pageId=pageobjects.MyPageObject, before wait: default, after wait: default, auto retry: default
 - ① Locator: ui:pageobject:field?field=learnSQL&pageId=pageobjects.MyPageObject
 - 1 Interaction: ui:interaction?name=action
 - ① Switched focus to main window. URL: https://www.w3schools.com/
 - Doing before wait. waitUrl: default
 - ① End of <default> wait.
 - i Doing after wait. waitUrl: default
 - ① Clicking WebElement. WebElement [tag: a, text: Learn SQL, href: https://www.w3schools.com/sql/default.asp]
 - i) Doing after wait. waitUrl: default
 - i End of <default> wait.

- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Click the S QL Data Types

- ① Start of Interact. Connection: W3, Locator: ui:pageobject:field?field=sQLDataTypes&pageId=pageobjects.MyPageObject, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:pageobject:field?field=sQLDataTypes&pageId=pageobjects.MyPageObject
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://www.w3schools.com/sql/default.asp
- i) Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Doing after wait. waitUrl: default
- ① Clicking WebElement. WebElement [tag: a, text: SQL Data Types, href: https://www.w3schools.com/sql/sql_datatypes.asp]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

DateAdd.testcase

- Set Values: Now
 - ① Setting value Now to 2022-06-16 10:39:35.372
 - ① Successfully set Now to 2022-06-16 10:39:35.372
- Set Values: Today
 - ① Setting value Today to 2022-06-16
 - ① Successfully set Today to 2022-06-16
- Set Values: Tomorrow
 - ① Setting value Tomorrow to 2022-06-17
 - ① Successfully set Tomorrow to 2022-06-17
- Set Values: Yesterday
 - (i) Setting value Yesterday to 2022-06-15
 - ① Successfully set Yesterday to 2022-06-15
- Set Values: NextMonth
 - ① Setting value NextMonth to 2022-07-16
 - (i) Successfully set NextMonth to 2022-07-16
- Set Values: Hour
 - ① Setting value Hour to 2022-06-16 08:39:35.435
 - ① Successfully set Hour to 2022-06-16 08:39:35.435
- Set Values: Dateformat
 - ① Setting value Dateformat to 06-16-2022 04 PM GMT+05:30
 - ① Successfully set Dateformat to 06-16-2022 04 PM GMT+05:30
- Set Values: DateParse

- ① Setting value DateParse to 03-15-2015
- ① Successfully set DateParse to 03-15-2015

DateAdd1.testcase

Output

- Set Values: date_Today
 - ① Setting value date_Today to 2022-06-16
 - ① Successfully set date_Today to 2022-06-16
- Set Values: date_Now
 - ① Setting value date_Now to 2022-06-16 10:39:35.478
 - ① Successfully set date_Now to 2022-06-16 10:39:35.478
- Set Values: date_Today_1
 - ① Setting value date_Today_1 to 2022-06-17
 - ⑤ Successfully set date_Today_1 to 2022-06-17
- Set Values: date_Today_past1
 - ① Setting value date_Today_past1 to 2022-06-15
 - ① Successfully set date_Today_past1 to 2022-06-15
- Set Values: date_1_Month
 - ① Setting value date_1_Month to 2022-07-16
 - ① Successfully set date_1_Month to 2022-07-16
- Set Values: date_pastMonth
 - ① Setting value date_pastMonth to 2022-05-16
 - ① Successfully set date_pastMonth to 2022-05-16
- Set Values: date_NextHour
 - ① Setting value date_NextHour to 2022-06-16 01:00:00.0
 - ① Successfully set date_NextHour to 2022-06-16 01:00:00.0
- Set Values: date_pastHour
 - ① Setting value date_pastHour to 2022-06-15 23:00:00.0
 - ① Successfully set date_pastHour to 2022-06-15 23:00:00.0
- Set Values: GMTformatdate
 - ① Setting value GMTformatdate to 16/06/2022 16:09
 - ① Successfully set GMTformatdate to 16/06/2022 16:09

DateFormat.testcase

- Set Values: datefFormat
 - ① Setting value datefFormat to 2022-06-16
 - ① Successfully set datefFormat to 2022-06-16
- Set Values: DateFormat_ddMMyyyy
 - ① Setting value DateFormat_ddMMyyyy to 16-06-2022
 - ① Successfully set DateFormat_ddMMyyyy to 16-06-2022
- Set Values: dateFormat_MMddYYYY_EST
 - ① Setting value dateFormat_MMddYYYY_EST to 06-16-2022 10 AM Greenwich Mean Time
 - ① Successfully set dateFormat_MMddYYYY_EST to 06-16-2022 10 AM Greenwich Mean Time
- Set Values: dateFormat_withDateAdd

- ① Setting value dateFormat_withDateAdd to 06-21-2022
- ① Successfully set dateFormat_withDateAdd to 06-21-2022

DateParse.testcase

Output

- Set Values: a
 - ① Setting value a to 2022-06-16 10:39:35.0
 - $\ensuremath{\Delta}$ Warning setting value a to 2022-06-16 10:39:35.0
- Set Values: DateParse_StringtoDate
 - ① Setting value DateParse_StringtoDate to 2015-03-15
 - ① Successfully set DateParse_StringtoDate to 2015-03-15
- Set Values: DateParse_ChangeFormat
 - ① Setting value DateParse_ChangeFormat to 03-15-2015
 - ① Successfully set DateParse_ChangeFormat to 03-15-2015

Email.testcase

Output

- Subscribe: Gmail
 - (i) Subscribing to a message source Gmail
 - ⑤ Subscribing to a Google Mail folder. Subscription Name: Gmail, User: aryan.deshmukh@provartesting.com, Folder: INBOX
 - (i) OAuth2 access token refreshed successfully
- Wait For: {Gmail.messageCount > 0}=>{30}
 - ① Start of attempt 1.
 - Attempt 1
 - 1 The condition was not met sleeping for 30 seconds.
 - (i) Start of attempt 2.
 - Attempt 2
 - ① The condition was not met sleeping for 30 seconds.
 - Start of attempt 3.
 - Attempt 3
 - ① The condition was not met sleeping for 30 seconds.
 - Start of attempt 4.
 - Attempt 4
 - (i) The condition was not met sleeping for 30 seconds.
 - (i) Start of attempt 5.
 - Attempt 5
 - Failing Test Step because the Max Attempts has been reached.
- Assert: EqualTo

ExcelLead.testcase

- 1 Reading Test Case source data from Excel spreadsheet. Workbook: null, sheet: null, range: null
- Could not start/run the Test, Please close the session manually if required, Cause:

Output
☐ ExcelPdf.testcase
Output
_ LeadExcel.testcase
Output
Log a call.testcase
Output
☐ MS.testcase
Output
☐ Manage Account.testcase
Output
■ Not.testcase
Output
☐ NumberFormat.testcase
Output
Pallete.testcase
Output
Read-write.testcase
Output

Rest.testcase
Output
Task 2.testcase
Output
☐ Task1.testcase
Output
Test Case 1.testcase
Output
Test Case 2.testcase
Output
☐ Test Case 3.testcase
Output
☐ Test Case 4.testcase
Output
☐ Test Case 5.testcase
Output
☐ Test Case 6.testcase
Output

Test Case 7.testcase
Output
all it.testcase
Output
practice1.testcase
Output
Callable Create Case.testcase
Output
Callable Create Opportunity.testcase
Output
Caller.testcase
Output
Create.testcase
Output
☐ Account.testcase
Output
☐ Case.testcase
Output

☐ Case1.testcase	
Output	
☐ Main.testcase	
Output	
☐ Account.testcase	
Output	
Contact1.testcase	
Output	
☐ Main.testcase	
Output	
☐ Account.testcase	
Output	
☐ Main.testcase	
Output	
Account1.testcase	
Output	
Contact.testcase	
Output	

☐ Main.testcase
Output
☐ Account.testcase
Output
☐ Task1.testcase