



Bhartiya Vidya Bhavan's
Sardar Patel Institute of Technology
(An Autonomous Institute Affiliated to University of Mumbai)
Bhavan's Campus, Munshi Nagar, Andheri (West), Mumbai-400058-India

Criteria 7: Institutional Values and Best Practices

7.1. Institutional Values and Social Responsibilities

7.1.2: The institution has facilities for alternative sources of energy and energy conservation measures

- 1. Solar energy**
- 2. Biogas plant**
- 3. Wheeling to the Grid**
- 4. Sensor based energy conservation**
- 5. Use of LED bulbs / power efficient equipment**
- 6. Windmills or any other clean energy**

Sr no	Description as per NAAC	Content	Page no
1	Solar Energy	1.1.Purchase Order for supply, installation and commissioning of rooftopsolar plants	2
		1.2.Installation of Solar Panels for Submersible water pumps	5
2	Sensor Based Energy Conservation	2.1.Video of working of sensor	https://naac.spit.ac.in/Criteria%207/7.1.2/7.1.2%20video.mp4



Bhavan's



(Founded in 1978 by Kalipati Dr. K. M. Munshi with the blessing of Sardar Vallabhbhai Patel)

आ नमो भद्राः कृतवो वन्तु विश्वतः।

Let noble thoughts come to us from every side

Tel : 91-22- 2670 8520
2670 7440
2628 7250
Mob: 9930309463
9930362014

SARDAR PATEL INSTITUTE OF TECHNOLOGY

(Autonomous Institute)

Bhavan's Campus, Munshi Nagar, Andheri (west), Mumbai - 400058, India

E mail: principal@spit.ac.in website: www.spit.ac.in

SPIT/Office/

Ref. No. SPIT/2023/1272
Date 12/09/2023

(GST No: 27AAATB1693E8ZQ)

To,
Nirmeet Enterprize
304/A1, Yogi Palace,
Yogi Nagar, Borivali West
Mumbai-400 091

Contact No: - 7738484388

Sub. : - Purchase order for the Supply, installation and commissioning of 33 KWP Roof top Solar Power Plants

Dear Sir,

Your quotation Dated 10th July 2023 is accepted and you are requested to supply, erect, commission and maintain the three power plants of 11 kwp each, comprising of the following components shown in Table 1 for the Solar Power Plant project undertaken jointly by this institute and Sardar Patel College of Engineering. You will have to coordinate with the vendor identified for the supply of the solar trackers and put two power plants on the trackers and install one stationary power plant.

Table 1: Components of the Power plant

	Description	Ex-Works	CGST	SGST	Total Price
1	Supply and Installation of Solar Power Generating System - Total Size: 11 kWp - Conventional Tracker Structure	₹ 5,60,000			
A	Supply of Solar Power Generating System (70% of total value) (HSN: 85414011)	₹ 3,92,000	₹ 23,520	₹ 23,520	₹ 4,39,040

1 | Page



Sehandhay
Sehandhay
Principal
Bharatiya Vidyapeeth
Sardar Patel Institute of Technology
Munshi Nagar, Andheri (W)
Mumbai-400 058


B	Installation, Commissioning & Other Services (30% of total value) (HSN: 998733)	₹ 1,68,000	₹ 15,120	₹ 15,120	₹ 1,98,240
2	Supply and Installation of Solar Power Generating System - Total Size: 11 kWp - Patented Tracker Structure	₹ 5,60,000			
A	Supply of Solar Power Generating System (70% of total value) (HSN: 85414011)	₹ 3,92,000	₹ 23,520	₹ 23,520	₹ 4,39,040
B	Installation, Commissioning & Other Services (30% of total value) (HSN: 998733)	₹ 1,68,000	₹ 15,120	₹ 15,120	₹ 1,98,240
3	Supply and Installation of Solar Power Generating System - Total Size: 11 kWp - Fixed Structure with Hybrid Inverter & Battery	₹ 10,55,000			
A	Supply of Solar Power Generating System (70% of total value) (HSN: 85414011)	₹ 7,38,500	₹ 44,310	₹ 44,310	₹ 8,27,120
B	Installation, Commissioning & Other Services (30% of total value) (HSN: 998733)	₹ 3,16,500	₹ 28,485	₹ 28,485	₹ 3,73,470
		₹ 21,75,000	₹ 1,50,075	₹ 1,50,075	₹ 24,75,150

In Words: Indian Rupees Twenty-Four Lakh Seventy Five Thousand One Hundred and Fifty only

Terms and Conditions for the supply

- The delivery period is 8 weeks.
- The cost is inclusive of all. No extra charges towards transport, insurance, loading unloading etc shall be paid.
- The advance payment of 40 % will be made along with the purchase order against a signed cheque of order amount in favour of "The Principal, S.P.I.T".
- Remaining 30 % payment will be made against the delivery of the material, and the remaining 30 % payment will be made after satisfactory installation and demonstration of the power plant.
- The material will be delivered at S.P.I.T, Andheri (W) on a designated site within 8 weeks of the date of P.O. and will be commissioned with in 3 months from the date of the P.O.
- The penalty for late commissioning will be 0.5 % of the p.o. value per week.
- The supply will be strictly as per our tender and your quotation.
- You will take care of safety of all persons deployed on the project. Institute will not be responsible for any accident.

Sehandhai



Sehandhai
Principal
Bharatiya Shiksha
Sardar Patel Institute of Technology
Munshi Nagar, Andheri (W),
Mumbai - 400 058.

- You need to take care of insurance, P.F etc / other legal compliances of the persons deployed on the project. Institute will not be responsible for any legal issue arising out of noncompliance.
- You will take necessary care towards earthing, connecting the power plants to the our meters and install the net meters.
- You will assume the responsibility of all liaising with the Adani Power for the net metering.
- You will maintain the power plants for the period of 5 years post installation.
- Payment shall be made by Cross Cheque/online transfer.
- You need to communicate the acceptance of this p.o. with in 7 days from the date of p.o. else the order stands automatically cancelled.
- The Principal, S.P.I.T reserves all rights to cancel the procurement at any stage with out giving any reason thereof.



Sehandhai
PRINCIPAL
 Principal
 Bharatiya Vidya Bhavan's
 Sardar Patel Institute of Technology
 Munshi Nagar, Andheri(W),
 Mumbai 400 058.

Sehandhi



Bhavan's

Tel : 91-22- 2670 8520
2670 7440
2628 7250
Fax : 91-22- 2670 1422

(Founded in 1958 by Kulapati Dr. K. M. Munshi with the blessings of Mahatma Gandhi)

आ नी भद्रा : कृतवो चन्तु विश्वतः ।

Let noble thoughts come to us from every side

SARDAR PATEL INSTITUTE OF TECHNOLOGY (Autonomous Institute)

Bhavan's Campus, Munshi Nagar, Andheri (West), Mumbai - 400 058, India
E mail: principal@spit.ac.in Website: www.spit.ac.in

Date : 14/03/2022

To
The MODROB Project Evaluation Committee (PEC) member/s
S.P.I.T., Andheri (W),
Mumbai-400058.

Subject: Constitution of Project Evaluation Committee (PEC) at institutional level for AICTE MODROB Scheme 2018-19

Dear Sir,

As per the guidelines of the AICTE MODROB scheme 2018-19, the Project Evaluation Committee (PEC) is required to be constituted at institutional level. The details of the PEC constitution and the general terms of the reference of PEC are attached for your kind reference. It is a pleasure to inform that following are the Project Evaluation Committee (PEC) members for the Project titled "Modernization of Renewable Energy Laboratory."

1. Dr. B. N. Chaudhari, Principal
2. Dr. Y. S. Rao, Vice Principal & Principal Investigator.
3. Dr. Deepak C. Karia, HoD, Electronics Engg. Department
4. Dr. R. R. Sawant, Subject Expert, Electronics and Telecommunication Engg. Department
5. Prof. Milind Paraye, Subject Expert, Electronics and Telecommunication Engg. Department

As per AICTE MODROB scheme, the general terms of the PEC are as follows:

- i. PEC should meet from time to time as required but at least once a year. The minutes of the meeting should be submitted to the Council.
- ii. PEC shall advise on the proper utilization of the funds under the project and ensure proper implementation of the scheme as per the objectives of the project.
- iii. The expenditure of TA and DA for outside experts to attend the PEC meeting would be provided out of the contingency grant of the project.
- iv. Quorum shall be complete if 75% of the Members of the Committee are present in meeting.

Please acknowledge the receipt of this letter.

B. N. Chaudhari

Dr. B. N. Chaudhari
Principal

S. Sawant





Bhavan's

(Founded in 1958 by Kalapati Dr. K. M. Munshi with the blessings of Mahatma Gandhi)

आ नो भद्राः क्रतवो यन्तु विश्वतः।

Let noble thoughts come to us from every side

Tel : 91-22- 2670 8

2670 7

2628 7

Fax : 91-22- 2670 1

SARDAR PATEL INSTITUTE OF TECHNOLOGY

(Autonomous Institute)

Bhavan's Campus, Munshi Nagar, Andheri (West), Mumbai - 400 058, India

E mail: principal@spit.ac.in Website: www.spit.ac.in

To
The Principal,
S.P.I.T., Munshi Nagar, Andheri (W), Mumbai

Date : 21/10/2022

Subject: Minutes of meeting of Project Evaluation Committee (PEC), AICTE MODROB Scheme

Respected Sir,

As per the guidelines of AICTE MODROB scheme, the first meeting of Project Evaluation Committee (PEC) was conducted on 21st October 2022 to review the quotations received from various vendors as per the list of the proposed items for the Project titled "Modernization of Renewable Energy Laboratory."

Following points were discussed during meeting.

1. Decision on quotations received from different vendors for purchase of items.
2. List of items finalized for purchasing are shown in table.

Sr. No.	Part Number	Description	Qty	Unit Price	Total (Rs.)
1	Lithium Iron Phosphate Battery Pack with Battery Monitoring System (BMS)	15S 48V 100AH LFP (Lithium Iron Phosphate Battery Pack) with Battery Monitoring System (BMS) (HSN code 8514)	1	1,18,750.00 + 18% GST	1,40,125.
2	Smart Battery Charger	Max charging Voltage: 54.2 VDC, 30Amps with CAN communication (HSN code 8514)	1	48,200.00 + 18% GST	56,876.0
3	Solar PV Analyser	Model: PVA-1000 (30Amp) Portable I-V (Current And Voltage) Curve Checker For Solar PV Array Make : Solmetric, USA	1	5,05,000.00 + 18% GST	5,95,900.0
4	4"inch 3 HP BLDC Solar Pumps. Model - P4X-DSP-3050	Rated Head - 50 meter Discharge - 67,000 liter per day Shut off Head : 60 meter Rated Voltage - 220V Rated Current - 9.5 amps Outlet in inch - 2.0" Inch HSN CODE 84137010	1	1,75,000.00 + 12% GST	1,96,000.0
5	Solar Submersible Pump Controller Model - HAWK-DC-3000	H.P -3 Rated Voltage - 220 VTP Rated Current - 9.5 Amps Maximum input DC voltage-800v Output frequency- 0-400Hz Enclosure Class - IP 65 Overload Protection Dry run protection Short circuit protection	1		




		HSN CODE 85044029			
6	335 WP x 10 NOS. PV panel.	Poly crystalline	1		
7	Mounted GI structure with wire, cable & accessories.	For PANEL of 3KW.	1		
Grand Total (Inclusive of GST) (Rs.)					9,88,901.00

Following members were present for the meeting.

1. Dr. B. N. Chaudhari, Principal.
2. Dr. Y. S. Rao, Vice Principal & Principal Investigator.
3. Dr. Deepak C. Karia, HoD, Electronics Engg. Department.
4. Dr. R. R. Sawant, Subject Expert, Electronics and Telecommunication Engg. Department.
5. Prof. Milind Paraye, Subject Expert, Electronics and Telecommunication Engg. Department.

B. N. Chaudhari

Dr. B. N. Chaudhari
Principal





Bharatiya Vidya
Bhavan's

Tel: 91-22-2670 8625
2670 7440
2628 7250
Fax: 91-22-2670 1422

(Founded in 1957 by Swamiji Dr. K. M. Munshi with the motto "Education for All")

आ ज्ञानं मया ज्ञानं नमो विद्महे

(Education through love leads to true knowledge)

SARDAR PATEL INSTITUTE OF TECHNOLOGY

(Autonomous Institute)

Bhavan's Campus, Munshi Nagar, Andheri (west), Mumbai - 400058, India

Date: 3rd Feb. 2021

To,
Prof. Niraj Saxena,
Advisor-II,
AICTE, New Delhi-110070

E mail: principal@spit.ac.in website: www.spit.ac.in

SPIT/BTAX/2021/114
Dt: 3/2/2021

Sub: Request to release sanction letters for MODROB under AICTE AQIS scheme

Ref. Our letter and mail dated 27th August, 2020 and 1st Oct 2020

Dear Sir,

We are grateful to AICTE for its support in different facets of institute functioning through its various schemes under AQIS. We have applied for few schemes in past 2-3 years. The status of AICTE AQIS schemes sanctioned to Bharatiya Vidya Bhavan's Sardar Patel Institute of Technology (Permanent Institute ID: 1-5754558), Mumbai as per the AQIS website is indicated in the following table for your ready reference. We have already received amount Rs. 17,60,000/- (B.80,000/- + 8,80,000/-) on 23rd Jan 2020. However sanctioned letters related are still awaited.


S.N.	Application ID	Scheme	Coordinator	Year	Status of AQIS website	Remark of Bhavan's SPIT
1	1-4179174248	MODROB	Dr. S. S. Rathod	2018-19	Proposal is evaluated and provisionally recommended	We have received 17,60,000/- but sanction letters are not received
2	1-4246759966	MODROB	Dr. Y. S. Rao	2018-19	Proposal is evaluated and provisionally recommended	

I request you to kindly look in to the matter and send us the sanctioned letters for the projects for which money is received so that those projects can start. As we don't know the actual projects for which the funds are given, we could not begin the utilization of allotted funds.

Screenshot showing the above approvals are attached for your reference.

Thanking you

Yours sincerely,


(Dr. B. N. Chaudhari)


Principal

Bharatiya Vidya Bhavan's

Sardar Patel Institute of Technology

Encl: Screenshot of approvals on Bhavan's SPIT portal.





AQIS Status	AQIS Application Id	Permanent Institute Id	Faculty Id	Name of the Institute	AQIS Schemes	Title	Surname	First Name	Academic Year	Status	Final Status
1-	4246759966	1-5754558	1-454210803	BHARATIYA VIDYA BHAVANS SARDAR PATEL INSTITUTE OF TECHNOLOGY	MODROBS - Modernisation & Removal of Obsolescence	Dr.	RAO	SRINIVASA	2018-2019	Expert Evaluation Completed	Proposal is evaluated and provisionally recommended

Shruthi

