




## **Lab 3: Deploy Azure Container Instances**

At the end of each lab, any resources you created in your account will be preserved. Some Azure resources, such as VM instances, may be automatically shut down, while other resources, such as storage services will be left running. Keep in mind that some Azure features cannot be stopped and can still incur charges (i.e. Azure Bastion). To minimize your costs, delete all resources and recreate them as needed to test your work during a session.



**Azure for Students**  
Subscription

Search (Ctrl+/) << << Upgrade Cancel subscription Rename Change directory Transfer billing ownership Feedback

⚠ To check your remaining credit, visit <https://www.microsoftazuresponsorships.com> →

^ Essentials

Subscription ID		Subscription name	: Azure for Students
Directory	: Seneca (seneca.onmicrosoft.com)	Current billing period	: 9/13/2021-10/12/2021
My role	: Account admin	Currency	: CAD
Offer	: Azure for Students	Status	: Active
Offer ID	: MS-AZR-0170P	Secure score	: Not available

Reference: [AZ-900T0X-MICROSOFTAZUREFUNDAMENTALS](#)

---

## 03 - Deploy Azure Container Instances

In this walkthrough we create, configure, and deploy a Docker container by using Azure Container Instances (ACI) in the Azure Portal. The container is a Welcome to ACI web application that displays a static HTML page.

### Task 1: Create a container instance (10 min)

In this task, we will create a new container instance for the web application.

1. Sign in to the [Azure portal](#).
2. From the **All services** blade, search for and select **Container instances** and then click **+ Add**.
3. Provide the following Basic details for the new container instance (leave the defaults for everything else):

Setting	Value
Subscription	<b>Choose your subscription</b>
Resource group	<b>myRGContainer</b> (create new)
Container name	<b>mycontainer</b>
Region	<b>(US) East US</b>
Image source	<b>Docker Hub or other registry</b>

Setting	Value
Image type	<b>Public</b>
Image	<b>mcr.microsoft.com/azuredocs/aci-helloworld</b>
OS type	<b>Linux</b>
Size	<b><i>Leave at the default</i></b>

4. Configure the Networking tab (replace **xxxx** with letters and digits such that the name is globally unique). Leave all other settings at their default values .

Setting	Value
DNS name label	<b>&lt;studentID&gt;containerdnsxxxx (example: dtrinh1containerdns1234)</b>

5. **Note:** Your container will be publicly reachable at dns-name-label.region.azurecontainer.io. If you receive a **DNS name label not available** error message following the deployment, specify a different DNS name label (don't use xxxx) and re-deploy.

## Create container instance ...

Basics **Networking** Advanced Tags Review + create

Choose between three networking options for your container instance:

- **'Public'** will create a public IP address for your container instance.
- **'Private'** will allow you to choose a new or existing virtual network for your container instance. This is not yet available for Windows containers.
- **'None'** will not create either a public IP or virtual network. You will still be able to access your container logs using the command line.

Networking type

☒ Public ☐ Private ☐ None

DNS name label ⓘ

dtrinh1containerdns1234

.eastus.azurecontainer.io

Ports ⓘ

Ports

Ports protocol

80

TCP



- 6.
7. Click **Review and Create** to start the automatic validation process.
8. Click **Create** to create the container instance.
9. Monitor the deployment page and the **Notifications** page.
10. While you wait you may be interested in viewing the [sample code behind this simple application](#). Browse the \app folder.

## Task 2: Verify deployment of the container instance

In this task, we verify that the container instance is running by ensuring that the welcome page displays.

1. After the deployment is complete, click the **Go to resource** link the deployment blade or the link to the resource in the Notification area.
2. On the **Overview** blade of **mycontainer**, ensure your container **Status** is **Running**.
3. Locate the Fully Qualified Domain Name (FQDN).


▶ Start ↺ Restart ■ Stop 🗑 Delete ↻ Refresh

---

Resource group ( <a href="#">change</a> )	: <a href="#">myResourceGroup</a>	OS type	: Linux
Status	: Running	IP address	: 52.255.223.57
Location	: East US	FQDN	: mycontainerces.eastus.azurecontainer.io
Subscription ( <a href="#">change</a> )	: <a href="#">Visual Studio Enterprise</a>	Container count	: 1
Subscription ID	: aa509d92-2cc7-4eb9-9ae9-db02c24e057d		
Tags ( <a href="#">change</a> )	: <a href="#">Click here to add tags</a>		

^

4. Copy the container's FQDN into the URL text box web browser and press **Enter**. The Welcome page should display.



**Note:** You could also use the container IP address in your browser.

Congratulations! You have used Azure Portal to successfully deploy an application to a container in Azure Container Instance.


**Note:** To avoid additional costs, you can remove all resources in the resource group. Search for resource groups, click your resource group, and then delete the resources within the resource group. **DO NOT DELETE YOUR RESOURCE GROUP.**

# Submission Requirements

Submit a screenshot with the following information:

Screenshot #1:

- Access to your Azure Container Instance using its FQDN
- The Azure Portal with your login ID [requires another browser window]





## Screenshot #2:

- Successful deletion of resources within resource group. **DO NOT DELETE YOUR RESOURCE GROUP!**

The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and user information (dtrinh1@myseneca.ca). The main content area is titled 'Resource groups' and shows the 'myRG' resource group. The left sidebar contains navigation links for 'Overview', 'Activity log', 'Access control (IAM)', 'Tags', 'Resource visualizer', 'Events', 'Settings', 'Deployments', 'Security', 'Policies', 'Properties', and 'Locks'. The 'Overview' tab is selected, displaying the following information:

- Subscription (Move):** Azure for Students
- Subscription ID:** 3e6685e5-073e-4397-8a34-b9022c3952d9
- Location:** East US
- Deployments:** No deployments
- Tags (Edit):** Click here to add tags

The 'Resources' section shows a table with 0 records, indicating successful deletion. The table headers are 'Name', 'Type', and 'Location'. The status bar at the bottom of the resources section shows 'Showing 0 to 0 of 0 records'.