

ListofPlayers.jsx

```
import React from "react";

function ListofPlayers() {
  const players = [
    { name: "Virat Kohli", score: 90 },
    { name: "Rohit Sharma", score: 45 },
    { name: "Shubman Gill", score: 78 },
    { name: "KL Rahul", score: 67 },
    { name: "Hardik Pandya", score: 88 },
    { name: "Ravindra Jadeja", score: 55 },
    { name: "MS Dhoni", score: 72 },
    { name: "Rishabh Pant", score: 61 },
    { name: "Suryakumar Yadav", score: 95 },
    { name: "Jasprit Bumrah", score: 35 },
    { name: "Mohammed Shami", score: 80 }
  ];

  const below70 = players.filter(player => player.score < 70);

  return (
    <div>
      <h2>List of Players</h2>

      <h3>All Players</h3>
      <ul>
        {players.map((player, index) => (
          <li key={index}>
            {player.name} - {player.score}
          </li>
        ))}
      </ul>

      <h3>Players with Score Below 70</h3>
      <ul>
        {below70.map((player, index) => (
          <li key={index}>
            {player.name} - {player.score}
          </li>
        ))}
      </ul>
    </div>
  );
}
```

export default ListofPlayers;

IndianPlayers.jsx

```
import React from "react";

function IndianPlayers() {
  const players = [
    "Virat Kohli",
    "Rohit Sharma",
    "Shubman Gill",
    "KL Rahul",
    "Hardik Pandya",
    "Ravindra Jadeja"
  ];

  const [odd1, even1, odd2, even2, odd3, even3] = players;

  const oddPlayers = [odd1, odd2, odd3];
  const evenPlayers = [even1, even2, even3];

  const T20players = [
    "Virat Kohli",
    "Rohit Sharma",
    "Hardik Pandya"
  ];

  const RanjiPlayers = [
    "Cheteshwar Pujara",
    "Hanuma Vihari",
    "Priyank Panchal"
  ];

  const mergedPlayers = [...T20players, ...RanjiPlayers];

  return (
    <div>
      <h2>Odd Team Players</h2>
      <ul>
        {oddPlayers.map((player, index) => (
          <li key={index}>{player}</li>
        ))}
      </ul>

      <h2>Even Team Players</h2>
      <ul>
        {evenPlayers.map((player, index) => (
          <li key={index}>{player}</li>
        ))}
      </ul>
    </div>
  );
}
```


```
      <li key={index}>{player}</li>
    )}
  </ul>

  <h2>Merged Players</h2>
  <ul>
    {mergedPlayers.map((player, index) => (
      <li key={index}>{player}</li>
    ))}
  </ul>
</div>

);
}

export default IndianPlayers;
```

Code




```
CricketApp > src > App.jsx > default
1 import React from "react";
2 import ListofPlayers from "../ListofPlayers";
3 import IndianPlayers from "../IndianPlayers";
4
5 function App() {
6   const flag = true;
7
8   return (
9     <div className="App">
10       <h1>Cricket App</h1>
11       {flag ? <ListofPlayers /> : <IndianPlayers />}
12     </div>
13   );
14 }
15
16 export default App;
```

PS C:\Users\monda\OneDrive\Desktop\CricketApp> npm create vite

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

12:48:51 PM [vite] (client) hmr update /src/App.jsx
12:48:51 PM [vite] (client) hmr update /src/App.jsx (x2)
12:49:39 PM [vite] (client) hmr update /src/App.jsx (x3)
12:49:42 PM [vite] (client) hmr update /src/App.jsx (x4)
12:49:42 PM [vite] (client) hmr update /src/App.jsx (x5)
12:49:42 PM [vite] (client) hmr update /src/App.jsx (x6)
12:49:42 PM [vite] (client) hmr update /src/App.jsx (x7)
12:49:51 PM [vite] (client) hmr update /src/App.css



```
CricketApp > src > ListofPlayers.jsx > ListofPlayers
1 import React from "react";
2
3 function ListofPlayers() {
4   const players = [
5     { name: "Virat Kohli", score: 90 },
6     { name: "Rohit Sharma", score: 45 },
7     { name: "Shubman Gill", score: 78 },
8     { name: "KL Rahul", score: 67 },
9     { name: "Hardik Pandya", score: 88 },
10    { name: "Ravindra Jadeja", score: 55 },
11    { name: "MS Dhoni", score: 72 },
12    { name: "Rishabh Pant", score: 61 },
13    { name: "Suryakumar Yadav", score: 95 },
14    { name: "Jasprit Bumrah", score: 35 },
15    { name: "Mohammed Shami", score: 80 }
16  ];
17
18  const below70 = players.filter(player => player.score < 70);
19
20  return (
21    <div>
22      <h2>List of Players</h2>
23      <h3>All Players</h3>
24      <ul>
25        {players.map((player, index) => (
26          <li key={index}>
27            {player.name} - {player.score}
28          </li>
29        ))}
30      </ul>
31
32      <h3>Players with Score Below 70</h3>
33      <ul>
34        {below70.map((player, index) => (
35          <li key={index}>
36            {player.name} - {player.score}
37          </li>
38        ))}
39      </ul>
40    </div>
41  );
42 }
```


PS C:\Users\monda\OneDrive\Desktop\CricketApp> npm create vite

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

12:48:51 PM [vite] (client) hmr update /src/ListofPlayers.jsx
12:48:51 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x2)
12:49:39 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x3)
12:49:42 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x4)
12:49:42 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x5)
12:49:42 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x6)
12:49:42 PM [vite] (client) hmr update /src/ListofPlayers.jsx (x7)
12:49:51 PM [vite] (client) hmr update /src/ListofPlayers.jsx

Output

Flag= True



Flag =False

