

CS PROJECT REPORT

SIMPLY WISE

**Submitted by:
~Aryan Rai**

CERTIFICATE

ACKNOWLEDGEMENT

We would like to acknowledge all those without whom this project would not have been successful. Firstly, we would wish to thank our Computer Science teacher Mrs Sumeeti Bhatia who guided us throughout the project and gave us immense support. She made us understand how to successfully complete this project and without her, the project would not have been complete. I would also like to thank everyone who helped and motivated us to complete this project on time.

CONTENTS

• Certificate	(2)
• Acknowledgement	(3)
• Introduction.....	(5)
• Main Code (Python and Javascript).....	(6)
◦ Python JS connector.....	(7)
◦ Login.....	(10)
◦ Dashboard.....	(17)
◦ Misc Javascript.....	(24)
◦ My Store (Inventory).....	(26)
◦ Analytics.....	(34)
◦ Todo.....	(41)
◦ Users.....	(48)
• Styling & UI (CSS).....	(55)
• Miscellaneous.....	(67)
◦ Intro Box.....	(67)
◦ Login Fail Page.....	(79)
• Database (MySQL).....	(87)
• Output/Showcase.....	(89)

INTRODUCTION

This project is based on the topic of a “Management System” where we have used a shop management system as an example. Through this system, the admin/shopkeeper can input various records of customers and their transaction history in a systematic way, which is essential in today’s world. Hence, a project of this kind has many real-life applications.

MAIN CODE

The home page of SIMPLYWISE consists of 6 main pages:

- DASHBOARD
- MY STORE
- ANALYTICS
- TODO
- USERS
- BILLING

1. PYTHON

175 lines (145 sloc) 6.1 KB

...

```
1 import eel
2 import mysql.connector
3 mydb=mysql.connector.connect(host='localhost',user='root',passwd='root')
4 mycursor = mydb.cursor()
5 eel.init('web')
6 state = ""
7
8 @eel.expose
9 def getdashboard():
10     mycursor.execute("SELECT SUM(Price) AS 'Total Sales' FROM transactions where status = 'compl'
11 returnlist = []
12 for row in mycursor:
13     print(row)
14     returnlist.append(row)
15     print(int(returnlist[0][0]))
16 Profits = int(returnlist[0][0])
17 mycursor.execute(("update dashboard set value = {} where field = 'Sales'").format(Profits))
18
19
20 @eel.expose
21 def getbill():
22     mycursor.execute("SELECT item AS 'items' FROM billing")
23 returnlist = []
24 for row in mycursor:
25     print(row)
26     returnlist.append(row)
27
28 #itemname = str(row[0])
29 #print(itemname)
30 #mycursor.execute(("SELECT cost AS 'prices' FROM inventory where item = '{}'").format(ite
31 #for row in mycursor:
32 #    price = int(row[0])
33
```

```

34 #mycursor.execute(("update billing set price = {} where item = '{}'").format(price, item)
35
36 #print(int(returnlist[0][0]))
37 #itemname = int(returnlist[0][0])
38 #mycursor.execute(("update billing set price = {} where item = '{}'").format(price, itemname)
39
40 @eel.expose
41 def update_password(tablename, value, condition):
42     print(("update {} set password = {} where {}".format(tablename, value, condition)))
43     mycursor.execute(("update {} set password = {} where {}".format(tablename, value, condition)))
44     mydb.commit()
45
46 @eel.expose
47 def update_accesslevel(tablename, value, condition):
48     print(("update {} set accesslevel = {} where {}".format(tablename, value, condition)))
49     mycursor.execute(("update {} set accesslevel = {} where {}".format(tablename, value, condition)))
50     mydb.commit()
51
52 @eel.expose
53 def update_cost(tablename, value, condition):
54     print(("update {} set cost = {} where {}".format(tablename, value, condition)))
55     mycursor.execute(("update {} set cost = {} where {}".format(tablename, value, condition)))
56     mydb.commit()
57
58 @eel.expose
59 def update_quantity(tablename, value, condition):
60     print(("update {} set quantity = {} where {}".format(tablename, value, condition)))
61     mycursor.execute(("update {} set quantity = {} where {}".format(tablename, value, condition)))
62     mydb.commit()
63
64 @eel.expose
65 def update_specific(tablename, value, condition):
66     print(("update {} set value = {} where {}".format(tablename, value, condition)))
67     mycursor.execute(("update {} set value = {} where {}".format(tablename, value, condition)))
68     mydb.commit()
69
70 @eel.expose
71 def update_status_todo(tablename, value, condition):
72     print(("update {} set Status = {} where {}".format(tablename, value, condition)))
73     mycursor.execute(("update {} set Status = {} where {}".format(tablename, value, condition)))
74     mydb.commit()
75
76
77 @eel.expose
78 def droptable(tablename):
79     print("drop table {}".format(tablename))
80     mycursor.execute(("drop table {}".format(tablename)))
81     mydb.commit()
82
83 @eel.expose
84 def delete_specific(tablename, condition):
85     print(("delete from {} where {}".format(tablename, condition)))
86     mycursor.execute(("delete from {} where {}".format(tablename, condition)))

```

```

87     mydb.commit()
88
89     @eel.expose
90     def insert_into_table(tablename, values):
91         print(("insert into {} values({})").format(tablename, values))
92         mycursor.execute(("insert into {} values({})").format(tablename, values))
93     mydb.commit()
94
95     @eel.expose
96     def insert_into_table_autoinc(tablename, fields ,values):
97         print(("insert into {} ({}) values({})").format(tablename, fields, values))
98         mycursor.execute(("insert into {} ({}) values({})").format(tablename, fields, values))
99     mydb.commit()
100
101    @eel.expose
102    def getall(tablename):
103        mycursor.execute(("select * from {}").format(tablename))
104        returnlist = []
105        for row in mycursor:
106            print(row)
107            returnlist.append(row)
108        eel.sqlreturn(returnlist)
109
110
111    @eel.expose
112    def getspecific(tablename, condition):
113        mycursor.execute(("select * from {} where {}").format(tablename, condition))
114
115    @eel.expose
116    def create_database(dbname):
117        mycursor.execute(("create database if not exists {}").format(dbname))
118        mycursor.execute(("use {}").format(dbname))
119        print(("db created {} and now in use").format(dbname))
120        mydb.commit()
121
122
123    @eel.expose
124    def create_table(tablename, dataformat):
125        print(("create table if not exists {} ({})").format(tablename, dataformat))
126        mycursor.execute(("create table if not exists {} ({})").format(tablename, dataformat))
127        print(("table {} created").format(tablename))
128        mydb.commit()
129
130
131    @eel.expose
132    def sendstate(stateparam):
133        print("change in state"+ " state is " + stateparam) global
134        state
135        state = stateparam
136        statechangereact(stateparam)
137        eel.switchpage(stateparam)
138
139    def statechangereact(stateparam):
140        if (stateparam == "loginpage"):
141            create_database("CsProj")

```



2. LOGIN

321 lines (269 sloc) 12.4 KB

...

```
1 <style type="text/css">
2
3 @import url("https://fonts.googleapis.com/css?
4 family=Roboto:400,700&display=swap"); :root {
5   --space-root: 1rem;
6   --space-xs: calc(var(--space-root) / 2);
7   --space-s: calc(var(--space-root) / 1.5);
8   --space-m: var(--space-root);
9   --space-l: calc(var(--space-root) * 1.5);
10  --space-xl: calc(var(--space-root) * 2);
11  --color-primary: mediumslateblue;
12  --color-secondary: black;
13  --color-tertiary: hotpink;
14  --base-border-radius: 0.25rem;
15  --ease: cubic-bezier(0.075, 0.82, 0.165, 1);
16  --duration: 350ms;
17  --font-family: "Roboto", sans-serif;
18  --font-size: 1.25rem;
19 }
20
21 *
22   box-sizing: border-box; }
23
24
25 body {
26   margin-top: 5rem;
27   display: grid;
28   place-items: center;
29   margin: 0;
30   height: 100vh;
31   padding: var(--space-m);
32   font-size: var(--font-size);
33   font-family: var(--font-family);
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/login.html>

1/7



```
34  line-height: 1.2;
35  background-size: contain;
36  background-image: url("data:image/svg+xml,%3csvg xmlns='http://www.w3.org/2000/svg'
37  version='1
38  }
39  a {
40  color: var(--color-primary);
41  }
42  a:focus {
43  color: var(--color-secondary); }

44
45
46 h2 {
47  font-weight: 700;
48  font-size: calc(var(--font-size) * 1.5); }

49
50
51 .form {
52  position: relative;
53  width: 100%;
54  max-width: 450px;
55  margin: 0 auto;
56  transform: skewY(-5deg) translateY(10%) scale(0.94);
57  transition: box-shadow var(--duration) var(--ease), transform var(--duration) var(--ease);
58  }
59 .form:before, .form:after {
60  content: "";
61  position: absolute;
62  pointer-events: none;
63  background-color: #ebebeb;
64  width: 25%;
65  height: 100%;
66  transition: background-color var(--duration) var(--ease), transform var(--duration) var(--ease) }
67 .form:before {
68  top: 0;
69  right: calc(100% - 1px);
70  transform-origin: 100% 100%;
71  transform: skewY(-35deg) scaleX(-1);
72  z-index: -1;
73  }
74 .form:after {
75  top: 0;
76  left: calc(100% - 1px);
77  transform-origin: 0 0;
78  transform: skewY(-35deg) scaleX(-1);
79  z-index: 2;
80  }
81 .form:hover, .form:focus-within {
82  transform: scale(1.0001);
83  box-shadow: 0 1rem 3rem rgba(0, 0, 0, 0.1);
84  }
85 .form:hover:before, .form:hover:after, .form:focus-within:before, .form:focus-within:after {
```



```
87  background-color: white;
88  transform: skewY(0);
89 }
90
91 .form-inner {
92   padding: var(--space-xl);
93   background-color: white;
94   z-index: 1;
95 }
96 .form-inner > * + * {
97   margin-top: var(--space-xl); }

98
99
100 .input-wrapper:focus-within label {
101   color: var(--color-secondary);
102 }
103 .input-wrapper:focus-within .icon {
104   background-color: var(--color-secondary); }
105 .input-wrapper:focus-within input {
106   border-color: var(--color-secondary);
107 }
108 .input-wrapper + .input-wrapper {
109   margin-top: var(--space-l);
110 }
111 }

112
113
114 .input-group {
115   position: relative;
116 }
117 .input-group input {
118   border-radius: var(--base-border-radius);
119   padding-left: calc(var(--space-s) + 60px);
120 }
121 .input-group .icon {
122   position: absolute;
123   top: 0;
124   left: 0;
125   height: 100%;
126   border-top-left-radius: var(--base-border-radius);
127   border-bottom-left-radius: var(--base-border-radius);
128   pointer-events: none;
129 }

130
131 label {
132   font-size: calc(var(--font-size) / 1.65); font-
133   weight: 700;
134   text-transform: uppercase;
135   letter-spacing: 0.065rem;
136   display: block;
137   margin-bottom: var(--space-xs);
138   color: var(--color-primary);
139 }
```

```
140 .icon {  
141   display: flex;  
142   align-items: center;  
143   flex: 0 1 auto;  
144   padding: var(--space-m);  
145   background-color: var(--color-primary);  
146 }  
147 .icon svg {  
148   width: 1.25em;  
149   height: 1.25em;  
150   fill: white;  
151   pointer-events: none;  
152   -webkit-user-select: none;  
153   -moz-user-select: none;  
154   -ms-user-select: none;  
155   user-select: none;  
156   transition: transform var(--duration) var(--ease); }  
157  
158  
159 input {  
160   flex: 1 1 0;  
161   width: 100%;  
162   outline: none;  
163   padding: var(--space-m);  
164   font-size: var(--font-size);  
165   font-family: var(--font-family);  
166   color: var(--color-secondary);  
167   border: 2px solid var(--color-primary); }  
168 input:focus {  
169   color: var(--color-primary);  
170 }  
171  
172  
173 .btn-group {  
174   display: flex;  
175   align-items: center;  
176   justify-content: space-between; }  
177 .btn-group > * + * {  
178   margin-left: var(--space-s);  
179 }  
180  
181  
182 .btn {  
183   position: relative;  
184   overflow: hidden;  
185   display: flex;  
186   align-items: center;  
187   justify-content: space-between;  
188   outline: none;  
189   padding: var(--space-m) var(--space-l);  
190   cursor: pointer;  
191   border: 2px solid transparent;  
192   border-radius: var(--base-border-radius); }
```





```
193     }
194
195     .btn--primary {
196         font-size: calc(var(--font-size) / 1.65); font-
197         weight: 700;
198         text-transform: uppercase;
199         letter-spacing: 0.065rem;
200         background-color: var(--color-primary);
201         border-color: var(--color-primary);
202         color: white;
203     }
204     .btn--primary:focus {
205         background-color: var(--color-secondary);
206         border-color: var(--color-secondary);
207     }
208
209     .btn--text {
210         font-size: calc(var(--font-size) / 1.5);
211         padding: 0;
212     }
213
214 </style>
215
216
217 <style type="text/css">
218
219
220
221 </style>
222
223 <head>
224 <script type="text/javascript" src="/eel.js"></script>
225
226 <script type="text/javascript">
227 eel.sendstate("loginpage");
228
229     function onbuttonpresslogin(){
230         console.log("button pressed");
231         console.log("");
232         eel.checklogin(document.getElementById("login-username").value, document.getElementById("log
233
234     }
235
236
237     ////// page change functions
238
239     eel.expose(switchpage);
240     function switchpage(page) {
241         console.log(page);
242         if (page == "mainpage") {
243             console.log("switching to " + page);
244             window.open("./others/intro.html","Ratting","width=800,height=500,left=150,top=200,toolbar
245             window.location.replace("./main.html");
```



```
246     }
247     if (page == "loginfailed") {
248       console.log("switching to " + page);
249       window.location.replace("./others/loginfailed.html");
250     }
251   }
252 }
253
254
255 </script>
256
257
258
259 </head>
260
261 <div class="form" id="form">
262   <div class="form-inner">
263     <h2>User Login</h2>
264     <div class="input-wrapper">
265       <label for="login-username">Username</label>
266       <div class="input-group"><span class="icon">
267         <svg viewBox="0 0 24 24">
268           <path d="M12,4A4,4 0 0,1 16,8A4,4 0 0,1 12,12A4,4 0 0,1 8,8A4,4 0 0,1 12,4M12,14C16.
269             </path></span>
270         <input id="login-username" type="text" data-lpignore="true"/>
271       </div>
272     </div>
273     <div class="input-wrapper">
274       <label for="login-password">Password</label>
275       <div class="input-group"><span class="icon">
276         <svg viewBox="0 0 24 24">
277           <path d="M11.83,1.73C8.43,1.79 6.23,3.32 6.23,3.32C5.95,3.5 5.88,3.91 6.07,4.19C6.27
278             </path></span>
279         <input id="login-password" type="password" data-lpignore="true"/>
280       </div>
281     </div>
282     <div class="btn-group">
283       <button class="btn btn--primary" id="loginbutton" onclick="onbuttonpresslogin()">Sign in</
284     </div>
285   </div>
286
287
288 <script type="text/javascript">
289
290
291
292
293
294
295
296
297
298   var input = document.getElementById("form");
```

```
299  
300 // Execute a function when the user presses a key on the keyboard  
301 input.addEventListener("keypress", function(event) {  
302     // If the user presses the "Enter" key on the keyboard  
303     if (event.key === "Enter") {  
304  
305         event.preventDefault();  
306         if(document.getElementById("login-username") ==  
307             document.activeElement){ //myElement Has Focus  
308             checkinput = "username";  
309             console.log("usernameactive");  
310             document.getElementById("login-password").focus();  
311  
312     }  
313  
314     else{  
315  
316         document.getElementById("loginbutton").click();  
317     }  
318  
319     }  
320 });
321 </script>
```

3. DASHBOARD

307 lines (255 sloc) 8.33 KB

...

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <script type="text/javascript" src="/eel.js"></script>
5 <meta charset="UTF-8">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8     <!-- Boxicons -->
9
10    <link href='https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css' rel='stylesheet'> <!--
11        - My CSS -->
12    <link rel="stylesheet" href="mainstyle.css">
13
14    <title>OuOu</title>
15 </head>
16 <body class="dark">
17
18
19     <!-- SIDEBAR -->
20     <section id="sidebar">
21         <a href="#" class="brand">
22             <i class='bx bxs-smile'></i>
23             <span class="text">OuOu</span>
24         </a>
25         <ul class="side-menu top">
26             <li class="active">
27                 <a href="#" onclick="handlebutton('main')">
28                     <i class='bx bxs-dashboard'></i>
29                     <span class="text">Dashboard</span>
30                 </a>
31             </li>
32             <li>
33                 <a href="#" onclick="handlebutton('inventory')">
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/main.html>

1/7

```
34                               <i class='bx bxs-shopping-bag-alt' ></i>
35                               <span class="text">My Store</span>
36                           </a>
37                       </li>
38                   <li>
39                       <a href="#" onclick="handlebutton('transactions')">
40                           <i class='bx bxs-doughnut-chart' ></i>
41                               <span class="text">Analytics</span>
42                       </a>
43                   </li>
44               <li>
45                   <a href="#" onclick="handlebutton('todo')">
46                       <i class='bx bxs-message-dots' ></i>
47                       <span class="text">Todo</span>
48                   </a>
49               </li>
50           <li>
51               <a href="#" onclick="handlebutton('users')">
52                   <i class='bx bxs-group' ></i>
53                   <span class="text">Users</span>
54               </a>
55           </li>
56           <!--
57           <li>
58               <a href="#" onclick="handlebutton('billing')">
59                   <i class='bx bxs-group' ></i>
60                   <span class="text">Billing</span>
61               </a>
62           </li>
63           -->
64       </ul>
65   <ul class="side-menu">
66       <li>
67           <a href="#">
68               <i class='bx bxs-cog' ></i>
69               <span class="text">Settings</span>
70           </a>
71       </li>
72   <li>
73       <a href="#" class="logout">
74           <i class='bx bxs-log-out-circle' ></i>
75           <span class="text">Logout</span>
76       </a>
77   </li>
78 </ul>
79 </section>
80 <!-- SIDEBAR -->
81
82
83
84 <!-- CONTENT -->
85 <section id="content">
86     <!-- NAVBAR -->
```

```
87 <nav>
88     <i class='bx bx-menu' ></i>
89     <a href="#" class="nav-link">Categories</a>
90     <form action="#">
91         <div class="form-input">
92             <input type="search" placeholder="Search...">
93                 <button type="submit" class="search-btn"><i class='bx bx-search'></i></button>
94         </div>
95     </form>
96     <input type="checkbox" id="switch-mode" checked hidden>
97     <label for="switch-mode" class="switch-mode"></label>
98     <a href="#" class="notification" onclick="openintro('main')" id="infobut">
99         <i class='bx bx-info-circle'></i>
100
101    </a>
102
103 </nav>
104 <!-- NAVBAR -->
105
106 <!-- MAIN -->
107 <main>
108     <div class="head-title">
109         <div class="left">
110             <h1>Dashboard</h1>
111             <ul class="breadcrumb">
112                 <li>
113                     <a href="#">Dashboard</a>
114                 </li>
115                     <li><i class='bx bx-chevron-right'></i></li>
116                 <li>
117                     <a class="active" href="#">Home</a>
118                 </li>
119             </ul>
120         </div>
121         <a href="#" class="btn-download">
122             <i class='bx bxs-cloud-download'></i>
123             <span class="text">Download PDF</span>
124
125         </a>
126     </div>
127
128     <ul class="box-info" id="cardlist">
129         <li onclick="updatecard('Profits', prompt('Enter new value'))">
130             <i class='bx bxs-calendar-check'></i>
131             <span class="text">
132                 <h3 id="profits">NA</h3>
133                 <p>Profits</p>
134             </span>
135         </li>
136             <li onclick="updatecard('Purchases', prompt('Enter new value'))">
137                 <i class='bx bxs-group'></i>
138                 <span class="text">
139                     <h3 id="purchases">NA</h3>
                     <p>Customers</p>
```



```
140          </span>
141          </li>
142          <li onclick="updatecard('Sales', prompt('Enter new value'))">
143            <i class='bx bxs-dollar-circle'></i>
144            <span class="text">
145              <h3 id="sales">NA</h3>
146              <p>Total Sales</p>
147            </span>
148          </li>
149
150        </ul>
151
152        <button id="sqlbutton" onclick="updateval()"></button>
153      </main>
154      <!-- MAIN -->
155    </section>
156    <!-- CONTENT -->
157
158
159
160    <script src="mainscript.js"></script>
161    <script type="text/javascript">
162
163      console.log("Calling Python...");
164      var path = window.location.pathname;
165      var page = path.split("/").pop().replace('.html','');
166      console.log( page );
167      eel.sendstate(page); // This calls the Python function that was decorated
168
169      function openintro(pg){
170
171        window.open("./others/intro.html","Ratting","width=800,height=500,left=1
172      }
173      ///// button functions
174
175      function handlebutton(button_identify)
176      { eel.sendstate(button_identify);
177      }
178
179      /////
180
181      ///// page change functions
182
183      eel.expose(switchpage);
184      function switchpage(page) {
185        console.log(page);
186        console.log("switching to " + page);
187        if (page == "main") {
188          //window.location.replace("./main.html");
189        }
190        if (page == "inventory") {
191          window.location.replace("./inventory.html");
192      }
```

```
193     }
194     if (page == "transactions") {
195         window.location.replace("./transactions.html");
196     }
197     if (page == "todo") {
198         window.location.replace("./todo.html");
199     }
200     if (page == "users") {
201         window.location.replace("./users.html");
202     }
203     if (page == "billing") {
204         window.location.replace("./billing.html");
205     }
206
207 }
208
209 </script>
210 <script type="text/javascript">
211
212 //////
213
214     var sqlretunval = "";
215     var currenttransactionsresponse = "";
216
217
218
219
220     function newcard(){
221         //eel.insert_into_table("dashboard", "Sales", NULL);
222         let cardname = prompt("Enter new card name");
223         let iconurl = prompt("Enter card icon url");
224         let value = parseInt(prompt("Enter value"));
225         if (cardname != "" || cardname != null || value != "" || value != null ||
226
227             eel.insert_into_table("dashboard", "" + cardname + "", ' + value);
228             window.location.reload();
229
230     }
231 }
232
233 function updatecard (cardname, value){
234     console.log(cardname);
235     console.log(value);
236     if (value == "NA" || value == "delete"){
237         eel.delete_specific("dashboard", "field = " + "" + cardname +
238         window.location.reload();
239     }
240     else {
241         eel.update_specific("dashboard", value, "field = " + "" + cardn
242         window.location.reload();
243     }
244 }
245
```

```
246     eel.create_table("dashboard", "field varchar(40) PRIMARY KEY, value int(10)")  
247     //SQL CONNECTIVITY  
248     eel.getdashboard();  
249     eel.getall("dashboard");  
250  
251  
252  
253  
254     eel.expose(sqlreturn);  
255     function sqlreturn(data) {  
256  
257         window.sqlretunval = data;  
258         window.currenttransactionsresponse = sqlretunval;  
259         console.log(sqlretunval);  
260         if (sqlretunval == "" || sqlretunval == null) {  
261             eel.insert_into_table("dashboard", "Sales", NULL');  
262             eel.insert_into_table("dashboard", "Profits", NULL');  
263                 eel.insert_into_table("dashboard", "Purchases", NULL');  
264             console.log("null");  
265             window.location.reload();  
266         }  
267  
268         //document.getElementById("sqlbutton").click();  
269         let dictionary = Object.assign({}, ...sqlretunval.map((x) => ({[x[0]]: x[1]}));  
270         copy={};  
271         console.log(dictionary);  
272         console.log(sqlretunval);  
273         Object.assign(copy, dictionary);  
274         delete copy["Sales"];  
275         delete copy["Purchases"];  
276         delete copy["Profits"];  
277         var extracards = Object.keys(copy).length;  
278         var extracardskey = Object.keys(copy);  
279         if (extracards != 0) {  
280             console.log("more fields", extracardskey, extracards);  
281             for (var i = 0; i < extracards; i++) {  
282                 console.log("h");  
283  
284                 console.log(i);  
285                     var extracardname = extracardskey[i];  
286                     var extracardvalue = copy[extracardname];  
287                     console.log(extracardname, extracardvalue);  
288                     document.getElementById('cardlist').innerHTML += '<li on  
289                         }  
290                     }  
291             }  
292  
293  
294             document.getElementById('cardlist').innerHTML += '<li onclick="newcard()"  
295             document.getElementById("sales").innerHTML = "₹ " + dictionary["Sales"];  
296             document.getElementById("purchases").innerHTML = "₹ " +  
297             dictionary["Pur document.getElementById("profits").innerHTML = "₹ " +  
298             dictionary["Profit
```



```
299 }  
300  
301  
302  
303  
304 //update tablename set column = newval where  
305 name = </script>  
306 </body>  
307 </html>
```

3. MISC JAVASCRIPT

76 lines (50 sloc) 1.69 KB

...

```
1 const allSideMenu = document.querySelectorAll('#sidebar .side-menu.top li a');
2
3 allSideMenu.forEach(item=> {
4     const li = item.parentElement;
5
6     item.addEventListener('click', function () {
7         allSideMenu.forEach(i=> {
8             i.parentElement.classList.remove('active');
9         })
10        li.classList.add('active');
11    })
12 });
13
14
15
16
17 // TOGGLE SIDEBAR
18 const menuBar = document.querySelector('#content nav .bx.bx-
19 menu'); const sidebar = document.getElementById('sidebar');
20
21 menuBar.addEventListener('click', function () {
22     sidebar.classList.toggle('hide');
23 })
24
25
26
27
28
29
30
31
32 const searchButton = document.querySelector('#content nav form .form-input button');
33 const searchButtonIcon = document.querySelector('#content nav form .form-input button
.bx'); const searchForm = document.querySelector('#content nav form');
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/mainscript.js>

1/2



```
34
35 searchButton.addEventListener('click', function (e) {
36   if(window.innerWidth < 576) {
37     e.preventDefault();
38     searchForm.classList.toggle('show');
39     if(searchForm.classList.contains('show')) {
40       searchButtonIcon.classList.replace('bx-search', 'bx-x');
41     } else {
42       searchButtonIcon.classList.replace('bx-x', 'bx-search');
43     }
44   }
45 })
46
47
48
49
50
51 if(window.innerWidth < 768) {
52   sidebar.classList.add('hide');
53 } else if(window.innerWidth > 576) {
54   searchButtonIcon.classList.replace('bx-x', 'bx-search');
55   searchForm.classList.remove('show');
56 }
57
58
59 window.addEventListener('resize', function () {
60   if(this.innerWidth > 576) {
61     searchButtonIcon.classList.replace('bx-x', 'bx-search');
62     searchForm.classList.remove('show');
63   }
64 })
65
66
67
68 const switchMode = document.getElementById('switch-mode');
69
70 switchMode.addEventListener('change', function () {
71   if(this.checked) {
72     document.body.classList.add('dark');
73   } else {
74     document.body.classList.remove('dark');
75   }
76 })
```

4. MY STORE

355 lines (305 sloc) 10.6 KB

...

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <script type="text/javascript" src="/eel.js"></script>
5  <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8      <!-- Boxicons -->
9      <link href='https://unpkg.com/boxicons@2.0.9/css/boxicons.min.css' rel='stylesheet'>
10     <!-- My CSS -->
11     <link rel="stylesheet" href="mainstyle.css">
12
13     <title>OuOu</title>
14 </head>
15 <body class="dark">
16
17
18     <!-- SIDEBAR -->
19     <section id="sidebar">
20         <a href="#" class="brand">
21             <i class='bx bxs-smile'></i>
22             <span class="text">OuOu</span>
23         </a>
24         <ul class="side-menu top">
25             <li>
26                 <a href="#" onclick="handlebutton('main')">
27                     <i class='bx bxs-dashboard'></i>
28                     <span class="text">Dashboard</span>
29                 </a>
30             </li>
31             <li class="active">
32                 <a href="#" onclick="handlebutton('inventory')">
33                     <i class='bx bxs-shopping-bag-alt'></i>
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/inventory.html>

1/8

```
34                               <span class="text">My Store</span>
35                               </a>                               <span class="text">My Store</span>
36                               </li>
37                               <li>
38                                   <a href="#" onclick="handlebutton('transactions')">
39                                       <i class='bx bxs-doughnut-chart' ></i>
40                                       <span class="text">Analytics</span>
41                                   </a>
42                               </li>
43                               <li>
44                                   <a href="#" onclick="handlebutton('todo')">
45                                       <i class='bx bxs-message-dots' ></i>
46                                       <span class="text">Todo</span>
47                                   </a>
48                               </li>
49                               <li>
50                                   <a href="#" onclick="handlebutton('users')">
51                                       <i class='bx bxs-group' ></i>
52                                       <span class="text">Users</span>
53                                   </a>
54                               </li>
55                               </ul>
56                               <ul class="side-menu">
57                               <li>
58                                   <a href="#">
59                                       <i class='bx bxs-cog' ></i>
60                                       <span class="text">Settings</span>
61                                   </a>
62                               </li>
63                               <li>
64                                   <a href="#" class="logout">
65                                       <i class='bx bxs-log-out-circle' ></i>
66                                       <span class="text">Logout</span>
67                                   </a>
68                               </li>
69                               </ul>
70                         </section>
71                         <!-- SIDEBAR -->
72
73
74
75                         <!-- CONTENT -->
76                         <section id="content">
77                             <!-- NAVBAR -->
78                             <nav>
79                                 <i class='bx bx-menu' ></i>
80                                 <a href="#" class="nav-link">Categories</a>
81                                 <form action="#">
82                                     <div class="form-input">
83                                         <input type="search" placeholder="Search...">
84                                         <button type="submit" class="search-btn"><i class='bx bx-search'></i> Search</button>
85                                     </div>
86                               </form>
```

```
87      <input type="checkbox" id="switch-mode" checked hidden>
88      <label for="switch-mode" class="switch-mode"></label>
89      <a href="#" class="notification">
90          <i class='bx bxs-bell' ></i>
91          <span class="num">8</span>
92      </a>
93      <a href="#" class="profile">
94          
95      </a>
96  </nav>
97  <!-- NAVBAR -->
98
99  <!-- MAIN -->
100 <main>
101 <div class="head-title">
102 <div class="left">
103     <h1>Inventory</h1>
104     <ul class="breadcrumb">
105         <li>
106             <a href="#">Inventory</a>
107         </li>
108             <li><i class='bx bx-chevron-right' ></i></li>
109         <li>
110             <a class="active" href="#">Home</a>
111         </li>
112     </ul>
113 </div>
114 <a href="#" class="btn-download">
115     <i class='bx bxs-cloud-download' ></i>
116     <span class="text">Download PDF</span>
117
118         </a>
119     </div>
120
121     <div class="table-data">
122         <div class="order">
123             <div class="head">
124                 <h3>Inventory</h3>
125                 <i class='bx bx-plus' onclick="newcard()"></i>
126                     <i class='bx bx-trash' onclick="deleteuser()"></i>
127                 <i class='bx bx-search' ></i>
128             </div>
129             <table>
130                 <thead>
131                     <tr>
132                         <th>Item</th>
133                         <th>Supplier</th>
134                         <th>Quantity</th>
135                         <th>Cost</th>
136                     </tr>
137                 </thead>
138                 <tbody id="transactionstable">
139
```

```
140                     </tbody>
141                 </table>
142             </div>
143         </div>
144     </main>
145     <!-- MAIN -->
146     <section>
147         <!-- CONTENT -->
148
149
150
151
152     <script    src="mainscript.js"></script>
153     <script type="text/javascript">
154
155         console.log("Calling Python...");  

156         var path = window.location.pathname;  

157         var page = path.split("/").pop().replace('.html','');
158         console.log( page );
159         eel.sendstate(page); // This calls the Python function that was decorated
160
161     ///// button functions
162
163     function handlebutton(button_identify)
164     { eel.sendstate(button_identify);
165     }
166
167     /////
168
169     ///// page change functions
170
171     eel.expose(switchpage);
172     function switchpage(page) {
173         console.log(page);
174         console.log("switching to " + page);
175         if (page == "main") {
176             window.location.replace("./main.html");
177         }
178         if (page == "inventory") {
179             //window.location.replace("./inventory.html");
180         }
181         if (page == "transactions") {
182             window.location.replace("./transactions.html");
183         }
184         if (page == "todo") {
185             window.location.replace("./todo.html");
186         }
187         if (page == "users") {
188             window.location.replace("./users.html");
189         }
190     }
191
192 }
```





```
193     </script>
194     <script type="text/javascript">
195
196         //////
197         var sqlretunval = "";
198         var currenttransactionsresponse = "";
199
200         function deleteitem(item){
201             let YN = prompt("press enter to delete or type N to cancel and press ent");
202             if (YN == "" || YN == null){
203                 eel.delete_specific("inventory", "item = " + "" + item + "");
204                 window.location.reload();
205             }
206         }
207
208
209         function deleteall(){
210             eel.droppable("inventory");
211             console.log("droppable");
212             window.location.reload();
213         }
214
215         function newcard(){
216             //eel.insert_into_table("dashboard", "Sales", NULL);
217             var monthNames = [ "January", "February", "March", "April", "May", "June",
218             "July", "August", "September", "October", "November", "December" ];
219             var today = new Date();
220
221             let item = prompt("Enter new item name");
222             let iconurl = prompt("Enter card icon url");
223             var supplier = prompt("Enter supplier");
224             let quantity = parseInt(prompt("enter quantity"));
225             let cost = parseInt(prompt("enter cost"));
226             if (item != "" & item != null && supplier != "" && supplier != null &&
227             if(iconurl == null || iconurl == "") {
228
229                 randomseed = Math.floor(Math.random() * 100001);
230                 iconurl = "https://avatars.dicebear.com/api/adventurer/"
231                 //eel.insert_into_table("users", "" + username + "", "")
232                 //window.location.reload();
233             }
234
235             eel.insert_into_table("inventory", "" + item + "", "" + iconurl);
236             window.location.reload();
237
238         }
239     }
240
241     function changequantity(item) {
242         let quantity = prompt("Enter new quantity");
243         if (quantity == "NA" || quantity == "delete"){
244             eel.delete_specific("inventory", "item = " + "" + item + "");
245             window.location.reload();
```



```
246     }
247     else {
248         eel.update_quantity("inventory", "" + quantity + "", "item = "
249             window.location.reload();
250     }
251 }
252
253 function changecost(item) {
254 let cost = parseInt(prompt("Enter new cost"));
255 console.log(cost);
256 if (cost == "NA" && cost == "delete"){
257             eel.delete_specific("inventory", "item = " + "" + item + "");
258             window.location.reload();
259         }
260     else {
261         eel.update_cost("inventory", cost, "item = " + "" + item + ""
262             window.location.reload();
263     }
264 }
265
266 function updatecard (cardname, value){
267 console.log(cardname);
268 console.log(value);
269             eel.update_specific("inventory", value, "field = " + "" + cardname + ''
270 window.location.reload();
271 }
272
273 function deleteuser(){
274 let item = prompt("Enter item to delete");
275             eel.delete_specific("inventory", 'item = "' + item + "'");
276 window.location.reload();
277 }
278
279 function capitalizeFirstLetter(string) {
280     return string.charAt(0).toUpperCase() + string.slice(1);
281 }
282
283 eel.create_table("inventory", "item varchar(50) PRIMARY KEY NOT NULL, Imageurl
284 v //SQL CONNECTIVITY
285 eel.getall("inventory");
286
287 eel.expose(sqlreturn);
288 function sqlreturn(data) {
289
290     window.sqlretunval = data;
291
292
293     window.currenttransactionsresponse = sqlretunval;
294     console.log(sqlretunval);
295     if (sqlretunval == "" || sqlretunval == null) {
296         //eel.insert_into_table("dashboard", "Sales", NULL');
297         //eel.insert_into_table("dashboard", "Profits", NULL');
298             //eel.insert_into_table("dashboard", "Purchases", NULL');
```

```
299 console.log("null");
300 //window.location.reload();
301 }
302 //document.getElementById("sqlbutton").click();
303 let dictionary = Object.assign({}, ...sqlretunval.map((x) => ([x[0]]: x
304 var copy={};
305 console.log(dictionary);
306 console.log(sqlretunval);
307 Object.assign(copy, dictionary);
308 //delete copy["Sales"];
309 //delete copy["Purchases"];
310 //delete copy["Profits"];
311 var extracards = Object.keys(copy).length;
312 var extracardskey = Object.keys(copy);

313
314 if (extracards != 0) {
315     console.log("more fields", extracardskey, extracards);
316     var totalcost = 0;
317     var totalquantity = 0;
318     for (var i = 0; i < extracards; i++) {
319         //console.log("h");

320         var item = String(sqlretunval[i][0]);
321         var imageurl = String(sqlretunval[i][1]);
322         var supplier = String(sqlretunval[i][2]);
323         var quantity = 1 * sqlretunval[i][3];
324         var price = String(sqlretunval[i][4]);
325         console.log(price* quantity, supplier);
326         totalcost = totalcost + (price * quantity);
327         totalquantity = 1 * totalquantity + quantity;
328         var extracardname = extracardskey[i];
329         var extracardvalue = copy[extracardname];
330         //console.log(extracardname, extracardvalue);
331         if (imageurl == 'null' || imageurl.length == 0){
332             imageurl = "https://avatars.githubusercontent.com/u/123456789";
333         }
334         //console.log(i, id, customer, imageurl, date, status, p
335         //console.log('<tr><td>  
355 </body>  
356 </html>
```



5. ANALYTICS

309 lines (265 sloc) 9.09 KB

...

```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <script type="text/javascript" src="/eel.js"></script>
5     <meta charset="UTF-8">
6       <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8       <!-- Boxicons -->
9       <link href='https://unpkg.com/boxicons@2.0.9/css/boxicons.min.css' rel='stylesheet'>
10      <!-- My CSS -->
11      <link rel="stylesheet" href="mainstyle.css">
12
13      <title>OuOu</title>
14   </head>
15   <body class="dark">
16
17
18   <!-- SIDEBAR -->
19   <section id="sidebar">
20     <a href="#" class="brand">
21       <i class='bx bxs-smile'></i>
22       <span class="text">OuOu</span>
23     </a>
24     <ul class="side-menu top">
25       <li>
26         <a href="#" onclick="handlebutton('main')">
27           <i class='bx bxs-dashboard'></i>
28             <span class="text">Dashboard</span>
29           </a>
30         </li>
31         <li>
32           <a href="#" onclick="handlebutton('inventory')">
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/transactions.html>

1/7

```
33 <i class='bx bxs-shopping-bag-alt' ></i>
34 <span class="text">My Store</span>
35 </a>
36 </li>
37 <li class="active">
38   <a href="#" onclick="handlebutton('transactions')">
39     <i class='bx bxs-doughnut-chart' ></i>
40     <span class="text">Analytics</span>
41   </a>
42 </li>
43 <li>
44   <a href="#" onclick="handlebutton('todo')">
45     <i class='bx bxs-message-dots' ></i>
46     <span class="text">Todo</span>
47   </a>
48 </li>
49 <li>
50   <a href="#" onclick="handlebutton('users')">
51     <i class='bx bxs-group' ></i>
52     <span class="text">Users</span>
53   </a>
54 </li>
55 </ul>
56 <ul class="side-menu">
57 <li>
58   <a href="#">
59     <i class='bx bxs-cog' ></i>
60     <span class="text">Settings</span>
61   </a>
62 </li>
63 <li>
64   <a href="#" class="logout">
65     <i class='bx bxs-log-out-circle' ></i>
66     <span class="text">Logout</span>
67   </a>
68 </li>
69 </ul>
70 </section>
71 <!-- SIDEBAR -->
72
73
74
75 <!-- CONTENT -->
76 <section id="content">
77 <!-- NAVBAR -->
78 <nav>
79   <i class='bx bx-menu' ></i>
80   <a href="#" class="nav-link">Categories</a>
81   <form action="#">
82     <div class="form-input">
83       <input type="search" placeholder="Search...">
84         <button type="submit" class="search-btn"><i class='bx b
```

```
85      </div>
86      </form>
87      <input type="checkbox" id="switch-mode" checked hidden>
88      <label for="switch-mode" class="switch-mode"></label>
89      <a href="#" class="notification">
90          <i class='bx bxs-bell'></i>
91          <span class="num">8</span>
92      </a>
93      <a href="#" class="profile">
94          
95      </a>
96  </nav>
97  <!-- NAVBAR -->
98
99 <!-- MAIN -->
100 <main>
101 <div class="head-title">
102 <div class="left">
103 <h1>Dashboard</h1>
104 <ul class="breadcrumb">
105 <li>
106 <a href="#">Dashboard</a>
107 </li>
108 <li><i class='bx bx-chevron-right'></i></li>
109 <li>
110 <a class="active" href="#">Home</a>
111 </li>
112 </ul>
113 </div>
114 <a href="#" class="btn-download">
115 <i class='bx bxs-cloud-download'></i>
116 <span class="text">Download PDF</span>
117 </a>
118 </div>
119
120 <div class="table-data">
121 <div class="order">
122 <div class="head">
123 <h3>Recent Orders</h3>
124 <i class='bx bx-plus' onclick="newcard()"></i>
125 <i class='bx bx-trash' onclick="deleteall()"></i>
126 <i class='bx bx-search'></i>
127 </div>
128 <table>
129 <thead>
130 <tr>
131 <th>Customer</th>
132 <th>Transaction Date</th>
133 <th>Status</th>
134 <th>Price</th>
135 </tr>
136 </thead>
```

```
137                                     <tbody id="transactionstable">
138
139
140                                     </tbody>
141                                 </table>
142                             </div>
143
144                         </div>
145                     </main>
146                     <!-- MAIN -->
147                 </section>
148                 <!-- CONTENT -->
149
150
151
152             <script    src="mainscript.js"></script>
153             <script type="text/javascript">
154
155                 console.log("Calling Python...");  

156                 var path = window.location.pathname;  

157                 var page = path.split("/").pop().replace('.html','');
158                 console.log( page );
159                 eel.sendstate(page); // This calls the Python function that was decorated
160
161             ///// button functions
162
163             function handlebutton(button_identify)
164             { eel.sendstate(button_identify);
165             }
166
167             /////
168
169             ///// page change functions
170
171             eel.expose(switchpage);
172             function switchpage(page) {
173                 console.log(page);
174                 console.log("switching to " + page);
175                 if (page == "main") {
176                     window.location.replace("./main.html");
177                 }
178                 if (page == "inventory") {
179                     window.location.replace("./inventory.html");
180                 }
181                 if (page == "transactions") {
182                     //window.location.replace("./transactions.html");
183                 }
184                 if (page == "todo") {
185                     window.location.replace("./todo.html");
186                 }
187                 if (page == "users") {
188                     window.location.replace("./users.html");

```

```
189     }
190
191     }
192
193     </script>
194     <script type="text/javascript">
195
196     ///////
197     var sqlretunval = "";
198     var currenttransactionsresponse = "";
199
200     function deleteall(){
201         eel.droppable("transactions");
202         console.log("droppable");
203         window.location.reload();
204     }
205
206     function newcard(){
207         //eel.insert_into_table("dashboard", "Sales", NULL);
208         var monthNames = [ "January", "February", "March", "April", "May", "Jun
209         "July", "August", "September", "October", "November", "December" ];
210         var today = new Date();
211
212         let customername = prompt("Enter new customer name");
213         let iconurl = prompt("Enter card icon url");
214         var date = prompt("Please enter date.", today.getDate() + "-" + monthNames
215         let status = prompt("Enter transaction status");
216         let price = parseInt(prompt("Enter price for transaction"));
217         if (customername != "" && customername != null && date != "" && date !=
218             if(iconurl != null || iconurl != "") {
219
220                 randomseed = Math.floor(Math.random() * 100001);
221                 iconurl = "https://avatars.dicebear.com/api/adventurer/
222                 //eel.insert_into_table("users", "" + username + "", "
223                 //window.location.reload();
224             }
225
226             eel.insert_into_table_autoinc("transactions", "Customer, Imageu
227             window.location.reload();
228
229         }
230     }
231
232     function updatecard (cardname, value){
233         console.log(cardname);
234         console.log(value);
235         eel.update_specific("dashboard", value, "field = " + "" + cardname +
236         window.location.reload();
237     }
238
239     function capitalizeFirstLetter(string) {
240         return string.charAt(0).toUpperCase() + string.slice(1);
```

```
241         }
242
243         eel.create_table("transactions", "ID int AUTO_INCREMENT PRIMARY KEY,
244 Customer v //SQL CONNECTIVITY
245         eel.getall("transactions");
246
247         eel.expose(sqlreturn);
248         function sqlreturn(data) {
249
250             window.sqlretunval = data;
251
252
253             window.currenttransactionsresponse = sqlretunval;
254             console.log(sqlretunval);
255             if (sqlretunval == "" || sqlretunval == null) {
256                 //eel.insert_into_table("dashboard", "Sales", NULL');
257                 //eel.insert_into_table("dashboard", "Profits", NULL');
258                 //eel.insert_into_table("dashboard", "Purchases", NULL');
259                 console.log("null");
260                 //window.location.reload();
261             }
262             //document.getElementById("sqlbutton").click();
263             let dictionary = Object.assign({}, ...sqlretunval.map((x) => ([x[0]]: var copy =
264             {}));
265             console.log(dictionary);
266             console.log(sqlretunval);
267             Object.assign(copy, dictionary);
268             //delete copy["Sales"];
269             //delete copy["Purchases"];
270             //delete copy["Profits"];
271             var extracards = Object.keys(copy).length;
272             var extracardskey = Object.keys(copy);
273
274             if (extracards != 0) {
275                 console.log("more fields", extracardskey, extracards);
276                 for (var i = 0; i < extracards; i++) {
277                     //console.log("h");
278                     var id = String(sqlretunval[i][0]);
279                     var customer = String(sqlretunval[i][1]);
280                     var imageurl = String(sqlretunval[i][2]);
281                     var date = String(sqlretunval[i][3]);
282                     var status = String(sqlretunval[i][4]);
283                     var price = String(sqlretunval[i][5]);
284
285                     var extracardname = extracardskey[i];
286                     var extracardvalue = copy[extracardname];
287                     //console.log(extracardname, extracardvalue);
288                     if (imageurl == 'null' || imageurl.length == 0){
289                         imageurl = "https://avatars.githubusercontent.com/u/" + id + "?size=40";
290                     }
291                     console.log(i, id, customer, imageurl, date, status, price);
292                     console.log('<tr><td><p>' +
```

```
293 }  
294  
295 }  
296 }  
297 }  
298 //document.getElementById('cardlist').innerHTML += '<li onclick="newcar  
299 //document.getElementById("sales").innerHTML = dictionary["Sales"];  
300 //document.getElementById("purchases").innerHTML = dictionary["Purchase  
301 //document.getElementById("profits").innerHTML = dictionary["Profits"];  
302 }  
303 }  
304  
305  
306 //update tablename set column = newval where  
307 name = </script>  
308 </body  
309 >  
</html  
>
```

6. TODO

329 lines (262 sloc) 8.41 KB

...

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <script type="text/javascript" src="/eel.js"></script>
5  <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8
9      <!-- Boxicons -->
10     <link href='https://unpkg.com/boxicons@2.0.9/css/boxicons.min.css' rel='stylesheet'>
11     <!-- My CSS -->
12     <link rel="stylesheet" href="mainstyle.css">
13
14     <title>OuOu</title>
15 </head>
16 <body class="dark">
17
18
19     <!-- SIDEBAR -->
20     <section id="sidebar">
21         <a href="#" class="brand">
22             <i class='bx bxs-smile'></i>
23             <span class="text">OuOu</span>
24         </a>
25         <ul class="side-menu top">
26             <li>
27                 <a href="#" onclick="handlebutton('main')">
28                     <i class='bx bxs-dashboard'></i>
29                         <span class="text">Dashboard</span>
30                 </a>
31             </li>
32         <li>
```

```
33          <a href="#" onclick="handlebutton('inventory')">
34              <i class='bx bxs-shopping-bag-alt' ></i>
35              <span class="text">My Store</span>
36          </a>
37      </li>
38      <li>
39          <a href="#" onclick="handlebutton('transactions')">
40              <i class='bx bxs-doughnut-chart' ></i>
41              <span class="text">Analytics</span>
42          </a>
43      </li>
44      <li class="active">
45          <a href="#" onclick="handlebutton('todo')">
46              <i class='bx bxs-message-dots' ></i>
47              <span class="text">Todo</span>
48          </a>
49      </li>
50      <li>
51          <a href="#" onclick="handlebutton('users')">
52              <i class='bx bxs-group' ></i>
53              <span class="text">Users</span>
54          </a>
55      </li>
56  </ul>
57  <ul class="side-menu">
58      <li>
59          <a href="#">
60              <i class='bx bxs-cog' ></i>
61              <span class="text">Settings</span>
62          </a>
63      </li>
64      <li>
65          <a href="#" class="logout">
66              <i class='bx bxs-log-out-circle' ></i>
67              <span class="text">Logout</span>
68          </a>
69      </li>
70  </ul>
71 </section>
72 <!-- SIDEBAR -->
73
74
75
76 <!-- CONTENT -->
77 <section id="content">
78 <!-- NAVBAR -->
79 <nav>
80     <i class='bx bx-menu' ></i>
81     <a href="#" class="nav-link">Categories</a>
82     <form action="#">
83         <div class="form-input">
84             <input type="search" placeholder="Search...">
```

```
85          <button type="submit" class="search-btn"><i class='bx bx-search'></i>
86      </div>
87  </form>
88  <input type="checkbox" id="switch-mode" checked hidden>
89  <label for="switch-mode" class="switch-mode"></label>
90  <a href="#" class="notification">
91      <i class='bx bxs-bell'></i>
92      <span class="num">8</span>
93  </a>
94  <a href="#" class="profile">
95      
96  </a>
97 </nav>
98 <!-- NAVBAR -->
99
100
101 <!-- MAIN -->
102 <main>
103 <div class="head-title">
104 <div class="left">
105     <h1>Dashboard</h1>
106     <ul class="breadcrumb">
107         <li>
108             <a href="#">Dashboard</a>
109         </li>
110         <li><i class='bx bx-chevron-right'></i></li>
111     <li>
112         <a class="active" href="#">Home</a>
113     </li>
114 </ul>
115 </div>
116 <a href="#" class="btn-download">
117     <i class='bx bxs-cloud-download'></i>
118     <span class="text">Download PDF</span>
119 </a>
120 </div>
121
122
123
124
125 <div class="table-data">
126
127     <div class="todo">
128         <div class="head">
129             <h3>Todos</h3>
130             <i class='bx bx-plus' onclick="newcard()"></i>
131             <i class='bx bx-trash' onclick="deletemulspec()"></i>
132             <i class='bx bx-filter'></i>
133         </div>
134         <ul class="todo-list" id="todotable">
135
136             </ul>
```

```
137         </div>
138     </div>
139 </main>
140 <!-- MAIN -->
141 </section>
142 <!-- CONTENT -->
143
144
145
146
147     <script src="mainscript.js"></script>
148     <script type="text/javascript">
149
150         console.log("Calling Python...");
151         var path = window.location.pathname;
152         var page = path.split("/").pop().replace('.html','');
153         console.log( page );
154         eel.sendstate(page); // This calls the Python function that was decorated
155
156         ///// button functions
157
158         function handlebutton(button_identify)
159         { eel.sendstate(button_identify);
160             }
161
162         /////
163
164         ///// page change functions
165
166         eel.expose(switchpage);
167         function switchpage(page) {
168             console.log(page);
169             console.log("switching to " + page);
170             if (page == "main") {
171                 window.location.replace("./main.html");
172             }
173             if (page == "inventory") {
174                 window.location.replace("./inventory.html");
175             }
176             if (page == "transactions") {
177                 window.location.replace("./transactions.html");
178             }
179             if (page == "todo") {
180                 //window.location.replace("./todo.html");
181             }
182             if (page == "users") {
183                 window.location.replace("./users.html");
184             }
185
186         }
187
188     </script>
```

```
189 <script type="text/javascript">
190
191     //////
192     var sqlretunval = "";
193     var currenttransactionsresponse = "";
194     var once = false;
195
196     function deletemulspec(){
197         eel.delete_specific("todo", 'Status != "not-completed"');
198         window.location.reload();
199     }
200
201     function deleteall(){
202         eel.droptable("transactions");
203         console.log("droptable");
204         window.location.reload();
205     }
206
207     function newcard(){
208         //eel.insert_into_table("dashboard", "'Sales'", NULL);
209         var monthNames = [ "January", "February", "March", "April", "May", "Jun
210         "July", "August", "September", "October", "November", "December" ];
211         var today = new Date();
212         let note = prompt("Enter new customer name");
213         var date = prompt("Please enter date.", today.getDate() + "-" + monthNames
214         let status = prompt("Enter transaction status");
215
216         if (note != "" && note != null && date != "" && date != null && status
217
218             eel.insert_into_table_autoinc("todo", "Note, Date, Status" , ""
219             window.location.reload();
220
221         }
222     }
223 }
224     function changestatus(id, status){
225     if (id.length != 0) {
226
227     //
228
229         if (status == "completed"){
230             eel.update_status_todo("todo", "not-completed", 'ID = ' +
231             }
232
233
234         else if (status == "not-completed"){
235             eel.update_status_todo("todo", "completed", 'ID = ' +
236             }
237
238         else if (status != "not-completed" && status != "completed"){
239             eel.update_status_todo("todo", "completed", 'ID = ' +
240             }
```

```
241
242
243     }
244     }
245
246     function updatecard (cardname, value){
247         console.log(cardname);
248         console.log(value);
249         eel.update_specific("dashboard", value, "field = " + "" + cardname +
250         window.location.reload();
251     }
252
253     function capitalizeFirstLetter(string) {
254         return string.charAt(0).toUpperCase() + string.slice(1);
255     }
256
257     eel.create_table("todo", "ID int AUTO_INCREMENT PRIMARY KEY, Note
258 varchar(500), //SQL CONNECTIVITY
259 eel.getall("todo");
260
261     eel.expose(sqlreturn);
262     function sqlreturn(data) {
263
264         window.sqlretunval = data;
265
266
267         window.currenttransactionsresponse = sqlretunval;
268         console.log(sqlretunval);
269         if (sqlretunval == "" || sqlretunval == null) {
270             //eel.insert_into_table("dashboard", "Sales", NULL');
271             //eel.insert_into_table("dashboard", "Profits", NULL');
272             //eel.insert_into_table("dashboard", "Purchases", NULL');
273             console.log("null");
274             //window.location.reload();
275         }
276         //document.getElementById("sqlbutton").click();
277         let dictionary = Object.assign({}, ...sqlretunval.map((x) => ({[x[0]]: var copy=
278         {}));
279         console.log(dictionary);
280         console.log(sqlretunval);
281         Object.assign(copy, dictionary);
282         //delete copy["Sales"];
283         //delete copy["Purchases"];
284         //delete copy["Profits"];
285         var extracards = Object.keys(copy).length;
286         var extracardskey = Object.keys(copy);
287
288         if (extracards != 0) {
289             console.log("more fields", extracardskey, extracards);
290             for (var i = 0; i < extracards; i++) {
291                 //console.log("h");
292                 var id = String(sqlretunval[i][0]);
```

```
293     var note = String(sqlretunval[i][1]);
294     var date = String(sqlretunval[i][2]);
295     var status = String(sqlretunval[i][3]);
296 
297 
298     var extracardname = extracardskey[i];
299     var extracardvalue = copy[extracardname];
300     //console.log(extracardname, extracardvalue);
301 
302     console.log(i, id, note, date, status);
303     //console.log('<li class="completed"><p>Todo List</p><i');
304     document.getElementById('todotable').innerHTML +=
305     '<li'
306   }
307 
308 }
309 //document.getElementById('cardlist').innerHTML += '<li onclick="newcar';
310 //document.getElementById("sales").innerHTML = dictionary["Sales"];
311 //document.getElementById("purchases").innerHTML = dictionary["Purchase";
312 //document.getElementById("profits").innerHTML = dictionary["Profits"];
313 
314 }
315 
316 
317 //update tablename set column = newval where
318 name = </script>
319 </body>
320 >
321 </html>
322 >
323 
324 
325 
326 
327 
328
```

7. USERS

340 lines (292 sloc) 10.1 KB

...

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <script type="text/javascript" src="/eel.js"></script>
5  <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8      <!-- Boxicons -->
9      <link href='https://unpkg.com/boxicons@2.0.9/css/boxicons.min.css' rel='stylesheet'>
10     <!-- My CSS -->
11     <link rel="stylesheet" href="mainstyle.css">
12
13     <title>OuOu</title>
14 </head>
15 <body class="dark">
16
17
18     <!-- SIDEBAR -->
19     <section id="sidebar">
20         <a href="#" class="brand">
21             <i class='bx bxs-smile'></i>
22             <span class="text">OuOu</span>
23         </a>
24         <ul class="side-menu top">
25             <li>
26                 <a href="#" onclick="handlebutton('main')">
27                     <i class='bx bxs-dashboard'></i>
28                     <span class="text">Dashboard</span>
29                 </a>
30             </li>
31             <li>
32                 <a href="#" onclick="handlebutton('inventory')">
```

```
33                                     <i class='bx bxs-shopping-bag-alt' ></i>
34                                     <span class="text">My Store</span>
35                                 </a>
36                             </li>
37                             <li>
38                                 <a href="#" onclick="handlebutton('transactions')">
39                                     <i class='bx bxs-doughnut-chart' ></i>
40                                     <span class="text">Analytics</span>
41                                 </a>
42                             </li>
43                             <li>
44                                 <a href="#" onclick="handlebutton('todo')">
45                                     <i class='bx bxs-message-dots' ></i>
46                                     <span class="text">Todo</span>
47                                 </a>
48                             </li>
49                             <li class="active">
50                                 <a href="#" onclick="handlebutton('users')">
51                                     <i class='bx bxs-group' ></i>
52                                     <span class="text">Users</span>
53                                 </a>
54                             </li>
55                         </ul>
56                         <ul class="side-menu">
57                             <li>
58                                 <a href="#">
59                                     <i class='bx bxs-cog' ></i>
60                                     <span class="text">Settings</span>
61                                 </a>
62                             </li>
63                             <li>
64                                 <a href="#" class="logout">
65                                     <i class='bx bxs-log-out-circle' ></i>
66                                     <span class="text">Logout</span>
67                                 </a>
68                             </li>
69                         </ul>
70                     </section>
71                     <!-- SIDEBAR -->
72
73
74
75                     <!-- CONTENT -->
76                     <section id="content">
77                         <!-- NAVBAR -->
78                         <nav>
79                             <i class='bx bx-menu' ></i>
80                             <a href="#" class="nav-link">Categories</a>
81                             <form action="#">
82                             <div class="form-input">
83                             <input type="search" placeholder="Search...">
84                                         <button type="submit" class="search-btn"><i class='bx b
```

```
85      </div>
86      </form>
87      <input type="checkbox" id="switch-mode" checked hidden>
88      <label for="switch-mode" class="switch-mode"></label>
89      <a href="#" class="notification">
90          <i class='bx bxs-bell'></i>
91          <span class="num">8</span>
92      </a>
93      <a href="#" class="profile">
94          
95      </a>
96  </nav>
97  <!-- NAVBAR -->
98
99 <!-- MAIN -->
100 <main>
101 <div class="head-title">
102 <div class="left">
103 <h1>Profiles</h1>
104 <ul class="breadcrumb">
105 <li>
106     <a href="#">Profiles</a>
107 </li>
108     <li><i class='bx bx-chevron-right'></i></li>
109 <li>
110     <a class="active" href="#">Home</a>
111 </li>
112 </ul>
113 </div>
114 <a href="#" class="btn-download">
115     <i class='bx bxs-cloud-download'></i>
116     <span class="text">Download PDF</span>
117         </a>
118     </div>
119
120     <div class="table-data">
121         <div class="order">
122             <div class="head">
123                 <h3>Manage users</h3>
124                 <i class='bx bx-plus' onclick="newcard()"></i>
125                     <i class='bx bx-trash' onclick="deleteuser()"></i>
126                 <i class='bx bx-search'></i>
127             </div>
128             <table>
129                 <thead>
130                     <tr>
131                         <th>Username</th>
132                         <th>Date Added</th>
133                         <th>Password</th>
134                         <th>AccessLVL</th>
135                     </tr>
136                 </thead>
```

```
137
138
139
140         </tbody>
141     </table>
142 </div>
143
144 </div>
145 </main>
146 <!-- MAIN -->
147 </section>
148     <!-- CONTENT -->
149
150
151
152     <script    src="mainscript.js"></script>
153     <script type="text/javascript">
154
155         console.log("Calling Python..."); 
156         var path = window.location.pathname;
157         var page = path.split("/").pop().replace('.html','');
158         console.log( page );
159         eel.sendstate(page); // This calls the Python function that was decorated
160
161     ///// button functions
162
163     function handlebutton(button_identify)
164     { eel.sendstate(button_identify);
165     }
166
167     /////
168
169     ///// page change functions
170
171     eel.expose(switchpage);
172     function switchpage(page) {
173         console.log(page);
174         console.log("switching to " + page);
175         if (page == "main") {
176             window.location.replace("./main.html");
177         }
178         if (page == "inventory") {
179             window.location.replace("./inventory.html");
180         }
181         if (page == "transactions") {
182             window.location.replace("./transactions.html");
183         }
184         if (page == "todo") {
185             window.location.replace("./todo.html");
186         }
187         if (page == "users") {
188             //window.location.replace("./users.html");
```

```
189     }
190
191     }
192
193     </script>
194     <script type="text/javascript">
195
196     //////
197     var sqlretunval = "";
198     var currenttransactionsresponse = "";
199
200     function deleteall(){
201         eel.droppable("transactions");
202         console.log("droppable");
203         window.location.reload();
204     }
205
206     function newcard(){
207         //eel.insert_into_table("dashboard", "Sales", NULL);
208         var monthNames = [ "January", "February", "March", "April", "May", "Jun
209         "July", "August", "September", "October", "November", "December" ];
210         var today = new Date();
211
212         let username = prompt("Enter new username");
213         let iconurl = prompt("Enter card icon url");
214         var date = prompt("Please enter date.", today.getDate() + "-" + monthNames
215         let password = prompt("enter password");
216         let accesslevel = parseInt(prompt("enter accesslevel"));
217         if (username != "" && username != null && date != "" && date != null &&
218             if(iconurl != null || iconurl != "") {
219
220                 randomseed = Math.floor(Math.random() * 100001);
221                 iconurl = "https://avatars.dicebear.com/api/adventurer/
222                 //eel.insert_into_table("users", "" + username + "", "
223                 //window.location.reload();
224             }
225
226             eel.insert_into_table("users", "" + username + "", "" + iconur
227             window.location.reload();
228
229         }
230     }
231
232     function changepassword(username) {
233         let password = prompt("Enter new password");
234         if (password == "NA" || password == "delete"){
235             eel.delete_specific("users", "username = " + "" + username +
236             window.location.reload();
237         }
238         else {
239             eel.update_password("users", "" + password + "", "username =
240             window.location.reload();
```

```
241         }
242     }
243
244     function changeaccesslevel(username) {
245         let accesslevel = prompt("Enter new accesslevel");
246         console.log(accesslevel);
247         if (accesslevel == "NA" && accesslevel == "delete"){
248             eel.delete_specific("users", "username = " + "" + username +
249             window.location.reload();
250         }
251         else {
252             eel.update_accesslevel("users", accesslevel, "username = " + ""
253             window.location.reload();
254         }
255     }
256
257     function updatecard (cardname, value){
258         console.log(cardname);
259         console.log(value);
260         eel.update_specific("dashboard", value, "field = " + "" + cardname +
261         window.location.reload();
262     }
263
264     function deleteuser(){
265         let user = prompt("Enter username to delete");
266             eel.delete_specific("users", 'username = "' + user + "'");
267             window.location.reload();
268     }
269
270     function capitalizeFirstLetter(string) {
271         return string.charAt(0).toUpperCase() + string.slice(1);
272     }
273
274     eel.create_table("users", "username varchar(50) PRIMARY KEY NOT NULL,
275     Imageurl //SQL CONNECTIVITY
276     eel.getall("users");
277
278     eel.expose(sqlreturn);
279     function sqlreturn(data) {
280
281         window.sqlretunval = data;
282
283
284         window.currenttransactionsresponse = sqlretunval;
285         console.log(sqlretunval);
286         if (sqlretunval == "" || sqlretunval == null) {
287             //eel.insert_into_table("dashboard", "Sales", NULL');
288             //eel.insert_into_table("dashboard", "Profits", NULL');
289             //eel.insert_into_table("dashboard", "Purchases", NULL');
290             console.log("null");
291             //window.location.reload();
292         }
293     }
```

```
293 //document.getElementById("sqlbutton").click();
294 let dictionary = Object.assign({}, ...sqlretunval.map((x) => ({[x[0]]: var copy= 
295 {}});
296 console.log(dictionary);
297 console.log(sqlretunval);
298 Object.assign(copy, dictionary);
299 //delete copy["Sales"];
300 //delete copy["Purchases"];
301 //delete copy["Profits"];
302 var extracards = Object.keys(copy).length;
303 var extracardskey = Object.keys(copy);
304
305 if (extracards != 0) {
306     console.log("more fields", extracardskey, extracards);
307     for (var i = 0; i < extracards; i++) {
308         //console.log("h");
309
310     var username = String(sqlretunval[i][0]);
311     var imageurl = String(sqlretunval[i][1]);
312     var date = String(sqlretunval[i][2]);
313     var password = String(sqlretunval[i][3]);
314     var accesslevel = String(sqlretunval[i][4]);
315
316     var extracardname = extracardskey[i];
317     var extracardvalue = copy[extracardname];
318     //console.log(extracardname, extracardvalue);
319     if (imageurl == 'null' || imageurl.length == 0){
320         imageurl = "https://avatars.githubusercontent.com/u/13451345";
321     }
322     //console.log(i, id, customer, imageurl, date, status,
323     //console.log('<tr><td><p>' +
324     document.getElementById('transactionstable').innerHTML =
325     ML
326 }
327
328 }
329 //document.getElementById('cardlist').innerHTML += '<li onclick="newcar">';
330 //document.getElementById("sales").innerHTML = dictionary["Sales"];
331 //document.getElementById("purchases").innerHTML = dictionary["Purchase"];
332 //document.getElementById("profits").innerHTML = dictionary["Profits"];
333
334 }
335
336
337 //update tablename set column = newval where
338 name = </script>
339 </body>
340 >
</html>
```

STYLING & UI (CSS)

605 lines (543 sloc) 10.5 KB

...

```
1  @import url('https://fonts.googleapis.com/css2?family=Lato:wght@400;700&family=Poppins:wght@400
2
3  * {
4      margin: 0;
5      padding: 0;
6      box-sizing: border-box;
7  }
8
9  a {
10     text-decoration: none;
11 }
12
13 li {
14     list-style: none;
15 }
16
17 :root {
18     --poppins: 'Poppins', sans-serif;
19     --lato: 'Lato', sans-serif;
20
21     --light: #F9F9F9;
22     --blue: #7d3ce6;
23     --light-blue: #CFE8FF;
24     --grey: #eeee;
25     --dark-grey: #AAAAAA;
26     --dark: #342E37;
27     --red: #DB504A;
28     --yellow: #FFCE26;
29     --light-yellow: #FFF2C6;
30     --orange: #FD7238;
31     --light-orange: #FFE0D3;
32     --green: #91ff51;
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/mainstyle.css>

1/13

```
33    }
34
35  html {
36      overflow-x: hidden;
37  }
38
39  body.dark {
40      --light: #0C0C1E;
41      --grey: #060714;
42      --dark: #FBFBFB;
43  }
44
45  body {
46      background: var(--grey);
47      overflow-x: hidden;
48  }
49
50
51
52
53
54  /* SIDEBAR */
55  #sidebar {
56      position: fixed;
57      top: 0;
58      left: 0;
59      width: 280px;
60      height: 100%;
61      background: var(--light);
62      z-index: 2000;
63      font-family: var(--lato);
64      transition: .3s ease;
65      overflow-x: hidden;
66      scrollbar-width: none;
67  }
68  #sidebar::--webkit-scrollbar {
69      display: none;
70  }
71  #sidebar.hide {
72      width: 60px;
73  }
74  #sidebar .brand {
75      font-size: 24px;
76      font-weight: 700;
77      height: 56px;
78      display: flex;
79      align-items: center;
80      color: var(--blue);
81      position: sticky;
82      top: 0;
83      left: 0;
84      background: var(--light);
```

```
85 z-index: 500;
86 padding-bottom: 20px;
87 box-sizing: content-box;
88 }
89 #sidebar .brand .bx {
90 min-width: 60px;
91 display: flex;
92 justify-content: center;
93 }
94 #sidebar .side-menu {
95 width: 100%;
96 margin-top: 48px;
97 }
98 #sidebar .side-menu li {
99 height: 48px;
100 background: transparent;
101 margin-left: 6px;
102 border-radius: 48px 0 0 48px;
103 padding: 4px;
104 }
105 #sidebar .side-menu li.active {
106 background: var(--grey);
107 position: relative;
108 }
109 #sidebar .side-menu li.active::before {
110 content: "";
111 position: absolute;
112 width: 40px;
113 height: 40px;
114 border-radius: 50%;
115 top: -40px;
116 right: 0;
117 box-shadow: 20px 20px 0 var(--grey);
118 z-index: -1;
119 }
120 #sidebar .side-menu li.active::after {
121 content: "";
122 position: absolute;
123 width: 40px;
124 height: 40px;
125 border-radius: 50%;
126 bottom: -40px;
127 right: 0;
128 box-shadow: 20px -20px 0 var(--grey);
129 z-index: -1;
130 }
131 #sidebar .side-menu li a {
132 width: 100%;
133 height: 100%;
134 background: var(--light);
135 display: flex;
136 align-items: center;
```

```
137 border-radius: 48px;
138 font-size: 16px;
139 color: var(--dark);
140 white-space: nowrap;
141 overflow-x: hidden;
142 }
143 #sidebar .side-menu.top li.active a {
144 color: var(--blue);
145 }
146 #sidebar.hide .side-menu li a {
147 width: calc(48px - (4px * 2));
148 transition: width .3s ease;
149 }
150 #sidebar .side-menu li a.logout {
151 color: var(--red);
152 }
153 #sidebar .side-menu.top li a:hover {
154 color: var(--blue);
155 }
156 #sidebar .side-menu li a .bx {
157 min-width: calc(60px - ((4px + 6px) * 2));
158 display: flex;
159 justify-content: center;
160 }
161 /* SIDEBAR */

162
163
164
165
166
167 /* CONTENT */
168 #content {
169 position: relative;
170 width: calc(100% - 280px);
171 left: 280px;
172 transition: .3s ease;
173 }
174 #sidebar.hide ~ #content {
175 width: calc(100% - 60px);
176 left: 60px;
177 }

178
179
180
181
182 /* NAVBAR */
183 #content nav {
184 height: 56px;
185 background: var(--light);
186 padding: 0 24px;
187 display: flex;
188 align-items: center;
```

```
189 |     grid-gap: 24px;
190 |     font-family: var(--lato);
191 |     position: sticky;
192 |     top: 0;
193 |     left: 0;
194 |     z-index: 1000;
195 |
196 | #content nav::before {
197 |   content: "";
198 |   position: absolute;
199 |   width: 40px;
200 |   height: 40px;
201 |   bottom: -40px;
202 |   left: 0;
203 |   border-radius: 50%;
204 |   box-shadow: -20px -20px 0 var(--light);
205 |
206 | #content nav a {
207 |   color: var(--dark);
208 |
209 | #content nav .bx.bx-menu {
210 |   cursor: pointer;
211 |   color: var(--dark);
212 |
213 | #content nav .nav-link {
214 |   font-size: 16px;
215 |   transition: .3s ease;
216 |
217 | #content nav .nav-link:hover {
218 |   color: var(--blue);
219 |
220 | #content nav form {
221 |   max-width: 400px;
222 |   width: 100%;
223 |   margin-right: auto;
224 |
225 | #content nav form .form-input {
226 |   display: flex;
227 |   align-items: center;
228 |   height: 36px;
229 |
230 | #content nav form .form-input input {
231 |   flex-grow: 1;
232 |   padding: 0 16px;
233 |   height: 100%;
234 |   border: none;
235 |   background: var(--grey);
236 |   border-radius: 36px 0 0 36px;
237 |   outline: none;
238 |   width: 100%;
239 |   color: var(--dark);
240 | }
```

```
241 #content nav form .form-input button {  
242   width: 36px;  
243   height: 100%;  
244   display: flex;  
245   justify-content: center;  
246   align-items: center;  
247   background: var(--blue);  
248   color: var(--light);  
249   font-size: 18px;  
250   border: none;  
251   outline: none;  
252   border-radius: 0 36px 36px 0;  
253   cursor: pointer;  
254 }  
255 #content nav .notification {  
256   font-size: 20px;  
257   position: relative;  
258 }  
259 #content nav .notification .num {  
260   position: absolute;  
261   top: -6px;  
262   right: -6px;  
263   width: 20px;  
264   height: 20px;  
265   border-radius: 50%;  
266   border: 2px solid var(--light);  
267   background: var(--red);  
268   color: var(--light);  
269   font-weight: 700;  
270   font-size: 12px;  
271   display: flex;  
272   justify-content: center;  
273   align-items: center;  
274 }  
275 #content nav .profile img {  
276   width: 36px;  
277   height: 36px;  
278   object-fit: cover;  
279   border-radius: 50%;  
280 }  
281 #content nav .switch-mode {  
282   display: block;  
283   min-width: 50px;  
284   height: 25px;  
285   border-radius: 25px;  
286   background: var(--grey);  
287   cursor: pointer;  
288   position: relative;  
289 }  
290 #content nav .switch-mode::before {  
291   content: " ";  
292   position: absolute;
```

```
293 top: 2px;  
294 left: 2px;  
295 bottom: 2px;  
296 width: calc(25px - 4px);  
297 background: var(--blue);  
298 border-radius: 50%;  
299 transition: all .3s ease;  
300 }  
301 #content nav #switch-mode:checked + .switch-mode::before {  
302 left: calc(100% - (25px - 4px) - 2px);  
303 }  
304 /* NAVBAR */  
305  
306  
307  
308  
309  
310 /* MAIN */  
311 #content main {  
312 width: 100%;  
313 padding: 36px 24px;  
314 font-family: var(--poppins);  
315 max-height: calc(100vh - 56px);  
316 overflow-y: auto;  
317 }  
318 #content main .head-title {  
319 display: flex;  
320 align-items: center;  
321 justify-content: space-between;  
322 grid-gap: 16px;  
323 flex-wrap: wrap;  
324 }  
325 #content main .head-title .left h1 {  
326 font-size: 36px;  
327 font-weight: 600;  
328 margin-bottom: 10px;  
329 color: var(--dark);  
330 }  
331 #content main .head-title .left .breadcrumb {  
332 display: flex;  
333 align-items: center;  
334 grid-gap: 16px;  
335 }  
336 #content main .head-title .left .breadcrumb li {  
337 color: var(--dark);  
338 }  
339 #content main .head-title .left .breadcrumb li a {  
340 color: var(--dark-grey);  
341 pointer-events: none;  
342 }  
343 #content main .head-title .left .breadcrumb li a.active {  
344 color: var(--blue);
```

```
345 | pointer-events: unset;
346 |
347 | #content main .head-title .btn-download {
348 |   height: 36px;
349 |   padding: 0 16px;
350 |   border-radius: 36px;
351 |   background: var(--blue);
352 |   color: var(--light);
353 |   display: flex;
354 |   justify-content: center;
355 |   align-items: center;
356 |   grid-gap: 10px;
357 |   font-weight: 500;
358 |
359 |
360 |
361 |
362 |
363 | #content main .box-info {
364 |   display: grid;
365 |   grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
366 |   grid-gap: 24px;
367 |   margin-top: 36px;
368 |
369 | #content main .box-info li {
370 |   padding: 24px;
371 |   background: var(--light);
372 |   border-radius: 20px;
373 |   display: flex;
374 |   align-items: center;
375 |   grid-gap: 24px;
376 |
377 | #content main .box-info li .bx {
378 |   width: 80px;
379 |   height: 80px;
380 |   border-radius: 10px;
381 |   font-size: 36px;
382 |   display: flex;
383 |   justify-content: center;
384 |   align-items: center;
385 |
386 | #content main .box-info li:nth-child(1) .bx {
387 |   background: var(--light-blue);
388 |   color: var(--blue);
389 |
390 | #content main .box-info li:nth-child(2) .bx {
391 |   background: var(--light-yellow);
392 |   color: var(--yellow);
393 |
394 | #content main .box-info li:nth-child(3) .bx {
395 |   background: var(--light-orange);
396 |   color: var(--orange);
```

```
397    }
398    #content main .box-info li .text h3 {
399      font-size: 24px;
400      font-weight: 600;
401      color: var(--dark);
402    }
403    #content main .box-info li .text p {
404      color: var(--dark);
405    }
406
407
408
409
410
411    #content main .table-data {
412      display: flex;
413      flex-wrap: wrap;
414      grid-gap: 24px;
415      margin-top: 24px;
416      width: 100%;
417      color: var(--dark);
418    }
419    #content main .table-data > div {
420      border-radius: 20px;
421      background: var(--light);
422      padding: 24px;
423      overflow-x: auto;
424    }
425    #content main .table-data .head {
426      display: flex;
427      align-items: center;
428      grid-gap: 16px;
429      margin-bottom: 24px;
430    }
431    #content main .table-data .head h3 {
432      margin-right: auto;
433      font-size: 24px;
434      font-weight: 600;
435    }
436    #content main .table-data .head .bx {
437      cursor: pointer;
438    }
439
440    #content main .table-data .order {
441      flex-grow: 1;
442      flex-basis: 500px;
443    }
444    #content main .table-data .order table {
445      width: 100%;
446      border-collapse: collapse;
447    }
448    #content main .table-data .order table th {
```

```
449 | padding-bottom: 12px;
450 | font-size: 13px;
451 | text-align: left;
452 | border-bottom: 1px solid var(--grey);
453 |
454 | #content main .table-data .order table td {
455 |   padding: 16px 0;
456 |
457 |   #content main .table-data .order table tr td:first-child {
458 |     display: flex;
459 |     align-items: center;
460 |     grid-gap: 12px;
461 |     padding-left: 6px;
462 |
463 |     #content main .table-data .order table td img {
464 |       width: 36px;
465 |       height: 36px;
466 |       border-radius: 50%;
467 |       object-fit: cover;
468 |
469 |     #content main .table-data .order table tbody tr:hover {
470 |       background: var(--grey);
471 |
472 |     #content main .table-data .order table tr td .status {
473 |       font-size: 10px;
474 |       padding: 6px 16px;
475 |       color: var(--light);
476 |       border-radius: 20px;
477 |       font-weight: 700;
478 |
479 |     #content main .table-data .order table tr td .status.completed {
480 |       background: var(--blue);
481 |
482 |     #content main .table-data .order table tr td .status.process {
483 |       background: var(--yellow);
484 |
485 |     #content main .table-data .order table tr td .status.total {
486 |       background: var(--green);
487 |
488 |     #content main .table-data .order table tr td .status.pending {
489 |       background: var(--orange);
490 |
491 |
492 |
493 |     #content main .table-data .todo {
494 |       flex-grow: 1;
495 |       flex-basis: 300px;
496 |
497 |     #content main .table-data .todo .todo-list {
498 |       width: 100%;
499 |
500 |     #content main .table-data .todo .todo-list li {
```

```
501    width: 100%;  
502    margin-bottom: 16px;  
503    background: var(--grey);  
504    border-radius: 10px;  
505    padding: 14px 20px;  
506    display: flex;  
507    justify-content: space-between;  
508    align-items: center;  
509}  
510 #content main .table-data .todo .todo-list li .bx {  
511    cursor: pointer;  
512}  
513 #content main .table-data .todo .todo-list li.completed {  
514    border-left: 10px solid var(--blue);  
515}  
516 #content main .table-data .todo .todo-list li.not-completed {  
517    border-left: 10px solid var(--orange);  
518}  
519 #content main .table-data .todo .todo-list li:last-child {  
520    margin-bottom: 0;  
521}  
522 /* MAIN */  
523 /* CONTENT */  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533 @media screen and (max-width: 768px) {  
534    #sidebar {  
535        width: 200px;  
536    }  
537  
538    #content {  
539        width: calc(100% - 60px);  
540        left: 200px;  
541    }  
542  
543    #content nav .nav-link {  
544        display: none;  
545    }  
546}  
547  
548  
549  
550  
551  
552
```

```
553 @media screen and (max-width: 576px) {  
554     #content nav form .form-input input {  
555         display: none;  
556     }  
557  
558     #content nav form .form-input button {  
559         width: auto;  
560         height: auto;  
561         background: transparent;  
562         border-radius: none;  
563         color: var(--dark);  
564     }  
565  
566     #content nav form.show .form-input input {  
567         display: block;  
568         width: 100%;  
569     }  
570     #content nav form.show .form-input button {  
571         width: 36px;  
572         height: 100%;  
573         border-radius: 0 36px 36px 0;  
574         color: var(--light);  
575         background: var(--red);  
576     }  
577  
578     #content nav form.show ~ .notification,  
579     #content nav form.show ~ .profile {  
580         display: none;  
581     }  
582  
583     #content main .box-info {  
584         grid-template-columns: 1fr;  
585     }  
586  
587     #content main .table-data .head {  
588         min-width: 420px;  
589     }  
590     #content main .table-data .order table {  
591         min-width: 420px;  
592     }  
593         #content main .table-data .todo .todo-list {  
594         min-width: 420px;  
595     }  
596     }  
597     #sqldata{  
598         visibility: hidden;  
599         display: none;  
600     }  
601  
602     #sqlbutton{  
603         display: none;  
604         visibility: hidden;  
605     }
```

MISCELLANEOUS

1. INTRO

605 lines (543 sloc) 10.5 KB

...

```
1  @import url('https://fonts.googleapis.com/css2?family=Lato:wght@400;700&family=Poppins:wght@400
2
3  * {
4      margin: 0;
5      padding: 0;
6      box-sizing: border-box;
7  }
8
9  a {
10     text-decoration: none;
11 }
12
13 li {
14     list-style: none;
15 }
16
17 :root {
18     --poppins: 'Poppins', sans-serif;
19     --lato: 'Lato', sans-serif;
20
21     --light: #F9F9F9;
22     --blue: #7d3ce6;
23     --light-blue: #CFE8FF;
24     --grey: #eeee;
25     --dark-grey: #AAAAAA;
26     --dark: #342E37;
27     --red: #DB504A;
28     --yellow: #FFCE26;
29     --light-yellow: #FFF2C6;
30     --orange: #FD7238;
31     --light-orange: #FFE0D3;
32     --green: #91ff51;
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/mainstyle.css>

1/13

```
33    }
34
35  html {
36      overflow-x: hidden;
37  }
38
39  body.dark {
40      --light: #0C0C1E;
41      --grey: #060714;
42      --dark: #FBFBFB;
43  }
44
45  body {
46      background: var(--grey);
47      overflow-x: hidden;
48  }
49
50
51
52
53
54  /* SIDEBAR */
55  #sidebar {
56      position: fixed;
57      top: 0;
58      left: 0;
59      width: 280px;
60      height: 100%;
61      background: var(--light);
62      z-index: 2000;
63      font-family: var(--lato);
64      transition: .3s ease;
65      overflow-x: hidden;
66      scrollbar-width: none;
67  }
68  #sidebar::--webkit-scrollbar {
69      display: none;
70  }
71  #sidebar.hide {
72      width: 60px;
73  }
74  #sidebar .brand {
75      font-size: 24px;
76      font-weight: 700;
77      height: 56px;
78      display: flex;
79      align-items: center;
80      color: var(--blue);
81      position: sticky;
82      top: 0;
83      left: 0;
84      background: var(--light);
```

```
85 z-index: 500;
86 padding-bottom: 20px;
87 box-sizing: content-box;
88 }
89 #sidebar .brand .bx {
90 min-width: 60px;
91 display: flex;
92 justify-content: center;
93 }
94 #sidebar .side-menu {
95 width: 100%;
96 margin-top: 48px;
97 }
98 #sidebar .side-menu li {
99 height: 48px;
100 background: transparent;
101 margin-left: 6px;
102 border-radius: 48px 0 0 48px;
103 padding: 4px;
104 }
105 #sidebar .side-menu li.active {
106 background: var(--grey);
107 position: relative;
108 }
109 #sidebar .side-menu li.active::before {
110 content: "";
111 position: absolute;
112 width: 40px;
113 height: 40px;
114 border-radius: 50%;
115 top: -40px;
116 right: 0;
117 box-shadow: 20px 20px 0 var(--grey);
118 z-index: -1;
119 }
120 #sidebar .side-menu li.active::after {
121 content: "";
122 position: absolute;
123 width: 40px;
124 height: 40px;
125 border-radius: 50%;
126 bottom: -40px;
127 right: 0;
128 box-shadow: 20px -20px 0 var(--grey);
129 z-index: -1;
130 }
131 #sidebar .side-menu li a {
132 width: 100%;
133 height: 100%;
134 background: var(--light);
135 display: flex;
136 align-items: center;
```

```
137 border-radius: 48px;  
138 font-size: 16px;  
139 color: var(--dark);  
140 white-space: nowrap;  
141 overflow-x: hidden;  
142 }  
143 #sidebar .side-menu.top li.active a {  
144 color: var(--blue);  
145 }  
146 #sidebar.hide .side-menu li a {  
147 width: calc(48px - (4px * 2));  
148 transition: width .3s ease;  
149 }  
150 #sidebar .side-menu li a.logout {  
151 color: var(--red);  
152 }  
153 #sidebar .side-menu.top li a:hover {  
154 color: var(--blue);  
155 }  
156 #sidebar .side-menu li a .bx {  
157 min-width: calc(60px - ((4px + 6px) * 2));  
158 display: flex;  
159 justify-content: center;  
160 }  
161 /* SIDEBAR */  
162  
163  
164  
165  
166  
167 /* CONTENT */  
168 #content {  
169 position: relative;  
170 width: calc(100% - 280px);  
171 left: 280px;  
172 transition: .3s ease;  
173 }  
174 #sidebar.hide ~ #content {  
175 width: calc(100% - 60px);  
176 left: 60px;  
177 }  
178  
179  
180  
181  
182 /* NAVBAR */  
183 #content nav {  
184 height: 56px;  
185 background: var(--light);  
186 padding: 0 24px;  
187 display: flex;  
188 align-items: center;
```

```
189  grid-gap: 24px;
190  font-family: var(--lato);
191  position: sticky;
192  top: 0;
193  left: 0;
194  z-index: 1000;
195 }
196 #content nav::before {
197  content: "";
198  position: absolute;
199  width: 40px;
200  height: 40px;
201  bottom: -40px;
202  left: 0;
203  border-radius: 50%;
204  box-shadow: -20px -20px 0 var(--light);
205 }
206 #content nav a {
207  color: var(--dark);
208 }
209 #content nav .bx.bx-menu {
210  cursor: pointer;
211  color: var(--dark);
212 }
213 #content nav .nav-link {
214  font-size: 16px;
215  transition: .3s ease;
216 }
217 #content nav .nav-link:hover {
218  color: var(--blue);
219 }
220 #content nav form {
221  max-width: 400px;
222  width: 100%;
223  margin-right: auto;
224 }
225 #content nav form .form-input {
226  display: flex;
227  align-items: center;
228  height: 36px;
229 }
230 #content nav form .form-input input {
231  flex-grow: 1;
232  padding: 0 16px;
233  height: 100%;
234  border: none;
235  background: var(--grey);
236  border-radius: 36px 0 0 36px;
237  outline: none;
238  width: 100%;
239  color: var(--dark);
240 }
```

```
241 #content nav form .form-input button {  
242   width: 36px;  
243   height: 100%;  
244   display: flex;  
245   justify-content: center;  
246   align-items: center;  
247   background: var(--blue);  
248   color: var(--light);  
249   font-size: 18px;  
250   border: none;  
251   outline: none;  
252   border-radius: 0 36px 36px 0;  
253   cursor: pointer;  
254 }  
255 #content nav .notification {  
256   font-size: 20px;  
257   position: relative;  
258 }  
259 #content nav .notification .num {  
260   position: absolute;  
261   top: -6px;  
262   right: -6px;  
263   width: 20px;  
264   height: 20px;  
265   border-radius: 50%;  
266     border: 2px solid var(--light);  
267     background: var(--red);  
268   color: var(--light);  
269   font-weight: 700;  
270   font-size: 12px;  
271   display: flex;  
272   justify-content: center;  
273   align-items: center;  
274 }  
275 #content nav .profile img {  
276   width: 36px;  
277   height: 36px;  
278   object-fit: cover;  
279   border-radius: 50%;  
280 }  
281 #content nav .switch-mode {  
282   display: block;  
283   min-width: 50px;  
284   height: 25px;  
285   border-radius: 25px;  
286   background: var(--grey);  
287   cursor: pointer;  
288   position: relative;  
289 }  
290 #content nav .switch-mode::before {  
291   content: " ";  
292   position: absolute;
```

```
293 top: 2px;  
294 left: 2px;  
295 bottom: 2px;  
296 width: calc(25px - 4px);  
297 background: var(--blue);  
298 border-radius: 50%;  
299 transition: all .3s ease;  
300 }  
301 #content nav #switch-mode:checked + .switch-mode::before {  
302 left: calc(100% - (25px - 4px) - 2px);  
303 }  
304 /* NAVBAR */  
305  
306  
307  
308  
309  
310 /* MAIN */  
311 #content main {  
312 width: 100%;  
313 padding: 36px 24px;  
314 font-family: var(--poppins);  
315 max-height: calc(100vh - 56px);  
316 overflow-y: auto;  
317 }  
318 #content main .head-title {  
319 display: flex;  
320 align-items: center;  
321 justify-content: space-between;  
322 grid-gap: 16px;  
323 flex-wrap: wrap;  
324 }  
325 #content main .head-title .left h1 {  
326 font-size: 36px;  
327 font-weight: 600;  
328 margin-bottom: 10px;  
329 color: var(--dark);  
330 }  
331 #content main .head-title .left .breadcrumb {  
332 display: flex;  
333 align-items: center;  
334 grid-gap: 16px;  
335 }  
336 #content main .head-title .left .breadcrumb li {  
337 color: var(--dark);  
338 }  
339 #content main .head-title .left .breadcrumb li a {  
340 color: var(--dark-grey);  
341 pointer-events: none;  
342 }  
343 #content main .head-title .left .breadcrumb li a.active {  
344 color: var(--blue);
```

```
345 | pointer-events: unset;
346 |
347 | #content main .head-title .btn-download {
348 |   height: 36px;
349 |   padding: 0 16px;
350 |   border-radius: 36px;
351 |   background: var(--blue);
352 |   color: var(--light);
353 |   display: flex;
354 |   justify-content: center;
355 |   align-items: center;
356 |   grid-gap: 10px;
357 |   font-weight: 500;
358 |
359 |
360 |
361 |
362 |
363 | #content main .box-info {
364 |   display: grid;
365 |   grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
366 |   grid-gap: 24px;
367 |   margin-top: 36px;
368 |
369 |   #content main .box-info li {
370 |     padding: 24px;
371 |     background: var(--light);
372 |     border-radius: 20px;
373 |     display: flex;
374 |     align-items: center;
375 |     grid-gap: 24px;
376 |
377 |     #content main .box-info li .bx {
378 |       width: 80px;
379 |       height: 80px;
380 |       border-radius: 10px;
381 |       font-size: 36px;
382 |       display: flex;
383 |       justify-content: center;
384 |       align-items: center;
385 |
386 |     #content main .box-info li:nth-child(1) .bx {
387 |       background: var(--light-blue);
388 |       color: var(--blue);
389 |
390 |     #content main .box-info li:nth-child(2) .bx {
391 |       background: var(--light-yellow);
392 |       color: var(--yellow);
393 |
394 |     #content main .box-info li:nth-child(3) .bx {
395 |       background: var(--light-orange);
396 |       color: var(--orange);
```

```
397    }
398    #content main .box-info li .text h3 {
399      font-size: 24px;
400      font-weight: 600;
401      color: var(--dark);
402    }
403    #content main .box-info li .text p {
404      color: var(--dark);
405    }
406
407
408
409
410
411    #content main .table-data {
412      display: flex;
413      flex-wrap: wrap;
414      grid-gap: 24px;
415      margin-top: 24px;
416      width: 100%;
417      color: var(--dark);
418    }
419    #content main .table-data > div {
420      border-radius: 20px;
421      background: var(--light);
422      padding: 24px;
423      overflow-x: auto;
424    }
425    #content main .table-data .head {
426      display: flex;
427      align-items: center;
428      grid-gap: 16px;
429      margin-bottom: 24px;
430    }
431    #content main .table-data .head h3 {
432      margin-right: auto;
433      font-size: 24px;
434      font-weight: 600;
435    }
436    #content main .table-data .head .bx {
437      cursor: pointer;
438    }
439
440    #content main .table-data .order {
441      flex-grow: 1;
442      flex-basis: 500px;
443    }
444    #content main .table-data .order table {
445      width: 100%;
446      border-collapse: collapse;
447    }
448    #content main .table-data .order table th {
```

```
449 padding-bottom: 12px;  
450 font-size: 13px;  
451 text-align: left;  
452 border-bottom: 1px solid var(--grey);  
453 }  
454 #content main .table-data .order table td {  
455 padding: 16px 0;  
456 }  
457 #content main .table-data .order table tr td:first-child {  
458 display: flex;  
459 align-items: center;  
460 grid-gap: 12px;  
461 padding-left: 6px;  
462 }  
463 #content main .table-data .order table td img {  
464 width: 36px;  
465 height: 36px;  
466 border-radius: 50%;  
467 object-fit: cover;  
468 }  
469 #content main .table-data .order table tbody tr:hover {  
470 background: var(--grey);  
471 }  
472 #content main .table-data .order table tr td .status {  
473 font-size: 10px;  
474 padding: 6px 16px;  
475 color: var(--light);  
476 border-radius: 20px;  
477 font-weight: 700;  
478 }  
479 #content main .table-data .order table tr td .status.completed {  
480 background: var(--blue);  
481 }  
482 #content main .table-data .order table tr td .status.process {  
483 background: var(--yellow);  
484 }  
485 #content main .table-data .order table tr td .status.total {  
486 background: var(--green);  
487 }  
488 #content main .table-data .order table tr td .status.pending {  
489 background: var(--orange);  
490 }  
491  
492  
493 #content main .table-data .todo {  
494 flex-grow: 1;  
495 flex-basis: 300px;  
496 }  
497 #content main .table-data .todo .todo-list {  
498 width: 100%;  
499 }  
500 #content main .table-data .todo .todo-list li {
```

```
501    width: 100%;  
502    margin-bottom: 16px;  
503    background: var(--grey);  
504    border-radius: 10px;  
505    padding: 14px 20px;  
506    display: flex;  
507    justify-content: space-between;  
508    align-items: center;  
509}  
510 #content main .table-data .todo .todo-list li .bx {  
511    cursor: pointer;  
512}  
513 #content main .table-data .todo .todo-list li.completed {  
514    border-left: 10px solid var(--blue);  
515}  
516 #content main .table-data .todo .todo-list li.not-completed {  
517    border-left: 10px solid var(--orange);  
518}  
519 #content main .table-data .todo .todo-list li:last-child {  
520    margin-bottom: 0;  
521}  
522 /* MAIN */  
523 /* CONTENT */  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533 @media screen and (max-width: 768px) {  
534    #sidebar {  
535        width: 200px;  
536    }  
537  
538    #content {  
539        width: calc(100% - 60px);  
540        left: 200px;  
541    }  
542  
543    #content nav .nav-link {  
544        display: none;  
545    }  
546}  
547  
548  
549  
550  
551  
552
```

```
553 @media screen and (max-width: 576px) {  
554     #content nav form .form-input input {  
555         display: none;  
556     }  
557  
558     #content nav form .form-input button {  
559         width: auto;  
560         height: auto;  
561         background: transparent;  
562         border-radius: none;  
563         color: var(--dark);  
564     }  
565  
566     #content nav form.show .form-input input {  
567         display: block;  
568         width: 100%;  
569     }  
570     #content nav form.show .form-input button {  
571         width: 36px;  
572         height: 100%;  
573         border-radius: 0 36px 36px 0;  
574         color: var(--light);  
575         background: var(--red);  
576     }  
577  
578     #content nav form.show ~ .notification,  
579     #content nav form.show ~ .profile {  
580         display: none;  
581     }  
582  
583     #content main .box-info {  
584         grid-template-columns: 1fr;  
585     }  
586  
587     #content main .table-data .head {  
588         min-width: 420px;  
589     }  
590     #content main .table-data .order table {  
591         min-width: 420px;  
592     }  
593         #content main .table-data .todo .todo-list {  
594         min-width: 420px;  
595     }  
596 }  
597 #sqldata{  
598     visibility: hidden;  
599     display: none;  
600 }  
601  
602 #sqlbutton{  
603     display: none;  
604     visibility: hidden;
```

2. LOGINFAILED PAGE

359 lines (310 sloc) 8.46 KB

```
1 <style type="text/css">
2 @import url("https://fonts.googleapis.com/css?family=Share+Tech+Mono|Montserrat:700");
3
4 * {
5 margin: 0;
6 padding: 0;
7 border: 0;
8 font-size: 100%;
9 font: inherit;
10 vertical-align: baseline; box-
11 sizing: border-box;
12 color: inherit;
13 }
14
15 body {
16 background-image: linear-gradient(120deg, #4f0088 0%, #000000 100%);
17 height: 100vh;
18 }
19
20 h1 {
21 font-size: 45vw;
22 text-align: center;
23 position: fixed;
24 width: 100vw;
25 z-index: 1;
26 color: #fffff26;
27 text-shadow: 0 0 50px rgba(0, 0, 0, 0.07); top:
28 50%;
29 transform: translateY(-50%);
30 font-family: "Montserrat", monospace;
31 }
32
```

<https://github.com/AryanRai/ComputerSciProj/blob/main/web/others/loginfailed.html>

1/8

```
33  div {  
34    background: rgba(0, 0, 0, 0);  
35    width: 70vw;  
36    position: relative;  
37    top: 40%;  
38    transform: translateY(-50%);  
39    margin: 0 auto;  
40    padding: 30px 30px 10px;  
41    box-shadow: 0 0 150px -20px rgba(0, 0, 0, 0.5); z-  
42    index: 3;  
43  }  
44  
45  P {  
46    font-family: "Share Tech Mono", monospace;  
47    color: #f5f5f5;  
48    margin: 0 0 20px;  
49    font-size: 17px;  
50    line-height: 1.2;  
51  }  
52  
53  span {  
54    color: #f0c674; }  
55  
56  
57  i {  
58    color: #8abeb7; }  
59  
60  
61  div a {  
62    text-decoration: none; }  
63  
64  
65  b {  
66    color: #81a2be; }  
67  
68  
69  a.avatar {  
70    position: fixed;  
71    bottom: 15px;  
72    right: -100px;  
73    animation: slide 0.5s 4.5s forwards;  
74    display: block;  
75    z-index: 4  
76  }  
77  
78  a.avatar img {  
79    border-radius: 100%;  
80    width: 44px;  
81    border: 2px solid white; }  
82  
83  
84  @keyframes slide {
```

```
85  from {
86    right: -100px;
87    transform: rotate(360deg);
88    opacity: 0;
89  }
90  to {
91    right: 15px;
92    transform: rotate(0deg);
93    opacity: 1;
94  }
95 }
96
97 </style>
98 <style type="text/css">
99 @font-face {
100   font-family: Cyber;
101   src: url("https://assets.codepen.io/605876/Blender-Pro-Bold.otf");
102   font-display: swap;
103 }
104
105 *
106   box-sizing: border-box; }

107
108
109
110
111 .cybr-btn {
112   --primary: hsl(var(--primary-hue), 85%, calc(var(--primary-lightness, 50) * 1%));
113   --shadow-primary: hsl(var(--shadow-primary-hue), 90%, 50%);
114   --primary-hue: 1360;
115   --primary-lightness: 50;
116   --color: hsl(0, 0%, 100%);
117   --font-size: 26px;
118   --shadow-primary-hue: 180;
119   --label-size: 9px;
120   --shadow-secondary-hue: 60;
121   --shadow-secondary: hsl(var(--shadow-secondary-hue), 90%, 60%);
122   --clip: polygon(0 0, 100% 0, 100% 100%, 95% 100%, 95% 90%, 85% 90%, 85% 100%, 8% 100%, 0 80%
123   --border: 4px;
124   --shimmy-distance: 5;
125   --clip-one: polygon(0 2%, 100% 2%, 100% 95%, 95% 95%, 95% 90%, 85% 90%, 85% 95%, 8% 95%, 0 70%
126   --clip-two: polygon(0 78%, 100% 78%, 100% 100%, 95% 100%, 95% 90%, 85% 90%, 85% 100%, 8% 100%
127   --clip-three: polygon(0 44%, 100% 44%, 100% 54%, 95% 54%, 95% 54%, 85% 54%, 85% 54%, 8% 54%, 0 54%
128   --clip-four: polygon(0 0, 100% 0, 100% 0, 95% 0, 95% 0, 85% 0, 85% 0, 8% 0, 0 0);
129   --clip-five: polygon(0 0, 100% 0, 100% 0, 95% 0, 95% 0, 85% 0, 85% 0, 8% 0, 0 0);
130   --clip-six: polygon(0 40%, 100% 40%, 100% 85%, 95% 85%, 95% 85%, 85% 85%, 85% 85%, 8% 85%, 0 85%
131   --clip-seven: polygon(0 63%, 100% 63%, 100% 80%, 95% 80%, 95% 80%, 85% 80%, 85% 80%, 8% 80%, 0 80%
132   font-family: 'Cyber', sans-serif;
133   color: var(--color);
134   cursor: pointer;
135   background: transparent;
136   text-transform: uppercase;
```

```
137     font-size: var(--font-size);  
138     outline: transparent;  
139     letter-spacing: 2px;  
140     position: relative;  
141     font-weight: 700;  
142     border: 0;  
143     min-width: 90;  
144     height: 75px;  
145     line-height: 75px;  
146     transition: background 0.2s;  
147     z-index: 5;  
148 }  
149  
150 .cybr-btn:hover {  
151   --primary: hsl(var(--primary-hue), 85%, calc(var(--primary-lightness, 50) * 0.8%)); }  
152 .cybr-btn:active {  
153   --primary: hsl(var(--primary-hue), 85%, calc(var(--primary-lightness, 50) * 0.6%)); }  
154  
155  
156  
157 .cybr-btn:after, .cybr-  
158 btn:before {  
159   content: "";  
160   position: absolute;  
161   top: 0;  
162   left: 0;  
163   right: 0;  
164   bottom: 0;  
165   clip-path: var(--clip); z-  
166   index: -1;  
167 }  
168  
169 .cybr-btn:before {  
170   background: var(--shadow-primary);  
171   transform: translate(var(--border), 0); }  
172  
173  
174 .cybr-btn:after {  
175   background: var(--primary); }  
176  
177  
178 .cybr-btn__tag {  
179   position: absolute;  
180   padding: 1px 4px;  
181   letter-spacing: 1px;  
182   line-height: 1;  
183   bottom: -5%;  
184   right: 5%;  
185   font-weight: normal;  
186   color: hsl(0, 0%, 0%);  
187   font-size: var(--label-size); }  
188 }
```

```
189 .cybr-btn__glitch {  
190   position: absolute;  
191   top: calc(var(--border) * -1);  
192   left: calc(var(--border) * -1);  
193   right: calc(var(--border) * -1);  
194   bottom: calc(var(--border) * -1);  
195   background: var(--shadow-primary);  
196   text-shadow: 2px 2px var(--shadow-primary), -2px -2px var(--shadow-secondary);  
197   clip-path: var(--clip);  
198   animation: glitch 2s infinite;  
199   display: none;  
200 }  
202  
203 .cybr-btn:hover .cybr-btn__glitch {  
204   display: block;  
205 }  
206  
207 .cybr-btn__glitch:before {  
208   content: "";  
209   position: absolute;  
210   top: calc(var(--border) * 1);  
211   right: calc(var(--border) * 1);  
212   bottom: calc(var(--border) * 1); left:  
213   calc(var(--border) * 1);  
214   clip-path: var(--clip);  
215   background: var(--primary);  
216   z-index: -1;  
217 }  
218  
219 @keyframes glitch {  
220   0% {  
221     clip-path: var(--clip-one);  
222   }  
223   2%, 8% {  
224     clip-path: var(--clip-two);  
225     transform: translate(calc(var(--shimmy-distance) * -1%), 0); }  
226   6% {  
227     clip-path: var(--clip-two);  
228     transform: translate(calc(var(--shimmy-distance) * 1%), 0);  
229   }  
230   9% {  
231     clip-path: var(--clip-two);  
232     transform: translate(0, 0);  
233   }  
234   10% {  
235     clip-path: var(--clip-three);  
236     transform: translate(calc(var(--shimmy-distance) * 1%), 0);  
237   }  
238   13% {  
239     clip-path: var(--clip-three);  
240 }
```

```
241     transform: translate(0, 0);  
242     }  
243     14%, 21% {  
244       clip-path: var(--clip-four);  
245       transform: translate(calc(var(--shimmy-distance) * 1%), 0);  
246     }  
247     25% {  
248       clip-path: var(--clip-five);  
249       transform: translate(calc(var(--shimmy-distance) * 1%), 0);  
250     }  
251     30% {  
252       clip-path: var(--clip-five);  
253       transform: translate(calc(var(--shimmy-distance) * -1%), 0); }  
254     35%, 45% {  
255       clip-path: var(--clip-six);  
256       transform: translate(calc(var(--shimmy-distance) * -1%));  
257     }  
258     40% {  
259       clip-path: var(--clip-six);  
260       transform: translate(calc(var(--shimmy-distance) * 1%));  
261     }  
262     50% {  
263       clip-path: var(--clip-six);  
264       transform: translate(0, 0);  
265     }  
266     55% {  
267       clip-path: var(--clip-seven);  
268       transform: translate(calc(var(--shimmy-distance) * 1%), 0);  
269     }  
270     60% {  
271       clip-path: var(--clip-seven);  
272       transform: translate(0, 0);  
273     }  
274     31%, 61%, 100% {  
275       clip-path: var(--clip-four);  
276     }  
277   }  
278  
279  
280 .cybr-btn:nth-of-type(2) { -  
281   -primary-hue: 260;  
282 }  
283 </style>  
284  
285 <script type="text/javascript" src="/eel.js"></script>  
286  
287  
288 <script type="text/javascript">  
289   //// button functions  
290  
291  
292
```

```
293     function backbutton(){
294         eel.sendstate("loginpage"); }
295
296
297
298     //////
299
300     ///// page change functions
301
302     eel.expose(switchpage);
303     function switchpage(page) {
304         console.log(page);
305         if (page == "loginpage") {
306             console.log("switching to " + page);
307             window.location.replace("../login.html"); }
308         }
309
310
311
312     </script>
313
314     <button class="cybr-btn" id="backbutton" onclick="backbutton()">
315     <
316     <span aria-hidden class="cybr-btn__glitch"><</span>
317
318     </button>
319     <h1>403</h1>
320     <div id="main"><p><span>ERROR CODE</span>: "<i>HTTP 403 Forbidden</i>"</p>
321     <p><span>ERROR DESCRIPTION</span>: "<i>Access Denied. You Do Not Have The Permission To
322     Acces <p><span>ERROR POSSIBLY CAUSED BY</span>: [<b>username incorrect, password
323     incorrect</b>...]</p>"</div>
324
325
326     <script type="text/javascript">
327
328         var str = document.getElementsByTagName('div')[0].innerHTML.toString();
329         var i = 0;
330         document.getElementsByTagName('div')[0].innerHTML = "";
331
332         setTimeout(function() {
333             var se = setInterval(function() {
334                 i++;
335                 document.getElementsByTagName('div')[0].innerHTML = str.slice(0, i) + "|";    if (i ==
336                 str.length) {
337                     clearInterval(se);
338                     document.getElementsByTagName('div')[0].innerHTML = str;
339                 }
340             }, 10);
341         },0);
342
343
344     </script>
```

```
345 <script type="text/javascript">
346     var input = document.getElementsByTagName("BODY")[0];
347
348     // Execute a function when the user presses a key on the keyboard
349     input.addEventListener("keypress", function(event) {
350         // If the user presses the "Enter" key on the keyboard
351         if (event.key === "Enter") {
352             // Cancel the default action, if needed
353             event.preventDefault();
354             // Trigger the button element with a click
355             document.getElementById("backbutton").click();
356         }
357     });
358 });
359 </script>
```

DATABASE (SQL)

MySQL is mainly used for the backend. It is used to store and manage the records

entered by the admin/shopkeeper. It is incredibly convenient as a database management system as it allows very easy insertion, updation, deletion of records, and input in pre-formatted tables

```
MySQL 8.0 Command Line Cli  X  +  v  mysql> select * from dashboard;
+-----+-----+
| field | value |
+-----+-----+
| Profits | 110 |
| Purchases | 110 |
| Sales | 211 |
+-----+-----+
3 rows in set (0.00 sec)

mysql> use csproj
Database changed
mysql> show tables;
+-----+
| Tables_in_csproj |
+-----+
| dashboard          |
| inventory          |
| todo               |
| transactions       |
| users              |
+-----+
5 rows in set (0.00 sec)

mysql> select * from todo;
+----+-----+-----+-----+
| ID | Note      | Date        | Status     |
+----+-----+-----+-----+
| 10 | reorder lichis | 31-January-2023 | completed |
| 11 | check stock | 31-January-2023 | check stock |
+----+-----+-----+-----+
2 rows in set (0.00 sec)



mysql> select * from transactions;
+----+-----+-----+-----+-----+-----+
| ID | Customer | Imageurl           | Date        | Status     | Price   |
+----+-----+-----+-----+-----+-----+
| 1  | saurya   | https://avatars.dicebear.com/api/adventurer/35198.svg | 31-January-2023 | completed | 125    |
| 2  | saumya   | https://avatars.dicebear.com/api/adventurer/78133.svg | 31-January-2023 | not completed | 375    |
| 3  | aryan    | https://avatars.dicebear.com/api/adventurer/46825.svg | 31-January-2023 | completed | 540    |
+----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from inventory;
+-----+-----+-----+-----+
| item | Imageurl           | supplier | quantity | cost   |
+-----+-----+-----+-----+
| apple | https://www.shutterstock.com/image-photo/red-apple-isolated-on-white-260nw-1727544364.jpg | j sellers | 125    | 150    |
| lichi | https://static5.depositphotos.com/1006597/536/i/600/depositphotos_5362508-stock-photo-lychee.jpg | j sellers | 70     | 90     |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from users;
+-----+-----+-----+-----+
| username | Imageurl           | Date        | password | accesslevel |
+-----+-----+-----+-----+
| aryanyan | https://avatars.dicebear.com/api/adventurer/24815.svg | 7-November-2022 | abc123   | 2         |
| saumya   | https://avatars.dicebear.com/api/adventurer/61505.svg | 7-November-2022 | mk5227   | 2         |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```


OUTPUT/SHOWCASE

LOGIN PAGE





```
IDLE Shell 3.9.11
File Edit Shell Debug Options Window Help
Python 3.9.11 (tags/v3.9.11:2de452f, Mar 16 2022, 14:33:45) [MSC v.1929 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: C:\Users\buzza\OneDrive\Documents\GitHub\ComputerSciProj\main_sql.py
change in state state is loginpage
db created CsProj and now in use
create table if not exists users (username varchar(50) PRIMARY KEY NOT NULL, Imgurl varchar(512), Date varchar(20) NOT NULL, password varchar(40) NOT NULL, accesslevel int(4) NOT NULL)
table users created
db created CsProj and now in use
create table if not exists users (username varchar(50) PRIMARY KEY NOT NULL, Imgurl varchar(512), Date varchar(20) NOT NULL, password varchar(40) NOT NULL, accesslevel int(4) NOT NULL)
table users created
login creds are username: admin password: root
>>>
```

LOGIN FAILED



INTRO BOX



DASHBOARD

The screenshot shows the Simply Wise dashboard with a dark theme. The top navigation bar includes 'SIMPLY WISE' logo, 'Categories', 'Search', and a purple search icon. On the left, a sidebar lists 'Dashboard', 'My Store', 'Analytics', 'Todo', 'Users', 'Settings', and 'Logout'. The main area is titled 'Dashboard' with a breadcrumb 'Dashboard > Home'. It features four summary cards: 'Profits' (₹ 110), 'Customers' (₹ 110), 'Total Sales' (₹ 211), and a 'New' button. A 'Download PDF' button is in the top right.

INVENTORY/MYSTORE

The screenshot shows the inventory section with a dark theme. The top navigation bar includes 'Inventory' and a 'Download PDF' button. Below is a sub-navigation 'Inventory > Home'. The main area is titled 'Inventory' with a header featuring a plus sign, a trash bin, and a search icon. A table lists items: 'apple' from 'j sellers' with 125 units at ₹150 each; 'lichi' from 'j sellers' with 70 units at ₹90 each; and a total row with 195 units at ₹25050. Each row has a small image of the fruit.

Item	Supplier	Quantity	Cost
apple	j sellers	125	₹150
lichi	j sellers	70	₹90
total		195	₹25050

PROFILES/USER MANAGEMENT

Profiles

Profiles > Home

 Download PDF

Manage users

Username	Date Added	Password	AccessLVL
 aryanyan	7-November-2022	 abc123	 2
 saumya	7-November-2022	 mk5227	 2

TODO LIST

Todos

 reorder lichis

⋮

check stock

⋮

TRANSACTIONS

Recent Orders

+ 🗑️ 🔎

Customer	Transaction Date	Status	Price
 saurya	31-January-2023	completed	₹ 125
 saumya	31-January-2023	not completed	₹ 375
 aryan	31-January-2023	completed	₹ 540

Categories

Enter new customer name

OK

Cancel

Dashboard


Dashboard > Home

Recent Orders

Customer

Transaction Date

Status



saurya

31-January-2023

completed



saumya

31-January-2023

not completed

Aryan Rai

Saumya Kumar

Maybn't

Like a bantha

Dayum bro that's
great

Dedn't

Hmmm

thank you

You are cool

Ferrari laggy
Spaceship

OK

Imagine
Keep imagining

@yanyan

@damnpang

~ "over-engineered asf"

~31.01.2023

Aryan Rai

Saumya Kumar

thank you

You are cool

@damnpan

@yanyan

~ "over-engineered asf"

~31.01.2023