AMITY UNIVERSITY, PATNA

AMITY INSTITUTE OF INFORMATION TECHNOLOGY

Advanced Java Lab File LAB - 2

BCA



Name: Aryan Amar

 $Program/Semester: BCA-6 \ `A'$

Enroll. Number: A45304821047

Submitted to : Dr. Naveen Kumar Singh

CRUD OPERATIONS

<u>Problem Statement</u>: Connecting JDBC to Eclipse for CRUD Operations with Menu Options, provided that every operation should be performed in different packages and classes.

Objective

The objective of this project is to create a Java program in Eclipse that connects to a database using JDBC (Java Database Connectivity) and allows users to perform CRUD (Create, Read, Update, Delete) operations on an IPL_TEAMS table. The program will present users with a menu containing seven options: insertion, read, update team's name, update team's captain, update team's coach, deletion of a record, and exit. Users will be able to interact with the program through the console to manipulate the team's records stored in the database.

Detailed Requirements:

- **1. Database Connectivity -** The program must establish a connection to a relational database management system (RDBMS) using JDBC. Database connection parameters such as URL, username, and password should be configurable and provided as constants or properties in the program.
- **2. Menu Options -** The program should display a menu with options like Insert, Read, Update team's name, Update team's captain, Update team's coach, Deletion and Exit option. Users will input the corresponding option number to execute the desired operation.
- **3. Insert Operation** Upon selecting the insert option, users will be prompted to input the team's ID, name, city, captain, and coach through the keyboard. The program will then insert this data into the IPL_TEAMS table in the database.
- **4. Read Operation** Selecting the read option will display all records from the IPL_TEAMS table. The program should fetch and display the team's ID, name, city, captain, and coach for each record in the table.
- **5. Update Operation** The program should provide separate options to update the team's name, captain, and coach. Upon selecting any of these options, users will input the team ID whose details need to be updated, followed by the new value for the corresponding field. The program will then update the specified field for the given team ID in the database.
- **6. Delete Operation** Selecting the delete option will prompt users to input the team ID of the record they want to delete. The program will delete the record with the specified team ID from the IPL TEAMS table in the database.


- **7. Error Handling** The program should handle exceptions gracefully, displaying meaningful error messages to users in case of connection failures, SQL errors, or invalid input. It should also validate user inputs to prevent SQL injection attacks or database errors due to incorrect data formats.
- **8.** Exit Upon selecting the exit option, the program will terminate gracefully, closing any open resources and releasing database connections.

Tools and Technologies used: Eclipse IDE and Oracle Database 21C Express Edition

Design

Table description -

Folder Structure -



Class Diagram: The class diagram for our project will be as follows -

Labfile two

teams

crud operations

- + insert_teams(Connection con, Scanner sc)
- : void
- + display_teams(Connection con): void
- +update team Name(Connection con,

Scanner sc): void

+update_team_Captain(Connection con,

Scanner sc): void

+update_team_Coach(Connection con,

Scanner sc): void

+remove_team(Connection con, Scanner

sc): void

driver

Main

url : String

username : String

pwd : String choice : int

+ main(args[] : String) : void

IPL TEAMS (table)

Team ID: number

Team_Name : varchar2(100)

City: varchar2(50) Captain: varchar2(50) Coach: varchar2(50)

Oracle Database

Main.java

```
package driver;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
import java.util.Scanner;
import teams.crud operations;
public class Main {
     public static void main(String[] args) throws
ClassNotFoundException, SQLException {
          Class.forName("oracle.jdbc.driver.OracleDriver");
          String url = "jdbc:oracle:thin:@localhost:1521:xe";
          String username = "SYSTEM";
          String pwd = "aryan123";
          Connection con = DriverManager.getConnection(url,
username, pwd);
          Scanner sc = new Scanner(System.in);
          crud operations ipl = new crud operations();
          while (true) {
               System.out.println("\nChoose the operation you
want to perform :");
               System.out.println("1. Perform Insert
operation");
```

```
System.out.println("2. Perform Read operation");
               System.out.println("3. Update Team's name");
               System.out.println("4. Update Team's captain");
               System.out.println("5. Update Team's coach");
               System.out.println("6. Perform Delete
operation");
               System.out.println("7. Exit");
               System.out.println("\nPlease enter your choice
:");
               int choice = sc.nextInt();
               switch (choice) {
               case 1:
                    System.out.println("\nPerforming INSERT
operation....\n");
                    ipl.insert teams(con, sc);
                    break;
               case 2:
                    System.out.println("\nPerforming READ
operation....\n");
                    ipl.display teams(con);
                    break;
               case 3:
                    System.out.println("\nUpdating Team's
name.....\n");
                    ipl.update team Name(con, sc);
                    break;
               case 4:
                    System.out.println("\nUpdating Team's
captain....\n");
```

```
ipl.update team Captain(con, sc);
                    break;
               case 5:
                    System.out.println("\nUpdating Team's
coach.....\n");
                    ipl.update_team_Coach(con, sc);
                    break;
               case 6:
                    System.out.println("\nPerforming DELETE
operation....\n");
                    ipl.remove team(con, sc);
                    break;
               case 7:
                    System.out.println("\nExiting.....\n");
                    sc.close();
                    System.exit(0);
                    break;
               default:
                    System.out.println("\nInvalid choice\n");
               }
}
```

crud operations.java

```
package teams;
import java.sql.Connection;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.Scanner;
public class crud operations {
     public crud operations()
          super();
     public void insert teams (Connection con, Scanner sc) throws
SQLException
     {
          Statement st = con.createStatement();
          System.out.println("Enter the team's Id: ");
          int id = sc.nextInt();
          System.out.println("Enter the team's name: ");
          String name = sc.next();
          System.out.println("Enter the team's city: ");
          String city = sc.next();
```

```
System.out.println("Enter the team's captain: ");
          String captain = sc.next();
          System.out.println("Enter the team's coach: ");
          String coach = sc.next();
          String query = String.format("insert into IPL TEAMS
values(%d, '%s', '%s', '%s')", id, name, city,
                    captain, coach);
          int rowsAffected = st.executeUpdate(query);
          System.out.println();
          System.out.println(rowsAffected + " record
inserted!!!");
     }
     public void display teams(Connection con) throws
SQLException {
          Statement st = con.createStatement();
          ResultSet rs = st.executeQuery("select * from
IPL TEAMS");
          while (rs.next()) {
               System.out.println(rs.getInt(1) + " " +
rs.getString(2) + " " + rs.getString(3) + " " +
rs.getString(4)
                         + " " + rs.getString(5));
          }
     }
```

```
public void update team Name(Connection con, Scanner sc)
throws SQLException {
          Statement st = con.createStatement();
          System.out.println("Enter the team's id: ");
          int id = sc.nextInt();
          System.out.println("Enter the team's new name: ");
          String name = sc.next();
          String query = String.format("update IPL TEAMS set
Team Name='%s' where Team ID = %d", name, id);
          int rowsAffected = st.executeUpdate(query);
          System.out.println();
          System.out.println(rowsAffected + " record
updated!!!");
     }
     public void update team Captain(Connection con, Scanner sc)
throws SQLException {
          Statement st = con.createStatement();
          System.out.println("Enter the team's id: ");
          int id = sc.nextInt();
          System.out.println("Enter the team's new captain: ");
          String captain = sc.next();
          String query = String.format("update IPL TEAMS set
Captain='%s' where Team ID = %d", captain, id);
          int rowsAffected = st.executeUpdate(query);
          System.out.println();
          System.out.println(rowsAffected + " record
updated!!!");
```

```
public void update team Coach(Connection con, Scanner sc)
throws SQLException {
          Statement st = con.createStatement();
          System.out.println("Enter the team's id: ");
          int id = sc.nextInt();
          System.out.println("Enter the team's new coach: ");
          String coach = sc.next();
          String query = String.format("update IPL TEAMS set
Coach='%s' where Team ID = %d", coach, id);
          int rowsAffected = st.executeUpdate(query);
          System.out.println();
          System.out.println(rowsAffected + " record
updated!!!");
     }
     public void remove team(Connection con, Scanner sc) throws
SQLException {
          Statement st = con.createStatement();
          System.out.println("Enter the team's id: ");
          int id = sc.nextInt();
          int rowsAffected = st.executeUpdate("delete from
IPL TEAMS where Team ID = " + id);
          System.out.println();
          System.out.println(rowsAffected + " record
deleted!!!");
     }
}
```

Insertion of a couple of rows in the table

```
🖁 Problems 🚜 Servers 🧬 Terminal 🐰 Data Source Explorer 🔳 Properties 💂 Console 🗵 🔫 Progress 🛂 Error Log
IPL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64
Choose the operation you want to perform :
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing INSERT operation.....
Enter the team's Id:
Enter the team's name:
Enter the team's city:
Bangalore
Enter the team's captain:
Faf Du Plessis
Enter the team's coach:
Sanjay Bangar
1 record inserted!!!
```

```
Choose the operation you want to perform:
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing INSERT operation.....
Enter the team's Id:
Enter the team's name:
ΜI
Enter the team's city:
Enter the team's captain:
Enter the team's coach:
1 record inserted!!!
```

Performing read/retrieve operation on the table

```
R Problems Servers Progress Data Source Explorer Properties Console X Progress Progress Progress Properties

IPL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64]

Choose the operation you want to perform:

1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit

Please enter your choice:
2

Performing READ operation.....

121 RCB Bangalore Faf_Du_Plessis Sanjay_Bangar
220 MI Mumbai Rohit_Sharma Mahela_Jayawardene
```

Updating the name of the team

```
🔐 Problems 🚜 Servers 🧬 Terminal 💥 Data Source Explorer 🔳 Properties 📮 Console 🗵 🖙 Progress 🥞 Error Log
IPL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64
Please enter your choice :
Updating Team's name.....
Enter the team's id:
Enter the team's new name:
Royal Challengers Bangalore
1 record updated!!!
Choose the operation you want to perform :
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing READ operation.....
121 Royal Challengers Bangalore Bangalore Faf Du Plessis Sanjay Bangar
220 MI Mumbai Rohit Sharma Mahela Jayawardene
```

Updating the captain of the team

```
🔐 Problems 🚜 Servers 🦧 Terminal 🐰 Data Source Explorer 🔳 Properties 💂 Console 🗡 📑 Progress 🐉 Error Log
PL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.
Please enter your choice :
Updating Team's captain.....
Enter the team's id:
Enter the team's new captain:
1 record updated!!!
Choose the operation you want to perform:
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing READ operation.....
121 Royal_Challengers_Bangalore Bangalore Virat_Kohli Sanjay_Bangar
220 MI Mumbai Rohit_Sharma Mahela_Jayawardene
```

Updating the coach of the team

```
ı Problems 🚜 Servers 🥜 Terminal 🐰 Data Source Explorer 🔳 Properties 📮 Console 🗵 🔫 Progress 🥞 Error Log
IPL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.
Please enter your choice :
Updating Team's coach.....
Enter the team's id:
Enter the team's new coach:
1 record updated!!!
Choose the operation you want to perform :
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing READ operation.....
121 Royal Challengers Bangalore Bangalore Virat Kohli Andy Flower
220 MI Mumbai Rohit Sharma Mahela Jayawardene
```

Removing a record from the table

```
🖁 Problems 🚜 Servers 🎤 Terminal 🐰 Data Source Explorer 🔳 Properties 💂 Console 🗵 🔫 Progress 🥙 Error Log
IPL_TEAMS_CRUD [Java Application] C:\Users\aryan\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_i
Please enter your choice :
Performing DELETE operation.....
Enter the team's id:
1 record deleted!!!
Choose the operation you want to perform :
1. Perform Insert operation
2. Perform Read operation
3. Update Team's name
4. Update Team's captain
5. Update Team's coach
6. Perform Delete operation
7. Exit
Please enter your choice :
Performing READ operation.....
121 Royal_Challengers_Bangalore Bangalore Virat_Kohli Andy_Flower
```