Rapid Rail: Static Data Metadata

Link to dataset:
https://delhi.transportstack.in/data-services/datadetails/5

About the dataset
The static GTFS feed consists of text files in CSV (Comma-Separated Values) format, compressed into a ZIP file, providing details about the Rapid Rail Transit System (NCRTC) - schedule, routes, stops, and shapes.

1. Summary

Number of stops	16
Number of lines	1
Number of trips	130
Average number of stations per trip	7

2. Agency Metadata

Field Name	Type	Description
agency_id	ID	Identifies a transit agency.
agency_name	Text	Full name of the transit agency.
agency_url	URL	URL of the transit agency's website.
agency_timezone	Timezone	Timezone in which the agency operates.
agency_lang	Text	Language used by the agency in the dataset (optional).
agency_phone	PhoneNumber	Phone number for the agency (optional).
agency_fare_url	URL	URL for fare information (optional).

3. Calendar Metadata

Field Name	Type	Description
service_id	ID	Identifies a set of dates when a service is available.
monday	Integer	Service availability on Monday (1 = available, 0 = not).
tuesday	Integer	Service availability on Tuesday (1 = available, 0 = not).
wednesday	Integer	Service availability on Wednesday (1 = available, 0 = not).
thursday	Integer	Service availability on Thursday (1 = available, 0 = not).
friday	Integer	Service availability on Friday (1 = available, 0 = not).
saturday	Integer	Service availability on Saturday (1 = available, 0 = not).
sunday	Integer	Service availability on Sunday (1 = available, 0 = not).
start_date	Date	Service start date (YYYYMMDD).
end_date	Date	Service end date (YYYYMMDD).

4. Routes Metadata

Field Name	Type	Description
route_id	ID	Identifies a route.
agency_id	ID	Identifies the agency for the route (optional).
route_short_name	Text	Short name of the route.
route_long_name	Text	Full name of the route.
route_desc	Text	Description of the route (optional).
route_type	Integer	Type of transportation used on the route (e.g., 2 for rail).
route_url	URL	URL for a web page about the route (optional).
route_color	Color	Route color (optional).
route_text_color	Color	Text color used on route (optional).

5. Shapes Metadata

Field Name	Type	Description
shape_id	ID	Identifies a shape.
shape_pt_lat	Latitude	Latitude of a shape point.
shape_pt_lon	Longitude	Longitude of a shape point.
shape_pt_sequence	Integer	Sequence order of the shape point.
shape_dist_traveled	Float	Distance traveled along the shape (optional).

6. Stop Times Metadata

Field Name	Type	Description
trip_id	ID	Identifies a trip.
arrival_time	Time	Arrival time at a stop.
departure_time	Time	Departure time from a stop.
stop_id	ID	Identifies a stop.
stop_sequence	Integer	Order of the stop in the trip.
stop_headsign	Text	Headsign at the stop (optional).
pickup_type	Integer	Indicates if passengers can board (optional).
drop_off_type	Integer	Indicates if passengers can alight (optional).
shape_dist_traveled	Float	Distance traveled along shape (optional).
timepoint	Integer	Indicates if times are exact (optional).

7. Stops Metadata

Field Name	Type	Description
stop_id	ID	Identifies a stop.
stop_code	Text	Short code for the stop (optional).
stop_name	Text	Name of the stop.
stop_desc	Text	Description of the stop (optional).
stop_lat	Latitude	Latitude of the stop.
stop_lon	Longitude	Longitude of the stop.
zone_id	ID	Identifies a fare zone (optional).
stop_url	URL	URL for a web page about the stop (optional).
location_type	Integer	Type of location (e.g., 0 for stop, 1 for station).
parent_station	ID	Identifies the parent station (optional).
stop_timezone	Timezone	Timezone of the stop (optional).
wheelchair_boarding	Integer	Indicates if wheelchair boarding is possible (optional).

8. Trips Metadata

Field Name	Type	Description
route_id	ID	Identifies a route.
service_id	ID	Identifies a set of dates when a service is available.
trip_id	ID	Identifies a trip.
trip_headsign	Text	Headsign for the trip (optional).
trip_short_name	Text	Short name for the trip (optional).
direction_id	Integer	Direction of travel for the trip (optional).
block_id	ID	Identifies a block of trips (optional).
shape_id	ID	Identifies a shape for the trip (optional).
wheelchair_accessible	Integer	Indicates if the trip is wheelchair accessible (optional).
bikes_allowed	Integer	Indicates if bikes are allowed on the trip (optional).

9. Attributions Metadata

Field Name	Type	Description
attribution_id	ID	Unique identifier for an attribution (optional).
agency_id	ID	Associated agency (optional).
route_id	ID	Associated route (optional).
trip_id	ID	Associated trip (optional).

organization_name	Text	Name of the organization providing attribution.
is_producer	Integer	Indicates if the organization is a producer (optional).
is_operator	Integer	Indicates if the organization is an operator (optional).
is_authority	Integer	Indicates if the organization is an authority (optional).
attribution_url	URL	URL of the organization (optional).
attribution_email	Email	Contact email for the organization (optional).
attribution_phone	PhoneNumber	Contact phone number for the organization (optional).

More information about GTFS data can be found here - https://gtfs.org/documentation/schedule/reference/