Intellia360

UI & Backend QA Report — Updated (Fix & Re-Test)

Report date	10 September 2026
Baseline report	Intellia360 UI & Backend Testing Report, 09 September 2026 — Pratik Salunkhe (8 issues)
Build under test	Branch feature/authentication @ ef336ef, plus the fixes described in this report (working tree)
Re-test	Fixes and re-test by Claude Code — automated browser testing (headless Chrome), API tests and manual screenshot review

FINAL OVERALL STATUS

PASS — ready for QA sign-off

All 8 reported issues are fixed and verified on development and production builds. The re-test found 36 further issues: 25 were fixed and verified, and 11 remain open — none Critical or High — with recommendations.

8/8	36	25	11
Reported issues fixed	New issues found	New issues fixed	Still open (0 Critical / 0 High)

Summary of reported issues

ID	Area	Issue	Severity	Status
01	Homepage / Hero	Hero heading text overlaps the mascot widget	Medium	Fixed & verified
02	Login page	Login page shows a text-only logo	Low	Fixed & verified
03	Student navigation	“Quizzes” and the notification bell open the Teacher Console	High	Fixed & verified
04	Student navigation	“Leaderboard” sends the student to Login or Profile	High	Fixed & verified
05	Header / IntelliaPlay & For Schools	“IntelliaPlay” and “For Schools” return 404	High	Fixed & verified
06	Site header	Header layout, menu items and CTA buttons inconsistent across pages	Medium	Fixed & verified
07	Teacher dashboard	“View report” button label sometimes invisible	Medium	Fixed & verified
08	Teacher account menu	“Log Out” does not respond	High	Fixed & verified

1. Scope, environment and method

Application	Next.js 16.2.12 (App Router, Turbopack) · React 19.2.4 · Prisma 6.19 · MongoDB Atlas (shared cluster) · Node.js 22.20
Builds tested	Development server (full re-test) · Production build of the ORIGINAL code on :3100 (reproductions) · Production build of the FIXED code on :3200 (production verification)
Browser	Google Chrome, headless, driven by Puppeteer 24 — real clicks, taps and keyboard input
Viewports	390×844 (mobile) · 768 · 900 · 1024 · 1080/1081 · 1100 · 1180 · 1200 · 1280 · 1366 · 1440 · 1536 px
Accounts	Seeded demo teacher (teacher@intellia.dev), students (alex@, maya@intellia.dev) and the platform admin account
Data safety	The database is shared, so API tests were read-only except for clearly labelled QA records (course, content resource, school, teacher assignment) that were created and permanently deleted in the same run. The audit-log entries for those actions remain.

Test suites executed

Area	What was exercised
Public website	15 public pages, header/footer links on 7 pages, 10 desktop widths, mobile menu at 390px, hero geometry at 10 viewports
Authentication & sessions	Password sign-in, validation, forgot password, logout (normal, slow, failed), cross-tab sign-in/sign-out, return-to-page after sign-in
Student module	35 pages crawled (desktop + mobile), sidebar navigation, Daily Quiz flow, assignments, notification bell
Teacher module	20 pages crawled, "View report" contrast, Log Out hit-test at 5 viewports, assignments CRUD
Admin & editor modules	38 pages crawled, table controls, profile on mobile, courses/content/schools CRUD
API & database	106 API checks — auth, role enforcement, validation, CRUD with archive/permanent-delete, search robustness
Cross-module styling	Computed-style comparison of 17 module pages reached by navigation vs. loaded fresh
Build & code quality	TypeScript (tsc --noEmit), production build, ESLint with per-file before/after comparison

Every issue from the baseline report was first reproduced (or its cause identified) on the unmodified code, then fixed and re-tested. Screenshots marked "Before" come from the original code; "After" from the fixed code, with production-build evidence where noted.

2. Previously reported issues — fixed / not fixed

01 · Hero heading text overlaps the mascot widget

Medium · Fixed & verified

Area: Homepage / Hero · **Type:** UI · **Files:** `src/app/page.tsx, src/app/home.css`

Root cause


The mascot video is portrait (720×1280) but was cropped into a wide 16:10 window (object-fit: cover, centred), which showed only the middle ~35% of each frame and sliced through the video's "Hello! I am Intello" speech bubble at its top edge. The "Earn XP" chip was anchored 19% down the column — directly over that bubble — and the "Badges" chip text overflowed its 38px box and covered the arrow button at ≤1200px.

Fix


Square video window in a 480px card, with the crop anchored 22% down so the whole bubble and the mascot stay in view; both chips moved inside the card onto the video's empty corners (Earn XP lower-left, Badges upper-right); chips sized to their text; the browser picture-in-picture/cast overlay disabled on the video.

Verification

- Geometry measured at 10 viewports (390–1536px): no chip intersects the speech-bubble zone, the mascot's face or the arrow button; no chip text overflow; no horizontal scroll.
- Frame with the speech bubble captured at 1366×768, 1440×900, 1024×768 and 900×1000.



Before — bubble cut off, Earn XP chip on top of it, Badges text spilling out



After — full bubble visible, chips on empty corners

02 · Login page shows a text-only logo

Low · Fixed & verified

Area: Login page · **Type:** UI · **Files:** `src/app/(auth)/*/page.tsx`

Root cause

On the tested deployment the auth pages rendered their own navigation bar with a text-only "intellia360" wordmark. On this branch the shared site header had already been added, but all six auth pages still carried


Fix

Login, Register (form and confirmation screen), Forgot Password, Reset Password, Verify Email and Resend Verification now rely only on the shared site header

the old text-logo bar (hidden with CSS) and a hidden footer whose Privacy/Terms/Support links returned 404. (image logo) and site footer; the legacy text-logo bars and dead footers were removed.

Verification

- All 6 auth pages: exactly one shared header with the image logo, no text-logo element in the page, site footer present, no horizontal overflow.



After — login page with the shared header and brand logo

03 · "Quizzes" and the notification bell open the Teacher Console

High · Fixed & verified

Area: Student navigation · **Type:** Functional / Auth · **Files:** `src/context/AuthContext.tsx, src/components/auth/SessionGuard.tsx, src/lib/auth/roles.ts, src/proxy.ts, module layouts`

Root cause


Reproduced when the same browser signs in as a teacher in another tab (the QA report used both teacher@intellia.dev and alex@intellia.dev). The session cookie is shared by all tabs, but the open student tab kept showing the student UI; its next navigation reached the proxy with the teacher's session and was silently redirected to /teacher/dashboard. Links that had already been prefetched still appeared to work, which is why only some items misbehaved. (On main the Quizzes item also pointed at one hard-coded quiz id.)

Fix


Tabs now announce sign-in and sign-out to each other and re-check the session when they regain focus. A new SessionGuard in the student, teacher, admin and editor layouts compares the live session with the roles allowed in that module (the same table proxy.ts now uses) and shows a clear blocking notice — "You're signed in as Sarah Jenkins (Teacher)" with "Go to my dashboard" and "Sign out and switch account" — instead of letting a click jump into another console.

Verification

- Normal session: Quizzes → /student/quiz, Leaderboard, Notifications, Profile and the bell open the right pages with the right item highlighted.
- Teacher signs in on a second tab → the student tab shows the notice; clicks underneath are blocked (page stays on /student/dashboard); "Go to my dashboard" opens /teacher/dashboard.
- Also detected without a broadcast, by the focus re-check.



Before — clicking Quizzes in the student tab lands in the Teacher Console



After — the student tab explains the account change

04 · "Leaderboard" sends the student to Login or Profile

High Fixed & verified

Area: Student navigation · **Type:** Functional / Auth · **Files:** `src/components/auth/SessionGuard.tsx, src/lib/auth/roles.ts, src/app/(auth)/login/page.tsx`

Root cause


Same mechanism as 03: the session had ended in another tab, so the next navigation was redirected to /login with no explanation — and after signing in the student landed on the dashboard, not on the page they had asked for.

Fix


SessionGuard shows "Your session has ended" with "Sign in again", which clears any stale cookie and opens /login?next=<current page>. Sign-in now honours a safe `next` path (same site, inside an area the role may open).

Verification

- Sign-out in a second tab → the student tab shows the notice → "Sign in again" → /login?next=/student/leaderboard → after signing in the student is back on /student/leaderboard.



Before — clicking Leaderboard silently lands on the login page



After — clear "session ended" notice with a way back

05 · "IntelliaPlay" and "For Schools" return 404

High Fixed & verified

Area: Header / IntelliaPlay & For Schools · **Type:** Functional · **Files:** `src/app/intelliaplay/page.tsx, src/app/schools/page.tsx, src/components/common/SchoolDemoForm.tsx, src/styles/site-pages.css`

Root cause

The /intelliaplay and /schools routes did not exist. On this branch the header pointed at in-page anchors (#intelliaplay, #schools) that exist on no page, so the links did nothing.


Fix

Built /intelliaplay (game modes, how it works, rewards) and /schools (program, audiences, onboarding steps, Book-a-Demo form with validation, Partner With Us, FAQs — with #program, #demo, #partner and #faqs anchors) on the shared header, footer and brand


styling. Every header and footer link now points at a real route.

Verification


- /intelliaplay and /schools return 200 in development and in the production build.
- Header → IntelliaPlay navigates; For Schools menu → Book A Free Demo opens /schools with the demo section in view; the menu closes after navigating.
- 33 header/footer links checked on 7 pages — 0 broken, and every #anchor exists on its target page.
- The demo form reports name, email and school errors on an empty submit.



After — IntelliaPlay page



After — Intellia360 For Schools page



After — For Schools menu with working links

06 · Header layout, menu items and CTA buttons inconsistent across pages

Medium

Fixed & verified

Area: Site header · **Type:** UI · **Files:** `src/components/common/SiteHeader.tsx, src/components/common/SiteFooter.tsx, src/styles/site-chrome.css`

Root cause


The deployed ThinkTales page had its own header variant. On this branch all public pages already used SiteHeader, but it marked “Home” as the current page everywhere, rendered ThinkTales/IntelliaPlay lighter than the dropdown items, had no mobile navigation (the Login button was pushed off-screen below ~900px) and its search and cart buttons did nothing.

Fix

One SiteHeader on every public page — home, courses, ThinkTales, IntelliaPlay, For Schools, support and legal pages, auth pages and the 404 page — with current-page highlighting, one style for all top-level items, a hamburger menu at ≤1080px (accordion groups, Login / Create account, scroll lock, closes on navigation, Escape or backdrop), a working site search, a cart popover and a “Dashboard” button for signed-in visitors.

Verification


- 15 public pages: exactly one header, correct current item, one consistent item style, no horizontal overflow.
- Desktop menu fits without overlap from 1081 to 1536px; hamburger from 1080px down; Login visible at every width.
- 390px: menu opens, groups expand, links navigate and close the menu, page scroll is restored.
- Search “story” lists ThinkTales and Enter opens it; Escape and outside clicks close panels.




Before — ThinkTales page with “Home” marked as current



After — ThinkTales highlighted, uniform items



Before — 390px: menu overflows, Login off-screen



After — 390px mobile menu

07 · “View report” button label sometimes invisible

Medium · Fixed & verified

Area: Teacher dashboard · **Type:** UI · **Files:** `src/app/home.css, src/styles/admin.css, src/context/AuthContext.tsx`

Root cause

home.css — loaded by the public header on /login — contained global element resets outside any CSS

Fix


The resets now live in `@layer base`, with page-level rules scoped to pages that render the public site chrome;

cascade layer: `a { color: inherit }`, `button { font: inherit }` and a `body` rule. Unlayered CSS outranks every Tailwind utility, and stylesheets persist across client-side navigation, so after signing in the sidebar link inherited white text on its white button and other console buttons lost their font sizes. A hard reload looked correct — hence "sometimes".


admin.css element rules are layered the same way. Sign-in, sign-out and the header's Dashboard links now cross between the public site and a module with a full page load, so no public stylesheet follows the user into a module.

Verification

- Computed text colour of "View report" after sign-in: before rgb(255,255,255) on a white button; after rgb(19,70,139).
- Style-difference test (reached by navigation vs. loaded fresh): Teacher dashboard 37 → 0 differences, Student dashboard 359 → 0, all 7 teacher pages 0.
- Reproduced on the production build of the original code; fixed on the production build of the new code.



Before — blank button after signing in



After — label visible

08 · "Log Out" does not respond

High · Fixed & verified

Area: Teacher account menu · **Type:** Functional / Auth · **Files:** `src/context/AuthContext.tsx, src/components/teacher/Topbar.jsx, ProfileMenu.tsx, AdminNavbar.tsx, editor layout`

Root cause


Log Out closed the menu instantly and then awaited the logout request with no loading state and no error handling. On a slow or failed request nothing visible happened — reproduced on the production build of the original code: with the request failing, the teacher stays on the dashboard and the page throws an uncaught "Failed to fetch". It then used a client-side router.push("/login"), which can be served from router-cache entries created while signed in. The QA screenshot also shows the placeholder identity "Teacher", i.e. the session came from a path (Google sign-in or email verification) that never told AuthContext about the user.

Fix


One shared logout in AuthContext, now used by the teacher, student, admin and editor menus: it shows "Logging out…", keeps the menu open, reports a failure instead of failing silently, notifies other tabs and leaves with a full page load. Google sign-in and email verification now record the session and route each role to its own dashboard.

Verification


- Production build — normal logout → /login and /api/auth/me returns 401.
- Slow request (4 s) → "Logging out…" shown immediately, then /login.
- Failed request → stays on the page with a "Couldn't log out — check your connection" message; no uncaught error.
- Hit-test at 5 viewports (390–1440px) confirms the button itself receives the click.



Before (production build) — request failed, nothing happened



After (production build) — failure reported to the teacher



After — "Logging out…" while the request runs

3. New issues discovered during the re-test

36 issues were found beyond the baseline report. The 25 below were fixed and re-tested — 9 UI and 16 functional (including backend, security and tooling). The 11 still open are in section 4.

Severity	Found	Fixed	Open
Critical	0	0	0
High	3	3	0
Medium	15	12	3
Low	18	10	8

3.1 UI issues

ID	Severity	Area	Issue	Status	Resolution
N01	High	Public site header	**No mobile navigation** Below ~900px the desktop menu overflowed the screen and the Login button was pushed out of view — there was no way to navigate on a phone.	Fixed	Hamburger menu with grouped links and Login / Create account.
N02	High	Student & Teacher modules	**Public-site CSS restyled module pages after sign-in** Unlayered resets and unscoped classes from the public stylesheet persisted into the modules: 37 wrong styles on the Teacher dashboard, 359 on the Student dashboard, 22 on Student Courses, 18 on Student Rewards.	Fixed	Resets moved into @layer base; full page load at the public/module boundary. Re-test: 0 differences.
N09	Medium	Site header	**“Home” shown as current page everywhere** The Home link was hard-coded as active; ThinkTales and IntelliaPlay rendered in a lighter style than the other items.	Fixed	Current page derived from the URL; one style for all items.
N13	Low	404 page	**Unbranded 404 with no navigation** Unknown URLs showed Next.js's bare black 404 page with no header or way back.	Fixed	Branded 404 with header, footer and suggested links.
N15	Low	Teacher Console	**Icon-only buttons without accessible names** Menu, notifications, account, copy-code, send and download buttons and the settings switches had no label for screen readers.	Fixed	aria-labels added; settings toggles are role="switch" with aria-checked.
N17	Low	Hero & footer images	**Chip text overflow and image aspect warning** The Badges chip label overflowed its box; the footer logo triggered a next/image aspect-ratio warning on every page.	Fixed	Chip sized to its text; image dimensions match the rendered logo.
N22	Medium	Admin → My Profile	**Account details card cut off on phones** A fixed 320px column pushed the second column off-screen; the page scrolled sideways at 390px.	Fixed	Single column below 768px; no horizontal scroll at 390px.
N23	Low	Student → Worksheets	**Worksheets page was blank** /student/worksheets rendered an empty scaffold.	Fixed	“Coming soon” state with links to Assignments and Quizzes.


ID	Severity	Area	Issue	Status	Resolution
N25	Low	Admin tables	**Unlabelled row-action and pagination buttons** Icon-only buttons had no accessible name, and one placeholder action button did nothing.	Fixed	aria-labels added (0 unlabelled buttons on re-test); placeholder button disabled.

3.2 Functional, backend and security issues


ID	Severity	Area	Issue	Status	Resolution
N03	Medium	Admin & editor search APIs	**Search text interpreted as a regular expression** Searching for "(" returned HTTP 500 on Users and Schools; "1+1" or names with brackets found nothing. User input reached MongoDB $regex unescaped on 7 routes.	Fixed	literalSearch() escaping on all 7 routes; 6 search variants and 3 metacharacter searches verified.
N04	Medium	GET /api/teacher/me	**Teacher API had no role check** Any signed-in user — student, parent, editor — received HTTP 200.	Fixed	Uses the shared teacher guard: students now get 403.
N05	Medium	Google sign-in	**Teachers sent to the homepage after Google sign-in** TEACHER/SCHOOL accounts were routed to "/" instead of the Teacher Console, and the signed-in user was never recorded in AuthContext (the console showed a placeholder identity).	Fixed	Same sign-in path as password login; role dashboards via dashboardFor().
N06	Medium	Legal & support pages	**/privacy, /terms and /support returned 404** The registration consent checkbox links to Terms of Service and Privacy Policy, both 404.	Fixed	Pages created and linked from the footer (legal wording to be confirmed — see R05).
N07	Medium	Site header	**Search and cart buttons did nothing** Both header icons were buttons without any behaviour.	Fixed	Site search with keyboard support; cart popover.
N08	Medium	Site footer	**Footer links pointed at anchors that don't exist** #thinktales, #intelliaplay, #schools, #about and #courses resolved on no page (or only the home page).	Fixed	Footer links now use real routes.
N10	Medium	Editor console	**"Preview as Student" bounced back** EDITOR accounts cannot open the student area, so the button redirected straight back to the editor dashboard.	Fixed	Button shown only to roles that can open the preview.
N11	Low	Email verification	**Wrong landing page after verifying** ADMIN accounts were sent to the editor dashboard, and the new session was not recorded in AuthContext.	Fixed	Shared dashboardFor() and completeLogin().

ID	Severity	Area	Issue	Status	Resolution
N12	Low	Homepage & Math Program menu	**Course links opened the login page** "Explore Courses" and every grade in the Math Program menu opened /login instead of the courses page.	Fixed	Explore Courses → /courses; grades open their course card (/courses?grade=…).
N14	Low	npm run lint	**Lint script broken on Next.js 16** `next lint` was removed in Next.js 16; the script failed with "Invalid project directory".	Fixed	`eslint .`, as the Next.js 16 upgrade guide recommends.
N16	Low	Content-Security-Policy	**CSP blocked the Google sign-in stylesheet** Console error on every auth page.	Fixed	accounts.google.com allowed in style-src.
N18	High	Student → Daily Quiz	**Daily Quiz always showed "Quiz unavailable"** Commit 898391c (9 Sep) rewrote /student/daily-quiz as a topic-quiz page that reads a quiz id from the URL. The route has none, so it always failed — then displayed a misleading "not available offline" message — and its submit call targeted /api/student/quiz/<id>/submit, which does not exist. The dashboard's Daily Streak widget links here, so the streak quiz was unreachable.	Fixed	Loads today's quiz from /api/student/daily-quiz and submits to /api/student/daily-quiz/submit (server-graded, XP/gems/streak); shows today's result when already done; id-based submissions use the existing /api/student/quiz/submit. Verified: 5 questions load, 5 answers submitted, result shown (submission mocked in the test so the shared database was not changed).
N19	Medium	Student → Assignments	**Start / Continue / Review opened 404 pages** Every assignment button linked to /student/assignments/<id>, a route that does not exist.	Fixed	Buttons open the lesson (resolved to its curriculum topic, whose id differs for some lessons) or, for quiz assignments, its practice quiz; assignments without a lesson show "From your teacher". Verified: Review and Start Assignment both open the Lesson Player.
N20	Medium	Student → Dashboard	**"View All" and "Open Full Progress" opened a 404** Both links pointed at /student/progress, which does not exist.	Fixed	Both open Courses, which shows progress per course.
N21	Medium	Editor → Courses	**"+ New Lesson" opened a 404** The button linked to /editor/lessons/new, which does not exist.	Fixed	Opens the Lessons page — where lessons are created — for the selected grade.
N24	Low	Editor → Lesson	**"👁 Preview" did nothing** Without a module URL the Preview button was a "#" link.	Fixed	Shown disabled with an explanation until a URL is set.


Selected evidence




After — N18 Daily Quiz completes and shows the saved result



After — N22 Admin profile fits a 390px screen



After — N07 working site search



After — N13 branded 404 page

4. Remaining issues (not fixed in this round)

These need a product decision, content, external configuration or larger architectural work, so they were documented rather than changed. None blocks the fixed flows.

ID	Severity	Type	Area	Issue	Recommendation
R01	Medium	Functional · Security	Sessions	**Session token stays valid after logout** Logout clears the cookie, but the JWT itself remains valid until it expires (7 days): a copied token still worked after logout (/api/auth/me → 200).	Add a per-user token version (or a revocation list) checked by the proxy and API guards; shorten token lifetime.
R02	Medium	Functional · Privacy	Public leaderboard	**Learners' full names shown to anonymous visitors** /api/student/leaderboard and the homepage leaderboard return full names and avatars without signing in.	Show first name + initial (or a nickname) publicly, keep full names for signed-in users; review consent for minors.
R03	Medium	Functional · Data persistence	Teacher Console	**Most Teacher Console data is browser-only demo data** Rosters, student profiles, attendance, messages, rewards, lessons and resources come from seed data saved in localStorage; only identity, class stats and assignments are database-backed. Changes don't reach students or other devices, and Resources “Download” only shows a toast.	Move each section onto API routes (the context shape already isolates this) before production use.
R04	Low	Functional · Auth	Social sign-in	**Microsoft and Apple sign-in are placeholders** Both buttons on Login/Register have no action. The Google button reports “origin not allowed” on localhost — an OAuth client configuration setting.	Hide unimplemented providers; add the deployment origins to the Google OAuth client.

ID	Severity	Type	Area	Issue	Recommendation
R05	Low	Functional · Content	Privacy, Terms & demo requests	**Legal text and lead capture need the business** Privacy Policy and Terms are plain-language summaries of how the platform works today. The Book-a-Demo form hands off to the visitor's email app — there is no lead-capture endpoint.	Replace with legally reviewed text; add a demo-request API or CRM integration.
R06	Low	Functional · Code quality	ESLint	**Pre-existing lint errors** ESLint (src) reports 34 errors and 33 warnings, against 34 and 34 before this work — mostly react-hooks "set-state-in-effect" in pages this work did not change. A per-file comparison shows no new findings in any file that was edited.	Work through the react-hooks "set-state-in-effect" findings page by page.
R07	Low	UI · Maintainability	home.css	**Oversized, heavily overridden stylesheet** home.css is ~13,000 lines with repeated override blocks for the same selectors and unscoped class names. Leaks into modules are now prevented at the navigation boundary, but the file remains fragile.	Consolidate into scoped, per-section styles.
R08	Low	Functional · Build	Production build	**Whole-project file tracing warning** Turbopack warns that filesystem access in curriculum-store.ts traces the whole project into an API route bundle (larger serverless function).	Scope the path to the data folder or add a turbopackIgnore comment.

ID	Severity	Type	Area	Issue	Recommendation
R09	Low	Functional · Content	Student lessons	**Most Grade 1 lessons have no interactive lesson configured** Of the Grade 1 lessons crawled, most open "Lesson Architecture Coming Soon". Lesson ids also differ between the curriculum (e.g. counting-numbers-up-to-100) and the lesson files used by quizzes and assignments (counting-up-to-100).	Configure the remaining lesson modules and use one id per lesson across curriculum, lesson files and assignments.
R10	Low	Functional · External app	Embedded lesson apps	**Narration audio fails in a hosted lesson app** The externally hosted lesson for "Reading and writing numbers" logs "Failed to fetch audio dynamically. Ensure VITE_ELEVENLABS_API_KEY is set". This lives in the separate lesson app, not in this repository.	Set the key in that app or pre-generate the audio.
R11	Low	UI · CSS consistency	Student → Rewards	**Minor font difference after moving between student pages** In the production build, after navigating between student pages without a reload, three unlabelled text elements on Rewards render in bold "Outfit" (the auth pages heading font from auth.css) instead of regular Inter. A fresh load is correct. Every other checked page — all teacher and admin pages and the other student pages — showed 0 differences.	Scope the font rules in auth.css to the auth pages (or move them into a cascade layer), as was done for home.css.

Checked and working as designed

Observation	Why it is not a defect
Unknown quiz id returns a practice quiz	Documented in practice-quiz.ts: the question bank is grade-scoped, so any id gets valid practice.
Anonymous visitors see a 401 for /api/auth/me in the console	Expected session probe for signed-out visitors; no user-facing effect.
EduNotes and Architecture pages opened without a lesson show "Lesson ID is missing"	They are opened from a lesson, which supplies the id.

5. Tested and working functionality

Results below are computed directly from the final test runs (API: 106/106 checks passed).

Area	Functionality	Result	Coverage
Public website	All public routes render with one shared header and footer (incl. IntelliaPlay, For Schools, Support, Privacy, Terms, 404)	Pass	15 pages
Public website	Header and footer links resolve, including #anchors on their target page	Pass	231 link checks, 0 broken
Public website	Current page highlighted; single item style	Pass	15 pages
Public website	Mega menus, site search (Enter / Escape), cart popover, grade deep links, demo form validation	Pass	desktop
Responsive UI	Header at 768–1536px: no overlap, Login visible, no horizontal scroll	Pass	10 widths
Responsive UI	Mobile menu at 390px: open, expand, navigate, close, scroll lock released	Pass	390×844
Responsive UI	Homepage hero: chips clear of heading, bubble, face and button; no overflow	Pass	10 viewports
Auth & navigation	Sign-in / validation / forgot password / logout / unauthenticated 401s	Pass	9 API checks
Auth & navigation	Student sidebar items and bell open the correct pages	Pass	Quizzes, Leaderboard, Notifications, Profile, bell
Auth & navigation	Account switched / signed out in another tab → clear notice, blocked stale UI, return to page after sign-in	Pass	broadcast + focus re-check
Auth & navigation	Teacher Log Out — normal, slow and failed request	Pass	production build
Student module	Pages load without errors, broken images or overflow (desktop + 390px)	Pass	35 pages
Student module	Daily Quiz: questions load, all answers submitted, result shown	Pass	submission mocked (no DB write)
Student module	Student APIs: profile, progress, quizzes, assignments, badges, missions, notifications, leaderboard, daily quiz, EduNotes	Pass	22 API checks
Teacher module	Console pages, legacy redirects and class pages load cleanly (desktop + 390px)	Pass	20 pages
Teacher module	“View report” readable after sign-in; no style drift after navigation	Pass	computed styles
Teacher module	Assignments API: create, update, validation, ownership check, delete	Pass	12 API checks
Admin module	Admin pages load cleanly; profile fits 390px; table buttons labelled	Pass	12 pages
Admin module	Courses, content and schools CRUD incl. archive-before-delete guard; validation; CSV export; search robustness	Pass	57 API checks
Editor module	Editor pages and APIs; “New Lesson” and Preview controls	Pass	26 pages

Area	Functionality	Result	Coverage
Role enforcement	Students and teachers blocked from other roles' APIs (403); anonymous requests 401	Pass	9 checks
Cross-module styling	Module pages look the same whether reached by navigation or loaded fresh	Pass	17 pages; 6 minor differences left on Student Rewards (R11)

Build and code quality

Check	Before	After
TypeScript — tsc --noEmit	14 errors (stale generated route types)	0 errors
Production build (next build)	Passes	Passes — including the 5 new routes
ESLint (src)	34 errors, 34 warnings	34 errors, 33 warnings — no new findings in edited files
npm run lint	Broken on Next.js 16	Runs (eslint .)

6. Final overall status

VERDICT

PASS — ready for QA sign-off

All 8 reported issues are fixed and verified on development and production builds. The re-test found 36 further issues: 25 were fixed and verified, and 11 remain open — none Critical or High — with recommendations.

Reported issues fixed and verified	8 of 8
New issues found	36 (High 3, Medium 15, Low 18)
New issues fixed	25
Open issues	11 (Critical 0, High 0, Medium 3, Low 8)

Recommended next steps

1. Decide on session revocation (R01) and public leaderboard names (R02) before a wider rollout to schools.
2. Plan the move of Teacher Console sections from demo data to the database (R03).
3. Replace the plain-language Privacy/Terms summaries with legally reviewed text (R05).
4. Review and commit the working-tree changes listed in the appendix; deploy and repeat a short smoke test on the deployed URL.

Appendix — files changed

56 files (M = modified, ?? = new). Changes are in the working tree of `feature/authentication` and have not been committed.

State	File
M	`next.config.ts`
M	`package.json`
M	`src/app/(auth)/forgot-password/page.tsx`
M	`src/app/(auth)/login/page.tsx`
M	`src/app/(auth)/register/page.tsx`
M	`src/app/(auth)/resend-verification/page.tsx`
M	`src/app/(auth)/reset-password/page.tsx`
M	`src/app/(auth)/verify-email/page.tsx`
M	`src/app/admin/layout.tsx`
M	`src/app/admin/profile/page.tsx`
M	`src/app/api/admin/audit/route.ts`
M	`src/app/api/admin/content/route.ts`
M	`src/app/api/admin/courses/route.ts`
M	`src/app/api/admin/payments/route.ts`
M	`src/app/api/admin/schools/route.ts`
M	`src/app/api/admin/users/route.ts`
M	`src/app/api/editor/users/route.ts`
M	`src/app/api/teacher/me/route.ts`
M	`src/app/courses/page.tsx`
M	`src/app/editor/courses/page.tsx`
M	`src/app/editor/layout.tsx`
M	`src/app/editor/lessons/[gradeId]/[lessonId]/page.tsx`
M	`src/app/home.css`
M	`src/app/page.tsx`
M	`src/app/student/assignments/page.tsx`
M	`src/app/student/daily-quiz/page.tsx`
M	`src/app/student/dashboard/page.tsx`
M	`src/app/student/layout.tsx`
M	`src/app/student/worksheets/page.tsx`
M	`src/app/teacher/ai-assistant/page.jsx`
M	`src/app/teacher/layout.tsx`
M	`src/app/teacher/messages/page.jsx`
M	`src/app/teacher/resources/page.jsx`
M	`src/app/teacher/settings/page.jsx`
M	`src/components/admin/AdminNavbar.tsx`
M	`src/components/admin/ReusableTable.tsx`
M	`src/components/common/ProfileMenu.tsx`
M	`src/components/common/SiteFooter.tsx`
M	`src/components/common/SiteHeader.tsx`

State	File
M	`src/components/teacher/Topbar.jsx`
M	`src/context/AuthContext.tsx`
M	`src/lib/auth/roles.ts`
M	`src/lib/db-filters.ts`
M	`src/proxy.ts`
M	`src/styles/admin.css`
??	`src/app/courses/GradeParamSync.tsx`
??	`src/app/intelliaplay/page.tsx`
??	`src/app/not-found.tsx`
??	`src/app/privacy/page.tsx`
??	`src/app/schools/page.tsx`
??	`src/app/support/page.tsx`
??	`src/app/terms/page.tsx`
??	`src/components/auth/SessionGuard.tsx`
??	`src/components/common/SchoolDemoForm.tsx`
??	`src/styles/site-chrome.css`
??	`src/styles/site-pages.css`