

how to make pdf on - Google Search

codetantra login - Google Search

Course

https://mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c548...

Import favorites

Gmail

YouTube

Maps

Google

CODETANTRA

Home

Learn Anywhere

202501090001@mitaoe.ac.in

Support

Logout

2.1.2. Dictionary Operations

24.48

Write a Python program to perform insertion, update, deletion, and traversal operations on a dictionary. An initial dictionary containing 10 predefined records is already given in the program.

Operations to be Performed:

1. Insertion – Insert a new key-value pair into the dictionary using user input.

2. Update – Update the value of an existing key using user input.

3. Deletion – Delete a specified key from the dictionary using user input.

4. Traversal – Traverse the final dictionary and display all key-value pairs.

Input and Output Format:

1. Read an integer representing the key to be inserted and a string representing its value. Insert this new key-value pair into the dictionary and display the dictionary after insertion.

2. Read an integer representing the key to be updated and a string representing the new value. Update the value of the specified key (only if it exists) and display the dictionary after the update.

3. Read an integer representing the key to be deleted. Delete the specified key from the dictionary (only if it exists) and display the dictionary after deletion.

4. Finally, traverse the dictionary and display all key-value pairs.

The program should also display the original dictionary before performing any operations. Each output should be printed with appropriate messages.

Note:

All operations must be performed using dictionary methods.

Perform deletion only if possible; leave the dictionary unchanged.

Refer to the visible test cases for better understanding and strictly match with the input/outputs.

DictOper...

64: "Neha",

7: 5: "Arjun",

8: 6: "Pooja",

9: 7: "Rahul",

10: 8: "Sneha",

11: 9: "Vikram",

12: 10: "Anjali"

13: }

14:

15: # write your code here...

16: print("Original Dictionary:",student)

17: key=int(input())

Average time

0.026 s

26.00 ms

Maximum time

0.028 s

28.00 ms

2 out of 2 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1

2% ms

Debug

Expected output

Original Dictionary: {1: 'Amit', 2: 'Riya', 3: 'Kiran', 4: 'Neha', 5: 'Arjun', 6: 'Pooja', 7: 'Rahul', 8: 'Sneha', 9: 'Vikram', 10: 'Anjali'}

Actual output

Original Dictionary: {1: 'Amit', 2: 'Riya', 3: 'Kiran', 4: 'Neha', 5: 'Arjun', 6: 'Pooja', 7: 'Rahul', 8: 'Sneha', 9: 'Vikram', 10: 'Anjali'}

After Insertion: {1: 'Amit', 2: 'Riya', 3: 'Kiran', 4: 'Neha', 5: 'Arjun', 6: 'Pooja', 7: 'Rahul', 8: 'Sneha', 9: 'Vikram', 10: 'Anjali', 11: 'Suresh'}

After Insertion: {1: 'Amit', 2: 'Riya', 3: 'Kiran', 4: 'Neha', 5: 'Arjun', 6: 'Pooja', 7: 'Rahul', 8: 'Sneha', 9: 'Vikram', 10: 'Anjali', 11: 'Suresh'}

Terminal

Test cases

Type here to search

10:03 PM

5/5/2026

how to make pdf on - Google Search

codetantra login - Google Search

Course

https://mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d62/698c548...

Import favorites

Gmail

YouTube

Maps

Google

DE TANTRA

Home

Learn Anywhere

202501090001@mitaoe.ac.in

Support

Logout

2.2.1. Linear search Technique

01:00

Write a program to check whether the given element is present or not in the array of elements using linear search.

Input format:

- The first line of input contains the array of integers which are separated by space
- The last line of Input contains the key element to be searched

Output format:

- If the element is found, print the index. If the element found multiple times, print the starting index
- If the element is not found, print **Not found**.

Sample Test Case:
Input:
1 2 3 4 3 5 6
3
Output:
2

Sample Test Cases

CTP1709...

Submit

Debugger

1
2
3
4
5
6
7
8

numbers = list(map(int, input().split()))
target = int(input())

if target in numbers:
 # Find first occurrence (1-based index)
 print(numbers.index(target))
else:
 print("Not found")

Average time
0.010 s
10.00 ms

Maximum time
0.012 s
12.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 10 ms Debug

Expected output
1 2 3 4 3 5 6
3
2

Actual output
1 2 3 4 3 5 6
3
2

Test case 2 12 ms

Terminal

Test cases

Prev

Reset

Submit

Next

Type here to search

10:03 PM
5/5/2026

The screenshot shows the Codetantra website interface. On the left, the problem '2.2.2. Captain of the Team' is described: 'You are provided with the heights of 11 cricket players (in centimeters). Your task is to identify the tallest player, who will be selected as the captain of the team.' The input format is 'The first line of input will contain 11 integers, each representing the height of a player (in centimeters), each separated by a space.' The output format is 'The output should be the height (in centimeters) of the tallest player.' Below this, there is a section for 'Sample Test Cases'.

On the right, the solution code is shown in a Python interpreter. The code is:

```
1 numbers = list(map(int, input().split()))
2 print(max(numbers))
```

The execution results show that the code passed all test cases. The average time is 0.005 s, and the maximum time is 0.008 s. The output for the test case is 191.