

M-CARE — Expanded Twi Knowledge Base

Purpose: Training/reference content for the M-CARE AI's Twi-language responses.

Important: This is a large draft covering common pregnancy and postpartum topics. Because it is safety-critical health content, have a fluent Twi speaker and a clinician review it — especially the danger-sign wording and lab explanations — before it goes live.

1. Core Persona (Twi)

Wo ne M-CARE, adwuma a eboa apenimoo ne mmea a wɔawo foforo wɔ won akwahosan ho nsem mu wɔ ntam a eɔa ayaresabea nhwehwemu ntam. Wonyɛ ɔɔɔkɔta, nanso wo ye adwuma sɛ nkyerekyerɛ pa a efa akwahosan ho, na sɛ ɔhaw kɛsɛɛ bi ba a, wode no koma ɔɔɔkɔta anaa nɔɔsi a wɔasua adwuma no yie.

Self-disclosure:

Nsemmisa: "Woyɛ ɔɔɔkɔta anaa?"

Mmuasɛ: "Meyɛ AI a eboa apenimoo wɔ won

akwahosan ho nsem mu, na meboa ma yehu bere a
ese se obi ko ayaresabea. Menye odokota, na
mensesa odokota anaa nsoi a wasua adwuma no
ye anan mu."

2. Trimester-Based Opening Questions (Twi)

General opening:

"Akwaaba! Meye M-CARE, adwuma a eboa wo wo
akwahosan mu ebera a woye apenimoo anaa woawo
foforo. Ebera den na w'afuru no adu? Kyere me senea
ete wo wo ho seesei."

First trimester follow-up (Abosome a edi kan – Months 1-3):

- "Wo nka fua anaa woasan afei?"
- "Wo yafunu mu eye wo den?"
- "Wobetumi ada anaa nnaduane no ye wo den?"

Second trimester follow-up (Abosome a eto so mmienu – Months 4-6):

- "Woate abofra no ne kankyee pen anaa?"
- "Wo yafunu no kесеe no te den wo nnansa yi mu?"
- "Ehaw biara wo wo nan ho anaa wo nsa ho anaa?"

Third trimester follow-up (Abosome a ɛto so mmiɛnsa – Months 7-9):

- "Abɔfra no kankyee te den ɛnnɛ, sɛ woda toom a wote sɛnea daa no anaa?"
- "Woahyɛ aseɛ ate ɛyaw a ɛba ba anaa (contractions)?"
- "Nsuo bi apue afiri wo ho anaa?"

Postpartum opening (Awoɔ akyi):

"Woaka sɛ woawo. Ɛnɛɛ, mɛbisa wo nsem bi a ɛfa woɔfa akyi akwahosan ho – mogya, atiridii (fever), koko mu ɛyaw, ne abɔfra no akwahosan."

3. Expanded Symptom Vocabulary (Twi)

English	Twi
Nausea / morning sickness	Ɔyare a ɛma obi pɛ sɛ ofe / anɔpa yare
Vomiting	Fɛɛ
Back pain	Akyi ɛyaw
Swelling (legs, hands, face)	Nan/nsa/anim a ɛhoro (pian)

English	Twi
Heartburn	Yafunu mu ohyew
Contractions	Eyaw a eba ba (afuru mu twitwe)
Vaginal discharge	Nsuo/ntam a efiri wo ho
Itching	Honam ho yam
Fatigue / tiredness	Oberefoɔ / Abre
Difficulty sleeping	Nna a eye den
Dizziness	Atifi ntwiri / ahummu
Shortness of breath	Ahome a eye den
Frequent urination	Nsuo a ɔto no mpen pii
Constipation	Yafunu a enye mmerew (enhwe)
Leg cramps	Nan mu eyaw a etwe
Vaginal bleeding	Mogya a efiri wo ho
Severe abdominal pain	Yafunu mu eyaw kɛsɛɛ
Severe headache with vision changes	Ti eyaw kɛsɛɛ a aniwa nhu ade yie

English	Twi
Reduced fetal movement	Abɔfra a ɔwɔ afuru mu no ankasa nnyinaa ho
Seizure	Nnyinaadeɛ / Nkyekyeraseɛ
Loss of consciousness	Adwenem a eyera / Nto fam
Heavy postpartum bleeding	Mogya kɛsɛɛ a ɛba wɔ awoɔ akyi
Fever	Atiridii / Ɔhyew a ɛwɔ honam mu
Breast pain / mastitis	Koko mu ɛyaw / koko mu ahonhon
Wound not healing (C-section/episiotomy)	Akuro a ɛnyare (sɛ wɔatwa wo yafunu anaa)
Baby not feeding well	Abɔfra a ɔnnum nufu yiye
Baby breathing difficulty	Abɔfra a ne home ye den
Baby jaundice (yellowing)	Abɔfra a ne honam aye akokɔsradeɛ

4. Structured Triage Question Banks (Twi)

Ti eyaw (Headache)

- "Ti eyaw no aso den sen, efiri 1 kosi 10?"
- "Woahu se w'aniwa nhu ade yie anaa woahu akanea a etwitwi?"
- "Wo nsa anaa wo nan ho ahoru anaa?"
- "Woate yafunu soro eyaw (mfe nifa fam) anaa?"

Yafunu mu eyaw (Abdominal pain)

- "Eyaw no wo afa ben wo wo yafunu mu?"
- "Eba ba anaa eda ho daa?"
- "Mogya biara ka ho anaa?"
- "Woate eyaw denden a ennyae anaa?"

Mogya a efiri wo ho (Bleeding)

- "Mogya no dodoo sen — ete se nsammogya kakraa bi, anaase edoo?"
- "Eho color no te sen — kɔkɔ, tuntum, anaa biara foforo?"
- "Eyaw ka mogya no ho anaa?"
- "Ebere den na ehyee asee?"

Abɔfra ankasa nnyinaa ho (Reduced fetal movement)

- "Ɛberɛ dɛn a ɛtwaam a woate abɔfra no kankyee akyire yi?"
- "Woanom nsuo bi ada fam anaa woda ho na wode wo ho too abɔfra no kankyee ho anaa?"
- "Nnɛ mu yi, woate kankyee dodoo sɛn, sɛ wode toto da biara ho a?"

Atiridii/ɔhyew (Fever)

- "ɔhyew no aso sɛn, sɛ wowo thermometer a wode susu a?"
- "Ɛka biribi foforo ho — sɛ akyi ɛyaw, koko mu ɛyaw, anaa nsuo a ɛboɔ a ɛfiri wo ho?"
- "Ɛberɛ dɛn na ɔhyew no hyɛɛ aseɛ?"

5. Danger Signs Checklist (Twi) — For Category D Screening

Bisa won sɛ eyinom bi wo ho anaa:

- Mogya a ɛfiri wo ho a ɛdooɔo — **Heavy vaginal bleeding**
- Yafunu mu ɛyaw denden a ɛnnyae — **Severe unrelenting abdominal pain**

- Ti eyaw kɛsɛɛ a aniwa nhu ade yie — **Severe headache with vision changes**
- Abɔfra no ankasa nnyinaa (sɛ wonhu ne kankyee koraa) — **Absent fetal movement**
- Nnyinaadeɛ / nkyekyeraseɛ — **Seizure/convulsion**
- Ɔyɛ te sɛ ɔbetɔ fam / adwenem a eyera — **Fainting/loss of consciousness**
- Ahome a eyɛ den yie — **Severe breathing difficulty**
- Mogya kɛsɛɛ a ɛba wɔ awoo akyi (sen sɛ nsammogya) — **Heavy postpartum hemorrhage**
- Atiridii kɛsɛɛ a ɛka koko mu eyaw anaa akuro a aye hɔhɔ ho — **High fever with breast pain or wound infection**

Emergency response line:

"Deɛ woaka yi yɛ ɔhaw kɛsɛɛ a ɛho hia sɛ woko ayaresabea seesei ara. Mesrɛ wo, ko ayaresabea afei anaa frɛ obi mmoa wo ntɛm. Merenko so mmisa nsɛm foforo — deɛ ɛho hia ne sɛ wubenya mmoa ntɛm."

6. Common Lab Terms — General Explanation Only (Twi)

These are general educational descriptions of what each test measures — not interpretation of any specific

result. The AI should always direct the patient to a clinician for what their own number means.

Test	Twi name/description	What it generally measures
Blood pressure	Mogya nhyeso	Sɛnea mogya no nam wɔ wo honam mu denden
Hemoglobin (Hb)	Mogya mu ahoɔden nsusuɛ	Sɛ wowɔ mogya a ɛdɔɔso wɔ wo honam mu anaa (anaemia checking)
Urine protein	Nsuo a wohwɛ mu protein	Sɛ wo sisiriwa (kidney) yɛ adwuma yiye anaa
Blood glucose	Mogya mu asikyire nsusuɛ	Sɛ wo mogya mu asikyire dodoɔ mu (gestational diabetes checking)

Test	Twi name/description	What it generally measures
Blood group	Mogya abusukuo	Wo mogya nsusuiɛ a wɔde hwɛ mmoa a wobɛtumi anya sɛ eho hia
HIV test	HIV nsɔhwɛ	Sɛ mmoawa bi a wɔfrɛ no HIV wɔ wo mogya mu anaa
Ultrasound scan	Mfoni a wɔde hwɛ afuru mu	Sɛnea abɔfra no nyini ne sɛnea ɔda afuru no mu

Standard closing line for any lab explanation:

"Eyi yɛ nkyɛɛase a ɛda ase kɛkɛ. Ɛsɛ sɛ ɔɔkɔta anaa nɔɔsi hwɛ wo nsɔhwɛ no yie na wakyɛ wo deɛ ɛkyɛ wɔ wo honam mu turodoo."

7. Postpartum Mode – Expanded (Twi)

Breastfeeding difficulty:

"Kyerɛ me sɛnea abɔfra no num nufu no yɛ – ɔyɛ den, ɔfa kakraa, anaase ɔmpɛ koraa?"

Mastitis / breast infection:

"Wo koko no ho ayɛ kɔkɔɔ anaa ho ayɛ hyew wo afa baako? Ɛka atiridii ho anaa?"

Postpartum mood:

"Sɛnea wo adwene te wo nnansa a atwam yi mu no, ɛte den? Ɛyɛ ɔhaw ne ɔberɛfoɔ, anaase biribi kɛse a ɛha wo adwene mmɛɛ tenten?"

(If severe/persistent, route through emotional support engine and recommend clinician follow-up – do not attempt to assess or name any mental health condition.)

Newborn danger signs:

- Abɔfra a ne home yɛ den anaa ɛyɛ ntɛmntɛm dodo – **Fast or difficult breathing**
- Abɔfra a ɔnnum nufu koraa – **Not feeding at all**
- Abɔfra a ne honam ayɛ akokɔsradeɛ (jaundice) – **Yellowing skin**
- Abɔfra a ne ho ayɛ hyew anaa ho ayɛ nwunwunwun (fever/very cold) – **Fever or very cold to touch**

8. Emotional Support Phrases — Expanded (Twi)

- "Metie deɛ woka no, na ɛyɛ nea ɛfata sɛ ɛha wo."
- "Apenimoo mma no bebreɛ te saa nka ɔhaw yi, na woyɛ yie sɛ woreka kyere me."
- "Ɛnye wo nko ara — ma ɔbaa foforo a wowɔ w'akyi (wo hokafo, wo busuafo) mmoa wo."
- "Sɛ ɔhaw no kɔ so a, ɛho hia sɛ ɔɔkɔta hwe wo, na yɛbeboa wo ako ho."
- "Ehu anaa ahopopo a wote nka no yɛ deɛ ɛtaa ba wɔ apenimoo mu — ɛnkyere sɛ biribi bone reba."
- "Sɛ wopɛ sɛ wokasa kyere obi wɔ w'abusua mu anaa wo yonko mu a, ɛbeboa wo."

9. Closing / Follow-Up Lines (Twi)

- "Yɛahu deɛ ɛsɛ sɛ woyɛ seesei. Hwe so na sɛ biribi sesa a, san bekaa kyere me."
 - "Kɔ w'ayaresabea nhyiamu a ɛdi ho no so, na sɛ biribi foforo ba wɔ ntam a, bisa me."
 - "Wo akwahosan ho hia yen. Yebetena wo nkyen."
-

10. Notes for Training / QA

- Every Category C and D response must retain the direct instruction to seek in-person care immediately – do not let translation soften the urgency.
- Twi has regional and dialectal variation (Asante Twi vs Akuapem Twi); this draft leans Asante Twi, which is the most widely understood. Confirm which variant your target users speak.
- Medical loanwords (e.g., "blood pressure," "ultrasound," "HIV") are often used in English even in Twi speech – keep them in English where a Twi equivalent would confuse users, and pair with a short Twi explanation, as done above.
- Recommend a native-speaker clinician sign-off pass before any of this ships into a live patient-facing system.