

**Федеральное государственное автономное образовательное учреждение
высшего образования «Национальный исследовательский университет
«Высшая школа экономики»**

Факультет компьютерных наук

КУРСОВАЯ РАБОТА

Применение Жидких нейронных сетей к MedMNIST наборам данных

Application of Liquid Neural Networks to MedMNIST datasets

по направлению подготовки 01.04.02 Прикладная математика и информатика
образовательная программа «Науки о данных»

Студент группы МНОД231

Селиверстов Алексей Владимирович

(Ф.И.О.)

Руководитель КР

Сохраби Маджид

(Ф.И.О.)

Москва, 2024

Table of contents

Abstract.....	3
Абстракт.....	3
Application of Liquid Neural Networks to MedMNIST datasets	3
Introduction	4
Literature review	4
Dataset's Descriptions	5
Methodology	7
Training setup.....	7
Quality metrics.....	7
Models	7
Experimental Results	8
Conclusion	9
References.....	10
Appendix	11
Metrics for each model	11

Abstract

This term paper investigates how useful Liquid Time-Constant neural networks are to classify medical images. It compares LTC networks and to the traditional recurrent and small convolutional networks using publicly available MedMNIST datasets. LTC models did not always offer significant advantages over small convolutional networks while having similar number of parameters. However, they outperform their RNN and LSTM counterparts in most configurations, while being significantly smaller. The study suggests that Liquid layers is a competitive choice of a neural network architecture, especially when time-series nature of data is important, however further research is needed on more complex datasets.

Keywords: liquid neural networks, MedMNIST datasets, recurrent neural networks, medical images analysis, time-series data

Source code: <https://github.com/As17-01/LungTissues/tree/main/scripts/MNIST>

Абстракт

В этой курсовой работе исследуется насколько полезные Жидкие нейронные сети для классификации медицинских изображений. Она сравнивает LTC сети с традиционными рекуррентными и небольшими сверточными сетями, используя публично доступные базы данных MedMNIST. LTC модели не всегда показывали значительного преимущества над компактными сверточными сетями, имея схожее количество параметров. Однако они превосходят свои RNN и LSTM аналоги в большинстве конфигураций, будучи гораздо меньше по числу параметров. Исследование предлагает, что Жидкие нейронные сети это конкурентный выбор архитектуры нейронных сетей, особенно когда временная составляющая важна для прогнозов, однако необходимо дальнейшее исследование на более сложных базах данных.

Application of Liquid Neural Networks to MedMNIST datasets

Introduction

The modern healthcare sector uses technologies to improve patient outcomes and accelerate the recovery process. A key element of medical interventions involves the use of biomedical images, which play a crucial role in enabling more precise diagnoses and developing effective treatment strategies. However, the interpretation of such images is susceptible to human error, which can result in negative outcomes such as incorrect treatment selection and delayed disease detection. The integration of deep learning techniques has significantly enhanced the accuracy of image analysis by identifying potentially problematic cases for further review by healthcare professionals. These advanced methods have changed the approach towards analyzing and interpreting biomedical data and they provide with automated frameworks that help in the identification of diseases.

In recent years, the field has experienced rapid advancements in deep learning technologies. Besides other popular approaches that have emerged, the application of Liquid Time-Constant Neural Networks stands out as a promising possibility to enhance the accuracy and efficiency of medical image analysis. First, they were introduced by (Hasani et al, 2021) and now they could serve as a replacement to traditional recurrent neural networks or aggregated output of linear layers when analyzing sequential data. Inspired by the dynamic behavior of liquid systems, LNNs are offering a unique framework that utilizes adaptive and self-organizing neural layers to make predictions. This term work shows the potential of Liquid Neural Networks as a new deep learning technique, with a specific focus on their application to the analysis of diverse medical data. The main advantage of LTC is that they have significantly less parameters than other RNNs. The main focus of the term paper is to train relatively compact networks, and assess how LTC works in comparison to the other methods. Then they will be compared to the benchmark's models, which have significantly more parameters. This study contributes to the current literature about Liquid Time-constant networks, classification of medical images and processing time-series data.

For the analysis I used standartized MedMNIST datasets to conduct the experiments. The utilization of the MedMNIST datasets serves as an initial step, providing with a great source of medical image data for training and validating neural network models. MedMNIST collection of images contain 6 different 3D image sets to train a model on, such as AdrenalMNIST3D and VesselMNIST3D and etc. The images already have been preprocessed, and they are ready to be used. The sizes of the datasets are relatively small and it is possible to perform the analysis without the need for significant computational resources. Another advantage of the datasets is that they are widely used, and there are some solid benchmarks to compare the results with. Overall, the datasets allow to conduct fast experiments on the data to compare the quality of different architectures.

Literature review

The exploration of liquid neural networks in various fields is a show their adaptability and effectiveness. They perform better, than incremental approaches, when sudden changes occur in data patterns (Ayoub et al, 2024). In contrast to them, liquid neural networks have shown the capability of self-adapting to abrupt changes without needing any retraining. Furthermore, liquid neural networks also managed to remove complex, noisy signals derived from the aircraft's magnetic sources, resulting in a significant reduction in aeromagnetic compensation error (Nerrise et al, 2024). This indicates the potential of this machine learning approach to extract reliable and accurate signals from the noise. Lastly, liquid neural networks have also been applied in the field of communication networks to reduce the overhead in urban area, which allowed to dynamically adjust

beams to improve connection for mobile users. This also shows the capabilities of the LTC networks to work with noisy data (Zhu et al, 2024).

As it was previously mentioned, liquid time constant networks utilize adaptive and self-organizing neural layers to make predictions. However, there were major improvements to the algorithm. One of the most important ones are Neural circuit policies principles (Lechner et al, 2018, 2020), which can be applied to the LTC networks. NCP networks are constructed from LTC neurons and differentiate from the normal Liquid networks with a different wiring diagram. The networks are inspired by the nervous system on a living organism and they allow to create sparsely-connected interconnected neurons.

Another novelty is continuous-time liquid neural networks (Hasani et al, 2022), which significantly improve training and inference time since they eliminate the need for complex numerical solvers. And, as another class of liquid networks, they also demonstrate better performance in time-series modelling, than advanced recurrent neural network models.

Dataset's Descriptions

The datasets come from the public MedMnist library. It contains a broad 2D and 3D images collection for a classification problem. For the experiments a choose three different datasets for binary classification. Each of them has thousands of images of a similar scale (28x28x28).

NoduleMNIST3D. This dataset contains thoracic CT scans. They are split into 1158 samples for training, 165 for validation and 310 for testing.




Figure 1. Nodule Dataset Sample

AdrenalMNIST3D. This dataset is obtained from Zhongshan Hospital data and contains shape masks of 1584 adrenal glands. They are split into 1188 samples for training, 98 for validation and 298 for testing.




Figure 2. Adrenal Dataset Sample




Figure 3. Vessel Dataset Sample

VesselMNIST3D. This is a 3D intracranial aneurysm dataset, which contains 103 3D models of entire brain vessels collected by reconstructing MRA images. The total number of 1,694 healthy vessel segments and 215 aneurysm segments are created automatically by the complete models (Yang et al, 2021). They are split into 1335 samples for training, 191 for validation and 382 for testing.

Methodology

Training setup

In this study, each model was trained using a batch size of 64 images. The training process was carried out using the Adam optimization algorithm. This process was repeated for 500 epochs. The learning rate was set at a constant 0.0005 across all datasets. To prevent overfitting and decrease the total learning time, an early stopping mechanism was implemented. If the validation loss has increased by more than 0.001 over the best previously recorded validation loss for 10 epochs, the training process was stopped. The model's performance was evaluated using the binary cross-entropy loss function, which is a popular method for binary classification problems.

Quality metrics

In my term paper, I worked with datasets with binary classification target. Each model I used provided accuracy and ROC AUC scores for both test and validation data. For the final comparison I used the test scores on each dataset after reaching early stop criterion. My choice of metrics is the same with those used in existing benchmarks on the MedMNIST library's website. These metrics are commonly used in binary classification tasks. The datasets I used are well balanced, making the accuracy score a reliable measure of the models' quality. However, the accuracy score depends on the selected threshold, which was 0.5 in all instances. The ROC AUC metric helps reduce the influence of this factor.

Models

I conducted five experiments. Each experiment used six different models for each dataset. This means that a total of 90 models were trained. Most of these models had a similar structure for their initial two convolutional layers. The first layer had an output of 6 channels, and the second layer had an output of 16 channels. The kernel sizes used for these layers were (5, 5) and (3, 3) respectively. Following each of these layers, a maximum 2D-pooling operation was performed to reduce the size of the output and control overfitting. After the pooling operation, a RELU activation function was applied. This function helps to introduce non-linearity into the model and improves the learning process. For the fourth experiment, the layers were slightly altered. Two additional convolutional layers were included, each with the same number of channels as the initial layers.

Firstly, the study made use of traditional Convolutional Neural Networks. These models predicted targets individually for each timestamp. This means that they make predictions based on the data available at a specific point in time, without considering the sequence of data. After making individual predictions for each timestamp, the results are then averaged to provide a single output. Afterwards, the study also included models that utilized Liquid Time-constant layers. In contrast to the CNNs, these models are designed to predict on sequential data. They take into account the order of data points and make predictions based on the entire sequence of data rather than individual timestamps. Finally, the study involved training a few Long Short-Term Memory and Recurrent Neural Network models. These models were trained and their results compared with the CNN and LTC models to identify the most effective approach.

Model	Num layers							Final Linear*	Wiring*	Dropout	Parameters
	Conv	Max pooling	Batch norm	Interm Linear	LTC	LSTM	RNN				
CNNExp1N1	2	2		2				1			59405
LiqExp1N2	2	2			1				Auto		37265
CNNExp1N3	2	2		2				1			59405
CNNExp1N4	2	2		2				1			27701
LiqExp1N5	2	2			2				Auto		37930
LiqExp1N6	2	2			1				Auto		53528
CNNExp2N1	2	2		4				1			79245
LiqExp2N2	2	2			1				Full		37265
CNNExp2N3	2	2		2				1			120205
CNNExp2N4	2	2		2				1			13739
LiqExp2N5	2	2			2				Full		37930
LiqExp2N6	2	2			1				Full		53528
CNNExp3N1	2	2		2				1		0.2	59405
LiqExp3N2	2	2		1	1				Auto	0.2	127537
LiqExp3N3	2	2	1		1				Auto	0.2	38065
LiqExp3N4	2	2			1				Auto	0.2	37265
LiqExp3N5	2	2			1			1	Auto		37306
CNNExp3N6	2	2		2				1		0.2	59405
CNNExp4N1	4	2		2				1			15655
LiqExp4N2	4	2			1				Auto		18475
CNNExp4N3	4	1		2				1			83751
CNNExp4N4	4	1		2				1			41487
LiqExp4N5	4	2			2				Auto		19140
LiqExp4N6	4	1			1				Auto		55627
LiqExp5N1	2	2			1				Auto		9953
LSTMExp5N2	2	2				1		1			71797
LSTMExp5N3	2	2				2					71928
LSTMExp5N4	2	2				2		1			84917
RNNExp5N5	2	2					1	1			18757
RNNExp5N6	2	2					2	1			22037

* - connects the remaining out-features to the output of 1

* - "Auto" corresponds to the Neural circuit policies constructed by a set of LTC neurons

Table 1. Models' architecture

Experimental Results

Liquid Neural Network's performance varied across three datasets. On the AdrenalMNIST3D dataset, these networks struggled, with traditional CNNs delivering better results in less time. However, on the NoduleMNIST3D and VesselMNIST3D datasets, they showed comparable or sometimes superior performance to the other compact networks. Despite having fewer parameters in average, Liquid Time-Constant models did not offer significant benefits compared to small convolutional networks on all three datasets, and they took longer to train than CNNs. It indicates that the sequential nature of three datasets was not very important for making predictions. However, when compared to recurrent neural networks, the advantages of LTC networks were more

noticeable. In most configurations, they outperformed their RNN and LSTM counterparts and had much less parameters.

Methods	AdrenalMNIST3D		NoduleMNIST3D		VesselMNIST3D		PARAM
	ACC	AUC	ACC	AUC	ACC	AUC	
ResNet-18 + 2.5D	0.772	0.718	0.835	0.838	0.846	0.748	>1m
ResNet-18 + 3D	0.721	0.827	0.844	0.863	0.877	0.874	>1m
ResNet-18 + ACS	0.754	0.839	0.847	0.873	0.928	0.930	>1m
ResNet-50 + 2.5D	0.763	0.732	0.848	0.835	0.877	0.751	>1m
ResNet-50 + 3D	0.745	0.828	0.847	0.875	0.918	0.907	>1m
ResNet-50 + ACS	0.758	0.828	0.841	0.886	0.858	0.912	>1m
auto-sklearn	0.802	0.828	0.874	0.914	0.915	0.910	Unknown
AutoKeras	0.705	0.804	0.834	0.844	0.894	0.773	Unknown
CNNExp2N4	0.812	0.855	0.855	0.847	0.878	0.796	13739
CNNExp4N1	0.787	0.844	0.862	0.908	0.885	0.822	15655
LiqExp4N2	0.755	0.718	0.855	0.908	0.909	0.918	18475
LiqExp4N6	0.777	0.74	0.847	0.873	0.927	0.914	55627
CNNExp3N1	0.81	0.845	0.835	0.853	0.895	0.866	59405
CNNExp3N6	0.818	0.863	0.842	0.828	0.903	0.889	59405
LSTMExp5N2	0.765	0.829	0.867	0.871	0.891	0.792	71797
CNNExp2N3	0.796	0.859	0.848	0.853	0.901	0.927	120205
LiqExp3N2	0.755	0.716	0.835	0.883	0.935	0.903	127537

Table 2. Methods comparison

Conclusion

This research has provided valuable insights into the application of Liquid Time-Constant Neural Networks in the field of medical image analysis. It has demonstrated that LTC networks can be a competitive alternative to other compact networks, often delivering comparable performance. Despite having similar number of parameters, LTC models did not always offer significant advantages over small convolutional networks, and their training process was more time-consuming. This suggests that the sequential nature of the datasets used was not a critical factor for making accurate predictions. However, in comparison to recurrent neural networks, LTC networks displayed more noticeable benefits. They outperformed their RNN and LSTM counterparts in most configurations, while having significantly fewer parameters. This indicates that LTC networks could be a more efficient choice for tasks where traditional RNNs or LSTMs are typically used, especially when the model size is a concern. However, further research is needed to fully understand the conditions under which LTC networks can offer the most significant benefits. Future work could also explore the performance of the LTC networks on other, more complex datasets, where the sequential nature of the data is more important.

References

1. **Ayoub, O., Andreoletti, D., Knapińska, A., Goścień, R., Lechowicz, P., Leidi, T., Giordano, S., Rottondi, C., & Walkowiak, K.** (2024). Liquid Neural Network-based Adaptive Learning vs. Incremental Learning for Link Load Prediction amid Concept Drift due to Network Failures. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2404.05304>
2. **Bidollahkhani, M., Atasoy, F., & Abdellatef, H.** (2023). LTC-SE: Expanding the potential of Liquid Time-Constant Neural Networks for scalable AI and embedded systems. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2304.08691>
3. **Hasani, R., Lechner, M., Amini, A., Liebenwein, L., Ray, A., Tschalkowski, M., Teschl, G., & Rus, D.** (2022). Closed-form continuous-time neural networks. *Nature Machine Intelligence*, 4(11), 992–1003. <https://doi.org/10.1038/s42256-022-00556-7>
4. **Hasani, R., Lechner, M., Amini, A., Rus, D., & Grosu, R.** (2021). Liquid Time-constant Networks. *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(9), 7657-7666. <https://doi.org/10.1609/aaai.v35i9.16936>
5. **Huang, Z., Contreras, L. F. H., Leung, W. H., Yu, L., Truong, N. D., Nikpour, A., & Kavehei, O.** (2024). Efficient Edge-AI models for robust ECG abnormality detection on Resource-Constrained hardware. *PubMed*. <https://doi.org/10.1007/s12265-024-10504-y>
6. **Lechner, M., Hasani, R., Amini, A., Henzinger, T. A., Rus, D., & Grosu, R.** (2020). Neural circuit policies enabling auditable autonomy. *Nature Machine Intelligence*, 2(10), 642–652. <https://doi.org/10.1038/s42256-020-00237-3>
7. **Lechner, M., Hasani, R. M., & Grosu, R.** (2018). Neuronal circuit policies. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.1803.08554>
8. **Nerrise, F., Sosanya, A. S., & Neary, P.** (2024). Physics-Informed Calibration of Aeromagnetic Compensation in Magnetic Navigation Systems using Liquid Time-Constant Networks. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2401.09631>
9. **Nye, L.** (2023). Digital twins for patient care via knowledge graphs and Closed-Form Continuous-Time liquid neural networks. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2307.04772>
10. **Yang, J., Shi, R., & Ni, B.** (2021). MedMNIST Classification Decathlon: A Lightweight AutoML Benchmark for Medical Image Analysis. In *2021 IEEE 18th International Symposium on Biomedical Imaging (ISBI)* (pp. 191-195). Nice, France. doi: <https://doi.org/10.1109/ISBI48211.2021.9434062>
11. **Zheng, Z., & Jia, X.** (2023). Complex Mixer for MEDMNIST Classification Decathlon. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2304.10054>
12. **Zhu, F., Wang, X., Huang, C., Jin, R., Yang, Q., Alhammadi, A., Zhang, Z., Yuen, C., & Debbah, M.** (2024). Robust Continuous-Time Beam Tracking with Liquid Neural Network. arXiv (Cornell University). <https://doi.org/10.48550/arxiv.2405.00365>

Appendix

Metrics for each model




Figure 4. Experiment 1: NoduleMNIST3D




Figure 5. Experiment 1: AdrenalMNIST3D




Figure 6. Experiment 1: VesselMNIST3D




Figure 7. Experiment 2: NoduleMNIST3D




Figure 8. Experiment 2: AdrenalMNIST3D




Figure 9. Experiment 2: VesselMNIST3D




Figure 10. Experiment 3: NoduleMNIST3D




Figure 11. Experiment 3: AdrenalMNIST3D




Figure 12. Experiment 3: VesselMNIST3D




Figure 13. Experiment 4: NoduleMNIST3D




Figure 14. Experiment 4: AdrenalMNIST3D




Figure 15. Experiment 4: VesselMNIST3D




Figure 16. Experiment 5: NoduleMNIST3D




Figure 17. Experiment 5: AdrenalMNIST3D




Figure 18. Experiment 5: VesselMNIST3D