```
Js App.js M 💿
ass5 > src > Js App.js > ...
      import React from 'react';
      import PlayerCounter from './components/PlayerCounter';
      import './input.css';
       function App() {
         return (
           <div class=" bg-green-500 w-4xl ">
             <div className="App max-w-2xl mx-auto justify-between items-center flex flex-col">
 10
               <div >
 11
                 <h1 className='font-semibold text-4xl = text-red-500 '>LET'S PLAY RUMMY</h1>
 12
 13
               </div>
 14
             </div>
 15
 16
             <div className="max-w-2xl mx-auto justify-between flex flex-row">
 17
               <div>
 18
               <PlayerCounter player="Player 1" />
 19
               </div>
 20
 21
               <div>
               <PlayerCounter player="Player 2" />
 22
               </div>
 23
               <div>
 24
               <PlayerCounter player="Player 3" />
 25
               </div>
 26
 27
             </div>
           </div>
 29
 30
 31
         );
 32
 33
       export default App;
```

```
index.js M •
ass5 > src > Js index.js > ...
       import React from 'react';
       import ReactDOM from 'react-dom/client';
       import App from './App';
       const root = ReactDOM.createRoot(document.getElementById('root'));
       root.render(
         <React.StrictMode>
           <App />
         </React.StrictMode>
       );
  10
  11
  12
  13
  15
```

```
♣ PlayerCounter.jsx U ●
ass5 > src > components > 🎡 PlayerCounter.jsx > ...
       import React, { useState } from 'react';
       function PlayerCounter({ player }) {
         const [points, setPoints] = useState(0);
         const incrementPoints = () => {
           setPoints(points + 10);
         };
  10
         const decrementPoints = () => {
  11
           setPoints(points - 10);
  12
         }:
  13
  14
         return (
  15
           <div className="flex flex-col items-center mt-10">
  16
             <h1 className="text-xl font-semibold  text-blue-500 mb-2">{player}'s Points</h1>
  17
             <div className="flex space-x-4">
  18
               <button
  19
                 className="px-4 py-2 ■bg-blue-500 ■text-white rounded"
  20
                 onClick={decrementPoints}
  21
  22
  23
  24
               </button>
               <span className="text-2xl">{points}</span>
  25
               <button
  26
                 className="px-4 py-2 ■bg-blue-500 ■text-white rounded"
  27
                 onClick={incrementPoints}
  28
  29
  30
               </button>
  31
             </div>
  32
           </div>
  33
         );
  34
  35
  36
       export default PlayerCounter
  37
  39
```

```
ass5 > public > 5 index.html > 1 html > 1 head
      <!DOCTYPE html>
      <html lang="en">
        <head>
           <meta charset="utf-8" />
           <meta name="viewport" content="width=device-width, initial-scale=1" />
           <meta name="theme-color" content="#000000" />
          <meta
            name="description"
             content="Web site created using create-react-app"
 10
 11
 12
 13
        <title>PointsCounter</title>
        </head>
 14
        <body>
 15
          <div id="root"></div>
 17
 18
 19
         </body>
      </html>
 20
```

index.html M ×

