

Medication and organ assessment

PDDT-50A9E4D05453 | 2026-10-04 15:14:31 UTC | Completed

Educational evidence review, not a laboratory result or a validated prediction. No result in this report establishes that a medication or organ is safe.

Patient and case

Patient	Age / gender	BP history	Allergies
Amina Khan	39 years / female	none known	none known

Four-organ rule signals

Organ	Signal	Why it is shown
Heart & circulation	NO FLAG IN LIMITED CHECKS	No source-linked concern detected in the implemented checks.
Lungs & breathing	REVIEW REQUIRED	Morphine has a labeled respiratory-depression hazard. Review the patient's breathing context; no respiratory effect is numerically predicted.
Liver	NO FLAG IN LIMITED CHECKS	No source-linked concern detected in the implemented checks.
Kidneys	REVIEW REQUIRED	Ibuprofen was administered with recorded kidney vulnerability or related history. A source-linked kidney-risk caution applies; renal injury is not predicted.

A non-flagged organ is not medically cleared. Rule coverage is limited; patient-specific function, toxicity and interactions are not calculated.

Medication administration

Medication	Dose	Route	Planned time	Recorded amount
Ibuprofen	400 mg	oral	10 s	400 mg
Morphine	5 mg	oral	20 s	5 mg

The recorded amount is arithmetic from applied administration events. It is not absorbed dose or blood concentration.

Organ response detail

Heart & circulation

History: none known

No source-linked caution in available checks. Safety and organ function remain unverified.

Lungs & breathing

History: unknown

Evidence caution: Morphine has a labeled respiratory-depression hazard. Review the patient's breathing context; no respiratory effect is numerically predicted.

Basis: The morphine label warns about respiratory depression. This is a labeled hazard to review, not evidence that this patient has developed hypoventilation.

Liver

History: none known

No source-linked caution in available checks. Safety and organ function remain unverified.

Kidneys
History: CKD (unknown)

Illustrated pattern: Structural change pattern. Persistent structural/function loss

Evidence caution: Ibuprofen was administered with recorded kidney vulnerability or related history. A source-linked kidney-risk caution applies; renal injury is not predicted.

Basis: The source identifies ibuprofen and other NSAIDs as a kidney-risk concern in susceptible patients. Recorded history supports a qualitative caution, not a calculated fall in filtration.

Entered measurements and context

Measurement	Entered value	Observed at
Systolic blood pressure	118 mmHg	Not supplied
Diastolic blood pressure	76 mmHg	Not supplied

BP control: unknown

Physiological sex parameter: female

Administration graph



Graph shows administered amount only; no blood concentration or organ-function trajectory is inferred.

Scope and provenance

Rule-based review uses the recorded case, pinned catalogue, and source-linked findings. Visual organ motion is illustrative. Potential drug-drug interactions and numerical organ response are not comprehensively modeled.

DailyMed: Morphine Sulfate Tablets - Warnings and Hepatic Impairment

NIDDK: Keeping Kidneys Safe - Smart Choices about Medicines

Engine PDDT Evidence and Administration Timeline 1.0.0 | Catalogue 2026-10-04.1 | Cursor 614