

Week 04 Task 12

SIEM Dashboards & Alerts

CandidateName: Asad Ali
Reference Number: TBS-INT-2026-445
Submission Date: 12|11|2026
Submitted To: TechBiz Security

Table of Contents


1) Executive Summary 3
2) Convert a search into visualization 3
3) Add 3 Panels to dashboard 5
5) Test the alert and watch it trigger 6
6) TryHackMe Room intro to SIEM 7
7) Conclusion 8

1) Executive Summary


This task presents the completion of the SIEM Dashboards and Alerts practical work. Using Wazuh, I converted a log search into visualizations, including a time-based event trend, a count metric and a tabular view, and assembled the results into a dashboard containing three panels. I also configured an alert to identify repeated failed-login activity, using a threshold of more than five events within a ten-minute window, and carried out testing to observe the alerting workflow. The screenshots provide evidence of the searches, visualizations, dashboard, alert configuration and test activity. In addition, I completed the TryHackMe Introduction to SIEM room, reinforcing my understanding of SIEM fundamentals, log ingestion, monitoring and alert analysis. These activities demonstrate how a SOC analyst can use centralized security logs and dashboard visibility to identify potentially suspicious authentication behaviour and support investigation.

2) Convert a search into visualization


In this step, I used the Wazuh Discover module to search for Windows failed login events using Event ID 4625. The retrieved results were subsequently converted into different visualizations, including a single-value metric and a time-series chart. These visual representations help simplify security event analysis, monitor authentication failures and provide better visibility into potentially suspicious login activity.




The screenshot shows the execution of a search query in the Wazuh Discover module to identify Windows failed login events using Event ID 4625. The search retrieves matching authentication failure records from the Windows10-Agent within the selected time range. A total of 10 matching events were identified, providing the raw security data required for further analysis and visualization.



The above screenshot illustrates the conversion of the Windows failed login search results into a single-value metric visualization in Wazuh. The visualization displays a total count of 10 matching events, allowing a SOC Analyst to quickly assess the volume of authentication failures without manually reviewing individual log records.




The screenshot demonstrates a time-series line chart created from the Windows failed login search results. The visualization plots the count of failed login events against time using one-minute intervals. It provides a clear overview of authentication failure patterns and helps a SOC Analyst identify periods of increased suspicious login activity for further investigation.



The above screenshot shows a data table visualization created from the Windows failed login search results. The table groups the failed login events by the targeted username (data.win.eventdata.targetUserName) and displays the count for each account. It shows that all 10 failed attempts were against the win10-victim account, which helps a SOC Analyst quickly identify which user is being targeted.

3) Add 3 Panels to dashboard




The above screenshot shows the Windows Failed Login Dashboard with three panels added: the line chart of failed logins per minute, the metric showing the total failed login count, and the table of failed logins by username. Together, these panels give a SOC Analyst a single view of the volume, timing and target of failed login activity.

4) Create an alert (e.g>5 failed logins in 10 min)



In the above figure it is shown that a xml file is accessed to make a custom rules for wazuh detection.




The above screenshot shows the configuration of a custom detection rule in Wazuh's local_rules.xml file. The rule (ID: 100100) is designed to detect repeated Windows failed login attempts. It uses a frequency threshold of 6 matching events within a 600-second (10-minute) time window and correlates activity associated with the same username. The rule is assigned severity level 10 and mapped to the MITRE ATT&CK T1110 (Brute Force) technique. This configuration enables Wazuh to identify potentially suspicious authentication activity and generate alerts for further investigation.

5) Test the alert and watch it trigger




In the above figure it is shown that failed login attempts were performed to test our custom rule for threat detection in Wazuh.



The above screenshot demonstrates the successful execution of a custom detection rule (Rule ID: 100100) in the Wazuh SIEM platform. During testing, multiple failed login attempts were performed on the Windows endpoint. Wazuh successfully detected the suspicious authentication activity and generated a Level 10 security alert for the Windows10-Agent. The rule identified repeated failed login attempts associated with the same username within a 10-minute time window. This confirms that the custom detection rule was functioning as expected and that Wazuh successfully identified and logged the suspicious activity in its Threat Hunting dashboard.

6) TryHackMe Room intro to SIEM



In the above figure it is shown that I have completed the TryHackMe Room Introduction to SIEM. This task helped me to understand SIEM fundamentals, log management, log sources and ingestion, alerting processes and log analysis. This room also included practical lab work, strengthening my understanding of how SIEM solutions centralize logs and support security monitoring and investigation.

7) Conclusion

This task provided me practical experience in turning raw SIEM search results into useful visual information and configuring an alert for potentially suspicious authentication activity. The three-panel Wazuh dashboard brings key event information together, while the failed-login rule demonstrates how a SOC analyst can define a threshold-based detection and validate its behaviour through testing. The TryHackMe Introduction to SIEM room further strengthened my understanding of log sources, ingestion, centralized monitoring and investigation. Overall, this exercise improved my ability to use SIEM capabilities to monitor security events, recognize unusual login patterns and support timely incident triage. The alert should be treated as an investigation signal: analysts must review the underlying events and context before deciding whether activity represents a genuine incident.