

PERCENTAGE CONTRIBUTION ON EACH CATEGORIES BY REVENUE

```
1 • SELECT
2     pizza_types.category,
3     (SUM(order_details.quantity * pizzas.price) / (SELECT
4     ROUND(SUM(order_details.quantity * pizzas.price),
5           2) AS total_sales
6 FROM
7     order_details
8     JOIN
9     pizzas ON pizzas.pizza_id = order_details.pizza_id
10    )) * 100 AS revenue
11 FROM
12     pizza_types
13     JOIN
14     pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
15     JOIN
16     order_details ON order_details.
17 GROUP BY pizza_types.category
```

Result Grid			Filter Rows:
	category	revenue	
▶	Classic	26.90596025566967	
	Supreme	25.45631126009862	
	Chicken	23.955137556847287	
	Veggie	23.682590927384577	




TOP 3 RANKING ON EACH CATEGORY

● Series 1 ● Series 2

```
1 • select category,name, revenue,rn from
2 (select category, name, revenue,
3 rank() over(partition by category order by revenue desc) as rn
4 from
5 (SELECT
6 pizza_types.category,
7 pizza_types.name,
8 SUM((order_details.quantity) * pizzas.price) AS revenue
9 FROM
10 pizza_types
11 JOIN
12 pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
13 JOIN
14 order_details ON order_details.pizza_id = pizzas.pizza_id
15 GROUP BY pizza_types.category , pizza_types.name) as a) as b
16 where rn <= 3;
```

	category	name	revenue	rn
▶	Chicken	The Thai Chicken Pizza	43434.25	1
	Chicken	The Barbecue Chicken Pizza	42768	2
	Chicken	The California Chicken Pizza	41409.5	3
	Classic	The Classic Deluxe Pizza	38180.5	1
	Classic	The Hawaiian Pizza	32273.25	2
	Classic	The Pepperoni Pizza	30161.75	3
	Supreme	The Spicy Italian Pizza	34831.25	1







Retrieve the Total Numbers of Orders Placed

```
select count(order_id) as total_orders from orders;
```

	total_orders
▶	21350



Analyze the cumulative revenue generated over time

```
select orders.order_date,  
sum(order_details.quantity * pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = order_details.order_id  
group by orders.order_date;
```



	order_date	revenue
▶	2015-01-01	2713.8500000000004
	2015-01-02	2731.8999999999996
	2015-01-03	2662.3999999999996
	2015-01-04	1755.4500000000003
	2015-01-05	2065.95
	2015-01-06	2428.95

Result 1 x





Retrieve the total sales

[Home](#) [About](#) [Contact](#)

```
SELECT  
    ROUND(SUM(order_details.quantity * pizzas.price),  
          2) AS total_sales  
FROM  
    order_details  
    JOIN  
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Result Grid

	total_sales
▶	817860.05