

INDEPENDENT ANALYTICAL CASE STUDY

Closing the Cold Chain Accountability Gap

Why Temperature Breaches Happen at Handoff Points — and Why a Signed Checklist Closes a Gap That IoT Sensors Alone Do Not, in Saudi Arabian Cold Chain Logistics

Prepared by

Asad Ullah

Supply Chain & Logistics Professional | Warehouse Operations | Inventory Management

asadullah3402@gmail.com | [linkedin.com/in/asadullah-logistics](https://www.linkedin.com/in/asadullah-logistics) | Prayagraj, India

August 2026

Note: This is an independent research and process-analysis exercise undertaken to build subject-matter understanding of Saudi Arabian cold chain compliance. It does not represent prior employment or client engagement. All figures are drawn from publicly available industry sources, regulatory guidance, and reported case examples, cited in the References section.

Table of Contents

1. Executive Overview 3

2. Industry Landscape..... 3

3. The Core Issue 4

4. Research Approach..... 6

5. Data Findings & Analysis 7

6. Documented Real-World Warnings 10

7. Key Insights & Interpretation 11

8. Recommendations & Projected Impact 11

9. Sources & Citations 13

1. Executive Overview

Saudi Arabia's cold chain sector sits directly beneath two of the Kingdom's most visible Vision 2030 priorities: food security, given that the country imports up to 80 percent of some food categories, and healthcare localisation, as biologics, vaccines, and insulin distribution scale nationally. Both depend on one unglamorous operational discipline — keeping a product within its required temperature band from origin to final delivery, without a single gap.

This case study was undertaken as an independent analytical exercise to examine one specific, recurring failure point in that discipline: the physical handoff — dock to truck, truck to warehouse, warehouse to last-mile delivery — where temperature-sensitive product changes hands between parties. The central argument tested here is that Saudi cold chain investment has concentrated heavily on IoT sensors and real-time monitoring technology, while the handoff moment itself — where a human decision either preserves or breaks the chain — remains largely unowned.

The motivation is professional rather than academic: as a candidate targeting Logistics Coordinator, Warehouse, and Supply Chain roles in the Saudi market, understanding exactly where cold chain accountability breaks down — and proposing a low-cost, entry-level-executable fix — is directly relevant to the daily responsibilities these roles carry, and to the process-discipline thinking Gulf employers in FMCG, pharma distribution, and 3PL logistics consistently look for in early-career hires.

2. Industry Landscape

2.1 Sizing the Saudi Cold Chain Sector

The Saudi Arabia cold chain market was valued at approximately USD 2.17 billion in 2026 and is projected to reach USD 2.77 billion by 2031, growing at a compound annual rate of roughly 4.1 percent. Refrigerated warehousing is the largest single revenue pool, accounting for over 46 percent of the market, while pharmaceuticals and healthcare form the fastest-growing end-use segment as biologics, vaccines, and specialty medicines require validated, traceable temperature ranges.

Riyadh functions as the country's largest domestic consumption and distribution hub, while Jeddah and Dammam serve as the primary import gateways linking seaports to national cold storage and distribution networks. The government's planned network of 59 logistics centres, covering more than 100 million square metres by 2030, is intended to shorten the distance between customs clearance, cold storage, and inland distribution — but infrastructure alone does not close the handoff gap this case study addresses.

2.2 Climate as a Risk Multiplier

Saudi Arabia presents a uniquely hostile environment for cold chain execution: summer ambient temperatures routinely exceed 45°C. Under these conditions, even a brief exposure during loading or unloading — a delayed dock door, a driver waiting on paperwork, a pallet left on an open tailgate — can be enough to trigger spoilage or push a pharmaceutical product outside its validated range. This is precisely why the handoff moment, not the in-transit journey, is this case study's focus: the truck's refrigeration unit is rarely the point of failure; the seconds and minutes around the transfer are.



Large Quantity of Rotten Sacrificial Meat Seized, Jeddah

Jeddah municipality inspectors intercepted a large batch of spoiled sacrificial meat during the Eid Al Adha peak-handling period, when heat exposure and handling volume both spike together.

Source: Gulf News | June 22, 2024

Figure A. Photo slot — see the chat conversation above for the sourced news photo to insert here.

2.3 Regulatory Backbone — SFDA and GDP

Cold chain compliance in Saudi Arabia is governed principally by the Saudi Food and Drug Authority (SFDA) for pharmaceuticals, biologics, and select food categories, applying Good Distribution Practice (GDP) principles broadly aligned with international standards. Pharmaceutical guidance commonly specifies a 2–8°C validated range for biologics and vaccines, with deviation management and calibrated-device requirements built into licensing. In April 2026, SFDA launched a nationwide IoT cold chain compliance platform with real-time sensors, which the regulator reports has reduced pharmaceutical spoilage incidents by approximately 35 percent — a meaningful improvement, but one that still leaves the majority of the pre-platform spoilage rate unresolved.

2.4 The Handover Log Already Exists on Paper

Industry guidance for cold chain carriers operating in the Kingdom already treats the process in three parts: pre-cooling and load validation before departure, in-transit monitoring during the journey, and handover documentation at each transfer point — the temperature log from pickup to delivery required by SFDA and international GDP standards. The existence of this third requirement confirms that the handoff-log discipline this case study recommends is not a new regulatory ask; it is an existing requirement that, in practice, is inconsistently and manually enforced.

3. The Core Issue

Despite substantial investment in cold storage capacity, IoT sensors, and GDP-certified facilities, temperature-sensitive product loss remains a large and persistent cost in the Saudi supply chain. The Ministry of Environment, Water and Agriculture reports annual losses of 444,000 tons of poultry meat, 69,000 tons of fish, 41,000 tons of other meats, 22,000 tons of lamb, and 13,000 tons of camel meat — a combined total approaching 590,000 tons of meat and fish products wasted every year. Separately, industry estimates put produce loss from inadequate storage and transportation at approximately 30 percent of the total handled.

~590,000 t Annual meat & fish losses reported (MEWA)	~30% Of Saudi produce lost to storage/transport failure	\$35B/yr Global pharma losses from temperature excursions
---	--	--

Research question: Where, structurally, do temperature breaches originate in Saudi cold chain operations despite heavy investment in IoT monitoring, why do sensor-based systems fail to close the gap on their own, and what is the most realistic, low-cost intervention available within an entry-level logistics professional's sphere of influence?

This is not framed as a technology-availability problem. SFDA's own platform demonstrates that modern sensor infrastructure is already reducing incidents by roughly a third. The problem this case study investigates is the remaining two-thirds — the portion of the failure rate that continuous monitoring alone does not touch, because a sensor records a breach after it has occurred rather than preventing the human decision that caused it.

4. Research Approach

As an independent desk-based analysis, this case study draws on secondary research — SFDA public guidance on GDP and cold chain compliance, licensed cold chain logistics providers' published operating standards, industry market reports (IMARC, Ken Research, Nexdigm), and Saudi government food-loss data from the Ministry of Environment, Water and Agriculture. The approach combined three methods:


- Process mapping — reconstructing the physical cold chain handoff sequence, from loading dock through truck transfer, warehouse receipt, and last-mile delivery, to identify the exact point(s) at which a temperature breach can occur without being immediately recorded by an accountable person.
- Comparative benchmarking — contrasting Saudi Arabia's reported IoT-driven spoilage reduction (~35%) against global cold chain loss benchmarks, to isolate what proportion of the failure rate persists even after sensor deployment.
- Structural gap analysis — applying the same accountability-gap framework used in prior customs-clearance process analysis (comparing a party that acts, a party that records, and a party that bears the consequence) to the cold chain handoff context, to test whether the same "nobody owns the moment" pattern generalizes across supply chain domains.

Limitations: this analysis relies on publicly reported industry figures and national-level food-loss statistics rather than shipment-level Saudi breach data, which is not publicly disclosed. The specific spoilage-reduction figure attributed to combining IoT sensors with a signed handoff log is this case study's own illustrative projection, clearly distinguished in Section 6 from SFDA's published ~35% figure, and should be read as directional reasoning rather than a verified statistic.

5. Data Findings & Analysis

5.1 Mapping the Handoff Sequence

The process map below traces temperature-sensitive product across four handoff-bearing stages. The critical finding mirrors the structure identified in customs clearance process mapping: the point of failure is not the technology layer — it is the seconds-to-minutes window at each physical transfer, before any sensor has flagged a deviation and before any human has signed their name to a reading.



Source: Author's process mapping, synthesized from SFDA GDP guidance and industry cold-chain sources (see References)

Figure 1. Cold chain handoff map, showing the primary breach zone and the two downstream paths (documented transfer vs. unverified transfer).



300kg of Rotten Meat Seized En Route to a Restaurant, Jeddah

A refrigerated truck was stopped and inspected after a foul smell gave away spoiled cargo being delivered to a local restaurant — the meat had been packed without regard to hygienic or temperature-handling rules.

Source: Gulf News | Reported incident

Figure 1a. Photo slot — see the chat conversation above for the sourced news photo to insert here.

5.2 Loss Benchmarks at National Scale

National-level data confirms the scale of what is at stake. The chart below presents Saudi Arabia's reported annual meat and fish losses by category, based on Ministry of Environment, Water and Agriculture figures.




Figure 2. Saudi Arabia — reported annual meat and fish losses by category (metric tons).

Separately, produce loss attributable to inadequate storage and transportation infrastructure is estimated at approximately 30 percent of the total handled — a figure that includes, but is not limited to, cold chain handoff failures specifically.




Figure 3. Left — share of Saudi produce lost to storage/transport failure. Right — reported IoT-only spoilage reduction versus this case study's illustrative projection for IoT combined with a signed handoff log.

5.3 Three Illustrative Failure Patterns

To test whether the handoff-gap finding generalizes across product categories, three representative failure patterns — consistent with publicly reported cold chain incident types in the region — were reviewed:

- **Pattern A — Dock-to-truck delay (produce/FMCG):** a refrigerated truck waits at a loading dock in ambient heat above 45°C while paperwork is processed; no one records the cargo temperature at the moment the doors close, and the resulting excursion is only caught, if at all, on arrival.
- **Pattern B — Truck-to-warehouse handoff (pharma/biologics):** a shipment arrives at a distribution centre and is accepted into inventory before the receiving team verifies and logs the in-transit temperature record, creating a gap between what the sensor captured and what was actually confirmed by a human at receipt.



2,500kg of Rotten Poultry Seized in a Makeshift Riyadh Storage Site

Inspectors found spoiled poultry being repackaged and relabelled with forged production dates and disinfectant used to mask signs of spoilage, in a rest-house converted into unauthorized cold storage.

Source: Gulf News (photo credit: Al Ekhbariya TV) | Reported incident


Figure 3a. Photo slot — see the chat conversation above for the sourced news photo to insert here.

- Pattern C — Last-mile delivery (e-commerce grocery/pharmacy): insulated packaging and a refrigerated vehicle are used for the trunk of the journey, but the final door-to-door handoff to the customer — often the longest uncontrolled dwell time in the entire chain — has no temperature check at all.

Across all three patterns, the common thread is the same: sensor and IoT infrastructure exists somewhere in the chain, but the specific moment of transfer between two responsible parties is not independently verified or signed by either party at the time it happens.

5.4 Where Ownership Breaks Down

The process mapping and pattern review converge on a structural explanation for why breaches persist despite significant technology investment: the party who hands off the product, the party who transports it, and the party who receives it are three separate actors, and continuous sensor logging — while valuable for detection — does not by itself assign responsibility for the specific instant of transfer.


THE ACCOUNTABILITY GAP AT COLD CHAIN HANDOFFS

Fix: a manual, co-signed temperature check-and-sign at every handoff — alongside, not instead of, IoT monitoring

Figure 4. The accountability gap — a sensor records data continuously, but no party is required to co-sign a reading at the moment of handoff.

6. Documented Real-World Warnings

To ground this analysis in verifiable, real-world evidence rather than hypothetical scenarios, five actual, dated product warnings issued by the Saudi Food and Drug Authority were pulled directly from SFDA's official public warnings register. Each involves a temperature-sensitive or microbiologically vulnerable product category — precisely the categories where a breach at any single handoff point can turn into a public safety warning weeks later.



Note: SFDA warning notices identify the product and contamination type, not the root cause of each specific incident. They are shown here as evidence that temperature/microbial-risk categories are an active, ongoing enforcement reality in the Kingdom.

Figure 5. Five real, dated SFDA product warnings across temperature-sensitive categories (source: sfda.gov.sa/en/warnings).

These five notices are not presented as proven cold chain handoff failures — SFDA's public notices identify the product and the contamination type, not the specific point in the supply chain where the failure originated. What they demonstrate is that the product categories this case study is concerned with (processed meats, infant formula, ready-to-use stock cubes) are under active, recurring regulatory scrutiny in the Kingdom, and that bacterial contamination consistent with temperature abuse — *Listeria*, *Staphylococcus Aureus* — is a recurring finding, not a one-off event.

6.1 Physical Seizure Cases — Storage & Transport Failures

Beyond product-label warnings, Saudi municipal authorities regularly intercept spoiled food at the physical point of storage or transport failure — direct, photographed evidence of the handoff gap this case study addresses:



Contaminated Mayonnaise Recall Kills One, Hospitalises 75

SFDA traced a botulism outbreak (*Clostridium botulinum*) to 'Bon Tum' mayonnaise served at a restaurant chain; the product was pulled nationwide and the producing factory shut down. A stark illustration of how far downstream a single upstream handling failure can travel before it is caught.

Source: Khaleej Times | May 2024

Figure 5. Photo slot — see the chat conversation above for the sourced news photo to insert here.

7. Key Insights & Interpretation

7.1 Why the "Simple" Fix Is Rarely Implemented

A recurring pattern across the failure types reviewed is that the fix is not technologically difficult. A one-page temperature check-and-sign log at each handoff point costs a fraction of an IoT sensor rollout and requires no new infrastructure. What is difficult is sustaining it as a daily discipline across multiple independent parties — loading staff, drivers, warehouse receivers — who do not share a single incentive structure and who, once a sensor system is in place, reasonably assume the technology has already solved the problem.

7.2 Detection Is Not Prevention

SFDA's IoT platform reportedly reduced pharmaceutical spoilage incidents by approximately 35 percent since its April 2026 launch — a genuine and measurable improvement. But a sensor alert, by design, fires after a threshold has already been crossed. It tells a business a breach happened; it does not stop the loading team from leaving a pallet on an open dock in 45°C heat for six extra minutes while a signature is chased down. A signed checklist, by contrast, forces the accountable decision to happen at the moment of transfer, not after the fact. The two are complementary, not substitutable — this case study's argument is for both, not sensors instead of logs or logs instead of sensors.

7.3 Why an Entry-Level Hire Can Own This

An encouraging finding for a candidate entering the field is that this is not a director-level problem requiring capital investment approval. A pre-shipment temperature checklist, a dock handoff sign-off sheet, or a scheduled spot-audit of handoff logs are precisely the kind of process controls a Logistics Coordinator or Warehouse/Inventory Assistant could own and operate directly — they require attention to detail and consistency, not senior authority. This mirrors the discipline applied in FEFO stock rotation and cold-chain logging during hospital pharmacy inventory work: the underlying pattern — small, repeatable, verifiable checks performed by a named person — is the same, only the product category and regulator differ.

8. Recommendations & Projected Impact

This analysis set out to identify where, structurally, temperature breaches originate in Saudi Arabian cold chain operations and why they persist despite substantial investment in IoT monitoring. The finding is that the failure point is rarely the sensor technology itself — SFDA's platform is a genuinely modern, effective system — but the unverified instant of physical handoff, where no single party is required to confirm and sign a temperature reading before responsibility transfers.

Recommended Intervention (Two-Layer, Low-Cost)

- **Layer 1** — Mandatory handoff checklist: a simple, standardized temperature check-and-sign form completed and co-signed by both the releasing and receiving party at every handoff point — loading dock to truck, truck to warehouse, warehouse to last-mile — regardless of whether an IoT sensor is also present.
- **Layer 2** — Spot-audit cadence: a scheduled, low-cost review comparing signed handoff logs against sensor data trails, closing the loop between what was recorded electronically and what was physically verified by a person, and flagging any handoff with a missing or inconsistent signature.

Handoff Point	Minimum Checklist Fields
Dock → Truck	Product temp. at close of doors, ambient temp., time, name + signature (both parties)
Truck → Warehouse	Sensor log reading vs. spot-check temp., seal integrity, time, name + signature
Warehouse → Last-mile	Storage temp. at pickup, packaging condition, time, name + signature
Last-mile → Customer/Retail	Delivery-point temp. (if checkable), time, name + signature or delivery note

Projected impact (illustrative): if a signed handoff log closes even a portion of the gap that remains after IoT deployment — reducing the relative spoilage-incident index from an already-improved level of roughly 65 (post-IoT) toward the 45–50 range shown in Figure 3 — the avoided-loss value scales directly with volume. For a mid-sized distributor handling meat, fish, or produce lines, even a few percentage points of avoided spoilage against categories where national losses already run into the hundreds of thousands of tons annually represents a materially significant, low-cost saving, before accounting for avoided SFDA non-conformance findings, rejected consignments, or damaged distributor relationships.

More broadly, closing this gap supports the operational reliability that underpins Saudi Arabia's Vision 2030 food security and healthcare localisation goals — a cold chain that fails invisibly at the handoff is a cold chain that undermines both objectives regardless of how much sensor technology sits on top of it.

9. Sources & Citations

Sources consulted during this analysis (publicly available industry, regulatory, and government publications, accessed August 2026):

- Saudi Food and Drug Authority (SFDA) — public guidance on Good Distribution Practice (GDP) and cold chain compliance; April 2026 nationwide IoT cold chain compliance platform announcement.
- Saudi Food and Drug Authority (SFDA) — official public Warnings register, sfda.gov.sa/en/warnings, including notices on Nestlé infant formula, Altarouti Chicken Frankfurt, Maragatty Chicken Stock Cubes, Arrowhead Roast Beef, and Country Butcher Boy Beef Pepperoni (accessed August 2026).
- Gulf News — "Saudi Arabia: 300 kilos of rotten meat seized in Jeddah"; "Saudi Arabia: Large quantity of rotten sacrificial meat seized in Jeddah" (June 22, 2024); "Saudi Arabia: 2,500kg of rotten poultry seized in Riyadh rest house-turned-storage"; "1,300kg of rotten food seized at Abha eatery."
- Khaleej Times — "Contaminated mayonnaise sparks recall in Saudi after food poisoning kills 1, hospitalises many" (May 2024).
- Ministry of Environment, Water and Agriculture (Saudi Arabia) — reported annual food loss and waste figures by category.
- Ken Research — "Saudi Arabia Cold Chain Market Share, Companies & Trends Report 2026–2031."
- IMARC Group — "Saudi Arabia Cold Chain Market" and "Saudi Arabia Cold Chain Pharmaceutical Logistics Market" reports.
- Nexdigm — "Saudi Arabia Cold Chain Market Outlook to 2030."
- Saudi Mobility Consulting — "Saudi Cold Chain Logistics: The Quiet Lifeline Behind Pharma, Food, and Vaccine Mobility" (2026).
- Saudi Logistics Consulting — "Saudi Pharma Logistics Meets the Cold Chain Test" and "Temperature-Sensitive Pharma Saudi Arabia Guide 2026."
- AVL KSA — "The Future of SFDA-Compliant Cold Chain Logistics in Saudi Arabia" (2025).
- Khelogix — "Largest Cargo Shipping Companies & Cold Chain in Saudi Arabia" (2026).
- Starlinks — "Multi-Temperature Logistics: Simplifying Cold Chain Complexity" (2026).
- Technavio — "Saudi Arabia Food Retail Market Growth Analysis 2026–2030."
- Vision2030.ai — "Saudi Arabia Cold Chain Logistics" sector brief (2026).
- Food and Agriculture Organization (FAO) — "Food Loss and Waste in Saudi Arabia: Analysis, Causes, and Interventions."

— End of Case Study —