



# OWASP ZAP Scan Report

Target: https://dcourier.celloscope.net/

All scanned sites: https://dcourier.celloscope.net

Javascript included from: https://dcourier.celloscope.net

Generated on Sat, 15 Jul 2023 08:01:05

ZAP Version: 2.12.0

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	3
Low	3
Informational	1

## Alerts

Name	Risk Level	Number of Instances
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Medium	5
<a href="#">Cross-Domain Misconfiguration</a>	Medium	56
<a href="#">Missing Anti-clickjacking Header</a>	Medium	5
<a href="#">Server Leaks Version Information via "Server" HTTP Response Header Field</a>	Low	56
<a href="#">Strict-Transport-Security Header Not Set</a>	Low	56
<a href="#">X-Content-Type-Options Header Missing</a>	Low	58
<a href="#">Re-examine Cache-control Directives</a>	Informational	15

## Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	5
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html">http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html</a> <a href="http://www.html5rocks.com/en/tutorials/security/content-security-policy/">http://www.html5rocks.com/en/tutorials/security/content-security-policy/</a> <a href="http://caniuse.com/#feat=contentsecuritypolicy">http://caniuse.com/#feat=contentsecuritypolicy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1218.347d83541a7f0157.js">https://dcourier.celloscope.net/1218.347d83541a7f0157.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js">https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js</a>

Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js">https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js">https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js">https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js">https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js">https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js">https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2343.8e00855a2f921f89.js">https://dcourier.celloscope.net/2343.8e00855a2f921f89.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js">https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js</a>
Method	GET
Parameter	

Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2752.f057d80993749eab.js">https://dcourier.celloscope.net/2752.f057d80993749eab.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2875.533ad6a09547ca52.js">https://dcourier.celloscope.net/2875.533ad6a09547ca52.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/2943.bda8121052a7bcd.js">https://dcourier.celloscope.net/2943.bda8121052a7bcd.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js">https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js">https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js">https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js">https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js">https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *

URL	<a href="https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js">https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js">https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js">https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js">https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/4761.6f61883c9a87f013.js">https://dcourier.celloscope.net/4761.6f61883c9a87f013.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/4769.5bbc3de482a97707.js">https://dcourier.celloscope.net/4769.5bbc3de482a97707.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js">https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/5279.7960703419ee23ad.js">https://dcourier.celloscope.net/5279.7960703419ee23ad.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js">https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js</a>
Method	GET

Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/5598.89dc9424efd9be6c.js">https://dcourier.celloscope.net/5598.89dc9424efd9be6c.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/6360.5489b72dc5db172f.js">https://dcourier.celloscope.net/6360.5489b72dc5db172f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js">https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js">https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js">https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js">https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/8645.44b1888f7bd201be.js">https://dcourier.celloscope.net/8645.44b1888f7bd201be.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/8910.72352d077093eda2.js">https://dcourier.celloscope.net/8910.72352d077093eda2.js</a>
Method	GET
Parameter	
Attack	

Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/9257.161625d7ba9cf049.js">https://dcourier.celloscope.net/9257.161625d7ba9cf049.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js">https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js">https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/assets/i18n/bn.json">https://dcourier.celloscope.net/assets/i18n/bn.json</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/common.5bfff43b0118a221.js">https://dcourier.celloscope.net/common.5bfff43b0118a221.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/main.10871d45a986bd2f.js">https://dcourier.celloscope.net/main.10871d45a986bd2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/manifest.webmanifest">https://dcourier.celloscope.net/manifest.webmanifest</a>

Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/ngsw-worker.js">https://dcourier.celloscope.net/ngsw-worker.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js">https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2">https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2">https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2">https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2">https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	



Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js">https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/scripts.ae171163888a14c2.js">https://dcourier.celloscope.net/scripts.ae171163888a14c2.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Instances	56
Solution	<p>Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).</p> <p>Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.</p>
Reference	<a href="https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy">https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy</a>
CWE Id	<a href="#">264</a>
WASC Id	14
Plugin Id	<a href="#">10098</a>

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
Instances	5
Solution	<p>Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.</p> <p>If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.</p>
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options</a>
CWE Id	<a href="#">1021</a>
WASC Id	15
Plugin Id	<a href="#">10020</a>

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1218.347d83541a7f0157.js">https://dcourier.celloscope.net/1218.347d83541a7f0157.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js">https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js">https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js">https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js</a>

Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js">https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js">https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js">https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js">https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2343.8e00855a2f921f89.js">https://dcourier.celloscope.net/2343.8e00855a2f921f89.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js">https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2752.f057d80993749eab.js">https://dcourier.celloscope.net/2752.f057d80993749eab.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2875.533ad6a09547ca52.js">https://dcourier.celloscope.net/2875.533ad6a09547ca52.js</a>
Method	GET
Parameter	

Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/2943.bda8121052a7bcd.js">https://dcourier.celloscope.net/2943.bda8121052a7bcd.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js">https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js">https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js">https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js">https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js">https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js">https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js">https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0

URL	<a href="https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js">https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js">https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/4761.6f61883c9a87f013.js">https://dcourier.celloscope.net/4761.6f61883c9a87f013.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/4769.5bbc3de482a97707.js">https://dcourier.celloscope.net/4769.5bbc3de482a97707.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js">https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/5279.7960703419ee23ad.js">https://dcourier.celloscope.net/5279.7960703419ee23ad.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js">https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/6242.4df0199378f0987e.js">https://dcourier.celloscope.net/6242.4df0199378f0987e.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/6360.5489b72dc5db172f.js">https://dcourier.celloscope.net/6360.5489b72dc5db172f.js</a>
Method	GET

Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js">https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js">https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js">https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js">https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/8645.44b1888f7bd201be.js">https://dcourier.celloscope.net/8645.44b1888f7bd201be.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/8910.72352d077093eda2.js">https://dcourier.celloscope.net/8910.72352d077093eda2.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/9257.161625d7ba9cf049.js">https://dcourier.celloscope.net/9257.161625d7ba9cf049.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js">https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js</a>
Method	GET
Parameter	
Attack	

Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js">https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/assets/i18n/bn.json">https://dcourier.celloscope.net/assets/i18n/bn.json</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/common.5bfff43b0118a221.js">https://dcourier.celloscope.net/common.5bfff43b0118a221.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/main.10871d45a986bd2f.js">https://dcourier.celloscope.net/main.10871d45a986bd2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/manifest.webmanifest">https://dcourier.celloscope.net/manifest.webmanifest</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/ngsw-worker.js">https://dcourier.celloscope.net/ngsw-worker.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156</a>

Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js">https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2">https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2">https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2">https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2">https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js">https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/scripts.ae171163888a14c2.js">https://dcourier.celloscope.net/scripts.ae171163888a14c2.js</a>
Method	GET
Parameter	



Attack	
Evidence	nginx/1.24.0
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	
Attack	
Evidence	nginx/1.24.0
Instances	56
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	<a href="http://httpd.apache.org/docs/current/mod/core.html#servertokens">http://httpd.apache.org/docs/current/mod/core.html#servertokens</a> <a href="http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007">http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007</a> <a href="http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx">http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx</a> <a href="http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html">http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10036</a>

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1218.347d83541a7f0157.js">https://dcourier.celloscope.net/1218.347d83541a7f0157.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js">https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js">https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js">https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js">https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js">https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js">https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js">https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2343.8e00855a2f921f89.js">https://dcourier.celloscope.net/2343.8e00855a2f921f89.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js">https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2752.f057d80993749eab.js">https://dcourier.celloscope.net/2752.f057d80993749eab.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2875.533ad6a09547ca52.js">https://dcourier.celloscope.net/2875.533ad6a09547ca52.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2943.bda8121052a7bcd.js">https://dcourier.celloscope.net/2943.bda8121052a7bcd.js</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js">https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js">https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js">https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js">https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js">https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js">https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js">https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js">https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js">https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4761.6f61883c9a87f013.js">https://dcourier.celloscope.net/4761.6f61883c9a87f013.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4769.5bbc3de482a97707.js">https://dcourier.celloscope.net/4769.5bbc3de482a97707.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js">https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5279.7960703419ee23ad.js">https://dcourier.celloscope.net/5279.7960703419ee23ad.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js">https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6242.4df0199378f0987e.js">https://dcourier.celloscope.net/6242.4df0199378f0987e.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6360.5489b72dc5db172f.js">https://dcourier.celloscope.net/6360.5489b72dc5db172f.js</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js">https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js">https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js">https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js">https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/8645.44b1888f7bd201be.js">https://dcourier.celloscope.net/8645.44b1888f7bd201be.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/8910.72352d077093eda2.js">https://dcourier.celloscope.net/8910.72352d077093eda2.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/9257.161625d7ba9cf049.js">https://dcourier.celloscope.net/9257.161625d7ba9cf049.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js">https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js">https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js</a>
Method	GET

Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/assets/i18n/bn.json">https://dcourier.celloscope.net/assets/i18n/bn.json</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/common.5bfff43b0118a221.js">https://dcourier.celloscope.net/common.5bfff43b0118a221.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/main.10871d45a986bd2f.js">https://dcourier.celloscope.net/main.10871d45a986bd2f.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/manifest.webmanifest">https://dcourier.celloscope.net/manifest.webmanifest</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw-worker.js">https://dcourier.celloscope.net/ngsw-worker.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js">https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2">https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2">https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2">https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2">https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js">https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/scripts.ae171163888a14c2.js">https://dcourier.celloscope.net/scripts.ae171163888a14c2.js</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>

Method	GET
Parameter	
Attack	
Evidence	
Instances	56
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html</a> <a href="https://owasp.org/www-community/Security_Headers">https://owasp.org/www-community/Security_Headers</a> <a href="http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security">http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security</a> <a href="http://caniuse.com/stricttransportsecurity">http://caniuse.com/stricttransportsecurity</a> <a href="http://tools.ietf.org/html/rfc6797">http://tools.ietf.org/html/rfc6797</a>
CWE Id	<a href="#">319</a>
WASC Id	15
Plugin Id	<a href="#">10035</a>

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1218.347d83541a7f0157.js">https://dcourier.celloscope.net/1218.347d83541a7f0157.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js">https://dcourier.celloscope.net/1424.7a050ff859b50d8b.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js">https://dcourier.celloscope.net/1601.3f9c6cf2c5667270.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js">https://dcourier.celloscope.net/1655.a8ce7256a3e4560b.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js">https://dcourier.celloscope.net/1798.7c4550c93bdf6c48.js</a>



Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js">https://dcourier.celloscope.net/1876.a4a7936f1a8ca7c0.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js">https://dcourier.celloscope.net/2127.b4d7f1c3b313a569.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js">https://dcourier.celloscope.net/2301.dc87fb8d409b89c2.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2343.8e00855a2f921f89.js">https://dcourier.celloscope.net/2343.8e00855a2f921f89.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js">https://dcourier.celloscope.net/2504.a4f0b585a1cc303c.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2752.f057d80993749eab.js">https://dcourier.celloscope.net/2752.f057d80993749eab.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2875.533ad6a09547ca52.js">https://dcourier.celloscope.net/2875.533ad6a09547ca52.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/2943.bda8121052a7bcd.js">https://dcourier.celloscope.net/2943.bda8121052a7bcd.js</a>
Method	GET
Parameter	X-Content-Type-Options

Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js">https://dcourier.celloscope.net/303.8e144ca6b7f2e4f6.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js">https://dcourier.celloscope.net/3150.de9ed7cf730ba54f.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js">https://dcourier.celloscope.net/363.b3370aa670a3ca5f.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js">https://dcourier.celloscope.net/3974.2ff6c93ec48bec9f.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js">https://dcourier.celloscope.net/4059.6587dbb3dfd7c240.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js">https://dcourier.celloscope.net/4128.6fa13c2b2a06b087.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js">https://dcourier.celloscope.net/453.ed4336ce4a466d2b.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js">https://dcourier.celloscope.net/4621.d9f0a18afbb0a198.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	

URL	<a href="https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js">https://dcourier.celloscope.net/4637.ab85f3a7b433c816.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4761.6f61883c9a87f013.js">https://dcourier.celloscope.net/4761.6f61883c9a87f013.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/4769.5bbc3de482a97707.js">https://dcourier.celloscope.net/4769.5bbc3de482a97707.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js">https://dcourier.celloscope.net/5192.81f7f4bbe306ad18.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5279.7960703419ee23ad.js">https://dcourier.celloscope.net/5279.7960703419ee23ad.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js">https://dcourier.celloscope.net/5321.1fc11c2300e5cf30.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/5598.89dc9424efd9be6c.js">https://dcourier.celloscope.net/5598.89dc9424efd9be6c.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6242.4df0199378f0987e.js">https://dcourier.celloscope.net/6242.4df0199378f0987e.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6360.5489b72dc5db172f.js">https://dcourier.celloscope.net/6360.5489b72dc5db172f.js</a>
Method	GET

Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6674.f773557e0799d773.js">https://dcourier.celloscope.net/6674.f773557e0799d773.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js">https://dcourier.celloscope.net/6969.9fbe6047deb3f09a.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js">https://dcourier.celloscope.net/7079.c7d93aadb2a7a0d5.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js">https://dcourier.celloscope.net/7091.2ff57f2efc313c2f.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js">https://dcourier.celloscope.net/7497.8f5884bb30a360a2.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/8645.44b1888f7bd201be.js">https://dcourier.celloscope.net/8645.44b1888f7bd201be.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/8910.72352d077093eda2.js">https://dcourier.celloscope.net/8910.72352d077093eda2.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/9257.161625d7ba9cf049.js">https://dcourier.celloscope.net/9257.161625d7ba9cf049.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	

Evidence	
URL	<a href="https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js">https://dcourier.celloscope.net/9443.dc5e19ccbb56348e.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js">https://dcourier.celloscope.net/9647.3cc10aeeedf7aed7.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/assets/i18n/bn.json">https://dcourier.celloscope.net/assets/i18n/bn.json</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/common.5bfff43b0118a221.js">https://dcourier.celloscope.net/common.5bfff43b0118a221.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/main.10871d45a986bd2f.js">https://dcourier.celloscope.net/main.10871d45a986bd2f.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/manifest.webmanifest">https://dcourier.celloscope.net/manifest.webmanifest</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw-worker.js">https://dcourier.celloscope.net/ngsw-worker.js</a>

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js">https://dcourier.celloscope.net/polyfills.b638e518b4a18c7a.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2">https://dcourier.celloscope.net/Roboto-Bold.2a63183e6dff7d00.woff2</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2">https://dcourier.celloscope.net/Roboto-Light.86fc2559ff73eac5.woff2</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2">https://dcourier.celloscope.net/Roboto-Medium.f8693cca22ae31bc.woff2</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2">https://dcourier.celloscope.net/Roboto-Regular.4e7449338f3a9fee.woff2</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js">https://dcourier.celloscope.net/runtime.660732ea4b99f2b9.js</a>
Method	GET
Parameter	X-Content-Type-Options

Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/scripts/ae171163888a14c2.js">https://dcourier.celloscope.net/scripts/ae171163888a14c2.js</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
Instances	58
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.</p>
Reference	<a href="http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx">http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx</a> <a href="https://owasp.org/www-community/Security_Headers">https://owasp.org/www-community/Security_Headers</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10021</a>

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	<a href="https://dcourier.celloscope.net/">https://dcourier.celloscope.net/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/admin/api/v1/settings/bank-list">https://dcourier.celloscope.net/admin/api/v1/settings/bank-list</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	no-cache
URL	<a href="https://dcourier.celloscope.net/admin/api/v1/settings/district-list">https://dcourier.celloscope.net/admin/api/v1/settings/district-list</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	no-cache
URL	<a href="https://dcourier.celloscope.net/admin/api/v1/settings/division-list">https://dcourier.celloscope.net/admin/api/v1/settings/division-list</a>
Method	GET
Parameter	Cache-Control

Attack	
Evidence	no-cache
URL	<a href="https://dcourier.celloscope.net/admin/api/v1/settings/mobile-banking-list">https://dcourier.celloscope.net/admin/api/v1/settings/mobile-banking-list</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	no-cache
URL	<a href="https://dcourier.celloscope.net/api">https://dcourier.celloscope.net/api</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/assets/i18n/bn.json">https://dcourier.celloscope.net/assets/i18n/bn.json</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/assets/i18n/en.json">https://dcourier.celloscope.net/assets/i18n/en.json</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/index.html">https://dcourier.celloscope.net/index.html</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/manifest.webmanifest">https://dcourier.celloscope.net/manifest.webmanifest</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.09420202667138389">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.09420202667138389</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.14115442303887982">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.14115442303887982</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	



URL	<a href="https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156">https://dcourier.celloscope.net/ngsw.json?ngsw-cache-bust=0.7062864451738156</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/robots.txt">https://dcourier.celloscope.net/robots.txt</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
URL	<a href="https://dcourier.celloscope.net/sitemap.xml">https://dcourier.celloscope.net/sitemap.xml</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	
Instances	15
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching">https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching</a> <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control</a> <a href="https://grayduck.mn/2021/09/13/cache-control-recommendations/">https://grayduck.mn/2021/09/13/cache-control-recommendations/</a>
CWE Id	<a href="#">525</a>
WASC Id	13
Plugin Id	<a href="#">10015</a>