Clicker Occupancy - Sprint 3 Wireframes

Amninder Sandhu | Capstone Project | Entryway attendant, exit attendant, and manager screens

Design goals

- Attendants see only what they need: where they are, and a single Submit action.
- Entry and exit are separate screens, so an attendant cannot log the wrong direction by accident.
- Event type and occupancy change are fixed by the screen (Entry = +1, Exit = -1), never typed by hand.
- A manager gets a read-only view of occupancy and recent activity - no edit or delete actions.
- The idempotency token is filled in automatically by a NocoBase workflow after each submit.

The three screens

Entry Attendant
logs +1 entry

Exit Attendant
logs -1 exit

Manager View
reads both, read-only

Both attendant screens write to the Click events table. The manager screen only reads Venues and Click events.

Wireframes follow on the next three pages.

Entry Attendant

Wireframe - logs a person entering a venue

NocoBase | Entry Attendant | Signed in as attendant

Entry Attendant

Entrance

Select an entrance v

Device

Select a device v

Occurred at

YYYY-MM-DD HH:mm

Event type

Entry (locked)

Occupancy change

1 (locked)

Submit

Notes

Locked fields keep the data model out of sight.
Idempotency token is set by the workflow.
Success message confirms: Saved successfully.

Exit Attendant

Wireframe - logs a person leaving a venue



Manager View

Wireframe - read-only attendance monitoring

NocoBase | Manager View | Signed in as manager

Venues

Venue	Status	Occupancy	Capacity	Time zone
Venue name	active	###	###	Zone
Venue name	active	###	###	Zone

Recent click events

Entrance	Device	Event type	Occupancy change	Occurred at
Entrance	Device	Entry / Exit	+1 / -1	date time
Entrance	Device	Entry / Exit	+1 / -1	date time
Entrance	Device	Entry / Exit	+1 / -1	date time

No Add, Edit, or Delete actions are shown on this screen - tables are read-only.