

**Valid Codes & Descriptions for  
ANNOTATED INFORMATION in 1995 PDP Analytical Results**

Annotate Code	Annotated Information
A	Residue with a Possible Presumptive Violation Exemption
Q	Residue at below quantifiable level (BQL)
QA	Residue at <BQL> with a Possible Presumptive Tol Exemption
QC	Residue at <BQL> considered as Mis-Use under FIFRA
QS	Residue at <BQL> with a FIFRA Section 18 Exemption
QV	Residue at <BQL> with presumptive violation - No Tolerance
V	Residue with a presumptive violation - No Tolerance
X	Residue with a presumptive violation - Exceeds Tolerance

**Valid Codes & Descriptions for  
COMMODITY MARKETING CLAIM on 1995 PDP Samples**

Claim Code	Commodity Marketing Claim
NC	No Claim
PD	No Pesticides Detected
PO	Organic
PP	Pesticide Free

**Valid Codes & Descriptions for  
COMMODITIES Sampled/Analyzed by PDP in 1995  
(Fresh Product Unless Otherwise Noted)**

Commodity Code	Commodity Name	# of Samples Analyzed
AP	Apples	695
BN	Bananas	486
CR	Carrots	703
CS	Sweet Corn, Can/Frozen	671
GB	Green Beans	587
GR	Grapes	694
OG	Oranges	700
PC	Peaches	377
PO	Potatoes	707
PS	Sweet Peas, Can/Frozen	670
SP	Spinach	634
WH	Wheat grain	600

**Valid Codes & Descriptions for  
COMMODITY TYPE in 1995 PDP Samples**

Commod Type Code	Commodity Type
CA	Canned
FR	Fresh
FZ	Frozen
GR	Grain, Raw

**Valid Codes & Descriptions for  
Concentration/LOD Unit-of-Measure Code**

Concen/LOD Unit Code	Concen/LOD Unit Description
B	Parts-per-Billion (ppb)
M	Parts-per-Million (ppm)
T	Parts-per-Trillion (ppt)

**Valid Codes & Descriptions for  
CONFIRMATION METHOD in 1995 PDP Analytical Results**

ConfMethod Code	Confirmation Method
A	GC/AED-Gas Chrom w/Atomic Emission Detec
D	GC or LC Alternate Detector
I	GC/IT-Gas Chrom w/Ion Trap MS-single stg
M	GC/MS - single quadropole
MO	Quant. & Confirm. by GC/MS only
P	LC-AMP - Liquid Chrom Alt. Mobile Phase
R	LC-DAD -Liq Chrom w/Diode Array Detector

**Valid Codes & Descriptions for  
COUNTRIES Where PDP 1995 Samples Originated**

Country Code	Country Name
150	Argentina
160	Australia
220	Brazil
260	Canada
275	Chile
285	Colombia
295	Costa Rica
325	Ecuador
415	Guatemala
430	Honduras
475	Israel
595	Mexico
660	New Zealand
665	Nicaragua
710	Panama
720	Peru
801	South Africa
UNK	Unknown

**Valid Codes & Descriptions for  
DETERMINATIVE METHOD in 1995 PDP Analytical Results**

Determin Code	Determinative Method
01	GC/ECD - Electron Capture Detector
02	GC/FPD - Flame Photometric Detector in Phosphorus Mode
03	GC/FPD - Flame Photometric Detector in Sulfur Mode
04	GC/ELCD - Electrolytic Conductivity Detector in Nitrogen Mode
05	GC/ELCD - Electrolytic Conductivity Detector in Halogen Mode
07	GC/MS - Gas Chrom w/Mass Spec - single quadrupole
10	LC/FL - Liquid Chromatography w/ Fluorescence Detector
11	LC/UV - Liquid Chromatography w/ UV Detector
12	Liquid Chrom w/ POST-Column Derivatization & FL Detector
14	GC/NPD - Phosphorus Mode
15	GC/NPD - Nitrogen Mode
16	GC/NPD - Nitrogen/Phosphorus Detector
19	Liquid Chrom w/ PRE-Column Derivatization & FL Detector
27	GC/AED - Atomic Emission Detector
28	AED - Element Selective GC/AED
30	GC/ELCD - Electrolytic Conductivity Detector in Sulfur Mode
98	Immunoassay Screen
99	OTHER



**Valid Codes & Descriptions for  
COLLECTION/DISTRIBUTION FACILITY TYPE in 1995 PDP Samples**

DistType Code	Collection Facility Type
B	Broker
D	Distribution Center
O	Other Market Type
P	Processing Plant
S	Storage Facility
T	Terminal Market
U	Unknown

**Valid Codes & Descriptions for  
EXTRACTION METHOD in 1995 PDP Analytical Results**

Extract Code	Extraction Method
012	Modified Luke Extraction Method using MECL for Multi-Residues and Carbamates
015	Modified Luke Extraction Method without Cleanup for Multi-Residues & Carbamates
017	Modified Luke Extraction Method with Cleanup for Multi-Residues & Carbamates
023	Modified Luke Extraction Method using GPC for Acid Herbicides
550	CDFA Lee et al C-18 Extraction Method
551	CDFA Chlorinated ACN Florisil SPE Extraction Method
552	CDFA MSD Aminopropyl Extraction Method
553	CDFA Carbamate SPE Extraction Method
600	LIB 3217 Extraction Method for Benomyl, MBC and Thiophanate-Methyl
997	OTHER Methods Used for Determinations of Single Components
998	OTHER Single-Analysis Methods
999	OTHER Multi-Residue Methods

**Valid Codes & Descriptions for  
PDP Participating LABORATORIES in 1995**

Lab Code	Lab Agency Name	Lab City/State
CA1	California Department of Food & Agriculture	Sacramento, CA
FL1	Florida Dept of Agriculture & Consumer Services	Tallahassee, FL
MI1	Michigan Department of Agriculture	East Lansing, MI
NC1	North Carolina Dept of Agriculture & Consumer Services	Raleigh, NC
NY1	New York Department of Agriculture and Markets	Albany, NY
OH1	Ohio Department of Agriculture	Reynoldsburg, OH
TX1	Texas Department of Agriculture	College Station, TX
US1	USDA, APHIS, National Monitoring Residue Analysis Lab	Gulfport, MS
US2	USDA, AMS, National Science Laboratory	Gastonia, NC
US3	USDA, GIPSA, Technical Services Division	Kansas City, MO
WA1	Washington State Department of Agriculture	Yakima, WA

**Valid Codes & Descriptions for  
MEAN RESULT in 1995 PDP Analytical Results  
(O, A, and R indicated Positive Detections)**

Mean Code	Mean Result Finding
A	Detect - Avg of Original & Re-extract
N	Non-Detect - Original Analysis
NA	Non-Detect - Averaged Analyses
NR	Non-Detect - Rerun Analysis
O	Detect - Original Analysis Value
R	Detect - Re-extraction Analysis Value

**Valid Codes & Descriptions for  
Sample ORIGIN Code**

Origin Code	Origin of Sample
1	Domestic (U.S.)
2	Imported
3	Unknown origin

**Valid Codes & Descriptions for  
Compounds (PESTICIDES) Analyzed by PDP in 1995**

Pest Code	Pesticide Name	Test Class	# of Analysis Results
011	Captan	A	6105
022	DDT	A	4420
023	Demeton	C	562
024	Diazinon	C	7471
026	2,4-D	G	737
028	Dieldrin	A	562
032	Diuron	A	1356
033	Anilazine	A	562
042	Azinphos methyl	C	7471
047	Dicofol	A	6870
050	Lindane (BHC gamma)	A	6873
052	Malathion	C	7441
055	Methoxychlor Total	A	7473
057	Parathion methyl	C	7472
065	Parathion ethyl	C	6870
069	Mevinphos Total	C	6872
070	Piperonyl butoxide	I	1
083	o-Phenylphenol	I	5578
087	DDD (TDE)	A	4420
102	Carbaryl	E	7472
107	Ethion	C	6873
114	Chlorpropham	E	6872
115	Endosulfans Total	A	7473
117	Disulfoton	C	7472
125	Diphenylamine (DPA)	F	6410
129	Linuron	A	2110
134	DCPA	A	6870
144	Dicloran	A	6873
147	Tecnazene	A	799
148	Phorate	C	7396
151	Trifluralin	A	6772
157	Thiabendazole	B	6810
159	Methomyl	E	7472
160	Chlorpyrifos	C	7472
164	Chlorothalonil	A	6012
165	Phosmet	C	6270
166	Phosalone	C	4062
167	Aldicarb	E	5774
168	Aldicarb sulfone	E	5864
169	Aldicarb sulfoxide	E	6873
170	Methamidophos	C	6872
171	Dimethoate	C	7471
175	Ethoprop	C	562
178	Omethoate	C	5509
180	Carbofuran	E	7473
189	Phorate sulfone	C	4368

Pest Code	Pesticide Name	Test Class	# of Analysis Results
190	Phorate sulfoxide	C	3023
191	Benfluralin	A	161
192	Benomyl	B	3575
195	Methiocarb	E	3064
197	Methidathion	C	6873
203	Phosphamidon	C	6796
204	Acephate	C	6872
205	Terbufos	C	6815
216	Disulfoton sulfone	C	1162
226	Demeton-S sulfone	C	1127
235	Chlorpyrifos methyl	C	600
236	Fenamiphos	C	6873
299	Diclofop methyl	G	600
300	DDE	A	6871
304	Quintozone (PCNB)	A	6873
305	Atrazine	R	7473
321	Hexachlorobenzene (HCB)	A	6873
338	Dichlorvos (DDVP)	C	7253
351	Pentachloroaniline (PCA)	A	562
382	1-Naphthol	E	841
387	Pentachlorobenzene (PCB)	A	6873
507	Dichlorobenzophenone p,p'	A	1356
512	3-Hydroxycarbofuran	E	7473
529	Vinclozolin	A	6170
537	Oxamyl	E	6873
539	Permethrin Total	O	6873
546	Fenvalerate	O	6770
547	Azinphos ethyl	C	1932
558	Demeton-S	C	1162
597	Cypermethrin	O	2334
604	Imazalil	N	7377
607	Metalaxyl	F	186
621	Tri Allate	P	600
623	Propargite	I	6775
626	Iprodione	A	6855
639	Fenbutatin oxide	I	1187
679	Myclobutanil	L	6857
714	Esfenvalerate	O	4715
723	Formetanate hydrochloride	E	1019
745	Fenamiphos sulfone	C	4019
746	Fenamiphos sulfoxide	C	3274
752	Terbufos oxygen analog sulfone	C	251
928	Phorate oxygen analog	C	1356
948	Abamectin	D	688
963	Terbufos sulfone	C	3680
966	Phorate oxygen analog sulfone	C	402
A39	Lambda cyhalothrin total	O	1
AAG	Lambda cyhalothrin S ester	O	1
B19	4-Hydroxydiphenylamine	F	5

**Valid Codes & Descriptions for  
QUANTITATION METHOD in 1995 PDP Analytical Results**

Quantitate Code	Quantitation Method
H	Standard NOT In Matrix
M	Standard In Matrix



**Valid Codes & Descriptions for  
All 50 STATES (plus Washington D.C. and Puerto Rico)**

State Code	State
AK	Alaska
AL	Alabama
AR	Arkansas
AZ	Arizona
CA	California
CH	Check Sample
CK	Check Sample
CO	Colorado
CT	Connecticut
DC	Washington D.C.
DE	Delaware
FL	Florida
GA	Georgia
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NC	North Carolina
ND	North Dakota
NE	Nebraska
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico

State Code	State
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
US	United States (exact State not available)
UT	Utah
VA	Virginia
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming

**Valid Codes & Descriptions for  
TEST (COMPOUND) CLASS in 1995 PDP Analytical Results**

Test Class Code	Test (Compound) Class
A	Halogenated
B	Benzimidazole
C	Organophosphorus
D	Avermectin
E	Carbamate
F	Organonitrogen
G	2,4-D / Acid Herbicides
H	Formetanate HCL
I	Other Compounds
L	Conazoles / Triazoles
N	Imidazoles
O	Pyrethroids
P	Thiocarbamates
R	Triazines

**EPA Tolerance Levels for  
Commodity/Pesticide Pairs Analyzed by PDP in 1995**

Tolerance Level Code: NT = No Tolerance Established

Commod Code	Pest Code	EPA Tolerance Level	Units pp_	Note	Comment
AP	011	25	M		
AP	022	0.1	M	AL	Action Level
AP	023	NT	M		
AP	024	0.5	M		
AP	028	NT	M		
AP	032	1	M		
AP	033	NT	M		
AP	042	2.0	M		
AP	047	5	M		
AP	050	1	M		
AP	052	8	M		
AP	055	14	M		
AP	057	1	M		
AP	065	1	M		
AP	069	0.5	M		
AP	083	25	M		
AP	087	0.1	M	AL	Action Level
AP	102	10	M		
AP	107	2	M		
AP	114	NT	M		
AP	115	2.0	M		
AP	117	NT	M		
AP	125	10	M		
AP	129	NT	M		
AP	134	NT	M		
AP	144	NT	M		
AP	147	NT	M		
AP	148	NT	M		
AP	151	NT	M		
AP	157	10	M		
AP	159	1	M		
AP	160	1.5	M		
AP	164	NT	M		
AP	165	10	M		
AP	166	10.0	M		
AP	167	NT	M		
AP	168	NT	M		
AP	169	NT	M		
AP	170	NT	M		
AP	171	2	M		
AP	175	NT	M		

AP	178	2	M		
AP	180	NT	M		
AP	189	NT	M		
AP	190	NT	M		
AP	195	NT	M		
AP	197	0.05	M		
AP	203	1	M		
AP	204	NT	M		
AP	205	NT	M		
AP	216	NT	M		
AP	226	NT	M		
AP	236	0.25	M		
AP	300	0.1	M	AL	Action Level
AP	304	NT	M		
AP	305	NT	M		
AP	321	NT	M		
AP	338	0.5	M		
AP	351	NT	M		
AP	387	NT	M		
AP	507	5	M		
AP	512	NT	M		
AP	529	NT	M		
AP	537	2	M		
AP	539	0.05	M		
AP	546	2.0	M		
AP	547	2	M		
AP	558	NT	M		
AP	597	NT	M		
AP	604	NT	M		
AP	607	0.2	M		
AP	623	3	M		
AP	626	NT	M		
AP	639	15.0	M		
AP	679	0.5	M		
AP	714	2.0	M		
AP	723	3	M		
AP	745	0.25	M		
AP	746	0.25	M		
AP	752	NT	M		
AP	928	NT	M		
AP	963	NT	M		
AP	966	NT	M		
AP	B19	10	M		
BN	011	NT	M		
BN	022	NT	M		
BN	024	0.1	M		
BN	032	0.1	M		

BN	042	NT	M		
BN	047	NT	M		
BN	050	NT	M		
BN	052	NT	M		
BN	055	NT	M		
BN	057	NT	M		
BN	065	NT	M		
BN	069	NT	M		
BN	083	NT	M		
BN	087	NT	M		
BN	102	10	M		
BN	107	NT	M		
BN	114	NT	M		
BN	115	NT	M		
BN	117	NT	M		
BN	125	NT	M		
BN	129	NT	M		
BN	134	NT	M		
BN	144	NT	M		
BN	147	NT	M		
BN	148	NT	M		
BN	151	NT	M		
BN	157	0.4	M		Tolerance For Banana Pulp only
BN	159	NT	M		
BN	160	0.01	M		
BN	164	0.05	M		
BN	165	NT	M		
BN	166	NT	M		
BN	167	NT	M		
BN	168	NT	M		
BN	169	NT	M		
BN	170	NT	M		
BN	171	NT	M		
BN	178	NT	M		
BN	180	0.1	M		
BN	189	NT	M		
BN	190	NT	M		
BN	195	NT	M		
BN	197	NT	M		
BN	203	NT	M		
BN	204	NT	M		
BN	205	0.025	M		
BN	226	NT	M		
BN	236	0.1	M		
BN	300	NT	M		
BN	304	NT	M		

BN	305	NT	M		
BN	321	0.1	M		
BN	338	0.5	M		
BN	382	10	M		
BN	387	NT	M		
BN	507	NT	M		
BN	512	0.1	M		
BN	529	NT	M		
BN	537	0.3	M		
BN	539	NT	M		
BN	546	NT	M		
BN	547	NT	M		
BN	597	NT	M		
BN	604	0.20	M		
BN	623	NT	M		
BN	626	NT	M		
BN	679	NT	M		
BN	714	NT	M		
BN	745	0.1	M		
BN	746	0.1	M		
BN	928	NT	M		
BN	963	0.025	M		
BN	966	NT	M		
CR	011	2	M		
CR	022	3	M	AL	Action Level
CR	024	0.75	M		
CR	032	NT	M		
CR	042	NT	M		
CR	047	NT	M		
CR	050	0.5	M		
CR	052	8	M		
CR	055	14	M		
CR	057	1	M		
CR	065	1	M		
CR	069	0.25	M		
CR	083	20	M		
CR	087	3	M	AL	Action Level
CR	102	10	M		
CR	107	NT	M		
CR	114	0.1	M		
CR	115	0.2	M		
CR	117	0.3	M		
CR	125	NT	M		
CR	129	1	M		
CR	134	NT	M		
CR	144	10	M		
CR	147	10	M		

CR	148	NT	M		
CR	151	1.0	M		
CR	157	10	M		
CR	159	0.2	M		
CR	160	NT	M		
CR	164	1	M		
CR	165	NT	M		
CR	166	NT	M		
CR	167	NT	M		
CR	168	NT	M		
CR	169	NT	M		
CR	170	NT	M		
CR	171	NT	M		
CR	178	NT	M		
CR	180	NT	M		
CR	189	NT	M		
CR	190	NT	M		
CR	191	NT	M		
CR	192	0.2	M		
CR	195	NT	M		
CR	197	NT	M		
CR	203	NT	M		
CR	204	NT	M		
CR	205	NT	M		
CR	226	NT	M		
CR	236	NT	M		
CR	300	3	M	AL	Action Level
CR	304	NT	M		
CR	305	NT	M		
CR	321	NT	M		
CR	338	0.5	M		
CR	382	10	M		
CR	387	NT	M		
CR	507	NT	M		
CR	512	NT	M		
CR	529	NT	M		
CR	537	0.1	M		
CR	539	NT	M		
CR	546	0.5	M		
CR	547	NT	M		
CR	597	NT	M		
CR	604	NT	M		
CR	607	0.5	M		
CR	623	NT	M		
CR	626	5.0	M		
CR	679	NT	M		
CR	714	0.5	M		



CR	745	NT	M		
CR	746	NT	M		
CR	752	NT	M		
CR	928	NT	M		
CR	963	NT	M		
CR	966	NT	M		
CS	011	2	M		
CS	022	0.1	M	AL	Action Level
CS	024	0.7	M		
CS	026	0.5	M		
CS	032	1	M		
CS	042	NT	M		
CS	047	NT	M		
CS	050	0.5	M	AL	Action Level
CS	052	2	M		
CS	055	14	M		
CS	057	1	M		
CS	065	1	M		
CS	069	0.25	M		
CS	083	NT	M		
CS	087	0.1	M	AL	Action Level
CS	102	5	M		
CS	107	NT	M		
CS	114	NT	M		
CS	115	0.2	M		
CS	117	0.3	M		
CS	125	NT	M		
CS	129	0.25	M		
CS	134	0.05	M		
CS	144	NT	M		
CS	147	NT	M		
CS	148	0.1	M		
CS	151	NT	M		
CS	157	NT	M		
CS	159	0.1	M		
CS	160	0.1	M		
CS	164	1	M		
CS	165	0.5	M		
CS	166	NT	M		
CS	167	NT	M		
CS	168	NT	M		
CS	169	NT	M		
CS	170	NT	M		
CS	171	NT	M		
CS	178	NT	M		
CS	180	0.2	M		
CS	189	0.1	M		

CS	190	0.1	M		
CS	192	0.2	M		
CS	195	0.03	M		
CS	197	NT	M		
CS	203	NT	M		
CS	204	NT	M		
CS	205	0.05	M		
CS	226	NT	M		
CS	236	NT	M		
CS	300	0.1	M	AL	Action Level
CS	304	NT	M		
CS	305	0.25	M		
CS	321	NT	M		
CS	338	0.5	M		
CS	382	5	M		
CS	387	NT	M		
CS	507	NT	M		
CS	512	0.2	M		
CS	529	NT	M		
CS	537	NT	M		
CS	539	0.1	M		
CS	546	0.1	M		
CS	547	NT	M		
CS	597	NT	M		
CS	604	NT	M		May be Section18 crisis exempt
CS	607	NT	M		
CS	623	0.1	M	R	Regional Tol. - California
CS	626	NT	M		
CS	679	NT	M		
CS	714	0.1	M		
CS	745	NT	M		
CS	746	NT	M		
CS	928	0.1	M		
CS	963	0.05	M		
CS	966	0.1	M		
GB	011	25	M		
GB	022	0.2	M	AL	Action Level
GB	024	0.5	M		
GB	032	NT	M		
GB	042	2.0	M		
GB	047	5	M		
GB	050	0.5	M		
GB	052	8	M		
GB	055	14	M		
GB	057	1	M		
GB	065	1	M		

GB	069	0.25	M		
GB	083	NT	M		
GB	087	0.2	M	AL	Action Level
GB	102	10	M		
GB	107	2	M		
GB	114	5	M		
GB	115	2.0	M		
GB	117	0.75	M		
GB	125	NT	M		
GB	129	NT	M		
GB	134	2	M		
GB	144	20	M		
GB	147	20	M		
GB	148	0.1	M		
GB	151	0.05	M		
GB	157	NT	M		
GB	159	2	M		
GB	160	0.1	M		
GB	164	5	M		
GB	165	NT	M		
GB	166	NT	M		
GB	167	NT	M		
GB	168	NT	M		
GB	169	NT	M		
GB	170	NT	M		
GB	171	2	M		
GB	178	2	M		
GB	180	NT	M		
GB	189	0.1	M		
GB	190	0.1	M		
GB	195	NT	M		
GB	197	NT	M		
GB	203	NT	M		
GB	204	3	M		
GB	205	NT	M		
GB	226	NT	M		
GB	236	NT	M		
GB	300	0.2	M	AL	Action Level
GB	304	0.1	M		
GB	305	NT	M		
GB	321	0.1	M		
GB	338	0.5	M		
GB	382	10	M		
GB	387	0.1	M		
GB	507	5	M		
GB	512	NT	M		
GB	529	NT	M		

GB	537	NT	M		
GB	539	NT	M		
GB	546	2.0	M		
GB	547	2	M		
GB	597	NT	M		
GB	604	NT	M		
GB	607	0.2	M		
GB	623	20	M		
GB	626	2.0	M		
GB	679	NT	M		
GB	714	2.0	M		
GB	745	NT	M		
GB	746	NT	M		
GB	752	NT	M		
GB	928	0.1	M		
GB	963	NT	M		
GB	966	0.1	M		
GR	011	50	M		
GR	022	0.5	M	AL	Action Level
GR	024	0.75	M		
GR	032	1	M		
GR	042	5.0	M		
GR	047	5	M		
GR	050	1	M		
GR	052	8	M		
GR	055	14	M		
GR	057	1	M		
GR	065	1	M		
GR	069	0.5	M		
GR	083	NT	M		
GR	087	0.5	M	AL	Action Level
GR	102	10	M		
GR	107	2	M		
GR	114	NT	M		
GR	115	2.0	M		
GR	117	NT	M		
GR	125	NT	M		
GR	129	NT	M		
GR	134	NT	M		
GR	144	10	M		
GR	147	10	M		
GR	148	NT	M		
GR	151	0.05	M		
GR	157	10.0	M		
GR	159	5	M		
GR	160	0.5	M	R	Regional Tolerance
GR	164	NT	M		

GR	165	10	M		
GR	166	10	M		
GR	167	NT	M		
GR	168	NT	M		
GR	169	NT	M		
GR	170	NT	M		
GR	171	1	M		
GR	178	1	M		
GR	180	0.4	M		
GR	189	NT	M		
GR	190	NT	M		
GR	192	10.0	M		
GR	195	NT	M		
GR	197	NT	M		
GR	203	NT	M		
GR	204	NT	M		
GR	205	NT	M		
GR	226	NT	M		
GR	236	0.1	M		
GR	300	0.5	M	AL	Action Level
GR	304	NT	M		
GR	305	NT	M		
GR	321	NT	M		
GR	338	0.5	M		
GR	382	10	M		
GR	387	NT	M		
GR	507	5	M		
GR	512	0.2	M		
GR	529	6.0	M		
GR	537	NT	M		
GR	539	NT	M		
GR	546	NT	M		
GR	547	5	M		
GR	597	NT	M		
GR	604	NT	M		
GR	607	2	M		
GR	623	10	M		
GR	626	60.0	M		
GR	639	5	M		
GR	679	1.0	M		
GR	714	NT	M		
GR	745	0.1	M		
GR	746	0.1	M		
GR	928	NT	M		
GR	963	NT	M		
GR	966	NT	M		
OG	011	NT	M		

OG	022	0.1	M	AL	Action Level
OG	023	NT	M		
OG	024	0.7	M		
OG	026	5	M		
OG	028	0.02	M	AL	Action Level
OG	032	1	M		
OG	033	NT	M		
OG	042	2.0	M		
OG	047	10	M		
OG	050	0.5	M	AL	Action Level
OG	052	8	M		
OG	055	NT	M		
OG	057	1	M		
OG	065	1	M		
OG	069	0.2	M		
OG	083	10	M		
OG	087	0.1	M	AL	Action Level
OG	102	10	M		
OG	107	2.0	M		
OG	114	NT	M		
OG	115	NT	M		
OG	117	NT	M		
OG	125	NT	M		
OG	129	NT	M		
OG	134	NT	M		
OG	144	NT	M		
OG	147	NT	M		
OG	148	NT	M		
OG	151	0.05	M		
OG	157	10	M		
OG	159	2	M		
OG	160	1.0	M		
OG	164	NT	M		
OG	165	5	M		
OG	166	3	M		
OG	167	0.3	M		
OG	168	0.3	M		
OG	169	0.3	M		
OG	170	NT	M		
OG	171	2	M		
OG	175	NT	M		
OG	178	2	M		
OG	180	2.5	M		
OG	189	NT	M		
OG	190	NT	M		
OG	192	10	M		
OG	195	0.02	M		

OG	197	2.0	M		
OG	203	0.75	M		
OG	204	NT	M		
OG	205	NT	M		
OG	216	NT	M		
OG	226	NT	M		
OG	236	0.6	M		
OG	300	0.1	M	AL	Action Level
OG	304	NT	M		
OG	305	NT	M		
OG	321	NT	M		
OG	338	3	M		
OG	351	NT	M		
OG	387	NT	M		
OG	507	10	M		
OG	512	2.5	M		
OG	529	NT	M		
OG	537	3	M		
OG	539	NT	M		
OG	546	NT	M		
OG	547	2	M		
OG	558	NT	M		
OG	597	NT	M		
OG	604	10	M		
OG	607	1	M		
OG	623	5	M		
OG	626	NT	M		
OG	639	20.0	M		
OG	679	NT	M		
OG	714	NT	M		
OG	723	4	M		
OG	745	0.6	M		
OG	746	0.6	M		
OG	752	NT	M		
OG	928	NT	M		
OG	948	NT	M		
OG	963	NT	M		
OG	966	NT	M		
PC	011	50	M		
PC	022	0.2	M	AL	Action Level
PC	023	NT	M		
PC	024	0.7	M		
PC	026	0.2	M		
PC	028	0.02	M	AL	Action Level
PC	032	0.1	M		
PC	033	NT	M		
PC	042	2.0	M		

PC	047	10	M		
PC	050	1	M		
PC	052	8	M		
PC	055	14	M		
PC	057	1	M		
PC	065	1	M		
PC	069	1	M		
PC	083	20	M		
PC	087	0.2	M	AL	Action Level
PC	102	10	M		
PC	107	1	M		
PC	114	NT	M		
PC	115	2.0	M		
PC	117	NT	M		
PC	125	NT	M		
PC	129	NT	M		
PC	134	NT	M		
PC	144	20	M		
PC	147	20	M		
PC	148	NT	M		
PC	151	0.05	M		
PC	157	NT	M		
PC	159	5	M		
PC	160	0.05	M		
PC	164	0.5	M		
PC	165	10	M		
PC	166	15	M		
PC	167	NT	M		
PC	168	NT	M		
PC	169	NT	M		
PC	170	NT	M		
PC	171	NT	M		
PC	175	NT	M		
PC	178	NT	M		
PC	180	NT	M		
PC	189	NT	M		
PC	190	NT	M		
PC	192	15.0	M		
PC	195	15	M		
PC	197	0.05	M		
PC	203	NT	M		
PC	204	NT	M		
PC	205	NT	M		
PC	216	NT	M		
PC	226	NT	M		
PC	236	0.25	M		
PC	300	0.2	M	AL	Action Level



PC	304	NT	M		
PC	305	NT	M		
PC	321	NT	M		
PC	338	0.5	M		
PC	351	NT	M		
PC	387	NT	M		
PC	507	10	M		
PC	512	NT	M		
PC	529	25.0	M		
PC	537	NT	M		
PC	539	5.0	M		
PC	546	10	M		
PC	547	2	M		
PC	558	NT	M		
PC	597	NT	M		
PC	604	NT	M		
PC	607	1	M		
PC	623	7	M		
PC	626	20.0	M		
PC	639	10.0	M		
PC	679	2.0	M		
PC	714	10	M		
PC	723	5	M		
PC	745	0.25	M		
PC	746	0.25	M		
PC	928	NT	M		
PC	963	NT	M		
PC	966	NT	M		
PO	011	25	M	I	Interim Tolerance
PO	022	1	M	AL	Action Level
PO	024	0.1	M		
PO	032	1	M		
PO	042	0.3	M		
PO	047	NT	M		
PO	050	0.5	M	AL	Action Level
PO	052	8	M		
PO	055	1	M		
PO	057	0.1	M		
PO	065	0.1	M		
PO	069	0.25	M		
PO	083	NT	M		May have food additive tol.
PO	087	1	M	AL	Action Level
PO	102	0.2	M		
PO	107	NT	M		
PO	114	50	M		
PO	115	0.2	M		
PO	117	0.75	M		

PO	125	NT	M		
PO	129	1	M		
PO	134	2	M		
PO	144	0.25	M		
PO	147	25	M		Tolerance chgd 9/27/95 to NT
PO	148	0.5	M		
PO	151	0.05	M		
PO	157	10.0	M		
PO	159	0.2	M		
PO	160	NT	M		
PO	164	0.1	M		
PO	165	0.1	M		
PO	166	0.1	M		
PO	167	1	M		
PO	168	1	M		
PO	169	1	M		
PO	170	0.1	M		
PO	171	0.2	M		
PO	178	0.2	M		
PO	180	1	M		
PO	189	0.5	M		
PO	190	0.5	M		
PO	195	NT	M		
PO	197	0.2	M		
PO	203	0.1	M		
PO	204	NT	M		
PO	205	NT	M		
PO	226	NT	M		
PO	236	NT	M		
PO	300	1	M	AL	Action Level
PO	304	0.1	M		
PO	305	NT	M		
PO	321	0.1	M		
PO	338	0.5	M		
PO	382	0.2	M		
PO	387	NT	M		
PO	507	NT	M		
PO	512	1	M		
PO	529	NT	M		
PO	537	0.1	M		
PO	539	0.05	M		
PO	546	0.02	M		
PO	547	0.3	M		
PO	597	NT	M		
PO	604	NT	M		
PO	607	0.5	M		

PO	623	0.1	M		
PO	626	0.5	M		
PO	679	NT	M		
PO	714	0.02	M		
PO	745	NT	M		
PO	746	NT	M		
PO	928	0.5	M		
PO	963	NT	M		
PO	966	0.5	M		
PS	011	2	M		
PS	022	0.2	M	AL	Action Level
PS	023	NT	M		
PS	024	0.5	M		
PS	026	1.0	M		For western ditch, H2O hycinth
PS	028	0.02	M	AL	Action Level
PS	032	1	M		
PS	033	NT	M		
PS	042	NT	M		
PS	047	NT	M		
PS	050	0.5	M	AL	Action Level
PS	052	8	M		
PS	055	14	M		
PS	057	1	M		
PS	065	1	M		
PS	069	0.25	M		
PS	083	NT	M		
PS	087	0.2	M	AL	Action Level
PS	102	10	M		
PS	107	NT	M		
PS	114	0.3	M	I	Interim Tolerance
PS	115	2.0	M		
PS	117	0.75	M		
PS	125	NT	M		
PS	129	NT	M		
PS	134	NT	M		
PS	144	NT	M		
PS	147	NT	M		
PS	148	NT	M		
PS	151	0.05	M		
PS	157	NT	M		
PS	159	5	M		
PS	160	0.1	M		
PS	164	NT	M		
PS	165	0.5	M		
PS	166	NT	M		
PS	167	NT	M		

PS	168	NT	M		
PS	169	NT	M		
PS	170	NT	M		
PS	171	2	M		
PS	175	NT	M		
PS	178	2	M		
PS	180	NT	M		
PS	189	NT	M		
PS	190	NT	M		
PS	195	NT	M		
PS	197	NT	M		
PS	203	NT	M		
PS	204	NT	M		
PS	205	NT	M		
PS	216	0.75	M		
PS	226	NT	M		
PS	236	NT	M		
PS	300	0.2	M	AL	Action Level
PS	304	NT	M		
PS	305	NT	M		
PS	321	NT	M		
PS	338	0.5	M		
PS	351	NT	M		
PS	382	10	M		
PS	387	NT	M		
PS	507	NT	M		
PS	512	NT	M		
PS	529	NT	M		
PS	537	NT	M		
PS	539	NT	M		
PS	546	1	M		
PS	547	NT	M		
PS	558	NT	M		
PS	597	NT	M		
PS	604	NT	M		
PS	607	NT	M		
PS	623	NT	M		
PS	626	NT	M		
PS	679	NT	M		
PS	714	1	M		
PS	745	NT	M		
PS	746	NT	M		
PS	928	NT	M		
PS	963	NT	M		
PS	966	NT	M		
SP	011	100	M		
SP	022	0.5	M	AL	Action Level

SP	023	NT	M		
SP	024	0.7	M		
SP	028	0.05	M	AL	Action Level
SP	032	NT	M		
SP	033	NT	M		
SP	042	2	M		
SP	047	NT	M		
SP	050	1	M		
SP	052	8	M		
SP	055	14	M		
SP	057	1	M		
SP	065	1	M		
SP	069	1.0	M		
SP	070	NT	M		
SP	083	NT	M		
SP	087	0.5	M	AL	Action Level
SP	102	12	M		
SP	107	NT	M		
SP	114	0.3	M	I	Interim Tolerance
SP	115	2.0	M		
SP	117	0.75	M		
SP	125	NT	M		
SP	129	NT	M		
SP	134	NT	M		
SP	144	NT	M		
SP	147	NT	M		
SP	148	NT	M		
SP	151	0.05	M		
SP	157	NT	M		
SP	159	6	M		
SP	160	NT	M		
SP	164	NT	M		
SP	165	NT	M		
SP	166	NT	M		
SP	167	NT	M		
SP	168	NT	M		
SP	169	NT	M		
SP	170	NT	M		
SP	171	2	M		
SP	175	NT	M		
SP	178	2	M		
SP	180	NT	M		
SP	189	NT	M		
SP	190	NT	M		
SP	192	0.2	M		
SP	195	NT	M		
SP	197	NT	M		

SP	203	NT	M		
SP	204	NT	M		
SP	205	NT	M		
SP	216	0.75	M		
SP	226	NT	M		
SP	236	NT	M		
SP	300	0.5	M	AL	Action Level
SP	304	NT	M		
SP	305	NT	M		
SP	321	NT	M		
SP	338	3	M		
SP	351	NT	M		
SP	387	NT	M		
SP	507	NT	M		
SP	512	NT	M		
SP	529	NT	M		
SP	537	NT	M		
SP	539	20.0	M		
SP	546	NT	M		
SP	547	2	M		
SP	558	NT	M		
SP	597	NT	M		
SP	604	NT	M		
SP	607	10.0	M		
SP	623	NT	M		
SP	626	NT	M		
SP	679	NT	M		
SP	714	NT	M		
SP	745	NT	M		
SP	746	NT	M		
SP	752	NT	M		
SP	928	NT	M		
SP	963	NT	M		
SP	966	NT	M		
SP	A39	NT	M		
SP	AAG	NT	M		
WH	024	50	B		
WH	042	200	B		
WH	052	8000	B		
WH	055	2000	B		
WH	057	1000	B		
WH	065	1000	B		
WH	102	3000	B		
WH	115	100	B		
WH	117	300	B		
WH	129	250	B		
WH	148	50	B		

WH	151	50	B		
WH	159	1000	B		
WH	160	500	B		
WH	171	40	B		
WH	180	100	B		
WH	189	50	B		
WH	216	300	B		
WH	235	6000	B		
WH	299	100	B		
WH	305	250	B		
WH	338	NT	B		
WH	512	100	B		
WH	558	NT	B		
WH	604	50	B		
WH	621	50	B		