RED ALERT 2 / YURI'S REVENGE

THE GAME ENGINE EXPLAINED

Complete illustrated reference

Read the decisions behind the battlefield.

Plain-language workflows, original data and actual project captures.

157 mobile types / 408 structures / 38 story missions

Plus tutorials, mission logic, AI plans, sources and study exercises.

Prepared 26 October 2026 | Source-grounded learning edition

Cover capture: historical Android-emulator Time Lapse startup; not a full playthrough.

How to use this edition

This volume preserves every Markdown document in the illustrated guide: all registered type cards, weapon paths, global AI plans, campaign workflows and every recovered scenario ledger, team plan and override companion. Its size reflects the original reference material. Use the contents, bookmarks, search and internal links instead of reading it straight through.

Screenshots are existing project captures, with their provenance and limits. Workflow drawings are authored explanations. Placement schematics show initial objects from local maps; terrain, elevation, passability and later reinforcements are not reconstructed in them.

Confirmed data, binary-supported findings, conceptual reconstructions and untested branches retain the distinctions in the source guide. No complete campaign playthrough or physical Samsung qualification was added for this export.

Blue links jump to a section included in this PDF. A target not present in the abridged reading edition opens the matching GitHub source page. The complete reference resolves its guide-document cross-references internally.

Each mission schematic uses owner colors as identifiers, not as an unproved friend/enemy classification. Square markers are structures, dot markers are mobile objects, and numbered markers identify notable type records.

Open the PDF bookmarks panel for chapters, mission pages and catalogue sections. Search by display name or stable ID when several objects share the same name.

Contents

Red Alert 2 and Yuri's Revenge: a non-code engine guide . . . 9

How the engine works, one decision at a time . . . 11

Every mobile piece: infantry, vehicles, ships and aircraft . . . 15

Combat, money, power, and special effects . . . 118

Every structure: production, defenses, landmarks and props . . . 123

Building a base and reading its dependencies . . . 321

How the computer army and mission scripts cooperate . . . 325

Every campaign, explained as a workflow . . . 328

How the Android version connects to the original game . . . 370

Reading while playing: small engine experiments . . . 373

Operation: Lone Guardian . . . 376

Operation: Lone Guardian - team rosters and plans . . . 412

Operation: Lone Guardian - mission overrides and local definitions . . . 421

Operation: Eagle Dawn . . . 426

Operation: Eagle Dawn - team rosters and plans . . . 447

Operation: Eagle Dawn - mission overrides and local definitions . . . 457

Operation: Hail to the Chief . . . 464

Operation: Hail to the Chief - team rosters and plans . . . 481

Operation: Hail to the Chief - mission overrides and local definitions . . . 492

Operation: Last Chance . . . 496

Operation: Last Chance - team rosters and plans . . . 519

Operation: Last Chance - mission overrides and local definitions . . . 533

Operation: Dark Night . . . 537

Operation: Dark Night - team rosters and plans . . . 572

Operation: Dark Night - mission overrides and local definitions . . . 581

Operation: Liberty . . . 585

Operation: Liberty - team rosters and plans . . . 606
Operation: Liberty - mission overrides and local definitions . . . 621
Operation: Deep Sea . . . 626
Operation: Deep Sea - team rosters and plans . . . 643
Operation: Deep Sea - mission overrides and local definitions . . . 662
Operation: Free Gateway . . . 665
Operation: Free Gateway - team rosters and plans . . . 695
Operation: Free Gateway - mission overrides and local definitions . . . 711
Operation: Sun Temple . . . 715
Operation: Sun Temple - team rosters and plans . . . 737
Operation: Sun Temple - mission overrides and local definitions . . . 748
Operation: Mirage . . . 752
Operation: Mirage - team rosters and plans . . . 777
Operation: Mirage - mission overrides and local definitions . . . 792
Operation: Fallout . . . 796
Operation: Fallout - team rosters and plans . . . 825
Operation: Fallout - mission overrides and local definitions . . . 849
Operation: Chrono Storm . . . 853
Operation: Chrono Storm - team rosters and plans . . . 871
Operation: Chrono Storm - mission overrides and local definitions . . . 879
Operation: Red Dawn . . . 882
Operation: Red Dawn - team rosters and plans . . . 917
Operation: Red Dawn - mission overrides and local definitions . . . 925
Operation: Hostile Shore . . . 930
Operation: Hostile Shore - team rosters and plans . . . 950
Operation: Hostile Shore - mission overrides and local definitions . . . 959
Operation: Big Apple . . . 966
Operation: Big Apple - team rosters and plans . . . 985

Operation: Big Apple - mission overrides and local definitions . . . 991

Operation: Home Front . . . 996

Operation: Home Front - team rosters and plans . . . 1008

Operation: Home Front - mission overrides and local definitions . . . 1019

Operation: City of Lights . . . 1022

Operation: City of Lights - team rosters and plans . . . 1036

Operation: City of Lights - mission overrides and local definitions . . . 1040

Operation: Sub-Divide . . . 1044

Operation: Sub-Divide - team rosters and plans . . . 1057

Operation: Sub-Divide - mission overrides and local definitions . . . 1068

Operation: Chrono Defense . . . 1071

Operation: Chrono Defense - team rosters and plans . . . 1088

Operation: Chrono Defense - mission overrides and local definitions . . . 1099

Operation: Desecration . . . 1103

Operation: Desecration - team rosters and plans . . . 1113

Operation: Desecration - mission overrides and local definitions . . . 1121

Operation: The Fox and the Hound . . . 1125

Operation: The Fox and the Hound - team rosters and plans . . . 1139

Operation: The Fox and the Hound - mission overrides and local definitions . . . 1145

Operation: Weathered Alliance . . . 1152

Operation: Weathered Alliance - team rosters and plans . . . 1171

Operation: Weathered Alliance - mission overrides and local definitions . . . 1178

Operation: Red Revolution . . . 1182

Operation: Red Revolution - team rosters and plans . . . 1196

Operation: Red Revolution - mission overrides and local definitions . . . 1204

Operation: Polar Storm . . . 1207

Operation: Polar Storm - team rosters and plans . . . 1225

Operation: Polar Storm - mission overrides and local definitions . . . 1232
Operation: Time Lapse . . . 1235
Operation: Time Lapse - team rosters and plans . . . 1337
Operation: Time Lapse - mission overrides and local definitions . . . 1358
Operation: Hollywood and Vain . . . 1371
Operation: Hollywood and Vain - team rosters and plans . . . 1450
Operation: Hollywood and Vain - mission overrides and local definitions . . . 1484
Operation: Power Play . . . 1494
Operation: Power Play - team rosters and plans . . . 1613
Operation: Power Play - mission overrides and local definitions . . . 1649
Operation: Tomb Raided . . . 1663
Operation: Tomb Raided - team rosters and plans . . . 1701
Operation: Tomb Raided - mission overrides and local definitions . . . 1719
Operation: Clones Down Under . . . 1727
Operation: Clones Down Under - team rosters and plans . . . 1756
Operation: Clones Down Under - mission overrides and local definitions . . . 1782
Operation: Trick or Treaty . . . 1785
Operation: Trick or Treaty - team rosters and plans . . . 1808
Operation: Trick or Treaty - mission overrides and local definitions . . . 1822
Operation: Brain Dead . . . 1830
Operation: Brain Dead - team rosters and plans . . . 1857
Operation: Brain Dead - mission overrides and local definitions . . . 1881
Operation: Time Shift . . . 1887
Operation: Time Shift - team rosters and plans . . . 1976
Operation: Time Shift - mission overrides and local definitions . . . 2001
Operation: Deja Vu . . . 2013
Operation: Deja Vu - team rosters and plans . . . 2038
Operation: Deja Vu - mission overrides and local definitions . . . 2064

Operation: Brain Wash 2067

Operation: Brain Wash - team rosters and plans 2104

Operation: Brain Wash - mission overrides and local definitions 2109

Operation: Romanov on the Run 2118

Operation: Romanov on the Run - team rosters and plans 2154

Operation: Romanov on the Run - mission overrides and local definitions 2172

Operation: Escape Velocity 2180

Operation: Escape Velocity - team rosters and plans 2213

Operation: Escape Velocity - mission overrides and local definitions 2236

Operation: To The Moon 2242

Operation: To The Moon - team rosters and plans 2263

Operation: To The Moon - mission overrides and local definitions 2272

Operation: Head Games 2279

Operation: Head Games - team rosters and plans 2314

Operation: Head Games - mission overrides and local definitions 2344

Boot Camp - Day 1 2348

Boot Camp - Day 1 - team rosters and plans 2368

Boot Camp - Day 1 - mission overrides and local definitions 2371

Boot Camp - Day 2 2374

Boot Camp - Day 2 - team rosters and plans 2387

Boot Camp - Day 2 - mission overrides and local definitions 2389

sov09t.map 2391

sov09t.map - team rosters and plans 2397

sov09t.map - mission overrides and local definitions 2402

Weapon paths: firing record, projectile and warhead 2403

Global AI team templates 2640

Images, screenshots and their provenance 2702

Sources, verification and limits 2707

Red Alert 2 and Yuri's Revenge: a non-code engine guide

Read the game as a collection of decisions: what happens first, what is checked, what changes, and what happens next. This guide connects the original binaries, game rules, campaign maps, supplied manuals, and the local Android implementation.

It covers **157 distinct registered mobile types**, **408 distinct registered structure types**, **38 story missions**, both Boot Camp missions, and one additional legacy/alternate map. Detailed mission references translate **4,274 triggers**, **4,787 event records**, and **13,724 ordered actions**. Separate references explain **341 game-specific weapon/effect paths** and **266 global AI team templates**. See Sources and limits for exactly what these counts mean.

Start here

1. How the engine works - startup, live objects, commands, movement, targeting, production, missions, saves and rendering.
2. Every mobile piece - step-by-step unit behavior and separate RA2/Yuri properties, including hidden, civilian and managed attacker records.
3. Combat and economy - weapons, armor, special effects, resources, money, power, repairs and superweapons.
4. Every establishment and structure - construction, factories, defenses, technology, income, repair, landmarks, scenery and mission-only additions.
5. All campaigns, step by step - the intended progression of each mission, with links to its complete logic ledger.
6. Computer-army workflow - houses, task forces, recruitment, teams, scripts, staging, reinforcements and alliances.
7. Android workflow - native libraries, host services, touch/pen/mouse adaptation, save names and returning to the chooser.
8. Reading while playing - small observation exercises that connect the explanations to your own games.
9. Building a base and reading prerequisites - faction workflows, production dependencies and a plain-language glossary for the reference cards.

Read chapters 1, 3, 5 and 6 first for the overall engine. Treat the large unit, structure, weapon and mission pages as a reference library, rather than trying to memorize them in order. All links are relative so the folder remains readable after downloading it.

Questions you can follow through the book

Question	Reading path
Why does the same IFV behave differently?	IFV, then its passenger's IFV mode and linked weapon
Why does my Chrono Miner drive outward but return differently?	Chrono Miner, then economy
How does the Slave Miner become a building?	Mobile miner, deployed miner
Why does a Robot Tank stop when power fails?	Robot Tank, control center
Why did the mission not end after I destroyed the main base?	Its campaign workflow, then terminal gates and incoming trigger links
Why does a landmark matter even without a special weapon?	Its structure card, then attached tags in the mission ledger
Where did an enemy wave come from without a factory?	Create Team versus Reinforcement, then the mission's team plan
How does my finger become an original mouse command?	Android input conversion

How to read the evidence

- **Data-confirmed** means the value, definition or relationship is present in the extracted local data.
- **Binary-supported** means the explanation also has identified local binary/lifted-procedure evidence.
- **Manual-described** means the supplied manual describes that player-visible behavior.
- **Conceptual reconstruction** means a readable decision sequence, without claiming every original instruction has been recovered.
- **Unverified in play** means the prediction/branch was not demonstrated by a recorded playthrough.

The narrative workflows combine these sources, and their limits are stated where they matter. The detailed ledgers are static translations of declared logic. A declared trigger may be disabled, difficulty-specific, unused, or dependent on an event that never occurs on a particular route. A unit being registered is not proof it can be bought in a normal battle.

No complete campaign playthrough was performed to write this book. Existing emulator QA establishes particular startup, input and save/reload cases. Exact pathfinder internals, every hardcoded default, all target-score formulas and every mission branch remain outside the verified claims. The guide keeps those gaps visible instead of filling them with invented algorithms.

Reference shelves

- Weapon, projectile and warhead paths
- Global AI rosters and ordered plans
- Every mission's trigger ledger, team-plan companion and override companion, linked from Campaigns
- Sources, fingerprints, coverage and limitations

The reading folder contains prose and factual reference tables. You do not need a compiler, reverse-engineering tool or programming knowledge to use it. Technical IDs in parentheses are stable cross-references that distinguish objects sharing the same display name.

How the engine works, one decision at a time

Reading order and evidence labels | Units | Buildings | Missions

Four layers behind one battle



Conceptual dependency diagram. It does not assert an exact instruction order within every original frame.

The four layers behind a live battle. Explanatory diagram derived from the guide and local data; not a screenshot.

This chapter explains the original RA2 and Yuri engine in ordinary language. A unit is a soldier, vehicle, ship, aircraft, or other mobile object. A structure is a building, defense, landmark, or map prop. A house is an owner: a player, enemy army, civilian group, or scripted faction. An algorithm is simply a repeatable sequence of decisions.

1. The four things that cooperate

Layer	What it contributes	Example
Original executable	General procedures and special behavior	How a vehicle moves, how an Engineer enters a building, how a trigger fires
Rules and art data	Settings and references	Tank health, weapon selection, prerequisites, model and animation
Scenario map	A particular battle's starting state and instructions	Which base exists, where Tanya starts, which bridge matters
Android host	Phone/tablet services and input adaptation	Two-finger right click, file access, video playback, presenting the frame

Confirmed from local files: the delivered app has separate recompiled RA2 and Yuri libraries. It preserves the original games' procedures while replacing required operating-system services. It is therefore essential to select the correct rules and campaign, rather than treating Yuri as a collection of extra units added to the RA2 rules. See sources.

2. What happens after you choose a game

1. The launcher identifies RA2 or Yuri's Revenge.
2. The host prepares that game's writable working directory and the required packaged assets.
3. The corresponding native library initializes the original program's memory and operating-system connections.
4. The game locates its archives. An archive is a container holding named resources; it is not itself the game simulation.
5. Rules describe available object types. Art records describe their appearance. String tables supply readable names and messages.
6. A campaign choice identifies a starting map. The campaign progression table identifies later stages.
7. The map supplies terrain, houses, starting objects, waypoints, tags, variables, teams, and local rule changes.
8. The engine creates live objects from those definitions and begins the scenario.

Important finding: some maps contain old-looking next-scenario fields that disagree with the campaign progression table. The mission catalogue follows the progression table and mission descriptions, rather than assuming every old field is an active campaign route.

3. A definition is different from a live object

A Rhino's definition is a recipe shared by all Rhinos in that ruleset. A particular Rhino on the battlefield has its own owner, current health, position, facing, order, target, and experience.

1. Read the shared Rhino recipe.
2. Create a new battlefield instance.
3. Give that instance its owner, starting position and starting condition.
4. Change the instance as it moves, fires or takes damage.
5. Leave other Rhinos alone unless the relevant rule affects them too.

This explains why two identical-looking tanks can have different health or rank. It also explains why a campaign can change all Rhinos in that scenario without changing the global skirmish recipe. A map's explicit overrides take precedence for the properties it replaces; unspecified properties still come from the effective rules.

4. One simulation step

Conceptual reconstruction: the following is a useful dependency order for learning. It is not a claim that every original function executes in exactly this order during every frame.

1. Collect pending commands and relevant events.
2. Decide which live objects can act: alive, present, enabled, and in a state that permits the action.
3. Advance movement and orders. Check whether a destination, target, transport or building is still valid.
4. Advance weapons, projectiles, special effects and recovery timers.
5. Apply damage, ownership changes, construction progress, money and power changes as their procedures require.
6. Notify mission logic about events such as entry, discovery, destruction or a changed flag.
7. Evaluate eligible mission conditions and execute their actions.
8. Update the visible battlefield, sidebar, sound and movies from the resulting state.
9. Repeat until paused, a mission outcome occurs, or the game exits.

Simulation time and display time are different. A smooth-looking display does not prove a different movement or weapon rule. Frame counts in data must not automatically be read as seconds on the wall clock. Pausing and changing game speed affect the relationship.

5. What a click means

1. Convert the physical input into the game's mouse coordinates and button state.
2. Determine what is under the cursor: interface control, terrain cell, unit, building, or empty space.
3. Consider the current selection and any modifier keys.
4. Ask what action those objects support. An Engineer may enter and capture; a tank may attack; a miner may harvest.
5. Show an appropriate cursor when the interface has enough information.
6. Queue or apply the selected order through the game's normal command path.
7. The object's later updates carry out the order; the click itself does not teleport it to completion.

Right click is contextual too. A short right click cancels/deselects in the normal interface. Holding right and moving pans the view. Panning changes the camera, not the position of the army. Android adaptation explains how touch and pen reach these same actions.

6. Movement: request, route, progress, reconsider

1. Establish a destination, or choose a position from which to interact with a target.
2. Check the object's movement type and the terrain it can use.
3. Consider cells, occupied spaces, bridges, ramps and other obstructions relevant to that movement type.
4. Find a usable route under those constraints.
5. Let the object's movement controller advance along it, turning and accelerating as applicable.
6. If something blocks the next part, wait, adjust, or request another route as the relevant procedure decides.
7. Stop or transition to another order when close enough, when the target disappears, or when a replacement command arrives.

Boundary: the exact search algorithm, tie-breaking rules and every movement exception have not been proved here. Calling the original pathfinder a particular textbook algorithm without tracing its routines would overstate the evidence. The extracted data does confirm different movement controllers and permitted zones. A submarine, hover transport, aircraft and ordinary tank do not share identical movement constraints.

An apparent pathfinding error can therefore have several causes: an impassable cell, an occupied exit, an illegal shoreline crossing, a vanished bridge, an attack position the unit cannot reach, or an order overridden by a script. Check these before assuming the route search failed.

7. Targeting and attacking

1. Obtain a target from a player order, a team script, or automatic acquisition.
2. Check whether it is a valid enemy or a permitted forced target.
3. Choose an eligible weapon for the target and the attacker's current state.
4. Check target category, relevant immunities, range, ammunition, reload and facing requirements.
5. Move into a usable attack position if necessary and possible.
6. Fire when ready. A shot may create a projectile, beam, temporal effect, capture attempt, spawned attacker, or another special action.
7. Resolve the effect using that weapon's associated logic and data.
8. Keep attacking, reacquire, or return to the next order as the target and attacker change.

A field named damage does not always mean ordinary health subtraction. Repair weapons, mind-control weapons and special effects reuse parts of the weapon system. See combat and the linked weapon references on each unit card.

8. Building and the technology tree

1. Start with the owning house and its permitted faction/country.
2. Check technology level, prerequisites, special restrictions and build limit.
3. Find a suitable production facility or construction queue.
4. Spend credits as production advances; insufficient money can interrupt progress.
5. Apply the relevant production conditions, including power and scenario settings.
6. For a completed building, wait for a legal placement. For a completed mobile unit, find a valid exit or delivery mechanism.
7. Create/activate the object, update power and technology availability, and give it its initial order or rally destination.

Prerequisites are not a recommended build order. They are eligibility conditions. Owning a building, having enough power, having money, and having an unblocked factory exit are separate questions. A structure can unlock technology without directly producing that unit.

9. Mission logic is a network of conditions

1. A mission defines named triggers.
2. A trigger belongs to an owner and can be enabled or disabled for a particular difficulty.
3. Events describe what it waits for: elapsed time, a destroyed object, an entered area, an active flag, and so on.
4. A tag associates certain triggers with placed objects or map cells.
5. When the required events have occurred, the trigger runs its action list in order.
6. Actions can show an objective, create a reinforcement, set a flag, enable another trigger, change ownership, or end the battle.
7. Persistence determines whether the attached logic can fire again or is consumed.

Binary-supported detail: the Yuri trigger action runner checks that the trigger is enabled and not destroyed, then walks its action list and calls the action executor for each item. A failure return from one action does not by itself make this a transactional sequence that rolls back earlier actions. The guide's mission ledgers therefore retain action order. They do not present the order of trigger records as a chronological story.

Multiple events can remember that different things happened at different times. They are not necessarily a demand that all visible events happen in the same instant. Enabling a trigger can reset its elapsed-time counters. This is why crossing an invisible boundary can start a new timer or attack wave.

10. Victory is an explicit outcome

1. Read the current objective, including newly displayed objectives.
2. Identify the object, owner, region or flag that represents completion.
3. Satisfy the appropriate mission event, rather than assuming the entire enemy army must always be destroyed.
4. Let any enabling triggers, remaining conditions, delays or scripted sequences complete.

5. The mission invokes its win/lose outcome action and then the score/progression flow.

Destroying a building and capturing it are different events. A scripted capture objective can fail if the building is destroyed. Conversely, destroying an objective may be sufficient even if enemy units remain. Each mission page shows its recorded terminal triggers and the steps feeding them.

11. Saving and loading

1. Pause into the game's options and request Save Game.
2. Initialize the original save dialog and its mission description.
3. In this Android build, append the device-local date and time to that description automatically.
4. Let the original save routine serialize the game's current state into its save format.
5. Acknowledge the original save confirmation through the Android bridge.
6. On load, restore the original game's saved objects and relationships, then continue its simulation.

This is different from saving a screenshot or merely remembering the mission number. A useful save must retain the battle's changing state. The existing QA confirms save/restart/load cases for RA2 and Yuri; it does not establish every possible mission or long-session save condition.

12. How the picture is produced

1. Determine which terrain and objects are visible in the current view.
2. Select the appropriate art, facing, animation, house color and lighting.
3. Draw terrain and objects with the engine's ordering/depth procedures.
4. For voxel models, use their model parts and transforms to produce an image; cached results can avoid repeating work.
5. Combine objects, shadows, effects, selection markers and the interface into the game surface.
6. The host scales/presents that surface on the Android display.

Infantry and many buildings use image sequences; many vehicles and aircraft use voxel models with part transforms. A three-dimensional-looking vehicle does not mean the entire engine is a modern free-camera 3D world. The local voxel research documents the separate model, cache, shadow and battlefield-copy stages. Enhancements described for the desktop presenter must not automatically be assumed enabled in the delivered Android APK.

13. A practical way to study any surprising event

1. Identify the live object and its type card.
2. Select RA2 or Yuri's rules. Compare any version difference on the card.
3. Check that mission's overrides and starting placement.
4. Follow the object's current order and special behavior.
5. Inspect its weapon and the target's armor/immunities.
6. Inspect attached tags, local flags and relevant mission triggers.
7. Separate simulation changes from camera, audio, movie and input effects.
8. Record what you actually observe in a saved test. Treat unobserved possibilities as explanations to test.

For a worked path through an actual scenario, start with Lone Guardian. For changing states within one unit, start with the IFV, Chrono Miner and Slave Miner.

Every mobile piece: infantry, vehicles, ships and aircraft

Guide index | Engine workflow

A supplied desktop-runtime capture shows mobile objects sharing a battlefield: the selected MCV, tanks and infantry. Upstream project screenshot retained locally; illustrative desktop evidence, not an Android-device test.

One unit: an order becomes an effect



Shared explanatory workflow. Specific unit cards and mission overrides supply the differences.

A shared decision workflow for a mobile object. Explanatory diagram derived from the guide and local data; not a screenshot.

A catalogue entry is not a promise that you can construct it. This book covers every distinct registered type in either effective ruleset, including scenery, hidden/dormant records and weapon-managed objects. The same ID can change role between RA2 and Yuri. Campaign-only additions are listed at the end. Missing properties stay unspecified; a missing permission is not silently treated as yes or no.

Each card gives an ordinary-language workflow, then explicit rule settings. Workflows apply when the object is active and the relevant orders are legal; special map scripts can intervene. Numeric movement/sight/range settings are game units; delays are not automatically wall-clock seconds. For the shared firing procedure see Combat.

Reading an IFV

1. Start empty: the IFV uses its default weapon.
2. Load an infantry passenger.
3. Read that passenger's IFV mode, which chooses the configured vehicle role.
4. Use that mode's vehicle weapon rather than assuming the passenger fires the ordinary hand-held weapon.
5. Unload to return to the default configuration.

A Battle Fortress uses a different open-topped mechanism: eligible passengers contribute their own fire while carried. Neither mechanism makes all transport slots interchangeable.

Type index

GI (E1), Conscript (E2), Tesla Trooper (SHK), Engineer (ENGINEER), Rocketeer (JUMPJET), SEAL (GHOST), Yuri Clone (YURI), Crazy Ivan (IVAN), Desolator (DESO), Attack Dog (DOG), Civilian (CIV1), Civilian (CIV2), Civilian (CIV3), Technician (CTECH), Chem Spray Infantry (WEEDGUY), Chrono Legionnaire (CLEG), Spy (SPY), Chrono Commando (CCOMAND), Psi Commando (PTROOP), Chrono Ivan (CIVAN), Yuri Prime (YURIPR), Sniper (SNIPE), Cow (COW), Alligator (ALL), Tanya (TANY), Flak Trooper (FLAKT), Terrorist (TERROR), Engineer (SENGINEER), Attack Dog (ADOG), Civilian (VLADIMIR), Civilian (PENTGEN), President (PRES), Secret Service (SSRV), Civilian (CIVA), Civilian (CIVB), Civilian (CIVC), Civilian (CIVBBP), Civilian (CIVBFM), Civilian (CIVBF), Civilian (CIVBTM), Civilian (CIVSFM), Civilian (CIVSF), Civilian (CIVSTM), Polar Bear (POLARB), Monkey (JOSH), Allied Construction Vehicle (AMCV), War Miner (HARV), Apocalypse (APOC), Rhino Heavy Tank (HTNK), Amphibious Transport (SAPC), Automobile (CAR), School Bus (BUS), Recreational Vehicle (WINI), Pickup Truck (PICK), Grizzly Battle Tank (MTNK), War Miner (HORV), Truck (TRUCKA), Truck (loaded) (TRUCKB), Aircraft Carrier (CARRIER), V3 Launcher (V3), Kirov Airship (ZEP), Terror Drone (DRON), Flak Track (HTK), Destroyer (DEST), Typhoon Attack Sub (SUB), Aegis Cruiser (AEGIS), Amphibious Transport (LCRF), Dreadnought (DRED), NightHawk Transport (SHAD), Giant Squid (SQD), Dolphin (DLPH), Soviet Construction Vehicle (SMCV), Tank Destroyer (TNKD), Howitzer (HOWI), Tesla Tank (TTNK), Hind Transport (HIND), Lasher Light Tank (LTNK), Chrono Miner (CMON), Chrono Miner (CMIN), Prism Tank (SREF), Placeholder (XCOMET), Sea Scorpion (HYD), Mirage Tank (MGTK), IFV (FV), DEATHDUMMY (DEATHDUMMY), Vladimir's Command Ship (VLAD), Demolition Truck (DTRUCK), Propaganda Truck (PROPA), Excavator (CONA), Police Car (COP), Automobile (EUROC), Limousine (LIMO), Automobile (STANG), Automobile (SUVB), Automobile (SUVW), Taxi (TAXI), Pickup Truck (PTRUCK), Cruise Ship (CRUISE), Tug Boat (TUG), Coast Guard Boat (CDEST), APACHE (APACHE), Harrier (ORCA), Hornet (HORNET), V3 Rocket (V3ROCKET), Osprey (ASW), Missile (DMISL), Cargo Plane (PDPLANE), Black Eagle (BEAG), Cargo Plane (CARGOPLANE), Engineer (YENGINEER), Guardian GI (GGI), Initiate (INIT), Boris (BORIS), Brute (BRUTE), Virus (VIRUS), Cowboy (CLNT), Hero (ARND), Bodybuilder (STLN), Camel (CAML), Einstein (EINS), Mummy (MUMY), Premier Romanov (RMNV), Cosmonaut (LUNR), T-Rex (DNOA), Brachiosaurus (DNOB), Slave (SLAV), Mummy (WWLF), Attack Dog (YDOG), Attack Dog (YADOG), Amphibious Transport (YHVR), Yuri MCV (PCV), Slave Miner (SMIN), Chrono Miner(noback) (SMON), Yellow Cab (YCAB), Gattling Tank (YTNK), Battle Fortress (BFRT), Magnetron (TELE), Chaos Drone (CAOS), Bus (DDBX), Black Cab (BCAB), Boomer (BSUB), Siege Chopper (SCHP), Truck (JEEP), Master Mind (MIND), Floating Disc (DISK), ZZZ Not Used (UTNK), Robot Tank (ROBO), YDUM (YDUM), Siege Chopper (SCHD), Camera Dolly (DOLY), Cable Car (CBLC), Fire Truck (FTRK), Ambulance (AMBU), Passenger Plane (CIVP), MiG (BPLN), Spy Plane (SPYP), Missile (CMISL)

GI - E1

Registered in: Red Alert 2, Yuri's Revenge.

1. Walk and fire using the standing infantry weapon.
2. Deploy to stop movement and use the deployed attack state; undeploy before moving again.
3. Where permitted, enter an occupiable building and contribute the configured garrison weapon.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	200	200
Starting health capacity	125	125
Armor class	none	none
Movement rating	4	4
Sight radius setting	5	5
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE	GAPILE
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Immune to ordinary psychic control	no	no
Can be crushed	yes	yes
Fires on deployment	yes	yes
Passenger IFV mode	2	2
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10	10
Recycling value setting	150	100
Can garrison buildings	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: M60; Secondary: Para; Elite Primary: M60E; Elite Secondary: ParaE.

Data source: ra2.mix/local.mix/rules.ini, section E1, first property line 3131.

Yuri's Revenge weapon paths: Primary: M60; Secondary: Para; Occupy Weapon: UCPara; Elite Occupy Weapon: UCElitePara; Elite Primary: M60E; Elite Secondary: ParaE.

Data source: expandmd01.mix/rulesmd.ini, section E1, first property line 3714.

Conscript - E2

Registered in: Red Alert 2, Yuri's Revenge.

1. Move as basic Soviet infantry and engage eligible targets.
2. Enter a permitted civilian building or bunker to contribute its configured garrison fire.
3. Leave the building through its unload/deploy interaction when ordered.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	100	100
Starting health capacity	125	125
Armor class	flak	flak
Movement rating	4	4
Sight radius setting	5	5
Technology level	1	1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAHAND	NAHAND
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Passenger IFV mode	2	2
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	5	5
Recycling value setting	20	50
Can garrison buildings	yes	yes

Red Alert 2 weapon paths: Primary: M1Carbine; Elite Primary: M1CarbineE.

Data source: ra2.mix/local.mix/rules.ini, section E2, first property line 3222.

Yuri's Revenge weapon paths: Primary: M1Carbine; Occupy Weapon: UCM1Carbine; Elite Occupy Weapon: UCEliteM1Carbine; Elite Primary: M1CarbineE.

Data source: expandmd01.mix/rulesmd.ini, section E2, first property line 4328.

Tesla Trooper - SHK

Registered in: Red Alert 2, Yuri's Revenge.

1. Use its Tesla weapon against eligible targets.
2. Approach a friendly Tesla Coil through the supported power-up interaction.
3. Contribute to that coil while attached instead of acting as an independent firing soldier.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	130	130
Armor class	Plate	Plate
Movement rating	4	4
Sight radius setting	6	6
Technology level	5	5
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAHAND	NAHAND
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can be crushed	no	no
Passenger IFV mode	6	6
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	20	20
Recycling value setting	125	250

Red Alert 2 weapon paths: Primary: ElectricBolt; Secondary: AssaultBolt; Elite Primary: ElectricBoltE.

Data source: ra2.mix/local.mix/rules.ini, section SHK, first property line 3302.

Yuri's Revenge weapon paths: Primary: ElectricBolt; Secondary: AssaultBolt; Elite Primary: ElectricBoltE.

Data source: expandmd01.mix/rulesmd.ini, section SHK, first property line 4508.

Engineer - ENGINEER

Registered in: Red Alert 2, Yuri's Revenge.

1. Travel to a legal building or repair-hut entry.
2. Enter to capture an eligible enemy/neutral structure, repair a suitable friendly structure, or invoke bridge repair.
3. The mission can react to the entry/capture separately from destruction.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	75	75
Armor class	none	none
Movement rating	4	4
Sight radius setting	4	4
Technology level	1	1
Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Excluded countries	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	Barracks	Barracks
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Passenger IFV mode	1	1
Threat contribution	0	0
Recycling value setting	100	250

Red Alert 2 weapon paths: Primary: DefuseKit; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section ENGINEER, first property line 3343.

Yuri's Revenge weapon paths: Primary: DefuseKit; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section ENGINEER, first property line 3818.

Rocketeer - JUMPJET

Registered in: Red Alert 2, Yuri's Revenge.

1. Take off and use the jumpjet movement controller.
2. Move over ground obstacles while airborne and fire at supported targets.
3. Remain subject to anti-air targeting and landing/state rules; flying is not invulnerability.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	125	125
Armor class	none	none
Movement rating	9	9
Sight radius setting	8	8
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE,RADAR	GAPILE,RADAR
Permitted movement zone	Fly	Fly
Movement speed category	Hover	Hover
Transport size usage	1	1
Can be crushed	yes	yes
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15
Recycling value setting	500	300

Red Alert 2 weapon paths: Primary: 20mm; Elite Primary: 20mmE.

Data source: ra2.mix/local.mix/rules.ini, section JUMPJET, first property line 3434.

Yuri's Revenge weapon paths: Primary: 20mm; Elite Primary: 20mmE.

Data source: expandmd01.mix/rulesmd.ini, section JUMPJET, first property line 3917.

SEAL - GHOST

Registered in: Red Alert 2, Yuri's Revenge.

1. Move on supported land/water routes.
2. Use its gun against eligible targets.
3. Reach a legal demolition target and apply its C4 interaction.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	125	125
Armor class	flak	flak
Movement rating	5	5
Sight radius setting	8	8

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	9
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE,RADAR	GAPILE,RADAR
Permitted movement zone	AmphibiousDestroyer	AmphibiousDestroyer
Movement speed category	Amphibious	Amphibious
Transport size usage	1	1
Can be crushed	yes	yes
Passenger IFV mode	4	4
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,SCATTER,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,SCATTER,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF,FASTER	SELF_HEAL,STRONGER,FIREPOWER,ROF,FASTER
Naval-target selection mode	4	4
Threat contribution	25	25
Recycling value setting	1000	500
C4 capability	yes	yes

Red Alert 2 weapon paths: Primary: MP5; Secondary: Sapper; Elite Primary: MP5E.

Data source: ra2.mix/local.mix/rules.ini, section GHOST, first property line 3490.

Yuri's Revenge weapon paths: Primary: MP5; Secondary: Sapper; Elite Primary: MP5E.

Data source: expandmd01.mix/rulesmd.ini, section GHOST, first property line 4015.

Yuri Clone - YURI

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire a susceptible target through mind control.
2. Maintain its control relationship rather than dealing ordinary gun damage.
3. Deploy to invoke its close-area psychic attack; immunity and affected-side behavior depend on this version and weapon data.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	800
Starting health capacity	100	100
Armor class	none	none
Movement rating	4	4
Sight radius setting	12	12
Technology level	10	10
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required structures/groups	NAHAND,NATECH	YABRCK,NAPSIS
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Immune to ordinary psychic control	yes	yes
Fires on deployment	yes	yes
Passenger IFV mode	8	8
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	no	no
Recycling value setting	200	400

Red Alert 2 weapon paths: Primary: MindControl; Secondary: PsiWave.

Data source: ra2.mix/local.mix/rules.ini, section YURI, first property line 3591.

Yuri's Revenge weapon paths: Primary: MindControl; Secondary: PsiWave.

Data source: expandmd01.mix/rulesmd.ini, section YURI, first property line 5198.

Crazy Ivan - IVAN

Registered in: Red Alert 2, Yuri's Revenge.

1. Reach a target permitted by the bomb-placement interaction.
2. Attach a timed explosive.
3. Let its fuse/detonation/disarm rules resolve; the placement click is not an ordinary instant cannon shot.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	125	125
Armor class	none	none
Movement rating	4	4
Sight radius setting	6	6
Technology level	5	5
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAHAND,NARADR	NAHAND,NARADR
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Passenger IFV mode	7	7
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15
Insignificant-object flag	no	no
Explosive destruction flag	yes	yes
Recycling value setting	150	300

Red Alert 2 weapon paths: Primary: IvanBomber; Elite Primary: IvanBomberE.

Data source: ra2.mix/local.mix/rules.ini, section IVAN, first property line 3637.

Yuri's Revenge weapon paths: Primary: IvanBomber; Elite Primary: IvanBomberE.

Data source: expandmd01.mix/rulesmd.ini, section IVAN, first property line 4548.

Desolator - DESO

Registered in: Red Alert 2, Yuri's Revenge.

1. Use its mobile radiation weapon against supported targets.
2. Deploy to produce the configured radiation-area effect.
3. Handle exposure over time and undeploy before relocating.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	150	150
Armor class	plate	plate
Movement rating	4	4
Sight radius setting	6	6
Technology level	8	8
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required countries	Arabs	Arabs
Required structures/groups	NAHAND,RADAR	NAHAND,RADAR
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Self-healing	yes	yes
Immune to ordinary psychic control	no	no
Radiation immunity	yes	yes
Can be crushed	no	no
Fires on deployment	yes	yes
Passenger IFV mode	9	9
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	20	20
Recycling value setting	300	300
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: RadBeamWeapon; Secondary: RadEruptionWeapon; Elite Primary: RadBeamWeaponE.

Data source: ra2.mix/local.mix/rules.ini, section DESO, first property line 3685.

Yuri's Revenge weapon paths: Primary: RadBeamWeapon; Secondary: RadEruptionWeapon; Elite Primary: RadBeamWeaponE.

Data source: expandmd01.mix/rulesmd.ini, section DESO, first property line 4817.

Attack Dog - DOG

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire an eligible infantry target or help expose disguised infiltrators.
2. Close to the target and perform its lethal close attack.
3. Do not treat this as a general anti-vehicle weapon.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	200	200
Starting health capacity	100	100
Armor class	none	none
Movement rating	8	8
Sight radius setting	9	9
Technology level	2	2
Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Excluded countries	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance,YuriCountry

Setting	Red Alert 2	Yuri's Revenge
Required structures/groups	Barracks	Barracks
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Immune to ordinary psychic control	yes	yes
Radiation immunity	no	no
Passenger IFV mode	0	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	6	6
Threat contribution	20	20
Recycling value setting	50	100
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: BadTeeth; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section DOG, first property line 3784.

Yuri's Revenge weapon paths: Primary: BadTeeth; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section DOG, first property line 4370.

Civilian - CIV1

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIV1, first property line 3884.

Data source: expandmd01.mix/rulesmd.ini, section CIV1, first property line 5619.

Civilian - CIV2

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIV2, first property line 3920.

Data source: expandmd01.mix/rulesmd.ini, section CIV2, first property line 5655.

Civilian - CIV3

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIV3, first property line 3956.

Data source: expandmd01.mix/rulesmd.ini, section CIV3, first property line 5691.

Technician - CTECH

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section CTECH, first property line 4648.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section CTECH, first property line 6517.

Chem Spray Infantry - WEEDGUY

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	300	300
Starting health capacity	130	130
Armor class	none	none
Movement rating	6	6
Sight radius setting	4	4
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	BARRACKS	BARRACKS
Permitted movement zone	Infantry	Infantry

Setting	Red Alert 2	Yuri's Revenge
Resource cargo capacity	7	7
Threat contribution	0	0

Red Alert 2 weapon paths: Primary: NukeCarrier; Secondary: V3Cluster.

Data source: ra2.mix/local.mix/rules.ini, section WEEDGUY, first property line 4688.

Yuri's Revenge weapon paths: Primary: NukeCarrier; Secondary: V3Cluster.

Data source: expandmd01.mix/rulesmd.ini, section WEEDGUY, first property line 6557.

Chrono Legionnaire - CLEG

Registered in: Red Alert 2, Yuri's Revenge.

1. Teleport to the chosen location and wait out the applicable arrival recovery.
2. Attach its temporal weapon to a legal target and accumulate erasure progress.
3. If interrupted, handle release of the partially erased target; erasure is different from normal shell damage.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1500	1500
Starting health capacity	125	125
Armor class	none	none
Movement rating	5	5
Sight radius setting	8	8
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE,TECH	GAPILE,TECH
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can be crushed	no	no
Passenger IFV mode	10	10
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	20	20
Recycling value setting	1200	750
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: NeutronRifle; Elite Primary: NeutronRifleE.

Data source: ra2.mix/local.mix/rules.ini, section CLEG, first property line 3734.

Yuri's Revenge weapon paths: Primary: NeutronRifle; Elite Primary: NeutronRifleE.

Data source: expandmd01.mix/rulesmd.ini, section CLEG, first property line 4126.

Spy - SPY

Registered in: Red Alert 2, Yuri's Revenge.

1. Adopt an allowed enemy-infantry disguise.
2. Avoid detection and reach an eligible enemy building.
3. Apply that building type's infiltration result; the mission can also listen for the infiltration event.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	100	100
Armor class	flak	flak
Movement rating	4	4
Sight radius setting	9	9
Technology level	5	5
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE,GATECH	GAPILE,GATECH
Permitted movement zone	Infantry	Infantry
Can gain rank	no	no
Passenger IFV mode	2	2
Threat contribution	0	0
Recycling value setting	900	500

Red Alert 2 weapon paths: Primary: MakeupKit.

Data source: ra2.mix/local.mix/rules.ini, section SPY, first property line 4720.

Yuri's Revenge weapon paths: Primary: MakeupKit.

Data source: expandmd01.mix/rulesmd.ini, section SPY, first property line 3974.

Chrono Commando - CCOMAND

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the special chrono movement/arrival procedure where this record is available.
2. Use its infantry combat and demolition capabilities on supported targets.
3. Availability depends on the appropriate infiltration/special prerequisite or mission provision.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	100	100
Armor class	none	none
Movement rating	5	5
Sight radius setting	8	8
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE	BARRACKS
Needs stolen Allied technology	yes	yes
Permitted movement zone	Infantry	Infantry
Can be crushed	no	no
Passenger IFV mode	4	4
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	25	25
Recycling value setting	1000	1000

Red Alert 2 weapon paths: Primary: ChronoMP5; Secondary: FakeC4; Elite Primary: ChronoMP5E.

Data source: ra2.mix/local.mix/rules.ini, section CCOMAND, first property line 4809.

Yuri's Revenge weapon paths: Primary: ChronoMP5; Secondary: FakeC4; Elite Primary: ChronoMP5E.

Data source: expandmd01.mix/rulesmd.ini, section CCOMAND, first property line 4175.

Psi Commando - PTROOP

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the special commando record rather than the ordinary Yuri Clone.
2. Mind-control eligible enemies and use supported demolition interactions.
3. Check special prerequisite/infiltration availability before expecting it in a normal queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	100	100
Armor class	none	none
Movement rating	5	5
Sight radius setting	8	8
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE	BARRACKS
Needs stolen Soviet technology	yes	Not explicitly set
Permitted movement zone	Infantry	Infantry
Immune to ordinary psychic control	yes	yes
Can be crushed	no	no
Passenger IFV mode	4	4
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	25	25
Recycling value setting	1000	500
C4 capability	yes	yes
Needs stolen Yuri technology	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: MindControl; Elite Primary: MindControlE.

Data source: ra2.mix/local.mix/rules.ini, section PTROOP, first property line 4860.

Yuri's Revenge weapon paths: Primary: MindControl; Elite Primary: MindControlE.

Data source: expandmd01.mix/rulesmd.ini, section PTROOP, first property line 4227.

Chrono Ivan - CIVAN

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the chrono movement procedure and its arrival delay.
2. Reach a target eligible for an Ivan-style attached bomb.
3. Resolve the bomb separately; special production prerequisites govern access to this unit.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1750
Starting health capacity	100	100

Setting	Red Alert 2	Yuri's Revenge
Armor class	none	none
Movement rating	6	6
Sight radius setting	8	8
Technology level	9	9
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required structures/groups	NAHAND	BARRACKS
Needs stolen Allied technology	yes	Not explicitly set
Permitted movement zone	Infantry	Infantry
Can gain rank	no	no
Can be crushed	no	no
Passenger IFV mode	7	7
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	25	25
Recycling value setting	250	500
Needs stolen Soviet technology	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: IvanBomber.

Data source: ra2.mix/local.mix/rules.ini, section CIVAN, first property line 4909.

Yuri's Revenge weapon paths: Primary: IvanBomber.

Data source: expandmd01.mix/rulesmd.ini, section CIVAN, first property line 4662.

Yuri Prime - YURIPR

Registered in: Red Alert 2, Yuri's Revenge.

1. Use this specific hero record: RA2 and Yuri do not assign it identical availability or behavior.
2. Acquire eligible targets through its mind-control weapon; the Yuri version can also control suitable structures.
3. Use its deployment psychic effect and hover movement according to the selected rules.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	1500
Starting health capacity	200	150
Armor class	flak	flak
Movement rating	6	6
Sight radius setting	8	9
Technology level	9	10
Permitted country list	Russians,Confederation,Africans,Arabs	YuriCountry
Required structures/groups	NAHAND	YABRCK,YATECH
Needs stolen Soviet technology	yes	Not explicitly set
Build limit	1	1
Permitted movement zone	Infantry	AmphibiousDestroyer
Transport size usage	1	1
Immune to ordinary psychic control	yes	yes
Can be crushed	no	no

Setting	Red Alert 2	Yuri's Revenge
Fires on deployment	yes	yes
Passenger IFV mode	8	15
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	25	25
Recycling value setting	250	750
Movement speed category	Not explicitly set	Amphibious
Self-healing	Not explicitly set	yes
Psychic-weapon immunity	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: SuperMindControl; Secondary: PsiWave.

Data source: ra2.mix/local.mix/rules.ini, section YURIPR, first property line 4958.

Yuri's Revenge weapon paths: Primary: SuperMindControl; Secondary: SuperPsiWave.

Data source: expandmd01.mix/rulesmd.ini, section YURIPR, first property line 5247.

Sniper - SNIPE

Registered in: Red Alert 2, Yuri's Revenge.

1. Seek an infantry target within supported range.
2. Aim/fire its anti-infantry weapon.
3. Use the owner/country restrictions on the card; range does not grant an anti-tank role.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	125	125
Armor class	none	none
Movement rating	4	4
Sight radius setting	8	8
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required countries	British	British
Required structures/groups	GAPILE,RADAR	GAPILE,RADAR
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Immune to ordinary psychic control	no	no
Passenger IFV mode	5	5
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10	10
Recycling value setting	600	300
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: AWP; Elite Primary: AWPE.

Data source: ra2.mix/local.mix/rules.ini, section SNIPE, first property line 3180.

Yuri's Revenge weapon paths: Primary: AWP; Elite Primary: AWPE.

Data source: expandmd01.mix/rulesmd.ini, section SNIPE, first property line 4279.

Cow - COW

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	150	150
Armor class	none	none
Movement rating	4	4
Sight radius setting	4	4
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	2	2
Can be crushed	no	no
Passenger IFV mode	12	12
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	2000	200

Data source: ra2.mix/local.mix/rules.ini, section COW, first property line 4504.

Data source: expandmd01.mix/rulesmd.ini, section COW, first property line 5315.

Alligator - ALL

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	200	200
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	2	2
Can gain rank	no	no
Can be crushed	no	no

Setting	Red Alert 2	Yuri's Revenge
Passenger IFV mode	12	12
Threat contribution	2	2
Insignificant-object flag	no	no
Recycling value setting	2000	200

Red Alert 2 weapon paths: Primary: AlligatorBite; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section ALL, first property line 4541.

Yuri's Revenge weapon paths: Primary: AlligatorBite; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section ALL, first property line 5354.

Tanya - TANY

Registered in: Red Alert 2, Yuri's Revenge.

1. Move or swim toward the ordered target.
2. Use her infantry weapon against eligible enemies and C4 against supported close demolition targets.
3. Check the mission ledger: her death is a failure event in several scenarios, independently of the remaining army.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1500
Starting health capacity	125	200
Armor class	flak	flak
Movement rating	5	6
Sight radius setting	8	8
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE,GATECH	GAPILE,GATECH
Permitted movement zone	AmphibiousDestroyer	AmphibiousDestroyer
Movement speed category	Amphibious	Amphibious
Transport size usage	1	1
Can be crushed	yes	no
Passenger IFV mode	4	4
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,SCATTER	STRONGER,FIREPOWER,ROF,SIGHT,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	4	4
Threat contribution	25	25
Recycling value setting	1000	750
C4 capability	yes	yes
Build limit	Not explicitly set	1
Self-healing	Not explicitly set	yes
Immune to ordinary psychic control	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: DoublePistols; Secondary: Sapper; Elite Primary: DoublePistolsE.

Data source: ra2.mix/local.mix/rules.ini, section TANY, first property line 3541.

Yuri's Revenge weapon paths: Primary: DoublePistols; Secondary: Sapper; Elite Primary: DoublePistolsE; Elite Secondary: Sapper.

Data source: expandmd01.mix/rulesmd.ini, section TANY, first property line 4069.

Flak Trooper - FLAKT

Registered in: Red Alert 2, Yuri's Revenge.

1. Choose the ground or air weapon appropriate to the target.
2. Move into range and fire flak.
3. Resolve the projectile/warhead rather than assuming one shot always damages every nearby target equally.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	300	300
Starting health capacity	100	100
Armor class	none	none
Movement rating	4	4
Sight radius setting	5	5
Technology level	1	1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAHAND,NARADR	NAHAND,NARADR
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Passenger IFV mode	3	3
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	5	5
Recycling value setting	50	150

Red Alert 2 weapon paths: Primary: FlakGuyGun; Secondary: FlakGuyAAGun; Elite Primary: FlakGuyGunE; Elite Secondary: FlakGuyAAGunE.

Data source: ra2.mix/local.mix/rules.ini, section FLAKT, first property line 3261.

Yuri's Revenge weapon paths: Primary: FlakGuyGun; Secondary: FlakGuyAAGun; Elite Primary: FlakGuyGunE; Elite Secondary: FlakGuyAAGunE.

Data source: expandmd01.mix/rulesmd.ini, section FLAKT, first property line 4421.

Terrorist - TERROR

Registered in: Red Alert 2, Yuri's Revenge.

1. Approach the requested target.
2. Trigger its suicide explosive effect when the supported attack/detonation condition occurs.
3. Remove the attacker and resolve the explosion against nearby eligible objects.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	200	200
Starting health capacity	75	75
Armor class	flak	flak
Movement rating	6	6
Sight radius setting	9	9
Technology level	5	5
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required countries	Confederation	Confederation
Required structures/groups	NAHAND,RADAR	NAHAND,RADAR
Permitted movement zone	Infantry	Infantry

Setting	Red Alert 2	Yuri's Revenge
Can gain rank	no	no
Passenger IFV mode	11	11
Threat contribution	0	0
Explosive destruction flag	yes	yes
Recycling value setting	25	100

Red Alert 2 weapon paths: Primary: TerrorBomb; Death Weapon: TerrorBomb.

Data source: ra2.mix/local.mix/rules.ini, section TERROR, first property line 4762.

Yuri's Revenge weapon paths: Primary: TerrorBomb; Death Weapon: TerrorBomb.

Data source: expandmd01.mix/rulesmd.ini, section TERROR, first property line 4769.

Engineer - SENGINEER

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the Soviet Engineer type with its own art, owner and production restrictions.
2. Reach and enter a legal building or bridge-repair hut.
3. Apply capture/repair and notify attached mission logic.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	75	75
Armor class	none	none
Movement rating	4	4
Sight radius setting	4	4
Technology level	1	1
Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Excluded countries	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance,YuriCountry
Required structures/groups	Barracks	Barracks
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Passenger IFV mode	1	1
Threat contribution	0	0
Recycling value setting	100	250

Red Alert 2 weapon paths: Primary: DefuseKit; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section SENGINEER, first property line 3388.

Yuri's Revenge weapon paths: Primary: DefuseKit; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section SENGINEER, first property line 4462.

Attack Dog - ADOG

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the Allied dog record with its own appearance/owner rules.
2. Approach an eligible infantry target and perform the close attack.
3. Its detection role matters against spies even when other defenders accept a disguise.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	200	200
Starting health capacity	100	100
Armor class	none	none
Movement rating	8	8
Sight radius setting	9	9
Technology level	2	2
Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Excluded countries	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	Barracks	Barracks
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Immune to ordinary psychic control	yes	yes
Radiation immunity	no	no
Passenger IFV mode	0	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	6	6
Threat contribution	20	20
Recycling value setting	50	100
Attached bombs permitted	yes	yes

Red Alert 2 weapon paths: Primary: GoodTeeth; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section ADOG, first property line 3835.

Yuri's Revenge weapon paths: Primary: GoodTeeth; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section ADOG, first property line 3768.

Civilian - VLADIMIR

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1

Setting	Red Alert 2	Yuri's Revenge
Passenger IFV mode	0	0
Threat contribution	0	0
Recycling value setting	100	200

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section VLADIMIR, first property line 4360.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section VLADIMIR, first property line 6370.

Civilian - PENTGEN

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Passenger IFV mode	0	0
Threat contribution	0	0
Recycling value setting	100	200

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section PENTGEN, first property line 4396.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section PENTGEN, first property line 6407.

President - PRES

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Passenger IFV mode	12	12
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	2000

Data source: ra2.mix/local.mix/rules.ini, section PRES, first property line 4469.

Data source: expandmd01.mix/rulesmd.ini, section PRES, first property line 6480.

Secret Service - SSRV

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Passenger IFV mode	0	0
Threat contribution	0	0
Recycling value setting	100	100

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section SSRV, first property line 4433.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section SSRV, first property line 6444.

Civilian - CIVA

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section CIVA, first property line 3993.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section CIVA, first property line 5728.

Civilian - CIVB

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section CIVB, first property line 4030.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section CIVB, first property line 5765.

Civilian - CIVC

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Red Alert 2 weapon paths: Primary: Pistola.

Data source: ra2.mix/local.mix/rules.ini, section CIVC, first property line 4067.

Yuri's Revenge weapon paths: Primary: Pistola.

Data source: expandmd01.mix/rulesmd.ini, section CIVC, first property line 5802.

Civilian - CIVBBP

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVBBP, first property line 4105.

Data source: expandmd01.mix/rulesmd.ini, section CIVBBP, first property line 5840.

Civilian - CIVBFM

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVBFM, first property line 4142.

Data source: expandmd01.mix/rulesmd.ini, section CIVBFM, first property line 5877.

Civilian - CIVBF

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry

Setting	Red Alert 2	Yuri's Revenge
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVBF, first property line 4178.

Data source: expandmd01.mix/rulesmd.ini, section CIVBF, first property line 5913.

Civilian - CIVBTM

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVBTM, first property line 4214.

Data source: expandmd01.mix/rulesmd.ini, section CIVBTM, first property line 5949.

Civilian - CIVSFM

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVSFM, first property line 4251.

Data source: expandmd01.mix/rulesmd.ini, section CIVSFM, first property line 5986.

Civilian - CIVSF

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVSF, first property line 4287.

Data source: expandmd01.mix/rulesmd.ini, section CIVSF, first property line 6022.

Civilian - CIVSTM

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	50	50
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	1	1
Can gain rank	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	100	100

Data source: ra2.mix/local.mix/rules.ini, section CIVSTM, first property line 4323.

Data source: expandmd01.mix/rulesmd.ini, section CIVSTM, first property line 6058.

Polar Bear - POLARB

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	200	200
Armor class	none	none
Movement rating	4	4
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	2	2
Can gain rank	no	no
Can be crushed	no	no
Passenger IFV mode	12	12
Threat contribution	2	2
Insignificant-object flag	no	no
Recycling value setting	2000	200

Red Alert 2 weapon paths: Primary: BearBite; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section POLARB, first property line 4577.

Yuri's Revenge weapon paths: Primary: BearBite; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section POLARB, first property line 5391.

Monkey - JOSH

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	10	10
Starting health capacity	200	200
Armor class	none	none
Movement rating	6	6
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry	Infantry
Transport size usage	2	2
Can gain rank	no	no
Can be crushed	no	no
Passenger IFV mode	12	12
Threat contribution	2	2
Insignificant-object flag	no	no
Recycling value setting	2000	200

Red Alert 2 weapon paths: Primary: ChimpBite; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section JOSH, first property line 4612.

Yuri's Revenge weapon paths: Primary: ChimpBite; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section JOSH, first property line 5428.

Allied Construction Vehicle - AMCV

Registered in: Red Alert 2, Yuri's Revenge.

1. Move to a clear legal foundation.
2. Deploy into the Allied Construction Yard.
3. Use the resulting building's construction workflow; blocked foundations prevent deployment.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	3000	3000
Starting health capacity	1000	1000
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	6	6
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GADEPT	GAWEAP,GADEPT

Setting	Red Alert 2	Yuri's Revenge
Permitted movement zone	Normal	Normal
Transport size usage	6	6
Can gain rank	no	no
Can crush through ordinary crushing logic	yes	yes
Deploys into	GACNST	GACNST
Threat contribution	0	0
Recycling value setting	Not explicitly set	3000
Can enter tank bunkers	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section AMCV, first property line 6091.

Data source: expandmd01.mix/rulesmd.ini, section AMCV, first property line 6970.

War Miner - HARV

Registered in: Red Alert 2, Yuri's Revenge.

1. Collect resources into its cargo.
2. Drive back to a usable Soviet refinery, dock and unload.
3. Repeat the cycle; use its gun only against supported targets.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1400	1400
Starting health capacity	1000	1000
Armor class	medium	medium
Movement rating	4	4
Sight radius setting	4	4
Technology level	1	1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,PROC	NAWEAP,PROC
Permitted movement zone	Crusher	Crusher
Transport size usage	3	3
Resource cargo capacity	40	40
Self-healing	yes	yes
Immune to ordinary psychic control	yes	yes
Radiation immunity	yes	yes
Can crush through ordinary crushing logic	yes	yes
Conventional harvester behavior	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	0	0
Compatible aircraft docks	NAREFN,GAREFN	NAREFN,GAREFN
Resource-gathering role	Not explicitly set	yes
Recycling value setting	Not explicitly set	1400
Can enter tank bunkers	Not explicitly set	no

Red Alert 2 weapon paths: Primary: 20mmRapid; Elite Primary: 20mmRapidE.

Data source: ra2.mix/local.mix/rules.ini, section HARV, first property line 5925.

Yuri's Revenge weapon paths: Primary: 20mmRapid; Elite Primary: 20mmRapidE.

Data source: expandmd01.mix/rulesmd.ini, section HARV, first property line 8216.

Apocalypse - APOC

Registered in: Red Alert 2, Yuri's Revenge.

1. Advance as a heavy tank and choose the ground cannon or anti-air weapon for the target.
2. Wait for the relevant reload/burst and resolve the shot.
3. Use its self-healing and rank properties as defined; it is not immune to all special effects.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1750	1750
Starting health capacity	800	800
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	6	6
Technology level	7	7
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,NATECH	NAWEAP,NATECH
Permitted movement zone	Destroyer	Destroyer
Transport size usage	6	6
Self-healing	yes	yes
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40	40
Explosive destruction flag	yes	yes
Production-time multiplier	Not explicitly set	1.0
Recycling value setting	Not explicitly set	1750

Red Alert 2 weapon paths: Primary: 120mmx; Secondary: MammothTusk; Elite Primary: 120mmxE.

Data source: ra2.mix/local.mix/rules.ini, section APOC, first property line 5012.

Yuri's Revenge weapon paths: Primary: 120mmx; Secondary: MammothTusk; Elite Primary: 120mmxE.

Data source: expandmd01.mix/rulesmd.ini, section APOC, first property line 7789.

Rhino Heavy Tank - HTNK

Registered in: Red Alert 2, Yuri's Revenge.

1. Move into range using the tracked ground controller.
2. Fire the Rhino's cannon at eligible targets.
3. Repeat or accept a new order; crushing and target armor affect its practical role.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	900	900
Starting health capacity	400	400
Armor class	heavy	heavy
Movement rating	6	6

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	8	8
Technology level	2	2
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Destroyer	Destroyer
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40	40
Production-time multiplier	Not explicitly set	1.3
Recycling value setting	Not explicitly set	900

Red Alert 2 weapon paths: Primary: 120mm; Elite Primary: 120mmE.

Data source: ra2.mix/local.mix/rules.ini, section HTNK, first property line 6476.

Yuri's Revenge weapon paths: Primary: 120mm; Elite Primary: 120mmE.

Data source: expandmd01.mix/rulesmd.ini, section HTNK, first property line 7684.

Amphibious Transport - SAPC

Registered in: Red Alert 2, Yuri's Revenge.

1. Load infantry or vehicles permitted by passenger-size/capacity rules.
2. Travel over legal land/water to a usable unloading shore or location.
3. Unload into available cells; do not assume a full transport can unload onto blocked terrain.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	900	900
Starting health capacity	300	300
Armor class	heavy	heavy
Movement rating	6	6
Sight radius setting	6	6
Technology level	2	2
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAYARD	NAYARD
Permitted movement zone	Amphibious	Amphibious
Movement speed category	Hover	Hover
Passenger slot capacity	12	12
Largest passenger-size setting	6	6
Transport size usage	15	15
Can gain rank	no	no
Can crush through ordinary crushing logic	yes	yes
Naval role	yes	yes
Threat contribution	10	10
Recycling value setting	Not explicitly set	900

Setting	Red Alert 2	Yuri's Revenge
Can enter tank bunkers	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section SAPC, first property line 6947.

Data source: expandmd01.mix/rulesmd.ini, section SAPC, first property line 7882.

Automobile - CAR

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section CAR, first property line 6382.

Data source: expandmd01.mix/rulesmd.ini, section CAR, first property line 9556.

School Bus - BUS

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Passenger slot capacity	5	5
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section BUS, first property line 6287.

Data source: expandmd01.mix/rulesmd.ini, section BUS, first property line 9359.

Recreational Vehicle - WINI

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section WINI, first property line 6429.

Data source: expandmd01.mix/rulesmd.ini, section WINI, first property line 9605.

Pickup Truck - PICK

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section PICK, first property line 6334.

Data source: expandmd01.mix/rulesmd.ini, section PICK, first property line 9506.

Grizzly Battle Tank - MTNK

Registered in: Red Alert 2, Yuri's Revenge.

1. Move into a usable ground firing position.
2. Fire its Grizzly cannon at an eligible target.
3. Recheck range and reload as the target moves.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	700	700
Starting health capacity	300	300
Armor class	heavy	heavy
Movement rating	7	7
Sight radius setting	8	8
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance

Setting	Red Alert 2	Yuri's Revenge
Required structures/groups	GAWEAP	GAWEAP
Permitted movement zone	Normal	Normal
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15
Production-time multiplier	Not explicitly set	1.5
Recycling value setting	Not explicitly set	700

Red Alert 2 weapon paths: Primary: 105mm; Elite Primary: 105mmE.

Data source: ra2.mix/local.mix/rules.ini, section MTNK, first property line 6570.

Yuri's Revenge weapon paths: Primary: 105mm; Elite Primary: 105mmE.

Data source: expandmd01.mix/rulesmd.ini, section MTNK, first property line 6604.

War Miner - HORV

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1400	1400
Starting health capacity	1000	1000
Armor class	medium	medium
Movement rating	4	4
Sight radius setting	4	4
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Permitted movement zone	Crusher	Crusher
Self-healing	yes	yes
Radiation immunity	yes	yes
Can crush through ordinary crushing logic	yes	yes
Conventional harvester behavior	yes	yes
Threat contribution	0	0
Compatible aircraft docks	NAREFN,GAREFN	NAREFN,GAREFN

Data source: ra2.mix/local.mix/rules.ini, section HORV, first property line 5885.

Data source: expandmd01.mix/rulesmd.ini, section HORV, first property line 8175.

Truck - TRUCKA

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	0
Starting health capacity	200	200
Armor class	light	light
Movement rating	4	4
Sight radius setting	5	5
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Normal	Normal
Transport size usage	6	6
Can gain rank	no	no
Self-healing	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section TRUCKA, first property line 5105.

Data source: expandmd01.mix/rulesmd.ini, section TRUCKA, first property line 9176.

Truck (loaded) - TRUCKB

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	0
Starting health capacity	200	200
Armor class	light	light
Movement rating	4	4
Sight radius setting	5	5
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Normal	Normal
Transport size usage	6	6
Can gain rank	no	no
Self-healing	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section TRUCKB, first property line 5143.

Data source: expandmd01.mix/rulesmd.ini, section TRUCKB, first property line 9216.

Aircraft Carrier - CARRIER

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire a supported strike target.
2. Launch its managed Hornet aircraft, which fly and attack separately.
3. Recover/rearm or replace attackers according to the spawn-manager settings.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	800	800
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	7	7
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAYARD,TECH	GAYARD,TECH
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	50	50
Can crush through ordinary crushing logic	no	no
Spawned attacker type	HORNET	HORNET
Managed attacker count	3	3
Attacker replacement delay	600	600
Attacker reload delay	150	150
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Threat contribution	25	25
Recycling value setting	Not explicitly set	2000

Red Alert 2 weapon paths: Primary: HornetLauncher.

Data source: ra2.mix/local.mix/rules.ini, section CARRIER, first property line 5348.

Yuri's Revenge weapon paths: Primary: HornetLauncher.

Data source: expandmd01.mix/rulesmd.ini, section CARRIER, first property line 7250.

V3 Launcher - V3

Registered in: Red Alert 2, Yuri's Revenge.

1. Select a valid bombardment target.
2. Raise/launch its spawned rocket under its missile-manager rules.
3. Resolve the rocket's flight and impact separately, then prepare another attack.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	800	800
Starting health capacity	150	150
Armor class	light	light

Setting	Red Alert 2	Yuri's Revenge
Movement rating	4	4
Sight radius setting	7	7
Technology level	3	3
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,NARADR	NAWEAP,NARADR
Permitted movement zone	Destroyer	Destroyer
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Spawned attacker type	V3ROCKET	V3ROCKET
Managed attacker count	1	1
Attacker replacement delay	400	400
Attacker reload delay	0	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	25	25
Recycling value setting	Not explicitly set	800
Can enter tank bunkers	Not explicitly set	no

Red Alert 2 weapon paths: Primary: V3Launcher.

Data source: ra2.mix/local.mix/rules.ini, section V3, first property line 5712.

Yuri's Revenge weapon paths: Primary: V3Launcher.

Data source: expandmd01.mix/rulesmd.ini, section V3, first property line 7734.

Kirov Airship - ZEP

Registered in: Red Alert 2, Yuri's Revenge.

1. Fly slowly toward a usable bombing position.
2. Release bombs on eligible targets.
3. Remain exposed to anti-air and use its configured crash/death effects if destroyed.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	2000	2000
Armor class	light	medium
Movement rating	5	5
Sight radius setting	8	8
Technology level	10	10
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,NATECH	NAWEAP,NATECH
Permitted movement zone	Fly	Fly
Movement speed category	Hover	Hover
Transport size usage	50	50
Self-healing	Yes	Yes
Hidden from radar	no	no

Setting	Red Alert 2	Yuri's Revenge
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	30	30
Recycling value setting	Not explicitly set	2000
Can enter tank bunkers	Not explicitly set	no

Red Alert 2 weapon paths: Primary: BlimpBomb; Elite Primary: BlimpBombE.

Data source: ra2.mix/local.mix/rules.ini, section ZEP, first property line 7982.

Yuri's Revenge weapon paths: Primary: BlimpBomb; Elite Primary: BlimpBombE.

Data source: expandmd01.mix/rulesmd.ini, section ZEP, first property line 11213.

Terror Drone - DRON

Registered in: Red Alert 2, Yuri's Revenge.

1. Reach a valid ground victim.
2. Enter its parasite interaction and cause internal damage.
3. Handle victim destruction or supported repair/removal; the drone does not keep acting as an ordinary visible tank.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	100	100
Armor class	special_1	special_1
Movement rating	10	10
Sight radius setting	4	4
Technology level	4	4
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Destroyer	Destroyer
Transport size usage	2	2
Can gain rank	no	no
Immune to ordinary psychic control	yes	yes
Radiation immunity	yes	yes
Can crush through ordinary crushing logic	no	no
Naval-target selection mode	6	6
Threat contribution	25	25
Explosive destruction flag	no	no
Recycling value setting	Not explicitly set	500
Can enter tank bunkers	Not explicitly set	no

Red Alert 2 weapon paths: Primary: DroneJump; Secondary: VirtualScanner.

Data source: ra2.mix/local.mix/rules.ini, section DRON, first property line 5763.

Yuri's Revenge weapon paths: Primary: DroneJump; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section DRON, first property line 7570.

Flak Track - HTK

Registered in: Red Alert 2, Yuri's Revenge.

1. Choose flak fire for an eligible target or load infantry as ordered.
2. Carry passengers to a reachable destination.
3. Unload through the supported transport interaction; cargo and weapon roles coexist.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	180	180
Armor class	heavy	heavy
Movement rating	8	8
Sight radius setting	8	8
Technology level	3	3
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Passenger slot capacity	5	5
Largest passenger-size setting	2	2
Transport size usage	3	3
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10	10
Recycling value setting	Not explicitly set	500

Red Alert 2 weapon paths: Primary: FlakTrackGun; Secondary: FlakTrackAAGun; Elite Primary: FlakTrackGunE; Elite Secondary: FlakTrackAAGunE.

Data source: ra2.mix/local.mix/rules.ini, section HTK, first property line 6232.

Yuri's Revenge weapon paths: Primary: FlakTrackGun; Secondary: FlakTrackAAGun; Elite Primary: FlakTrackGunE; Elite Secondary: FlakTrackAAGunE.

Data source: expandmd01.mix/rulesmd.ini, section HTK, first property line 7627.

Destroyer - DEST

Registered in: Red Alert 2, Yuri's Revenge.

1. Engage supported surface/shore targets with its gun.
2. Use its spawned anti-submarine aircraft for supported submerged targets.
3. Manage that aircraft separately from the ship's own gun/reload.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600
Armor class	heavy	heavy
Movement rating	6	6
Sight radius setting	7	7
Technology level	4	4
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAYARD	GAYARD

Setting	Red Alert 2	Yuri's Revenge
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	30	30
Can crush through ordinary crushing logic	no	no
Detector service	yes	yes
Detection range setting	8	8
Spawned attacker type	ASW	ASW
Managed attacker count	1	1
Attacker replacement delay	400	400
Attacker reload delay	150	150
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Naval-target selection mode	1	1
Threat contribution	15	15
Recycling value setting	Not explicitly set	1000

Red Alert 2 weapon paths: Primary: 155mm; Secondary: ASWLauncher; Elite Primary: 155mmE.

Data source: ra2.mix/local.mix/rules.ini, section DEST, first property line 5657.

Yuri's Revenge weapon paths: Primary: 155mm; Secondary: ASWLauncher; Elite Primary: 155mmE.

Data source: expandmd01.mix/rulesmd.ini, section DEST, first property line 7076.

Typhoon Attack Sub - SUB

Registered in: Red Alert 2, Yuri's Revenge.

1. Move through legal water using its submerged/cloak state.
2. Reveal/engage as required to fire at eligible naval targets.
3. Remain subject to detection and anti-submarine weapons.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	4	4
Technology level	2	2
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAYARD	NAYARD
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	20	20
Can crush through ordinary crushing logic	no	no
Can cloak	yes	yes
Detector service	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Detection range setting	4	7
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	5	5
Threat contribution	20	20
Recycling value setting	Not explicitly set	1000

Red Alert 2 weapon paths: Primary: SubTorpedo; Elite Primary: SubTorpedoE.

Data source: ra2.mix/local.mix/rules.ini, section SUB, first property line 5183.

Yuri's Revenge weapon paths: Primary: SubTorpedo; Elite Primary: SubTorpedoE.

Data source: expandmd01.mix/rulesmd.ini, section SUB, first property line 8002.

Aegis Cruiser - AEGIS

Registered in: Red Alert 2, Yuri's Revenge.

1. Scan for eligible air or missile targets.
2. Choose and fire its anti-air weapon.
3. Use reload/weapon-selection rules; its anti-air role does not imply a shore cannon.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	1200
Starting health capacity	800	800
Armor class	light	light
Movement rating	4	4
Sight radius setting	8	8
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAYARD,RADAR	GAYARD,RADAR
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	30	30
Can crush through ordinary crushing logic	no	no
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	6	6
Threat contribution	25	25
Recycling value setting	Not explicitly set	1200

Red Alert 2 weapon paths: Primary: Medusa; Elite Primary: MedusaE.

Data source: ra2.mix/local.mix/rules.ini, section AEGIS, first property line 5286.

Yuri's Revenge weapon paths: Primary: Medusa; Elite Primary: MedusaE.

Data source: expandmd01.mix/rulesmd.ini, section AEGIS, first property line 7187.

Amphibious Transport - LCRF

Registered in: Red Alert 2, Yuri's Revenge.

1. Load infantry or vehicles permitted by passenger-size/capacity rules.
2. Travel over legal land/water to a usable unloading shore or location.
3. Unload into available cells; do not assume a full transport can unload onto blocked terrain.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	900	900
Starting health capacity	300	300
Armor class	light	light
Movement rating	6	6
Sight radius setting	6	6
Technology level	4	4
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAYARD	GAYARD
Permitted movement zone	Amphibious	Amphibious
Movement speed category	Hover	Hover
Passenger slot capacity	12	12
Largest passenger-size setting	6	6
Transport size usage	16	16
Can gain rank	no	no
Can crush through ordinary crushing logic	no	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Threat contribution	3	3
Recycling value setting	Not explicitly set	900
Can enter tank bunkers	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section LCRF, first property line 6168.

Data source: expandmd01.mix/rulesmd.ini, section LCRF, first property line 7013.

Dreadnought - DRED

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire a supported bombardment target.
2. Launch its managed missile attackers.
3. Resolve independent missile travel/impact and prepare subsequent launches.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	800	800
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	7	7

Setting	Red Alert 2	Yuri's Revenge
Technology level	6	6
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAYARD,NATECH	NAYARD,NATECH
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	50	50
Can crush through ordinary crushing logic	no	no
Spawned attacker type	DMISL	DMISL
Managed attacker count	2	2
Attacker replacement delay	80	80
Attacker reload delay	0	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Threat contribution	25	25
Recycling value setting	Not explicitly set	2000

Red Alert 2 weapon paths: Primary: DredLauncher.

Data source: ra2.mix/local.mix/rules.ini, section DRED, first property line 5451.

Yuri's Revenge weapon paths: Primary: DredLauncher.

Data source: expandmd01.mix/rulesmd.ini, section DRED, first property line 8120.

NightHawk Transport - SHAD

Registered in: Red Alert 2, Yuri's Revenge.

1. Load eligible infantry.
2. Fly to a legal destination and unload.
3. Use its gun where supported; radar invisibility does not mean immunity to visual detection or anti-air.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	175	175
Armor class	light	light
Movement rating	14	14
Sight radius setting	7	7
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP	GAWEAP
Permitted movement zone	Fly	Fly
Movement speed category	Hover	Hover
Passenger slot capacity	5	5
Largest passenger-size setting	2	2
Transport size usage	15	15
Can gain rank	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Hidden from radar	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	0	0
Can enter tank bunkers	Not explicitly set	no

Red Alert 2 weapon paths: Primary: BlackHawkCannon; Elite Primary: BlackHawkCannonE.

Data source: ra2.mix/local.mix/rules.ini, section SHAD, first property line 7913.

Yuri's Revenge weapon paths: Primary: BlackHawkCannon; Elite Primary: BlackHawkCannonE.

Data source: expandmd01.mix/rulesmd.ini, section SHAD, first property line 10512.

Giant Squid - SQD

Registered in: Red Alert 2, Yuri's Revenge.

1. Approach a legal naval victim.
2. Attach through the squid/parasite-like special interaction and damage it.
3. Handle release/interruption; Dolphin counterplay does not make every weapon a release tool.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	200	200
Armor class	light	light
Movement rating	8	8
Sight radius setting	5	5
Technology level	9	9
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAYARD,NATECH	NAYARD,NATECH
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	30	30
Can gain rank	yes	yes
Self-healing	yes	yes
Immune to ordinary psychic control	yes	yes
Can crush through ordinary crushing logic	no	no
Can cloak	yes	yes
Detector service	yes	yes
Detection range setting	4	8
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	STRONGER,FIREPOWER,ROF	STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	3	3
Threat contribution	25	25
Explosive destruction flag	no	no

Setting	Red Alert 2	Yuri's Revenge
Attached bombs permitted	yes	yes
Recycling value setting	Not explicitly set	1000

Red Alert 2 weapon paths: Primary: SquidGrab; Secondary: SquidPunch; Elite Primary: SquidGrabE; Elite Secondary: SquidPunchE.

Data source: ra2.mix/local.mix/rules.ini, section SQD, first property line 5819.

Yuri's Revenge weapon paths: Primary: SquidGrab; Secondary: SquidPunch; Elite Primary: SquidGrabE; Elite Secondary: SquidPunchE.

Data source: expandmd01.mix/rulesmd.ini, section SQD, first property line 8052.

Dolphin - DLPH

Registered in: Red Alert 2, Yuri's Revenge.

1. Move through valid water and use its cloak/detection-related state.
2. Fire its sonic weapon at supported naval targets.
3. Its supported interaction can help free squid-held ships; check actual target/effect eligibility.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	200	200
Armor class	light	light
Movement rating	8	8
Sight radius setting	4	4
Technology level	5	5
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAYARD,GATECH	GAYARD,GATECH
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	15	15
Can cloak	yes	yes
Detector service	yes	yes
Detection range setting	4	8
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	5	5
Threat contribution	20	20
Recycling value setting	Not explicitly set	500

Red Alert 2 weapon paths: Primary: SonicZap; Elite Primary: SonicZapE.

Data source: ra2.mix/local.mix/rules.ini, section DLPH, first property line 5231.

Yuri's Revenge weapon paths: Primary: SonicZap; Elite Primary: SonicZapE.

Data source: expandmd01.mix/rulesmd.ini, section DLPH, first property line 7131.

Soviet Construction Vehicle - SMCV

Registered in: Red Alert 2, Yuri's Revenge.

1. Find a legal foundation and deploy into the Soviet Construction Yard.

2. Update the owner's building availability.
3. Use the yard's building queue until sold, destroyed or undeployed where allowed.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	3000	3000
Starting health capacity	1000	1000
Armor class	heavy	heavy
Movement rating	4	4
Sight radius setting	6	6
Technology level	10	10
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,NADEPT	NAWEAP,NADEPT
Permitted movement zone	Normal	Normal
Transport size usage	6	6
Can gain rank	no	no
Can crush through ordinary crushing logic	yes	yes
Deploys into	NACNST	NACNST
Threat contribution	0	0
Recycling value setting	Not explicitly set	3000
Can enter tank bunkers	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section SMCV, first property line 6130.

Data source: expandmd01.mix/rulesmd.ini, section SMCV, first property line 7839.

Tank Destroyer - TNKD

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the country-restricted tank-destroyer record when available.
2. Engage armored ground targets with its specialized weapon.
3. Check effectiveness against other armor classes instead of assuming universal superiority.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	900	900
Starting health capacity	400	400
Armor class	heavy	heavy
Movement rating	5	5
Sight radius setting	8	8
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required countries	Germans	Germans
Required structures/groups	GAWEAP,RADAR	GAWEAP,RADAR
Permitted movement zone	Normal	Normal
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15

Setting	Red Alert 2	Yuri's Revenge
Recycling value setting	Not explicitly set	900

Red Alert 2 weapon paths: Primary: SABOT; Elite Primary: SABOTE.

Data source: ra2.mix/local.mix/rules.ini, section TNKD, first property line 6863.

Yuri's Revenge weapon paths: Primary: SABOT; Elite Primary: SABOTE.

Data source: expandmd01.mix/rulesmd.ini, section TNKD, first property line 7477.

Howitzer - HOWI

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	750	750
Starting health capacity	200	200
Armor class	light	light
Movement rating	5	5
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required countries	Alliance	Alliance
Required structures/groups	GAWEAP	GAWEAP
Permitted movement zone	Normal	Normal
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15
Recycling value setting	Not explicitly set	750

Red Alert 2 weapon paths: Primary: HowitzerGun.

Data source: ra2.mix/local.mix/rules.ini, section HOWI, first property line 6906.

Yuri's Revenge weapon paths: Primary: HowitzerGun.

Data source: expandmd01.mix/rulesmd.ini, section HOWI, first property line 7522.

Tesla Tank - TTNK

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the country-restricted Tesla Tank when available.
2. Move into range and fire its electric weapon.
3. Apply the actual warhead effectiveness and recharge rules.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	1200
Starting health capacity	300	300
Armor class	heavy	heavy

Setting	Red Alert 2	Yuri's Revenge
Movement rating	6	6
Sight radius setting	8	8
Technology level	10	10
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required countries	Russians	Russians
Required structures/groups	NAWEAP,NARADR	NAWEAP,NARADR
Permitted movement zone	Destroyer	Destroyer
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40	40
Production-time multiplier	Not explicitly set	1.2
Recycling value setting	Not explicitly set	1200

Red Alert 2 weapon paths: Primary: TankBolt; Elite Primary: TankBoltE.

Data source: ra2.mix/local.mix/rules.ini, section TTNK, first property line 7016.

Yuri's Revenge weapon paths: Primary: TankBolt; Elite Primary: TankBoltE.

Data source: expandmd01.mix/rulesmd.ini, section TTNK, first property line 8331.

Hind Transport - HIND

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	300	300
Armor class	light	light
Movement rating	15	15
Sight radius setting	7	7
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required countries	Confederation	Confederation
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Fly	Fly
Movement speed category	Hover	Hover
Passenger slot capacity	10	10
Largest passenger-size setting	2	2
Transport size usage	15	15
Hidden from radar	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER

Setting	Red Alert 2	Yuri's Revenge
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	0	0

Red Alert 2 weapon paths: Primary: BlackHawkCannon.

Data source: ra2.mix/local.mix/rules.ini, section HIND, first property line 7851.

Yuri's Revenge weapon paths: Primary: BlackHawkCannon.

Data source: expandmd01.mix/rulesmd.ini, section HIND, first property line 10811.

Lasher Light Tank - LTNK

Registered in: Red Alert 2, Yuri's Revenge.

1. Compare versions: this ID is a legacy Light Tank in RA2 and Yuri's Lasher in the expansion.
2. Use the selected version's eligibility, weapon and health.
3. Move and fire as that version's ground tank; do not import the expansion's availability into RA2.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	700
Starting health capacity	200	300
Armor class	heavy	heavy
Movement rating	8	7
Sight radius setting	8	8
Technology level	-1	2
Permitted country list	Russians,Confederation,Africans,Arabs	YuriCountry
Required countries	Arabs	Not explicitly set
Required structures/groups	NAWEAP	YAWEAP
Permitted movement zone	Destroyer	Destroyer
Transport size usage	6	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40	40
Production-time multiplier	Not explicitly set	1.5
Recycling value setting	Not explicitly set	700

Red Alert 2 weapon paths: Primary: 90mm.

Data source: ra2.mix/local.mix/rules.ini, section LTNK, first property line 6523.

Yuri's Revenge weapon paths: Primary: ATGUN; Elite Primary: ATGUNE.

Data source: expandmd01.mix/rulesmd.ini, section LTNK, first property line 8435.

Chrono Miner - CMON

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1400	1400

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	medium	medium
Movement rating	4	4
Sight radius setting	4	4
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Permitted movement zone	Crusher	Crusher
Can gain rank	no	no
Self-healing	yes	yes
Radiation immunity	yes	yes
Can crush through ordinary crushing logic	yes	yes
Conventional harvester behavior	yes	yes
Threat contribution	0	0
Compatible aircraft docks	NAREFN,GAREFN	NAREFN,GAREFN

Data source: ra2.mix/local.mix/rules.ini, section CMON, first property line 5983.

Data source: expandmd01.mix/rulesmd.ini, section CMON, first property line 7304.

Chrono Miner - CMIN

Registered in: Red Alert 2, Yuri's Revenge.

1. Drive outward to a resource field.
2. Collect cargo and invoke its chrono return toward a usable refinery.
3. Unload and repeat; valid destination/placement constraints still apply.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1400	1400
Starting health capacity	1000	1000
Armor class	medium	medium
Movement rating	4	4
Sight radius setting	4	4
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,PROC	GAWEAP,PROC
Permitted movement zone	Crusher	Crusher
Transport size usage	3	3
Resource cargo capacity	20	20
Can gain rank	no	no
Self-healing	yes	yes
Immune to ordinary psychic control	yes	yes
Radiation immunity	yes	yes
Can crush through ordinary crushing logic	yes	yes
Conventional harvester behavior	yes	yes
Threat contribution	0	0

Setting	Red Alert 2	Yuri's Revenge
Compatible aircraft docks	NAREFN,GAREFN	NAREFN,GAREFN
Resource-gathering role	Not explicitly set	yes
Recycling value setting	Not explicitly set	1400
Can enter tank bunkers	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section CMIN, first property line 6029.

Data source: expandmd01.mix/rulesmd.ini, section CMIN, first property line 7352.

Prism Tank - SREF

Registered in: Red Alert 2, Yuri's Revenge.

1. Position within its prism weapon range.
2. Fire the primary beam.
3. Resolve its configured follow-on/splitting effects through the weapon/warhead chain.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	1200
Starting health capacity	150	150
Armor class	light	light
Movement rating	4	4
Sight radius setting	8	8
Technology level	8	8
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GATECH	GAWEAP,GATECH
Permitted movement zone	Destroyer	Destroyer
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40	40
Recycling value setting	Not explicitly set	1200

Red Alert 2 weapon paths: Weapon1: Comet; Elite Weapon1: SuperComet.

Data source: ra2.mix/local.mix/rules.ini, section SREF, first property line 7062.

Yuri's Revenge weapon paths: Weapon1: Comet; Elite Weapon1: SuperComet.

Data source: expandmd01.mix/rulesmd.ini, section SREF, first property line 6862.

Placeholder - XCOMET

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	300	300
Armor class	heavy	heavy

Setting	Red Alert 2	Yuri's Revenge
Movement rating	4	4
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GATECH	GAWEAP,GATECH
Permitted movement zone	Destroyer	Destroyer
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Threat contribution	40	40

Red Alert 2 weapon paths: Primary: CometFragment; Secondary: TeslaFragment; Elite Primary: SuperCometFragment.

Data source: ra2.mix/local.mix/rules.ini, section XCOMET, first property line 7114.

Yuri's Revenge weapon paths: Primary: CometFragment; Secondary: TeslaFragment; Elite Primary: SuperCometFragment.

Data source: expandmd01.mix/rulesmd.ini, section XCOMET, first property line 9657.

Sea Scorpion - HYD

Registered in: Red Alert 2, Yuri's Revenge.

1. Move on legal water.
2. Choose supported air/ground flak targeting.
3. Resolve flak attacks while protecting more specialized naval attackers.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	400	400
Armor class	heavy	heavy
Movement rating	8	8
Sight radius setting	8	8
Technology level	6	6
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required structures/groups	NAYARD,NARADR	NAYARD,NARADR
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	20	20
Can crush through ordinary crushing logic	no	no
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Threat contribution	25	25
Recycling value setting	Not explicitly set	600

Red Alert 2 weapon paths: Primary: FlakTrackGun; Secondary: FlakWeapon; Elite Primary: FlakTrackGunE; Elite Secondary: FlakWeaponE.

Data source: ra2.mix/local.mix/rules.ini, section HYD, first property line 5609.

Yuri's Revenge weapon paths: Primary: FlakTrackGun; Secondary: FlakWeapon; Elite Primary: FlakTrackGunE; Elite Secondary: FlakWeaponE.

Data source: expandmd01.mix/rulesmd.ini, section HYD, first property line 7954.

Mirage Tank - MGTK

Registered in: Red Alert 2, Yuri's Revenge.

1. Move visibly to position.
2. When stationary, use its configured disguise behavior.
3. Fire at eligible enemies, briefly exposing the attack state; disguise does not add armor.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	200	200
Armor class	light	light
Movement rating	7	7
Sight radius setting	9	9
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GATECH	GAWEAP,GATECH
Permitted movement zone	Normal	Normal
Transport size usage	3	3
Can crush through ordinary crushing logic	yes	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15	15
Recycling value setting	Not explicitly set	1000

Red Alert 2 weapon paths: Primary: MirageGun; Elite Secondary: MirageGunE.

Data source: ra2.mix/local.mix/rules.ini, section MGTK, first property line 6615.

Yuri's Revenge weapon paths: Primary: MirageGun; Elite Secondary: MirageGunE.

Data source: expandmd01.mix/rulesmd.ini, section MGTK, first property line 6808.

IFV - FV

Registered in: Red Alert 2, Yuri's Revenge.

1. With no passenger, use the IFV's default weapon.
2. Load one eligible infantry passenger and read its IFV mode.
3. Switch the vehicle's weapon/turret role accordingly; an Engineer produces a repair role, not an offensive machine gun.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	200	200
Armor class	light	light
Movement rating	10	10
Sight radius setting	8	8
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP	GAWEAP
Permitted movement zone	Normal	Normal

Setting	Red Alert 2	Yuri's Revenge
Passenger slot capacity	1	1
Largest passenger-size setting	1	1
Transport size usage	3	3
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10	10
Recycling value setting	Not explicitly set	600

Red Alert 2 weapon paths: Primary: HoverMissile; Weapon1: HoverMissile; Elite Weapon1: HoverMissileE; Weapon2: RepairBullet; Elite Weapon2: RepairBullet; Weapon3: CRM60; Elite Weapon3: CRM60; Weapon4: CRFlakGuyGun; Elite Weapon4: CRFlakGuyGun; Weapon5: CRMP5; Elite Weapon5: CRMP5; Weapon6: AWPE; Elite Weapon6: AWPE; Weapon7: CRElectricBolt; Elite Weapon7: CRElectricBolt; Weapon8: CRNuke; Elite Weapon8: CRNuke; Weapon9: CRMindControl; Elite Weapon9: CRMindControl; Weapon10: CRRadBeamWeapon; Elite Weapon10: CRRadBeamWeapon; Weapon11: CRNeutronRifle; Elite Weapon11: CRNeutronRifle; Weapon12: CRTerrorBomb; Elite Weapon12: CRTerrorBomb; Weapon13: CowShot; Elite Weapon13: CowShot; Death Weapon: CRNuke; Elite Primary: HoverMissileE.

Data source: ra2.mix/local.mix/rules.ini, section FV, first property line 6667.

Yuri's Revenge weapon paths: Primary: HoverMissile; Weapon1: HoverMissile; Elite Weapon1: HoverMissileE; Weapon2: RepairBullet; Elite Weapon2: RepairBullet; Weapon3: CRM60; Elite Weapon3: CRM60; Weapon4: CRFlakGuyGun; Elite Weapon4: CRFlakGuyGun; Weapon5: CRMP5; Elite Weapon5: CRMP5; Weapon6: AWPE; Elite Weapon6: AWPE; Weapon7: CRElectricBolt; Elite Weapon7: CRElectricBolt; Weapon8: CRNuke; Elite Weapon8: CRNuke; Weapon9: CRMindControl; Elite Weapon9: CRMindControl; Weapon10: CRRadBeamWeapon; Elite Weapon10: CRRadBeamWeapon; Weapon11: CRNeutronRifle; Elite Weapon11: CRNeutronRifle; Weapon12: CRTerrorBomb; Elite Weapon12: CRTerrorBomb; Weapon13: CowShot; Elite Weapon13: CowShot; Weapon14: CRPsychicJab; Elite Weapon14: CRPsychicJab; Weapon15: CRVirusGun; Elite Weapon15: CRVirusGun; Weapon16: CRSuperMindBlast; Elite Weapon16: CRSuperMindBlast; Weapon17: CRMissileLauncher; Elite Weapon17: CRMissileLauncher; Death Weapon: CRNuke; Elite Primary: HoverMissileE.

Data source: expandmd01.mix/rulesmd.ini, section FV, first property line 6655.

DEATHDUMMY - DEATHDUMMY

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge

Red Alert 2 weapon paths: Primary: DefaultDeathWeapon.

Data source: ra2.mix/local.mix/rules.ini, section DEATHDUMMY, first property line 6859.

Yuri's Revenge weapon paths: Primary: DefaultDeathWeapon.

Data source: expandmd01.mix/rulesmd.ini, section DEATHDUMMY, first property line 9654.

Vladimir's Command Ship - VLAD

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2500	2500
Starting health capacity	1500	1500

Setting	Red Alert 2	Yuri's Revenge
Armor class	heavy	heavy
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Excluded countries	Russians	Russians
Required structures/groups	NAYARD,NATECH	NAYARD,NATECH
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Transport size usage	50	50
Can crush through ordinary crushing logic	no	no
Spawned attacker type	DMISL	DMISL
Managed attacker count	2	2
Attacker replacement delay	80	80
Attacker reload delay	0	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Threat contribution	25	25
Recycling value setting	Not explicitly set	2500

Red Alert 2 weapon paths: Primary: DredLauncher.

Data source: ra2.mix/local.mix/rules.ini, section VLAD, first property line 5556.

Yuri's Revenge weapon paths: Primary: DredLauncher.

Data source: expandmd01.mix/rulesmd.ini, section VLAD, first property line 9121.

Demolition Truck - DTRUCK

Registered in: Red Alert 2, Yuri's Revenge.

1. Drive toward its intended detonation position.
2. Trigger its configured death/suicide explosion.
3. Resolve the explosive/radiation effects, including danger to friendly objects.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1500	1500
Starting health capacity	150	150
Armor class	light	light
Movement rating	5	5
Sight radius setting	5	5
Technology level	10	10
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Required countries	Africans	Africans
Required structures/groups	NAWEAP,RADAR	NAWEAP,RADAR
Permitted movement zone	Normal	Normal

Setting	Red Alert 2	Yuri's Revenge
Transport size usage	3	3
Can gain rank	no	no
Self-healing	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	50	50
Explosive destruction flag	yes	yes
Recycling value setting	Not explicitly set	1500

Red Alert 2 weapon paths: Primary: Demobomb; Death Weapon: Demobomb.

Data source: ra2.mix/local.mix/rules.ini, section DTRUCK, first property line 5059.

Yuri's Revenge weapon paths: Primary: Demobomb; Death Weapon: Demobomb.

Data source: expandmd01.mix/rulesmd.ini, section DTRUCK, first property line 8381.

Propaganda Truck - PROPA

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Passenger slot capacity	5	5
Largest passenger-size setting	2	2
Transport size usage	3	3
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0

Data source: ra2.mix/local.mix/rules.ini, section PROPA, first property line 7158.

Data source: expandmd01.mix/rulesmd.ini, section PROPA, first property line 9701.

Excavator - CONA

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.

3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	3	3
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section CONA, first property line 7205.

Data source: expandmd01.mix/rulesmd.ini, section CONA, first property line 9749.

Police Car - COP

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no

Setting	Red Alert 2	Yuri's Revenge
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section COP, first property line 7253.

Data source: expandmd01.mix/rulesmd.ini, section COP, first property line 9799.

Automobile - EUROC

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section EUROC, first property line 7301.

Data source: expandmd01.mix/rulesmd.ini, section EUROC, first property line 9849.

Limousine - LIMO

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100

Setting	Red Alert 2	Yuri's Revenge
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section LIMO, first property line 7348.

Data source: expandmd01.mix/rulesmd.ini, section LIMO, first property line 9898.

Automobile - STANG

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section STANG, first property line 7395.

Data source: expandmd01.mix/rulesmd.ini, section STANG, first property line 9947.

Automobile - SUVB

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section SUVB, first property line 7442.

Data source: expandmd01.mix/rulesmd.ini, section SUVB, first property line 9996.

Automobile - SUVW

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section SUVW, first property line 7489.

Data source: expandmd01.mix/rulesmd.ini, section SUVW, first property line 10045.

Taxi - TAXI

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section TAXI, first property line 7536.

Data source: expandmd01.mix/rulesmd.ini, section TAXI, first property line 10094.

Pickup Truck - PTRUCK

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	0	0
Starting health capacity	100	100
Armor class	light	light
Movement rating	8	8
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Normal	Normal
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section PTRUCK, first property line 7583.

Data source: expandmd01.mix/rulesmd.ini, section PTRUCK, first property line 10293.

Cruise Ship - CRUISE

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	0
Starting health capacity	300	300
Armor class	light	light
Movement rating	4	4
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry

Setting	Red Alert 2	Yuri's Revenge
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	yes	yes
Naval role	yes	yes
Threat contribution	0	0
Insignificant-object flag	yes	yes
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section CRUISE, first property line 7630.

Data source: expandmd01.mix/rulesmd.ini, section CRUISE, first property line 10342.

Tug Boat - TUG

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	0
Starting health capacity	200	200
Armor class	light	light
Movement rating	4	4
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP	NAWEAP
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Largest passenger-size setting	2	2
Transport size usage	6	6
Can gain rank	no	no
Immune to ordinary psychic control	no	no
Radiation immunity	no	no
Can crush through ordinary crushing logic	yes	yes
Naval role	yes	yes
Threat contribution	0	0
Insignificant-object flag	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Recycling value setting	Not explicitly set	100

Data source: ra2.mix/local.mix/rules.ini, section TUG, first property line 7682.

Data source: expandmd01.mix/rulesmd.ini, section TUG, first property line 10396.

Coast Guard Boat - CDEST

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600
Armor class	light	light
Movement rating	6	6
Sight radius setting	7	7
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Permitted movement zone	Water	Water
Movement speed category	Float	Float
Can crush through ordinary crushing logic	yes	yes
Detector service	yes	yes
Detection range setting	8	8
Spawned attacker type	ASW	ASW
Managed attacker count	1	1
Attacker replacement delay	400	400
Attacker reload delay	150	150
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes	yes
Naval-target selection mode	1	1
Threat contribution	15	15

Red Alert 2 weapon paths: Primary: 155mm; Secondary: ASWLauncher; Elite Primary: 155mmE.

Data source: ra2.mix/local.mix/rules.ini, section CDEST, first property line 7733.

Yuri's Revenge weapon paths: Primary: 155mm; Secondary: ASWLauncher; Elite Primary: 155mmE.

Data source: expandmd01.mix/rulesmd.ini, section CDEST, first property line 10449.

APACHE - APACHE

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Red Alert 2	Yuri's Revenge

Data source: ra2.mix/local.mix/rules.ini, section APACHE, first property line 0.

Data source: expandmd01.mix/rulesmd.ini, section APACHE, first property line 0.

Harrier - ORCA

Registered in: Red Alert 2, Yuri's Revenge.

1. Launch from a usable airfield slot with ammunition.
2. Fly to the target, perform its allowed attack and expend ammunition.
3. Return to a compatible pad to reload and repeat as ordered.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	1200
Starting health capacity	150	150
Armor class	light	light
Movement rating	14	14
Sight radius setting	8	8
Technology level	3	3
Permitted country list	British,French,Germans,Americans	British,French,Germans,Americans
Excluded countries	Alliance	Alliance
Required structures/groups	RADAR	RADAR
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	STRONGER,FIREPOWER,ROF	STRONGER,FIREPOWER,ROF
Threat contribution	20	20
Compatible aircraft docks	GAAIRC,AMRADR	GAAIRC,AMRADR

Red Alert 2 weapon paths: Primary: Maverick; Elite Primary: MaverickE.

Data source: ra2.mix/local.mix/rules.ini, section ORCA, first property line 7786.

Yuri's Revenge weapon paths: Primary: Maverick; Elite Primary: MaverickE.

Data source: expandmd01.mix/rulesmd.ini, section ORCA, first property line 10583.

Hornet - HORNET

Registered in: Red Alert 2, Yuri's Revenge.

1. Be managed by a carrier rather than bought as an ordinary standalone queue item.
2. Fly to the carrier's selected target and attack.
3. Return or be replaced through the carrier's spawn manager.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	50	50
Starting health capacity	75	75
Armor class	light	light
Movement rating	12	12
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance

Setting	Red Alert 2	Yuri's Revenge
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Managed spawned object	yes	yes
Veteran improvements	STRONGER,FIREPOWER	STRONGER,FIREPOWER
Elite improvements	STRONGER,FIREPOWER	STRONGER,FIREPOWER
Threat contribution	10	10

Red Alert 2 weapon paths: Primary: HornetBomb; Secondary: HornetCollision; Elite Primary: HornetBombE.

Data source: ra2.mix/local.mix/rules.ini, section HORNET, first property line 8044.

Yuri's Revenge weapon paths: Primary: HornetBomb; Secondary: HornetCollision; Elite Primary: HornetBombE.

Data source: expandmd01.mix/rulesmd.ini, section HORNET, first property line 10695.

V3 Rocket - V3ROCKET

Registered in: Red Alert 2, Yuri's Revenge.

1. Be spawned by the V3 launch procedure.
2. Follow its missile movement toward the designated impact.
3. Apply its impact/death weapon rather than recruiting it as a reusable tank.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	50	50
Starting health capacity	50	50
Armor class	special_2	special_2
Movement rating	15	15
Sight radius setting	1	1
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Permitted movement zone	Fly	Fly
Can gain rank	no	no
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Managed spawned object	yes	yes
Threat contribution	10	10
Explosive destruction flag	no	no

Data source: ra2.mix/local.mix/rules.ini, section V3ROCKET, first property line 8181.

Data source: expandmd01.mix/rulesmd.ini, section V3ROCKET, first property line 11365.

Osprey - ASW

Registered in: Red Alert 2, Yuri's Revenge.

1. Be supplied/managed by the Destroyer's spawn mechanism.
2. Approach a supported submarine target and attack.
3. Return/reload or be replaced through that mechanism.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	50	50

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	30	30
Armor class	light	light
Movement rating	12	12
Sight radius setting	2	2
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Managed spawned object	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	2	2
Threat contribution	10	10

Red Alert 2 weapon paths: Primary: ASWBomb; Secondary: ASWCollision.

Data source: ra2.mix/local.mix/rules.ini, section ASW, first property line 8133.

Yuri's Revenge weapon paths: Primary: ASWBomb; Secondary: ASWCollision.

Data source: expandmd01.mix/rulesmd.ini, section ASW, first property line 10647.

Missile - DMISL

Registered in: Red Alert 2, Yuri's Revenge.

1. Be supplied through the Dreadnought missile mechanism.
2. Travel toward its assigned target.
3. Resolve its weapon/impact and be consumed by that attack.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	50	50
Starting health capacity	50	50
Armor class	special_2	special_2
Movement rating	20	18
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Permitted movement zone	Fly	Fly
Can gain rank	no	no
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Managed spawned object	yes	yes
Threat contribution	10	10
Explosive destruction flag	no	no

Data source: ra2.mix/local.mix/rules.ini, section DMISL, first property line 8094.

Data source: expandmd01.mix/rulesmd.ini, section DMISL, first property line 11405.

Cargo Plane - PDPLANE

Registered in: Red Alert 2, Yuri's Revenge.

1. Enter as a scripted/special-weapon delivery aircraft.
2. Carry the configured payload to the drop area.
3. Release its parachuting cargo and complete the delivery path.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	light	light
Movement rating	15	15
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Managed spawned object	yes	yes
Threat contribution	0	0

Red Alert 2 weapon paths: Primary: ParaDropWeapon.

Data source: ra2.mix/local.mix/rules.ini, section PDPLANE, first property line 8257.

Yuri's Revenge weapon paths: Primary: ParaDropWeapon.

Data source: expandmd01.mix/rulesmd.ini, section PDPLANE, first property line 11537.

Black Eagle - BEAG

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the Korean aircraft's own weapon and availability.
2. Launch, approach and attack a supported target.
3. Return to a usable aircraft pad for rearming.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1200	1200
Starting health capacity	200	200
Armor class	light	light
Movement rating	14	14
Sight radius setting	8	8
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required countries	Alliance	Alliance
Required structures/groups	RADAR	RADAR
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	STRONGER,FIREPOWER,ROF	STRONGER,FIREPOWER,ROF

Setting	Red Alert 2	Yuri's Revenge
Threat contribution	20	20
Compatible aircraft docks	GAAIRC,AMRADR	GAAIRC,AMRADR

Red Alert 2 weapon paths: Primary: Maverick2; Elite Primary: Maverick2E.

Data source: ra2.mix/local.mix/rules.ini, section BEAG, first property line 8329.

Yuri's Revenge weapon paths: Primary: Maverick2; Elite Primary: Maverick2E.

Data source: expandmd01.mix/rulesmd.ini, section BEAG, first property line 10748.

Cargo Plane - CARGOPLANE

Registered in: Red Alert 2, Yuri's Revenge.

1. Use this separate transport-aircraft record when a script/ability supplies it.
2. Move to its delivery destination with the prescribed cargo.
3. Complete unloading/drop and departure through that mission/ability.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	light	light
Movement rating	15	15
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Fly	Fly
Immune to ordinary psychic control	yes	yes
Hidden from radar	no	no
Threat contribution	0	0

Data source: ra2.mix/local.mix/rules.ini, section CARGOPLANE, first property line 8293.

Data source: expandmd01.mix/rulesmd.ini, section CARGOPLANE, first property line 11573.

Engineer - YENGINEER

Registered in: Yuri's Revenge.

1. Use the Yuri Engineer type and its production restrictions.
2. Reach a legal building or repair-hut entry.
3. Apply the supported capture or repair operation.

Setting	Yuri's Revenge
Price in credits	500
Starting health capacity	75
Armor class	none
Movement rating	4
Sight radius setting	4
Technology level	1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Excluded countries	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs
Required structures/groups	Barracks

Setting	Yuri's Revenge
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Passenger IFV mode	1
Threat contribution	0
Recycling value setting	250

Yuri's Revenge weapon paths: Primary: DefuseKit; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section YENGINEER, first property line 5059.

Guardian GI - GGI

Registered in: Yuri's Revenge.

1. Fight with the standing weapon while mobile.
2. Deploy to switch into the guarded anti-vehicle/anti-air role.
3. Undeploy to move; the deployed and mobile states have different combat restrictions.

Setting	Yuri's Revenge
Price in credits	400
Starting health capacity	100
Armor class	none
Movement rating	3
Sight radius setting	6
Technology level	2
Permitted country list	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE
Permitted movement zone	Infantry
Transport size usage	1
Immune to ordinary psychic control	no
Can be crushed	yes
Fires on deployment	yes
Crushable while deployed	no
Passenger IFV mode	16
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10
Recycling value setting	150
Can garrison buildings	no
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: M60; Secondary: MissileLauncher; Elite Primary: M60E; Elite Secondary: MissileLauncherE.

Data source: expandmd01.mix/rulesmd.ini, section GGI, first property line 3864.

Initiate - INIT

Registered in: Yuri's Revenge.

1. Use its psychic attack as ordinary damage against supported targets.

2. Enter permitted civilian buildings to contribute garrison fire.
3. Do not confuse the Initiate's visual psychic attack with ownership-changing mind control.

Setting	Yuri's Revenge
Price in credits	200
Starting health capacity	100
Armor class	none
Movement rating	4
Sight radius setting	9
Technology level	1
Permitted country list	YuriCountry
Required structures/groups	YABRCK
Permitted movement zone	Infantry
Transport size usage	1
Passenger IFV mode	13
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	5
Recycling value setting	100
Can garrison buildings	yes

Yuri's Revenge weapon paths: Primary: PsychicJab; Occupy Weapon: UCPsychicJab; Elite Occupy Weapon: UCElitePsychicJab; Elite Primary: PsychicJabE.

Data source: expandmd01.mix/rulesmd.ini, section INIT, first property line 4871.

Boris - BORIS

Registered in: Yuri's Revenge.

1. Fire his personal weapon at supported combat targets.
2. Designate a supported structure for a MiG airstrike.
3. Let the aircraft arrival/attack procedure resolve while preserving Boris if the mission requires him.

Setting	Yuri's Revenge
Price in credits	1500
Starting health capacity	200
Armor class	flak
Movement rating	5
Sight radius setting	9
Technology level	9
Permitted country list	Russians,Confederation,Africans,Arabs
Required structures/groups	NAHAND,NATECH
Build limit	1
Permitted movement zone	Infantry
Transport size usage	1
Self-healing	yes
Immune to ordinary psychic control	yes
Can be crushed	no

Setting	Yuri's Revenge
Passenger IFV mode	4
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	4
Threat contribution	25
Recycling value setting	750
Psychic-weapon immunity	no

Yuri's Revenge weapon paths: Primary: AKM; Secondary: Flare; Elite Primary: AKME.

Data source: expandmd01.mix/rulesmd.ini, section BORIS, first property line 4594.

Brute - BRUTE

Registered in: Yuri's Revenge.

1. Close on an eligible ground target.
2. Apply its close anti-vehicle/infantry combat according to its weapons.
3. Use its immunity and crushing restrictions; appearance alone does not define target eligibility.

Setting	Yuri's Revenge
Price in credits	500
Starting health capacity	200
Armor class	plate
Movement rating	6
Sight radius setting	8
Technology level	5
Permitted country list	YuriCountry
Required structures/groups	YABRCK
Permitted movement zone	InfantryDestroyer
Transport size usage	2
Self-healing	yes
Immune to ordinary psychic control	yes
Can be crushed	no
Passenger IFV mode	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	20
Recycling value setting	250

Yuri's Revenge weapon paths: Primary: Punch; Secondary: Smash; Elite Primary: PunchE; Elite Secondary: SmashE.

Data source: expandmd01.mix/rulesmd.ini, section BRUTE, first property line 5105.

Virus - VIRUS

Registered in: Yuri's Revenge.

1. Aim at eligible infantry at long range.
2. Apply the configured toxic kill/effect.
3. The resulting poison cloud can affect other nearby susceptible infantry over time.

Setting	Yuri's Revenge
Price in credits	700
Starting health capacity	100
Armor class	none
Movement rating	4
Sight radius setting	9
Technology level	1
Permitted country list	YuriCountry
Required structures/groups	YABRCK,RADAR
Permitted movement zone	Infantry
Transport size usage	1
Immune to ordinary psychic control	no
Passenger IFV mode	14
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	10
Recycling value setting	350
Poison immunity	yes
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: Virusgun; Elite Primary: VirusgunE.

Data source: expandmd01.mix/rulesmd.ini, section VIRUS, first property line 5156.

Cowboy - CLNT

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	200
Armor class	plate
Movement rating	6
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Passenger IFV mode	4
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	200

Yuri's Revenge weapon paths: Primary: CLINTGUN.

Data source: expandmd01.mix/rulesmd.ini, section CLNT, first property line 6093.

Hero - ARND

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	200
Armor class	plate
Movement rating	6
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Passenger IFV mode	4
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Yuri's Revenge weapon paths: Primary: TERMIGUN.

Data source: expandmd01.mix/rulesmd.ini, section ARND, first property line 6134.

Bodybuilder - STLN

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	200
Armor class	plate
Movement rating	6
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Passenger IFV mode	4

Setting	Yuri's Revenge
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	200

Yuri's Revenge weapon paths: Primary: STALGUN; Secondary: STALGREN.

Data source: expandmd01.mix/rulesmd.ini, section STLN, first property line 6175.

Camel - CAML

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	200
Armor class	none
Movement rating	6
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	2
Can gain rank	no
Can be crushed	no
Passenger IFV mode	12
Threat contribution	2
Insignificant-object flag	no
Recycling value setting	200

Data source: expandmd01.mix/rulesmd.ini, section CAML, first property line 5466.

Einstein - EINS

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	50
Armor class	none
Movement rating	4
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry

Setting	Yuri's Revenge
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	200

Data source: expandmd01.mix/rulesmd.ini, section EINS, first property line 6217.

Mummy - MUMY

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	100
Starting health capacity	400
Armor class	plate
Movement rating	3
Sight radius setting	6
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Self-healing	yes
Immune to ordinary psychic control	yes
Threat contribution	0
Recycling value setting	200

Yuri's Revenge weapon paths: Primary: Mummypunch; Secondary: Mummysmash.

Data source: expandmd01.mix/rulesmd.ini, section MUMY, first property line 6253.

Premier Romanov - RMNV

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	50
Armor class	none
Movement rating	4
Sight radius setting	2

Setting	Yuri's Revenge
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section RMNV, first property line 6331.

Cosmonaut - LUNR

Registered in: Yuri's Revenge.

1. Use the lunar infantry record and its flight/movement properties.
2. Engage supported targets with its laser weapon.
3. Its campaign availability and lunar rules are distinct from an ordinary Rocketeer.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	125
Armor class	none
Movement rating	9
Sight radius setting	8
Technology level	11
Permitted country list	Russians,Confederation,Africans,Arabs
Required structures/groups	NAPILE,RADAR
Permitted movement zone	Fly
Movement speed category	Hover
Transport size usage	1
Can be crushed	yes
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15
Recycling value setting	250

Yuri's Revenge weapon paths: Primary: Lunarlaser; Elite Primary: Lunarlaser.

Data source: expandmd01.mix/rulesmd.ini, section LUNR, first property line 4711.

T-Rex - DNOA

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	2700

Setting	Yuri's Revenge
Starting health capacity	300
Armor class	Plate
Movement rating	8
Sight radius setting	5
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	30
Can gain rank	no
Self-healing	yes
Immune to ordinary psychic control	yes
Can be crushed	no
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	STRONGER,FIREPOWER,ROF
Threat contribution	25
Explosive destruction flag	no
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: TRexInfBite; Secondary: TRexBite.

Data source: expandmd01.mix/rulesmd.ini, section DNOA, first property line 5505.

Brachiosaurus - DNOB

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	200
Armor class	light
Movement rating	8
Sight radius setting	5
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Water
Movement speed category	Float
Transport size usage	30
Can gain rank	no
Self-healing	yes
Immune to ordinary psychic control	yes
Can be crushed	no
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER

Setting	Yuri's Revenge
Elite improvements	STRONGER,FIREPOWER,ROF
Threat contribution	25
Explosive destruction flag	no
Recycling value setting	200
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: ChimpBite; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section DNOB, first property line 5559.

Slave - SLAV

Registered in: Yuri's Revenge.

1. Belong to a Slave Miner's worker-management relationship while assigned.
2. Travel to ore, collect and return it to the deployed miner.
3. Handle death/replacement or release through that manager and the scenario, rather than treating the worker as a second refinery.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	125
Armor class	none
Movement rating	3
Sight radius setting	5
Technology level	-1
Permitted country list	YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Resource cargo capacity	4
Immune to ordinary psychic control	yes
Passenger IFV mode	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	2
Recycling value setting	0

Yuri's Revenge weapon paths: Primary: SHOVEL; Elite Primary: SHOVEL.

Data source: expandmd01.mix/rulesmd.ini, section SLAV, first property line 5016.

Mummy - WWLF

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	10
Starting health capacity	50
Armor class	none

Setting	Yuri's Revenge
Movement rating	4
Sight radius setting	2
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	200

Data source: expandmd01.mix/rulesmd.ini, section WWLF, first property line 6294.

Attack Dog - YDOG

Registered in: Yuri's Revenge.

1. Use this registered dog variant only where placed or made available.
2. Follow its own weapon and movement record.
3. Do not infer normal buildability from the dog name.

Setting	Yuri's Revenge
Price in credits	200
Starting health capacity	100
Armor class	none
Movement rating	8
Sight radius setting	9
Technology level	2
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required countries	YuriCountry
Required structures/groups	NAHAND
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Immune to ordinary psychic control	yes
Radiation immunity	no
Passenger IFV mode	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	6
Threat contribution	20
Recycling value setting	50
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: BadTeeth; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section YDOG, first property line 4965.

Attack Dog - YADOG

Registered in: Yuri's Revenge.

1. Use this separate registered dog variant only where supplied.
2. Follow its own attack and movement record.
3. Compare its actual availability with the ordinary Allied dog.

Setting	Yuri's Revenge
Price in credits	200
Starting health capacity	100
Armor class	none
Movement rating	8
Sight radius setting	9
Technology level	2
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry,British,French,Germans,Americans,Alliance
Required countries	YuriCountry
Required structures/groups	GAPILE
Permitted movement zone	Infantry
Transport size usage	1
Can gain rank	no
Immune to ordinary psychic control	yes
Radiation immunity	no
Passenger IFV mode	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER,SCATTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval-target selection mode	6
Threat contribution	20
Recycling value setting	50
Attached bombs permitted	yes

Yuri's Revenge weapon paths: Primary: GoodTeeth; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section YADOG, first property line 4914.

Amphibious Transport - YHVR

Registered in: Yuri's Revenge.

1. Load infantry or vehicles permitted by passenger-size/capacity rules.
2. Travel over legal land/water to a usable unloading shore or location.
3. Unload into available cells; do not assume a full transport can unload onto blocked terrain.

Setting	Yuri's Revenge
Price in credits	900
Starting health capacity	300
Armor class	heavy
Movement rating	6
Sight radius setting	6
Technology level	2

Setting	Yuri's Revenge
Permitted country list	YuriCountry
Required structures/groups	YAYARD
Permitted movement zone	Amphibious
Movement speed category	Hover
Passenger slot capacity	12
Largest passenger-size setting	6
Transport size usage	15
Can gain rank	no
Can crush through ordinary crushing logic	yes
Naval role	yes
Threat contribution	10
Recycling value setting	900
Can enter tank bunkers	no

Data source: expandmd01.mix/rulesmd.ini, section YHVR, first property line 8871.

Yuri MCV - PCV

Registered in: Yuri's Revenge.

1. Move to a legal deployment position.
2. Become Yuri's Construction Yard.
3. Use its distinct faction prerequisites and production list.

Setting	Yuri's Revenge
Price in credits	3000
Starting health capacity	1000
Armor class	heavy
Movement rating	4
Sight radius setting	8
Technology level	10
Permitted country list	YuriCountry
Required structures/groups	YAWEAP,YAGRND
Permitted movement zone	Normal
Transport size usage	6
Can gain rank	no
Can crush through ordinary crushing logic	yes
Deploys into	YACNST
Threat contribution	0
Recycling value setting	3000
Can enter tank bunkers	no

Data source: expandmd01.mix/rulesmd.ini, section PCV, first property line 8827.

Slave Miner - SMIN

Registered in: Yuri's Revenge.

1. Move next to an accessible deposit and deploy into the linked refinery form.

2. Supply and manage slave workers gathering into that deployed miner.
3. Undeploy to relocate; worker replacement has a configured delay.

Setting	Yuri's Revenge
Price in credits	1750
Starting health capacity	2000
Armor class	medium
Movement rating	3
Sight radius setting	4
Technology level	1
Permitted country list	YuriCountry
Required structures/groups	YAWEAP
Permitted movement zone	Crusher
Transport size usage	3
Resource cargo capacity	20
Selling forbidden	yes
Can gain rank	yes
Self-healing	yes
Immune to ordinary psychic control	yes
Radiation immunity	yes
Can crush through ordinary crushing logic	yes
Deploys into	YAREFN
Resource-gathering role	yes
Resource-delivery destination	yes
Managed worker type	SLAV
Worker count	5
Worker replacement delay	500
Worker delivery delay	25
Threat contribution	0
Production-time multiplier	0.8
Recycling value setting	1750
Can enter tank bunkers	no

Yuri's Revenge weapon paths: Primary: 20mmRapid; Elite Primary: 20mmRapidE.

Data source: expandmd01.mix/rulesmd.ini, section SMIN, first property line 9043.

Chrono Miner(noback) - SMON

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	1400
Starting health capacity	1000
Armor class	medium

Setting	Yuri's Revenge
Movement rating	4
Sight radius setting	4
Technology level	-1
Permitted country list	YuriCountry
Permitted movement zone	Crusher
Selling forbidden	yes
Can gain rank	no
Self-healing	yes
Radiation immunity	yes
Can crush through ordinary crushing logic	yes
Conventional harvester behavior	yes
Threat contribution	0
Compatible aircraft docks	NAREFN,GAREFN

Data source: expandmd01.mix/rulesmd.ini, section SMON, first property line 8996.

Yellow Cab - YCAB

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section YCAB, first property line 10143.

Gattling Tank - YTNK

Registered in: Yuri's Revenge.

1. Begin firing the appropriate ground/air weapon.
2. Accumulate firing-stage progress and select the corresponding Gattling stage weapons.
3. Lose stage progress when the rules call for cooldown; a short engagement does not start at peak sustained output.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	210
Armor class	light
Movement rating	6
Sight radius setting	10
Technology level	4
Permitted country list	YuriCountry
Required structures/groups	YAWEAP
Permitted movement zone	Destroyer
Transport size usage	3
Can crush through ordinary crushing logic	no
Gattling stage behavior	yes
Firing-stage count	3
First stage threshold	200
Second stage threshold	400
Third stage threshold	600
Stage accumulation setting	1
Stage cooldown setting	50
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40
Recycling value setting	600

Yuri's Revenge weapon paths: Primary: AGGattling; Secondary: AAGattling; Weapon1: AGGattling; Elite Weapon1: AGGattlingE; Weapon2: AAGattling; Elite Weapon2: AAGattlingE; Weapon3: AGGattling2; Elite Weapon3: AGGattling2E; Weapon4: AAGattling2; Elite Weapon4: AAGattling2E; Weapon5: AGGattling3; Elite Weapon5: AGGattling3E; Weapon6: AAGattling3; Elite Weapon6: AAGattling3E; Elite Primary: AGGattlingE; Elite Secondary: AAGattlingE.

Data source: expandmd01.mix/rulesmd.ini, section YTNK, first property line 8485.

Battle Fortress - BFRT

Registered in: Yuri's Revenge.

1. Load eligible infantry into its passenger slots.
2. Move the heavy transport while allowing supported passenger fire through its open-topped rules.
3. Apply its special crushing permissions when moving over eligible victims/obstacles.

Setting	Yuri's Revenge
Price in credits	2000
Starting health capacity	600
Armor class	heavy

Setting	Yuri's Revenge
Movement rating	4
Sight radius setting	6
Technology level	10
Permitted country list	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GATECH
Permitted movement zone	CrusherAll
Passenger slot capacity	5
Largest passenger-size setting	2
Transport size usage	6
Can crush through ordinary crushing logic	yes
Special all-crushing behavior	yes
Passengers can use open-topped fire	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40
Recycling value setting	2000

Yuri's Revenge weapon paths: Primary: 20mmRapid.

Data source: expandmd01.mix/rulesmd.ini, section BFRT, first property line 6918.

Magnetron - TELE

Registered in: Yuri's Revenge.

1. Choose the magnetic interaction appropriate to a vehicle or structure.
2. Lift/pull an eligible vehicle, or apply the supported structure attack.
3. Release/place the victim through the special logic; ordinary infantry is not a valid substitute target for its lift.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	150
Armor class	light
Movement rating	5
Sight radius setting	10
Technology level	2
Permitted country list	YuriCountry
Required structures/groups	YAWEAP,NAPSIS
Permitted movement zone	Destroyer
Transport size usage	6
Can crush through ordinary crushing logic	no
Veteran improvements	STRONGER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,ROF
Threat contribution	40
Recycling value setting	1000
Can enter tank bunkers	no

Yuri's Revenge weapon paths: Primary: MagneticBeam; Secondary: MagneShake; Elite Primary: MagneticBeamE.

Data source: expandmd01.mix/rulesmd.ini, section TELE, first property line 8587.

Chaos Drone - CAOS

Registered in: Yuri's Revenge.

1. Move into a useful close-area position.
2. Release its configured chaos effect.
3. Affected eligible units enter berserk behavior temporarily instead of becoming conventionally owned units.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	130
Armor class	light
Movement rating	8
Sight radius setting	6
Technology level	4
Permitted country list	YuriCountry
Required structures/groups	YAWEAP
Permitted movement zone	Destroyer
Transport size usage	2
Can gain rank	no
Immune to ordinary psychic control	yes
Radiation immunity	yes
Can crush through ordinary crushing logic	no
Fires on deployment	yes
Naval-target selection mode	6
Threat contribution	25
Explosive destruction flag	no
Production-time multiplier	1.1
Recycling value setting	1000
Can enter tank bunkers	no

Yuri's Revenge weapon paths: Primary: ChaosAttack; Secondary: VirtualScanner.

Data source: expandmd01.mix/rulesmd.ini, section CAOS, first property line 8762.

Bus - DDBX

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8

Setting	Yuri's Revenge
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Passenger slot capacity	5
Largest passenger-size setting	2
Transport size usage	6
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section DDBX, first property line 9456.

Black Cab - BCAB

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section BCAB, first property line 10243.

Boomer - BSUB

Registered in: Yuri's Revenge.

1. Move submerged on legal water.
2. Use torpedoes against eligible naval targets or its missile attack against supported land targets.
3. Resolve its independently managed missiles and detection state.

Setting	Yuri's Revenge
Price in credits	2000
Starting health capacity	1200
Armor class	heavy
Movement rating	5
Sight radius setting	8
Technology level	2
Permitted country list	YuriCountry
Required structures/groups	YAYARD,RADAR
Permitted movement zone	Water
Movement speed category	Float
Transport size usage	20
Can crush through ordinary crushing logic	no
Can cloak	yes
Detector service	yes
Detection range setting	8
Spawned attacker type	CMISL
Managed attacker count	2
Attacker replacement delay	80
Attacker reload delay	0
Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Naval role	yes
Ground-target selection mode	2
Naval-target selection mode	7
Threat contribution	20
Recycling value setting	2000

Yuri's Revenge weapon paths: Primary: BoomerTorpedo; Secondary: CruiseLauncher; Elite Primary: BoomerTorpedoE.

Data source: expandmd01.mix/rulesmd.ini, section BSUB, first property line 8937.

Siege Chopper - SCHP

Registered in: Yuri's Revenge.

1. Fly and use its airborne weapon.
2. Deploy/land into its siege state at a legal position.
3. Use the deployed siege weapon until ordered to return to mobile flight.

Setting	Yuri's Revenge
Price in credits	1100
Starting health capacity	300
Armor class	light
Movement rating	12
Sight radius setting	7
Technology level	7
Permitted country list	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP,TECH
Permitted movement zone	Fly
Movement speed category	Hover
Largest passenger-size setting	2
Transport size usage	15
Can gain rank	yes
Fires on deployment	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	0
Recycling value setting	1100
Can enter tank bunkers	no

Yuri's Revenge weapon paths: Primary: BlackHawkCannon; Secondary: 160mm; Elite Primary: BlackHawkCannonE; Elite Secondary: 160mmE.

Data source: expandmd01.mix/rulesmd.ini, section SCHP, first property line 10873.

Truck - JEEP

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	6
Can gain rank	no
Immune to ordinary psychic control	no

Setting	Yuri's Revenge
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section JEEP, first property line 10193.

Master Mind - MIND

Registered in: Yuri's Revenge.

1. Acquire eligible enemies into multiple control relationships.
2. Track the number under control.
3. Exceeding safe capacity invokes overload/self-damage behavior; it is not unlimited free capacity.

Setting	Yuri's Revenge
Price in credits	1750
Starting health capacity	500
Armor class	heavy
Movement rating	4
Sight radius setting	9
Technology level	2
Permitted country list	YuriCountry
Required structures/groups	YAWEAP,YATECH
Permitted movement zone	Destroyer
Transport size usage	6
Can gain rank	no
Self-healing	yes
Immune to ordinary psychic control	yes
Can crush through ordinary crushing logic	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40
Recycling value setting	1750

Yuri's Revenge weapon paths: Primary: MultipleMindControlTank.

Data source: expandmd01.mix/rulesmd.ini, section MIND, first property line 8640.

Floating Disc - DISK

Registered in: Yuri's Revenge.

1. Fly to a combat or drain position.
2. Use its laser against supported targets or attach its drain effect to an eligible structure.
3. Power-drain and refinery-money effects follow the structure-specific drain procedure.

Setting	Yuri's Revenge
Price in credits	1750
Starting health capacity	600

Setting	Yuri's Revenge
Armor class	light
Movement rating	15
Sight radius setting	9
Technology level	2
Permitted country list	YuriCountry
Required structures/groups	YAWEAP,YATECH
Permitted movement zone	Fly
Movement speed category	Hover
Transport size usage	6
Self-healing	yes
Can crush through ordinary crushing logic	no
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	20
Recycling value setting	1750

Yuri's Revenge weapon paths: Primary: DiskLaser; Secondary: DiskDrain; Elite Primary: DiskLaserE; Death Weapon: BlimpBombEffect.

Data source: expandmd01.mix/rulesmd.ini, section DISK, first property line 8692.

ZZZ Not Used - UTNK

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	400
Armor class	heavy
Movement rating	6
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP
Permitted movement zone	Destroyer
Transport size usage	3
Can crush through ordinary crushing logic	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	40

Yuri's Revenge weapon paths: Primary: Comet; Elite Primary: 120mmE.

Data source: expandmd01.mix/rulesmd.ini, section UTNK, first property line 8278.

Robot Tank - ROBO

Registered in: Yuri's Revenge.

1. Require the appropriate Robot Control Center and power conditions.
2. Move as a hovering tank across supported land/water and fire at eligible ground targets.
3. Enter the powered-down state when its control conditions fail; mind-control immunity is a separate property.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	180
Armor class	heavy
Movement rating	10
Sight radius setting	6
Technology level	2
Permitted country list	British,French,Germans,Americans,Alliance
Required structures/groups	GAWEAP,GAROBO
Permitted movement zone	AmphibiousDestroyer
Movement speed category	Hover
Transport size usage	3
Can gain rank	no
Immune to ordinary psychic control	yes
Radiation immunity	yes
Can crush through ordinary crushing logic	yes
Requires powered-unit control	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	15
Production-time multiplier	1.3
Recycling value setting	600

Yuri's Revenge weapon paths: Primary: Robogun.

Data source: expandmd01.mix/rulesmd.ini, section ROBO, first property line 7418.

YDUM - YDUM

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge

Data source: expandmd01.mix/rulesmd.ini, section YDUM, first property line 0.

Siege Chopper - SCHD

Registered in: Yuri's Revenge.

1. Receive its initial order from the map, production queue, manager or player.
2. Move through its permitted movement controller and use the listed weapon links for supported attacks.
3. Recheck target/order validity and resolve damage, death or script transitions through the normal object workflow.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	200
Armor class	light
Movement rating	12
Sight radius setting	7
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs
Required structures/groups	NAWEAP
Permitted movement zone	Fly
Movement speed category	Hover
Largest passenger-size setting	2
Transport size usage	15
Can gain rank	yes
Fires on deployment	yes
Veteran improvements	STRONGER,FIREPOWER,SIGHT,FASTER
Elite improvements	SELF_HEAL,STRONGER,FIREPOWER,ROF
Threat contribution	0
Can enter tank bunkers	no

Yuri's Revenge weapon paths: Primary: BlackHawkCannon; Elite Primary: BlackHawkCannonE.

Data source: expandmd01.mix/rulesmd.ini, section SCHD, first property line 11145.

Camera Dolly - DOLY

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no

Setting	Yuri's Revenge
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section DOLY, first property line 10948.

Cable Car - CBLC

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section CBLC, first property line 10997.

Fire Truck - FTRK

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8

Setting	Yuri's Revenge
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section FTRK, first property line 11046.

Ambulance - AMBU

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	no
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes
Recycling value setting	100

Data source: expandmd01.mix/rulesmd.ini, section AMBU, first property line 11095.

Passenger Plane - CIVP

Registered in: Yuri's Revenge.

1. Receive the movement/idle/transport order supplied by its map or manager.
2. Follow legal movement and explicit passenger/service settings on this card.
3. Respond to damage or mission tags as configured; no hidden combat weapon or normal build availability is inferred.

Setting	Yuri's Revenge
Price in credits	0
Starting health capacity	100
Armor class	light
Movement rating	8
Sight radius setting	8
Technology level	-1
Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP
Permitted movement zone	Normal
Largest passenger-size setting	2
Transport size usage	4
Can gain rank	no
Immune to ordinary psychic control	yes
Radiation immunity	no
Can crush through ordinary crushing logic	no
Threat contribution	0
Insignificant-object flag	yes

Data source: expandmd01.mix/rulesmd.ini, section CIVP, first property line 9408.

MiG - BPLN

Registered in: Yuri's Revenge.

1. Be called through Boris's supported airstrike interaction.
2. Fly in and attack the designated structure.
3. Leave/complete the strike under the airstrike manager rather than becoming an ordinary player airfield unit.

Setting	Yuri's Revenge
Starting health capacity	200
Armor class	light
Movement rating	16
Sight radius setting	0
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Fly
Can gain rank	no
Immune to ordinary psychic control	yes
Hidden from radar	no
Managed spawned object	yes

Setting	Yuri's Revenge
Threat contribution	0

Yuri's Revenge weapon paths: Primary: Maverick3; Elite Primary: Maverick3E; Death Weapon: BlimpBomb.

Data source: expandmd01.mix/rulesmd.ini, section BPLN, first property line 11277.

Spy Plane - SPYP

Registered in: Yuri's Revenge.

1. Be dispatched by a reconnaissance ability.
2. Fly over the relevant area to reveal terrain.
3. Leave/complete the pass; it is not a normal fighter queue item.

Setting	Yuri's Revenge
Starting health capacity	600
Armor class	light
Movement rating	15
Sight radius setting	0
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Permitted movement zone	Fly
Immune to ordinary psychic control	yes
Hidden from radar	no
Managed spawned object	yes
Threat contribution	0

Yuri's Revenge weapon paths: Primary: SpyCameraWeapon; Death Weapon: BlimpBomb.

Data source: expandmd01.mix/rulesmd.ini, section SPYP, first property line 11324.

Missile - CMISL

Registered in: Yuri's Revenge.

1. Be supplied through the expansion's missile-launching mechanism.
2. Travel toward the selected impact target.
3. Resolve its impact and the parent launcher's replacement/reload cycle.

Setting	Yuri's Revenge
Price in credits	50
Starting health capacity	50
Armor class	special_2
Movement rating	20
Sight radius setting	0
Technology level	-1
Permitted country list	YuriCountry
Permitted movement zone	Fly
Can gain rank	no
Immune to ordinary psychic control	yes
Hidden from radar	no
Managed spawned object	yes

Setting	Yuri's Revenge
Threat contribution	10
Explosive destruction flag	no

Data source: expandmd01.mix/rulesmd.ini, section CMISL, first property line 11447.

Campaign-only additions and other placed references

These are not silently added to the skirmish build menu. An explicit mission definition is reported below. A placed name without a local definition remains unresolved rather than being assigned invented statistics.

DNOAA

- sov01umd.map: explicit mission definition; Transport size usage: 1, Starting health capacity: 3500, Movement rating: 10, Armor class: Plate, Technology level: -1, Self-healing: yes, Sight radius setting: 5, Permitted country list: Russians,Confederation,Africans,Arabs,YuriCountry, Price in credits: 2700, Permitted movement zone: Infantry, Threat contribution: 25, Immune to ordinary psychic control: yes, Explosive destruction flag: no, Attached bombs permitted: yes, Veteran improvements: STRONGER,FIREPOWER,ROF,SIGHT,FASTER, Elite improvements: STRONGER,FIREPOWER,ROF, Can be crushed: no, Can gain rank: no.

Combat, money, power, and special effects

Guide index | Weapon reference | Buildings

Follow a weapon through its linked records

Ordinary damage is only one path. Mind control, repair and temporal effects need dedicated handling.

The weapon, projectile, warhead and target chain. Explanatory diagram derived from the guide and local data; not a screenshot.

Three different resource loops



Conceptual loops from the rules/manuals. Capacity, timing, destinations and scenario overrides still apply.

The three resource-gathering cycles. Explanatory diagram derived from the guide and local data; not a screenshot.

Evidence: numeric examples below use the extracted effective rules. The per-object cards distinguish RA2 and Yuri and the mission pages list local overrides. Workflows are readable reconstructions of the rules, manuals and identified engine responsibilities; they are not a line-by-line description of every original routine.

1. Follow a shot through four records

1. The attacker chooses an available weapon.
2. The weapon specifies a base effect, firing interval, range and a projectile reference.
3. The projectile specifies how the effect travels and which target domains it can reach.
4. The warhead specifies how the effect interacts with armor and whether special handling is required.
5. The target contributes armor, health, position, ownership and any special protection.
6. The engine resolves the encounter, updates state, and emits animations/sound/events.

The same shell appearance can accompany different damage rules. Conversely, two different-looking attacks can share a warhead. Weapon names are references, not enough information by themselves to predict an outcome.

2. Ordinary damage, explained carefully

A useful starting estimate is: base damage multiplied by the warhead's effectiveness against the target's armor. After that, the real engine can apply veterancy, distance/spread, difficulty, special protection and rounding. This is a learning approximation, not a complete universal damage formula.

The armor-effectiveness list has eleven positions: unarmored infantry; flak-armored infantry; plate-armored infantry; light vehicle; medium vehicle; heavy vehicle; wood structure; steel structure; concrete structure; special category 1; special category 2. These category names are game classifications, not a physical materials model.

1. Find the target's armor class on its card.
2. Find that class's position in the warhead's effectiveness list.
3. Check whether the percentage is zero or strongly reduced.
4. Check whether the weapon/projectile is even allowed to engage that target.
5. Only then compare health, base damage and reload interval.

Zero effectiveness and inability to target are distinct. An attack can also do negligible damage while a different secondary weapon is appropriate. A rapid anti-infantry gun is not automatically a good anti-tank weapon because its animation is busy.

3. Range and reload are independent

1. A target enters weapon range.
2. The attacker turns or positions itself as needed.
3. It waits for its reload and ammunition rules.
4. It releases one shot or a burst.
5. The effect may take more time to reach the target.
6. The next legal firing opportunity is checked again.

The displayed speed stat is not kilometers per hour. The firing interval field is not seconds. A weapon with a burst is not equivalent to multiplying every displayed number together and calling that exact damage per second. Travel time, misses, target changes and special effects matter.

4. Armor, health and experience

1. Health determines how much damage the live object can still sustain.
2. Armor determines which effectiveness multiplier ordinary attacks use.
3. Training eligibility determines whether the object gains rank.
4. Experience and the configured thresholds determine promotion.
5. Veteran/elite ability lists determine which improvements apply.
6. An elite weapon reference can replace an ordinary weapon, changing the attack itself.

Do not assume every elite object receives every possible bonus. The cards retain each explicit ability list. An object's cost, its score value, and the experience contribution associated with destroying it are related data concepts, but are not interchangeable labels.

5. The three resource-gathering workflows

War Miner

1. Locate accessible ore/gems.
2. Drive to the resource and collect into its storage.
3. Return to an eligible refinery when required.
4. Wait for/dock at the unloading point.
5. Convert the delivered resource into the owner's economy and go out again.
6. Use its gun for supported combat situations; that does not make it invulnerable or exempt from needing a refinery.

Chrono Miner

1. Drive outward to reachable resource cells.
2. Gather into its smaller cargo capacity under its rules.
3. Use its chrono return procedure toward an eligible refinery.
4. Complete unloading and resume the outward journey.

5. If the destination cannot be used, the engine must handle that condition; teleport capability does not guarantee a legal refinery always exists.

Slave Miner

1. Move the mobile miner to a usable deposit.
2. Deploy into its linked building form.
3. Its manager supplies slave workers, which travel out, collect and return ore.
4. Process deliveries locally rather than routing a conventional ore truck back to a remote refinery.
5. Replace lost workers according to the configured regeneration delay.
6. Undeploy into the mobile form to relocate when appropriate.

The mobile and deployed forms are separate type records connected by deployment references. They are not two independent income sources simply because both appear in the catalogue.

6. Resource cells and income modifiers

1. A map places resource-bearing cells and controls relevant growth settings.
2. The resource type contributes its configured value and amount.
3. A harvester or worker removes resource while collecting.
4. Delivery converts cargo into usable economic value.
5. Applicable purifier or other modifiers adjust the result.
6. Credits are spent on production, repairs and other supported actions.

Yuri's effective global purifier bonus is 0.25. That is a configured bonus factor, not proof that every map grants it or every resource-related event receives it. A mission can replace rules, provide scripted cash or use a different production setup.

For an Oil Derrick, the effective Yuri record explicitly gives 1,000 startup credits, 20 recurring credits and a recurring delay of 100 simulation frames. Do not read that as 20 credits every 100 seconds. Ownership, capture handling and scenario overrides still matter.

7. Power is an owner-wide service

1. Sum the active output of the owner's generating structures under their current conditions.
2. Sum the requirements of the owner's consuming structures.
3. Compare supply with demand.
4. Apply power-dependent effects: relevant defenses, radar, production conditions, special weapons and powered units.
5. Recalculate when construction, damage, ownership or other state changes require it.

The cards report signed power: positive generates, negative consumes. A missing value is reported as unspecified, not silently changed to zero. A Bio Reactor also depends on its occupants. A Robot Tank depends on its control infrastructure. A Floating Disc can impose a different kind of shutdown through its drain effect.

8. Repairs and selling

1. A building repair request checks whether ordinary repair is permitted.
2. While repairing, spend credits and restore health through the repair procedure.
3. Stop at full health, on cancellation, or when the state no longer permits repair.
4. An Engineer entering a suitable damaged friendly building uses an entry-based repair path instead.
5. A service depot or repair IFV uses its supported vehicle-repair path.
6. Selling, where allowed, removes the owned structure and applies refund/survivor rules rather than applying ordinary weapon damage.

A structure can be capturable but unsellable. A mobile unit can self-heal but not be trainable. These are independent switches, which is why the catalogue reports explicit values rather than inferring all behavior from the object's appearance.

9. Capture, disguise and mind control are different workflows

Engineer capture

1. Select a building that the current Engineer can enter.
2. Check eligibility and ownership.
3. Reach the entry point.

4. Apply capture or the appropriate friendly-repair operation.
5. Notify the mission about the interaction and update the new owner's services.

Spy infiltration

1. Adopt a supported enemy infantry disguise.
2. Move through the battlefield while avoiding units that expose or kill the spy.
3. Enter a spyable enemy structure.
4. Apply the structure-specific infiltration result: power disruption, economic theft, radar reset or a technology/training benefit as supported.
5. Notify any mission-specific spy event.

Ordinary mind control

1. Check the target's eligibility and immunity.
2. Establish a control relationship if the attack succeeds and the controller has the relevant capacity.
3. Let the controlled object act for the controlling side.
4. Maintain or release that relationship according to the controlling mechanism.
5. Handle controller destruction, release and exceptional effects through that mechanism's rules.

Do not describe the Psychic Dominator as an ordinary Yuri Clone with a larger radius. Its persistent capture effect is a separate special weapon behavior. Do not describe a mission's mass ownership-change action as proof that every unit was individually hit by a mind-control weapon.

10. Special combat mechanisms

Mechanism	Readable sequence	Why ordinary damage estimates fail
Chrono erasure	Attach temporal effect; hold target in the temporal interaction; accumulate removal progress; finish or release if interrupted	Health subtraction is not the whole mechanism
Terror Drone parasite	Reach a valid victim; enter its parasite relationship; apply internal damage; handle victim destruction/removal	The visible drone can disappear inside the victim
Giant Squid	Reach a valid naval victim; attach and damage; handle release/interruption	The victim's movement and attachment state matter
Mind control	Validate susceptibility; acquire relationship; maintain capacity and ownership effect	The weapon's damage field can serve special logic
Gattling	Fire and accumulate stage progress; choose stage weapons; lose stage progress when firing ceases	Damage output depends on sustained engagement
Magnetron	Choose vehicle-lift or structure-damage interaction; move the affected vehicle according to magnetic logic; release/place it	Lifting and displacement can be the main outcome
Carrier/Dreadnought/V3	Manage spawned attack objects; launch; resolve their independent travel/attack; reload or replace	The launcher may not deliver the impact directly
Radiation/poison	Create a damaging site/effect; test eligible nearby objects over its lifetime; decay/remove	The consequence lasts beyond the initial attack
C4/Ivan bomb	Reach/place the attached effect; wait for applicable fuse or immediate demolition; detonate or disarm if supported	Detonation is separate from the original targeting click
Transport open-topped fire	Carry infantry; allow eligible passenger weapons to fire through the host's rules	Passengers contribute weapons while the host provides movement

11. Superweapons, one cycle at a time

1. Own the granting structure or receive a scripted grant.
2. Check the weapon's power/availability conditions.
3. Advance its charging state.
4. When ready, accept a legal target or the relevant AI/script request.
5. Execute that weapon's dedicated effect.

6. Reset/recharge, or consume a one-use grant.

Nuclear attack resolves launch/flight/impact and aftermath. Weather Control produces a timed storm. Iron Curtain applies temporary protection to eligible targets. Chronosphere separates a selected group/area from its destination and applies placement consequences. Genetic Mutator transforms eligible infantry through mutation rules. Force Shield protects an area of structures while imposing its configured drawback. These are distinct procedures sharing a charge-and-target interface.

Campaign triggers can set charge, change the next recharge duration, select preferred targets or invoke effects at a waypoint. A campaign countdown can therefore differ from the usual skirmish building's recharge cycle. Read the mission's timer actions before assuming a universal interval.

12. Worked reading exercise

Suppose a tank seems unable to damage a hovering opponent.

1. Look up both type cards and select the right game version.
2. Determine whether the target is treated as airborne at that moment.
3. Follow the attacker's normal and secondary weapon links.
4. Check their projectile target domains.
5. Check warhead effectiveness and the target's immunity fields.
6. Check range, current orders and any local mission override.
7. Only after those checks investigate an input or runtime fault.

This procedure distinguishes a designed limitation, a scenario-specific rule and a possible implementation defect without requiring you to read source code.

Every structure: production, defenses, landmarks and props

Guide index | Engine workflow

Time Lapse provides a real view of power, research, production and resource infrastructure. Historical local Android-emulator campaign-start capture; not a completed campaign.

A building request has several separate gates

1. Eligibility

Owner/country, technology, prerequisites and build limit.

→

2. Production

Correct queue, credits, power conditions and production progress.

→

3. Placement

A legal footprint, adjacency, terrain and space.

↓

4. Operational service

Produce, unlock, power, reveal, heal, defend, grant a power, or hold occupants.

→

5. State changes

Damage, power loss, capture, infiltration, sale, unloading or destruction.

→

6. Mission reaction

An attached tag can turn an ordinary interaction into objective progress.

A landmark or scenery record does not automatically have an economic or production service.

Separate the eligibility, construction, placement and service stages. Explanatory diagram derived from the guide and local data; not a screenshot.

A catalogue entry is not a promise that you can construct it. This book covers every distinct registered type in either effective ruleset, including scenery, hidden/dormant records and weapon-managed objects. The same ID can change role between RA2 and Yuri. Campaign-only additions are listed at the end. Missing properties stay unspecified; a missing permission is not silently treated as yes or no.

Each card gives an ordinary-language workflow, then explicit rule settings. Workflows apply when the object is active and the relevant orders are legal; special map scripts can intervene. Numeric movement/sight/range settings are game units; delays are not automatically wall-clock seconds. For the shared firing procedure see Combat.

Read these independent questions first

1. Can this owner build it, or must it be found/captured/scripted?

2. Which prerequisites and producer are required?
3. Does it generate or consume power?
4. Does it produce, unlock technology, provide a service, fire a weapon, hold occupants, or only exist as scenery?
5. Can it be captured, infiltrated, repaired or sold?
6. Does this mission attach an objective to this particular instance?

An ordinary occupiable civilian building admits eligible infantry, contributes their garrison fire, and releases them through unload/damage handling. An unoccupied prop has no army-production queue merely because it belongs to the building registry. A light-post record contributes lighting; it is not a power generator unless its power data says so.

Type index

Power Plant (GAPOWR), Allied Ore Refinery (GAREFN), Allied Construction Yard (GACNST), Allied Barracks (GAPILE), Sandbags (GASAND), Allied Repair Depot (GADEPT), Allied Battle Lab (GATECH), Allied War Factory (GAWEAP), Einstein's Laboratory (CALAB), Tesla Reactor (NAPOWR), Soviet Battle Lab (NATECH), Soviet Barracks (NAHAND), Allied Wall (GAWALL), Radar Tower (NARADR), Soviet War Factory (NAWEAP), Soviet Ore Refinery (NAREFN), Soviet Wall (NAWALL), House (CAHSE07), Psychic Radar (NAPSIS), NAWAST (NAWAST), Sentry Gun (NALASR), Patriot Missile (NASAM), GARADR (GARADR), Allied Shipyard (GAYARD), Iron Curtain Device (NAIRON), Soviet Construction Yard (NACNST), Soviet Repair Depot (NADEPT), Chrono Sphere (GACSPH), Chrono Sphere (GADUMY), Weather Controller (GAWEAT), Bridge Repair Hut (CABHUT), Light Post (GALITE), Red Light Post (REDLAMP), Green Light Post (GRENLAMP), Blue Light Post (BLUELAMP), Yellow Light Post (YELWLAMP), Purple Light Post (PURPLAMP), Orange Light Post (INORANLAMP), Invisible Green Light Post (INGRNLMP), Invisible Red Light Post (INREDLMP), Invisible Blue Light Post (INBLULMP), Connelly Court Apts. (CITY01), Lightner's Luxury Suites (CITY02), Office Building (CITY03), Westwood Stock Exchange (CITY04), Daily Sun Times (CITY05), YEO-CA Cola Corp. (CITY06), Civilian Hospital (CAHOSP), Invisible Light Post (INGALITE), Invisible Yellow Light Post (INYELWLAMP), Invisible Purple Light Post (INPURPLAMP), Negative Light Post (NEGLAMP), Negative Red Light (NEGRED), Tesla Coil (TESLA), Nuclear Missile Silo (NAMISL), Prism Tower (ATESLA), Civilian Armory (CAARMR), AlphaLightPost (TSTLAMP), NAHPAD (NAHPAD), Ammo Crate (AMMOCRAT), Green Building (GAGREEN), Soviet Shipyard (NAYARD), SpySat Uplink (GASPYSAT), Gap Generator (GAGAP), Grand Cannon (GTGCAN), Nuclear Reactor (NANRCT), Pill Box (GAPILL), Flak Cannon (NAFLAK), Tech Outpost (CAOUTP), Civilian Hospital (CATHOSP), Tech Airport (CAAIRP), Tech Oil Derrick (CAOILD), Cloning Vats (NACLON), Ore Purifier (GAOREP), Building (CACITY01), Building (CACITY02), Building (CACITY03), Building (CACITY04), Building (CANEWY01), Statue of Liberty (CANEWY04), World Trade Center (CANEWY05), Building (CASWST01), Communications Center (CATECH01), Building (CATEXS01), Alamo (CATEXS02), White House (CAWASH01), Farm (CAFARM01), Farm Silo (CAFARM02), Light (CALIT01E), Light (CALIT01N), Light (CALIT01S), Light (CALIT01W), Barrels (CAMISC01), Barrel (CAMISC02), Dumpster (CAMISC03), Mailbox (CAMISC04), Telephone Pole (CAPOL01E), Telephone Pole (CAPOL01N), Telephone Pole (CAPOL01S), Telephone Pole (CAPOL01W), Stop Sign (CASIN01E), Stop Sign (CASIN01N), Stop Sign (CASIN01S), Stop Sign (CASIN01W), Paris Tower (CAPARS01), Air Force Command Headquarters (GAAIRC), Farm House (CAFRMA), Outhouse (CAFRMB), Building (CAWASH05), Building (CAWASH04), Building (CAWASH03), Building (CAWASH07), Building (CAWASH11), Washington Monument (CAWSH12), Jefferson Memorial (CAWASH14), Building (CAWASH09), Building (CAWASH10), Building (CAWASH13), Army Tents (CAARMY01), US Flag (CAUSFGL), Building (CAWASH08), Light3E (CALIT03E), Light3N (CALIT03N), Light3S (CALIT03S), Light3W (CALIT03W), Light2L (CALIT02L), Light2R (CALIT02R), House (CAHSE01), Water Tower (CAWT01), Grain Silo (CATS01), Barn (CABARN02), Pentagon (CAWA2A), Pentagon (CAWA2B), Pentagon (CAWA2C), Pentagon (CAWA2D), Air Force Command Headquarters (AMRADR), Generic World-Famous Museum (CAPRS03), Guard Shack (CAGARD01), St. Basil's Cathedral (CARUS01), Hotel (CAMIAM01), CAEURO01 (CAEURO01), Hotel (CAMIAM02), Building (CANWY05), Mayan Pyramid (MAYAN), Cottage (CAEUR1), Cottage (CAEUR2), Building (CAEUR04), Mayan Pyramid (CAMEX01), Russain Kremlin Wall LTower (CARUS02A), Russain Kremlin Wall STower (CARUS02B), Russain Kremlin Wall North (CARUS02C), Russain Kremlin Wall East (CARUS02D), Russain Kremlin Wall South (CARUS02E), Russain Kremlin Wall West (CARUS02F), Building (CANEWY06), Building (CANEWY07), Building (CANEWY08), Building (CAPARS02), Building (CAPARS08), Building (CAPARS09), Kremlin (CARUS03), Building (CANEWY10), Building (CANEWY11), Building (CANEWY12), Building (CANEWY13), Building (CANEWY14), Building (CANEWY15), Building (CANEWY16), Building (CANEWY17), Building (CANEWY18), Building (CAPARS04), Building (CAPARS05), Building (CAPARS06), Phone Booth (CAPARS07), Lincoln Memorial (CAWASH15), Building (CAPARS10), Building (CAPARS13), Building (CAPARS14), Gas Station (CAGAS01), Paris Arch of Winning (CAPARS11), Cathedral (CAPARS12), Light House (CAFARM06), Lifeguard (CAMIAM04), Psychic Beacon (NAPSYB), Psychic Amplifier (NAPSYA), Factory (CAIND01), Air Force Academy Chapel (CACOLO01), Building (CANWY09), Building (CANWY22), Building (CANWY23), Building (CANWY24), Building (CANWY25), Building (CANWY26), Building (CATEXS03), Building (CATEXS04), Building (CATEXS05), Russain Kremlin Wall Clock Tower (CARUS02G), Chicago Associates Center (CACHIG04), Hotel (CAMIAM03), Red Square (CARUS07), Office Building (CATEXS06), Office Building (CATEXS07), Office Building (CATEXS08), Building (CACHIG01), Building (CACHIG02), Building (CACHIG03), Smithsonian Castle (CAWASH16), Smithsonian Natural History Museum (CAWASH17), Sears Tower (CACHIG05), Iwo Jima Victory Monument (CAWASH19), Russain Gum Corner (CARUS08), Russian Gum Middle (CARUS09), Russian Gum Wall N_S (CARUS10), Russian Gum Wall E_W (CARUS11), Warehouse (CANEWY20), Warehouse (CANEWY21), Building (CARUS04), Building (CARUS05), Building (CARUS06), Mr. Yummy's Hot Dogs! (CAMSC01), Umbrellas (CAMSC02), Umbrellas (CAMSC03), Beach Towels (CAMSC04), Beach Towels (CAMSC05), Camp Fire (CAMSC06), Hut (CAMSC07), Fountain (CAWASH18), Statue (CAEURO05), Park Bench (CAPARK01), Swing Set (CAPARK02), Merry-Go-Round (CAPARK03), House (CAHSE02), House (CAHSE03), House (CAHSE04), Traffic Light (CASTRT01), Traffic Light (CASTRT02), Building (CASTL01), Building (CASTL02), Building (CASTL03), Arch (CASTL04), Mobile Home (CAHSE05), Mobile Home (CAHSE06), Hotel (CAMIAM05), Hotel (CAMIAM06), Hotel (CAMIAM07), Fence Black (CAFNCB), Fence White (CAFNCW), Mayan Ruins (CAMEX02), Mayan Ruins (CAMEX03), Mayan Temple (CAMEX04), Mayan Ruins (CAMEX05), Water Tower (CACHIG06), Hut (CAMSC08), Hut (CAMSC09), Army Tents (CAARMY02), Army Tents (CAARMY03), Army Tents (CAARMY04), InvisibleTemperateMorningLamp (TEMMORLAMP), InvisibleTemperateDayLamp (TEMDAYLAMP), InvisibleTemperateDuskLamp (TEMDUSLAMP), InvisibleTemperateNightLamp (TEMNITLAMP), InvisibleSnowMorningLamp (SNOMORLAMP), InvisibleSnowDayLamp (SNODAYLAMP), InvisibleSnowDuskLamp (SNODUSLAMP), InvisibleSnowNightLamp (SNONITLAMP), Kremlen Walls (CAKRMW), Russian Flag (CARUFGL), French Flag (CAFRFGL), CAIRSFGL (CAIRSFGL), Cuban Flag (CACUFGL), Korean Flag (CASKFGL), Lybian Flag (CALBFGL), Arizona Memorial (CAMIAM08), Pipes (CAMISC05), V3 Ammunition (CAMISC06), Stadium (CASTL05A), Stadium (CASTL05B), Stadium (CASTL05C), Stadium (CASTL05D), Stadium (CASTL05E), Stadium (CASTL05F), Stadium (CASTL05G), Stadium (CASTL05H), McBurger Kong (CAMSC10), German Flag (CAGEFGL), British Flag (CAUKFGL), Building (CAWASH06), Tires (CAMSC11), Practice Target (CAMSC12), Derelict Tank (CAMSC13), Polish Flag (CAPOFGL), Practice Target (CAMSC12A), Movie Screen (CAMOV01), Concession Stand (CAMOV02), Bunker (CABUNK01), Bunker (CABUNK02), Fence Prison Camp (CAFNCP), Traffic Light (CASTRT03), Traffic Light (CASTRT04), Bus Stop (CASTRT05), CASYDN01 (CASYDN01), McRoo Burger (CASYDN02), Tech Machine Shop (CAMACH), Sydney Opera House (CASYDN03), Crypt (CATRAN01), Crypt (CATRAN02), Yuri Construction Yard (YACNST), Bio Reactor (YAPOWR), Yuri Barracks (YABRCK), Yuri War Factory (YAWEAP), Yuri Naval Yard (YAYARD), Allied Repair Depot (YADEPT), Yuri Battle Lab (YATECH), Citadel Walls (GAFWLL), Gattling Cannon (YAGGUN), Psychic Tower (YAPSYT), Industrial Plant (NAINDP), Grinder (YAGRND), Genetic Mutator (YAGNTC), Tech Secret Lab (CASLAB), CATIME (CATIME), Psychic Dominator (YAPPET), British Parliament (CALOND04), Big Ben (CALOND05), Tower of London (CALOND06), ZZZ LAUNCH PAD (CAMOON01), Yuri's Fortress (CATRAN03), Moai (CAEAST01), Pyramid (CAEGYP01), Pyramid (CAEGYP02), Sphinx (CAEGYP03), Building (CALA01), CALA02 (CALA02), Hollywood Sign (CALA03), Hollywood Bowl (CALA04), LAX (CALA05), Building (CALOND01), CALOND02 (CALOND02), Building (CALOND03), Building

(CAMORR01), Building (CAMORR02), Building (CAMORR03), Building (CASANF01), Building (CASANF02), Building (CASANF03), Golden Gate Bridge (CASANF04), Alcatraz (CASANF05), Seattle Space Needle (CASEAT01), Tank Bunker (NATBNK), Gate (GAGATE_A), Golden Gate Bridge (CASANF09), Golden Gate Bridge (CASANF10), Golden Gate Bridge (CASANF11), Golden Gate Bridge (CASANF12), Golden Gate Bridge (CASANF13), Golden Gate Bridge (CASANF14), Building (CASANF06), Building (CASANF07), Building (CASANF08), MassiveSoft Campus (CASEAT02), Yuri´s Command Center (YACOMD), Psychic Dominator (YAPPPT), Robot Control Center (GAROBO), Slave Miner (YAREFN), Unknown Building (YAROCK), Battle Bunker (NABNKR), Alcatraz Water Tower (CASANF15), Light House (CASANF16), Building (CASANF17), Building (CASANF18), Construction Sign (CASIN03E), Construction Sign (CASIN03S), Telephone Booth (CAURB01), Fire Hydrant (CAURB02), Spotlight (CAURB03), Tech Power Plant (CAPOWR), Movie Theater (CALA07), Pyramid (CAEGYP06), Car Dealership (CALA08), Yuri Statue (CAEAST02), Hedgehog (CABARR01), Hedgehog (CABARR02), Building (CAMORR04), Building (CAMORR05), Convenience Store (CALA09), Pyramid (CAEGYP04), Pyramid (CAEGYP05), LAX Control Tower (CALA06), Rick's Place (CAMORR06), Building (CAMORR07), Building (CAMORR08), Building (CAMORR09), Building (CAMORR10), Time Machine (CATIME01), Time Machine (CATIME02), Billboard (CALA10), Hollywood Bowl (CALA11), Hollywood Bowl (CALA12), Hollywood Sign (CALA13), Park Bench (CAPARK04), Park Bench (CAPARK05), Park Bench (CAPARK06), Mini Mall (CALA14), Mini Mall (CALA15), Bunker (CABUNK03), Bunker (CABUNK04), Lunar Lander (CALUNR01), US Flag (CALUNR02)

Power Plant - GAPOWR

Registered in: Red Alert 2, Yuri's Revenge.

1. Join the owner's generating structures when active.
2. Contribute its configured output under current state/damage handling.
3. Recalculate power when captured, damaged, removed or otherwise changed.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	800	800
Starting health capacity	750	750
Armor class	wood	wood
Sight radius setting	4	4
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GACNST	GACNST
Signed power contribution	200	200
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction category	Power	Power
Immune to ordinary psychic control	Not explicitly set	no
Special powered operation	Not explicitly set	yes

Data source: ra2.mix/local.mix/rules.ini, section GAPOWR, first property line 8893.

Data source: expandmd01.mix/rulesmd.ini, section GAPOWR, first property line 11656.

Allied Ore Refinery - GAREFN

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide a resource destination and the configured free-unit delivery on normal construction.
2. Accept compatible miner unloading.
3. Convert delivered cargo into the owner's economy.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	1000	1000

Setting	Red Alert 2	Yuri's Revenge
Armor class	wood	wood
Sight radius setting	6	6
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,GACNST	POWER,GACNST
Resource cargo capacity	200	200
Signed power contribution	-50	-50
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Free unit on supported construction	CMIN	CMIN
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Recycling value setting	300	300
Construction category	Resource	Resource
Immune to ordinary psychic control	Not explicitly set	no
Resource-delivery destination	Not explicitly set	yes

Data source: ra2.mix/local.mix/rules.ini, section GAREFN, first property line 8555.

Data source: expandmd01.mix/rulesmd.ini, section GAREFN, first property line 11723.

Allied Construction Yard - GACNST

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive eligible Allied building requests and advance their construction queue.
2. Require legal placement for a completed structure and add its services when placed.
3. Loss of the yard affects future construction; undeployment depends on the relevant settings.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	3000	3000
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Signed power contribution	0	0
Production category	BuildingType	BuildingType
Engineer-capture permission	true	true
Undeploys into	AMCV	AMCV
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction-yard service	yes	yes
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GACNST, first property line 8493.

Data source: expandmd01.mix/rulesmd.ini, section GACNST, first property line 11623.

Allied Barracks - GAPILE

Registered in: Red Alert 2, Yuri's Revenge.

1. Unlock/produce eligible Allied infantry.
2. Spend credits and advance the infantry queue.
3. Release the completed soldier through an available exit and initial/rally order.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	5	5
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,GACNST	POWER,GACNST
Signed power contribution	-10	-10
Production category	InfantryType	InfantryType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GAPILE, first property line 9047.

Data source: expandmd01.mix/rulesmd.ini, section GAPILE, first property line 11689.

Sandbags - GASAND

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	25	25
Starting health capacity	100	100
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS	BARRACKS
Can be crushed	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section GASAND, first property line 9135.

Data source: expandmd01.mix/rulesmd.ini, section GASAND, first property line 16380.

Allied Repair Depot - GADEPT

Registered in: Red Alert 2, Yuri's Revenge.

1. Accept a compatible damaged vehicle at a legal repair point.
2. Apply funded vehicle repairs under depot rules.
3. Release it when repaired or redirected.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	800	800
Starting health capacity	1200	1200
Armor class	wood	wood
Sight radius setting	5	5
Technology level	6	6
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GAWEAP,GACNST	GAWEAP,GACNST
Signed power contribution	-25	-25
Engineer-capture permission	true	true
Vehicle repair service	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GADEPT, first property line 9080.

Data source: expandmd01.mix/rulesmd.ini, section GADEPT, first property line 11886.

Allied Battle Lab - GATECH

Registered in: Red Alert 2, Yuri's Revenge.

1. Satisfy Allied advanced-technology prerequisites while owned.
2. Unlock eligible units/structures as other conditions permit.
3. Removing it can remove eligibility for future construction without erasing every existing advanced unit.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	500	500
Armor class	wood	wood

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	6	6
Technology level	8	8
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GAWEAP,RADAR,GACNST	GAWEAP,RADAR,GACNST
Signed power contribution	-100	-100
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no
Primary granted special weapon	Not explicitly set	ForceShieldSpecial

Data source: ra2.mix/local.mix/rules.ini, section GATECH, first property line 8389.

Data source: expandmd01.mix/rulesmd.ini, section GATECH, first property line 11918.

Allied War Factory - GAWEAP

Registered in: Red Alert 2, Yuri's Revenge.

1. Produce eligible Allied ground/hover/vehicle-record units.
2. Wait for completion and a usable production exit.
3. Release the unit and its initial order.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	4	4
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	PROC,GAPILE,GACNST	PROC,GAPILE,GACNST
Signed power contribution	-25	-25
Production category	UnitType	UnitType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Vehicle-factory service	yes	yes
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GAWEAP, first property line 8419.

Data source: expandmd01.mix/rulesmd.ini, section GAWEAP, first property line 11771.

Einstein's Laboratory - CALAB

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as the specific Einstein laboratory objective/landmark record.
2. Respond to permitted capture, damage and other interactions on its card.
3. Use its attached mission triggers to determine rescue, technology or win/loss consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CALAB, first property line 15183.

Data source: expandmd01.mix/rulesmd.ini, section CALAB, first property line 14977.

Tesla Reactor - NAPOWR

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide Soviet base power.
2. Contribute output under the current building state.
3. A power shortage affects dependent services rather than simply lowering every weapon's damage.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	750	750
Armor class	wood	wood
Sight radius setting	4	4
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NACNST	NACNST
Signed power contribution	150	150
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction category	Power	Power

Setting	Red Alert 2	Yuri's Revenge
Immune to ordinary psychic control	Not explicitly set	no
Special powered operation	Not explicitly set	yes

Data source: ra2.mix/local.mix/rules.ini, section NAPOWR, first property line 8923.

Data source: expandmd01.mix/rulesmd.ini, section NAPOWR, first property line 12451.

Soviet Battle Lab - NATECH

Registered in: Red Alert 2, Yuri's Revenge.

1. Satisfy Soviet advanced-technology prerequisites.
2. Unlock eligible production or special infrastructure.
3. Also respond to any mission tags attached to this particular placed laboratory.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	500	500
Armor class	wood	wood
Sight radius setting	6	6
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP,RADAR,NACNST	NAWEAP,RADAR,NACNST
Signed power contribution	-100	-100
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no
Primary granted special weapon	Not explicitly set	ForceShieldSpecial

Data source: ra2.mix/local.mix/rules.ini, section NATECH, first property line 8952.

Data source: expandmd01.mix/rulesmd.ini, section NATECH, first property line 12706.

Soviet Barracks - NAHAND

Registered in: Red Alert 2, Yuri's Revenge.

1. Produce eligible Soviet infantry.
2. Advance the funded infantry queue.
3. Create the soldier at a usable exit and apply the initial order.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	2	2

Setting	Red Alert 2	Yuri's Revenge
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,NACNST	POWER,NACNST
Signed power contribution	-10	-10
Production category	InfantryType	InfantryType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section NAHAND, first property line 8982.

Data source: expandmd01.mix/rulesmd.ini, section NAHAND, first property line 12483.

Allied Wall - GAWALL

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	100	100
Starting health capacity	300	300
Armor class	concrete	concrete
Sight radius setting	1	1
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GAPILE	GAPILE
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	8	8
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section GAWALL, first property line 9342.

Data source: expandmd01.mix/rulesmd.ini, section GAWALL, first property line 12023.

Radar Tower - NARADR

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide the Soviet radar service when operational.
2. In Yuri, also grant the configured Spy Plane ability.
3. Recalculate availability on power/ownership/destruction changes.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	10	10
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAREFN,NACNST	NAREFN,NACNST
Signed power contribution	-50	-50
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Radar service	yes	yes
Depends on power	true	true
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no
Primary granted special weapon	Not explicitly set	SpyPlaneSpecial

Data source: ra2.mix/local.mix/rules.ini, section NARADR, first property line 10181.

Data source: expandmd01.mix/rulesmd.ini, section NARADR, first property line 12602.

Soviet War Factory - NAWEAP

Registered in: Red Alert 2, Yuri's Revenge.

1. Produce eligible Soviet vehicle records.
2. Advance production and ensure the exit can be used.
3. Release the completed object and update the queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	4	4
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	PROC,NAHAND,NACNST	PROC,NAHAND,NACNST
Signed power contribution	-25	-25
Production category	UnitType	UnitType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Vehicle-factory service	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section NAWEAP, first property line 8455.

Data source: expandmd01.mix/rulesmd.ini, section NAWEAP, first property line 12562.

Soviet Ore Refinery - NAREFN

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide the Soviet resource-unloading destination.
2. Receive War Miner deliveries and process cargo.
3. Keep docking/entry usable so miners can repeat their cycle.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	6	6
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,NACNST	POWER,NACNST
Resource cargo capacity	200	200
Signed power contribution	-50	-50
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Free unit on supported construction	HARV	HARV
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Recycling value setting	300	300
Construction category	Resource	Resource
Immune to ordinary psychic control	Not explicitly set	no
Resource-delivery destination	Not explicitly set	yes

Data source: ra2.mix/local.mix/rules.ini, section NAREFN, first property line 8598.

Data source: expandmd01.mix/rulesmd.ini, section NAREFN, first property line 12516.

Soviet Wall - NAWALL

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	100	100
Starting health capacity	300	300

Setting	Red Alert 2	Yuri's Revenge
Armor class	concrete	concrete
Sight radius setting	1	1
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAHAND	NAHAND
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	8	8
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section NAWALL, first property line 9423.

Data source: expandmd01.mix/rulesmd.ini, section NAWALL, first property line 12819.

House - CAHSE07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE07, first property line 14098.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE07, first property line 20773.

Psychic Radar - NAPSIS

Registered in: Red Alert 2, Yuri's Revenge.

1. Compare versions: the RA2 Psychic Sensor and Yuri Psychic Radar share this ID.
2. Provide the configured psychic sensing service.
3. In Yuri, also provide its radar/reveal-ability role under that record's conditions.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	750	750
Armor class	wood	wood
Sight radius setting	10	10
Technology level	10	3
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,NACNST	YACNST,PROC
Signed power contribution	-50	-50
Engineer-capture permission	true	true
Detection range setting	15	15
Depends on power	true	true
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Combat	Tech
Spy-infiltration permission	Not explicitly set	yes
Immune to ordinary psychic control	Not explicitly set	no
Primary granted special weapon	Not explicitly set	PsychicRevealSpecial
Radar service	Not explicitly set	yes

Data source: ra2.mix/local.mix/rules.ini, section NAPSIS, first property line 10211.

Data source: expandmd01.mix/rulesmd.ini, section NAPSIS, first property line 13343.

NAWAST - NAWAST

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2

Data source: ra2.mix/local.mix/rules.ini, section NAWAST, first property line 0.

Sentry Gun - NALASR

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire supported ground targets.
2. Fire the Sentry Gun weapon.
3. Recheck range/reload and its operational state.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	7	7
Technology level	1	1

Setting	Red Alert 2	Yuri's Revenge
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS,NACNST	BARRACKS,NACNST
Signed power contribution	0	0
Engineer-capture permission	false	false
Depends on power	yes	yes
Threat contribution	30	30
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: Vulcan.

Data source: ra2.mix/local.mix/rules.ini, section NALASR, first property line 10368.

Yuri's Revenge weapon paths: Primary: Vulcan.

Data source: expandmd01.mix/rulesmd.ini, section NALASR, first property line 12845.

Patriot Missile - NASAM

Registered in: Red Alert 2, Yuri's Revenge.

1. Require the relevant operational/power state.
2. Acquire eligible airborne targets and launch missiles.
3. Resolve target-domain, tracking and warhead effects.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	900	900
Armor class	steel	steel
Sight radius setting	10	10
Technology level	4	4
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS,GACNST	BARRACKS,GACNST
Signed power contribution	-50	-50
Engineer-capture permission	false	false
Depends on power	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	6	6
Threat contribution	0	0
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: RedEye2.

Data source: ra2.mix/local.mix/rules.ini, section NASAM, first property line 10444.

Yuri's Revenge weapon paths: Primary: RedEye2.

Data source: expandmd01.mix/rulesmd.ini, section NASAM, first property line 12092.

GARADR - GARADR

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2

Data source: ra2.mix/local.mix/rules.ini, section GARADR, first property line 0.

Allied Shipyard - GAYARD

Registered in: Red Alert 2, Yuri's Revenge.

1. Require valid shore/water placement.
2. Produce the owner's eligible naval/transport units.
3. Create them at a usable naval exit.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	1500	1500
Armor class	concrete	concrete
Sight radius setting	10	10
Technology level	4	4
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	PROC,POWER,GACNST	PROC,POWER,GACNST
Signed power contribution	-25	-25
Production category	UnitType	UnitType
Engineer-capture permission	no	no
Vehicle repair service	yes	yes
Depends on power	true	false
Naval role	yes	yes
Threat contribution	0	0
Explosive destruction flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	12	12
Vehicle-factory service	yes	yes
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GAYARD, first property line 8677.

Data source: expandmd01.mix/rulesmd.ini, section GAYARD, first property line 11846.

Iron Curtain Device - NAIRON

Registered in: Red Alert 2, Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.
2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated temporary Iron Curtain protection procedure and reset/recharge as configured.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2500	2500
Starting health capacity	750	750
Armor class	concrete	concrete
Sight radius setting	4	4
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,NACNST	NATECH,NACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Spy-infiltration permission	yes	yes
Primary granted special weapon	IronCurtainSpecial	IronCurtainSpecial
Depends on power	true	true
Threat contribution	1	1
Placement adjacency setting	2	2
Construction category	Combat	Combat

Data source: ra2.mix/local.mix/rules.ini, section NAIRON, first property line 10050.

Data source: expandmd01.mix/rulesmd.ini, section NAIRON, first property line 13012.

Soviet Construction Yard - NACNST

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive eligible Soviet building requests.
2. Complete production and place on a legal foundation.
3. Update services and technology availability; retain the distinction between the yard and mobile MCV.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	3000	3000
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	8	8
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs
Signed power contribution	0	0
Production category	BuildingType	BuildingType
Engineer-capture permission	true	true
Undeploys into	SMCV	SMCV
Threat contribution	0	0

Setting	Red Alert 2	Yuri's Revenge
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Construction-yard service	yes	yes
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section NACNST, first property line 8524.

Data source: expandmd01.mix/rulesmd.ini, section NACNST, first property line 12419.

Soviet Repair Depot - NADEPT

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide the Soviet service-depot repair path.
2. Accept and repair compatible damaged vehicles.
3. Keep entry/exit accessible.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	800	800
Starting health capacity	1200	1200
Armor class	wood	wood
Sight radius setting	5	5
Technology level	6	6
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAWEAP,NACNST	NAWEAP,NACNST
Signed power contribution	-20	-20
Engineer-capture permission	true	true
Vehicle repair service	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section NADEPT, first property line 10518.

Data source: expandmd01.mix/rulesmd.ini, section NADEPT, first property line 12674.

Chrono Sphere - GACSPH

Registered in: Red Alert 2, Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.
2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated Chronosphere selection and destination transfer procedure and reset/recharge as configured.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2500	2500
Starting health capacity	750	750
Armor class	concrete	concrete
Sight radius setting	5	5
Technology level	10	10

Setting	Red Alert 2	Yuri's Revenge
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GATECH,GACNST	GATECH,GACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Spy-infiltration permission	yes	yes
Primary granted special weapon	ChronoSphereSpecial	ChronoSphereSpecial
Depends on power	true	true
Threat contribution	1	1
Placement adjacency setting	2	2
Construction category	Combat	Combat

Data source: ra2.mix/local.mix/rules.ini, section GACSPH, first property line 10119.

Data source: expandmd01.mix/rulesmd.ini, section GACSPH, first property line 12256.

Chrono Sphere - GADUMY

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2800	2800
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	5	5
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance
Required structures/groups	GATECH	GATECH
Signed power contribution	-150	-150
Engineer-capture permission	no	no
Spy-infiltration permission	yes	yes
Primary granted special weapon	ChronoWarpSpecial	ChronoWarpSpecial
Depends on power	true	true
Threat contribution	1	1
Placement adjacency setting	2	2
Construction category	Tech	Tech

Data source: ra2.mix/local.mix/rules.ini, section GADUMY, first property line 10155.

Data source: expandmd01.mix/rulesmd.ini, section GADUMY, first property line 17798.

Weather Controller - GAWEAT

Registered in: Red Alert 2, Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.

2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated weather-storm attack procedure and reset/recharge as configured.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	5000	5000
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	5	5
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GATECH,GACNST	GATECH,GACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Spy-infiltration permission	yes	yes
Primary granted special weapon	LightningStormSpecial	LightningStormSpecial
Depends on power	true	true
Threat contribution	1	1
Placement adjacency setting	2	2
Construction category	Combat	Combat

Data source: ra2.mix/local.mix/rules.ini, section GAWEAT, first property line 10084.

Data source: expandmd01.mix/rulesmd.ini, section GAWEAT, first property line 12292.

Bridge Repair Hut - CABHUT

Registered in: Red Alert 2, Yuri's Revenge.

1. Receive a compatible Engineer entry.
2. Invoke bridge repair for its linked bridge.
3. Update passability and any bridge-related mission events.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Threat contribution	0	0
General immunity flag	yes	yes
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	0	0

Data source: ra2.mix/local.mix/rules.ini, section CABHUT, first property line 9449.

Data source: expandmd01.mix/rulesmd.ini, section CABHUT, first property line 16337.

Light Post - GALITE

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.

2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	200	200
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Local light intensity	0.2	0.2
Local light reach	5000	5000

Data source: ra2.mix/local.mix/rules.ini, section GALITE, first property line 9487.

Data source: expandmd01.mix/rulesmd.ini, section GALITE, first property line 17234.

Red Light Post - REDLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section REDLAMP, first property line 9564.

Data source: expandmd01.mix/rulesmd.ini, section REDLAMP, first property line 17311.

Green Light Post - GRENLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section GRENLAMP, first property line 9612.

Data source: expandmd01.mix/rulesmd.ini, section GRENLAMP, first property line 17359.

Blue Light Post - BLUELAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section BLUELAMP, first property line 9637.

Data source: expandmd01.mix/rulesmd.ini, section BLUELAMP, first property line 17384.

Yellow Light Post - YELWLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1

Setting	Red Alert 2	Yuri's Revenge
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	.01	.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section YELWLAMP, first property line 9662.

Data source: expandmd01.mix/rulesmd.ini, section YELWLAMP, first property line 17409.

Purple Light Post - PURPLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section PURPLAMP, first property line 9712.

Data source: expandmd01.mix/rulesmd.ini, section PURPLAMP, first property line 17459.

Orange Light Post - INORANLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01

Setting	Red Alert 2	Yuri's Revenge
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section INORANLAMP, first property line 9762.

Data source: expandmd01.mix/rulesmd.ini, section INORANLAMP, first property line 17509.

Invisible Green Light Post - INGRNLMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section INGRNLMP, first property line 9786.

Data source: expandmd01.mix/rulesmd.ini, section INGRNLMP, first property line 17533.

Invisible Red Light Post - INREDLMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section INREDLMP, first property line 9810.

Data source: expandmd01.mix/rulesmd.ini, section INREDLMP, first property line 17557.

Invisible Blue Light Post - INBLULMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section INBLULMP, first property line 9834.

Data source: expandmd01.mix/rulesmd.ini, section INBLULMP, first property line 17581.

Connelly Court Apts. - CITY01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	wood	wood
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY01, first property line 10675.

Data source: expandmd01.mix/rulesmd.ini, section CITY01, first property line 17823.

Lightner's Luxury Suites - CITY02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY02, first property line 10691.

Data source: expandmd01.mix/rulesmd.ini, section CITY02, first property line 17839.

Office Building - CITY03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY03, first property line 10707.

Data source: expandmd01.mix/rulesmd.ini, section CITY03, first property line 17855.

Westwood Stock Exchange - CITY04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY04, first property line 10723.

Data source: expandmd01.mix/rulesmd.ini, section CITY04, first property line 17871.

Daily Sun Times - CITY05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY05, first property line 10739.

Data source: expandmd01.mix/rulesmd.ini, section CITY05, first property line 17887.

YEO-CA Cola Corp. - CITY06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CITY06, first property line 10755.

Data source: expandmd01.mix/rulesmd.ini, section CITY06, first property line 17903.

Civilian Hospital - CAHOSP

Registered in: Red Alert 2, Yuri's Revenge.

1. Use this specific hospital record where a map supplies it.
2. Accept eligible infantry for its supported healing role.
3. Do not assume identical behavior to the other hospital ID solely from the shared displayed name.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	800	800
Armor class	concrete	concrete
Technology level	-1	-1
Engineer-capture permission	yes	yes
Selling forbidden	yes	yes
Hidden from radar	yes	Not explicitly set
Hospital role	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	yes	Not explicitly set
Sight radius setting	Not explicitly set	6
Granted infantry-healing level	Not explicitly set	1
Capture notification	Not explicitly set	EVA_HospitalCaptured

Data source: ra2.mix/local.mix/rules.ini, section CAHOSP, first property line 10572.

Data source: expandmd01.mix/rulesmd.ini, section CAHOSP, first property line 14030.

Invisible Light Post - INGALITE

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.2	0.2
Local light reach	5000	5000

Data source: ra2.mix/local.mix/rules.ini, section INGALITE, first property line 9538.

Data source: expandmd01.mix/rulesmd.ini, section INGALITE, first property line 17285.

Invisible Yellow Light Post - INYELWLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	.01	.01
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section INYELWLAMP, first property line 9686.

Data source: expandmd01.mix/rulesmd.ini, section INYELWLAMP, first property line 17433.

Invisible Purple Light Post - INPURPLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section INPURPLAMP, first property line 9737.

Data source: expandmd01.mix/rulesmd.ini, section INPURPLAMP, first property line 17484.

Negative Light Post - NEGLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	-0.15	-0.15
Local light reach	3500	3500

Data source: ra2.mix/local.mix/rules.ini, section NEGLAMP, first property line 9514.

Data source: expandmd01.mix/rulesmd.ini, section NEGLAMP, first property line 17261.

Negative Red Light - NEGRED

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0

Setting	Red Alert 2	Yuri's Revenge
Threat contribution	0	0
Insignificant-object flag	yes	yes
Local light intensity	-0.05	-0.05
Local light reach	4000	4000

Data source: ra2.mix/local.mix/rules.ini, section NEGRED, first property line 9589.

Data source: expandmd01.mix/rulesmd.ini, section NEGRED, first property line 17336.

Tesla Coil - TESLA

Registered in: Red Alert 2, Yuri's Revenge.

1. Check operational power and any trooper support.
2. Acquire an eligible target and charge/fire the appropriate Tesla attack.
3. Trooper-assisted behavior uses dedicated rules; it is not simply extra occupants shooting from windows.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1500	1500
Starting health capacity	600	600
Armor class	steel	steel
Sight radius setting	8	8
Technology level	5	5
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,RADAR,NACNST	POWER,RADAR,NACNST
Signed power contribution	-75	-75
Engineer-capture permission	false	false
Depends on power	yes	yes
Threat contribution	40	40
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	2	2
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: CoilBolt; Secondary: OPCoilBolt.

Data source: ra2.mix/local.mix/rules.ini, section TESLA, first property line 10247.

Yuri's Revenge weapon paths: Primary: CoilBolt; Secondary: OPCoilBolt.

Data source: expandmd01.mix/rulesmd.ini, section TESLA, first property line 12935.

Nuclear Missile Silo - NAMISL

Registered in: Red Alert 2, Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.
2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated nuclear launch and impact procedure and reset/recharge as configured.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	5000	5000

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	4	4
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,NACNST	NATECH,NACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Spy-infiltration permission	yes	yes
Primary granted special weapon	MultiSpecial	NukeSpecial
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Combat	Combat

Data source: ra2.mix/local.mix/rules.ini, section NAMISL, first property line 10328.

Data source: expandmd01.mix/rulesmd.ini, section NAMISL, first property line 13047.

Prism Tower - ATESLA

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire a supported target while operational.
2. Use connected support from other eligible Prism Towers where the support logic permits.
3. Fire/resolve the resulting prism attack and reset the appropriate timers.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1500	1500
Starting health capacity	600	600
Armor class	steel	steel
Sight radius setting	8	8
Technology level	6	6
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,RADAR,GACNST	POWER,RADAR,GACNST
Signed power contribution	-75	-75
Engineer-capture permission	false	false
Depends on power	yes	yes
Threat contribution	40	40
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	2	2
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: PrismShot; Secondary: PrismSupport.

Data source: ra2.mix/local.mix/rules.ini, section ATESLA, first property line 10288.

Yuri's Revenge weapon paths: Primary: PrismShot; Secondary: PrismSupport.

Data source: expandmd01.mix/rulesmd.ini, section ATESLA, first property line 12143.

Civilian Armory - CAARMR

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2
Starting health capacity	800
Armor class	concrete
Technology level	-1
Hidden from radar	yes
General immunity flag	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: ra2.mix/local.mix/rules.ini, section CAARMR, first property line 10651.

AlphaLightPost - TSTLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Threat contribution	0	0
Insignificant-object flag	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section TSTLAMP, first property line 9468.

Data source: expandmd01.mix/rulesmd.ini, section TSTLAMP, first property line 17215.

NAHPAD - NAHPAD

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2

Data source: ra2.mix/local.mix/rules.ini, section NAHPAD, first property line 0.

Ammo Crate - AMMOCRAT

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Threat contribution	10	10
Insignificant-object flag	yes	yes
Explosive destruction flag	yes	yes
Normal base-adjacency role	no	no

Red Alert 2 weapon paths: Death Weapon: BarrelExplosion.

Data source: ra2.mix/local.mix/rules.ini, section AMMOCRAT, first property line 15921.

Yuri's Revenge weapon paths: Death Weapon: BarrelExplosion.

Data source: expandmd01.mix/rulesmd.ini, section AMMOCRAT, first property line 22278.

Green Building - GAGREEN

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	100	100
Starting health capacity	150	150
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GAPILE	GAPILE
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	3	3

Data source: ra2.mix/local.mix/rules.ini, section GAGREEN, first property line 9111.

Data source: expandmd01.mix/rulesmd.ini, section GAGREEN, first property line 16356.

Soviet Shipyard - NAYARD

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide Soviet naval production at a legal shoreline.

2. Construct eligible ships/submarines/transports.
3. Release them through usable water/exit space.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	1500	1500
Armor class	concrete	concrete
Sight radius setting	10	10
Technology level	2	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	PROC,POWER,NACNST	PROC,POWER,NACNST
Signed power contribution	-20	-20
Production category	UnitType	UnitType
Engineer-capture permission	no	no
Vehicle repair service	yes	yes
Depends on power	true	false
Naval role	yes	yes
Threat contribution	0	0
Explosive destruction flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	12	12
Vehicle-factory service	yes	yes
Construction category	Tech	Tech
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section NAYARD, first property line 8716.

Data source: expandmd01.mix/rulesmd.ini, section NAYARD, first property line 12634.

SpySat Uplink - GASPYSAT

Registered in: Red Alert 2, Yuri's Revenge.

1. When operational, provide its map-reveal service.
2. Update visibility information through the game's reveal logic.
3. Visibility does not itself issue attack orders or remove target immunities.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1500	1500
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	5	5
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GATECH,GACNST	GATECH,GACNST
Signed power contribution	-100	-100
Engineer-capture permission	true	true

Setting	Red Alert 2	Yuri's Revenge
Radar service	yes	yes
Whole-map reveal service	yes	yes
Depends on power	true	true
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Combat	Combat

Data source: ra2.mix/local.mix/rules.ini, section GASPYSAT, first property line 8826.

Data source: expandmd01.mix/rulesmd.ini, section GASPYSAT, first property line 12188.

Gap Generator - GAGAP

Registered in: Red Alert 2, Yuri's Revenge.

1. When operational, apply its shroud/gap service to its area.
2. Update that effect with ownership/power/state changes.
3. Do not interpret reshrouding as destruction of objects beneath it.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	5	5
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GATECH,GACNST	GATECH,GACNST
Signed power contribution	-100	-100
Engineer-capture permission	false	false
Shroud-generator service	yes	yes
Depends on power	true	true
Threat contribution	0	0
Placement adjacency setting	2	2
Power contribution per supported occupant	-9000	-9000
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GAGAP, first property line 8860.

Data source: expandmd01.mix/rulesmd.ini, section GAGAP, first property line 12222.

Grand Cannon - GTGCAN

Registered in: Red Alert 2, Yuri's Revenge.

1. Use its French/country-limited build eligibility where applicable.
2. Acquire a legal target within its usable firing range.
3. Fire its artillery attack and resolve spread/armor effects.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2000	2000
Starting health capacity	900	900
Armor class	steel	steel
Sight radius setting	10	10
Technology level	7	7
Permitted country list	British,French,Germans,Americans,Alliance	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required countries	French	French
Required structures/groups	RADAR,GACNST	RADAR,GACNST
Signed power contribution	-100	-100
Engineer-capture permission	false	false
Depends on power	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	2	2
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: GrandCannonWeapon.

Data source: ra2.mix/local.mix/rules.ini, section GTGCAN, first property line 15946.

Yuri's Revenge weapon paths: Primary: GrandCannonWeapon.

Data source: expandmd01.mix/rulesmd.ini, section GTGCAN, first property line 12367.

Nuclear Reactor - NANRCT

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide high power output under its rules.
2. Remain a vulnerable structure that can be attacked.
3. Resolve its configured destruction/explosion consequences if destroyed.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	5	5
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,NACNST	NATECH,NACNST
Signed power contribution	2000	2000
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Depends on power	no	no
Explosive destruction flag	yes	yes
Placement adjacency setting	2	2
Construction category	Power	Power

Setting	Red Alert 2	Yuri's Revenge
Immune to ordinary psychic control	Not explicitly set	no
Special powered operation	Not explicitly set	yes

Red Alert 2 weapon paths: Death Weapon: NukePayload.

Data source: ra2.mix/local.mix/rules.ini, section NANRCT, first property line 15991.

Yuri's Revenge weapon paths: Death Weapon: NukePayload.

Data source: expandmd01.mix/rulesmd.ini, section NANRCT, first property line 12738.

Pill Box - GAPILL

Registered in: Red Alert 2, Yuri's Revenge.

1. Acquire supported close ground targets.
2. Fire the Pill Box weapon when ready.
3. Recheck target, range and owner relations.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	500	500
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	7	7
Technology level	1	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS,GACNST	BARRACKS,GACNST
Signed power contribution	0	0
Engineer-capture permission	false	false
Threat contribution	30	30
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: Vulcan2.

Data source: ra2.mix/local.mix/rules.ini, section GAPILL, first property line 10407.

Yuri's Revenge weapon paths: Primary: Vulcan2.

Data source: expandmd01.mix/rulesmd.ini, section GAPILL, first property line 12050.

Flak Cannon - NAFLAK

Registered in: Red Alert 2, Yuri's Revenge.

1. Check its powered operational state.
2. Acquire eligible aircraft and fire flak.
3. Apply the configured warhead/spread rules.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	900	900

Setting	Red Alert 2	Yuri's Revenge
Armor class	steel	steel
Sight radius setting	5	5
Technology level	4	4
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS,NACNST	BARRACKS,NACNST
Signed power contribution	-50	-50
Engineer-capture permission	false	false
Depends on power	yes	yes
Ground-target selection mode	1	1
Naval-target selection mode	6	6
Threat contribution	0	0
Base-defense role	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	2	2
Construction category	Combat	Combat
Immune to ordinary psychic control	Not explicitly set	no

Red Alert 2 weapon paths: Primary: FlakWeapon.

Data source: ra2.mix/local.mix/rules.ini, section NAFLAK, first property line 16020.

Yuri's Revenge weapon paths: Primary: FlakWeapon.

Data source: expandmd01.mix/rulesmd.ini, section NAFLAK, first property line 12887.

Tech Outpost - CAOUTP

Registered in: Red Alert 2, Yuri's Revenge.

1. After legal capture, provide the tech outpost's repair service.
2. Engage supported targets with its defensive weapon.
3. Repair eligible visiting vehicles under the depot-like workflow.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Armor class	concrete	concrete
Technology level	-1	-1
Engineer-capture permission	yes	yes
Selling forbidden	yes	yes
Vehicle repair service	yes	yes
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Sight radius setting	Not explicitly set	6
Capture notification	Not explicitly set	EVA_RepairFacilityCaptured

Red Alert 2 weapon paths: Primary: HoverMissile.

Data source: ra2.mix/local.mix/rules.ini, section CAOUTP, first property line 10486.

Yuri's Revenge weapon paths: Primary: HoverMissile.

Data source: expandmd01.mix/rulesmd.ini, section CAOUTP, first property line 13871.

Civilian Hospital - CATHOSP

Registered in: Red Alert 2, Yuri's Revenge.

1. Accept legal capture and provide the selected ruleset's hospital/healing benefit.
2. Use its infantry-healing settings rather than vehicle repair.
3. Check campaign overrides and eligibility before assuming an entry or global healing method.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	800	800
Armor class	concrete	concrete
Technology level	-1	-1
Engineer-capture permission	yes	yes
Selling forbidden	yes	yes
Hidden from radar	yes	Not explicitly set
Hospital role	yes	Not explicitly set
Insignificant-object flag	yes	yes
Sight radius setting	Not explicitly set	6
Leaves rubble	Not explicitly set	yes
Granted infantry-healing level	Not explicitly set	1
Capture notification	Not explicitly set	EVA_HospitalCaptured

Data source: ra2.mix/local.mix/rules.ini, section CATHOSP, first property line 10549.

Data source: expandmd01.mix/rulesmd.ini, section CATHOSP, first property line 14006.

Tech Airport - CAAIRP

Registered in: Red Alert 2, Yuri's Revenge.

1. Accept a legal Engineer capture.
2. Grant the configured paradrop ability to the owner.
3. Charge and dispatch its delivery according to the selected side and scenario rules.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	800	800
Armor class	concrete	concrete
Technology level	-1	-1
Engineer-capture permission	yes	yes
Selling forbidden	yes	yes
Primary granted special weapon	ParaDropSpecial	ParaDropSpecial
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Sight radius setting	Not explicitly set	6
Capture notification	Not explicitly set	EVA_AirfieldCaptured

Data source: ra2.mix/local.mix/rules.ini, section CAAIRP, first property line 10602.

Data source: expandmd01.mix/rulesmd.ini, section CAAIRP, first property line 13905.

Tech Oil Derrick - CAOILD

Registered in: Red Alert 2, Yuri's Revenge.

1. Accept a legal Engineer capture.

2. Apply the configured capture startup cash and recurring income.
3. On destruction, resolve its explosive death weapon and stop its service.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	6
Technology level	-1	-1
Engineer-capture permission	yes	yes
Selling forbidden	yes	yes
Capture/startup income	1000	1000
Recurring income amount	20	20
Recurring income delay	100	100
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Explosive destruction flag	yes	yes
Capture notification	Not explicitly set	EVA_OilRefineryCaptured

Red Alert 2 weapon paths: Death Weapon: OilExplosion.

Data source: ra2.mix/local.mix/rules.ini, section CAOILD, first property line 10623.

Yuri's Revenge weapon paths: Death Weapon: OilExplosion.

Data source: expandmd01.mix/rulesmd.ini, section CAOILD, first property line 13929.

Cloning Vats - NACLON

Registered in: Red Alert 2, Yuri's Revenge.

1. Compare versions: Soviet access in RA2 changes to Yuri technology in the expansion.
2. On eligible infantry production, create a supported duplicate through its cloning procedure.
3. Check cloning restrictions, build limits and the expansion's removal of old recycling behavior.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2500	2500
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	5	5
Technology level	9	9
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,NACNST	YATECH,YACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Infantry-cloning service	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Combat

Data source: ra2.mix/local.mix/rules.ini, section NACLON, first property line 9014.

Data source: expandmd01.mix/rulesmd.ini, section NACLON, first property line 13527.

Ore Purifier - GAOREP

Registered in: Red Alert 2, Yuri's Revenge.

1. Join the owner's resource-income modifier service.
2. Apply the configured purifier bonus to supported resource processing.
3. Stop contributing if its required ownership/operational conditions fail.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	2500	2500
Starting health capacity	900	900
Armor class	wood	wood
Sight radius setting	5	5
Technology level	10	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GATECH,PROC,GACNST	GATECH,PROC,GACNST
Build limit	1	1
Signed power contribution	-200	-200
Engineer-capture permission	false	false
Depends on power	true	true
Threat contribution	0	0
Player power toggle allowed	no	no
Placement adjacency setting	2	2
Recycling value setting	1250	1250
Construction category	Resource	Resource

Data source: ra2.mix/local.mix/rules.ini, section GAOREP, first property line 8639.

Data source: expandmd01.mix/rulesmd.ini, section GAOREP, first property line 11950.

Building - CACITY01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Setting	Red Alert 2	Yuri's Revenge
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACITY01, first property line 10797.

Data source: expandmd01.mix/rulesmd.ini, section CACITY01, first property line 17945.

Building - CACITY02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACITY02, first property line 10820.

Data source: expandmd01.mix/rulesmd.ini, section CACITY02, first property line 17968.

Building - CACITY03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Setting	Red Alert 2	Yuri's Revenge
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACITY03, first property line 10843.

Data source: expandmd01.mix/rulesmd.ini, section CACITY03, first property line 17991.

Building - CACITY04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACITY04, first property line 10866.

Data source: expandmd01.mix/rulesmd.ini, section CACITY04, first property line 18014.

Building - CANEWY01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY01, first property line 10889.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY01, first property line 18037.

Statue of Liberty - CANEWY04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CANEWY04, first property line 10914.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY04, first property line 18062.

World Trade Center - CANEWY05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Radar service	yes	yes
Whole-map reveal service	yes	yes
Insignificant-object flag	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY05, first property line 10939.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY05, first property line 18087.

Building - CASWST01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CASWST01, first property line 10964.

Data source: expandmd01.mix/rulesmd.ini, section CASWST01, first property line 18112.

Communications Center - CATECH01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATECH01, first property line 10989.

Data source: expandmd01.mix/rulesmd.ini, section CATECH01, first property line 18137.

Building - CATEXS01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS01, first property line 11015.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS01, first property line 18163.

Alamo - CATEXS02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no

Setting	Red Alert 2	Yuri's Revenge
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS02, first property line 11042.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS02, first property line 14090.

White House - CAWASH01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH01, first property line 11070.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH01, first property line 14117.

Farm - CAFARM01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6

Setting	Red Alert 2	Yuri's Revenge
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAFARM01, first property line 14508.

Data source: expandmd01.mix/rulesmd.ini, section CAFARM01, first property line 21153.

Farm Silo - CAFARM02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAFARM02, first property line 14533.

Data source: expandmd01.mix/rulesmd.ini, section CAFARM02, first property line 21178.

Light - CALIT01E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT01E, first property line 14603.

Data source: expandmd01.mix/rulesmd.ini, section CALIT01E, first property line 21248.

Light - CALIT01N

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT01N, first property line 14619.

Data source: expandmd01.mix/rulesmd.ini, section CALIT01N, first property line 21264.

Light - CALIT01S

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT01S, first property line 14635.

Data source: expandmd01.mix/rulesmd.ini, section CALIT01S, first property line 21280.

Light - CALIT01W

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT01W, first property line 14651.

Data source: expandmd01.mix/rulesmd.ini, section CALIT01W, first property line 21296.

Barrels - CAMISC01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Explosive destruction flag	yes	yes
Normal base-adjacency role	no	no

Red Alert 2 weapon paths: Death Weapon: BarrelExplosion.

Data source: ra2.mix/local.mix/rules.ini, section CAMISC01, first property line 14974.

Yuri's Revenge weapon paths: Death Weapon: BarrelExplosion.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC01, first property line 14931.

Barrel - CAMISC02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Explosive destruction flag	yes	yes
Normal base-adjacency role	no	no

Red Alert 2 weapon paths: Death Weapon: BarrelExplosion.

Data source: ra2.mix/local.mix/rules.ini, section CAMISC02, first property line 14996.

Yuri's Revenge weapon paths: Death Weapon: BarrelExplosion.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC02, first property line 14953.

Dumpster - CAMISC03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	100	100

Setting	Red Alert 2	Yuri's Revenge
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMISC03, first property line 15018.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC03, first property line 21511.

Mailbox - CAMISC04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	10	10
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMISC04, first property line 15038.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC04, first property line 21531.

Telephone Pole - CAPOL01E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPOL01E, first property line 15508.

Data source: expandmd01.mix/rulesmd.ini, section CAPOL01E, first property line 21849.

Telephone Pole - CAPOL01N

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPOL01N, first property line 15524.

Data source: expandmd01.mix/rulesmd.ini, section CAPOL01N, first property line 21865.

Telephone Pole - CAPOL01S

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPOL01S, first property line 15540.

Data source: expandmd01.mix/rulesmd.ini, section CAPOL01S, first property line 21881.

Telephone Pole - CAPOL01W

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPOL01W, first property line 15558.

Data source: expandmd01.mix/rulesmd.ini, section CAPOL01W, first property line 21899.

Stop Sign - CASIN01E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASIN01E, first property line 15576.

Data source: expandmd01.mix/rulesmd.ini, section CASIN01E, first property line 21971.

Stop Sign - CASIN01N

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASIN01N, first property line 15625.

Data source: expandmd01.mix/rulesmd.ini, section CASIN01N, first property line 22020.

Stop Sign - CASIN01S

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASIN01S, first property line 15610.

Data source: expandmd01.mix/rulesmd.ini, section CASIN01S, first property line 22005.

Stop Sign - CASIN01W

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	5	5
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASIN01W, first property line 15593.

Data source: expandmd01.mix/rulesmd.ini, section CASIN01W, first property line 21988.

Paris Tower - CAPARS01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	3000	3000
Armor class	steel	steel
Technology level	-1	-1
Signed power contribution	-100	-100
Hidden from radar	no	no
Depends on power	Yes	Yes
Insignificant-object flag	no	no
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Red Alert 2 weapon paths: Primary: EiffelBolt.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS01, first property line 10772.

Yuri's Revenge weapon paths: Primary: EiffelBolt.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS01, first property line 17920.

Air Force Command Headquarters - GAAIRC

Registered in: Red Alert 2, Yuri's Revenge.

1. Provide Allied radar/aircraft-related infrastructure.
2. Supply aircraft docking slots and unlock the corresponding production.
3. Handle power and aircraft rearming availability.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600

Setting	Red Alert 2	Yuri's Revenge
Armor class	steel	steel
Sight radius setting	5	5
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Excluded countries	Americans	Americans
Required structures/groups	GAREFN,GACNST	GAREFN,GACNST
Signed power contribution	-50	-50
Production category	AircraftType	AircraftType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Radar service	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Aircraft-pad service	yes	yes
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section GAAIRC, first property line 8755.

Data source: expandmd01.mix/rulesmd.ini, section GAAIRC, first property line 11809.

Farm House - CAFRMA

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAFRMA, first property line 14551.

Data source: expandmd01.mix/rulesmd.ini, section CAFRMA, first property line 21196.

Outhouse - CAFRMB

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	wood	wood
Sight radius setting	4	4
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	1	1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAFRMB, first property line 14576.

Data source: expandmd01.mix/rulesmd.ini, section CAFRMB, first property line 21221.

Building - CAWASH05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH05, first property line 11101.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH05, first property line 18191.

Building - CAWASH04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH04, first property line 11154.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH04, first property line 18244.

Building - CAWASH03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH03, first property line 11181.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH03, first property line 18271.

Building - CAWASH07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH07, first property line 11209.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH07, first property line 18299.

Building - CAWASH11

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH11, first property line 11236.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH11, first property line 18326.

Washington Monument - CAWSH12

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWSH12, first property line 11263.

Data source: expandmd01.mix/rulesmd.ini, section CAWSH12, first property line 14148.

Jefferson Memorial - CAWASH14

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH14, first property line 11294.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH14, first property line 14179.

Building - CAWASH09

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH09, first property line 11344.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH09, first property line 18380.

Building - CAWASH10

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH10, first property line 11371.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH10, first property line 18407.

Building - CAWASH13

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH13, first property line 11398.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH13, first property line 18434.

Army Tents - CAARMY01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAARMY01, first property line 14326.

Data source: expandmd01.mix/rulesmd.ini, section CAARMY01, first property line 21002.

US Flag - CAUSFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAUSFGL, first property line 14430.

Data source: expandmd01.mix/rulesmd.ini, section CAUSFGL, first property line 21106.

Building - CAWASH08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH08, first property line 11317.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH08, first property line 18353.

Light3E - CALIT03E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT03E, first property line 14667.

Data source: expandmd01.mix/rulesmd.ini, section CALIT03E, first property line 21312.

Light3N - CALIT03N

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT03N, first property line 14683.

Data source: expandmd01.mix/rulesmd.ini, section CALIT03N, first property line 21328.

Light3S - CALIT03S

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT03S, first property line 14699.

Data source: expandmd01.mix/rulesmd.ini, section CALIT03S, first property line 21344.

Light3W - CALIT03W

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT03W, first property line 14715.

Data source: expandmd01.mix/rulesmd.ini, section CALIT03W, first property line 21360.

Light2L - CALIT02L

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT02L, first property line 14731.

Data source: expandmd01.mix/rulesmd.ini, section CALIT02L, first property line 21376.

Light2R - CALIT02R

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALIT02R, first property line 14747.

Data source: expandmd01.mix/rulesmd.ini, section CALIT02R, first property line 21392.

House - CAHSE01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE01, first property line 14764.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE01, first property line 21409.

Water Tower - CAWT01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWT01, first property line 14791.

Data source: expandmd01.mix/rulesmd.ini, section CAWT01, first property line 21436.

Grain Silo - CATS01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	300	300
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CATS01, first property line 14816.

Data source: expandmd01.mix/rulesmd.ini, section CATS01, first property line 21461.

Barn - CABARN02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CABARN02, first property line 14840.

Data source: expandmd01.mix/rulesmd.ini, section CABARN02, first property line 21485.

Pentagon - CAWA2A

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWA2A, first property line 14867.

Data source: expandmd01.mix/rulesmd.ini, section CAWA2A, first property line 14702.

Pentagon - CAWA2B

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWA2B, first property line 14894.

Data source: expandmd01.mix/rulesmd.ini, section CAWA2B, first property line 14729.

Pentagon - CAWA2C

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWA2C, first property line 14921.

Data source: expandmd01.mix/rulesmd.ini, section CAWA2C, first property line 14756.

Pentagon - CAWA2D

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWA2D, first property line 14948.

Data source: expandmd01.mix/rulesmd.ini, section CAWA2D, first property line 14783.

Air Force Command Headquarters - AMRADR

Registered in: Red Alert 2, Yuri's Revenge.

1. Use the American variant of the Air Force Command record.
2. Provide its aircraft/radar services and special-weapon grant.
3. Keep the distinction from the generic Allied record when reading prerequisites and country restrictions.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	600	600
Armor class	steel	steel
Sight radius setting	5	5
Technology level	3	3
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required countries	Americans	Americans
Required structures/groups	GAREFN,GACNST	GAREFN,GACNST
Signed power contribution	-50	-50
Production category	AircraftType	AircraftType
Engineer-capture permission	true	true
Spy-infiltration permission	yes	yes
Primary granted special weapon	AmericanParaDropSpecial	AmericanParaDropSpecial
Radar service	yes	yes
Threat contribution	0	0
Placement adjacency setting	2	2
Construction category	Tech	Tech
Aircraft-pad service	yes	yes
Immune to ordinary psychic control	Not explicitly set	no

Data source: ra2.mix/local.mix/rules.ini, section AMRADR, first property line 8790.

Data source: expandmd01.mix/rulesmd.ini, section AMRADR, first property line 12330.

Generic World-Famous Museum - CAPRS03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no

Setting	Red Alert 2	Yuri's Revenge
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPRS03, first property line 11506.

Data source: expandmd01.mix/rulesmd.ini, section CAPRS03, first property line 14202.

Guard Shack - CAGARD01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	100	100
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAGARD01, first property line 14454.

Data source: expandmd01.mix/rulesmd.ini, section CAGARD01, first property line 21130.

St. Basil's Cathedral - CARUS01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS01, first property line 14478.

Data source: expandmd01.mix/rulesmd.ini, section CARUS01, first property line 14671.

Hotel - CAMIAM01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM01, first property line 12973.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM01, first property line 19736.

CAEURO01 - CAEURO01

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2

Data source: ra2.mix/local.mix/rules.ini, section CAEURO01, first property line 0.

Hotel - CAMIAM02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM02, first property line 11479.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM02, first property line 18515.

Building - CANWY05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY05, first property line 11536.

Data source: expandmd01.mix/rulesmd.ini, section CANWY05, first property line 18542.

Mayan Pyramid - MAYAN

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000

Setting	Red Alert 2	Yuri's Revenge
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	no	no
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Red Alert 2 weapon paths: Primary: MayanPrism.

Data source: ra2.mix/local.mix/rules.ini, section MAYAN, first property line 11613.

Yuri's Revenge weapon paths: Primary: MayanPrism.

Data source: expandmd01.mix/rulesmd.ini, section MAYAN, first property line 14255.

Cottage - CAEUR1

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	300	300
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	3	3
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAEUR1, first property line 11425.

Data source: expandmd01.mix/rulesmd.ini, section CAEUR1, first property line 18461.

Cottage - CAEUR2

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	300	300
Armor class	wood	wood

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	3	3
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAEUR2, first property line 11452.

Data source: expandmd01.mix/rulesmd.ini, section CAEUR2, first property line 18488.

Building - CAEUR04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAEUR04, first property line 11563.

Data source: expandmd01.mix/rulesmd.ini, section CAEUR04, first property line 18569.

Mayan Pyramid - CAMEX01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Armor class	concrete	concrete
Sight radius setting	12	12
Technology level	-1	-1
Repair-tool permission	no	no
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Red Alert 2 weapon paths: Primary: MayanPrism.

Data source: ra2.mix/local.mix/rules.ini, section CAMEX01, first property line 11590.

Yuri's Revenge weapon paths: Primary: MayanPrism.

Data source: expandmd01.mix/rulesmd.ini, section CAMEX01, first property line 14232.

Russain Kremlin Wall LTower - CARUS02A

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	800	800
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02A, first property line 11632.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02A, first property line 18596.

Russain Kremlin Wall STower - CARUS02B

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02B, first property line 11651.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02B, first property line 18615.

Russain Kremlin Wall North - CARUS02C

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Can be crushed	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02C, first property line 11668.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02C, first property line 18632.

Russain Kremlin Wall East - CARUS02D

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Can be crushed	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02D, first property line 11686.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02D, first property line 18650.

Russain Kremlin Wall South - CARUS02E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Can be crushed	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02E, first property line 11704.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02E, first property line 18668.

Russain Kremlin Wall West - CARUS02F

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Can be crushed	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUS02F, first property line 11722.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02F, first property line 18686.

Building - CANEWY06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY06, first property line 11741.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY06, first property line 18705.

Building - CANEWY07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY07, first property line 11769.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY07, first property line 18733.

Building - CANEWY08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY08, first property line 11797.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY08, first property line 18761.

Building - CAPARS02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS02, first property line 11825.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS02, first property line 18789.

Building - CAPARS08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS08, first property line 11853.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS08, first property line 18817.

Building - CAPARS09

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS09, first property line 11881.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS09, first property line 18845.

Kremlin - CARUS03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS03, first property line 11909.

Data source: expandmd01.mix/rulesmd.ini, section CARUS03, first property line 14274.

Building - CANEWY10

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY10, first property line 11936.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY10, first property line 18873.

Building - CANEWY11

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY11, first property line 11963.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY11, first property line 18900.

Building - CANEWY12

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY12, first property line 11990.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY12, first property line 18927.

Building - CANEWY13

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY13, first property line 12017.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY13, first property line 18954.

Building - CANEWY14

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY14, first property line 12044.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY14, first property line 18981.

Building - CANEWY15

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY15, first property line 12071.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY15, first property line 19008.

Building - CANEWY16

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY16, first property line 12098.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY16, first property line 19035.

Building - CANEWY17

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY17, first property line 12125.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY17, first property line 19062.

Building - CANEWY18

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY18, first property line 12152.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY18, first property line 19089.

Building - CAPARS04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS04, first property line 12179.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS04, first property line 19116.

Building - CAPARS05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS05, first property line 12206.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS05, first property line 19143.

Building - CAPARS06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS06, first property line 12233.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS06, first property line 19170.

Phone Booth - CAPARS07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	100	100
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPARS07, first property line 12260.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS07, first property line 19197.

Lincoln Memorial - CAWASH15

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH15, first property line 12280.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH15, first property line 14301.

Building - CAPARS10

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS10, first property line 12308.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS10, first property line 19217.

Building - CAPARS13

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS13, first property line 12337.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS13, first property line 19246.

Building - CAPARS14

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS14, first property line 12366.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS14, first property line 19275.

Gas Station - CAGAS01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAGAS01, first property line 12394.

Data source: expandmd01.mix/rulesmd.ini, section CAGAS01, first property line 19303.

Paris Arch of Winning - CAPARS11

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPARS11, first property line 12422.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS11, first property line 14329.

Cathedral - CAPARS12

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAPARS12, first property line 12449.

Data source: expandmd01.mix/rulesmd.ini, section CAPARS12, first property line 14356.

Light House - CAFARM06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAFARM06, first property line 12480.

Data source: expandmd01.mix/rulesmd.ini, section CAFARM06, first property line 19331.

Lifeguard - CAMIAM04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	3	3
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM04, first property line 12507.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM04, first property line 19358.

Psychic Beacon - NAPSYB

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a Psychic Beacon object used by mission logic.
2. Receive relevant damage/ownership interactions.
3. Its attached triggers implement the mission-scale control/release consequence; do not infer a universal automatic city effect from its name.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	1000	1000
Starting health capacity	750	750
Armor class	wood	wood
Sight radius setting	10	10
Technology level	-1	-1
Permitted country list	Russians,Confederation,Africans,Arabs	Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH	NATECH
Signed power contribution	-100	-100
Engineer-capture permission	true	true
Depends on power	true	true
Threat contribution	0	0
Normal base-adjacency role	yes	yes
Placement adjacency setting	2	2
Construction category	Tech	Tech

Data source: ra2.mix/local.mix/rules.ini, section NAPSYB, first property line 12533.

Data source: expandmd01.mix/rulesmd.ini, section NAPSYB, first property line 14387.

Psychic Amplifier - NAPSYA

Registered in: Red Alert 2, Yuri's Revenge.

1. Represent the Psychic Amplifier objective structure.
2. Participate in scenario countdown and destruction events.
3. Follow the mission trigger chain for activation/failure rather than treating it as a normal buildable superweapon.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Signed power contribution	-100	-100
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Depends on power	true	true
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section NAPSYA, first property line 12566.

Data source: expandmd01.mix/rulesmd.ini, section NAPSYA, first property line 14420.

Factory - CAIND01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAIND01, first property line 12591.

Data source: expandmd01.mix/rulesmd.ini, section CAIND01, first property line 19384.

Air Force Academy Chapel - CACOLO01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CACOLO01, first property line 12619.

Data source: expandmd01.mix/rulesmd.ini, section CACOLO01, first property line 14445.

Building - CANWY09

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY09, first property line 12649.

Data source: expandmd01.mix/rulesmd.ini, section CANWY09, first property line 19412.

Building - CANWY22

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY22, first property line 12676.

Data source: expandmd01.mix/rulesmd.ini, section CANWY22, first property line 19439.

Building - CANWY23

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY23, first property line 12703.

Data source: expandmd01.mix/rulesmd.ini, section CANWY23, first property line 19466.

Building - CANWY24

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY24, first property line 12730.

Data source: expandmd01.mix/rulesmd.ini, section CANWY24, first property line 19493.

Building - CANWY25

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY25, first property line 12757.

Data source: expandmd01.mix/rulesmd.ini, section CANWY25, first property line 19520.

Building - CANWY26

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANWY26, first property line 12784.

Data source: expandmd01.mix/rulesmd.ini, section CANWY26, first property line 19547.

Building - CATEXS03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS03, first property line 12811.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS03, first property line 19574.

Building - CATEXS04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS04, first property line 12839.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS04, first property line 19602.

Building - CATEXS05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS05, first property line 12867.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS05, first property line 19630.

Russain Kremlin Wall Clock Tower - CARUS02G

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS02G, first property line 12895.

Data source: expandmd01.mix/rulesmd.ini, section CARUS02G, first property line 19658.

Chicago Associates Center - CACHIG04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACHIG04, first property line 12918.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG04, first property line 19681.

Hotel - CAMIAM03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10

Setting	Red Alert 2	Yuri's Revenge
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM03, first property line 12946.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM03, first property line 19709.

Red Square - CARUS07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS07, first property line 13000.

Data source: expandmd01.mix/rulesmd.ini, section CARUS07, first property line 14475.

Office Building - CATEXS06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1

Setting	Red Alert 2	Yuri's Revenge
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS06, first property line 13028.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS06, first property line 19763.

Office Building - CATEXS07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS07, first property line 13056.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS07, first property line 19791.

Office Building - CATEXS08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CATEXS08, first property line 13084.

Data source: expandmd01.mix/rulesmd.ini, section CATEXS08, first property line 19819.

Building - CACHIG01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACHIG01, first property line 13112.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG01, first property line 19847.

Building - CACHIG02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACHIG02, first property line 13140.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG02, first property line 19875.

Building - CACHIG03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACHIG03, first property line 13168.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG03, first property line 19903.

Smithsonian Castle - CAWASH16

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH16, first property line 13196.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH16, first property line 14503.

Smithsonian Natural History Museum - CAWASH17

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	true	true
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH17, first property line 13224.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH17, first property line 14531.

Sears Tower - CACHIG05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Radar service	yes	yes
Whole-map reveal service	yes	yes
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CACHIG05, first property line 13253.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG05, first property line 14560.

Iwo Jima Victory Monument - CAWASH19

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH19, first property line 13283.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH19, first property line 14590.

Russain Gum Corner - CARUS08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS08, first property line 13311.

Data source: expandmd01.mix/rulesmd.ini, section CARUS08, first property line 19931.

Russian Gum Middle - CARUS09

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS09, first property line 13335.

Data source: expandmd01.mix/rulesmd.ini, section CARUS09, first property line 19955.

Russian Gum Wall N_S - CARUS10

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS10, first property line 13359.

Data source: expandmd01.mix/rulesmd.ini, section CARUS10, first property line 19979.

Russian Gum Wall E_W - CARUS11

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS11, first property line 13383.

Data source: expandmd01.mix/rulesmd.ini, section CARUS11, first property line 20003.

Warehouse - CANEWY20

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY20, first property line 13408.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY20, first property line 20028.

Warehouse - CANEWY21

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CANEWY21, first property line 13433.

Data source: expandmd01.mix/rulesmd.ini, section CANEWY21, first property line 20053.

Building - CARUS04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS04, first property line 13458.

Data source: expandmd01.mix/rulesmd.ini, section CARUS04, first property line 20078.

Building - CARUS05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS05, first property line 13483.

Data source: expandmd01.mix/rulesmd.ini, section CARUS05, first property line 20103.

Building - CARUS06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CARUS06, first property line 13508.

Data source: expandmd01.mix/rulesmd.ini, section CARUS06, first property line 20128.

Mr. Yummy's Hot Dogs! - CAMSC01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC01, first property line 13533.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC01, first property line 20153.

Umbrellas - CAMSC02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	50	50
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC02, first property line 13557.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC02, first property line 20177.

Umbrellas - CAMSC03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC03, first property line 13579.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC03, first property line 20199.

Beach Towels - CAMSC04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC04, first property line 13601.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC04, first property line 20221.

Beach Towels - CAMSC05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC05, first property line 13623.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC05, first property line 20243.

Camp Fire - CAMSC06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	10	10
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC06, first property line 13645.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC06, first property line 20265.

Hut - CAMSC07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMSC07, first property line 13671.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC07, first property line 20291.

Fountain - CAWASH18

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAWASH18, first property line 13742.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH18, first property line 14618.

Statue - CAEURO05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	concrete	concrete
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAEURO05, first property line 13767.

Data source: expandmd01.mix/rulesmd.ini, section CAEURO05, first property line 20362.

Park Bench - CAPARK01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPARK01, first property line 13792.

Data source: expandmd01.mix/rulesmd.ini, section CAPARK01, first property line 20432.

Swing Set - CAPARK02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPARK02, first property line 13814.

Data source: expandmd01.mix/rulesmd.ini, section CAPARK02, first property line 20454.

Merry-Go-Round - CAPARK03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1	1
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPARK03, first property line 13836.

Data source: expandmd01.mix/rulesmd.ini, section CAPARK03, first property line 20476.

House - CAHSE02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE02, first property line 13860.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE02, first property line 20563.

House - CAHSE03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE03, first property line 13885.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE03, first property line 20588.

House - CAHSE04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	400	400
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE04, first property line 13910.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE04, first property line 20613.

Traffic Light - CASTRT01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTRT01, first property line 14209.

Data source: expandmd01.mix/rulesmd.ini, section CASTRT01, first property line 20884.

Traffic Light - CASTRT02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTRT02, first property line 14232.

Data source: expandmd01.mix/rulesmd.ini, section CASTRT02, first property line 20907.

Building - CASTL01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CASTL01, first property line 13935.

Data source: expandmd01.mix/rulesmd.ini, section CASTL01, first property line 20638.

Building - CASTL02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CASTL02, first property line 13962.

Data source: expandmd01.mix/rulesmd.ini, section CASTL02, first property line 20665.

Building - CASTL03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000

Setting	Red Alert 2	Yuri's Revenge
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CASTL03, first property line 13989.

Data source: expandmd01.mix/rulesmd.ini, section CASTL03, first property line 20692.

Arch - CASTL04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CASTL04, first property line 14016.

Data source: expandmd01.mix/rulesmd.ini, section CASTL04, first property line 14643.

Mobile Home - CAHSE05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	300	300
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE05, first property line 14044.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE05, first property line 20719.

Mobile Home - CAHSE06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	300	300
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAHSE06, first property line 14071.

Data source: expandmd01.mix/rulesmd.ini, section CAHSE06, first property line 20746.

Hotel - CAMIAM05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM05, first property line 14126.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM05, first property line 20801.

Hotel - CAMIAM06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM06, first property line 14153.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM06, first property line 20828.

Hotel - CAMIAM07

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM07, first property line 14180.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM07, first property line 20855.

Fence Black - CAFNCB

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	25	25
Starting health capacity	100	100
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS	BARRACKS
Can be crushed	yes	yes
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section CAFNCB, first property line 9162.

Data source: expandmd01.mix/rulesmd.ini, section CAFNCB, first property line 16407.

Fence White - CAFNCW

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	25	25
Starting health capacity	100	100
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS	BARRACKS
Can be crushed	yes	yes
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section CAFNCW, first property line 9189.

Data source: expandmd01.mix/rulesmd.ini, section CAFNCW, first property line 16434.

Mayan Ruins - CAMEX02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	Yes	Yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMEX02, first property line 9215.

Data source: expandmd01.mix/rulesmd.ini, section CAMEX02, first property line 17058.

Mayan Ruins - CAMEX03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMEX03, first property line 9242.

Data source: expandmd01.mix/rulesmd.ini, section CAMEX03, first property line 17085.

Mayan Temple - CAMEX04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMEX04, first property line 9269.

Data source: expandmd01.mix/rulesmd.ini, section CAMEX04, first property line 17112.

Mayan Ruins - CAMEX05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	Yes	Yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMEX05, first property line 9296.

Data source: expandmd01.mix/rulesmd.ini, section CAMEX05, first property line 17139.

Water Tower - CACHIG06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CACHIG06, first property line 9321.

Data source: expandmd01.mix/rulesmd.ini, section CACHIG06, first property line 17164.

Hut - CAMSC08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMSC08, first property line 13695.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC08, first property line 20315.

Hut - CAMSC09

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	6	6
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMSC09, first property line 13719.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC09, first property line 20339.

Army Tents - CAARMY02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	4	4
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAARMY02, first property line 14352.

Data source: expandmd01.mix/rulesmd.ini, section CAARMY02, first property line 21028.

Army Tents - CAARMY03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	4	4
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAARMY03, first property line 14378.

Data source: expandmd01.mix/rulesmd.ini, section CAARMY03, first property line 21054.

Army Tents - CAARMY04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	200	200
Armor class	wood	wood
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	4	4
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAARMY04, first property line 14404.

Data source: expandmd01.mix/rulesmd.ini, section CAARMY04, first property line 21080.

InvisibleTemperateMorningLamp - TEMMORLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section TEMMORLAMP, first property line 9858.

Data source: expandmd01.mix/rulesmd.ini, section TEMMORLAMP, first property line 17605.

InvisibleTemperateDayLamp - TEMDAYLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section TEMDAYLAMP, first property line 9882.

Data source: expandmd01.mix/rulesmd.ini, section TEMDAYLAMP, first property line 17629.

InvisibleTemperateDuskLamp - TEMDUSLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section TEMDUSLAMP, first property line 9906.

Data source: expandmd01.mix/rulesmd.ini, section TEMDUSLAMP, first property line 17653.

InvisibleTemperateNightLamp - TEMNITLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3500	3500

Data source: ra2.mix/local.mix/rules.ini, section TEMNITLAMP, first property line 9930.

Data source: expandmd01.mix/rulesmd.ini, section TEMNITLAMP, first property line 17677.

InvisibleSnowMorningLamp - SNOMORLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3500	3500

Data source: ra2.mix/local.mix/rules.ini, section SNOMORLAMP, first property line 9954.

Data source: expandmd01.mix/rulesmd.ini, section SNOMORLAMP, first property line 17701.

InvisibleSnowDayLamp - SNODAYLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.005	0.005
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section SNODAYLAMP, first property line 9978.

Data source: expandmd01.mix/rulesmd.ini, section SNODAYLAMP, first property line 17725.

InvisibleSnowDuskLamp - SNODUSLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000

Setting	Red Alert 2	Yuri's Revenge
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.005	0.005
Local light reach	3500	3500

Data source: ra2.mix/local.mix/rules.ini, section SNODUSLAMP, first property line 10002.

Data source: expandmd01.mix/rulesmd.ini, section SNODUSLAMP, first property line 17749.

InvisibleSnowNightLamp - SNONITLAMP

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as a map lighting object.
2. Contribute its configured local light to presentation.
3. Apply any explicit damage/interaction permissions; it does not automatically produce units or credits.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	6000	6000
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Signed power contribution	0	0
Depends on power	true	true
Insignificant-object flag	yes	yes
Local light intensity	0.01	0.01
Local light reach	3000	3000

Data source: ra2.mix/local.mix/rules.ini, section SNONITLAMP, first property line 10026.

Data source: expandmd01.mix/rulesmd.ini, section SNONITLAMP, first property line 17773.

Kremlen Walls - CAKRMW

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	25	25
Starting health capacity	300	300
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry

Setting	Red Alert 2	Yuri's Revenge
Required structures/groups	BARRACKS	BARRACKS
Can be crushed	no	no
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section CAKRMW, first property line 15643.

Data source: expandmd01.mix/rulesmd.ini, section CAKRMW, first property line 22038.

Russian Flag - CARUFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CARUFGL, first property line 15670.

Data source: expandmd01.mix/rulesmd.ini, section CARUFGL, first property line 22065.

French Flag - CAFRFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0

Setting	Red Alert 2	Yuri's Revenge
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAFRFGL, first property line 15694.

Data source: expandmd01.mix/rulesmd.ini, section CAFRFGL, first property line 22089.

CAIRSFGL - CAIRSFGL

Registered in: Red Alert 2.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2

Data source: ra2.mix/local.mix/rules.ini, section CAIRSFGL, first property line 0.

Cuban Flag - CACUFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CACUFGL, first property line 15740.

Data source: expandmd01.mix/rulesmd.ini, section CACUFGL, first property line 22135.

Korean Flag - CASKFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel

Setting	Red Alert 2	Yuri's Revenge
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASKFGL, first property line 15764.

Data source: expandmd01.mix/rulesmd.ini, section CASKFGL, first property line 22159.

Lybian Flag - CALBFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CALBFGL, first property line 15788.

Data source: expandmd01.mix/rulesmd.ini, section CALBFGL, first property line 22183.

Arizona Memorial - CAMIAM08

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMIAM08, first property line 15884.

Data source: expandmd01.mix/rulesmd.ini, section CAMIAM08, first property line 15353.

Pipes - CAMISC05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	10	10
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMISC05, first property line 15056.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC05, first property line 21549.

V3 Ammunition - CAMISC06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	10	10
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMISC06, first property line 15074.

Data source: expandmd01.mix/rulesmd.ini, section CAMISC06, first property line 21567.

Stadium - CASTL05A

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05A, first property line 15332.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05A, first property line 15176.

Stadium - CASTL05B

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05B, first property line 15355.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05B, first property line 15199.

Stadium - CASTL05C

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no

Setting	Red Alert 2	Yuri's Revenge
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05C, first property line 15377.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05C, first property line 15221.

Stadium - CASTL05D

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05D, first property line 15399.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05D, first property line 15243.

Stadium - CASTL05E

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05E, first property line 15421.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05E, first property line 15265.

Stadium - CASTL05F

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05F, first property line 15443.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05F, first property line 15287.

Stadium - CASTL05G

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05G, first property line 15465.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05G, first property line 15309.

Stadium - CASTL05H

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	600	600
Armor class	concrete	concrete
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTL05H, first property line 15487.

Data source: expandmd01.mix/rulesmd.ini, section CASTL05H, first property line 15331.

McBurger Kong - CAMSC10

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	wood	wood
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMSC10, first property line 15096.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC10, first property line 21589.

German Flag - CAGEFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAGEFGL, first property line 15812.

Data source: expandmd01.mix/rulesmd.ini, section CAGEFGL, first property line 22207.

British Flag - CAUKFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAUKFGL, first property line 15836.

Data source: expandmd01.mix/rulesmd.ini, section CAUKFGL, first property line 22231.

Building - CAWASH06

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	10	10
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAWASH06, first property line 11128.

Data source: expandmd01.mix/rulesmd.ini, section CAWASH06, first property line 18218.

Tires - CAMSC11

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	10	10
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC11, first property line 15120.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC11, first property line 21613.

Practice Target - CAMSC12

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	100	100
Armor class	wood	wood
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC12, first property line 15141.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC12, first property line 21634.

Derelict Tank - CAMSC13

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	800	800
Armor class	concrete	concrete
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC13, first property line 15310.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC13, first property line 21828.

Polish Flag - CAPOFGL

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	20	20
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	0	0
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAPOFGL, first property line 15860.

Data source: expandmd01.mix/rulesmd.ini, section CAPOFGL, first property line 22255.

Practice Target - CAMSC12A

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	600	600
Starting health capacity	100	100

Setting	Red Alert 2	Yuri's Revenge
Armor class	wood	wood
Technology level	-1	-1
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMSC12A, first property line 15161.

Data source: expandmd01.mix/rulesmd.ini, section CAMSC12A, first property line 21654.

Movie Screen - CAMOV01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	500	500
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	no	no

Data source: ra2.mix/local.mix/rules.ini, section CAMOV01, first property line 15208.

Data source: expandmd01.mix/rulesmd.ini, section CAMOV01, first property line 21676.

Concession Stand - CAMOV02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	5	5
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes

Setting	Red Alert 2	Yuri's Revenge
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CAMOV02, first property line 15230.

Data source: expandmd01.mix/rulesmd.ini, section CAMOV02, first property line 21698.

Bunker - CABUNK01

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CABUNK01, first property line 15257.

Data source: expandmd01.mix/rulesmd.ini, section CABUNK01, first property line 21725.

Bunker - CABUNK02

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	2000	2000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	8	8
Hidden from radar	yes	Not explicitly set

Setting	Red Alert 2	Yuri's Revenge
Insignificant-object flag	yes	yes
Leaves rubble	yes	yes
Normal base-adjacency role	no	no
Infantry garrison permitted	yes	yes
Occupants can fire	Not explicitly set	yes

Red Alert 2 weapon paths: Primary: AlliedOccupyW; Secondary: SovietOccupyW.

Data source: ra2.mix/local.mix/rules.ini, section CABUNK02, first property line 15284.

Data source: expandmd01.mix/rulesmd.ini, section CABUNK02, first property line 21751.

Fence Prison Camp - CAFNCP

Registered in: Red Alert 2, Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Red Alert 2	Yuri's Revenge
Price in credits	25	25
Starting health capacity	100	100
Armor class	wood	wood
Sight radius setting	0	0
Technology level	-1	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS	BARRACKS
Can be crushed	yes	yes
Threat contribution	0	0
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no
Placement adjacency setting	4	4
Construction category	Combat	Combat
Wall behavior	yes	yes

Data source: ra2.mix/local.mix/rules.ini, section CAFNCP, first property line 22054.

Data source: expandmd01.mix/rulesmd.ini, section CAFNCP, first property line 29903.

Traffic Light - CASTRT03

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6

Setting	Red Alert 2	Yuri's Revenge
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTRT03, first property line 14255.

Data source: expandmd01.mix/rulesmd.ini, section CASTRT03, first property line 20930.

Traffic Light - CASTRT04

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTRT04, first property line 14278.

Data source: expandmd01.mix/rulesmd.ini, section CASTRT04, first property line 20953.

Bus Stop - CASTRT05

Registered in: Red Alert 2, Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Red Alert 2	Yuri's Revenge
Starting health capacity	1000	1000
Armor class	steel	steel
Sight radius setting	6	6
Technology level	-1	-1
Repair-tool permission	no	no
Garrison capacity	2	Not explicitly set
Hidden from radar	yes	Not explicitly set
Insignificant-object flag	yes	yes
Normal base-adjacency role	no	no

Data source: ra2.mix/local.mix/rules.ini, section CASTRT05, first property line 14301.

Data source: expandmd01.mix/rulesmd.ini, section CASTRT05, first property line 20976.

CASYDN01 - CASYDN01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge

Data source: expandmd01.mix/rulesmd.ini, section CASYDN01, first property line 0.

McRoo Burger - CASYDN02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASYDN02, first property line 16980.

Tech Machine Shop - CAMACH

Registered in: Yuri's Revenge.

1. Accept legal capture.
2. Enable the tech machine-shop vehicle-healing benefit.
3. Apply its configured intervals/amounts through the owning house's service.

Setting	Yuri's Revenge
Starting health capacity	800
Armor class	concrete
Sight radius setting	6
Technology level	-1
Engineer-capture permission	yes
Selling forbidden	yes
Insignificant-object flag	yes
Leaves rubble	yes

Setting	Yuri's Revenge
Granted vehicle-healing level	1
Capture notification	EVA_MachineShopCaptured

Data source: expandmd01.mix/rulesmd.ini, section CAMACH, first property line 13982.

Sydney Opera House - CASYDN03

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASYDN03, first property line 16304.

Crypt - CATRAN01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CATRAN01, first property line 17006.

Crypt - CATRAN02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CATRAN02, first property line 17032.

Yuri Construction Yard - YACNST

Registered in: Yuri's Revenge.

1. Receive Yuri building requests under Yuri's prerequisites.
2. Complete and place a legal structure.
3. Update the owner's services and build eligibility.

Setting	Yuri's Revenge
Price in credits	3000
Starting health capacity	1000
Armor class	concrete
Sight radius setting	10
Technology level	-1
Permitted country list	YuriCountry
Signed power contribution	0
Production category	BuildingType
Engineer-capture permission	true
Immune to ordinary psychic control	no
Undeploys into	PCV
Threat contribution	0
Player power toggle allowed	no
Placement adjacency setting	2
Construction-yard service	yes

Data source: expandmd01.mix/rulesmd.ini, section YACNST, first property line 13092.

Bio Reactor - YAPOWR

Registered in: Yuri's Revenge.

1. Provide Yuri's base power.
2. Accept eligible infantry occupants and increase output through its powered-occupant rules.
3. Release occupants through unloading or destruction handling as supported.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	700
Armor class	wood
Sight radius setting	4
Technology level	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YACNST
Passenger slot capacity	5
Largest passenger-size setting	15
Signed power contribution	150
Engineer-capture permission	true
Spy-infiltration permission	yes
Immune to ordinary psychic control	no
Threat contribution	0
Player power toggle allowed	no
Placement adjacency setting	2
Power contribution per supported occupant	100
Special powered operation	yes
Construction category	Power

Data source: expandmd01.mix/rulesmd.ini, section YAPOWR, first property line 13126.

Yuri Barracks - YABRCK

Registered in: Yuri's Revenge.

1. Produce eligible Yuri infantry.
2. Advance the funded queue under the selected prerequisites.
3. Create the soldier and notify cloning/other supported systems.

Setting	Yuri's Revenge
Price in credits	500
Starting health capacity	500
Armor class	steel
Sight radius setting	5
Technology level	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,YACNST
Signed power contribution	-10
Production category	InfantryType

Setting	Yuri's Revenge
Engineer-capture permission	true
Spy-infiltration permission	yes
Immune to ordinary psychic control	no
Threat contribution	0
Placement adjacency setting	2
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YABRCK, first property line 13168.

Yuri War Factory - YAWEAP

Registered in: Yuri's Revenge.

1. Produce Yuri vehicle records according to their prerequisites.
2. Advance the funded queue and find a usable exit.
3. Release the completed unit, including flyers stored in the vehicle registry where applicable.

Setting	Yuri's Revenge
Price in credits	2000
Starting health capacity	1000
Armor class	wood
Sight radius setting	4
Technology level	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	PROC,YABRCK,YACNST
Signed power contribution	-25
Production category	UnitType
Engineer-capture permission	true
Spy-infiltration permission	yes
Immune to ordinary psychic control	no
Threat contribution	0
Placement adjacency setting	2
Vehicle-factory service	yes
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YAWEAP, first property line 13306.

Yuri Naval Yard - YAYARD

Registered in: Yuri's Revenge.

1. Provide Yuri naval production.
2. Build eligible Boomers/transports through the naval queue.
3. Release into usable water or the supported exit area.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	1500
Armor class	concrete
Sight radius setting	10

Setting	Yuri's Revenge
Technology level	4
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YACNST,POWER,PROC
Signed power contribution	-25
Production category	UnitType
Engineer-capture permission	no
Immune to ordinary psychic control	no
Vehicle repair service	yes
Depends on power	false
Naval role	yes
Threat contribution	0
Explosive destruction flag	yes
Normal base-adjacency role	no
Placement adjacency setting	12
Vehicle-factory service	yes
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YAYARD, first property line 13383.

Allied Repair Depot - YADEPT

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Price in credits	800
Starting health capacity	1200
Armor class	wood
Sight radius setting	5
Technology level	15
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YAWEAP,YACNST
Signed power contribution	-25
Engineer-capture permission	true
Immune to ordinary psychic control	no
Vehicle repair service	yes
Threat contribution	0
Placement adjacency setting	2
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YADEPT, first property line 13425.

Yuri Battle Lab - YATECH

Registered in: Yuri's Revenge.

1. Satisfy Yuri's advanced-technology prerequisites.
2. Unlock the corresponding units and structures.
3. Handle loss/capture according to its explicit eligibility and mission data.

Setting	Yuri's Revenge
Price in credits	2000
Starting health capacity	500
Armor class	wood
Sight radius setting	6
Technology level	8
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YAWEAP,YACNST,RADAR
Signed power contribution	-100
Engineer-capture permission	true
Spy-infiltration permission	yes
Immune to ordinary psychic control	no
Primary granted special weapon	ForceShieldSpecial
Threat contribution	0
Player power toggle allowed	no
Placement adjacency setting	2
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YATECH, first property line 13463.

Citadel Walls - GAFWLL

Registered in: Yuri's Revenge.

1. Occupy its wall/fence cells.
2. Block supported movement or shots according to the wall/weapon interaction.
3. Remove or breach the segment through allowed damage/crushing; it has no production queue.

Setting	Yuri's Revenge
Price in credits	100
Starting health capacity	300
Armor class	concrete
Sight radius setting	1
Technology level	2
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YABRCK
Threat contribution	0
Insignificant-object flag	yes
Normal base-adjacency role	no
Placement adjacency setting	8
Construction category	Combat
Wall behavior	yes

Data source: expandmd01.mix/rulesmd.ini, section GAFWLL, first property line 13562.

Gattling Cannon - YAGGUN

Registered in: Yuri's Revenge.

1. Acquire an eligible ground or air target while operational.
2. Advance Gattling stages through sustained fire.
3. Cool down through the stage rules when firing is interrupted.

Setting	Yuri's Revenge
Price in credits	1000
Starting health capacity	810
Armor class	steel
Sight radius setting	10
Technology level	4
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	BARRACKS,YACNST
Signed power contribution	-50
Engineer-capture permission	false
Immune to ordinary psychic control	no
Gattling stage behavior	yes
Firing-stage count	3
First stage threshold	200
Second stage threshold	400
Third stage threshold	600
Stage accumulation setting	1
Stage cooldown setting	50
Depends on power	yes
Threat contribution	30
Base-defense role	yes
Normal base-adjacency role	no
Placement adjacency setting	4
Construction category	Combat

Yuri's Revenge weapon paths: Weapon1: AGGattling; Elite Weapon1: AGGattlingE; Weapon2: AAGattCann; Elite Weapon2: AAGattlingE; Weapon3: AGGattling2; Elite Weapon3: AGGattling2E; Weapon4: AAGattCann2; Elite Weapon4: AAGattling2E; Weapon5: AGGattling3; Elite Weapon5: AGGattling3E; Weapon6: AAGattCann3; Elite Weapon6: AAGattling3E.

Data source: expandmd01.mix/rulesmd.ini, section YAGGUN, first property line 13591.

Psychic Tower - YAPSYT

Registered in: Yuri's Revenge.

1. Acquire susceptible enemy objects up to its supported control capacity.
2. Maintain control relationships while its requirements remain satisfied.
3. Release/handle relationships on destruction or other invalidation; it has no ordinary cannon fallback.

Setting	Yuri's Revenge
Price in credits	1500
Starting health capacity	455
Armor class	steel

Setting	Yuri's Revenge
Sight radius setting	5
Technology level	7
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NAPSIS,YACNST
Signed power contribution	-100
Engineer-capture permission	false
Immune to ordinary psychic control	yes
Depends on power	true
Threat contribution	30
Placement adjacency setting	2
Construction category	Combat

Yuri's Revenge weapon paths: Primary: MultipleMindControlTower.

Data source: expandmd01.mix/rulesmd.ini, section YAPSYT, first property line 13686.

Industrial Plant - NAINDP

Registered in: Yuri's Revenge.

1. Join the owner's industrial production-cost service.
2. Apply the supported unit-production cost adjustment.
3. Do not interpret it as a direct damage or armor bonus.

Setting	Yuri's Revenge
Price in credits	2500
Starting health capacity	1000
Armor class	wood
Sight radius setting	4
Technology level	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NATECH,PROC,NACNST
Build limit	1
Signed power contribution	-200
Engineer-capture permission	false
Depends on power	true
Threat contribution	0
Player power toggle allowed	no
Placement adjacency setting	2
Recycling value setting	1000
Infantry cost multiplier	1
Vehicle cost multiplier	0.75
Aircraft cost multiplier	1
Building cost multiplier	1
Defense cost multiplier	1
Construction category	Resource

Data source: expandmd01.mix/rulesmd.ini, section NAINDP, first property line 12771.

Grinder - YAGRND

Registered in: Yuri's Revenge.

1. Accept an eligible owned unit for recycling.
2. Remove that unit through the grinding operation.
3. Credit the supported refund/recycling value and release relevant control relationships.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	900
Armor class	wood
Sight radius setting	6
Technology level	9
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YAWEAP,YACNST
Signed power contribution	-50
Engineer-capture permission	false
Immune to ordinary psychic control	no
Unit recycling service	yes
Threat contribution	0
Placement adjacency setting	2
Construction category	Tech

Data source: expandmd01.mix/rulesmd.ini, section YAGRND, first property line 13496.

Genetic Mutator - YAGNTC

Registered in: Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.
2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated genetic mutation procedure and reset/recharge as configured.

Setting	Yuri's Revenge
Price in credits	2500
Starting health capacity	1000
Armor class	concrete
Sight radius setting	5
Technology level	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YATECH,YACNST
Build limit	1
Signed power contribution	-200
Engineer-capture permission	false
Spy-infiltration permission	yes
Primary granted special weapon	GeneticConverterSpecial
Depends on power	true

Setting	Yuri's Revenge
Threat contribution	1
Placement adjacency setting	2
Construction category	Combat

Data source: expandmd01.mix/rulesmd.ini, section YAGNTC, first property line 13761.

Tech Secret Lab - CASLAB

Registered in: Yuri's Revenge.

1. Accept legal capture.
2. Select/grant the supported secret-technology benefit under its secret-lab rules.
3. Reevaluate eligibility with ownership and scenario changes.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	steel
Sight radius setting	6
Technology level	-1
Engineer-capture permission	yes
Selling forbidden	yes
Secret lab service	yes
Insignificant-object flag	yes
Leaves rubble	yes
Capture notification	EVA_SecretLabCaptured

Data source: expandmd01.mix/rulesmd.ini, section CASLAB, first property line 14055.

CATIME - CATIME

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge

Data source: expandmd01.mix/rulesmd.ini, section CATIME, first property line 0.

Psychic Dominator - YAPPET

Registered in: Yuri's Revenge.

1. Grant its configured special weapon when the owner and operational conditions permit.
2. Advance its charging state, then accept a legal target/request.
3. Execute the dedicated Psychic Dominator attack procedure and reset/recharge as configured.

Setting	Yuri's Revenge
Price in credits	5000
Starting health capacity	1000
Armor class	concrete
Sight radius setting	5
Technology level	10

Setting	Yuri's Revenge
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YATECH,YACNST
Build limit	1
Signed power contribution	-200
Engineer-capture permission	false
Spy-infiltration permission	yes
Primary granted special weapon	PsychicDominatorSpecial
Depends on power	true
Threat contribution	1
Placement adjacency setting	2
Construction category	Combat

Data source: expandmd01.mix/rulesmd.ini, section YAPPET, first property line 13795.

British Parliament - CALOND04

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALOND04, first property line 15050.

Big Ben - CALOND05

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	10
Technology level	-1

Setting	Yuri's Revenge
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALOND05, first property line 15075.

Tower of London - CALOND06

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALOND06, first property line 15101.

ZZZ LAUNCH PAD - CAMOON01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no

Setting	Yuri's Revenge
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAMOON01, first property line 15127.

Yuri's Fortress - CATRAN03

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CATRAN03, first property line 15151.

Moai - CAEAST01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	3000
Armor class	steel
Technology level	-1
Signed power contribution	-100
Engineer-capture permission	true
Hidden from radar	no
Depends on power	Yes
Insignificant-object flag	no
Leaves rubble	yes
Normal base-adjacency role	no

Yuri's Revenge weapon paths: Primary: PrismShot.

Data source: expandmd01.mix/rulesmd.ini, section CAEAST01, first property line 14809.

Pyramid - CAEGYP01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP01, first property line 15375.

Pyramid - CAEGYP02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP02, first property line 15399.

Sphinx - CAEGYP03

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1

Setting	Yuri's Revenge
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP03, first property line 15425.

Building - CALA01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA01, first property line 16460.

CALA02 - CALA02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge

Data source: expandmd01.mix/rulesmd.ini, section CALA02, first property line 0.

Hollywood Sign - CALA03

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood

Setting	Yuri's Revenge
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CALA03, first property line 15525.

Hollywood Bowl - CALA04

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA04, first property line 15549.

LAX - CALA05

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true

Setting	Yuri's Revenge
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA05, first property line 15701.

Building - CALOND01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALOND01, first property line 16514.

CALOND02 - CALOND02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge

Data source: expandmd01.mix/rulesmd.ini, section CALOND02, first property line 0.

Building - CALOND03

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1

Setting	Yuri's Revenge
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALOND03, first property line 16568.

Building - CAMORR01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR01, first property line 16631.

Building - CAMORR02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true

Setting	Yuri's Revenge
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR02, first property line 16658.

Building - CAMORR03

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR03, first property line 16685.

Building - CASANF01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF01, first property line 14905.

Building - CASANF02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF02, first property line 16899.

Building - CASANF03

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF03, first property line 16926.

Golden Gate Bridge - CASANF04

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF04, first property line 15855.

Alcatraz - CASANF05

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF05, first property line 15881.

Seattle Space Needle - CASEAT01

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1

Setting	Yuri's Revenge
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASEAT01, first property line 16253.

Tank Bunker - NATBNK

Registered in: Yuri's Revenge.

1. Accept a compatible turreted vehicle through the bunker interaction.
2. Support that vehicle's protected firing state under bunker modifiers.
3. Release it on command or according to destruction handling.

Setting	Yuri's Revenge
Price in credits	400
Starting health capacity	1000
Armor class	steel
Sight radius setting	6
Technology level	3
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	YACNST
Signed power contribution	0
Engineer-capture permission	false
Immune to ordinary psychic control	no
Depends on power	false
Threat contribution	0
Normal base-adjacency role	no
Placement adjacency setting	3
Construction category	Combat
Tank-bunker service	yes

Data source: expandmd01.mix/rulesmd.ini, section NATBNK, first property line 13723.

Gate - GAGATE_A

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Price in credits	250
Starting health capacity	100
Armor class	wood

Setting	Yuri's Revenge
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance
Required structures/groups	GAPILE
Engineer-capture permission	false
Threat contribution	0
Insignificant-object flag	yes
Normal base-adjacency role	no
Placement adjacency setting	8
Construction category	Combat

Data source: expandmd01.mix/rulesmd.ini, section GAGATE_A, first property line 17187.

Golden Gate Bridge - CASANF09

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF09, first property line 15985.

Golden Gate Bridge - CASANF10

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no

Setting	Yuri's Revenge
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF10, first property line 16012.

Golden Gate Bridge - CASANF11

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF11, first property line 16039.

Golden Gate Bridge - CASANF12

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF12, first property line 16066.

Golden Gate Bridge - CASANF13

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF13, first property line 16093.

Golden Gate Bridge - CASANF14

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Naval role	yes
Insignificant-object flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF14, first property line 16120.

Building - CASANF06

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true

Setting	Yuri's Revenge
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF06, first property line 15907.

Building - CASANF07

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF07, first property line 15933.

Building - CASANF08

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF08, first property line 15959.

MassiveSoft Campus - CASEAT02

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASEAT02, first property line 16279.

Yuri´s Command Center - YACOMD

Registered in: Yuri's Revenge.

1. Represent the campaign command-center objective.
2. Process its explicit interaction/damage rules.
3. Trigger mission consequences through its tags; being a command center is not automatically a universal production service.

Setting	Yuri's Revenge
Price in credits	3000
Starting health capacity	1000
Armor class	concrete
Sight radius setting	8
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Signed power contribution	0
Engineer-capture permission	true
Threat contribution	0
Leaves rubble	yes
Player power toggle allowed	no
Placement adjacency setting	2

Data source: expandmd01.mix/rulesmd.ini, section YACOMD, first property line 13203.

Psychic Dominator - YAPPPT

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	false
Explosive destruction flag	yes
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Yuri's Revenge weapon paths: Death Weapon: BlimpBombEffect.

Data source: expandmd01.mix/rulesmd.ini, section YAPPPT, first property line 14876.

Robot Control Center - GAROBO

Registered in: Yuri's Revenge.

1. Provide the required control service for Robot Tanks.
2. Track operational power/control availability.
3. Robot Tanks respond to loss of the service by becoming inactive under their powered-unit rules.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	600
Armor class	wood
Sight radius setting	6
Technology level	10
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	GAWEAP,GACNST
Signed power contribution	-100
Engineer-capture permission	true
Immune to ordinary psychic control	no
Depends on power	true
Threat contribution	0
Player power toggle allowed	yes
Placement adjacency setting	2
Controlled powered unit	ROBO
Construction category	Resource

Data source: expandmd01.mix/rulesmd.ini, section GAROBO, first property line 11988.

Slave Miner - YAREFN

Registered in: Yuri's Revenge.

1. Represent the Slave Miner's deployed processing form.
2. Manage slave collection, delivery and replacement.
3. Undeploy into its mobile form to relocate; do not count the mobile form as another simultaneous structure.

Setting	Yuri's Revenge
Price in credits	1750
Starting health capacity	2000
Armor class	medium
Sight radius setting	6
Technology level	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	POWER,YACNST
Resource cargo capacity	200
Signed power contribution	0
Engineer-capture permission	false
Spy-infiltration permission	yes
Selling forbidden	yes
Repair-tool permission	no
Can gain rank	yes
Immune to ordinary psychic control	yes
Undeploys into	SMIN
Resource-gathering role	yes
Resource-delivery destination	yes
Managed worker type	SLAV
Worker count	5
Worker replacement delay	500
Worker delivery delay	25
Threat contribution	0
Player power toggle allowed	no
Normal base-adjacency role	no
Placement adjacency setting	2
Production-time multiplier	1.15
Recycling value setting	1750
Construction category	Resource

Yuri's Revenge weapon paths: Primary: 20mmRapid; Elite Primary: 20mmRapidE.

Data source: expandmd01.mix/rulesmd.ini, section YAREFN, first property line 13235.

Unknown Building - YAROCK

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Price in credits	600
Starting health capacity	700
Armor class	wood
Sight radius setting	6
Technology level	-1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Engineer-capture permission	False
Spy-infiltration permission	No
Immune to ordinary psychic control	Yes
Threat contribution	0
Placement adjacency setting	2

Data source: expandmd01.mix/rulesmd.ini, section YAROCK, first property line 13829.

Battle Bunker - NABNKR

Registered in: Yuri's Revenge.

1. Accept compatible infantry occupants.
2. Use their supported garrison fire against eligible targets.
3. Allow repair as an owned defensive structure and unload occupants when ordered.

Setting	Yuri's Revenge
Price in credits	500
Starting health capacity	600
Armor class	steel
Sight radius setting	6
Technology level	1
Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry
Required structures/groups	NACNST
Engineer-capture permission	false
Repair-tool permission	yes
Garrison capacity	5
Depends on power	no
Base-defense role	yes
Normal base-adjacency role	no
Placement adjacency setting	2
Infantry garrison permitted	yes
Occupants can fire	yes
Construction category	Combat

Data source: expandmd01.mix/rulesmd.ini, section NABNKR, first property line 12980.

Alcatraz Water Tower - CASANF15

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF15, first property line 16147.

Light House - CASANF16

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CASANF16, first property line 16173.

Building - CASANF17

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes

Setting	Yuri's Revenge
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF17, first property line 16199.

Building - CASANF18

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CASANF18, first property line 16226.

Construction Sign - CASIN03E

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	5
Armor class	concrete
Technology level	-1
Hidden from radar	yes
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CASIN03E, first property line 28074.

Construction Sign - CASIN03S

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.

2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	5
Armor class	concrete
Technology level	-1
Hidden from radar	yes
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CASIN03S, first property line 28092.

Telephone Booth - CAURB01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	5
Armor class	concrete
Technology level	-1
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAURB01, first property line 21917.

Fire Hydrant - CAURB02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	5
Armor class	concrete
Technology level	-1
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAURB02, first property line 21935.

Spotlight - CAURB03

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	5
Armor class	concrete
Technology level	-1
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAURB03, first property line 21953.

Tech Power Plant - CAPOWR

Registered in: Yuri's Revenge.

1. Accept legal capture and supply its configured power.
2. Update the new owner's power balance.
3. Campaign copies may carry different IDs/tags to count power sources for a Time Machine.

Setting	Yuri's Revenge
Starting health capacity	800
Armor class	concrete
Sight radius setting	6
Technology level	-1
Signed power contribution	200
Engineer-capture permission	yes
Selling forbidden	yes
Insignificant-object flag	yes
Leaves rubble	yes
Capture notification	EVA_TechBuildingCaptured

Data source: expandmd01.mix/rulesmd.ini, section CAPOWR, first property line 13957.

Movie Theater - CALA07

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA07, first property line 15753.

Pyramid - CAEGYP06

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP06, first property line 15499.

Car Dealership - CALA08

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA08, first property line 15779.

Yuri Statue - CAEAST02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	3000
Armor class	steel
Technology level	-1
Signed power contribution	-100
Hidden from radar	no
Depends on power	Yes
Insignificant-object flag	no
Leaves rubble	yes
Normal base-adjacency role	no

Yuri's Revenge weapon paths: Primary: PrismShot.

Data source: expandmd01.mix/rulesmd.ini, section CAEAST02, first property line 14835.

Hedgehog - CABARR01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Technology level	-1
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CABARR01, first property line 16595.

Hedgehog - CABARR02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Technology level	-1
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CABARR02, first property line 16613.

Building - CAMORR04

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.

3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	10
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR04, first property line 16712.

Building - CAMORR05

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR05, first property line 16739.

Convenience Store - CALA09

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6

Setting	Yuri's Revenge
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA09, first property line 15804.

Pyramid - CAEGYP04

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP04, first property line 15449.

Pyramid - CAEGYP05

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CAEGYP05, first property line 15474.

LAX Control Tower - CALA06

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	8
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA06, first property line 15727.

Rick's Place - CAMORR06

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR06, first property line 16765.

Building - CAMORR07

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.

2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	10
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR07, first property line 16791.

Building - CAMORR08

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	10
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR08, first property line 16818.

Building - CAMORR09

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood

Setting	Yuri's Revenge
Sight radius setting	10
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR09, first property line 16845.

Building - CAMORR10

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	10
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CAMORR10, first property line 16872.

Time Machine - CATIME01

Registered in: Yuri's Revenge.

1. Represent this Time Machine mission object.
2. Wait for scenario-specific power/ownership/defense conditions.
3. Execute time-travel presentation and ownership changes through the map's scripts.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	steel
Sight radius setting	6
Technology level	-1
Repair-tool permission	yes
Insignificant-object flag	yes

Setting	Yuri's Revenge
Leaves rubble	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CATIME01, first property line 15001.

Time Machine - CATIME02

Registered in: Yuri's Revenge.

1. Use this separate Time Machine art/type record where placed.
2. Follow its map-specific tags and override settings.
3. Resolve travel/objective changes through the scenario, not through a normal player construction queue.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	steel
Sight radius setting	6
Technology level	-1
Repair-tool permission	yes
Insignificant-object flag	yes
Leaves rubble	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CATIME02, first property line 15026.

Billboard - CALA10

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	200
Armor class	wood
Sight radius setting	5
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no
Occupants can fire	no

Data source: expandmd01.mix/rulesmd.ini, section CALA10, first property line 15830.

Hollywood Bowl - CALA11

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.

3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA11, first property line 15575.

Hollywood Bowl - CALA12

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA12, first property line 15601.

Hollywood Sign - CALA13

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no

Setting	Yuri's Revenge
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	no

Data source: expandmd01.mix/rulesmd.ini, section CALA13, first property line 15627.

Park Bench - CAPARK04

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAPARK04, first property line 20500.

Park Bench - CAPARK05

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAPARK05, first property line 20521.

Park Bench - CAPARK06

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CAPARK06, first property line 20542.

Mini Mall - CALA14

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA14, first property line 15651.

Mini Mall - CALA15

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	1000
Armor class	concrete
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	10
Insignificant-object flag	yes
Leaves rubble	true

Setting	Yuri's Revenge
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CALA15, first property line 15676.

Bunker - CABUNK03

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	2000
Armor class	steel
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	8
Insignificant-object flag	yes
Leaves rubble	yes
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CABUNK03, first property line 21777.

Bunker - CABUNK04

Registered in: Yuri's Revenge.

1. Exist at the map's placed position with its current owner and health.
2. Admit eligible infantry up to its garrison capacity and use supported occupant fire.
3. Release occupants or leave rubble through the damage/unload procedure; follow attached mission tags if any.

Setting	Yuri's Revenge
Starting health capacity	2000
Armor class	steel
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Garrison capacity	8
Insignificant-object flag	yes
Leaves rubble	yes
Normal base-adjacency role	no
Infantry garrison permitted	yes
Occupants can fire	yes

Data source: expandmd01.mix/rulesmd.ini, section CABUNK04, first property line 21803.

Lunar Lander - CALUNR01

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CALUNR01, first property line 20387.

US Flag - CALUNR02

Registered in: Yuri's Revenge.

1. Exist as this specific placed structure/prop with its configured health, art and interaction permissions.
2. Process supported damage, capture or other interaction; no extra economic service is inferred from its name.
3. Notify any attached mission tags on relevant events; the map, not a generic landmark label, determines objective consequences.

Setting	Yuri's Revenge
Starting health capacity	1
Armor class	wood
Sight radius setting	6
Technology level	-1
Repair-tool permission	no
Insignificant-object flag	yes
Normal base-adjacency role	no

Data source: expandmd01.mix/rulesmd.ini, section CALUNR02, first property line 20410.

Campaign-only additions and other placed references

These are not silently added to the skirmish build menu. An explicit mission definition is reported below. A placed name without a local definition remains unresolved rather than being assigned invented statistics.

CAPOWR01

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR02

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR03

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR04

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR05

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR06

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR07

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWR08

- all01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 800, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRAA

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRAB

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRAC

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRAD

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTA

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTB

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTC

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTD

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTE

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CAPOWRTF

- all03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

CARUS08A

- all06umd.map: explicit mission definition; Starting health capacity: 1000, Technology level: -1, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.
- sov03umd.map: explicit mission definition; Starting health capacity: 1000, Technology level: -1, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.

CARUS09A

- all06umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.
- sov03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.

CARUS10A

- all06umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.
- sov03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.

CARUS11A

- all06umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.
- sov03umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 1000, Insignificant-object flag: yes, Hidden from radar: yes, Armor class: steel, Normal base-adjacency role: no, Sight radius setting: 6, Repair-tool permission: no, Infantry garrison permitted: yes, Garrison capacity: 5, Occupants can fire: yes, Leaves rubble: Yes.

GAPOWRA

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

GAPOWRB

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

GAPOWRC

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

GAPOWRD

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

GAPOWRE

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

GAPOWRF

- sov01umd.map: explicit mission definition; Technology level: -1, Starting health capacity: 5000, Insignificant-object flag: no, Sight radius setting: 6, Armor class: concrete, Engineer-capture permission: yes, Selling forbidden: yes, Leaves rubble: yes, Signed power contribution: 200.

Building a base and reading its dependencies

Guide index | All structures | All units

A working base contains services with distinct dependencies, not interchangeable buildings. Historical local Android-emulator campaign-start capture; not a completed campaign.

The workflows below explain the dependency pattern. They are not a mandatory competitive build order. Country restrictions, game mode, campaign overrides, captured technology, money and placement still determine what is actually legal.

1. Allied development

1. Begin with an Allied Construction Yard, or deploy the supplied Allied MCV on a clear legal foundation.
2. Add power so the base can support its consuming services.
3. Establish resource delivery through an Ore Refinery and Chrono Miner.
4. Add Barracks for eligible infantry and War Factory for eligible vehicle records.
5. Add Air Force Command infrastructure for the aircraft/radar/technology paths it supplies. The American variant has its own record.
6. Add the advanced prerequisites required by the desired unit or structure, such as Battle Lab or Robot Control Center.
7. Use a suitable shoreline for naval production, and preserve valid factory exits and aircraft docking space.
8. Add specialized defenses, information services, income modifiers and superweapons as the rules and battle require.

An Allied Battle Lab unlocks advanced choices; it does not itself eject tanks. The War Factory still performs production. A Robot Control Center supplies a control dependency that continues to matter after the Robot Tank has already been built.

2. Soviet development

1. Start from the Soviet Construction Yard or deploy its MCV.
2. Provide Tesla Reactor power and conventional resource processing.
3. Use War Miners to drive ore to the refinery.
4. Add Barracks and War Factory for the appropriate production queues.
5. Add Radar and advanced research prerequisites as needed.
6. Place the Naval Yard on a legal shore when naval production is useful.
7. Develop high-output power and advanced industry/special weapons where available.
8. Keep the support network alive while attacking; a large army does not replace income or factory access.

Version distinction: RA2's Soviet psychic technology is not simply retained unchanged in Yuri's Revenge. The expansion moves the Yuri-related roster/services and adds other Soviet options. Compare the two columns on the Psychic Sensor/Radar, Yuri infantry and Cloning Vats cards.

3. Yuri development

1. Start with Yuri's Construction Yard or deploy the Yuri MCV.
2. Use Bio Reactors for power; eligible occupants can increase their contribution.
3. Establish Slave Miner processing near a useful deposit.
4. Use its deployed form and managed slaves for the local collection cycle.
5. Add Yuri Barracks and War Factory for the eligible infantry and vehicle records.
6. Add Psychic Radar and Battle Lab prerequisites for the desired technology paths.
7. Use the Naval Yard for Boomers and the corresponding transport options.
8. Add specialized control, recycling, cloning and superweapon facilities according to the battle's needs and explicit restrictions.

The Grinder recycles owned units. Cloning Vats duplicate eligible newly produced infantry. The Bio Reactor uses occupants to support power. These are three different services; a captured soldier can be useful in different ways depending on where you send it.

4. Captured technology and neutral facilities

1. Identify whether the structure permits Engineer capture.
2. Reach it with a surviving compatible Engineer.
3. Transfer ownership through the supported entry operation.
4. Update the services or technology now available to the new owner.
5. Check remaining prerequisites, country restrictions, build limits and production facilities before expecting a new item in the sidebar.

An Oil Derrick provides income. An Airport grants a drop ability. A Machine Shop provides a vehicle-healing benefit. A Secret Lab grants its supported technology choice. None is a generic replacement for every missing prerequisite.

5. Turning a request into a finished building

1. Check whether the building is available to the current owner.
2. Check its prerequisites and limits.
3. Enter it into the correct construction category/queue.
4. Fund progress under the current power and production conditions.
5. When ready, find a legal footprint near permitted base-adjacency sources.
6. Reject blocked cells, unsuitable terrain or other placement violations.
7. Place/activate the structure and recalculate affected services.

Unit production ends differently: the factory needs a usable exit or delivery path. A ready tank is not a building-placement cursor. A naval unit needs an appropriate water exit. An aircraft may require a usable docking allocation.

6. Prerequisite groups in plain language

Reference on a card	Meaning
POWER	A structure from the effective rules' power prerequisite group
FACTORY	A qualifying vehicle-production structure
BARRACKS	A qualifying infantry-production structure
RADAR	A structure in the effective radar prerequisite group
TECH	A qualifying advanced research structure
PROC	A qualifying resource-processing prerequisite, with supported alternatives such as the Slave Miner in Yuri
A named structure ID	That specific type is required by this record
Several comma-separated prerequisites	The record declares several requirements; group alternatives are resolved by their group definitions

The global rules explicitly define the common groups. Capturing one faction's building does not automatically satisfy a different named structure requirement. A mission can add/replace the relevant properties, which is why its override companion matters.

7. Country-name aliases in the reference data

Data name	Player-facing identity
Americans	America
Alliance	Korea
French	France
Germans	Germany
British	Great Britain
Russians	Russia
Confederation	Cuba
Africans	Libya
Arabs	Iraq
YuriCountry	Yuri's faction
Player, BadGuy and other map-created types	Scenario-specific owners/types; read that map's house list and trigger owner references

A trigger's numeric owner selector is not automatically the same index as the list of placed house instances. The ledger reconstructs the country/type list from the baseline list followed by newly introduced map types and shows the matching placed owner where available. The inspected Yuri owner-resolver compares the requested type index with each house's country/type index. Special/unresolved selectors remain labeled instead of assigned to a guessed player.

8. Reading the object cards

Card term	Meaning and limit
Price	Base cost setting; modifiers and mission rules can change the practical amount
Starting health capacity	Full-health setting before applicable modifiers; not a placed object's current health
Technology level	Availability threshold; -1 ordinarily disables normal construction for that type
Required structures/groups	Eligibility conditions, not an optimized build order
Permitted country list	One part of eligibility; it does not override every other restriction
Required/excluded countries	Additional owner restrictions
Build limit	A configured count restriction; unusual negative/special values require their own interpretation
Signed power	Positive output or negative requirement; no explicit field is reported as unspecified
Movement rating	Engine setting, not real-world velocity
Movement zone	Terrain/passability category used with the movement controller
Passenger capacity and size	Different checks: a transport may have slots but reject a unit too large to enter
IFV mode	A passenger's choice of the IFV configuration, not a general weapon number for every vehicle
Veteran/elite improvements	Explicit improvement lists; only applicable improvements should be assumed
Primary/secondary/elite weapon links	Paths into the weapon system; actual selection depends on target and object state
Spyable/capturable/unsellable	Independent interaction permissions
Missing field	The property was not explicitly recovered in that section; the engine may have a default or special case

9. Read a base failure backwards

Suppose no new tank appears after you paid for it.

1. Check whether the queue is still progressing or completed.
2. Check current money and the power-dependent production conditions.
3. Check whether the correct factory still exists and belongs to you.
4. Check whether the factory's exit is blocked.

5. Check whether the unit requires a special production/arrival manager.
6. Check mission overrides and scripts that may remove, transfer or interrupt the result.

Suppose the tank exists but does nothing. Now inspect its order, target eligibility, movement restrictions, powered-unit service and any script/input issues. These are different branches of the engine workflow and need different explanations.

How the computer army and mission scripts cooperate

Guide index | Every mission | Global team reference

How an AI force obtains its plan



Create/recruit Team and supply Reinforcement are distinct operations in the mission data.

How owner, roster and plan cooperate to create an attack. Explanatory diagram derived from the guide and local data; not a screenshot.

The opponent is not one all-knowing decision procedure. House-level production, team recruitment, task-force composition, ordered scripts, target acquisition and scenario triggers cooperate. The exact target-ranking internals have not all been traced; the responsibilities and the extracted data below are still useful for understanding the workflow.

1. The vocabulary

Term	Meaning
House	The owner of objects and a pool of money, power and production capabilities
Task force	A required roster, such as several tanks plus infantry
Team type	A template connecting owner, roster, script, recruitment and behavior flags
Team	A live instance trying to fill or execute that template
Script	An ordered list of actions, such as move, unload, attack, wait and repeat
AI trigger	A conditional/weighted opportunity to select a team template
Scenario trigger	A map's event/action rule, often controlling story sequences or waves
Waypoint	A named/numbered location used by scripts and scenario actions

2. Ordinary team production

1. The house must be allowed to produce and have suitable facilities/resources under its rules.
2. Eligible AI decisions consider team templates and their conditions.
3. A selected team asks for its task-force roster.
4. Recruit existing eligible objects or produce missing objects according to the team and house rules.
5. Wait for readiness as required by the template/script.
6. Execute the script one action at a time.
7. Handle destruction, replacement, team limits and completion through the associated procedures.

The global AI reference lists the extracted templates and their rosters. Mission pages list their local templates. A definition's presence does not establish that the team actually spawns on every difficulty, or at all: it must be selected or invoked.

3. Create Team and Reinforcement mean different things

1. A Create Team action instantiates the team logic and attempts to obtain its members through the applicable recruitment/production path.
2. A Reinforcement action supplies new objects through the reinforcement mechanism.
3. A reinforcement-at-waypoint action also identifies the arrival location.
4. A chrono reinforcement uses a different arrival presentation/placement path.
5. The resulting team then follows its script unless other state changes intervene.

This difference explains why one scripted wave can arrive without the visible factory you expected, while another waits for units. It does not prove that all AI objects are free or that no economic rules ever apply.

4. Following a script

1. Start at its current script instruction.
2. Perform that instruction or wait until its completion requirement is satisfied.
3. Move to the next instruction.
4. A branch/repeat instruction changes which instruction is next.
5. A change-script instruction replaces the current plan; a change-team instruction changes the owning team relationship.
6. A destroy/disband instruction may remove objects or remove team organization depending on the actual action.

Script line numbers are reference positions, not seconds. A move can wait for progress, while a sound instruction can complete almost immediately. The script's apparent final action may never be reached if an earlier condition cannot be satisfied.

5. Why a force gathers before attacking

1. Assemble the roster.
2. Move to a staging waypoint or a gather position near a base.
3. Wait for transport loading or other readiness where required.
4. Approach the target or move to a specified enemy-building category.
5. Begin attack/attack-move/hunt under the relevant targeting behavior.
6. Repeat, change plan or dissolve as the script specifies.

Gathering is not necessarily indecision. Likewise, a unit left guarding after its transport unloads may have been intentionally removed from the continuing team. The unload action's continuation setting decides whether the transport, passengers, both or neither continue following that team script.

6. Campaign wave control

1. The map begins with only some triggers enabled.
2. A timer, discovered unit, entered cell or changed flag makes a trigger eligible.
3. Its actions can create a wave and enable its next timer/trigger.
4. Tags can report that a particular building or team-related object has been destroyed.
5. Further actions can disable earlier attacks, change ownership or open the next objective.
6. Difficulty flags can include/exclude parts of this network.

Two missions using the same tank can therefore feel very different. The tank recipe is only one input. Placement, wave timing, team size, script, player economy and mission overrides are separate inputs.

7. Ownership and alliances

1. Each live object belongs to a house.
2. House relationships determine allies/enemies for supported targeting decisions.
3. A mission can change those relationships.
4. It can transfer attached objects, all objects of a particular owner, or a scripted portion of a base through the relevant action.
5. Production, radar/power, target selection and objectives respond to the changed state.

An enemy suddenly becoming friendly can be a story action rather than a weapon hit. The exact trigger is shown in the mission ledger.

8. Difficulty without guessing

1. Read the scenario trigger's Easy/Normal/Hard eligibility flags.
2. Read explicit difficulty sections in the effective rules and any local replacement.
3. Inspect team availability, roster, delays and production settings.
4. Distinguish changed rules from a player taking a different route and activating more triggers.
5. Compare actual runs before claiming an exact difficulty effect that the data alone cannot settle.

The generated mission pages show the raw eligibility flags translated into their named difficulty slots. They do not assume all three are enabled. Rules also contain difficulty-indexed arrays; their ordering is specific to the consuming feature and must not be inferred from the label order on a different record.

9. How to read the detailed ledgers

1. Open the mission from Campaigns.
2. Read its story/objective explanation first.
3. Read terminal gates to see which trigger can declare a winner or loser.
4. Follow incoming enabling, forcing and local-flag dependencies.
5. Inspect attached structures/units/cells to understand what the event applies to.
6. Follow any team link to its roster and ordered script.
7. Check the override table before using a global unit statistic.

The ledger preserves file order only for browsing. Triggers are a graph of possible transitions, not a mandatory sequence that every playthrough takes. Disabled, orphaned and alternative records are still documented; their existence alone is not proof of runtime reachability.

Every campaign, explained as a workflow

Guide index | Mission/AI logic

A mission is a network of guarded transitions



Arrows show dependencies, not a mandatory sequence taken on every playthrough.

Read a mission as a network of guarded transitions. Explanatory diagram derived from the guide and local data; not a screenshot.

Spoilers throughout. The steps below are explanations of each scenario's intended progression and engine mechanisms, cross-checked against its local briefing, campaign table and full trigger ledger. They are not an optimized speedrun route or a claim that each branch has been tested by playing. Map events determine the exact outcome. The linked ledger provides every recovered trigger, attachment, activation link, ordered action, local team plan and explicit rule override.

1. Read the narrative workflow.
2. Open the mission ledger's terminal-gate table.
3. Follow its links to the guard conditions and incoming activators.
4. Follow team links when an action creates a force.
5. Check local overrides before applying ordinary skirmish unit/building rules.

RA2 Allied campaign

Stage	Mission	Detailed engine ledger
1	Operation: Lone Guardian	Open all01t.map
2	Operation: Eagle Dawn	Open all02s.map
3	Operation: Hail to the Chief	Open all03u.map
4	Operation: Last Chance	Open all04u.map
5	Operation: Dark Night	Open all05s.map
6	Operation: Liberty	Open all06u.map
7	Operation: Deep Sea	Open all07t.map
8	Operation: Free Gateway	Open all08u.map
9	Operation: Sun Temple	Open all09t.map
10	Operation: Mirage	Open all10s.map
11	Operation: Fallout	Open all11t.map
12	Operation: Chrono Storm	Open all12s.map

1. Operation: Lone Guardian

A hero-led introduction that becomes a small base-management mission.

1. Begin with Tanya and the local defenders. The opening ships are a scripted threat to the Statue of Liberty, not merely background decoration.
2. Use Tanya's permitted attacks to remove the Dreadnought threat while preserving her and the protected landmark. Their destruction/death events feed different mission branches.
3. Reach Fort Bradley. The contact/reveal sequence changes which forces and production opportunities you can use.
4. Restore the practical base workflow: power, infantry production and Engineer bridge repair where prompted. These are dependencies for progressing through the terrain, not cosmetic tutorial messages.
5. Destroy the Soviet supply base once the later objective is enabled. The victory sequence is a trigger chain with a delay; Tanya/landmark failure paths remain separate.

Engine lesson: Study how a single contact event can reveal an area, transfer forces, enable a hint and start another timer.



Initial placement schematic for all01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

2. Operation: Eagle Dawn

Recover infrastructure before fighting a conventional base battle.

1. Start with Tanya and move through the contact sequence that grants access to scattered friendly forces.
2. Preserve Tanya and use the infantry/specialist tools the mission makes available.
3. Use Engineers for the Soviet-held American facilities, including the Air Force Academy Chapel objective. Capture and destruction are different events.
4. Use the recovered economy and production facilities to build a force suited to the remaining threats.
5. Eliminate the required Soviet forces and let the outcome triggers run; Tanya's loss remains an independent failure.

Engine lesson: Study how ownership transfer changes both the objective state and the player's production capabilities.

Operation: Eagle Dawn

all02s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (42)
- Russians (37)
- Nod (17)
- Americans (9)
- Confederation (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. TANY

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all02s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all02s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

3. Operation: Hail to the Chief

A conventional army must remove a mission-scale psychic-control objective.

1. Initialize the Allied base, economy and local defenders around the mission's starting position.
2. Respond to scripted attacks while producing a force that can reach the White House area.
3. Approach the Psychic Beacon through the available urban terrain; garrison and weapons rules still govern the route.
4. Destroy the tagged beacon rather than assuming that capturing arbitrary enemy buildings completes the story.
5. Allow the scripted release/outcome sequence to resolve after the beacon event.

Engine lesson: Separate an object's ordinary combat role from the scenario action that changes the leaders' control.

Operation: Hail to the Chief

all03u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian1 House (75)
- Russian1 House (59)
- Player House (37)
- Russian2 House (9)
- CivilianArmy House (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all03u.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAWASH01
2. NAPSYB

Initial placement schematic for all03u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

4. Operation: Last Chance

A beachhead, economy and objective attack operate under a deadline.

1. Complete the shore landing and establish a usable base.
2. Begin harvesting and production quickly enough to support the coming attack.
3. Track the Psychic Amplifier countdown and its difficulty/activation triggers. The timer is a mission mechanism, not the recharge indicator of every enemy structure.
4. Reach and destroy the Chicago amplifier before its active failure condition is satisfied.
5. Let the destruction/success chain finish; expiration follows a separate branch even if much of the enemy army is already gone.

Engine lesson: Read the timer set/start actions and compare them with the destruction gate.

Operation: Last Chance

all04u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian1 House (96)
- Russian1 House (89)
- Player House (6)
- Russian3 House (5)
- Russian2 House (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAPSYA

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all04u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all04u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

5. Operation: Dark Night

Infiltration and demolition use different specialists and event types.

1. Keep Tanya alive while scouting the route to the Soviet research facilities.
2. Use the mission's infiltration tools to enter the Soviet Battle Lab and reveal/progress the objective chain.
3. Use disguise, power disruption and direct attacks according to each unit's supported interactions; a Spy is not an Engineer capture unit.
4. Neutralize both nuclear silos required by the objective. Removing just one does not satisfy the pair's completion logic.
5. Preserve Tanya until the mission issues its outcome after the silo conditions.

Engine lesson: Compare infiltration, reveal actions and multiple-object destruction conditions.

Operation: Dark Night

all05s.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- RedTeam House (131)
- Civilians House (41)
- OrangeTeam House (36)
- YellowTeam House (35)
- Mr. Neutral House (18)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL
2. TANY

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all05s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all05s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

6. Operation: Liberty

Recover the capital through a sustained production battle.

1. Connect with the Allied Pentagon forces through the mission's initial command-transfer sequence.
2. Keep the recovered base functional with income, power and accessible production exits.
3. Defend against the scripted Soviet attacks while assembling suitable ground and support forces.
4. Push into the occupied city and remove the required Soviet force/base ownership scopes.
5. Wait for the all-required-enemies completion gate and score sequence.

Engine lesson: Study the difference between a new unit being reinforced and an existing unit changing owner.

Operation: Liberty

all06u.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- Civie1 House (97)
- BadGuy1 House (68)
- BadGuy2 House (39)
- Player House (23)
- House Elania (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CAWASH01
2. CAWA2A

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all06u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all06u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

7. Operation: Deep Sea

Naval control, land infrastructure and scripted reinforcements interact.

1. Organize the Hawaiian position and its land-based economy.
2. Use appropriate naval units for surface ships, submarines and aircraft; one naval weapon does not cover every target domain.
3. Respond to the arriving Soviet fleet and island-related wave triggers.
4. Remove the required Soviet sea and land presence using suitable bombardment and landing tools.
5. Satisfy the mission's destruction gates rather than assuming that sinking a single named ship ends the battle.

Engine lesson: Follow naval target eligibility and the separate team arrival scripts.

Operation: Deep Sea

all07t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- Civie2 House (108)
- Other1 House (45)
- Player House (39)
- Civie1 House (7)
- Civie3 House (7)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all07t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all07t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

8. Operation: Free Gateway

A hero strike releases a city before the remaining battle is finished.

1. Keep Tanya safe while advancing through the St. Louis opening.
2. Find the Soviet Psychic Beacon and plan an attack using legal targets/routes.
3. Destroy the beacon to invoke the mission's control-release and progression actions.
4. Use the resulting position and available army to remove the remaining required Soviet forces.
5. Keep Tanya alive through the actual victory gate; beacon destruction and complete mission success are separate stages.

Engine lesson: Read how an objective event changes ownership and enables the next objective.

Operation: Free Gateway

all08u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (88)
- BadGuy1 House (60)
- BadGuy2 House (27)
- Evil House (25)
- House Elania (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAPSYB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all08u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all08u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

9. Operation: Sun Temple

Deny stolen technology and then remove its defenders.

1. Use the supplied strike force to approach the Yucatan research area.
2. Identify the Soviet attempts to reproduce Prism technology.
3. Capture or destroy the relevant technology targets as the objective permits. This is one of the cases where the briefing explicitly allows more than one kind of result.
4. Eliminate the base defending the research site with the facilities and specialists made available.
5. Complete both the technology-denial and base-destruction parts of the scenario.

Engine lesson: Compare alternative permitted objective outcomes with a mission that requires capture only.

Operation: Sun Temple

all09t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy1 House (144)
- Civie1 House (40)
- BadGuy2 House (15)
- Other2 House (12)
- House Balabos (9)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all09t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all09t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

10. Operation: Mirage

Protect a critical laboratory while destroying the attacking army.

1. Identify Einstein's laboratory as the protected object and organize defenses around usable approaches.
2. Keep economy, power and production functioning during the enemy's attack sequences.
3. Use the available Allied technology to counter the mix of ground and air threats.
4. Move from defense to eliminating the required Soviet forces without exposing the laboratory.
5. Reach the victory conditions while avoiding the lab-destruction failure branch.

Engine lesson: A defend objective remains relevant during your offensive; it is not automatically cleared by building a large army.

Operation: Mirage

all10s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Player House (38)
- German1 House (37)
- German3 House (36)
- Civilian House (32)
- German2 House (32)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. GACSPH
2. CALAB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all10s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all10s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

11. Operation: Fallout

A construction milestone is followed by neutralizing a nuclear threat.

1. Establish a sustainable base near Soviet-controlled Cuba.
2. Meet the relevant prerequisites and construct the Chronosphere objective.
3. Watch the mission actions that respond to the building milestone and nuclear threat.
4. Use the available transfer, transport and assault tools to neutralize the specified Soviet missile threat on Cuba.
5. Satisfy the objective flags and outcome gate; a completed Chronosphere alone is not the whole mission.

Engine lesson: Compare a build-type event with later destruction-based objective gates.

Operation: Fallout

all11t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy2 House (80)
- Civie1 House (77)
- Player House (40)
- House Elania (18)
- BadGuy3 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all11t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all11t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

12. Operation: Chrono Storm

A staged invasion uses reinforcement and defended-area conditions.

1. Secure the initial Moscow arrival area with the supplied strike force.
2. Clear the required arrival zone so the chrono reinforcement sequence can proceed.
3. Use the reinforced army to penetrate the capital and approach the Kremlin area.
4. Eliminate the designated Elite Black Guard defenses rather than interpreting the briefing as a requirement to destroy every city prop.
5. Let Tanya's Romanov capture/finale sequence and the mission outcome actions complete.

Engine lesson: The ending combines combat conditions and a scripted story sequence; it is not simply a tank-damage calculation on Romanov.

Operation: Chrono Storm

all12s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (150)
- BadGuy1 House (146)
- BadGuy2 House (32)
- BadGuy3 House (11)
- Other1 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CARUS03
2. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all12s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all12s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

RA2 Soviet campaign

Stage	Mission	Detailed engine ledger
1	Operation: Red Dawn	Open sov01t.map
2	Operation: Hostile Shore	Open sov02t.map
3	Operation: Big Apple	Open sov03u.map
4	Operation: Home Front	Open sov04s.map
5	Operation: City of Lights	Open sov05u.map
6	Operation: Sub-Divide	Open sov06t.map
7	Operation: Chrono Defense	Open sov07s.map
8	Operation: Desecration	Open sov08u.map
9	Operation: The Fox and the Hound	Open sov09u.map
10	Operation: Weathered Alliance	Open sov10t.map
11	Operation: Red Revolution	Open sov11s.map
12	Operation: Polar Storm	Open sov12s.map

1. Operation: Red Dawn

A scripted invasion teaches basic force control and urban fighting.

1. Take command of the Soviet landing/invasion force and follow the initial contact sequences.
2. Use the provided production and reinforcement opportunities to maintain the attack.
3. Advance through Washington while using garrison, anti-infantry and demolition tools appropriately.
4. Destroy the required Pentagon objective parts/linked scope.
5. Allow the objective-destruction chain to declare the mission outcome.

Engine lesson: A visually large landmark can consist of multiple placed type records and associated tags.

Operation: Red Dawn

sov01t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (209)
- BadGuy1 House (85)
- BadGuy2 House (4)
- Player House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov01t.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAWA2A

Initial placement schematic for sov01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

2. Operation: Hostile Shore

An amphibious landing develops into an annihilation objective.

1. Use the supplied naval support to establish a safe Florida landing.
2. Deploy a base on a legal site and begin the normal resource/production cycle.
3. Use Vladimir's support according to its scripted role; it is separate from your own factory queue.
4. Remove enemy positions and naval threats with appropriate land/sea weapon domains.
5. Eliminate the required remaining enemy forces and satisfy the outcome trigger.

Engine lesson: Distinguish autonomous/scripted allied support from directly owned player units.

Operation: Hostile Shore

sov02t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (153)
- Americans (58)
- Nod (8)
- Germans (4)
- Russians (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov02t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov02t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

3. Operation: Big Apple

Capture enables construction, then defense enables mission completion.

1. Reach the Allied Battle Lab in New York with a viable capture force.
2. Enter it with an Engineer rather than destroying it; this objective depends on captured technology.
3. Use the newly enabled Psychic Beacon construction opportunity.
4. Build and defend the beacon through the mission's attack/countdown sequence.
5. Keep the objective alive until the completion/control sequence resolves.

Engine lesson: This is a clear state machine: acquire technology, build objective, defend while a timer/flags progress, complete.

Operation: Big Apple

sov03u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (123)
- BadGuy1 House (52)
- Other3 House (5)
- Other2 House (3)
- Player House (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov03u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov03u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

4. Operation: Home Front

Defend the home territory, then remove the invading force.

1. Develop the Soviet base and its economy.
2. Prepare ground and air defenses against the Korean invasion scripts.
3. Preserve operational power and production as waves arrive.
4. Counterattack the invading enemy positions and remaining forces.
5. Satisfy the mission's required enemy-destruction gates.

Engine lesson: Country identity affects available aircraft, while mission scripts determine when attacks arrive.

Operation: Home Front

sov04s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian House (79)
- Player House (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov04s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov04s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

5. Operation: City of Lights

A landmark becomes a scenario-specific weapon through support conditions.

1. Advance the supplied Soviet infantry through Paris.
2. Bring the required Tesla Troopers into the Paris Tower's supported charging interaction.
3. Energize the tower with the required trooper support; it is a special map setup, not an ordinary buildable tower queue.
4. Defend the tower and its support while its enabled weapon attacks the Allied opposition.
5. Remove the remaining required Allied troops without losing the protected objective.

Engine lesson: Follow the local Paris Tower rules and tags instead of copying the global Tesla Coil description blindly.

Operation: City of Lights

sov05u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (157)
- BadGuy1 House (57)
- Player House (17)
- Other3 House (5)
- Other1 House (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov05u.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAPARS01

Initial placement schematic for sov05u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

6. Operation: Sub-Divide

Island economy supports a naval destruction objective.

1. Establish a working base in the Hawaiian island position.
2. Develop income and naval production with usable shoreline exits.
3. Respond to American defenses and the Korean fleet-related reinforcement scripts.
4. Use submarine, anti-air and bombardment roles against the targets each can legally engage.
5. Destroy the required Allied Navy ownership scope to reach the outcome chain.

Engine lesson: The mission explicitly emphasizes naval survival/destruction, which can differ from a generic all-buildings objective.

Operation: Sub-Divide

sov06t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral House (95)
- BadGuy1 House (73)
- Other1 House (4)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov06t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov06t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

7. Operation: Chrono Defense

A protected Battle Lab must survive successive chrono attacks.

1. Identify the Soviet Battle Lab and organize defenses around its possible attack directions.
2. Develop economy and production while preserving that lab.
3. Respond to chrono reinforcement waves, which need not travel visibly from the edge of the map.
4. Track the scenario's staged timers and flags; a quiet interval can be a preparation period.
5. Keep the lab alive through the required defense sequence and its final completion condition.

Engine lesson: Study repeated timer resets and reinforcements that arrive at internal waypoints.

Operation: Chrono Defense

sov07s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (62)
- Player House (21)
- Other3 House (4)
- Other1 House (3)
- Other2 House (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov07s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov07s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

8. Operation: Desecration

The target must change owner, so demolition is the wrong final interaction.

1. Establish your forces in the Washington battle against Vladimir's army.
2. Maintain economy, power and an escort capable of clearing a route.
3. Approach the White House while preserving the target structure for capture.
4. Send a surviving Engineer through the legal entry to take control of the White House.
5. Let the capture/ownership event advance the victory sequence.

Engine lesson: A capture objective uses a different terminal gate from a destroy-the-headquarters objective.

Operation: Desecration

sov08u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Vlad2 House (78)
- Civilian1 House (76)
- Vlad1 House (26)
- Player House (16)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CAWASH01
2. NAPSYB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov08u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov08u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

9. Operation: The Fox and the Hound

A small force exploits disguise and mind control rather than base production.

1. Begin with the mission's supplied psychic/infiltration tools near San Antonio.
2. Use susceptible enemy soldiers as a resource through supported mind control.
3. Use infiltrators and power disruption where useful to open access around the Alamo.
4. Expose and acquire the President through mind control, keeping the target alive for that interaction.
5. Complete the President-control event; destroying him is not a substitute for capturing him.

Engine lesson: Ownership effects can be the required result even when almost no ordinary production is available.

Operation: The Fox and the Hound

sov09u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (107)
- Americans (52)
- Germans (30)
- Alliance (16)
- GDI (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov09u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov09u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

10. Operation: Weathered Alliance

Information acquisition reveals the real objective.

1. Build up the Soviet position in the Virgin Islands.
2. Reach the Allied Battle Lab with an Engineer while protecting the capture target.
3. Capture the lab to locate/reveal the Weather Control Device through the scenario actions.
4. Reach and destroy that device with suitable ground/naval/transport tools.
5. Complete the target-destruction gate after the information stage.

Engine lesson: A map reveal is an action caused by an objective, not proof that the target was created at that instant.

Operation: Weathered Alliance

sov10t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy3 House (94)
- BadGuy1 House (64)
- BadGuy2 House (55)
- Civie1 House (42)
- Player House (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov10t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov10t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

11. Operation: Red Revolution

An offensive must survive scripted pressure on its economy and base.

1. Prepare the Soviet base for the Moscow battle against Yuri's forces.
2. Keep income and power available during the scenario's timed and reactive attacks.
3. Build a force that can cope with psychic-control threats and defended approaches.
4. Penetrate the Kremlin area and destroy the designated Yuri headquarters scope.
5. Allow the headquarters-destruction chain to declare success.

Engine lesson: Separate baseline unit immunity/counterplay from mission-specific waves and available resources.

Operation: Red Revolution

sov11s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (116)
- BadGuy1 House (65)
- BadGuy3 House (57)
- BadGuy2 House (37)
- Player House (34)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov11s.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CARUS03

Initial placement schematic for sov11s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

12. Operation: Polar Storm

A final base assault opposes an enemy transfer network.

1. Establish the Soviet position near Point Hope, Alaska, with the limited starting force.
2. Create a reliable economy and defenses against the Allied attacks.
3. Use the available high-technology assault options to reach the defended Chronosphere.
4. Destroy the designated Chronosphere objective before the enemy's pressure defeats you.
5. Resolve the objective event and campaign ending; unrelated scenery is not an extra victory requirement.

Engine lesson: Enemy chrono arrivals are scenario-controlled attack delivery, while destroying the objective ends the strategic threat.

Operation: Polar Storm

sov12s.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy3 House (135)
- BadGuy1 House (71)
- BadGuy2 House (18)
- Civie1 House (8)
- Player House (4)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. GACSPH

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov12s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov12s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

Yuri's Revenge Allied campaign

Stage	Mission	Detailed engine ledger
1	Operation: Time Lapse	Open all01umd.map
2	Operation: Hollywood and Vain	Open all02umd.map
3	Operation: Power Play	Open all03umd.map
4	Operation: Tomb Raided	Open all04dmd.map
5	Operation: Clones Down Under	Open all05umd.map
6	Operation: Trick or Treaty	Open all06umd.map
7	Operation: Brain Dead	Open all07smd.map

1. Operation: Time Lapse

A mission-specific power network drives a time-travel state change.

1. Defend the Time Machine and organize the starting San Francisco forces.
2. Capture the marked power sources so the mission's power-objective conditions become satisfied.
3. Preserve the machine while the scripted travel sequence changes the scenario state.
4. Use the post-travel position and available forces to reach Alcatraz.
5. Destroy the Psychic Dominator and complete the mission outcome while respecting machine/failure conditions.

Engine lesson: The map defines individual power-plant copies and counting flags. This is more specific than simply having any four ordinary Power Plants.

Operation: Time Lapse

all01umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (120)
- Americans (58)
- YuriCountry (41)
- PowerHouse (24)
- Arabs (10)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CALAB
2. YAPPET
3. CATIME01

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all01umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all01umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

2. Operation: Hollywood and Vain

Disable an economic network before finishing the enemy base.

1. Establish the Allied force in Los Angeles and defend its production/economy.
2. Find the individual Grinder objectives and the civilian/hero-related contact opportunities.
3. Destroy all Grinders counted by the mission flags. A visible cash-generating story process is represented by scripts and object relationships.
4. Destroy the remaining required Yuri buildings.
5. Let the combined Grinder/base completion gates declare victory.

Engine lesson: The patch archive supplies the effective version of this map. Individual Grinder flags combine into the larger objective.

Operation: Hollywood and Vain

all02umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (401)
- YuriCountry (127)
- Yuri2 (22)
- Nod (10)
- Russians (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: expandmd01.mix/all02umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all02umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

3. Operation: Power Play

A nuclear threat and a liberation objective are separate stages.

1. Develop the Allied position in Seattle while monitoring the silo-related time pressure.
2. Produce a force suited to reaching Yuri's Nuclear Silo.
3. Destroy the specified silo to remove the immediate threat.
4. Liberate the MassiveSoft campus through the mission's required object/ownership conditions.
5. Complete both parts of the objective network rather than stopping at the silo explosion.

Engine lesson: A story company/campus label is implemented through placed objects and trigger scopes.

Operation: Power Play

all03umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (170)
- Americans (49)
- YuriCountry (32)
- Russians (12)
- Nod (12)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all03umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all03umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

4. Operation: Tomb Raided

Removing power structures releases a captive and changes mission capability.

1. Approach the Egyptian Great Pyramid objective and identify its associated Bio Reactors.
2. Destroy the required reactors around the prison/research location.
3. Allow the Einstein rescue sequence and any resulting special capability to occur.
4. Use the available force and enabled tools against Yuri's base.
5. Destroy the required base scope while avoiding the scenario's protected-unit failure branches.

Engine lesson: Rescue can be implemented as an enabled sequence following several object-destruction flags.

Operation: Tomb Raided

all04dmd.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- YuriCountry (63)
- Neutral (39)
- Arabs (24)
- Americans (11)
- French (9)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all04dmd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all04dmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

5. Operation: Clones Down Under

A technology-production facility is the first objective, not the entire battle.

1. Establish the Allied Sydney position and a functioning economy.
2. Scout for Yuri's cloning facilities while responding to the local attack teams.
3. Destroy the specified Cloning Vats to interrupt that objective branch.
4. Remove the remaining required Yuri forces with appropriate counters to their control/air/armor roles.
5. Complete the remaining-force and cloning-objective gates.

Engine lesson: Destroying a technology building may alter future production while the surviving army remains active.

Operation: Clones Down Under

all05umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian House (142)
- BadGuy1 House (76)
- Player House (35)
- BadGuy2 House (22)
- Temp House (4)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all05umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all05umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

6. Operation: Trick or Treaty

Protect the summit, then destroy its attacker.

1. Identify Parliament and the protected world-leader/summit scenario state.
2. Build a defensive economy and protect the approaches against Yuri's staged assaults.
3. Keep the protected objective intact through the defense sequence.
4. Move against Yuri's base after the scenario makes the offensive objective available.
5. Destroy the required Yuri base while continuing to avoid protected-object failure.

Engine lesson: A timed defense objective and a base-destruction objective can coexist, with explicit enabling links between their stages.

Operation: Trick or Treaty

all06umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (191)
- Americans (32)
- YuriCountry (27)
- Africans (9)
- French (6)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all06umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all06umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

7. Operation: Brain Dead

Recovered Soviet infrastructure enables a combined-faction finale.

1. Bring the abandoned Soviet base at Tierra del Fuego into a usable owned/operational state.
2. Build the Soviet Radar Dish required by the mission; this is a specific construction event.
3. Follow the resulting reveal/location sequence toward Antarctica.
4. Use the combined available technology to destroy the final Psychic Dominator.
5. Eliminate the remaining required Yuri forces and let the final outcome sequence complete.

Engine lesson: Captured/recovered technology changes the set of eligible production paths without merging the two games' entire rulebooks.

Operation: Brain Dead

all07smd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (145)
- Yuri2 (47)
- Neutral (16)
- Yuri3 (10)
- Russians (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all07smd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all07smd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

Yuri's Revenge Soviet campaign

Stage	Mission	Detailed engine ledger
1	Operation: Time Shift	Open sov01umd.map
2	Operation: Deja Vu	Open sov02smd.map
3	Operation: Brain Wash	Open sov03umd.map
4	Operation: Romanov on the Run	Open sov04dmd.map
5	Operation: Escape Velocity	Open sov05umd.map
6	Operation: To The Moon	Open sov06lmd.map
7	Operation: Head Games	Open sov07tmd.map

1. Operation: Time Shift

Several sequential objective gates control two different time periods.

1. Destroy the required Allied naval defenses and Grand Cannons around the approach.
2. Remove the Pill Boxes around the Time Machine so the scenario can transfer/control it.
3. Capture the required four power sources and defend the critical machine while the travel sequence proceeds.
4. Assume control of the available Soviet base after the scripted state changes, including the intermediate time-travel diversion.
5. Use that base/army to destroy the Psychic Dominator and satisfy the final mission gate.

Engine lesson: Time travel is a carefully staged map script with ownership, camera and object changes; it is not a universal ability every unit gains.

Operation: Time Shift

sov01umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (128)
- Americans (33)
- YuriCountry (28)
- Alliance (13)
- Soviet2House (13)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET
2. YAPPPT
3. CATIME01
4. CATIME02

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov01umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov01umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

2. Operation: Deja Vu

A revised attack targets both research and transfer technology.

1. Begin the return to the Black Forest with the available Soviet army and support.
2. Destroy the border outposts specified by the opening objective.
3. Develop the force and economy needed to reach the defended research site.
4. Destroy Einstein's Laboratory and the Chronosphere required by the mission.
5. Complete the combined objective flags and success sequence.

Engine lesson: Track the two objective structures independently; destroying one technology does not automatically count the other.

Operation: Deja Vu

sov02smd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian House (95)
- BadGuy1 House (47)
- Einstein House (19)
- German3 House (12)
- BadGuy2 House (12)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CALAB
2. GACSPH

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov02smd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov02smd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

3. Operation: Brain Wash

Free a captured army, then cooperate against the controlling enemy.

1. Advance the Soviet force toward the Psychic Beacon in London.
2. Destroy that beacon to trigger the release of the mind-controlled Allied strike force.
3. Use the changed ownership/alliance state and available forces against the near-complete Psychic Dominator.
4. Destroy the Dominator before its active threat/failure sequence succeeds.
5. Finish the remaining required Yuri forces and resolve the mission outcome.

Engine lesson: A mass ownership/alliance change is scripted; it must not be mistaken for every unit independently acquiring mind-control immunity.

Operation: Brain Wash

sov03umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (196)
- YuriCountry (71)
- BadGuy1 (41)
- Soviets (21)
- Civie1 (16)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET
2. NAPSYB
3. BORIS

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov03umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov03umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

4. Operation: Romanov on the Run

Escort completion requires both a safe destination and a living passenger.

1. Locate Romanov through the search/contact sequence.
2. Protect him as a critical unit while assembling a force to clear the extraction route.
3. Destroy Yuri's airport-guarding base as the objective requires.
4. Move the living Romanov to the now-valid airport extraction area.
5. Let the entry/evacuation sequence complete; clearing the airport without delivering him is insufficient.

Engine lesson: This joins a destruction condition, a protected-unit failure condition and a destination-entry condition.

Operation: Romanov on the Run

sov04dmd.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- YuriCountry (101)
- Neutral (50)
- Alliance (19)
- Russians (9)
- Arabs (6)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov04dmd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov04dmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

5. Operation: Escape Velocity

Choose a beachhead and remove naval production before the remaining cleanup.

1. Select a useful landing zone and establish a functioning Soviet base.
2. Prepare against the threat from Yuri's Boomer submarines and other scripted attacks.
3. Locate the specified Submarine Pen/naval production objective.
4. Destroy that pen and then remove the remaining required Yuri forces.
5. Complete the mission flags and transition sequence that prepares the lunar stage.

Engine lesson: Destroying a factory prevents/changes future production but does not itself erase already launched missiles or existing ships.

Operation: Escape Velocity

sov05umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (188)
- Arabs (19)
- Yuri2Country (18)
- Neutral (6)
- Germans (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov05umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov05umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

6. Operation: To The Moon

A different theater changes the available army and its movement context.

1. Find a legal site and establish the lunar Soviet base.
2. Use the mission's lunar economy, production and available Cosmonaut/vehicle options.
3. Locate Yuri's Lunar Command Center amid the moon bases.
4. Destroy that center and the remaining required base scope.
5. Complete the lunar objective flags and return/progression sequence.

Engine lesson: The moon mission uses a distinct map theater and local overrides; ordinary Earth skirmish assumptions are insufficient.

Operation: To The Moon

sov06lmd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (97)
- Americans (16)
- Alliance (15)
- Neutral (8)
- British (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov06lmd.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. YACOMD

Initial placement schematic for sov06lmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

7. Operation: Head Games

A fortified target is protected by several factions and scenario threats.

1. Establish the Soviet force in Transylvania and inspect the available captured/starting technologies.
2. Maintain economy and protection against Yuri's control effects and scripted enemy forces.
3. Break through the defended approaches using suitable anti-control, anti-air and anti-armor roles.
4. Destroy the designated Yuri Fortress objective.
5. Allow the fortress-destruction/finale actions to complete rather than treating every surviving enemy object as an unstated objective.

Engine lesson: The final fortress is a mission-tagged structure. Its story importance comes from the scenario network, not just its global health value.

Operation: Head Games

sov07tmd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- BadGuy1 House (126)
- BadGuy3 House (86)
- BadGuy2 House (76)
- Civilian House (51)
- German2 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov07tmd.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CATRAN03
2. NAPSYB

Initial placement schematic for sov07tmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

All conditions, teams and overrides | Exact outcome gates

Training and the additional recovered map

trn01t

A sequence of instruction gates teaches direct control.

1. Let the instructor's opening sequence enable the first exercise.
2. Select and move the supplied units to the indicated area.
3. Perform the prompted attack and interaction exercises in their enabled order.
4. Use the local contact/selection/entry events to advance each lesson.
5. Complete the final training gate; later exercises need not be active before their predecessor is completed.

Engine lesson: A tutorial is an ordinary scenario with tightly controlled enabling and input/selection events.

Boot Camp - Day 1

trn01t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Other1 House (19)
- Civie1 House (13)
- Other2 House (6)
- BadGuy1 House (3)
- Player House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/trn01t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for trn01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Full scenario ledger

trn02t

Base management is taught as a dependency sequence.

1. Follow the supplied construction/deployment instruction.
2. Establish the prompted power and economy facilities.
3. Produce the requested units through eligible factories.
4. Perform the indicated defense/attack exercises as their triggers are enabled.
5. Complete the final boot-camp sequence and proceed to campaign selection/progression.

Engine lesson: A build-type event can serve as a lesson-completion condition without destroying any enemy object.

Boot Camp - Day 2

trn02t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- RedTeam House (15)
- Civilian House (12)
- Other1 House (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/trn02t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for trn02t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Full scenario ledger

sov09t

An additional older/alternate map is present but is not the campaign-selected ninth Soviet mission.

1. Treat this file as a separate recovered scenario, not a second mandatory stage after The Fox and the Hound.
2. Inspect its starting SovStar House ownership and its own task forces.
3. Follow its local trigger conditions and attached scopes when analyzing what it would do.
4. Do not transfer its short trigger list or starting army to sov09u.map.
5. Use the mission progression table's sov09u.map for the ordinary campaign route.

Engine lesson: A file existing in an archive does not prove that the campaign menu ever selects it.

sov09t.map

sov09t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- SovStar House (28)
- Alamo (28)
- USA1 House (13)
- President House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov09t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov09t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Full scenario ledger

How the Android version connects to the original game

Guide index | Player controls

From a physical input to the original command



Hover is movement without a click. Camera panning is different from ordering units to move.

Input conversion preserves the original command interpretation. Explanatory diagram derived from the guide and local data; not a screenshot.

Version 0.1.4 save dialog: the current mission precedes the complete local timestamp. Recorded RA2 save-name QA, injected finger input on an emulator.

Yuri uses the same mission-first naming bridge while retaining the original save interface. Recorded version 0.1.4 Yuri save-name QA on an emulator.

This chapter is specific to the delivered native development APK. It describes the local implementation and recorded QA, not a promise that every Samsung accessory or campaign has been tested.

1. Original logic on ARM64

1. Offline tools analyze the supplied original executables.
2. Recovered procedures are lifted into another compilable representation.
3. The Android compiler builds that representation as native ARM64 libraries.
4. At runtime, the host provides the operating-system services the original procedures expect.
5. The original initialized data/resources and packaged game archives provide required game content.

This is static recompilation with a compatibility layer. Preserving 32-bit guest addresses as values does not mean the APK executes the original x86 instructions. It also does not mean the recovered representation is the original developers' handwritten source or that every function has a trustworthy descriptive name.

2. Input conversion

1. Android reports the input device and event: finger, pen, mouse or keyboard.
2. The adapter recognizes the intended gesture/button combination.
3. Coordinates are mapped into the game's displayed picture.
4. Mouse movement/button state or a keyboard event reaches the original interface.
5. The original game decides selection, commands, deselection and map panning.

For fingers, a single contact is held provisionally until movement/release distinguishes a selection from a multi-finger chord. This avoids accidentally issuing a left click while preparing a two-finger right click. Two-finger movement holds right for panning; lifting either releases it. Three-finger quick taps send Escape. A drag selection followed by extra fingers is not reinterpreted as a fresh quick tap.

Pen hover forwards cursor movement without pressing a button. Pen tip and barrel events use the mouse-button path. A physical OTG/Bluetooth mouse follows the same full-button-state path. The toolbar can hold right for a pan or provide keyboard-like commands. See INPUTS for the exact player-facing controls and limitations, including wheel behavior.

3. Preserving quick presses

1. Android can deliver press and release within one native event-pump interval.
2. If the game polls only after both, a naive adapter can make the button appear never pressed.
3. The local adapter retains a bounded down state so the guest can observe a quick click.
4. Button states are tracked independently.
5. Cancellation or pause releases held buttons and modifiers to avoid stuck inputs.

This changes event delivery, not the meaning of a tank attack or the underlying right-click command.

4. Saving without a keyboard

1. Open Save Game in the original mission menu.
2. Let the original dialog initialize its current mission title.
3. Read that title through the original custom Unicode edit-control messages.
4. Append the full local date and time, keeping the mission title first.
5. If needed, shorten only the title to fit the original 79-UTF-16-unit capacity.
6. Write the resulting name back to the original edit control.
7. The original save procedure writes the save file.
8. An Android confirmation bridge sends the original acknowledgement back on the game thread.

The application does not require a soft keyboard for this flow. Existing saved labels are not renamed. Recorded version 0.1.4 tests checked formatter edge cases, RA2 and Yuri saves, restart/load, continued simulation and preservation of five pre-existing manual saves.

5. Movies, sound and presentation

1. The original game requests its movie or sound.
2. The host provides the relevant decoding/audio service.
3. FFmpeg decodes the original Bink movie content in this implementation.
4. SDL supplies the Android surface, event and audio connection.
5. End-of-file, seeking and decoded-frame timing have to agree with the game's polling expectations.

The local movie-end fix prevents a completed clip from trapping the game in a repeated final-frame poll. Full-screen movie Escape handling has recorded control QA. In-mission radar-movie skipping and audible output on each physical Samsung device are separate questions; the book does not claim they were all verified.

6. Returning home

1. The player uses the original Exit Game path.
2. The game requests a normal process exit.
3. Before that exit, the host brings the title chooser forward.
4. The isolated game process terminates.
5. A later title launch starts with a fresh game process while the chooser remains available.

This architecture protects the chooser from the original program's process-lifetime assumptions. It is different from returning only to the game's own main menu or leaving the Android app entirely.

7. What the recorded checks establish

Evidence	What it supports	What it does not establish
Effective archives and map extraction	Rules, declared objects, trigger data and content provenance	Every map branch is reachable or correct in a real run
Function and class catalogues	Recovered binary structure and identified responsibilities	Complete recovery of original source-level intent
Existing campaign startup captures	Particular missions reached visible gameplay	Completion of all campaigns
Existing input injection checks	Tested adapter paths in their recorded environment	Physical S Pen/OTG behavior on every Samsung setup
Version 0.1.4 save/reload QA	Specific original save flows work across restart	Every possible saved state is compatible
This guide's automated coverage check	Declared items/mission records are represented and references resolve	A substitute for playing every mission

No new full campaign playthrough was performed to write this guide. The study exercises explain how to compare the documented logic with your own play without confusing predictions with observations.

Reading while playing: small engine experiments

Guide index | Controls

Use a small, recognizable group of objects for controlled observation. Upstream project screenshot retained locally; illustrative desktop evidence, not an Android-device test.

These are proposed observation exercises, not tests already completed by the author. Use a fresh disposable save before an experiment. Keep your important saves separate and use the correct game title when loading. The current APK fills new save names with mission and time, so you can distinguish checkpoints without typing.

1. Trace one GI

1. Select a GI in a safe location.
2. Move it and observe its mobile state.
3. Deploy it, then compare the permitted movement and attack state.
4. Undeploy and move again.
5. Where a suitable civilian building exists, enter and then unload.
6. Read the GI card and distinguish its standing, deployed and occupant weapons.

Record which action you requested and which state changed. Do not infer that the deployed weapon and garrison weapon are identical just because both produce heavier fire.

2. Trace an IFV and a passenger

1. Obtain an empty IFV and an Engineer in a suitable battle.
2. Observe the IFV's empty role.
3. Load the Engineer and observe the changed role/cursor/turret.

4. Use it on an eligible damaged friendly vehicle.
5. Unload and observe the return to the default role.
6. Compare with a different eligible infantry passenger and its IFV mode on the card.

This demonstrates a state-dependent vehicle configuration. It does not establish every possible passenger combination from one example.

3. Follow a resource cycle

1. Choose a safe miner and identify its refinery/delivery destination.
2. Follow the outward journey to the resource.
3. Watch cargo collection and the return procedure.
4. Observe unloading and the owner's credits.
5. Repeat with the other faction's miner in another battle.
6. For Yuri, compare the mobile Slave Miner, deployed form and worker trips.

Keep transport time, gathering time, docking time and delivery value as separate observations. Comparing only vehicle speed cannot establish complete income efficiency.

4. Observe power and services

1. Find a battle with a powered defense or Robot Control Center.
2. Save before altering the power balance.
3. Note current supply/demand and which services are working.
4. Reduce power through an ordinary available game action.
5. Observe which services stop, slow or remain functional.
6. Restore power and compare recovery with the structure/unit cards.

Do not destroy an irreplaceable campaign objective just to run this exercise. A quiet skirmish is a better setting when the required facilities are available.

5. Trace Lone Guardian's objective handoff

1. Read the mission explanation and ledger.
2. Identify the opening Dreadnought/Tanya/landmark roles.
3. Observe the first objective without assuming all later hints are active.
4. Reach Fort Bradley and note changes in ownership, revealed terrain and available production.
5. Follow the bridge/production hints to the later supply-base objective.
6. Compare each observed transition with its trigger's events, attachments and actions.

A camera movement is not the same as a new unit spawning. A revealed building may have existed from the start. Watch these separately.

6. Compare two kinds of capture objective

1. Read Big Apple's Engineer/Battle Lab progression.
2. Read The Fox and the Hound's President-control progression.
3. Identify the different specialist and target-eligibility checks.
4. Observe the required ownership/control result in your play.
5. Compare with a mission that explicitly asks for destruction.

The practical lesson is that capture, infiltration, mind control and destruction are four distinct interactions even when each can remove an enemy obstacle.

7. Observe a staged attack

1. Save before a known wave interval or mission boundary.
2. Observe where the arriving force appears and which units it contains.
3. Find its reinforcement/create-team action in the ledger.
4. Follow the linked roster and script.
5. Compare staging, movement, unloading and final attack with the plan.

6. If something differs, check difficulty, earlier flag changes and unit losses before concluding the data is wrong.

Do not expect a static file listing to prove the exact random choice or timing of every run. Record the conditions under which you observed it.

8. Check the input-to-command boundary

1. In a safe area, move a mouse or hover the S Pen without pressing.
2. Observe cursor movement without a unit order.
3. Select with a left click/tip/finger action.
4. Deselect with a short right click or quick two-finger tap.
5. Pan with right-drag or two-finger drag.
6. Open the menu with Escape or a quick three-finger tap.

This exercise separates the Android adapter from the original command interpretation. Record the device and peripheral used; emulator injection does not qualify the physical accessory.

9. Read a save/reload as a state-restoration experiment

1. Stop at a recognizable, safe moment and make a new save.
2. Record a few visible facts: units, health, location, credits and current objective.
3. Change the battle briefly.
4. Load the saved game from the corresponding original menu.
5. Check that the earlier state returns and the simulation continues advancing.
6. Distinguish a changed save description from a changed save-file format; this APK's naming bridge leaves original serialization in charge.

Observation sheet

Record	What to write
Game and mission	RA2 or Yuri; mission title; difficulty
Starting checkpoint	Automatically generated save label
Device/input	Phone/tablet, finger/pen/mouse and relevant accessory
Requested action	What you deliberately did
Prediction	Which card or trigger suggested the expected result
Observed result	Visible state changes, messages, ownership, timing or failure
Source locator	Object ID or trigger ID from the guide
Remaining uncertainty	What this one observation did not establish

Keep predictions and observations in separate columns. That is the most useful habit for learning an engine from binaries and play.

Operation: Lone Guardian

Campaign reading guide | Engine

RA2 Allied opening: Lone Guardian. Dreadnoughts, the river approach and the original sidebar are visible. Historical local Android-emulator campaign-start capture; not a complete mission playthrough.

Operation: Lone Guardian

all01t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (117)
- BadGuy1 House (66)
- Other1 House (31)
- BadGuy3 House (12)
- Other3 House (11)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CANEWY04
2. TANY

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/all01t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all01t.map. **Effective extracted member:** MAPS02.MIX/all01t.map. **Trigger definitions:** 130.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,50,64
Visible local rectangle	2,6,46,52
Placed vehicles	19
Placed infantry	40
Placed structures	190
Placed aircraft	0
Team templates	49

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	40	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	100	BadGuy2
3	BadGuy3 House	100	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Transport 1,0
1	Transport 2,1

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Mission Victory (075F22EC)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
Mission Failed (08B9BC5C)	2 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Mission Start - 07A9578C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A94ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG1 - Dreadnought 1 (0A67F6CC).
2. Create/recruit team BG1 - Dreadnought 1 (0A67F6CC).
3. Create/recruit team BG1 - Dreadnought 1 (0A67F6CC).
4. Create/recruit team BG1 - Dreadnought 1 (0A67F6CC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4474, Events line 4606, Actions line 4738.

2. Mission Start 2 - 07A949DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A9467C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 1 (cell 62, 90).
2. Create radar-event marker type 3 at waypoint 1 (cell 62, 90).
3. Reveal terrain around waypoint 27 (cell 64, 82).
4. Reveal terrain around waypoint 49 (cell 64, 74).
5. Enable and reset applicable timers for Mission Start 3 (07C3C37C).
6. Reveal terrain around waypoint 20 (cell 63, 69).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4475, Events line 4607, Actions line 4739.

3. Mission Start 3 - 07C3C37C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mission Start 2 (07A949DC).

Attached scope: tag definitions 07C429CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound NukeSiren.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4476, Events line 4608, Actions line 4740.

4. Enable Objective 1 - 076E465C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Scroll (079C403C).

Attached scope: tag definitions 076D9BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 13 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy all four Soviet DREADNOUGHTS” (MISSION:All01a).
2. Play sound MessageText.
3. Create radar-event marker type 1 at waypoint 1 (cell 62, 90).
4. Enable and reset applicable timers for Objective 1 (076F572C).
5. Play voice notification EVA_NewObjectiveReceived.
6. Flash team BG1 - Dreadnought 1 (0A67F6CC) with duration setting 70.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4477, Events line 4609, Actions line 4741.

5. Objective 1 - 076F572C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 1 (076E465C).

Attached scope: tag definitions 076F057C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy all four Soviet DREADNOUGHTS” (MISSION:ALL01a).
2. Create radar-event marker type 1 at waypoint 1 (cell 62, 90).
3. Play sound MessageText.
4. Flash team BG1 - Dreadnought 1 (0A67F6CC) with duration setting 90.
5. Flash team Dreadnought Retreat (0B533EFC) with duration setting 90.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4478, Events line 4610, Actions line 4742.

6. Start Conscripts Attacking - 07A707CC

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Conscript Attack (0733A6CC).

Attached scope: tag definitions 07A7012C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG1 - Conscripts2a (097531FC).
2. Create/recruit team BG1 - Conscripts2b (09752C8C).
3. Enable and reset applicable timers for Enable GI's (07428AAC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4479, Events line 4611, Actions line 4743.

7. Enable GI's - 07428AAC

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Conscripts Attacking (07A707CC); enable from Initial Paratroopers 1 (07BA8C2C).

Attached scope: tag definitions 074284EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Player - GIs1 (0A7475CC).
2. Enable and reset applicable timers for ButtNugget (07BBD33C).
3. Enable and reset applicable timers for Enable GI's 2 (0828B83C).
4. Enable and reset applicable timers for Hint: GI (0A96A5EC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4480, Events line 4612, Actions line 4744.

8. ButtNugget - 07BBD33C

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable GI's (07428AAC).

Attached scope: tag definitions 07BFF58C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4481, Events line 4613, Actions line 4745.

9. Enable GI's 2 - 0828B83C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable GI's (07428AAC).

Attached scope: tag definitions 0828FB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team Player - GIs1 (0A7475CC) with duration setting 40.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4482, Events line 4614, Actions line 4746.

10. Hint: GI - 0A96A5EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable GI's (07428AAC).

Attached scope: GI (E1), owner Other3 House, cell (58, 68), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (64, 67), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (65, 75), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (60, 66), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (66, 69), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (60, 74), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (62, 66), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (66, 73), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (67, 71), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (58, 71), tag 0A96BF4C, persistence mode 0; GI (E1), owner Other3 House, cell (62, 75), tag 0A96BF4C, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “These GI's have deployed their heavy machine guns.” (MISSION:All01u).
2. Play sound MessageText.
3. Create radar-event marker type 0 at waypoint 20 (cell 63, 69).
4. Enable and reset applicable timers for Hint: GI 2 (0A96BE5C).
5. Enable and reset applicable timers for Hint: GI 3 (0A19262C).
6. Enable and reset applicable timers for Hint: GI 4 (0A19574C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4483, Events line 4615, Actions line 4747.

11. Hint: GI 2 - 0A96BE5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: GI (0A96A5EC).

Attached scope: tag definitions 0A96BC1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: DOUBLE-CLICK the GI's to switch them between DEPLOYED and MOBILE states” (MISSION:All01t).
2. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4484, Events line 4616, Actions line 4748.

12. Hint: GI 3 - 0A19262C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: GI (0A96A5EC).

Attached scope: tag definitions 0A19591C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Flash GI (0AC8730C).
2. Create/recruit team Flash GI (0AC8730C).
3. Create/recruit team Flash GI (0AC8730C).
4. Create/recruit team Flash GI (0AC8730C).
5. Create/recruit team Flash GI (0AC8730C).
6. Create/recruit team Flash GI (0AC8730C).
7. Create/recruit team Flash GI (0AC8730C).
8. Create/recruit team Flash GI (0AC8730C).
9. Create/recruit team Flash GI (0AC8730C).
10. Create/recruit team Flash GI (0AC8730C).
11. Create/recruit team Flash GI (0AC8730C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4485, Events line 4617, Actions line 4749.

13. Hint: GI 4 - 0A19574C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: GI (0A96A5EC).

Attached scope: tag definitions 0A19530C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team Flash GI (0AC8730C) with duration setting 90.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4486, Events line 4618, Actions line 4750.

14. Enable Objective 2b - 0782DA30

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play Soviet Movie 2 (081A1B4C).

Attached scope: tag definitions 0782D140 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 63 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Enable Objective 2 (0874458C).
2. Play voice notification Mis_A1_EvaReachFort.
3. Disable Objective 1 (076F572C).
4. Disable Enable Objective 1 (076E465C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4487, Events line 4619, Actions line 4751.

15. Enable Objective 2 - 0874458C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 2b (0782DA30).

Attached scope: tag definitions 08747E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 2 (0874286C).
2. Display message “Objective 2: Rendezvous with FORT BRADLEY” (MISSION:All01b).

3. Create radar-event marker type 1 at waypoint 16 (cell 74, 38).
4. Play sound MessageText.
5. Reveal terrain around waypoint 16 (cell 74, 38).
6. Enable and reset applicable timers for Hint: First Bridge (09E42C7C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4488, Events line 4620, Actions line 4752.

16. Objective 2 - 0874286C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 2 (0874458C).

Attached scope: tag definitions 0874467C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Rendezvous with FORT BRADLEY” (MISSION:All01b).
2. Create radar-event marker type 1 at waypoint 16 (cell 74, 38).
3. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4489, Events line 4621, Actions line 4753.

17. Hint: First Bridge - 09E42C7C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 2 (0874458C).

Attached scope: 12 tagged map cells: (61, 60), (62, 60), (63, 60), (61, 61), (62, 61), (63, 61), (61, 62), (62, 62), (63, 62), (61, 63), (62, 63), (63, 63); tag 09E408FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 80 (cell 62, 59).
2. Reveal terrain around waypoint 80 (cell 62, 59).
3. Play sound MessageText.
4. Play voice notification Mis_A1_EvaBridgeDestroyed.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4490, Events line 4622, Actions line 4754.

18. Change House 1a - 0871B6EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0871A4FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House 1b (0871A32C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4491, Events line 4623, Actions line 4755.

19. Change House 1b - 0871A32C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change House 1a (0871B6EC).

Attached scope: tag definitions 0871A12C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4492, Events line 4624, Actions line 4756.

20. Change House 2a - 096564CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 47 tagged map cells: (65, 28), (66, 28), (67, 28), (68, 28), (69, 28), (70, 28), (71, 28), (72, 28), (73, 28), (74, 28), (75, 28), (76, 28), (77, 28), (64, 29), (65, 29), (64, 30), (64, 31), (64, 32), (64, 33), (64, 34), (64, 35), (65, 35), (65, 36), (64, 37), (65, 37), (64, 38), (65, 38), (64, 39), (65, 39), (65, 40), (64, 41), (65, 41), (64, 42), (64, 43), (64, 44), (64, 45), (64, 46), (64, 47), (65, 47), (65, 48), (66, 48), (67, 48), (68, 48), (69, 48), (70, 48), (71, 48), (72, 48); tag 0965B06C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House 2b (0965E07C).
2. Reveal terrain around waypoint 10 (cell 69, 43).
3. Reveal terrain around waypoint 11 (cell 76, 43).
4. Reveal terrain around waypoint 13 (cell 69, 33).
5. Reveal terrain around waypoint 14 (cell 76, 33).
6. Reveal terrain around waypoint 15 (cell 84, 35).
7. Create radar-event marker type 1 at waypoint 16 (cell 74, 38).
8. Play voice notification Mis_A1_EvaControlFort.
9. Create/recruit team Player Chrono Miners (2) (09B091FC).
10. Disable Objective 2 (0874286C).
11. Disable Hint: First Bridge (09E42C7C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4493, Events line 4625, Actions line 4757.

21. Change House 2b - 0965E07C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change House 2a (096564CC).

Attached scope: Attack Dog (ADOG), owner Other1 House, cell (74, 40), tag 0965BDDC, persistence mode 0; Attack Dog (ADOG), owner Other1 House, cell (74, 36), tag 0965BDDC, persistence mode 0; Attack Dog (ADOG), owner Other1 House, cell (72, 38), tag 0965BDDC, persistence mode 0; Attack Dog (ADOG), owner Other1 House, cell (76, 37), tag 0965BDDC, persistence mode 0; Allied Construction Yard (GACNST), owner Other1 House, cell (71, 31), tag 0965BDDC, persistence mode 0; Allied Ore Refinery (GAREFN), owner Other1 House, cell (73, 44), tag 0965BDDC, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (67, 31), tag 0965BDDC, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (67, 34), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (64, 40), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (64, 36), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (85, 48), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (79, 48), tag 0965BDDC, persistence mode 0; Gate (GAGATE_A), owner Civie1 House, cell (81, 48), tag 0965BDDC, persistence mode 0; US Flag (CAUSFGL), owner Other1 House, cell (79, 46), tag 0965BDDC, persistence mode 0; US Flag (CAUSFGL), owner Other1 House, cell (85, 46), tag 0965BDDC, persistence mode 0; US Flag (CAUSFGL), owner Other1 House, cell (65, 33), tag 0965BDDC, persistence mode 0; US Flag (CAUSFGL), owner Other1 House, cell (65, 43), tag 0965BDDC, persistence mode 0; US Flag (CAUSFGL), owner Other1 House, cell (77, 34), tag 0965BDDC, persistence mode 0; Patriot Missile (NASAM), owner Other2 House, cell (59, 83), tag 0965BDDC, persistence mode 0; Patriot Missile (NASAM), owner Other2 House, cell (66, 83), tag 0965BDDC, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (65, 45), tag 0965BDDC, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (65, 31), tag 0965BDDC, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (67, 42), tag 0965BDDC, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (67, 45), tag 0965BDDC, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (80, 40), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (70, 40), tag 0965BDDC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (70, 36), tag 0965BDDC, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Play sound MessageText.
3. Enable and reset applicable timers for Con Yard Destroyed (0A08DB4C).
4. Disable Objective 2 (0874286C).

5. Enable and reset applicable timers for Enable Objective 3 (08CD8C30).
6. Play in-game movie 68.
7. Supply reinforcement team Chrono Harvester (1) (0831459C) at waypoint 4 (cell 74, 43).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4494, Events line 4626, Actions line 4758.

22. Con Yard Destroyed - 0A08DB4C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change House 2b (0965E07C).

Attached scope: tag definitions 0A08859C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Emergency Reinforcements (0A08512C).
2. Create radar-event marker type 2 at waypoint 16 (cell 74, 38).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4495, Events line 4627, Actions line 4759.

23. Enable Objective 3 - 08CD8C30

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change House 2b (0965E07C).

Attached scope: tag definitions 03E2C110 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 52 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 32 (cell 96, 71).
2. Play sound MessageText.
3. Display message “Objective 3: Destroy the Soviet SUPPLY BASE” (MISSION:ALL01h).
4. Enable and reset applicable timers for Objective 3 (08A6E100).
5. Reveal terrain around waypoint 32 (cell 96, 71).
6. Enable and reset applicable timers for Enable Salvos (0B43F31C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4496, Events line 4628, Actions line 4760.

24. Objective 3 - 08A6E100

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 3 (08CD8C30).

Attached scope: tag definitions 03E2ECF0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Destroy the Soviet SUPPLY BASE” (MISSION:ALL01h).
2. Create radar-event marker type 5 at waypoint 32 (cell 96, 71).
3. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4497, Events line 4629, Actions line 4761.

25. Enable Salvos - 0B43F31C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 3 (08CD8C30).

Attached scope: tag definitions 0B43FA8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create V3a (0B91CA1C).
2. Enable and reset applicable timers for Create V3b (0B918B9C).
3. Enable and reset applicable timers for Create V3c (0B9188AC).
4. Enable and reset applicable timers for Create V3d (09481A9C).
5. Enable and reset applicable timers for Create V3e (0949CD5C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4498, Events line 4630, Actions line 4762.

26. Create V3a - 0B91CA1C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Salvos (0B43F31C).

Attached scope: tag definitions 0B918D6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 - Salvo (095B322C) at waypoint 95 (cell 87, 56).
2. Create radar-event marker type 5 at waypoint 95 (cell 87, 56).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4499, Events line 4631, Actions line 4763.

27. Create V3b - 0B918B9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Salvos (0B43F31C).

Attached scope: tag definitions 0B91899C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 - Salvo (095B322C) at waypoint 94 (cell 92, 56).
2. Create radar-event marker type 5 at waypoint 94 (cell 92, 56).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4500, Events line 4632, Actions line 4764.

28. Create V3c - 0B9188AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Salvos (0B43F31C).

Attached scope: tag definitions 0B9186AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 - Salvo (095B322C) at waypoint 93 (cell 97, 56).
2. Create radar-event marker type 5 at waypoint 93 (cell 97, 56).
3. Reveal terrain around waypoint 94 (cell 92, 56).
4. Reveal terrain around waypoint 95 (cell 87, 56).
5. Reveal terrain around waypoint 93 (cell 97, 56).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4501, Events line 4633, Actions line 4765.

29. Create V3d - 09481A9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Salvos (0B43F31C).

Attached scope: tag definitions 094814BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 Salvo 2 (094806FC) at waypoint 51 (cell 77, 58).
2. Create radar-event marker type 5 at waypoint 51 (cell 77, 58).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4502, Events line 4634, Actions line 4766.

30. Create V3e - 0949CD5C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Salvos (0B43F31C).

Attached scope: tag definitions 0949C42C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 24 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 Salvo 2 (094806FC) at waypoint 12 (cell 77, 63).
2. Create radar-event marker type 5 at waypoint 12 (cell 77, 63).
3. Reveal terrain around waypoint 12 (cell 77, 63).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4503, Events line 4635, Actions line 4767.

31. Paratroopers 1 - 0799590C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Paratroopers 1 (09C1A03C).

Attached scope: tag definitions 0799C03C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 160 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
2. Play sound AirRaidSiren.
3. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:ALL01i).
4. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).
5. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4504, Events line 4636, Actions line 4768.

32. Lock Input - 079BF40C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079C504C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Enable and reset applicable timers for Start Scroll (079C403C).
3. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4505, Events line 4637, Actions line 4769.

33. Start Scroll - 079C403C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lock Input (079BF40C).

Attached scope: tag definitions 079C804C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 18 (cell 57, 92) with speed setting 1.
2. Enable and reset applicable timers for Start Transports (09BF43EC).
3. Enable and reset applicable timers for Enable Objective 1 (076E465C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4506, Events line 4638, Actions line 4770.

34. Start Transports - 09BF43EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Scroll (079C403C).

Attached scope: tag definitions 09BF1D4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound NavalUnitEmerge.
2. Supply reinforcement team Transport 1 (0AB436CC).
3. Supply reinforcement team Transport 2 (0AB4321C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4507, Events line 4639, Actions line 4771.

35. Unlock Input - 07FA0F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FA0A0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Unlock Input 2 (094DE03C).
2. Play in-game movie 69.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4508, Events line 4640, Actions line 4772.

36. Unlock Input 2 - 094DE03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input (07FA0F3C).

Attached scope: tag definitions 094DC36C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 36 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Unlock Input 3 (094D93DC).
2. Create/recruit team Player - Tanya1 (094F68EC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4509, Events line 4641, Actions line 4773.

37. Unlock Input 3 - 094D93DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input 2 (094DE03C).

Attached scope: tag definitions 094D9D4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “--Battle Control Online--” (MISSION:ALL01q).
2. Play sound MessageText.
3. Play voice notification EVA_BattlefieldControlOnline.
4. Enable player input.
5. Enable and reset applicable timers for Unlock Input 4 (0978603C).
6. Reveal terrain around waypoint 50 (cell 63, 108).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4510, Events line 4642, Actions line 4774.

38. Unlock Input 4 - 0978603C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input 3 (094D93DC).

Attached scope: tag definitions 0978D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound TanyaAttackCommand.
2. Flash team Player - Tanya1 (094F68EC) with duration setting 120.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4511, Events line 4643, Actions line 4775.

39. Change House 3 - 073FE71C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 073FF2CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4512, Events line 4644, Actions line 4776.

40. Mission Victory - 075F22EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Victory (07506C5C).

Attached scope: tag definitions 075F535C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4513, Events line 4645, Actions line 4777.

41. Enable Victory - 07506C5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F48B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Victory (075F22EC).
2. Disable Objective 3 (08A6E100).
3. Disable Paratroopers 1 (0799590C).
4. Disable Objective 2 (0874286C).
5. Play voice notification EVA_PrimaryObjectiveAchieved.
6. Disable AllyUnderAttack (0945BF3C).
7. Disable AllyUnderAttack2 (0945E7BC).
8. Disable AllyUnderAttack3 (094160BC).
9. Disable AllyUnderAttack4 (09415BAC).
10. Enable and reset applicable timers for Cheer (08BBBDBC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4514, Events line 4646, Actions line 4778.

42. AllyUnderAttack - 0945BF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllyUnderAttack2 (0945E7BC).

Attached scope: Building (CAPARS04), owner Other1 House, cell (87, 45), tag 0945AA7C, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create radar-event marker type 3 at waypoint 96 (cell 90, 46).
2. Enable and reset applicable timers for AllyUnderAttack2 (0945E7BC).
3. Disable AllyUnderAttack (0945BF3C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4515, Events line 4647, Actions line 4779.

43. AllyUnderAttack2 - 0945E7BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllyUnderAttack (0945BF3C).

Attached scope: tag definitions 0945BA3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for AllyUnderAttack (0945BF3C).
2. Disable AllyUnderAttack2 (0945E7BC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4516, Events line 4648, Actions line 4780.

44. AllyUnderAttack3 - 094160BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllyUnderAttack4 (09415BAC).

Attached scope: Building (CANEWY12), owner Civie1 House, cell (67, 50), tag 094119FC, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create radar-event marker type 3 at waypoint 52 (cell 67, 53).
2. Enable and reset applicable timers for AllyUnderAttack4 (09415BAC).
3. Disable AllyUnderAttack3 (094160BC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4517, Events line 4649, Actions line 4781.

45. AllyUnderAttack4 - 09415BAC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllyUnderAttack3 (094160BC).

Attached scope: tag definitions 0941312C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for AllyUnderAttack3 (094160BC).
2. Disable AllyUnderAttack4 (09415BAC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4518, Events line 4650, Actions line 4782.

46. Cheer - 08BBBDBC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Victory (07506C5C).

Attached scope: tag definitions 08BBB60C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4519, Events line 4651, Actions line 4783.

47. Mission Failed - 08B9BC5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Failure b (0B1C7E9C); enable from Enable Failure 2 (0A1C1330); enable from Enable Failure 3b (0B532E5C).

Attached scope: tag definitions 08B9B71C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4520, Events line 4652, Actions line 4784.

48. Enable Failure - 08B9B62C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tanya (TANY), owner Player House, cell (62, 108), tag 08B9B35C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Enable Failure b (0B1C7E9C).
2. Play voice notification Mis_A1_EvaTanyaDeath.
3. Display message “Tanya has died - CRITICAL UNIT LOST” (MISSION:All05k).
4. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4521, Events line 4653, Actions line 4785.

49. Enable Failure b - 0B1C7E9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Failure (08B9B62C).

Attached scope: tag definitions 07BFF8DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Failed (08B9BC5C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4522, Events line 4654, Actions line 4786.

50. Create Crates - 09FABF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09FAB76C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 10 at waypoint 8 (cell 81, 67).
2. Create crate type 2 at waypoint 5 (cell 81, 68).
3. Create crate type 9 at waypoint 21 (cell 22, 62).
4. Create crate type 11 at waypoint 7 (cell 22, 49).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4523, Events line 4655, Actions line 4787.

51. Bonus Crate 2 - 09FAD67C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09FAD22C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Bonus Crate 2b (079E5F3C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4524, Events line 4656, Actions line 4788.

52. Bonus Crate 2b - 079E5F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bonus Crate 2 (09FAD67C).

Attached scope: tag definitions 079E7F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 10 at waypoint 29 (cell 62, 39).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4525, Events line 4657, Actions line 4789.

53. Enable Conscript Attack - 0733A6CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0733A1AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Start Conscripts Attacking (07A707CC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4526, Events line 4658, Actions line 4790.

54. Enable Failure 2 - 0A1C1330

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Statue of Liberty (CANEWY04), owner Other1 House, cell (61, 69), tag 0A1C2220, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable player input.
2. Move the camera to waypoint 0 (cell 62, 71) with speed setting 3.
3. Play voice notification EVA_CriticalStrucureLost.
4. Create radar-event marker type 3 at waypoint 33 (cell 60, 79).
5. Enable and reset applicable timers for Mission Failed (08B9BC5C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4527, Events line 4659, Actions line 4791.

55. Initial Audio - 08BD5090

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08BD00A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A1_EvaProtectStatue.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4528, Events line 4660, Actions line 4792.

56. Bridge Destroyed - 072BF2D0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Building does not exist: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_A1_EvaRepairBridge.
2. Create radar-event marker type 1 at waypoint 35 (cell 82, 51).
3. Display message “HINT: Construct a BARRACKS in order to produce ENGINEERS to repair the bridge” (MISSION:ALL01f).
4. Flash cameo/type 367; additional configured duration/location argument 120.
5. Switch the sidebar to tab 0.
6. Enable and reset applicable timers for Bridge Hut Anim (0B4691FC).
7. Enable and reset applicable timers for Repair Bridge Hint (0CD4066C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4529, Events line 4661, Actions line 4793.

57. Bridge Hut Anim - 0B4691FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Destroyed (072BF2D0); enable from BridgeDestroyedB (09F0151C); enable from Hint: Engineer 3 (0B4155CC).

Attached scope: tag definitions 0B46AB0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field BE.
2. Play Anim At; main setting 479; location/duration field BH.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4530, Events line 4662, Actions line 4794.

58. Repair Bridge Hint - 0CD4066C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Destroyed (072BF2D0); enable from BridgeDestroyedB (09F0151C).

Attached scope: tag definitions 0CD45E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 56 (cell 79, 47).
2. Display message “HINT: Construct a BARRACKS in order to produce ENGINEERS to repair the bridge” (MISSION:All01f).
3. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4531, Events line 4663, Actions line 4795.

59. Urban Combat Hint - 08CDD540

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CD8640 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 17 (cell 39, 39).
2. Play voice notification Mis_A1_EvaUrbanWarning.
3. Display message “HINT: Order your CONSCRIPTS to enter CIVILIAN BUILDINGS to fortify them” (MISSION:Sov1c).
4. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4532, Events line 4664, Actions line 4796.

60. Objective 1 Complete - 07B92F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B9329C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1 Complete” (MISSION:Objective1).
3. Play voice notification EVA_PrimaryObjectiveAchieved.
4. Disable Objective 1 (076F572C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4533, Events line 4665, Actions line 4797.

61. Reveal Enemy Base - 07BC399C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07BC2F0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 32 (cell 96, 71).

2. Play sound MessageText.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4534, Events line 4666, Actions line 4798.

62. Disable Bridge Destroyed - 08F8484C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Civie1 House, cell (80, 48), tag 08F8706C, persistence mode 0; Bridge Repair Hut (CABHUT), owner Civie1 House, cell (84, 48), tag 08F8706C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Bridge Destroyed (072BF2D0).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
4. Disable BridgeDestroyedB (09F0151C).
5. Destroy current instances of Bridge Hut Anim (0B4691FC).
6. Disable Repair Bridge Hint (0CD4066C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4535, Events line 4667, Actions line 4799.

63. BridgeDestroyedB - 09F0151C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Bridge Destroyed (072BF2D0).

Attached scope: 10 tagged map cells: (82, 49), (83, 49), (81, 50), (82, 50), (83, 50), (81, 51), (82, 51), (83, 51), (82, 52), (83, 52); tag 072BAD70, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Display message “HINT: Order an ENGINEER into the BRIDGE HUT to repair the bridge” (MISSION:Sov1b).
2. Play voice notification Mis_A1_EvaRepairBridge.
3. Create radar-event marker type 1 at waypoint 35 (cell 82, 51).
4. Switch the sidebar to tab 2.
5. Flash cameo/type 367; additional configured duration/location argument 120.
6. Enable and reset applicable timers for Bridge Hut Anim (0B4691FC).
7. Enable and reset applicable timers for Repair Bridge Hint (0CD4066C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4536, Events line 4668, Actions line 4800.

64. Start Ambient Sounds - 09EAC42C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EADB4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 1 (cell 62, 90).
2. Play sound _Amb_BirdsHarbor at waypoint 38 (cell 37, 82).
3. Play sound _Amb_BirdsHarbor at waypoint 39 (cell 75, 85).
4. Play sound _Amb_OceanHeavy at waypoint 40 (cell 79, 69).
5. Play sound _Amb_OceanHeavy at waypoint 41 (cell 39, 82).
6. Play sound _Amb_BirdsHarbor at waypoint 42 (cell 40, 52).
7. Play sound _Amb_BirdsHarbor at waypoint 43 (cell 38, 82).

8. Play sound _Amb_OceanLight at waypoint 44 (cell 62, 13).
9. Play sound _Amb_OceanHeavy at waypoint 45 (cell 34, 61).
10. Play sound _Amb_UrbanMurmur2 at waypoint 42 (cell 40, 52).
11. Play sound _Amb_UrbanMurmur2 at waypoint 91 (cell 33, 73).
12. Play sound _Amb_UrbanMurmur1 at waypoint 21 (cell 22, 62).
13. Play sound _Amb_UrbanMurmur2 at waypoint 7 (cell 22, 49).
14. Play sound _Amb_BirdsHarbor at waypoint 36 (cell 60, 99).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4537, Events line 4669, Actions line 4801.

65. Hint: Explosive Barrels - 0746D0CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (81, 54), (82, 54), (83, 54), (81, 55), (82, 55), (83, 55); tag 0746E5CC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play voice notification Mis_A1_EvaBarrelWarning.
2. Reveal terrain around waypoint 47 (cell 86, 61).
3. Create radar-event marker type 1 at waypoint 47 (cell 86, 61).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4538, Events line 4670, Actions line 4802.

66. Reveal Bonus 1 - 07B3327C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 31 tagged map cells: (63, 14), (63, 15), (63, 16), (50, 17), (63, 17), (50, 18), (63, 18), (50, 19), (63, 19), (50, 20), (63, 20), (50, 21), (63, 21), (50, 22), (63, 22), (50, 23), (63, 23), (50, 24), (51, 24), (52, 24), (53, 24), (54, 24), (55, 24), (56, 24), (57, 24), (58, 24), (59, 24), (60, 24), (61, 24), (62, 24), (63, 24); tag 07B34BFC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 28 (cell 57, 18).
2. Play sound Bonus.
3. Display message “Allied patrol discovered” (MISSION:All05g).
4. Create radar-event marker type 1 at waypoint 28 (cell 57, 18).
5. Enable and reset applicable timers for Reveal Bonus 2 (07B37EDC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4539, Events line 4671, Actions line 4803.

67. Reveal Bonus 2 - 07B37EDC

Owner reference: Other2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal Bonus 1 (07B3327C).

Attached scope: tag definitions 07B37B4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A5_AllSoldier3.
2. Enable and reset applicable timers for Change House 4 (0B22DE4C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4540, Events line 4672, Actions line 4804.

68. Change House 4 - 0B22DE4C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal Bonus 2 (07B37EDC).

Attached scope: Grizzly Battle Tank (MTNK), owner Civie1 House, cell (55, 18), tag 0B2295AC, persistence mode 0; Grizzly Battle Tank (MTNK), owner Civie1 House, cell (59, 18), tag 0B2295AC, persistence mode 0; Grizzly Battle Tank (MTNK), owner Civie1 House, cell (57, 18), tag 0B2295AC, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4541, Events line 4673, Actions line 4805.

69. Hint: Seals - 07B376BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B3714C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: Seals can SWIM and PLANT C4 like Tanya” (MISSION:All01l).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4542, Events line 4674, Actions line 4806.

70. Hint: Cars - 07478F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0747889C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: Cars can be used to CARRY INFANTRY. To remove passengers, double-click on the car” (MISSION:All01m).
3. Create radar-event marker type 1 at waypoint 46 (cell 57, 40).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4543, Events line 4675, Actions line 4807.

71. Hint: Barracks - 07BA127C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07BA067C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Barracks 2 (0747A7BC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4544, Events line 4676, Actions line 4808.

72. Hint: Barracks 2 - 0747A7BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Barracks (07BA127C).

Attached scope: tag definitions 0747FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash cameo/type 367; additional configured duration/location argument 90.
2. Switch the sidebar to tab 3.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4545, Events line 4677, Actions line 4809.

73. Initial Paratroopers 1 - 07BA8C2C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 4 tagged map cells: (61, 84), (62, 84), (63, 84), (64, 84); tag 07BA863C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Initial Paratroopers 1 (09A92A9C).
2. Supply reinforcement team Initial Paratroopers 2 (09A925EC).
3. Enable and reset applicable timers for Initial Paratroopers 1b (07BB828C).
4. Supply reinforcement team Initial Paratroopers 3 (09A9227C).
5. Enable and reset applicable timers for Enable - Enable V3 - Liberty (0AE1890C).
6. Enable and reset applicable timers for Enable GI's (07428AAC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4546, Events line 4678, Actions line 4810.

74. Initial Paratroopers 1b - 07BB828C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Initial Paratroopers 1 (07BA8C2C).

Attached scope: tag definitions 07BB9B1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 34 (cell 62, 65).
2. Create radar-event marker type 5 at waypoint 34 (cell 62, 65).
3. Play sound AirRaidSiren.
4. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4547, Events line 4679, Actions line 4811.

75. Enable - Enable V3 - Liberty - 0AE1890C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Initial Paratroopers 1 (07BA8C2C).

Attached scope: tag definitions 0AE1870C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for V3 - Attacks Liberty (0AE8203C).
2. Enable and reset applicable timers for Play Statue Movie (0B3E99EC).
3. Disable Enable Failure 2 (0A1C1330).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4548, Events line 4680, Actions line 4812.

76. V3 - Attacks Liberty - 0AE8203C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable - Enable V3 - Liberty (0AE1890C); enable from Enable V3 - Attacks Liberty (0AE18F3C).

Attached scope: tag definitions 0AE7D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team V3 - Liberty (0AE2849C) at waypoint 82 (cell 77, 68).
2. Enable and reset applicable timers for Reveal V3 (07BBA03C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4549, Events line 4681, Actions line 4813.

77. Play Statue Movie - 0B3E99EC

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable - Enable V3 - Liberty (0AE1890C).

Attached scope: tag definitions 09DB739C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 79 (global list position: Statue of Liberty (CANEWY04)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Play Soviet Movie 2 (081A1B4C).
2. Create radar-event marker type 0 at waypoint 0 (cell 62, 71).
3. Enable and reset applicable timers for Create Harriers b (0B53F83C).
4. Enable and reset applicable timers for Enable Retreat (0B536C2C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4550, Events line 4682, Actions line 4814.

78. Reveal V3 - 07BBA03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from V3 - Attacks Liberty (0AE8203C).

Attached scope: tag definitions 07BDE0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 40 (cell 79, 69).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4551, Events line 4683, Actions line 4815.

79. Play Soviet Movie 2 - 081A1B4C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play Statue Movie (0B3E99EC).

Attached scope: tag definitions 081A152C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 67.
2. Enable and reset applicable timers for Enable Objective 2b (0782DA30).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4552, Events line 4684, Actions line 4816.

80. Create Harriers b - 0B53F83C

Owner reference: Other2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create Harriers 1 (09D36F3C).

Incoming activation links: enable from Play Statue Movie (0B3E99EC).

Attached scope: 2 tagged map cells: (55, 69), (55, 70); tag 09D3664C, persistence mode 0.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 71 (cell 32, 69).
2. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 72 (cell 32, 67).
3. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 70 (cell 34, 68).
4. Play sound IntruderTakeOff.
5. Enable and reset applicable timers for Harriers Talk (0803EA6C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4553, Events line 4685, Actions line 4817.

81. Enable Retreat - 0B536C2C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play Statue Movie (0B3E99EC).

Attached scope: tag definitions 0B536A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Dreadnought Retreat (0B52B86C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4554, Events line 4686, Actions line 4818.

82. Create Harriers 1 - 09D36F3C

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 71 (cell 32, 69).
2. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 72 (cell 32, 67).
3. Supply reinforcement team Harrier 1 (0A68093C) at waypoint 70 (cell 34, 68).
4. Play sound IntruderTakeOff.
5. Enable and reset applicable timers for Harriers Talk (0803EA6C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4555, Events line 4687, Actions line 4819.

83. Harriers Talk - 0803EA6C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Harriers b (0B53F83C); enable from Create Harriers 1 (09D36F3C).

Attached scope: tag definitions 0803E5EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound IntruderAttackCommand.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4556, Events line 4688, Actions line 4820.

84. Dreadnought Retreat - 0B52B86C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Retreat (0B536C2C).

Attached scope: tag definitions 0B52740C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) BG1 - Dreadnought 1 (0A67F6CC).
2. Create/recruit team Dreadnought Retreat (0B533EFC).
3. Create/recruit team Dreadnought Retreat (0B533EFC).
4. Create/recruit team Dreadnought Retreat (0B533EFC).
5. Create/recruit team Dreadnought Retreat (0B533EFC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4557, Events line 4689, Actions line 4821.

85. Enable V3 - Attacks Liberty - 0AE18F3C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE189FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for V3 - Attacks Liberty (0AE8203C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4558, Events line 4690, Actions line 4822.

86. Select Building 1 - 0A95E10C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Select Buildings (0A94FE9C).

Attached scope: tag definitions 0A95F8DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: To REMOVE your troops, DOUBLE-CLICK on the occupied building” (MISSION:All01s).
3. Create radar-event marker type 1 at waypoint 51 (cell 77, 58).
4. Disable Select Building 2 (07D0BE1C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4559, Events line 4691, Actions line 4823.

87. Select Building 2 - 07D0BE1C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Select Buildings (0A94FE9C).

Attached scope: tag definitions 07D0B47C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: To REMOVE your troops, DOUBLE-CLICK on the occupied building” (MISSION:All01s).
3. Create radar-event marker type 1 at waypoint 52 (cell 67, 53).
4. Disable Select Building 1 (0A95E10C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4560, Events line 4692, Actions line 4824.

88. Enable Select Buildings - 0A94FE9C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A94F7FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 112 (global list position: Building (CAWASH11)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Select Building 1 (0A95E10C).
2. Enable and reset applicable timers for Select Building 2 (07D0BE1C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4561, Events line 4693, Actions line 4825.

89. Hint: Production - 0A8C247C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A8C3F1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Production 2 (0A8C3E2C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4562, Events line 4694, Actions line 4826.

90. Hint: Production 2 - 0A8C3E2C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Production (0A8C247C).

Attached scope: tag definitions 0A8C3B7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: Select the infantry TAB to view additional PRODUCTION OPTIONS” (MISSION:All01o).
3. Flash cameo/type 358; additional configured duration/location argument 60.
4. Switch the sidebar to tab 2.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4563, Events line 4695, Actions line 4827.

91. Hint: Engineer 2 - 07B9D89C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Engineer 1 (0B415B3C).

Attached scope: tag definitions 07B9D30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Engineer (09F0AEFC).
2. Flash team Engineer (09F0AEFC) with duration setting 90.
3. Play voice notification Unit_Eva_Engineer.
4. Enable and reset applicable timers for Hint: Engineer 3 (0B4155CC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4564, Events line 4696, Actions line 4828.

92. Hint: Engineer 3 - 0B4155CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Engineer 2 (07B9D89C).

Attached scope: tag definitions 0B4153CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 11 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: Order your ENGINEER into one of the REPAIR HUTS in order to fix the bridge” (MISSION:All01p).
2. Play sound MessageText.
3. Create radar-event marker type 1 at waypoint 56 (cell 79, 47).
4. Create radar-event marker type 1 at waypoint 59 (cell 83, 47).
5. Enable and reset applicable timers for Bridge Hut Anim (0B4691FC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4565, Events line 4697, Actions line 4829.

93. Hint: Harvester - 0A8DD70C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A8DEDFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: Chrono Harvesters HARVEST ore and then automatically TELEPORT back to their refinery” (MISSION:All01n).
3. Remove instances of the team organization (not automatically its surviving objects) Chrono Harvester (1) (0831459C).
4. Enable and reset applicable timers for Hint: Harvester 2 (0A6BB12C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4566, Events line 4698, Actions line 4830.

94. Hint: Harvester 2 - 0A6BB12C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Harvester (0A8DD70C).

Attached scope: tag definitions 0A6C566C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Chrono Harvester Flash (0A967EFC).
2. Flash team Chrono Harvester Flash (0A967EFC) with duration setting 90.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4567, Events line 4699, Actions line 4831.

95. Car1 - 0BAF38BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAF337C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Car 1b (0BAFB15C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4568, Events line 4700, Actions line 4832.

96. Car 1b - 0BAFB15C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Car1 (0BAF38BC).

Attached scope: tag definitions 0BAFCC5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4569, Events line 4701, Actions line 4833.

97. Car 2 - 0BAF328C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAF4E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Car 2b (03ED228C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4570, Events line 4702, Actions line 4834.

98. Car 2b - 03ED228C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Car 2 (0BAF328C).

Attached scope: tag definitions 03ED3D2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4571, Events line 4703, Actions line 4835.

99. Enemy Paratroopers - 07A3789C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 40 tagged map cells: (24, 39), (25, 39), (25, 40), (26, 40), (26, 41), (27, 41), (27, 42), (28, 42), (28, 43), (29, 43), (29, 44), (30, 44), (30, 45), (31, 45), (30, 46), (30, 47), (30, 48), (30, 49), (31, 49), (32, 49), (33, 49), (34, 49), (34, 50), (35, 50), (36, 50), (37, 50), (37, 51), (37, 52), (38, 52), (39, 52), (40, 52), (41, 52), (42, 52), (43, 52), (44, 52), (44, 53), (44, 54), (44, 55), (44, 56), (45, 56); tag 07A3999C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Enable Paratroopers 1 (09C1A03C).
2. Enable and reset applicable timers for Enable Paratroopers 2 (09C2803C).
3. Enable and reset applicable timers for Enable Paratroopers 3 (09C2E03C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4572, Events line 4704, Actions line 4836.

100. Enable Paratroopers 1 - 09C1A03C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enemy Paratroopers (07A3789C).

Attached scope: tag definitions 09C1203C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 25 (cell 39, 36).
2. Enable and reset applicable timers for Paratroopers 1 (0799590C).
3. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
4. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).
5. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).

6. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).
7. Play sound AirRaidSiren.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4573, Events line 4705, Actions line 4837.

101. Enable Paratroopers 2 - 09C2803C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enemy Paratroopers (07A3789C).

Attached scope: tag definitions 09C1804C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Paratroopers 2 (09BC303C).
2. Reveal terrain around waypoint 25 (cell 39, 36).
3. Play sound AirRaidSiren.
4. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).
5. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).
6. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
7. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4574, Events line 4706, Actions line 4838.

102. Enable Paratroopers 3 - 09C2E03C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enemy Paratroopers (07A3789C).

Attached scope: tag definitions 09C3904C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 25 (cell 39, 36).
2. Enable and reset applicable timers for Paratroopers 3 (09E7118C).
3. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
4. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).
5. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).
6. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).
7. Play sound AirRaidSiren.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4575, Events line 4707, Actions line 4839.

103. Paratroopers 2 - 09BC303C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Paratroopers 2 (09C2803C).

Attached scope: tag definitions 09E6DBAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 130 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
2. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).
3. Play sound AirRaidSiren.
4. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).

5. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4576, Events line 4708, Actions line 4840.

104. Paratroopers 3 - 09E7118C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Paratroopers 3 (09C2E03C).

Attached scope: tag definitions 09E7875C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 - Paratroopers1 (0AC446AC).
2. Supply reinforcement team BG1 - Paratroopers2 (0AC42B7C).
3. Create radar-event marker type 5 at waypoint 17 (cell 39, 39).
4. Play sound AirRaidSiren.
5. Display message “WARNING: Soviet PARATROOPERS are incoming” (MISSION:All01i).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4577, Events line 4709, Actions line 4841.

105. Create Thugs - 0B3C062C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 4 tagged map cells: (39, 68), (40, 68), (39, 69), (40, 69); tag 0B3C6AEC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Thugs 1 (0B3C142C) at waypoint 64 (cell 33, 51).
2. Supply reinforcement team Thugs 1 (0B3C142C) at waypoint 65 (cell 24, 58).
3. Enable and reset applicable timers for Change House 5 (0B3C53BC).
4. Enable and reset applicable timers for Create Cop Car (0B30B03C).
5. Reveal terrain around waypoint 68 (cell 34, 69).
6. Reveal terrain around waypoint 69 (cell 34, 62).
7. Create radar-event marker type 0 at waypoint 63 (cell 32, 59).
8. Enable and reset applicable timers for Enable Traffic 1 (0B8E6ADC).
9. Enable and reset applicable timers for Enable Traffic 2 (0B8E616C).
10. Reshroud Map At; main setting 5; location/duration field F.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4578, Events line 4710, Actions line 4842.

106. Change House 5 - 0B3C53BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Thugs (0B3C062C).

Attached scope: GI (E1), owner Other1 House, cell (31, 59), tag 0B3C51BC, persistence mode 0; GI (E1), owner Other1 House, cell (32, 59), tag 0B3C51BC, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4579, Events line 4711, Actions line 4843.

107. Create Cop Car - 0B30B03C

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Thugs (0B3C062C).

Attached scope: tag definitions 0B31504C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cop 1 (0A71FB7C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4580, Events line 4712, Actions line 4844.

108. Enable Traffic 1 - 0B8E6ADC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Thugs (0B3C062C).

Attached scope: tag definitions 0B8E625C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Traffic 1 (0B8EDA2C).
2. Supply reinforcement team Traffic 1 (0A71B33C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4581, Events line 4713, Actions line 4845.

109. Enable Traffic 2 - 0B8E616C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Thugs (0B3C062C).

Attached scope: tag definitions 0B8E5E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 52 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Traffic 2 (0B8ED3FC).
2. Supply reinforcement team Traffic2 (0A71B20C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4582, Events line 4714, Actions line 4846.

110. Traffic 1 - 0B8EDA2C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Traffic 1 (0B8E6ADC).

Attached scope: tag definitions 0B8ED4EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 110 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Traffic 1 (0A71B33C) at waypoint 90 (cell 24, 73).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4583, Events line 4715, Actions line 4847.

111. Traffic 2 - 0B8ED3FC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Traffic 2 (0B8E616C).

Attached scope: tag definitions 0B8ED1FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 130 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Traffic2 (0A71B20C) at waypoint 97 (cell 16, 44).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4584, Events line 4716, Actions line 4848.

112. Break Bridges - 080777BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08080CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 80; location/duration field CC.
2. Apply 100 damage at; main setting 80; location/duration field CC.
3. Apply 100 damage at; main setting 80; location/duration field CC.
4. Apply 100 damage at; main setting 80; location/duration field CC.
5. Apply 100 damage at; main setting 80; location/duration field CC.
6. Apply 100 damage at; main setting 79; location/duration field CB.
7. Apply 100 damage at; main setting 79; location/duration field CB.
8. Apply 100 damage at; main setting 79; location/duration field CB.
9. Apply 100 damage at; main setting 79; location/duration field CB.
10. Apply 100 damage at; main setting 79; location/duration field CB.

Source locator: MAPS02.MIX/all01t.map; Triggers line 4585, Events line 4717, Actions line 4849.

113. Cargo Plane 1 - 0A61DF3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Cargo 1 (0A63DD1C).

Attached scope: tag definitions 0A6300CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 125 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 1 (0AB088EC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4586, Events line 4718, Actions line 4850.

114. Cargo Plane 2 - 0A63D7EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Cargo 2 (0A63DE5C).

Attached scope: tag definitions 0A63D2DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 125 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 2 (0AB0843C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4587, Events line 4719, Actions line 4851.

115. Cargo Plane 3 - 0A63D1EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Cargo 3 (0A63EC8C).

Attached scope: tag definitions 0A63FEAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 125 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 4 (0AB147DC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4588, Events line 4720, Actions line 4852.

116. Cargo Plane 4 - 0A63FDBC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Cargo 4 (0A63E71C).

Attached scope: tag definitions 0A63FBBC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 125 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 3 (0AB17EFC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4589, Events line 4721, Actions line 4853.

117. Enable Cargo 1 - 0A63DD1C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A63DA6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Cargo Plane 1 (0A61DF3C).
2. Supply reinforcement team Cargo 1 (0AB088EC) at waypoint 83 (cell 16, 43).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4590, Events line 4722, Actions line 4854.

118. Enable Cargo 2 - 0A63DE5C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A63ED7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 55 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Cargo Plane 2 (0A63D7EC).
2. Supply reinforcement team Cargo 2 (0AB0843C) at waypoint 85 (cell 82, 96).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4591, Events line 4723, Actions line 4855.

119. Enable Cargo 3 - 0A63EC8C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A63E80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 2 (0AB0843C) at waypoint 87 (cell 25, 33).
2. Enable and reset applicable timers for Cargo Plane 3 (0A63D1EC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4592, Events line 4724, Actions line 4856.

120. Enable Cargo 4 - 0A63E71C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A63E29C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Cargo 3 (0AB17EFC) at waypoint 89 (cell 93, 85).
2. Enable and reset applicable timers for Cargo Plane 4 (0A63FDBC).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4593, Events line 4725, Actions line 4857.

121. Enable Failure 3 - 0B53665C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 15 tagged map cells: (80, 90), (81, 90), (79, 91), (80, 91), (78, 92), (79, 92), (77, 93), (78, 93), (76, 94), (77, 94), (75, 95), (76, 95), (74, 96), (75, 96), (82, 96); tag 0B532F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Enable Failure 3b (0B532E5C).
2. Disable Objective 1 Complete (07B92F3C).
3. Disable Objective 1 (076F572C).
4. Disable Objective 2 (0874286C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4594, Events line 4726, Actions line 4858.

122. Enable Failure 3b - 0B532E5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Failure 3 (0B53665C).

Attached scope: tag definitions 0B532A5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Destroy all four Soviet DREADNOUGHTS” (MISSION:ALL01a).
3. Enable and reset applicable timers for Mission Failed (08B9BC5C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4595, Events line 4727, Actions line 4859.

123. Start Ambient Sounds 2 - 09F7FF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F7F96C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 41 (cell 39, 82).
2. Play sound _Amb_OceanHeavy at waypoint 22 (cell 47, 71).
3. Play sound _Amb_BirdsTemperate1 at waypoint 33 (cell 60, 79).
4. Play sound _Amb_WindCold at waypoint 0 (cell 62, 71).
5. Play sound _Amb_BirdsHarbor at waypoint 3 (cell 63, 66).
6. Play sound _Amb_OceanLight at waypoint 51 (cell 77, 58).
7. Play sound _Amb_BirdsBeach at waypoint 52 (cell 67, 53).
8. Play sound _Amb_OceanHeavy at waypoint 93 (cell 97, 56).
9. Play sound _Amb_BirdsHarbor at waypoint 95 (cell 87, 56).
10. Play sound _Amb_UrbanMurmur1 at waypoint 32 (cell 96, 71).
11. Play sound _Amb_BirdsPark at waypoint 16 (cell 74, 38).

12. Play sound _Amb_WindCold at waypoint 40 (cell 79, 69).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4596, Events line 4728, Actions line 4860.

124. Harvester Built - 0A97C4BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A97C11C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 33 (global list position: Chrono Miner (CMIN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Chrono Harvester (1) (0831459C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4597, Events line 4729, Actions line 4861.

125. Secret Hint - 09D2BCFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (42, 82); tag 09D3506C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound Bonus.
2. Display message “Hey! You're not supposed to be here!” (MISSION:Sov11e).
3. Create crate type 9 at waypoint 41 (cell 39, 82).
4. Create crate type 11 at waypoint 62 (cell 40, 82).
5. Create crate type 13 at waypoint 43 (cell 38, 82).
6. Create crate type 0 at waypoint 38 (cell 37, 82).
7. Create radar-event marker type 1 at waypoint 62 (cell 40, 82).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4598, Events line 4730, Actions line 4862.

126. Crate 1 - 0BFD7F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (22, 49), (22, 62), (81, 67), (81, 68), (37, 82), (38, 82), (39, 82), (40, 82); tag 0BFD78BC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4599, Events line 4731, Actions line 4863.

127. Stop Soviet Sound - 0A7F298C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Soviet Construction Yard (NACNST), owner BadGuy1 House, cell (93, 67), tag 0A7F264C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Stop location sound 32 at waypoint 32 (cell 96, 71).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4600, Events line 4732, Actions line 4864.

128. Hint: Engineer 1 - 0B415B3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B41579C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 3 (global list position: Engineer (ENGINEER)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Engineer 2 (07B9D89C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4601, Events line 4733, Actions line 4865.

129. Transport Retreat 1 - 0860EA2C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0860E82C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Transport 1) is set.

Then perform these actions in order:

1. Create/recruit team Transport 1b (0AB4920C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4602, Events line 4734, Actions line 4866.

130. Transport Retreat 2 - 0860E73C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0860E53C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Transport 2) is set.

Then perform these actions in order:

1. Create/recruit team Transport 2b (0AB4AB7C).

Source locator: MAPS02.MIX/all01t.map; Triggers line 4603, Events line 4735, Actions line 4867.

All team rosters and ordered plans | All mission overrides

Operation: Lone Guardian - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/all01t.map; each team/script ID identifies its section.

BG1 - Dreadnought 1 - 0A67F6CC

Owner: BadGuy2. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0.

Ordered plan: BG1 - Attack Statue of Liberty (07A92B3C).

1. Attack waypoint: waypoint 0 (cell 62, 71).

BG1 - Transport1a - 0967E2CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: BG1 - Transport1a (0967EDBC).

1. Move to waypoint: waypoint 5 (cell 81, 68).
2. Move to waypoint: waypoint 6 (cell 24, 36).
3. Adopt object mission: sleep.

BG1 - Transport1b - 0967EA7C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: BG1 - Transport1b (09678DBC).

1. Move to waypoint: waypoint 8 (cell 81, 67).
2. Move to waypoint: waypoint 9 (cell 76, 96).
3. Adopt object mission: sleep.

BG1 - Paratroopers1 - 0AC446AC

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: R; Transport Waypoint: C.

Ordered plan: BG1 - Paratroopers1 (0AC4443C).

1. Move to waypoint: waypoint 57 (cell 56, 43).
2. Move to waypoint: waypoint 58 (cell 58, 39).
3. Seek/attack target category; configured argument 1.

BG1 - Conscripts2a - 097531FC

Owner: BadGuy3. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Conscript Group 2 (07F232BC).

1. Move to waypoint: waypoint 25 (cell 39, 36).
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

BG1 - Conscripts2b - 09752C8C

Owner: BadGuy3. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: ConscriptGroup1 (07F2447C).

1. Move to waypoint: waypoint 26 (cell 58, 66).
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

Player - Tanya1 - 094F68EC

Owner: Player. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Player - Tanya1 (09680DBC).

1. Move to waypoint: waypoint 36 (cell 60, 99).
2. Guard for interval; configured argument 30.

Player - GIs1 - 0A7475CC

Owner: Other3. Roster: 14 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Player - GIs1 (0A6DADBC).

1. Change country ownership; configured argument 13.

BG1 - Paratroopers2 - 0AC42B7C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z; Transport Waypoint: G.

Ordered plan: BG1 - Paratroopers 2 (0AC4290C).

1. Move to waypoint: waypoint 60 (cell 56, 32).
2. Move to waypoint: waypoint 61 (cell 58, 37).
3. Seek/attack target category; configured argument 1.

Player Chrono Miners (2) - 09B091FC

Owner: Player. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono Miners (2) (083157DC).

1. Guard for interval; configured argument 0.

Seals - 07B346BC

Owner: Other2. Roster: 4 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Seals (07B36BBC).

1. Flash team; configured argument 30.

Initial Paratroopers 1 - 09A92A9C

Owner: BadGuy3. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB; Transport Waypoint: X.

Ordered plan: Initial Paratroopers (07C010BC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 1.

Initial Paratroopers 2 - 09A925EC

Owner: BadGuy3. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC; Transport Waypoint: W.

Ordered plan: Initial Paratroopers (07C010BC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 1.

Chrono Harvester (1) - 0831459C

Owner: Player. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Chrono Miners (2) (083157DC).

1. Guard for interval; configured argument 0.

Initial Paratroopers 3 - 09A9227C

Owner: BadGuy3. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD; Transport Waypoint: Y.

Ordered plan: Initial Paratroopers (07C010BC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 1.

Thugs 1 - 0B3C142C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Thugs (0A4E2C8C).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 1.

Cop 1 - 0A71FB7C

Owner: Other1. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Cop Car 1 (0B3C2AFC).

1. Move to waypoint: waypoint 67 (cell 32, 60).
2. Adopt object mission: sleep.

Harrier 1 - 0A68093C

Owner: Other1. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Harrier 1 (0A6806CC).

1. Attack waypoint: waypoint 82 (cell 77, 68).
2. Move to waypoint: waypoint 73 (cell 59, 39).
3. Delete team objects.

Transport 1 - 0AB436CC

Owner: BadGuy1. Roster: 5 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Transport 1 (0AC7832C).

1. Move to waypoint: waypoint 75 (cell 60, 86).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 0 (Transport 1).
4. Move to waypoint: waypoint 48 (cell 63, 76).
5. Seek/attack target category; configured argument 4.

Transport 2 - 0AB4321C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Transport 2 (0AC7AB7C).

1. Move to waypoint: waypoint 77 (cell 65, 86).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 1 (Transport 2).
4. Move to waypoint: waypoint 48 (cell 63, 76).
5. Seek/attack target category; configured argument 4.

Single Dreadnought - 095F211C

Owner: BadGuy1. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Dreadnought (1) (095F32FC).

1. Attack waypoint: waypoint 78 (cell 29, 77).
2. Jump to script line; configured argument 1.

Kirov 1 - 09EF2C8C

Owner: BadGuy1. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Kirov (1) (09EF369C).

1. Move to waypoint: waypoint 37 (cell 33, 48).
2. Attack selected enemy-building category; configured argument 131355.
3. Move to waypoint: waypoint 76 (cell 33, 28).
4. Delete team objects.

V3 - Liberty - 0AE2849C

Owner: BadGuy1. Roster: 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CE.

Ordered plan: Attack Liberty (074E4DBC).

1. Attack selected enemy-building category; configured argument 131151.
2. Adopt object mission: sticky guard.

Civilians 1 - 0B48383C

Owner: Other2. Roster: 3 × Civilian (CIVBFM); 5 × Civilian (CIVBF); 3 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: Civilians (07CA645C).

1. Panic.
2. Jump to script line; configured argument 1.

BG1 - Conscripts 2 - 0BF26C8C

Owner: BadGuy1. Roster: 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0A64854C).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 1.

BG1 - Conscripts defense - 0BF267DC

Owner: BadGuy1. Roster: 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0A643DBC).

1. Guard for interval; configured argument 0.

Cargo 1 - 0AB088EC

Owner: BadGuy1. Roster: 1 × Cargo Plane (CARGOPLANE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CF; Transport Waypoint: CF.

Ordered plan: Cargo 1 (0A630A4C).

1. Move to waypoint: waypoint 84 (cell 92, 43).
2. Delete team objects.

Cargo 2 - 0AB0843C

Owner: BadGuy1. Roster: 1 × Cargo Plane (CARGOPLANE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CH; Transport Waypoint: CH.

Ordered plan: Cargo 2 (0A63A5FC).

1. Move to waypoint: waypoint 86 (cell 82, 33).
2. Delete team objects.

Cargo 3 - 0AB17EFC

Owner: BadGuy1. Roster: 1 × Cargo Plane (CARGOPLANE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL; Transport Waypoint: CL.

Ordered plan: Cargo 3 (0A63B93C).

1. Move to waypoint: waypoint 88 (cell 37, 85).
2. Delete team objects.

Civilians 2 - 0B48A3FC

Owner: Other2. Roster: 2 × Civilian (CIVBF); 3 × Civilian (CIVBTM); 2 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: Civilians (07CA645C).

1. Panic.
2. Jump to script line; configured argument 1.

Civilians 3 - 0B48BC0C

Owner: Other2. Roster: 1 × Civilian (CIVBF); 2 × Civilian (CIVBTM); 3 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: Civilians (07CA645C).

1. Panic.
2. Jump to script line; configured argument 1.

V3 - Salvo - 095B322C

Owner: BadGuy1. Roster: 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: V3 - Salvo (0B7C332C).

1. Attack waypoint: waypoint 96 (cell 90, 46).
2. Jump to script line; configured argument 1.

Traffic 1 - 0A71B33C

Owner: Civilian1. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: Traffic 1 (0829A32C).

1. Move to waypoint: waypoint 91 (cell 33, 73).
2. Move to waypoint: waypoint 92 (cell 33, 43).
3. Move to waypoint: waypoint 83 (cell 16, 43).
4. Delete team objects.

Traffic2 - 0A71B20C

Owner: Civilian1. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Traffic 2 (09B8843C).

1. Move to waypoint: waypoint 100 (cell 58, 44).
2. Move to waypoint: waypoint 73 (cell 59, 39).
3. Move to waypoint: waypoint 29 (cell 62, 39).
4. Move to waypoint: waypoint 44 (cell 62, 13).
5. Delete team objects.

Medium Conscripts - 09E7238C

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0A64854C).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Hard Conscripts - 0BF2C30C

Owner: BadGuy1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0A64854C).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Medium Conscript D - 0B8AC05C

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0A643DBC).

1. Guard for interval; configured argument 0.

Hard Conscripts D - 0BF28DCC

Owner: BadGuy1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0A643DBC).

1. Guard for interval; configured argument 0.

Dreadnought Retreat - 0B533EFC

Owner: BadGuy2. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Retreat (0B533C8C).

1. Move to waypoint: waypoint 85 (cell 82, 96).
2. Delete team objects.

Paris1 - 09F9C27C

Owner: Other2. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Paris 1 (09F9E7EC).

1. Attack selected enemy-building category; configured argument 131242.

Paris 2 - 09F9E4BC

Owner: Other2. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Paris 2 (09F9E24C).

1. Attack selected enemy-building category; configured argument 196778.

V3 Salvo 2 - 094806FC

Owner: BadGuy1. Roster: 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: V3 - Salvo 2 (0948E7CC).

1. Attack waypoint: waypoint 52 (cell 67, 53).
2. Jump to script line; configured argument 1.

Engineer - 09F0AEFC

Owner: Player. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer 1 (0A0D92BC).

1. Flash team; configured argument 70.

Flash GI - 0AC8730C

Owner: Player. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 2; Technology level: 0; Waypoint: A.

Ordered plan: Flash GI (0837269C).

1. Flash team; configured argument 90.

Cargo 4 - 0AB147DC

Owner: BadGuy1. Roster: 1 × Cargo Plane (CARGOPLANE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CJ; Transport Waypoint: CJ.

Ordered plan: Cargo 2 (0A63A5FC).

1. Move to waypoint: waypoint 86 (cell 82, 33).
2. Delete team objects.

Chrono Harvester Flash - 0A967EFC

Owner: Player. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Flash GI (0837269C).

1. Flash team; configured argument 90.

Emergency Reinforcements - 0A08512C

Owner: Player. Roster: 3 × Engineer (ENGINEER); 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Guard Base (0A643DBC).

1. Guard for interval; configured argument 0.

Transport 1b - 0AB4920C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: Transport 1b (0AC82DBC).

1. Move to waypoint: waypoint 74 (cell 50, 96).
2. Delete team objects.

Transport 2b - 0AB4AB7C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Transport 2b (0AB4A90C).

1. Move to waypoint: waypoint 9 (cell 76, 96).
2. Delete team objects.

Operation: Lone Guardian - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/all01t.map.

Object/system	Property	Mission value	Source line
M1CARBINE (M1CARBINE)	Damage	10	2
Soviet Wall (NAWALL)	Technology level	-1	5
Air Force Command Headquarters (GAAIRC)	Technology level	12	8
Air Force Command Headquarters (AMRADR)	Technology level	12	11
Soviet Battle Lab (NATECH)	Technology level	12	14
Prism Tower (ATESLA)	Technology level	12	17
Tesla Coil (TESLA)	Technology level	12	20
Flak Cannon (NAFLAK)	Technology level	12	23
Rocketeer (JUMPJET)	Technology level	12	26
Flak Trooper (FLAKT)	Technology level	12	29
War Miner (HARV)	Resource cargo capacity	20	32
Chrono Miner (CMIN)	Resource cargo capacity	10	35
TIBERIUMS (TIBERIUMS)	0	Riparius	38
TIBERIUMS (TIBERIUMS)	1	Cruentus	39
TIBERIUMS (TIBERIUMS)	2	Vinifera	40
TIBERIUMS (TIBERIUMS)	3	Aboreus	41
Tiberium Riparius (RIPARIUS)	Value	50	44
Tiberium Cruentus (CRUENTUS)	Value	100	47
Tiberium Vinifera (VINIFERA)	Value	50	50
Tiberium Aboreus (ABOREUS)	Value	50	53
Crazy Ivan (IVAN)	Technology level	-1	56
Soviet Shipyard (NAYARD)	Technology level	-1	59
Missile (DMISL)	Starting health capacity	75	62
SAPPER (SAPPER)	ROF	50	65
Allied Construction Yard (GACNST)	UI Name	Name:GACNST	68
Allied Construction Yard (GACNST)	Name	Allied Construction Yard	69
Allied Construction Yard (GACNST)	Selling forbidden	Yes	70
Building (CANEWY12)	UI Name	Name:CANEWY12	73
Building (CANEWY12)	Name	RA2 NY Building 12	74
Building (CANEWY12)	Starting health capacity	50000	75
Building (CANEWY12)	Armor class	steel	76
Building (CANEWY18)	UI Name	Name:CANEWY18	79

Object/system	Property	Mission value	Source line
Building (CANEWY18)	Name	RA2 NY Building 18	80
Building (CANEWY18)	Starting health capacity	50000	81
Building (CANEWY18)	Armor class	steel	82
Terror Drone (DRON)	UI Name	Name:DRON	85
Terror Drone (DRON)	Name	Terror Drone	86
Terror Drone (DRON)	Technology level	-1	87
War Miner (HORV)	UI Name	Name:HORV	90
War Miner (HORV)	Name	War Miner	91
War Miner (HORV)	Technology level	-1	92
Flak Track (HTK)	UI Name	Name:HTK	95
Flak Track (HTK)	Name	Flak Track	96
Flak Track (HTK)	Technology level	-1	97
Tesla Trooper (SHK)	UI Name	Name:SHK	100
Tesla Trooper (SHK)	Name	Shock Trooper	101
Tesla Trooper (SHK)	Technology level	-1	102
Engineer (SENGINEER)	UI Name	Name:ENGINEER	105
Engineer (SENGINEER)	Technology level	-1	106
Soviet Repair Depot (NADEPT)	UI Name	Name:NADEPT	109
Soviet Repair Depot (NADEPT)	Name	Soviet Service Depot	110
Soviet Repair Depot (NADEPT)	Technology level	-1	111
Soviet Ore Refinery (NAREFN)	UI Name	Name:NAREFN	114
Soviet Ore Refinery (NAREFN)	Name	Soviet Ore Refinery	115
Soviet Ore Refinery (NAREFN)	Technology level	-1	116
Radar Tower (NARADR)	UI Name	Name:NARADR	119
Radar Tower (NARADR)	Name	Radar Tower	120
Radar Tower (NARADR)	Technology level	-1	121
Soviet War Factory (NAWEAP)	UI Name	Name:NAWEAP	124
Soviet War Factory (NAWEAP)	Name	Soviet War Factory	125
Soviet War Factory (NAWEAP)	Technology level	-1	126
Patriot Missile (NASAM)	UI Name	Name:NASAM	129
Patriot Missile (NASAM)	Name	Patriot Missile	130
Patriot Missile (NASAM)	Technology level	-1	131
Building (CAPARS04)	UI Name	Name:CAPRS04	134
Building (CAPARS04)	Name	RA2 Paris Building 4	135
Building (CAPARS04)	Starting health capacity	50000	136
Building (CAPARS04)	Armor class	steel	137
Statue of Liberty (CANEWY04)	UI Name	Name:CANEWY04	140
Statue of Liberty (CANEWY04)	Name	RA2 Statue of Liberty	141
Statue of Liberty (CANEWY04)	Armor class	special_1	142
Statue of Liberty (CANEWY04)	Starting health capacity	10000	143
Statue of Liberty (CANEWY04)	Crate Beneath	false	144

Object/system	Property	Mission value	Source line
Statue of Liberty (CANEWY04)	Crate Beneath Is Money	false	145
V3WH (V3WH)	Verses	100%,90%,80%,80%,70%,20%,100%,75%,50%,50000%,0%	148
DMISLWH (DMISLWH)	Cell Spread	1.5	151
DMISLWH (DMISLWH)	Percent At Max	.25	152
DMISLWH (DMISLWH)	Wall behavior	yes	153
DMISLWH (DMISLWH)	Wood	yes	154
DMISLWH (DMISLWH)	Verses	100%,90%,80%,100%,90%,80%,85%,65%,28%,2%,0%	155
Police Car (COP)	UI Name	Name:PIGCAR	158
Police Car (COP)	Name	RA2 Pig	159
Police Car (COP)	Threat contribution	10	160
Police Car (COP)	Insignificant-object flag	no	161
Police Car (COP)	Starting health capacity	40	162
Police Car (COP)	Can crush through ordinary crushing logic	no	163
Police Car (COP)	Ambient Sound	PoliceSirenLoop	164
Allied War Factory (GAWEAP)	UI Name	Name:GAWEAP	167
Allied War Factory (GAWEAP)	Name	Allied War Factory	168
Allied War Factory (GAWEAP)	Technology level	-1	169
Allied Shipyard (GAYARD)	UI Name	Name:GAYARD	172
Allied Shipyard (GAYARD)	Name	Allied Shipyard	173
Allied Shipyard (GAYARD)	Technology level	-1	174
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	186
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3500	187
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	.01	188
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.75	189
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.75	190
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.01	191
Invisible Blue Light Post (INBLULMP)	Name	Invisible Blue Light Post	194
Invisible Blue Light Post (INBLULMP)	Local light reach	4000	195
Invisible Blue Light Post (INBLULMP)	Local light intensity	0.01	196
Invisible Blue Light Post (INBLULMP)	Light Red Tint	0.01	197
Invisible Blue Light Post (INBLULMP)	Light Green Tint	0,01	198
Invisible Blue Light Post (INBLULMP)	Light Blue Tint	0.7	199
Attack Dog (DOG)	UI Name	Name:DOG	202
Attack Dog (DOG)	Name	Attack Dog	203
Attack Dog (DOG)	Technology level	-1	204
Allied Wall (GAWALL)	UI Name	Name:GAWALL	207
Allied Wall (GAWALL)	Name	Allied Wall	208

Object/system	Property	Mission value	Source line
Allied Wall (GAWALL)	Technology level	-1	209
Red Alert 2 -- Official Rules of Engagement (GENERAL)	D Misl Altitude	1550	212
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Stray Distance	2	213
Red Alert 2 -- Official Rules of Engagement (GENERAL)	V3 Rocket Altitude	1550	214
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1000,750,500	215
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	1500	216
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-1500	217
OILEXPLOSIONWH (OILEXPLOSIONWH)	Verses	150%,100%,100%,90%,70%,50%,200%,90%,50%,100%,100%	220
OILEXPLOSIONWH (OILEXPLOSIONWH)	Sparky	no	221
OILEXPLOSIONWH (OILEXPLOSIONWH)	Fire	yes	222
OILEXPLOSIONWH (OILEXPLOSIONWH)	Inf Death	4	223
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	2	224
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.25	225
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	Yes	226
Tanya (TANY)	Starting health capacity	250	229
Tanya (TANY)	Armor class	flak	230
Tanya (TANY)	Sight radius setting	6	231
Tanya (TANY)	Movement rating	6	232
Tanya (TANY)	Technology level	-1	233
MP5 (MP5)	Damage	125	236
MP5 (MP5)	ROF	10	237
MP5 (MP5)	Range	8	238
SPECIALFLAGS	Tiberium Grows	no	241
SPECIALFLAGS	Tiberium Spreads	yes	242
SPECIALFLAGS	Tiberium Explosive	no	243
SPECIALFLAGS	Destroyable Bridges	no	244
SPECIALFLAGS	MCV Deploy	no	245
SPECIALFLAGS	Initial Veteran	no	246
SPECIALFLAGS	Fixed Alliance	no	247
SPECIALFLAGS	Harvester Immune	no	248
SPECIALFLAGS	Fog Of War	no	249
SPECIALFLAGS	Inert	no	250
SPECIALFLAGS	Ion Storms	no	251
SPECIALFLAGS	Meteorites	no	252

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Visceroids	no	253
COUNTRIES (COUNTRIES)	0	Player	256
COUNTRIES (COUNTRIES)	1	BadGuy1	257
COUNTRIES (COUNTRIES)	2	BadGuy2	258
COUNTRIES (COUNTRIES)	3	BadGuy3	259
COUNTRIES (COUNTRIES)	4	Civilian1	260
COUNTRIES (COUNTRIES)	5	Other1	261
COUNTRIES (COUNTRIES)	6	Other2	262
COUNTRIES (COUNTRIES)	7	Other3	263
VARIABLENAMES (VARIABLENAMES)	0	Transport 1,0	384
VARIABLENAMES (VARIABLENAMES)	1	Transport 2,1	385

Operation: Eagle Dawn

Campaign reading guide | Engine

Operation: Eagle Dawn

all02s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (42)
- Russians (37)
- Nod (17)
- Americans (9)
- Confederation (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. TANY

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all02s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all02s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all02s.map. **Effective extracted member:** MAPS01.MIX/all02s.map. **Trigger definitions:** 84.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	SNOW
Map size	0,0,104,75
Visible local rectangle	5,4,94,63
Placed vehicles	25
Placed infantry	36
Placed structures	60
Placed aircraft	0
Team templates	44

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	100	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	Brits	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	300	Russians
9	GDI	0	GDI
10	Nod	0	Nod
11	Neutral	0	Neutral
12	Special	0	Special
13	Neutral2	0	NeutralA

Local state flags at initialization

Flag	Meaning label and initial value
0	Flak Cannons Spotte,0
1	Intruders Scout Don,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Player Wins - End (0874619C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
Tanya Dead (0A3876DC)	Destroyed, All: owner selector 3 (country/type GERMANS; placed owner Germans).	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
Chapel Destroyed (0BF0490C)	Building does not exist: type index 186 (global list position: Air Force Academy Chapel (CACOLO01)). A map-local type-list change can affect index interpretation.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
Game Over (076A1C5C)	The unconditional/any-event condition is satisfied.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Every trigger, in file order

1. Start Base Building - 097274CC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0972094C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Production Begins: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4838, Events line 4924, Actions line 5010.

2. Text - GO North - 078A169C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Crosses Horizontal Line: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Display message “Head NORTH and make contact with American forces” (MISSION:ALL02a).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4839, Events line 4925, Actions line 5011.

3. Attack Here - 0A3A654C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Attack Here - first time (0B8FBDDC).

Attached scope: tag definitions 0A3A340C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Use ENGINEERS to re-capture our base to the NORTH WEST” (MISSION:ALL02b).
2. Create radar-event marker type 5 at waypoint 21 (cell 73, 87).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4840, Events line 4926, Actions line 5012.

4. Player Wins - 0913BE4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chapel Captured (0A1A33BC); enable from American Captures 1st (0926B97C).

Attached scope: tag definitions 0913B95C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Enable and reset applicable timers for Player Wins - End (0874619C).
2. Enable and reset applicable timers for All Cheer (0D53711C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4841, Events line 4927, Actions line 5013.

5. Player Wins - End - 0874619C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Wins (0913BE4C).

Attached scope: tag definitions 08747ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4842, Events line 4928, Actions line 5014.

6. All Cheer - 0D53711C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Wins (0913BE4C).

Attached scope: tag definitions 0D5364AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Make side cheer: owner selector 3 (country/type GERMANS; placed owner Germans).
3. Make side cheer: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4843, Events line 4929, Actions line 5015.

7. Pill Box check - 0913B86C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 66 (global list position: Pill Box (GAPILL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4844, Events line 4930, Actions line 5016.

8. Confed road - 09BBFF3C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09BBFA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Confed Road Patrol (09842EFC) at waypoint 0 (cell 131, 107).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4845, Events line 4931, Actions line 5017.

9. Confed Base patrol - 09BBF96C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09BBF76C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Confed Base Patrol (0BB0F43C) at waypoint 5 (cell 64, 87).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4846, Events line 4932, Actions line 5018.

10. Open Reveal Shroud - 07CD42AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07CD066C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 98 (cell 119, 112).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4847, Events line 4933, Actions line 5019.

11. Confed Road Team 2 - 0904F61C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0904F0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Confed Road Team 2 (09842A7C) at waypoint 23 (cell 90, 106).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4848, Events line 4934, Actions line 5020.

12. Drop More Engies - 09B5298C

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09B524DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 2.

Then perform these actions in order:

1. Supply reinforcement team 6 Engineers (0C5E612C) at waypoint 5 (cell 64, 87).
2. Destroy current instances of Attack Here (0A3A654C).
3. Enable and reset applicable timers for Create French Team (09B6844C).
4. Enable and reset applicable timers for Text - Engineer Hint (03EBEAFC).
5. Remove instances of the team organization (not automatically its surviving objects) 6 Engineers (0C5E612C).
6. Enable and reset applicable timers for Engies Sound (0C555F3C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4849, Events line 4935, Actions line 5021.

13. Create French Team - 09B6844C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drop More Engies (09B5298C).

Attached scope: tag definitions 09B6CE6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Change Engineer to France (09C6620C).
2. Create/recruit team Change Engineer to France (09C6620C).
3. Enable and reset applicable timers for Create Capture Teams (092C4ABC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4850, Events line 4936, Actions line 5022.

14. Text - Engineer Hint - 03EBEAFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drop More Engies (09B5298C).

Attached scope: tag definitions 03EBA19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: Order an ENGINEER into any HOSTILE BUILDING to capture the building” (MISSION:ALL02d).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4851, Events line 4937, Actions line 5023.

15. Engies Sound - 0C555F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drop More Engies (09B5298C).

Attached scope: tag definitions 0C55566C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4852, Events line 4938, Actions line 5024.

16. Create Capture Teams - 092C4ABC

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create French Team (09B6844C).

Attached scope: tag definitions 092C795C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team Capture Conyard (0A9C5B7C).
2. Create/recruit team Capture Chapel (0A9C57DC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4853, Events line 4939, Actions line 5025.

17. Soviet 1st Strike - 07B1F0AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Unit Type: type index 33 (global list position: Chrono Miner (CMIN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Soviet 1st Strike Team (09E58EFC).
2. Play music theme InDeep.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4854, Events line 4940, Actions line 5026.

18. Corner Crate - 07B136EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B15D6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create crate type 0 at waypoint 36 (cell 19, 110).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4855, Events line 4941, Actions line 5027.

19. Confed Base Pentrated - 03EC308C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Sentry Gun (NALASR), owner Confederation, cell (72, 98), tag 03EC495C, persistence mode 0; Sentry Gun (NALASR), owner Confederation, cell (68, 99), tag 03EC495C, persistence mode 0; Sentry Gun (NALASR), owner Confederation, cell (61, 99), tag 03EC495C, persistence mode 0; Sentry Gun (NALASR), owner Confederation, cell (72, 78), tag 03EC495C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. All to Hunt: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4856, Events line 4942, Actions line 5028.

20. Chrono Miner Check - 08EEE43C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Pill Box check (0913B86C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Unit Type: type index 33 (global list position: Chrono Miner (CMIN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4857, Events line 4943, Actions line 5029.

21. MTank check - 08EEFEDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Chrono Miner Check (08EEE43C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Unit Type: type index 9 (global list position: Grizzly Battle Tank (MTNK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4858, Events line 4944, Actions line 5030.

22. GI Check - 08EEFBEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: MTank check (08EEFEDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Infantry Type: type index 0 (global list position: GI (E1)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4859, Events line 4945, Actions line 5031.

23. Rocketeer Check - 08EEF92C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: GI Check (08EEFBEC).

Attached scope: tag definitions 0913B66C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 4 (global list position: Rocketeer (JUMPJET)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4860, Events line 4946, Actions line 5032.

24. Tanya Can Swim - 03F2D45C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: 82 tagged map cells: (74, 75), (75, 75), (76, 75), (77, 75), (78, 75), (74, 76), (78, 76), (79, 76), (80, 76), (81, 76), (72, 77), (73, 77), (74, 77), (81, 77), (82, 77), (83, 77), (84, 77), (85, 77), (73, 78), (85, 78), (85, 79), (86, 79), (87, 79), (88, 79), (89, 79), (90, 79), (91, 79), (85, 80), (85, 81), (85, 82), (85, 83), (86, 84), (87, 85), (88, 85), (88, 86), (88, 88), (88, 89), (88, 90), (88, 91), (88, 92), (88, 93), (88, 94), (88, 95), (88, 96), (74, 97), (87, 97), (88, 97), (73, 98), (74, 99), (87, 99), (88, 99), (74, 100), (85, 100), (74, 101), (85, 101), (87, 101), (88, 101), (74, 102), (86, 102), (87, 102),

(74, 103), (85, 103), (86, 103), (74, 104), (84, 104), (85, 104), (74, 105), (83, 105), (84, 105), (74, 106), (75, 106), (76, 106), (77, 106), (78, 106), (79, 106), (80, 106), (81, 106), (82, 106), (83, 106), (83, 107), (83, 108), (83, 109); tag 03F2A25C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 3 (country/type GERMANS; placed owner Germans).

Then perform these actions in order:

1. Display message “HINT: TANYA can swim” (MISSION:ALL02f).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4861, Events line 4947, Actions line 5033.

25. 1st Patrol has been shot - 09790F3C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0979078C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 6 (country/type ARABS; placed owner Arabs).
2. All to Hunt: owner selector 6 (country/type ARABS; placed owner Arabs).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4862, Events line 4948, Actions line 5034.

26. 2nd Patrol is Shot - 08D3D8AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D3D61C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 5 (country/type AFRICANS; placed owner Africans).
2. All to Hunt: owner selector 5 (country/type AFRICANS; placed owner Africans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4863, Events line 4949, Actions line 5035.

27. Free Crate! - 07B2CC6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE03), owner Neutral, cell (85, 117), tag 07B2C82C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 9 at waypoint 39 (cell 84, 116).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4864, Events line 4950, Actions line 5036.

28. Free Crate - 07B2C5EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE03), owner Neutral, cell (56, 116), tag 07B2C50C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 40 (cell 55, 115).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4865, Events line 4951, Actions line 5037.

29. Free Crate - 07B2C41C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE03), owner Neutral, cell (66, 132), tag 07B2C33C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 9 at waypoint 41 (cell 65, 131).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4866, Events line 4952, Actions line 5038.

30. Free Crate - 07B2C24C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE03), owner Neutral, cell (107, 100), tag 07B2C16C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 42 (cell 106, 99).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4867, Events line 4953, Actions line 5039.

31. Create Harrier Team - 0ABC9EAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Airplanes are US (09E23D7C).

Attached scope: tag definitions 0ABC967C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team 4 Intruders (09D4059C).
2. Enable and reset applicable timers for Destroy Airpatrol (09D8D03C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4868, Events line 4954, Actions line 5040.

32. Destroy Airpatrol - 09D8D03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Harrier Team (0ABC9EAC).

Attached scope: tag definitions 08037C6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) 4 Intruders (09D4059C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4869, Events line 4955, Actions line 5041.

33. Play Tanya Air-Movie - 0B936D4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Airplanes are US (09E23D7C).

Attached scope: tag definitions 0B9363DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play in-game movie 82.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4870, Events line 4956, Actions line 5042.

34. Tanya Can Swim Text - 07E8985C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 31 tagged map cells: (68, 65), (68, 66), (68, 67), (68, 68), (68, 69), (68, 70), (68, 71), (68, 72), (68, 73), (68, 74), (68, 75), (68, 76), (60, 99), (70, 99), (60, 100), (70, 100), (60, 101), (70, 101), (60, 102), (69, 102), (70, 102), (60, 103), (61, 103), (62, 103), (63, 103), (64, 103), (65, 103), (66, 103), (67, 103), (68, 103), (69, 103); tag 07E893DC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 3 (country/type GERMANS; placed owner Germans).

Then perform these actions in order:

1. Display message “HINT: TANYA can swim” (MISSION:ALL02f).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4871, Events line 4957, Actions line 5043.

35. Disable Tanya Text - 07E9654C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Disable Tanya Can Swim Text (07E8985C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4872, Events line 4958, Actions line 5044.

36. Diable Tanya 2 - 080097AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Conscript (E2), owner Confederation, cell (70, 87), tag 0800AEAC, persistence mode 0; Allied War Factory (GAWEAP), owner Neutral2, cell (58, 89), tag 0800AEAC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Tanya Can Swim Text (07E8985C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4873, Events line 4959, Actions line 5045.

37. Txt Flak Cannons - 07FF8F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FF89FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “HINT: Order TANYA to destroy the FLAK CANNONS” (MISSION:ALL02e).
2. Enable and reset applicable timers for txt Flak Reminder (096A7BEC).
3. Play sound MessageText.
4. Display message “so the ROCKETEERS can destroy the SENTRY GUNS” (MISSION:ALL02i).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4874, Events line 4960, Actions line 5046.

38. txt Flak Reminder - 096A7BEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Txt Flak Cannons (07FF8F3C).

Attached scope: tag definitions 096A770C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: Order TANYA to destroy the FLAK CANNONS” (MISSION:ALl02e).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4875, Events line 4961, Actions line 5047.

39. Hard Patrol Team - 03E3A95C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03E3A2CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Hard Patrol Team (03E3669C) at waypoint 26 (cell 101, 64).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4876, Events line 4962, Actions line 5048.

40. TXT Objecitve 2 1st - 083E90DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chapel Captured (0A1A33BC); enable from American Captures 1st (0926B97C).

Attached scope: tag definitions 083EF94C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Txt Objective 2 (0B94D03C).
2. Display message “Objective 2: Destroy all hostile forces” (MISSION:ALL02c).
3. Play voice notification EVA_NewMissionObjective.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4877, Events line 4963, Actions line 5049.

41. Txt Objective 2 - 0B94D03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TXT Objecitve 2 1st (083E90DC).

Attached scope: tag definitions 0B94804C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy all hostile forces” (MISSION:ALL02c).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4878, Events line 4964, Actions line 5050.

42. All to Hunt - 07F3448C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Soviet Construction Yard (NACNST), owner Russians, cell (116, 43), tag 080BA7AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. All to Hunt: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4879, Events line 4965, Actions line 5051.

43. Barrels Destroyed - 080A207C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barrels (CAMISC01), owner Nod, cell (124, 41), tag 080ADE6C, persistence mode 0; Barrels (CAMISC01), owner Nod, cell (123, 43), tag 080ADE6C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team Barrel Defense Team (08060CBC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4880, Events line 4966, Actions line 5052.

44. Tanya Shot - 0A30803C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tanya (TANY), owner Germans, cell (121, 117), tag 0971A83C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Keep TANYA alive!” (MISSION:ALL02g).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4881, Events line 4967, Actions line 5053.

45. Tanya Dead - 0A3876DC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3870FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 3 (country/type GERMANS; placed owner Germans).

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
2. Display message “TANYA has been KILLED!” (MISSION:ALL02h).
3. Play voice notification Mis_A1_EvaTanyaDeath.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4882, Events line 4968, Actions line 5054.

46. Opening AX Crate - 0BA7B6CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BA7B18C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create crate type 9 at waypoint 49 (cell 114, 105).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4883, Events line 4969, Actions line 5055.

47. Ambient Effects - 0C4B0C6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C4B2E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 98 (cell 119, 112).
2. Play sound _Amb_WindCold at waypoint 1 (cell 91, 107).

3. Play sound _Amb_WindPlains at waypoint 7 (cell 90, 75).
4. Play sound _Amb_WindPlains at waypoint 15 (cell 40, 91).
5. Play sound _Amb_WindPlains at waypoint 17 (cell 47, 113).
6. Play sound _Amb_BirdsNightOwl at waypoint 38 (cell 109, 98).
7. Play sound _Amb_WindCold at waypoint 64 (cell 75, 164).
8. Play sound _Amb_BirdsNightOwl at waypoint 66 (cell 117, 93).
9. Play sound _Amb_WindPlains at waypoint 0 (cell 131, 107).
10. Play sound _Amb_WindPlains at waypoint 67 (cell 131, 94).
11. Play sound _Amb_WindPlains at waypoint 68 (cell 135, 82).
12. Play sound _Amb_WindPlains at waypoint 69 (cell 139, 62).
13. Play sound _Amb_WindPlains at waypoint 70 (cell 136, 52).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4884, Events line 4970, Actions line 5056.

48. Secret Crate AY - 0B423A2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Nod, cell (148, 66), tag 0B42318C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 50 (cell 148, 65).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4885, Events line 4971, Actions line 5057.

49. Secret Crate AZ - 0B427A9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Nod, cell (150, 66), tag 0B42789C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 51 (cell 150, 65).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4886, Events line 4972, Actions line 5058.

50. Secret Crate BA - 0B4276BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Nod, cell (152, 66), tag 0B4273DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 9 at waypoint 52 (cell 152, 65).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4887, Events line 4973, Actions line 5059.

51. 2 extra Rocketeers - 07F83F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Rocketeer (JUMPJET), owner Neutral, cell (74, 164), tag 07F81F4C, persistence mode 0; Rocketeer (JUMPJET), owner Neutral, cell (76, 166), tag 07F81F4C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

2. Play voice notification Mis_A5_AllSoldier2.
3. Play sound Bonus at waypoint 64 (cell 75, 164).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4888, Events line 4974, Actions line 5060.

52. Harvester Found - 077A775C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 077409AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Play voice notification EVA_UnitReady.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4889, Events line 4975, Actions line 5061.

53. Reveal Second Base - 0896D65C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0896D57C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Intruders Scout Don) is set.
2. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 54 (cell 108, 45).
2. Reveal terrain around waypoint 56 (cell 115, 52).
3. Reveal terrain around waypoint 57 (cell 109, 54).
4. Reveal terrain around waypoint 55 (cell 123, 59).
5. Reveal terrain around waypoint 29 (cell 118, 47).
6. Reveal terrain around waypoint 30 (cell 113, 59).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4890, Events line 4976, Actions line 5062.

54. Chapel Captured - 0A1A33BC

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 186 (global list position: Air Force Academy Chapel (CACOLO01)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Destroy current instances of Chapel Destroyed (0BF0490C).
3. Enable and reset applicable timers for txt objective 1 complete (084B52DC).
4. Enable and reset applicable timers for TXT Objecitve 2 1st (083E90DC).
5. Destroy current instances of Attack Here (0A3A654C).
6. Enable and reset applicable timers for Player Wins (0913BE4C).
7. Enable and reset applicable timers for 1 French Change House (0D7E70EC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4891, Events line 4977, Actions line 5063.

55. Chapel Destroyed - 0BF0490C

Owner reference: NeutralA. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF0436C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 186 (global list position: Air Force Academy Chapel (CACOLO01)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
2. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4892, Events line 4978, Actions line 5064.

56. txt objective 1 complete - 084B52DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chapel Captured (0A1A33BC); enable from American Captures 1st (0926B97C).

Attached scope: tag definitions 084B01CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4893, Events line 4979, Actions line 5065.

57. 1 French Change House - 0D7E70EC

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chapel Captured (0A1A33BC); enable from American Captures 1st (0926B97C).

Attached scope: tag definitions 0D7ED19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. All change house: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4894, Events line 4980, Actions line 5066.

58. American Captures 1st - 0926B97C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Chapel Captured (0A1A33BC).

Attached scope: Air Force Academy Chapel (CACOLO01), owner Neutral2, cell (57, 81), tag 0A1A669C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Destroy current instances of Create French Team (09B6844C).
2. Destroy current instances of Chapel Destroyed (0BF0490C).
3. Enable and reset applicable timers for txt objective 1 complete (084B52DC).
4. Enable and reset applicable timers for TXT Objecitve 2 1st (083E90DC).
5. Destroy current instances of Attack Here (0A3A654C).
6. Enable and reset applicable timers for Player Wins (0913BE4C).
7. Enable and reset applicable timers for 1 French Change House (0D7E70EC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4895, Events line 4981, Actions line 5067.

59. Give French Back - 0A660C9C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A66173C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. All change house: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4896, Events line 4982, Actions line 5068.

60. Rocketeers Have Arrived - 0977489C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09773B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team 8 Rocketeers (0D691EFC) at waypoint 44 (cell 119, 127).
2. Enable and reset applicable timers for Rocketeers Become USA (09BFFBEC).
3. Enable and reset applicable timers for Attack Here - first time (0B8FBDDC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4897, Events line 4983, Actions line 5069.

61. Rocketeers Become USA - 09BFFBEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeers Have Arrived (0977489C).

Attached scope: tag definitions 09BFFADC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) 8 Rocketeers (0D691EFC).
2. Create/recruit team 8 Rocketeers - USA (0D691A4C).
3. Enable and reset applicable timers for Rocketeers Move (08312AFC).
4. Create radar-event marker type 2 at waypoint 58 (cell 116, 125).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4898, Events line 4984, Actions line 5070.

62. Attack Here - first time - 0B8FBDDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeers Have Arrived (0977489C); enable from Play Rocketeer Movie (0A84F66C).

Attached scope: tag definitions 0B8FB91C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 21 (cell 73, 87).
2. Create radar-event marker type 5 at waypoint 21 (cell 73, 87).
3. Play sound MessageText.
4. Display message “Objective 1: Use ENGINEERS to re-capture our base to the NORTH WEST” (MISSION:ALL02b).
5. Enable and reset applicable timers for Attack Here (0A3A654C).
6. Play voice notification EVA_NewMissionObjective.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4899, Events line 4985, Actions line 5071.

63. Rocketeers Move - 08312AFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeers Become USA (09BFFBEC); enable from Play Rocketeer Movie (0A84F66C).

Attached scope: tag definitions 08325F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team 8 Rocketeer Move Team (0B12B7DC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4900, Events line 4986, Actions line 5072.

64. Rocketeers Destroyed - 09D9075C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeer Destroyed Enable (0BB7E6DC).

Attached scope: tag definitions 09D9271C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 4.

Then perform these actions in order:

1. Enable and reset applicable timers for Rocketeers - 2nd Wave (08408A8C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4901, Events line 4987, Actions line 5073.

65. Rocketeers - 2nd Wave - 08408A8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeers Destroyed (09D9075C).

Attached scope: tag definitions 0840861C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Rocketeers 2nd Wave (0840EEFC) at waypoint 62 (cell 128, 122).
2. Create radar-event marker type 2 at waypoint 98 (cell 119, 112).
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Display message “HINT: Order TANYA to destroy the FLAK CANNONS” (MISSION:ALL02e).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4902, Events line 4988, Actions line 5074.

66. Play Rocketeer Movie - 0A84F66C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A84F12C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 70.
2. Enable and reset applicable timers for Attack Here - first time (0B8FBDDC).
3. Enable and reset applicable timers for Rocketeers Move (08312AFC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4903, Events line 4989, Actions line 5075.

67. Kill Objective 1 Text - 07A3EF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A3AA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Attack Here (0A3A654C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4904, Events line 4990, Actions line 5076.

68. 1 Extra Chrono Miner - 0A7150AC

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A710B5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Play sound GenAllVehicleSelect at waypoint 63 (cell 51, 139).
3. Play sound Bonus at waypoint 63 (cell 51, 139).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4905, Events line 4991, Actions line 5077.

69. Hard Road Patrol 1 - 09D4903C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09D4B19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Hard Confed Road Patrol (09D4317C) at waypoint 0 (cell 131, 107).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4906, Events line 4992, Actions line 5078.

70. Hard Road Patrol 2 - 09D4B0AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09D4811C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Hard Confed Road Patrol 2 (09D470BC) at waypoint 23 (cell 90, 106).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4907, Events line 4993, Actions line 5079.

71. Game Over - 076A1C5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 076A140C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4908, Events line 4994, Actions line 5080.

72. End Paradrop - 0B0AF2AC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0B504C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 67 (global list position: Flak Cannon (NAFLAK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team 10 Paratroopers BE (09FF2A4C) at waypoint 56 (cell 115, 52).
2. Supply reinforcement team 10 Paratroopers BI (09FF259C) at waypoint 60 (cell 115, 56).
3. Supply reinforcement team 10 Paratroopers BJ (09FF246C) at waypoint 61 (cell 114, 48).
4. Enable and reset applicable timers for EndGame Para Sound (088772EC).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4909, Events line 4995, Actions line 5081.

73. EndGame Para Sound - 088772EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from End Paradrop (0B0AF2AC).

Attached scope: tag definitions 08878B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4910, Events line 4996, Actions line 5082.

74. Rocketeer Destroyed Enable - 0BB7E6DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB7CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Rocketeers Destroyed (09D9075C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4911, Events line 4997, Actions line 5083.

75. ConYard Captured - 0BE8571C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Construction Yard (GACNST), owner Neutral2, cell (65, 80), tag 0BE853CC, persistence mode 0.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4912, Events line 4998, Actions line 5084.

76. Airplanes Create - 04184DAC

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0418229C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team 4 Intruders - Start (0A54E20C) at waypoint 5 (cell 64, 87).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4913, Events line 4999, Actions line 5085.

77. Destroy Airplane Team - 092731EC

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09274C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) 4 Intruders - Start (0A54E20C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4914, Events line 5000, Actions line 5086.

78. Airplanes are US - 09E23D7C

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Air Force Command Headquarters (GAAIRC), owner Brits, cell (58, 86), tag 09E2378C, persistence mode 0.

Wait for the recorded events:

1. Destroyed, Buildings, #: 2.
2. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Create Harrier Team (0ABC9EAC).
2. Enable and reset applicable timers for Play Tanya Air-Movie (0B936D4C).
3. Destroy current instances of Airplanes Destroyed (07AFE48C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4915, Events line 5001, Actions line 5087.

79. Airplanes Destroyed - 07AFE48C

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07AFBE6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 1.
2. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Create Harrier Team (0ABC9EAC).
2. Destroy current instances of Play Tanya Air-Movie (0B936D4C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4916, Events line 5002, Actions line 5088.

80. Ambients 2 - 0B22F0CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B2290EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsNightOwl at waypoint 26 (cell 101, 64).
2. Play sound _Amb_WindPlains at waypoint 71 (cell 59, 68).
3. Play sound _Amb_WindCold at waypoint 72 (cell 66, 62).
4. Play sound _Amb_WindCold at waypoint 73 (cell 47, 85).
5. Play sound _Amb_WavesLake at waypoint 74 (cell 80, 88).
6. Play sound _Amb_BirdsNightOwl at waypoint 75 (cell 67, 117).
7. Play sound _Amb_WindPlains at waypoint 75 (cell 67, 117).
8. Play sound _Amb_WindCold at waypoint 77 (cell 70, 150).
9. Play sound _Amb_WindPlains at waypoint 78 (cell 73, 144).
10. Play sound _Amb_BirdsNightOwl at waypoint 79 (cell 77, 137).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4917, Events line 5003, Actions line 5089.

81. Russian Harv Hit - 0B29AF3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: War Miner (HARV), owner Russians, cell (113, 54), tag 0B29958C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. AI triggers begin: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4918, Events line 5004, Actions line 5090.

82. Grizzly Check - 0A27876C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Soviet 1st Strike (07B1F0AC).

Attached scope: tag definitions 07B18F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 9 (global list position: Grizzly Battle Tank (MTNK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Soviet 1st Strike Team (09E58EFC).
2. Play music theme InDeep.

Source locator: MAPS01.MIX/all02s.map; Triggers line 4919, Events line 5005, Actions line 5091.

83. Chrono Miner Changes - 0D8BB57C

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Chrono Miner (0CA2B03C).

Attached scope: Chrono Miner (CMIN), owner Nod, cell (62, 94), tag 0D8D260C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4920, Events line 5006, Actions line 5092.

84. Enable Chrono Miner - 0CA2B03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Ore Refinery (GAREFN), owner Neutral2, cell (58, 93), tag 0CA5605C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Miner Changes (0D8BB57C).

Source locator: MAPS01.MIX/all02s.map; Triggers line 4921, Events line 5007, Actions line 5093.

All team rosters and ordered plans | All mission overrides

Operation: Eagle Dawn - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all02s.map; each team/script ID identifies its section.

2 HTank - North - 09D3248C

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Anything (092502CC).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 1.

2 HTank - South - 09D31DEC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: South Attack (09251DBC).

1. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
2. Attack-move toward waypoint: waypoint 20 (cell 71, 110).
3. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

West Field Guard Team - 07C9C6BC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Field Guard - West (07C8B66C).

1. Move to waypoint: waypoint 12 (cell 78, 67).
2. Adopt object mission: area guard.

Base Field Guard Team - 096FBB7C

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Radiers South (07C8BB4C).

1. Move to waypoint: waypoint 0 (cell 131, 107).
2. Move to waypoint: waypoint 16 (cell 84, 126).
3. Move to waypoint: waypoint 17 (cell 47, 113).
4. Seek/attack target category; configured argument 3.

Mixed Base Defense - 09E4BB7C

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Outer Base Patrol (0A5D2C0C).

1. Attack-move toward waypoint: waypoint 26 (cell 101, 64).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 27 (cell 123, 65).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 26 (cell 101, 64).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 28 (cell 103, 49).
8. Guard for interval; configured argument 10.
9. Jump to script line; configured argument 1.

6 Conscript Defense - 0AD26C8C

Owner: Russians. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: general base defense (0AE762AC).

1. Adopt object mission: area guard.

10 Conscrits North - 08DC191C

Owner: Russians. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Anything (092502CC).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 1.

10 Conscripts South - 08DC16DC

Owner: Russians. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: South Attack Buildings (098217DC).

1. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
2. Attack-move toward waypoint: waypoint 20 (cell 71, 110).
3. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
4. Seek/attack target category; configured argument 2.

Harv Hunt North - 08DC15AC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Raiders North (07C8BDBC).

1. Move to waypoint: waypoint 14 (cell 79, 47).
2. Move to waypoint: waypoint 10 (cell 52, 73).
3. Move to waypoint: waypoint 15 (cell 40, 91).
4. Seek/attack target category; configured argument 3.

Harv Hunt South - 08DC10FC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Radiers South (07C8BB4C).

1. Move to waypoint: waypoint 0 (cell 131, 107).
2. Move to waypoint: waypoint 16 (cell 84, 126).
3. Move to waypoint: waypoint 17 (cell 47, 113).
4. Seek/attack target category; configured argument 3.

2 Dog Raiders - 0A9BA6AC

Owner: Russians. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infantry Attack (0AE7655C).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 1.

Mixed North - 0976B78C

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Troops (0982425C).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 5.

Mixed South - 07CA419C

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: South Attack Buildings (098217DC).

1. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
2. Attack-move toward waypoint: waypoint 20 (cell 71, 110).
3. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
4. Seek/attack target category; configured argument 2.

North Capture Team - 09820A7C

Owner: Russians. Roster: 1 × Flak Track (HTK); 2 × Engineer (ENGINEER); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack - Capture (0982080C).

1. Load transport.
2. Wait for loading completion.
3. Move to waypoint: waypoint 37 (cell 97, 62).
4. Move to waypoint: waypoint 18 (cell 74, 70).
5. Move to waypoint: waypoint 19 (cell 71, 87).
6. Approach selected enemy-building category; configured argument 131074.
7. Unload with continuation mode: transport and passengers continue.
8. Report team success.
9. Attack selected enemy-building category; configured argument 131074.

10. Attack selected enemy-building category; configured argument 186.
11. Attack selected enemy-building category; configured argument 7.
12. Seek/attack target category; configured argument 2.

South Capture Team - 098205CC

Owner: Russians. Roster: 1 × Flak Track (HTK); 2 × Engineer (ENGINEER); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: South Attack Building Capture (08DC3DBC).

1. Load transport.
2. Wait for loading completion.
3. Move to waypoint: waypoint 1 (cell 91, 107).
4. Move to waypoint: waypoint 20 (cell 71, 110).
5. Move to waypoint: waypoint 4 (cell 64, 97).
6. Approach selected enemy-building category; configured argument 1.
7. Report team success.
8. Unload with continuation mode: transport and passengers continue.
9. Attack selected enemy-building category; configured argument 1.
10. Seek/attack target category; configured argument 2.

Confed Base Patrol - 0BB0F43C

Owner: Confederation. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Confed Base Patrol (0985030C).

1. Attack-move toward waypoint: waypoint 3 (cell 67, 96).
2. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
3. Attack-move toward waypoint: waypoint 5 (cell 64, 87).
4. Attack-move toward waypoint: waypoint 19 (cell 71, 87).
5. Attack-move toward waypoint: waypoint 5 (cell 64, 87).
6. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
7. Jump to script line; configured argument 1.

Confed Road Patrol - 09842EFC

Owner: Confederation. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Confed Road Patrol (0976FA1C).

1. Attack-move toward waypoint: waypoint 35 (cell 109, 109).
2. Attack-move toward waypoint: waypoint 22 (cell 104, 107).
3. Attack-move toward waypoint: waypoint 34 (cell 98, 107).
4. Attack-move toward waypoint: waypoint 33 (cell 95, 107).
5. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
6. Guard for interval; configured argument 20.
7. Attack-move toward waypoint: waypoint 11 (cell 65, 108).
8. Attack-move toward waypoint: waypoint 9 (cell 53, 108).
9. Guard for interval; configured argument 20.
10. Attack-move toward waypoint: waypoint 11 (cell 65, 108).
11. Attack-move toward waypoint: waypoint 1 (cell 91, 107).

12. Attack-move toward waypoint: waypoint 33 (cell 95, 107).
13. Attack-move toward waypoint: waypoint 34 (cell 98, 107).
14. Attack-move toward waypoint: waypoint 22 (cell 104, 107).
15. Attack-move toward waypoint: waypoint 35 (cell 109, 109).
16. Attack-move toward waypoint: waypoint 0 (cell 131, 107).
17. Guard for interval; configured argument 20.
18. Jump to script line; configured argument 1.

Confed Road Team 2 - 09842A7C

Owner: Confederation. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Confed Road 2 (0983761C).

1. Attack-move toward waypoint: waypoint 23 (cell 90, 106).
2. Guard for interval; configured argument 20.
3. Attack-move toward waypoint: waypoint 32 (cell 89, 103).
4. Attack-move toward waypoint: waypoint 31 (cell 89, 100).
5. Attack-move toward waypoint: waypoint 24 (cell 89, 95).
6. Attack-move toward waypoint: waypoint 7 (cell 90, 75).
7. Guard for interval; configured argument 20.
8. Attack-move toward waypoint: waypoint 24 (cell 89, 95).
9. Attack-move toward waypoint: waypoint 31 (cell 89, 100).
10. Attack-move toward waypoint: waypoint 32 (cell 89, 103).
11. Jump to script line; configured argument 1.

6 Engineers - 0C5E612C

Owner: Americans. Roster: 6 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Guard for 1 (0B62878C).

1. Guard for interval; configured argument 1.

Soviet 1st Strike Team - 09E58EFC

Owner: Russians. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: North Attack Troops (0982425C).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 5.

Inner Base Defense - 08DC4B8C

Owner: Russians. Roster: 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Confed Base Patrol (0985030C).

1. Attack-move toward waypoint: waypoint 3 (cell 67, 96).
2. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
3. Attack-move toward waypoint: waypoint 5 (cell 64, 87).

4. Attack-move toward waypoint: waypoint 19 (cell 71, 87).
5. Attack-move toward waypoint: waypoint 5 (cell 64, 87).
6. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
7. Jump to script line; configured argument 1.

2 H-Tank - 03E3F6FC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Troops (0982425C).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 5.

Hard Patrol Team - 03E3669C

Owner: Confederation. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: AT.

Ordered plan: Hard Inside Base Patrol (03E36DBC).

1. Attack-move toward waypoint: waypoint 45 (cell 66, 84).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 46 (cell 68, 90).
4. Guard for interval; configured argument 5.
5. Jump to script line; configured argument 1.

Barrel Defense Team - 08060CBC

Owner: Russians. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Attack Anything (080A2C3C).

1. Seek/attack target category; configured argument 1.

4 Intruders - 09D4059C

Owner: Americans. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: air patrol (09E5EDBC).

1. Set local flag: local flag 1 (Intruders Scout Don).
2. Move to waypoint: waypoint 26 (cell 101, 64).
3. Adopt object mission: stop.

2 Half Tracks - 0B8CE08C

Owner: Russians. Roster: 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Attack Anything (080A2C3C).

1. Seek/attack target category; configured argument 1.

Hard 4 Tank North - 0A3473AC

Owner: Russians. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Anything (092502CC).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 1.

Hard 4 Tank South - 0A34716C

Owner: Russians. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: South Attack Buildings (098217DC).

1. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
2. Attack-move toward waypoint: waypoint 20 (cell 71, 110).
3. Attack-move toward waypoint: waypoint 4 (cell 64, 97).
4. Seek/attack target category; configured argument 2.

2 Engineers, 6 Conscripts - 0B6129EC

Owner: Russians. Roster: 2 × Engineer (SENGINEER); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Engineer Rush (0B61490C).

1. Move to waypoint: waypoint 37 (cell 97, 62).
2. Move to waypoint: waypoint 19 (cell 71, 87).
3. Attack selected enemy-building category; configured argument 0.

1 H-Tank - 09BADDCC

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: North Attack Troops (0982425C).

1. Attack-move toward waypoint: waypoint 37 (cell 97, 62).
2. Attack-move toward waypoint: waypoint 18 (cell 74, 70).
3. Seek/attack target category; configured argument 5.

Change Engineer to France - 09C6620C

Owner: Americans. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Change to France (09C67DBC).

1. Change country ownership; configured argument 2.

Capture Conyard - 0A9C5B7C

Owner: French. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Capture Conyard (0924C5FC).

1. Move to waypoint: waypoint 45 (cell 66, 84).
2. Attack selected enemy-building category; configured argument 2.

Capture Chapel - 0A9C57DC

Owner: French. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Capture Chapel (0A3B18EC).

1. Move to waypoint: waypoint 53 (cell 62, 83).
2. Attack selected enemy-building category; configured argument 131258.

8 Rocketeers - 0D691EFC

Owner: Neutral. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Rocketeer Behavior (0BD2E59C).

1. Move to waypoint: waypoint 58 (cell 116, 125).

8 Rocketeers - USA - 0D691A4C

Owner: Neutral. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Change House (0BB35C8C).

1. Change country ownership; configured argument 1.

8 Rocketeer Move Team - 0B12B7DC

Owner: Alliance. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Move to BH (09BAE5BC).

1. Move to waypoint: waypoint 59 (cell 114, 109).

Hard Confed Road Patrol - 09D4317C

Owner: Confederation. Roster: 1 × Rhino Heavy Tank (HTNK); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Confed Road Patrol (0976FA1C).

1. Attack-move toward waypoint: waypoint 35 (cell 109, 109).
2. Attack-move toward waypoint: waypoint 22 (cell 104, 107).
3. Attack-move toward waypoint: waypoint 34 (cell 98, 107).
4. Attack-move toward waypoint: waypoint 33 (cell 95, 107).
5. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
6. Guard for interval; configured argument 20.
7. Attack-move toward waypoint: waypoint 11 (cell 65, 108).
8. Attack-move toward waypoint: waypoint 9 (cell 53, 108).
9. Guard for interval; configured argument 20.
10. Attack-move toward waypoint: waypoint 11 (cell 65, 108).
11. Attack-move toward waypoint: waypoint 1 (cell 91, 107).
12. Attack-move toward waypoint: waypoint 33 (cell 95, 107).
13. Attack-move toward waypoint: waypoint 34 (cell 98, 107).
14. Attack-move toward waypoint: waypoint 22 (cell 104, 107).
15. Attack-move toward waypoint: waypoint 35 (cell 109, 109).

16. Attack-move toward waypoint: waypoint 0 (cell 131, 107).
17. Guard for interval; configured argument 20.
18. Jump to script line; configured argument 1.

Hard Confed Road Patrol 2 - 09D470BC

Owner: Confederation. Roster: 1 × Rhino Heavy Tank (HTNK); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Confed Road 2 (0983761C).

1. Attack-move toward waypoint: waypoint 23 (cell 90, 106).
2. Guard for interval; configured argument 20.
3. Attack-move toward waypoint: waypoint 32 (cell 89, 103).
4. Attack-move toward waypoint: waypoint 31 (cell 89, 100).
5. Attack-move toward waypoint: waypoint 24 (cell 89, 95).
6. Attack-move toward waypoint: waypoint 7 (cell 90, 75).
7. Guard for interval; configured argument 20.
8. Attack-move toward waypoint: waypoint 24 (cell 89, 95).
9. Attack-move toward waypoint: waypoint 31 (cell 89, 100).
10. Attack-move toward waypoint: waypoint 32 (cell 89, 103).
11. Jump to script line; configured argument 1.

10 Paratroopers BE - 09FF2A4C

Owner: Alliance. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: BE.

Ordered plan: attack soviets (0B0AADBC).

1. Seek/attack target category; configured argument 1.

10 Paratroopers BI - 09FF259C

Owner: Alliance. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: BI.

Ordered plan: Attack Anything (080A2C3C).

1. Seek/attack target category; configured argument 1.

10 Paratroopers BJ - 09FF246C

Owner: Alliance. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: BJ.

Ordered plan: Attack Anything (080A2C3C).

1. Seek/attack target category; configured argument 1.

Rocketeers 2nd Wave - 0840EEFC

Owner: Americans. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: 2nd Wave Rocketeers (0840EC8C).

1. Move to waypoint: waypoint 98 (cell 119, 112).

4 Intruders - Start - 0A54E20C

Owner: British. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: intruder start-up (09CFF30C).

1. Move to waypoint: waypoint 53 (cell 62, 83).

1 Harvester - 0AD3E68C

Owner: Russians. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Harvest (0AD3E41C).

1. Move to waypoint: waypoint 81 (cell 113, 56).

Operation: Eagle Dawn - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all02s.map.

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	2
Chrono Miner (CMIN)	Resource cargo capacity	10	5
TIBERIUMS (TIBERIUMS)	0	Riparius	8
TIBERIUMS (TIBERIUMS)	1	Cruentus	9
TIBERIUMS (TIBERIUMS)	2	Vinifera	10
TIBERIUMS (TIBERIUMS)	3	Aboreus	11
Tiberium Riparius (RIPARIUS)	Value	50	14
Tiberium Cruentus (CRUENTUS)	Value	100	17
Tiberium Vinifera (VINIFERA)	Value	50	20
Tiberium Aboreus (ABOREUS)	Value	50	23
FLAKWEAPON (FLAKWEAPON)	Damage	20	26
FLAKWEAPON (FLAKWEAPON)	Range	9	27
FLAKWH (FLAKWH)	Cell Spread	1.0	30
FLAKWH (FLAKWH)	Percent At Max	.2	31
FLAKWH (FLAKWH)	Verses	125%,80%,50%,100%,100%,20%,0%,0%,0%,100%,100%	32
FLAKWH (FLAKWH)	Anim List	SMKPUFF	33
FLAKWH (FLAKWH)	Inf Death	3	34
COUNTRIES (COUNTRIES)	0	Americans	46
COUNTRIES (COUNTRIES)	1	Alliance	47
COUNTRIES (COUNTRIES)	2	French	48
COUNTRIES (COUNTRIES)	3	Germans	49
COUNTRIES (COUNTRIES)	4	British	50
COUNTRIES (COUNTRIES)	5	Africans	51
COUNTRIES (COUNTRIES)	6	Arabs	52
COUNTRIES (COUNTRIES)	7	Confederation	53
COUNTRIES (COUNTRIES)	8	Russians	54
COUNTRIES (COUNTRIES)	9	GDI	55
COUNTRIES (COUNTRIES)	10	Nod	56
COUNTRIES (COUNTRIES)	12	NeutralA	57
COUNTRIES (COUNTRIES)	13	Neutral	58
COUNTRIES (COUNTRIES)	14	Special	59
Great Britain (BRITISH)	UI Name	Name:British	72
Great Britain (BRITISH)	Name	Great Britain	73

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Suffix	Allied	74
Great Britain (BRITISH)	Prefix	G	75
Great Britain (BRITISH)	Color	Gold	76
Great Britain (BRITISH)	Multiplay Passive	true	77
Great Britain (BRITISH)	Side	GDI	78
Great Britain (BRITISH)	Smart AI	yes	79
Harrier (ORCA)	Technology level	-1	82
BARRELEXPLOSION (BARRELEXPLOSION)	Projectile	Invisible	85
BARRELEXPLOSION (BARRELEXPLOSION)	Damage	200	86
BARRELEXPLOSION (BARRELEXPLOSION)	Warhead	OilExplosionWH	87
BARRELEXPLOSION (BARRELEXPLOSION)	Anim	RING1	88
OILEXPLOSIONWH (OILEXPLOSIONWH)	Verses	150%,100%,100%,90%,70%,50%,200%,90%,50%,100%,100%	91
OILEXPLOSIONWH (OILEXPLOSIONWH)	Sparky	no	92
OILEXPLOSIONWH (OILEXPLOSIONWH)	Fire	yes	93
OILEXPLOSIONWH (OILEXPLOSIONWH)	Inf Death	4	94
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	2	95
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.25	96
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	Yes	97
Air Force Command Headquarters (AMRADR)	Technology level	-1	100
V3 Launcher (V3)	Technology level	-1	103
Radar Tower (NARADR)	Technology level	-1	106
Tanya (TANY)	Sight radius setting	10	109
Air Force Command Headquarters (GAAIRC)	Technology level	-1	112
Attack Dog (DOG)	Double Owned	No	115
Attack Dog (DOG)	Permitted country list	Russians	116
Attack Dog (DOG)	Excluded countries	Americans,Confederation	117
IFV (FV)	Technology level	-1	120
Air Force Academy Chapel (CACOLO01)	Name	RA2 Air Force Academy Chapel Colorado	123
Air Force Academy Chapel (CACOLO01)	UI Name	Name:CACOLO01	124
Air Force Academy Chapel (CACOLO01)	Technology level	-1	125
Air Force Academy Chapel (CACOLO01)	Starting health capacity	1000	126

Object/system	Property	Mission value	Source line
Air Force Academy Chapel (CACOLO01)	Insignificant-object flag	yes	127
Air Force Academy Chapel (CACOLO01)	Nominal	yes	128
Air Force Academy Chapel (CACOLO01)	Hidden from radar	no	129
Air Force Academy Chapel (CACOLO01)	Points	5	130
Air Force Academy Chapel (CACOLO01)	Armor class	concrete	131
Air Force Academy Chapel (CACOLO01)	Normal base-adjacency role	no	132
Air Force Academy Chapel (CACOLO01)	Sight radius setting	6	133
Air Force Academy Chapel (CACOLO01)	Repair-tool permission	yes	134
Air Force Academy Chapel (CACOLO01)	Infantry garrison permitted	no	135
Air Force Academy Chapel (CACOLO01)	Garrison capacity	0	136
Air Force Academy Chapel (CACOLO01)	Distributed Fire	no	137
Air Force Academy Chapel (CACOLO01)	Engineer-capture permission	true	138
Air Force Academy Chapel (CACOLO01)	Crate Beneath	false	139
Air Force Academy Chapel (CACOLO01)	Crate Beneath Is Money	false	140
Rocketeer (JUMPJET)	Required structures/groups	GAPILE,CACOLO01	143
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	146
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	147
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.40	148
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.40	149
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.15	150
Invisible Light Post (INGALITE)	Local light reach	5000	153
Invisible Light Post (INGALITE)	Local light intensity	0.2	154
Invisible Light Post (INGALITE)	Light Red Tint	0.05	155
Invisible Light Post (INGALITE)	Light Green Tint	0.05	156
Invisible Light Post (INGALITE)	Light Blue Tint	0.03	157
Soviet Shipyard (NAYARD)	Technology level	-1	163
SPECIALFLAGS	Tiberium Grows	yes	166
SPECIALFLAGS	Tiberium Spreads	yes	167
SPECIALFLAGS	Tiberium Explosive	no	168
SPECIALFLAGS	Destroyable Bridges	no	169
SPECIALFLAGS	MCV Deploy	no	170

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Initial Veteran	no	171
SPECIALFLAGS	Fixed Alliance	no	172
SPECIALFLAGS	Harvester Immune	no	173
SPECIALFLAGS	Fog Of War	no	174
SPECIALFLAGS	Inert	no	175
SPECIALFLAGS	Ion Storms	no	176
SPECIALFLAGS	Meteorites	no	177
SPECIALFLAGS	Visceroids	no	178
VARIABLENAMES (VARIABLENAMES)	0	Flak Cannons Spotte,0	219
VARIABLENAMES (VARIABLENAMES)	1	Intruders Scout Don,0	220
America (AMERICANS)	Country	Americans	253
America (AMERICANS)	Technology level	3	254
America (AMERICANS)	Credits	100	255
America (AMERICANS)	IQ	0	256
America (AMERICANS)	Edge	West	257
America (AMERICANS)	Player Control	yes	258
America (AMERICANS)	Color	DarkBlue	259
America (AMERICANS)	Allies	Americans,Alliance,French,Germans,GDI,Neutral	260
America (AMERICANS)	Percent Built	0	261
America (AMERICANS)	Node Count	0	262
Korea (ALLIANCE)	Country	Alliance	265
Korea (ALLIANCE)	Technology level	1	266
Korea (ALLIANCE)	Credits	0	267
Korea (ALLIANCE)	IQ	0	268
Korea (ALLIANCE)	Edge	East	269
Korea (ALLIANCE)	Player Control	yes	270
Korea (ALLIANCE)	Color	DarkBlue	271
Korea (ALLIANCE)	Allies	Americans,Alliance,French,Germans,Brits,GDI,Neutral	272
Korea (ALLIANCE)	Percent Built	0	273
Korea (ALLIANCE)	Node Count	0	274
France (FRENCH)	Country	French	277
France (FRENCH)	Technology level	1	278
France (FRENCH)	Credits	0	279
France (FRENCH)	IQ	0	280
France (FRENCH)	Edge	North	281
France (FRENCH)	Player Control	no	282
France (FRENCH)	Color	DarkBlue	283
France (FRENCH)	Allies	Americans,French,Germans,Africans,Arabs,Confederation, Russians,GDI,Neutral	284
France (FRENCH)	Percent Built	0	285
France (FRENCH)	Node Count	0	286
Germany (GERMANS)	Country	Germans	289

Object/system	Property	Mission value	Source line
Germany (GERMANS)	Technology level	1	290
Germany (GERMANS)	Credits	0	291
Germany (GERMANS)	IQ	0	292
Germany (GERMANS)	Edge	North	293
Germany (GERMANS)	Player Control	yes	294
Germany (GERMANS)	Color	DarkBlue	295
Germany (GERMANS)	Allies	Americans,Alliance,French,Germans,Brits,GDI,Neutral,Neutral2	296
Germany (GERMANS)	Percent Built	0	297
Germany (GERMANS)	Node Count	0	298
Libya (AFRICANS)	Country	Africans	313
Libya (AFRICANS)	Technology level	1	314
Libya (AFRICANS)	Credits	0	315
Libya (AFRICANS)	IQ	0	316
Libya (AFRICANS)	Edge	North	317
Libya (AFRICANS)	Player Control	no	318
Libya (AFRICANS)	Color	DarkRed	319
Libya (AFRICANS)	Allies	French,Brits,Africans,Arabs,Confederation,Russians,Nod,Neutral,Neutral2	320
Libya (AFRICANS)	Percent Built	0	321
Libya (AFRICANS)	Node Count	0	322
Iraq (ARABS)	Country	Arabs	325
Iraq (ARABS)	Technology level	1	326
Iraq (ARABS)	Credits	0	327
Iraq (ARABS)	IQ	0	328
Iraq (ARABS)	Edge	North	329
Iraq (ARABS)	Player Control	no	330
Iraq (ARABS)	Color	DarkRed	331
Iraq (ARABS)	Allies	French,Brits,Africans,Arabs,Confederation,Russians,Nod,Neutral,Neutral2	332
Iraq (ARABS)	Percent Built	0	333
Iraq (ARABS)	Node Count	0	334
Cuba (CONFEDERATION)	Country	Confederation	337
Cuba (CONFEDERATION)	Technology level	1	338
Cuba (CONFEDERATION)	Credits	0	339
Cuba (CONFEDERATION)	IQ	0	340
Cuba (CONFEDERATION)	Edge	North	341
Cuba (CONFEDERATION)	Player Control	no	342
Cuba (CONFEDERATION)	Color	DarkRed	343
Cuba (CONFEDERATION)	Allies	Alliance,French,Brits,Africans,Arabs,Confederation,Russians,Nod,Neutral,Neutral2	344
Cuba (CONFEDERATION)	Percent Built	0	345
Cuba (CONFEDERATION)	Node Count	0	346

Object/system	Property	Mission value	Source line
Russia (RUSSIANS)	Country	Russians	349
Russia (RUSSIANS)	Technology level	10	350
Russia (RUSSIANS)	Credits	300	351
Russia (RUSSIANS)	IQ	5	352
Russia (RUSSIANS)	Edge	North	353
Russia (RUSSIANS)	Player Control	no	354
Russia (RUSSIANS)	Color	DarkRed	355
Russia (RUSSIANS)	Allies	French,Brits,Africans,Arabs,Confederation,Russians,Nod,Neutral,Neutral2	356
Russia (RUSSIANS)	Percent Built	60	357
Russia (RUSSIANS)	Node Count	6	358
Russia (RUSSIANS)	000	NAPOWR,120,48	359
Russia (RUSSIANS)	001	NAPOWR,120,50	360
Russia (RUSSIANS)	002	NAHAND,118,53	361
Russia (RUSSIANS)	003	NAREFN,109,54	362
Russia (RUSSIANS)	004	NAWEAP,109,50	363
Russia (RUSSIANS)	005	NAREFN,109,46	364
GDI (GDI)	Country	GDI	367
GDI (GDI)	Technology level	1	368
GDI (GDI)	Credits	0	369
GDI (GDI)	IQ	0	370
GDI (GDI)	Edge	North	371
GDI (GDI)	Player Control	yes	372
GDI (GDI)	Color	DarkGreen	373
GDI (GDI)	Allies	Americans,Alliance,French,Germans,GDI	374
GDI (GDI)	Percent Built	0	375
GDI (GDI)	Node Count	0	376
Nod (NOD)	Country	Nod	379
Nod (NOD)	Technology level	1	380
Nod (NOD)	Credits	0	381
Nod (NOD)	IQ	0	382
Nod (NOD)	Edge	North	383
Nod (NOD)	Player Control	no	384
Nod (NOD)	Color	DarkRed	385
Nod (NOD)	Allies	Brits,Africans,Arabs,Confederation,Russians,Nod	386
Nod (NOD)	Percent Built	0	387
Nod (NOD)	Node Count	0	388
Civilian (NEUTRAL)	Country	Neutral	391
Civilian (NEUTRAL)	Technology level	1	392
Civilian (NEUTRAL)	Credits	0	393
Civilian (NEUTRAL)	IQ	0	394
Civilian (NEUTRAL)	Edge	North	395

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	Player Control	no	396
Civilian (NEUTRAL)	Color	Grey	397
Civilian (NEUTRAL)	Allies	Americans,Alliance,Germans,Arabs,Russians,Neutral	398
Civilian (NEUTRAL)	Percent Built	0	399
Civilian (NEUTRAL)	Node Count	0	400
JP (SPECIAL)	Country	Special	403
JP (SPECIAL)	Technology level	1	404
JP (SPECIAL)	Credits	0	405
JP (SPECIAL)	IQ	0	406
JP (SPECIAL)	Edge	North	407
JP (SPECIAL)	Player Control	no	408
JP (SPECIAL)	Color	Grey	409
JP (SPECIAL)	Allies	Special	410
JP (SPECIAL)	Percent Built	0	411
JP (SPECIAL)	Node Count	0	412

Operation: Hail to the Chief

Campaign reading guide | Engine

Operation: Hail to the Chief

all03u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian1 House (75)
- Russian1 House (59)
- Player House (37)
- Russian2 House (9)
- CivilianArmy House (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all03u.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAWASH01
2. NAPSYB

Initial placement schematic for all03u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all03u.map. **Effective extracted member:** MAPS01.MIX/all03u.map. **Trigger definitions:** 62.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,77,105
Visible local rectangle	6,4,69,84
Placed vehicles	21
Placed infantry	52
Placed structures	111
Placed aircraft	0
Team templates	58

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	Russian1 House	300	Russian1
2	Russian2 House	200	Russian2
3	CivilianArmy House	100	CivilianArmy
4	Civilian1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Civilian2 House	0	Civilian2

Local state flags at initialization

Flag	Meaning label and initial value
0	Bridge1Open,1
1	Bridge2Open,1
2	Bridge3Open,1
3	BackBridgeOpen,1
4	IFVRepaired,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerDestroyed (0B71A25C)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
WhiteHouseDestroyed (0B71C87C)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
GameEnds (0AC2BA3C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. BeaconDestroyed - 0E0F0110

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Beacon (NAPSYB), owner Russian1 House, cell (75, 34), tag 0E0F1280, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for MoveCam2WhiteHouse (08C7072C).
2. Disable PlayerDestroyed (0B71A25C).
3. Disable WhiteHouseDestroyed (0B71C87C).
4. Make ally: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Disable player input.
6. Disable ProtectWhiteHouseHint (0BEFBD5C).
7. Destroy current instances of RepeatObjective (0B58A03C).

8. Disable Hint-IFV -- pt1 (0BF57ABC).
9. Disable EnemyGarrisonHint (0B82203C).
10. Disable Hint-RepairBuildings (0B26E24C).
11. Disable ShockTrooperHint-pt1 (0B71BBFC).
12. Disable ShockTrooperHint-pt2 (086B4E5C).
13. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
14. Disable PingObjective (0B2E0B6C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5530, Events line 5594, Actions line 5658.

2. MoveCam2WhiteHouse - 08C7072C

Owner reference: Russian2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BeaconDestroyed (0E0F0110).

Attached scope: tag definitions 08C7064C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 22 (cell 79, 17) with speed setting 4.
2. Reveal terrain around waypoint 22 (cell 79, 17).
3. Enable and reset applicable timers for SSExit-CopterFliesOn (0AC0AB8C).
4. Make ally: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5531, Events line 5595, Actions line 5659.

3. PlayerDestroyed - 0B71A25C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B71A05C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5532, Events line 5596, Actions line 5660.

4. WhiteHouseDestroyed - 0B71C87C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: White House (CAWASH01), owner Civilian1 House, cell (77, 13), tag 0B71C39C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
2. Display message “MISSION FAILED: Nice job commander. You've managed to crush the President under a huge slab of concrete...” (MISSION:All03e).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5533, Events line 5597, Actions line 5661.

5. ProtectWhiteHouseHint - 0BEFBD5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Fountain (CAWASH18), owner Civilian1 House, cell (78, 21), tag 0BEFB9BC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Be careful NOT to destroy the White House... we don't want to endanger the President” (MISSION:All03d).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5534, Events line 5598, Actions line 5662.

6. RepeatObjective - 0B58A03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StateObjective (0917E3EC).

Attached scope: tag definitions 0B59004C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy the Psychic Beacon” (MISSION:All03a).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5535, Events line 5599, Actions line 5663.

7. Hint-IFV -- pt1 - 0BF57ABC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF579DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team FlashIFV1 (0AF2DAFC).
2. Create/recruit team FlashIFV2 (0AF2930C).
3. Create/recruit team FlashIFV3 (0AF2AEFC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5536, Events line 5600, Actions line 5664.

8. EnemyGarrisonHint - 0B82203C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH10), owner Civilian1 House, cell (103, 49), tag 0B82804C, persistence mode 0; Building (CAWASH03), owner Civilian1 House, cell (119, 94), tag 0B82804C, persistence mode 0; Building (CAWASH04), owner Civilian1 House, cell (102, 35), tag 0B82804C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Beware of SOVIET TROOPS garrisoned in CIVILIAN STRUCTURES” (MISSION:All03c).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5537, Events line 5601, Actions line 5665.

9. Hint-RepairBuildings - 0B26E24C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Engineer (ENGINEER), owner Player House, cell (79, 123), tag 0B27427C, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Send an ENGINEER into a damaged CIVILIAN STRUCTURE to repair it” (MISSION:All03f).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5538, Events line 5602, Actions line 5666.

10. ShockTrooperHint-pt1 - 0B71BBFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Trooper (SHK), owner Russian2 House, cell (92, 99), tag 0B71BB1C, persistence mode 0; Tesla Trooper (SHK), owner Russian2 House, cell (91, 98), tag 0B71BB1C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for ShockTrooperHint-pt2 (086B4E5C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5539, Events line 5603, Actions line 5667.

11. ShockTrooperHint-pt2 - 086B4E5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ShockTrooperHint-pt1 (0B71BBFC).

Attached scope: tag definitions 086B4D7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_ShockTrooper.
2. Flash team ShockAttack-Intro (0C33ADCC) with duration setting 200.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5540, Events line 5604, Actions line 5668.

12. PingObjective - 0B2E0B6C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from StateObjective (0917E3EC).

Attached scope: tag definitions 0B2E087C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 57 (cell 75, 34).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5541, Events line 5605, Actions line 5669.

13. SSExit-CopterFliesOn - 0AC0AB8C

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MoveCam2WhiteHouse (08C7072C).

Attached scope: tag definitions 0AC0A3CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team *PresidentialHelicopter (0ECAB6AC).
2. Supply reinforcement team *SecretService1 (0C4EA7DC) at waypoint 62 (cell 78, 17).
3. Supply reinforcement team *SecretService2 (0C4EA32C) at waypoint 22 (cell 79, 17).
4. Enable and reset applicable timers for PresExits (0C3E51DC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5542, Events line 5606, Actions line 5670.

14. PresExits - 0C3E51DC

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SSExit-CopterFliesOn (0AC0AB8C).

Attached scope: tag definitions 0C3E50FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team *President (0C4E57BC) at waypoint 62 (cell 78, 17).
2. Enable and reset applicable timers for PlayMovie (03F52A4C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5543, Events line 5607, Actions line 5671.

15. PlayMovie - 03F52A4C

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PresExits (0C3E51DC).

Attached scope: tag definitions 03F528BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 71.
2. Enable and reset applicable timers for Dugan&SSBoardHeli (0865FC3C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5544, Events line 5608, Actions line 5672.

16. Dugan&SSBoardHeli - 0865FC3C

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayMovie (03F52A4C).

Attached scope: tag definitions 0865FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 34 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team *PresDuganAndHeli (0B88567C).
2. Enable and reset applicable timers for GameEnds (0AC2BA3C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5545, Events line 5609, Actions line 5673.

17. GameEnds - 0AC2BA3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Dugan&SSBoardHeli (0865FC3C).

Attached scope: tag definitions 0AC2B8AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5546, Events line 5610, Actions line 5674.

18. Hint-IFV -- pt3 - 09DDF1BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09DDF0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for UnlockInput (0AFC405C).
2. Display message “HINT: Try putting different INFANTRY in your new IFV to use its morphing ability” (MISSION:All03g).
3. Create/recruit team Hint(IFV/GI) (0C15D2AC).

4. Create/recruit team Hint(IFV/Engineer) (0C15D3DC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5547, Events line 5611, Actions line 5675.

19. UnlockInput - 0AFC405C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint-IFV -- pt3 (09DDF1BC).

Attached scope: tag definitions 0AFC004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for StateObjective (0917E3EC).
3. Remove instances of the team organization (not automatically its surviving objects) Hint(IFV/Engineer) (0C15D3DC).
4. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5548, Events line 5612, Actions line 5676.

20. StateObjective - 0917E3EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from UnlockInput (0AFC405C).

Attached scope: tag definitions 09179E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy the Psychic Beacon” (MISSION:All03a).
2. Enable and reset applicable timers for RepeatObjective (0B58A03C).
3. Enable and reset applicable timers for PingObjective (0B2E0B6C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5549, Events line 5613, Actions line 5677.

21. CivAttack1 - 07AFF9E0

Owner reference: CivilianArmy. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0809BE80 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ArmedHordes1 (0B76EA4C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5550, Events line 5614, Actions line 5678.

22. CivAttack2 - 095A49F0

Owner reference: CivilianArmy. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 095A0B60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 220 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ArmedHordes2 (0B76E59C).
2. Supply reinforcement team ArmedHordes3 (0A148DCC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5551, Events line 5615, Actions line 5679.

23. CivAttack3 - 0ADC0F40

Owner reference: CivilianArmy. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADC0930 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ArmedHordes1 (0B76EA4C).
2. Supply reinforcement team ArmedHordes2 (0B76E59C).
3. Supply reinforcement team ArmedHordes3 (0A148DCC).
4. Enable and reset applicable timers for CivAttackRepeater1 (0ADC0850).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5552, Events line 5616, Actions line 5680.

24. CivAttackRepeater1 - 0ADC0850

Owner reference: CivilianArmy. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CivAttack3 (0ADC0F40).

Attached scope: tag definitions 0ADC0680 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team ArmedHordes3 (0A148DCC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5553, Events line 5617, Actions line 5681.

25. StartProduction1 - 079A692C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079A639C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 470 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).
2. AI triggers begin: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5554, Events line 5618, Actions line 5682.

26. RepairBridge - 07B3216C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ReenableRB (0B0B4D0C).

Attached scope: 1 tagged map cells: (98, 115); tag 07B31C8C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team EngineerBridgeRepair (0B2A832C).
2. Disable RepairBridge (07B3216C).
3. Clear local flag 1 (Bridge2Open).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5555, Events line 5619, Actions line 5683.

27. ReenableRB - 0B0B4D0C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Civilian1 House, cell (95, 108), tag 0B0B4B0C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for RepairBridge (07B3216C).
2. Set local flag 1 (Bridge2Open).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5556, Events line 5620, Actions line 5684.

28. ReinforcementsEastA - 0B1A2EEC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B1A0C7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 700 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ReinforcementsEast (0B90B59C).
2. Enable and reset applicable timers for ReinforcementsEastB (09B6A97C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5557, Events line 5621, Actions line 5685.

29. ReinforcementsEastB - 09B6A97C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ReinforcementsEastA (0B1A2EEC).

Attached scope: tag definitions 09B6A51C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 49 (cell 147, 90).
2. Reveal terrain around waypoint 49 (cell 147, 90).
3. Display message “A brave group of Allied survivors has scraped together a squad near the Smithsonian” (MISSION:All03j).
4. Play voice notification EVA_ReinforcementsHaveArrived.
5. Play sound Bonus.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5558, Events line 5622, Actions line 5686.

30. AttackParty - 08BD304C

Owner reference: Russian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (107, 101); tag 08BD70EC, persistence mode 0.

Wait for the recorded events:

1. Crosses Horizontal Line: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team Hunters(Shock&Flak) (0B63732C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5559, Events line 5623, Actions line 5687.

31. Garrison1 - 086D811C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 086D94AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrisonWash03 (0B7618DC) at waypoint 40 (cell 119, 92).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5560, Events line 5624, Actions line 5688.

32. !CreateCrate - 0B77DB7C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B779D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create crate type 0 at waypoint 4 (cell 127, 84).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5561, Events line 5625, Actions line 5689.

33. RepairedSmithCastle - 0B779C1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 3 (cell 115, 85).
2. Create crate type 10 at waypoint 59 (cell 118, 87).
3. Play sound Bonus.
4. Disable RepairedSmithCastle (0B779C1C).
5. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5562, Events line 5626, Actions line 5690.

34. RepairedSmithsonian - 0B77945C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 1 (cell 115, 53).
2. Create crate type 9 at waypoint 65 (cell 120, 53).
3. Play sound Bonus.
4. Disable RepairedSmithsonian (0B77945C).
5. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5563, Events line 5627, Actions line 5691.

35. Garrison2 - 0B816B2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B816A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrisonWash10 (095F8A4C) at waypoint 39 (cell 109, 51).
2. Supply reinforcement team GarrisonWash04 (0B7614BC) at waypoint 42 (cell 103, 40).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5564, Events line 5628, Actions line 5692.

36. Garrison3 - 0B84304C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B844AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrisonWash11 (0B740EFC) at waypoint 8 (cell 53, 44).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5565, Events line 5629, Actions line 5693.

37. ReinforcementsWestA - 098F0F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 098F091C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 950 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ReinforcementsWest1 (0B90BA4C).
2. Enable and reset applicable timers for ReinforcementsWestB (09B6A2CC).
3. Supply reinforcement team ReinforcementsWest2 (087606AC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5566, Events line 5630, Actions line 5694.

38. ReinforcementsWestB - 09B6A2CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ReinforcementsWestA (098F0F3C).

Attached scope: tag definitions 09B6A1EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 48 (cell 47, 90).
2. Reveal terrain around waypoint 48 (cell 47, 90).
3. Display message “Straggler units from across the Potomac have gathered up near the Lincoln Memorial” (MISSION:All03i).
4. Play voice notification EVA_ReinforcementsHaveArrived.
5. Play sound Bonus.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5567, Events line 5631, Actions line 5695.

39. AmbientSounds1 - 07E870AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E8131C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_CricketChirps at waypoint 9 (cell 76, 127).
2. Play sound _Amb_CricketBed at waypoint 11 (cell 78, 123).
3. Play sound _Amb_CricketBed at waypoint 12 (cell 121, 141).
4. Play sound _Amb_CricketChirps at waypoint 10 (cell 125, 132).
5. Play sound _Amb_CricketBed at waypoint 13 (cell 108, 75).
6. Play sound _Amb_CricketChirps at waypoint 14 (cell 113, 58).
7. Play sound _Amb_CricketBed at waypoint 15 (cell 42, 62).

8. Play sound _Amb_WavesLake at waypoint 16 (cell 43, 53).
9. Play sound _Amb_CricketChirps at waypoint 17 (cell 23, 72).
10. Play sound _Amb_OceanLight at waypoint 18 (cell 103, 159).
11. Play sound _Amb_OceanLight at waypoint 19 (cell 58, 96).
12. Play sound _Amb_OceanLight at waypoint 20 (cell 137, 108).
13. Play sound _Amb_OceanLight at waypoint 21 (cell 117, 115).
14. Play sound _Amb_OceanLight at waypoint 23 (cell 76, 112).
15. Play sound _Amb_OceanLight at waypoint 32 (cell 65, 125).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5568, Events line 5632, Actions line 5696.

40. Russia1Hunt - 07FEFE9C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEFA1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 20.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5569, Events line 5633, Actions line 5697.

41. AmbientSounds2 - 0BB7215C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB7392C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_CricketChirps at waypoint 33 (cell 84, 85).
2. Play sound _Amb_CricketBed at waypoint 34 (cell 77, 87).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5570, Events line 5634, Actions line 5698.

42. BridgeEngDied - 0BB74DEC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB74B7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Bridge2Open) is clear.
2. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Flag writers in this mission: clear local flag 1 (Bridge2Open) at RepairBridge (07B3216C); set local flag 1 (Bridge2Open) at ReenableRB (0B0B4D0C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team EngineerBridgeRepair (0B2A832C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5571, Events line 5635, Actions line 5699.

43. RepairedLincoln - 09B6C5BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 52 (cell 28, 71).

2. Create crate type 0 at waypoint 28 (cell 29, 68).
3. Play sound Bonus.
4. Disable RepairedLincoln (09B6C5BC).
5. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5572, Events line 5636, Actions line 5700.

44. RepairedWash - 09B6997C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 50 (cell 87, 71).
2. Create crate type 0 at waypoint 51 (cell 84, 70).
3. Play sound Bonus.
4. Disable RepairedWash (09B6997C).
5. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5573, Events line 5637, Actions line 5701.

45. RepairedJefferson - 0A2281BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 14 at waypoint 9 (cell 76, 127).
2. Create crate type 0 at waypoint 11 (cell 78, 123).
3. Play sound Bonus.
4. Disable RepairedJefferson (0A2281BC).
5. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5574, Events line 5638, Actions line 5702.

46. !!Lock/Reveal - 0C3F9CFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C3F995C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Reveal terrain around waypoint 98 (cell 81, 125).
3. Reveal terrain around waypoint 52 (cell 28, 71).
4. Reveal terrain around waypoint 50 (cell 87, 71).
5. Reveal terrain around waypoint 59 (cell 118, 87).
6. Reveal terrain around waypoint 65 (cell 120, 53).
7. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5575, Events line 5639, Actions line 5703.

47. ShockTroopIntro - 0A05DECC

Owner reference: Russian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A0461CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team ShockAttack-Intro (0C33ADCC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5576, Events line 5640, Actions line 5704.

48. StartProduction2 - 0861931C

Owner reference: Russian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0861ACBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 270 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type RUSSIAN2; placed owner Russian2 House).
2. AI triggers begin: owner selector 15 (country/type RUSSIAN2; placed owner Russian2 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5577, Events line 5641, Actions line 5705.

49. DestroyedJefferson - 086221CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RepairedJefferson (0A2281BC).

Attached scope: Jefferson Memorial (CAWASH14), owner Civilian1 House, cell (76, 124), tag 0A16C04C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set global flag 5.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5578, Events line 5642, Actions line 5706.

50. DestroyedLincoln - 086220DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RepairedLincoln (09B6C5BC).

Attached scope: Lincoln Memorial (CAWASH15), owner Civilian1 House, cell (25, 68), tag 09B6C42C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set global flag 4.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5579, Events line 5643, Actions line 5707.

51. DestroyedSmithCastle - 08621F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RepairedSmithCastle (0B779C1C).

Attached scope: Smithsonian Castle (CAWASH16), owner Civilian1 House, cell (114, 82), tag 0B779A1C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set global flag 7.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5580, Events line 5644, Actions line 5708.

52. DestroyedSmithsonian - 08621E4C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RepairedSmithsonian (0B77945C).

Attached scope: Smithsonian Natural History Museum (CAWASH17), owner Civilian1 House, cell (114, 49), tag 0B761ACC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set global flag 3.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5581, Events line 5645, Actions line 5709.

53. DestroyedWashMon - 08621D5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RepairedWash (09B6997C).

Attached scope: Washington Monument (CAWSH12), owner Civilian1 House, cell (85, 68), tag 09B6982C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set global flag 6.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5582, Events line 5646, Actions line 5710.

54. Russia2Hunt - 0A33D0DC

Owner reference: Russian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A34418C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type RUSSIAN2; placed owner Russian2 House).

Then perform these actions in order:

1. All change house: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5583, Events line 5647, Actions line 5711.

55. RevealBeacon - 0C224D4C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Sentry Gun (NALASR), owner Russian1 House, cell (80, 34), tag 0C23711C, persistence mode 0; Sentry Gun (NALASR), owner Russian1 House, cell (71, 34), tag 0C23711C, persistence mode 0; Invisible Red Light Post (INREDLMP), owner Civilian1 House, cell (76, 38), tag 0C23711C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 57 (cell 75, 34).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5584, Events line 5648, Actions line 5712.

56. Hint - Garrison pt1 - 0897F36C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: Mailbox (CAMISC04), owner Civilian1 House, cell (96, 125), tag 0897F28C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Arrows - Garrison (0897D9DC).

2. Enable and reset applicable timers for Hint - Garrison pt2 (0897EF3C).
3. Display message “HINT: Order GIs into nearby CIVILIAN BUILDINGS to fortify them.” (MISSION:All03m).
4. Reveal terrain around waypoint 60 (cell 89, 122).
5. Reveal terrain around waypoint 66 (cell 89, 119).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5585, Events line 5649, Actions line 5713.

57. Arrows - Garrison - 0897D9DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint - Garrison pt1 (0897F36C).

Attached scope: tag definitions 0897D44C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 471; location/duration field BI.
2. Play Anim At; main setting 471; location/duration field BO.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5586, Events line 5650, Actions line 5714.

58. Hint - Garrison pt2 - 0897EF3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint - Garrison pt1 (0897F36C).

Attached scope: tag definitions 0897ED3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 16 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Arrows - Garrison (0897D9DC).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5587, Events line 5651, Actions line 5715.

59. Hint - Hospital - 0C1C37CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian Hospital (CAHOSP), owner Civilian2 House, cell (119, 125), tag 0C1C342C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Send INFANTRY into the HOSPITAL to restore them to full health” (MISSION:All04h).
2. Reveal terrain around waypoint 70 (cell 122, 126).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5588, Events line 5652, Actions line 5716.

60. Hint-IFV -- pt2 - 08AA22AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08AA21CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Flash team FlashIFV1 (0AF2DAFC) with duration setting 50.
2. Flash team FlashIFV2 (0AF2930C) with duration setting 50.
3. Flash team FlashIFV3 (0AF2AEFC) with duration setting 50.
4. Play voice notification Unit_Eva_IFV.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5589, Events line 5653, Actions line 5717.

61. DamagedIFVSparks - 0AF78D3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF7891C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Particle Anim at; main setting 11; location/duration field BR.

Source locator: MAPS01.MIX/all03u.map; Triggers line 5590, Events line 5654, Actions line 5718.

62. Hint-IFV -- pt4 - 0AF7882C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF7874C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable DamagedIFVSparks (0AF78D3C).

Source locator: MAPS01.MIX/all03u.map; Triggers line 5591, Events line 5655, Actions line 5719.

All team rosters and ordered plans | All mission overrides

Operation: Hail to the Chief - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all03u.map; each team/script ID identifies its section.

ArmedHordes1 - 0B76EA4C

Owner: CivilianArmy. Roster: 5 × Technician (CTECH); 2 × Conscript (E2); 1 × Civilian (CIVC); 1 × Civilian (CIVSFM); 1 × Civilian (CIVSTM); 2 × Civilian (CIVA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Civs1AttackPlayer (0A14932C).

1. Move to waypoint: waypoint 55 (cell 125, 134).
2. Seek/attack target category; configured argument 1.

ArmedHordes2 - 0B76E59C

Owner: CivilianArmy. Roster: 5 × Technician (CTECH); 2 × Conscript (E2); 1 × Civilian (CIVC); 1 × Civilian (CIVSFM); 1 × Civilian (CIVSTM); 2 × Civilian (CIVA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Civs2AttackPlayer (0A1B0B7C).

1. Move to waypoint: waypoint 54 (cell 153, 101).
2. Seek/attack target category; configured argument 1.

ArmedHordes3 - 0A148DCC

Owner: CivilianArmy. Roster: 5 × Technician (CTECH); 2 × Conscript (E2); 1 × Civilian (CIVC); 1 × Civilian (CIVSFM); 1 × Civilian (CIVSTM); 2 × Civilian (CIVA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Civs3AttackPlayer (0A1BA57C).

1. Move to waypoint: waypoint 56 (cell 44, 103).
2. Seek/attack target category; configured argument 1.

*President - 0C4E57BC

Owner: Other1. Roster: 1 × President (PRES)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ExitWhiteHouse (0C4E554C).

1. Move to waypoint: waypoint 27 (cell 76, 19).
2. Set facing; configured argument 4.
3. Adopt object mission: guard.

*PresidentialHelicopter - 0ECAB6AC

Owner: Other1. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: HelicopterLand (0ECAB43C).

1. Move to waypoint: waypoint 7 (cell 75, 19).
2. Adopt object mission: stop.

EngineerBridgeRepair - 0B2A832C

Owner: Russian1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: RepairBridge (0B2B7DBC).

1. Move to waypoint: waypoint 53 (cell 96, 108).
2. Attack selected enemy-building category; configured argument 131102.

Hunters(Shock&Flak) - 0B63732C

Owner: Russian2. Roster: 6 × Tesla Trooper (SHK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackPartyHunt (0B72367C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

!Shock-TanksVS AirCommand - 0B2B743C

Owner: Russian1. Roster: 3 × Tesla Trooper (SHK); 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAirCom,Power (0B2B71CC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131177.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

!RhinoVSAny, BaseDef - 09F826CC

Owner: Russian1. Roster: 3 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Any,BaseDef (0988E6CC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 2.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

!Shock-TanksVS Barracks - 0B2B693C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK); 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBarracks,Fact,Any (0B2B66CC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131075.
3. Report team success.

4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!SmallShockAttack - 0B2B648C

Owner: Russian1. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Shock vs Anything (0B2B621C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.

!BaseDef1 - 0A950B7C

Owner: Russian1. Roster: 3 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

!BaseDef2 - 0A9506CC

Owner: Russian1. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

!BaseDef3 - 0A95048C

Owner: Russian1. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

!TanksVSBase - 0B0C380C

Owner: Russian1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,ConYard (0C4D648C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 36 (cell 109, 102).
3. Move to waypoint: waypoint 45 (cell 109, 121).
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131074.
7. Seek/attack target category; configured argument 2.

8. Seek/attack target category; configured argument 1.

!FlakAttack1 - 0B0C335C

Owner: Russian1. Roster: 3 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAnything(Trans) (0B2B4B7C).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Gather near enemy base; configured argument 0.
4. Approach selected enemy-building category; configured argument 131074.
5. Report team success.
6. Unload with continuation mode: transport and passengers continue.
7. Seek/attack target category; configured argument 1.

!TankAttack(SML) - 09F8FEFC

Owner: Russian1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Garr, Any (0B2B46CC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 10.
3. Report team success.
4. Seek/attack target category; configured argument 1.

GarrisonWash10 - 095F8A4C

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash10 (095F87DC).

1. Attack selected enemy-building category; configured argument 131188.

GarrisonWash11 - 0B740EFC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash11 (0B761DBC).

1. Attack selected enemy-building category; configured argument 131184.

GarrisonWash03 - 0B7618DC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash3 (0B76166C).

1. Attack selected enemy-building category; configured argument 131182.

GarrisonWash04 - 0B7614BC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash4 (0B76099C).

1. Attack selected enemy-building category; configured argument 131181.

GarrisonWash05 - 0B76074C

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash5 (0B76030C).

1. Attack selected enemy-building category; configured argument 131180.

GarrisonWash07 - 0B76019C

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash7 (0B76DC6C).

1. Attack selected enemy-building category; configured argument 131183.

GarrisonWash08 - 0B76D96C

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash8 (0B76D6FC).

1. Attack selected enemy-building category; configured argument 131192.

GarrisonWash09 - 0B76D4FC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash9 (0B76D28C).

1. Attack selected enemy-building category; configured argument 131187.

GarrisonNY26 - 0B77C6BC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY26 (0B77B8DC).

1. Attack selected enemy-building category; configured argument 131264.

GarrisonMiamiHotel3 - 0B77EBFC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrMiamiHotel3 (0B7789FC).

1. Attack selected enemy-building category; configured argument 131270.

GarrisonWashMon - 0BF3E7BC

Owner: Russian1. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWashMon (07F037BC).

1. Attack selected enemy-building category; configured argument 131185.

GarrisonLincolnMem - 07F06BDC

Owner: Russian1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrLincolnMem (07F0696C).

1. Attack selected enemy-building category; configured argument 131246.

*PresDuganAndHeli - 0B88567C

Owner: Other1. Roster: 1 × NightHawk Transport (SHAD); 1 × President (PRES); 2 × Secret Service (SSRV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: BoardHeli (07E6F42C).

1. Load transport.

TanksVSHosp&Garr - 0B0CE69C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackHosp-Garrisoned (0C4D0C8C).

1. Move to waypoint: waypoint 36 (cell 109, 102).
2. Move to waypoint: waypoint 45 (cell 109, 121).
3. Seek/attack target category; configured argument 11.
4. Report team success.
5. Seek/attack target category; configured argument 10.
6. Seek/attack target category; configured argument 1.

!BaseDef4 - 0A9558EC

Owner: Russian1. Roster: 5 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

AirDropSquad1 - 0B0CBDEC

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AirDropAttackAny (0B7FF7BC).

1. Seek/attack target category; configured argument 1.

!TankAttack(MED) - 09F8B6CC

Owner: Russian1. Roster: 4 × Rhino Heavy Tank (HTNK); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAny (0829239C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 2.

3. Report team success.
4. Seek/attack target category; configured argument 1.

!TankAttack(LRG) - 09F8DEFC

Owner: Russian1. Roster: 6 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAny (0829239C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 2.
3. Report team success.
4. Seek/attack target category; configured argument 1.

!Engineer/FlakAttack - 09F8ADEC

Owner: Russian1. Roster: 3 × Engineer (ENGINEER); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: EngAttackPower,Fact,Con,Any (09F8AB7C).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Move to waypoint: waypoint 36 (cell 109, 102).
4. Move to waypoint: waypoint 45 (cell 109, 121).
5. Approach selected enemy-building category; configured argument 2.
6. Report team success.
7. Unload with continuation mode: passengers continue; transport leaves team.
8. Seek/attack target category; configured argument 9.
9. Attack selected enemy-building category; configured argument 7.
10. Attack selected enemy-building category; configured argument 2.
11. Seek/attack target category; configured argument 2.

!FlakAttack2 - 08206EFC

Owner: Russian1. Roster: 4 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: FlakAttackInfantry (08206B7C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.

!AttackWash7Garr - 09F8A30C

Owner: Russian1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackWash7Garr (0B318C8C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131183.
4. Report team success.
5. Seek/attack target category; configured argument 2.

6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

AirDropSquad2 - 0C0B56AC

Owner: Russian1. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ShockAttackBaseDef (0C0B543C).

1. Move to waypoint: waypoint 25 (cell 104, 137).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 1.

AirDropSquad3 - 09DDDC3C

Owner: Russian1. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AirDropAttackAny (0B7FF7BC).

1. Seek/attack target category; configured argument 1.

ReinforcementsWest1 - 0B90BA4C

Owner: Player. Roster: 2 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: DriveOnWest (0B90B32C).

1. Move to waypoint: waypoint 48 (cell 47, 90).
2. Adopt object mission: area guard.

ReinforcementsEast - 0B90B59C

Owner: Player. Roster: 4 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: DriveOnEast (0B90B7DC).

1. Move to waypoint: waypoint 49 (cell 147, 90).
2. Adopt object mission: area guard.

*SecretService1 - 0C4EA7DC

Owner: Other1. Roster: 1 × Secret Service (SSRV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: MoveToBM (0C4EA56C).

1. Move to waypoint: waypoint 27 (cell 76, 19).
2. Set facing; configured argument 4.
3. Adopt object mission: guard.

*SecretService2 - 0C4EA32C

Owner: Other1. Roster: 1 × Secret Service (SSRV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: MoveToBL (0C4E9DBC).

1. Move to waypoint: waypoint 27 (cell 76, 19).

2. Set facing; configured argument 4.
3. Adopt object mission: guard.

!EngineerAttack - 0A2C624C

Owner: Russian2. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: EngineersAttack (085CFDBC).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.

ReinforcementsWest2 - 087606AC

Owner: Player. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: DriveOnWestTransport (0C18E1BC).

1. Move to waypoint: waypoint 44 (cell 31, 90).
2. Load transport.
3. Move to waypoint: waypoint 48 (cell 47, 90).
4. Adopt object mission: area guard.

!R2BaseDef1 - 087E855C

Owner: Russian2. Roster: 1 × Attack Dog (DOG); 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

!R2BaseDef2 - 087EDE9C

Owner: Russian2. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Base (0965C9DC).

1. Adopt object mission: area guard.
2. Report team success.

ShockAttack-Intro - 0C33ADCC

Owner: Russian2. Roster: 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: ShockIntro (086BC2CC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

!TankAttack(XTRA-SML) - 0862A03C

Owner: Russian2. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Russ2-AttackBaseDef,Any (0862BDBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!ShockAttack - 08633B7C

Owner: Russian2. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Russ2-AttackBaseDef,Any (0862BDBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!ConAttack - 0863390C

Owner: Russian2. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: R2ConAttack (0863369C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 36 (cell 109, 102).
3. Move to waypoint: waypoint 45 (cell 109, 121).
4. Seek/attack target category; configured argument 1.

!DogAttack - 086330CC

Owner: Russian2. Roster: 3 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: DogAttack (08634DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Adopt object mission: hunt.
4. Seek/attack target category; configured argument 4.

Hint(IFV/Engineer) - 0C15D3DC

Owner: Player. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: Hint(Engineer/IFV) (088868EC).

1. Load transport.
2. Attack waypoint: waypoint 69 (cell 85, 128).

Hint(IFV/GI) - 0C15D2AC

Owner: Player. Roster: 1 × IFV (FV); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: Hint(IFV/GI) (0C1AF5AC).

1. Load transport.

FlashIFV1 - 0AF2DAFC

Owner: Player. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: StayPut (0AF2963C).

1. Guard for interval; configured argument 10.

FlashIFV2 - 0AF2930C

Owner: Player. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: StayPut (0AF2963C).

1. Guard for interval; configured argument 10.

FlashIFV3 - 0AF2AEFC

Owner: Player. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: StayPut (0AF2963C).

1. Guard for interval; configured argument 10.

Operation: Hail to the Chief - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all03u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	2900,1600,1000	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	13
CRATERULES (CRATERULES)	Solo Crate Money	2000	16
War Miner (HARV)	Resource cargo capacity	20	19
Chrono Miner (CMIN)	Resource cargo capacity	10	22
TIBERIUMS (TIBERIUMS)	0	Riparius	25
TIBERIUMS (TIBERIUMS)	1	Cruentus	26
TIBERIUMS (TIBERIUMS)	2	Vinifera	27
TIBERIUMS (TIBERIUMS)	3	Aboreus	28
Tiberium Riparius (RIPARIUS)	Value	50	31
Tiberium Cruentus (CRUENTUS)	Value	100	34
Tiberium Vinifera (VINIFERA)	Value	50	37
Tiberium Aboreus (ABOREUS)	Value	50	40
SPECIALFLAGS	Tiberium Grows	yes	43
SPECIALFLAGS	Tiberium Spreads	yes	44
SPECIALFLAGS	Tiberium Explosive	no	45
SPECIALFLAGS	Destroyable Bridges	yes	46
SPECIALFLAGS	MCV Deploy	yes	47
SPECIALFLAGS	Initial Veteran	no	48
SPECIALFLAGS	Fixed Alliance	no	49
SPECIALFLAGS	Harvester Immune	no	50
SPECIALFLAGS	Fog Of War	no	51
SPECIALFLAGS	Inert	no	52
SPECIALFLAGS	Ion Storms	no	53
SPECIALFLAGS	Meteorites	no	54
SPECIALFLAGS	Visceroids	no	55
COUNTRIES (COUNTRIES)	0	Player	58
COUNTRIES (COUNTRIES)	1	Russian1	59
COUNTRIES (COUNTRIES)	2	Russian2	60
COUNTRIES (COUNTRIES)	3	CivilianArmy	61
COUNTRIES (COUNTRIES)	4	Civilian1	62

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	5	Other1	63
COUNTRIES (COUNTRIES)	6	Other2	64
COUNTRIES (COUNTRIES)	7	Civilian2	65
Engineer (SENGINEER)	Technology level	-1	145
Attack Dog (DOG)	Technology level	-1	148
Technician (CTECH)	Primary	Pistola	151
Technician (CTECH)	Insignificant-object flag	no	152
Technician (CTECH)	Ammo	50	153
Technician (CTECH)	Reload	80	154
Tesla Trooper (SHK)	Name	Shock Trooper	157
Tesla Trooper (SHK)	Technology level	3	158
Civilian (CIVA)	Name	Civilian Texan A	161
Civilian (CIVA)	Insignificant-object flag	no	162
Civilian (CIVB)	Name	Civilian Texan B	165
Civilian (CIVB)	Insignificant-object flag	no	166
Civilian (CIVC)	Name	Civilian Texan C	169
Civilian (CIVC)	Insignificant-object flag	no	170
Civilian (CIVSFM)	Name	Civilian Snow Fat Male	173
Civilian (CIVSFM)	Insignificant-object flag	no	174
Civilian (CIVSF)	Name	Civilian Snow Female	177
Civilian (CIVSF)	Insignificant-object flag	no	178
Civilian (CIVSTM)	Name	Civilian Snow Thin Male	181
Civilian (CIVSTM)	Insignificant-object flag	no	182
Secret Service (SSRV)	Name	Secret Service	185
Secret Service (SSRV)	Fraidycat	no	186
President (PRES)	Name	President	189
President (PRES)	Fraidycat	no	190
PISTOLA (PISTOLA)	Damage	7	193
PISTOLA (PISTOLA)	ROF	25	194
PISTOLA (PISTOLA)	Range	3	195
PISTOLA (PISTOLA)	Projectile	InvisibleLow	196
PISTOLA (PISTOLA)	Movement rating	100	197
PISTOLA (PISTOLA)	Warhead	SA	198
PISTOLA (PISTOLA)	Report	CivAttack	199
Psychic Beacon (NAPSYB)	Name	RA2 Psychic Beacon	202
Psychic Beacon (NAPSYB)	Starting health capacity	1000	203
Psychic Beacon (NAPSYB)	Armor class	wood	204
Psychic Beacon (NAPSYB)	Engineer-capture permission	false	205
Psychic Beacon (NAPSYB)	Crewed	no	206
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2400	209

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	210
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.40	211
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.40	212
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.15	213
Invisible Red Light Post (INREDLMP)	Local light reach	2400	216
Invisible Red Light Post (INREDLMP)	Local light intensity	0.02	217
Invisible Red Light Post (INREDLMP)	Light Red Tint	1.0	218
Invisible Red Light Post (INREDLMP)	Light Green Tint	0.40	219
Invisible Red Light Post (INREDLMP)	Light Blue Tint	0.20	220
Invisible Purple Light Post (INPURPLAMP)	Local light reach	1700	223
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.001	224
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.3	225
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.05	226
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.5	227
InvisibleSnowNightLamp (SNONITLAMP)	Name	InvisibleSnowNightLamp	230
InvisibleSnowNightLamp (SNONITLAMP)	Local light reach	1700	231
InvisibleSnowNightLamp (SNONITLAMP)	Local light intensity	0.01	232
InvisibleSnowNightLamp (SNONITLAMP)	Light Red Tint	0.15	233
InvisibleSnowNightLamp (SNONITLAMP)	Light Green Tint	0.25	234
InvisibleSnowNightLamp (SNONITLAMP)	Light Blue Tint	0.05	235
White House (CAWASH01)	Name	RA2 White House	238
White House (CAWASH01)	Crate Beneath	false	239
White House (CAWASH01)	Infantry garrison permitted	no	240
Washington Monument (CAWSH12)	Name	RA2 Washington Monument	243
Washington Monument (CAWSH12)	Crate Beneath	false	244
Jefferson Memorial (CAWASH14)	Crate Beneath	false	247
Lincoln Memorial (CAWASH15)	Crate Beneath	false	250
Smithsonian Castle (CAWASH16)	Crate Beneath	false	253
Smithsonian Natural History Museum (CAWASH17)	Name	RA2 Smithsonian Natural History Museum	256
Smithsonian Natural History Museum (CAWASH17)	Crate Beneath	false	257
Smithsonian Natural History Museum (CAWASH17)	Crate Beneath Is Money	true	258

Object/system	Property	Mission value	Source line
Smithsonian Natural History Museum (CAWASH17)	Infantry garrison permitted	no	259
Smithsonian Natural History Museum (CAWASH17)	Primary	none	260
Smithsonian Natural History Museum (CAWASH17)	Secondary	none	261
VARIABLENAMES (VARIABLENAMES)	0	Bridge1Open,1	302
VARIABLENAMES (VARIABLENAMES)	1	Bridge2Open,1	303
VARIABLENAMES (VARIABLENAMES)	2	Bridge3Open,1	304
VARIABLENAMES (VARIABLENAMES)	3	BackBridgeOpen,1	305
VARIABLENAMES (VARIABLENAMES)	4	IFVRepaired,0	306

Operation: Last Chance

Campaign reading guide | Engine

Operation: Last Chance

all04u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian1 House (96)
- Russian1 House (89)
- Player House (6)
- Russian3 House (5)
- Russian2 House (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAPSYA

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all04u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all04u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all04u.map. **Effective extracted member:** MAPS01.MIX/all04u.map. **Trigger definitions:** 85.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,110,70
Visible local rectangle	2,4,104,60
Placed vehicles	44
Placed infantry	29
Placed structures	127
Placed aircraft	0
Team templates	73

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	Russian1 House	200	Russian1
2	Russian2 House	100	Russian2
3	Cops House	100	Cops
4	Civilian1 House	0	Civilian1
5	Other1 House	10	Other1
6	Other2 House	20	Other2
7	Russian3 House	300	Russian3
8	CivilianTech House	0	CivilianTech
9	PlayerAlt House	0	PlayerAlt
10	PlayerAlt2 House	0	PlayerAlt2

Local state flags at initialization

Flag	Meaning label and initial value
0	Reactor1Taken,0
1	Reactor2Taken,0
2	Reactor3Taken,0
3	BridgeOpen,1
4	CopsArrived,0
5	mcvUnloaded,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerLoss2 (099359DC)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House). Destroyed, All: owner selector 22 (country/type PLAYERALT; placed owner PlayerAlt House). Destroyed, All: owner selector 23 (country/type PLAYERALT2; placed owner PlayerAlt2 House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
PlayerLoss1e (0BCE203C)	20 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
PlayerWin4 (DeclareWin) (0883C03C)	1 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
PlayerLoss3 (0BB8CADC)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. StartNavyEnters1 - 0993264C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09935ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team StartingDest1 (0B1B559C).
2. Create/recruit team StartingDest2 (0B1BE6AC).
3. Create/recruit team StartingDest3 (0B1BE30C).
4. Create/recruit team StartingDest4 (0B1BDC8C).
5. Create/recruit team StartingDest5 (0B1BD8EC).
6. Create/recruit team StartingDest6 (0B1BE1DC).
7. Reveal terrain around waypoint 98 (cell 142, 89).
8. Enable and reset applicable timers for StartNavyEnters3 (08556A2C).
9. Disable player input.
10. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6275, Events line 6362, Actions line 6449.

2. StartNavyEnters3 - 08556A2C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartNavyEnters1 (0993264C).

Attached scope: tag definitions 0855682C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Reinforcements have just arrived from our Canadian base” (MISSION:All04d).
2. Enable and reset applicable timers for StartNavyEnters4 (0B89027C).
3. Enable and reset applicable timers for PlayerLoss2 (099359DC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6276, Events line 6363, Actions line 6450.

3. StartNavyEnters4 - 0B89027C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartNavyEnters3 (08556A2C).

Attached scope: tag definitions 0B891F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Display message “Objective 1: Clear enemy shore defenses with your Destroyers, then land and establish a base” (MISSION:All04a).
3. Reveal terrain around waypoint 49 (cell 80, 124).
4. Reveal terrain around waypoint 50 (cell 80, 118).
5. Reveal terrain around waypoint 24 (cell 118, 116).
6. Reveal terrain around waypoint 8 (cell 117, 111).
7. Reveal terrain around waypoint 9 (cell 118, 106).
8. Create radar-event marker type 5 at waypoint 24 (cell 118, 116).
9. Create radar-event marker type 5 at waypoint 9 (cell 118, 106).
10. Enable and reset applicable timers for RestateObjective1 (0400805C).
11. Reveal terrain around waypoint 88 (cell 80, 130).
12. Reveal terrain around waypoint 89 (cell 80, 136).
13. Reveal terrain around waypoint 90 (cell 80, 111).
14. Reveal terrain around waypoint 91 (cell 80, 105).

15. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6277, Events line 6364, Actions line 6451.

4. PlayerLoss2 - 099359DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartNavyEnters3 (08556A2C).

Attached scope: tag definitions 099357DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Destroyed, All: owner selector 22 (country/type PLAYERALT; placed owner PlayerAlt House).
3. Destroyed, All: owner selector 23 (country/type PLAYERALT2; placed owner PlayerAlt2 House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6278, Events line 6365, Actions line 6452.

5. RestateObjective1 - 0400805C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartNavyEnters4 (0B89027C).

Attached scope: tag definitions 0400FDAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Establish a base” (MISSION:All04I).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6279, Events line 6366, Actions line 6453.

6. Hint -- Destroyer - 0DD18DFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DD1867C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play voice notification Unit_Eva_Destroyer.
2. Flash team StartingDest1 (0B1B559C) with duration setting 80.
3. Flash team StartingDest2 (0B1BE6AC) with duration setting 80.
4. Flash team StartingDest3 (0B1BE30C) with duration setting 80.
5. Flash team StartingDest4 (0B1BDC8C) with duration setting 80.
6. Flash team StartingDest5 (0B1BD8EC) with duration setting 80.
7. Flash team StartingDest6 (0B1BE1DC) with duration setting 80.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6280, Events line 6367, Actions line 6454.

7. DisplayObjective2 - 0908E13C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: tag definitions 09089E2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Soviet's Psychic Amplifier before it comes online” (MISSION:All04b).
2. Enable and reset applicable timers for StartEnemyProduction (09956E2C).
3. Enable and reset applicable timers for CountdownBegins (08004A1C).
4. Enable and reset applicable timers for RestateObjective2 (0BBB294C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6281, Events line 6368, Actions line 6455.

8. StartEnemyProduction - 09956E2C

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DisplayObjective2 (0908E13C).

Attached scope: tag definitions 0995683C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).
2. AI triggers begin: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6282, Events line 6369, Actions line 6456.

9. CountdownBegins - 08004A1C

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DisplayObjective2 (0908E13C).

Attached scope: tag definitions 08007B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 3000 configured time units.
2. Start the visible mission timer.
3. Use countdown label “Estimated time until Psychic Amplifier is online:” (MISSION:All04c).
4. Enable and reset applicable timers for PlayerLoss1a (09AA2F3C).
5. Enable and reset applicable timers for TimerWarn - 10min (0A42687C).
6. Enable and reset applicable timers for TimerWarn - 1min (0A426B6C).
7. Enable and reset applicable timers for TimerWarn - 2min (0A426F3C).
8. Enable and reset applicable timers for TimerWarn - 3min (0A42434C).
9. Enable and reset applicable timers for TimerWarn - 4min (0A42478C).
10. Enable and reset applicable timers for TimerWarn - 5min (0A424DDC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6283, Events line 6370, Actions line 6457.

10. RestateObjective2 - 0BBB294C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DisplayObjective2 (0908E13C).

Attached scope: tag definitions 0BBB286C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Psychic Amplifier before it comes online” (MISSION:All04g).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6284, Events line 6371, Actions line 6458.

11. PlayerLoss1a - 09AA2F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 09AA2B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Disable player input.
2. Jump the camera to waypoint 10 (cell 47, 84).
3. All change house: owner selector 18 (country/type OTHER1; placed owner Other1 House).
4. Enable and reset applicable timers for PlayerLoss1c (0BC6390C).
5. Disable PlayerLoss2 (099359DC).
6. Supply reinforcement team HackCivilianForEnding (0867773C) at waypoint 67 (cell 34, 91).
7. Play sound CameraSwitch.
8. Ion Storm start; main setting 200000.
9. Enable and reset applicable timers for PlayerLoss1b (0A89A31C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6285, Events line 6372, Actions line 6459.

12. TimerWarn - 10min - 0A42687C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A42667C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2400 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_10MinutesRemaining.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6286, Events line 6373, Actions line 6460.

13. TimerWarn - 1min - 0A426B6C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A42696C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2940 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_1MinuteRemaining.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6287, Events line 6374, Actions line 6461.

14. TimerWarn - 2min - 0A426F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A426C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2880 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_2MinutesRemaining.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6288, Events line 6375, Actions line 6462.

15. TimerWarn - 3min - 0A42434C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A42414C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2820 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_3MinutesRemaining.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6289, Events line 6376, Actions line 6463.

16. TimerWarn - 4min - 0A42478C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A42443C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2760 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_4MinutesRemaining.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6290, Events line 6377, Actions line 6464.

17. TimerWarn - 5min - 0A424DDC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CountdownBegins (08004A1C).

Attached scope: tag definitions 0A42487C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2700 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_5MinutesRemaining.
2. Reveal terrain around waypoint 10 (cell 47, 84).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6291, Events line 6378, Actions line 6465.

18. PlayerLoss1c - 0BC6390C

Owner reference: Russian3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerLoss1a (09AA2F3C).

Attached scope: tag definitions 0BCD704C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 19 (country/type OTHER2; placed owner Other2 House).
2. Enable and reset applicable timers for PlayerLoss1d (0BCDE03C).
3. All change house: owner selector 15 (country/type RUSSIAN2; placed owner Russian2 House).
4. Play sound PowerOn at waypoint 10 (cell 47, 84).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6292, Events line 6379, Actions line 6466.

19. PlayerLoss1b - 0A89A31C

Owner reference: PlayerAlt. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerLoss1a (09AA2F3C).

Attached scope: tag definitions 0A89A23C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6293, Events line 6380, Actions line 6467.

20. PlayerLoss1d - 0BCDE03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerLoss1c (0BC6390C).

Attached scope: tag definitions 0BCDC04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for PlayerLoss1e (0BCE203C).
3. Fire Sale: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6294, Events line 6381, Actions line 6468.

21. PlayerLoss1e - 0BCE203C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerLoss1d (0BCDE03C).

Attached scope: tag definitions 0BCF199C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6295, Events line 6382, Actions line 6469.

22. BringInTransports - 079D905C

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: tag definitions 079DB99C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team EnemySubs (0C1CC67C).
2. Supply reinforcement team Reinforce1-Trans (0C1A3C8C).
3. Supply reinforcement team Reinforce2-Trans (0C1A37DC).
4. Supply reinforcement team Reinforce3-Trans (0C1A343C).
5. Supply reinforcement team Reinforce4-Trans (0C1A4C8C).
6. Enable and reset applicable timers for PingTextTransports (07E84E9C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6296, Events line 6383, Actions line 6470.

23. PingTextTransports - 07E84E9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BringInTransports (079D905C).

Attached scope: tag definitions 07E84BEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 22 (cell 142, 92).
2. Display message “More reinforcements have just arrived from across Lake Michigan” (MISSION:All04e).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6297, Events line 6384, Actions line 6471.

24. AmplifierDestroyed - 099353FC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Amplifier (NAPSYA), owner Russian2 House, cell (43, 82), tag 0993531C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Move the camera to waypoint 10 (cell 47, 84) with speed setting 4.
2. Enable and reset applicable timers for PlayerWin3 (Siren) (09AA188C).
3. Disable RestateObjective2 (0BBB294C).
4. Disable PlayerLoss1a (09AA2F3C).
5. Disable PlayerLoss2 (099359DC).
6. Play sound CameraSwitch.
7. Stop the visible mission timer.
8. Make ally: owner selector 13 (country/type PLAYER; placed owner Player House).
9. Disable player input.
10. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
11. Play voice notification EVA_PrimaryObjectiveAchieved.
12. Enable and reset applicable timers for PlayerWin2 (NukeBuilds) (0BC6598C).
13. Play in-game movie 107.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6298, Events line 6385, Actions line 6472.

25. PlayerWin3 (Siren) - 09AA188C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AmplifierDestroyed (099353FC).

Attached scope: tag definitions 09AA14EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 76 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlayerWin4 (DeclareWin) (0883C03C).
2. Play sound AirRaidSiren at waypoint 80 (cell 53, 97).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6299, Events line 6386, Actions line 6473.

26. PlayerWin2 (NukeBuilds) - 0BC6598C

Owner reference: Russian3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AmplifierDestroyed (099353FC).

Attached scope: tag definitions 0BC658AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 20 (country/type RUSSIAN3; placed owner Russian3 House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6300, Events line 6387, Actions line 6474.

27. PlayerWin4 (DeclareWin) - 0883C03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerWin3 (Siren) (09AA188C).

Attached scope: tag definitions 0886B15C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6301, Events line 6388, Actions line 6475.

28. RussianPatrols - 0A6E492C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A6EC04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Patrol1 (0C51EC8C).
2. Supply reinforcement team Patrol2 (0C51E7DC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6302, Events line 6389, Actions line 6476.

29. CreateNewPatrol3 - 080F7A2C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080F5B5C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team Patrol3 (0C51E43C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6303, Events line 6390, Actions line 6477.

30. CheckBridge - 099535DC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BridgeRepaired (0995783C).

Attached scope: 1 tagged map cells: (53, 84); tag 0995344C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team EngineerBridge (0C6A76DC).
2. Disable CheckBridge (099535DC).
3. Enable and reset applicable timers for BridgeEngDied (0C35F45C).
4. Clear local flag 3 (BridgeOpen).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6304, Events line 6391, Actions line 6478.

31. BridgeEngDied - 0C35F45C

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CheckBridge (099535DC).

Attached scope: tag definitions 0C35F04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.
2. local flag 3 (BridgeOpen) is clear.

Flag writers in this mission: clear local flag 3 (BridgeOpen) at CheckBridge (099535DC); set local flag 3 (BridgeOpen) at BridgeRepaired (0995783C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team EngineerBridge (0C6A76DC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6305, Events line 6392, Actions line 6479.

32. BridgeRepaired - 0995783C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Civilian1 House, cell (50, 91), tag 0995763C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Enable and reset applicable timers for CheckBridge (099535DC).
2. Set local flag 3 (BridgeOpen).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6306, Events line 6393, Actions line 6480.

33. EnemySubReinforce - 086AB56C

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: tag definitions 086A8DDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team SubReinforcments (086ABBFC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6307, Events line 6394, Actions line 6481.

34. RuskySellConYard - 0C4092AC

Owner reference: Russian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Enable and reset applicable timers for RuskySellRefinery (0878081C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6308, Events line 6395, Actions line 6482.

35. RuskySellRefinery - 0878081C

Owner reference: Russian2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from RuskySellConYard (0C4092AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6309, Events line 6396, Actions line 6483.

36. PlayerCapturedAirport - 0802F68C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Airport (CAAIRP), owner CivilianTech House, cell (86, 55), tag 0802F48C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team !DestroyAirport (087F2A4C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6310, Events line 6397, Actions line 6484.

37. Garrison1 - 07F3BCFC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F3B7BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Garrison2 (07F3B68C) at waypoint 14 (cell 32, 96).
2. Supply reinforcement team Garrison2 (07F3B68C) at waypoint 78 (cell 25, 112).
3. Supply reinforcement team Garrison8 (0949D97C) at waypoint 12 (cell 59, 67).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6311, Events line 6398, Actions line 6485.

38. Garrison2 - 07F3BE6C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F3CBBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Garrison1 (09868EFC) at waypoint 82 (cell 36, 125).
2. Supply reinforcement team Garrison6 (094B663C) at waypoint 14 (cell 32, 96).
3. Supply reinforcement team Garrison3 (098685EC) at waypoint 54 (cell 38, 96).
4. Supply reinforcement team Garrison4 (094B207C) at waypoint 15 (cell 48, 97).
5. Supply reinforcement team Garrison6 (094B663C) at waypoint 25 (cell 62, 97).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6312, Events line 6399, Actions line 6486.

39. Garrison3 - 094B7C1C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093D3F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Garrison7 (094B59EC) at waypoint 15 (cell 48, 97).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6313, Events line 6400, Actions line 6487.

40. AllRussianHunt - 0980097C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0980068C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type RUSSIAN1; placed owner Russian1 House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6314, Events line 6401, Actions line 6488.

41. AmbientSounds1 - 0790369C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079030AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 23 (cell 112, 20).
2. Play sound _Amb_OceanLight at waypoint 29 (cell 131, 46).
3. Play sound _Amb_OceanLight at waypoint 30 (cell 130, 65).
4. Play sound _Amb_OceanLight at waypoint 31 (cell 108, 74).
5. Play sound _Amb_OceanLight at waypoint 32 (cell 131, 102).
6. Play sound _Amb_OceanLight at waypoint 33 (cell 90, 139).
7. Play sound _Amb_OceanLight at waypoint 34 (cell 93, 125).
8. Play sound _Amb_OceanLight at waypoint 35 (cell 95, 108).
9. Play sound _Amb_OceanLight at waypoint 36 (cell 102, 92).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6315, Events line 6402, Actions line 6489.

42. AmbientSounds2 - 07906B3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0790693C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 37 (cell 142, 55).
2. Play sound _Amb_BirdsPark at waypoint 38 (cell 65, 160).
3. Play sound _Amb_BirdsPark at waypoint 39 (cell 72, 143).
4. Play sound _Amb_BirdsPark at waypoint 41 (cell 82, 96).
5. Play sound _Amb_BirdsTemperate1 at waypoint 40 (cell 85, 87).
6. Play sound _Amb_BirdsHarbor at waypoint 42 (cell 106, 68).
7. Play sound _Amb_UrbanMurmur1 at waypoint 43 (cell 68, 53).
8. Play sound _Amb_UrbanMurmur1 at waypoint 44 (cell 21, 127).
9. Play sound _Amb_UrbanMurmur2 at waypoint 45 (cell 40, 147).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6316, Events line 6403, Actions line 6490.

43. RuskySellShipyard - 03FADDFC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Soviet Shipyard (NAYARD), owner Russian1 House, cell (87, 120), tag 03FAD46C, persistence mode 0.

Wait for the recorded events:

1. Half health (combat only). See attached-object/cell scope below.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6317, Events line 6404, Actions line 6491.

44. RuskySellPower1 - 03FAED1C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Quarter health (combat only). See attached-object/cell scope below.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6318, Events line 6405, Actions line 6492.

45. RuskySellPower2 - 03FAE58C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Quarter health (combat only). See attached-object/cell scope below.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6319, Events line 6406, Actions line 6493.

46. RuskySellPower3 - 03FAE1AC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Quarter health (combat only). See attached-object/cell scope below.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6320, Events line 6407, Actions line 6494.

47. ConYdBuilt-Obj2Movie - 0854A38C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0854BE1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 106.
2. Enable and reset applicable timers for DisplayObjective2 (0908E13C).
3. Enable and reset applicable timers for EnemySubReinforce (086AB56C).
4. Enable and reset applicable timers for RuskySellConYard (0C4092AC).
5. Enable and reset applicable timers for BringInTransports (079D905C).
6. Disable RestateObjective1 (0400805C).
7. Disable PlayerLoss3 (0BB8CADC).
8. Enable and reset applicable timers for Obj1CompleteSpeech (0F874D0C).
9. Enable and reset applicable timers for ChangePlayerAlt2House (0D2D687C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6321, Events line 6408, Actions line 6495.

48. PlayerLoss3 - 0BB8CADC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB8C9FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6322, Events line 6409, Actions line 6496.

49. Obj1CompleteSpeech - 0F874D0C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: tag definitions 0F87493C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6323, Events line 6410, Actions line 6497.

50. ChangePlayerAlt2House - 0D2D687C

Owner reference: PlayerAlt2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ConYdBuilt-Obj2Movie (0854A38C).

Attached scope: tag definitions 0D2D679C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6324, Events line 6411, Actions line 6498.

51. MonkeyForce5 - 03FFD78C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: McBurger Kong (CAMSC10), owner Civilian1 House, cell (62, 63), tag 03FFBF4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team MonkeyForce5 (0C1A48EC) at waypoint 3 (cell 65, 62).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6325, Events line 6412, Actions line 6499.

52. PlayerCap-Disable1 - 085A4B1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RuskySellPower1 (03FAED1C).

Attached scope: Tesla Reactor (NAPOWR), owner Russian1 House, cell (79, 118), tag 03FAE76C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable RuskySellPower1 (03FAED1C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6326, Events line 6413, Actions line 6500.

53. PlayerCap-Disable2 - 085A3D6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RuskySellPower2 (03FAE58C).

Attached scope: Tesla Reactor (NAPOWR), owner Russian1 House, cell (79, 115), tag 03FAE38C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable RuskySellPower2 (03FAE58C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6327, Events line 6414, Actions line 6501.

54. PlayerCap-Disable3 - 085A28FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RuskySellPower3 (03FAE1AC).

Attached scope: Tesla Reactor (NAPOWR), owner Russian1 House, cell (79, 112), tag 03FAFF4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable RuskySellPower3 (03FAE1AC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6328, Events line 6415, Actions line 6502.

55. ConYardCaptured - 0860F28C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RuskySellConYard (0C4092AC).

Attached scope: Soviet Construction Yard (NACNST), owner Russian1 House, cell (70, 114), tag 0C40911C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Destroy current instances of RuskySellConYard (0C4092AC).
2. Destroy current instances of RuskySellRefinery (0878081C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6329, Events line 6416, Actions line 6503.

56. GarrByBase - Easy - 086D2AEC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 086D6BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrNY18Easy (086D29BC) at waypoint 7 (cell 42, 103).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6330, Events line 6417, Actions line 6504.

57. GarrByBase - Med - 086D06DC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087E4D5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrNY18Medium (08762EFC) at waypoint 7 (cell 42, 103).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6331, Events line 6418, Actions line 6505.

58. GarrByBase - Hard - 087F44CC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0880261C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GarrNY18Hard (086E876C) at waypoint 7 (cell 42, 103).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6332, Events line 6419, Actions line 6506.

59. BringInDestroyers1 - 07E8F8CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team EnemySubs (0C1CC67C).
2. Supply reinforcement team Reinforce5-Dest (0D57225C).
3. Supply reinforcement team Reinforce6-Dest (0D57212C).
4. Supply reinforcement team Reinforce7-Dest (0D571EFC).
5. Supply reinforcement team Reinforce8-Dest (0D571DCC).
6. Enable and reset applicable timers for PingTextDestroyers (07E8F09C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6333, Events line 6420, Actions line 6507.

60. PingTextDestroyers - 07E8F09C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BringInDestroyers1 (07E8F8CC); enable from BringInDestroyers2 (0B910C3C).

Attached scope: tag definitions 0866F28C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 22 (cell 142, 92).
2. Display message “More reinforcements have just arrived from across Lake Michigan” (MISSION:All04e).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6334, Events line 6421, Actions line 6508.

61. BringInRocketeers - 0A56660C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Flak Cannon (NAFLAK), owner Russian1 House, cell (55, 95), tag 0A56652C, persistence mode 0; Flak Cannon (NAFLAK), owner Russian1 House, cell (57, 76), tag 0A56652C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Reinforce9-Rocketeers (0D571C9C).
2. Enable and reset applicable timers for PingTextRocketeers (0A57B3DC).
3. Supply reinforcement team ShockBridgeGuards (0BA2932C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6335, Events line 6422, Actions line 6509.

62. PingTextRocketeers - 0A57B3DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BringInRocketeers (0A56660C).

Attached scope: tag definitions 0A57BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 28 (cell 87, 53).
2. Display message “Reinforcements have just arrived from our Canadian base” (MISSION:All04d).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6336, Events line 6423, Actions line 6510.

63. Hint-Garrison - 08777F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Chicago Associates Center (CACHIG04), owner Civilian1 House, cell (49, 94), tag 087772AC, persistence mode 0; Building (CACHIG03), owner Civilian1 House, cell (48, 107), tag 087772AC, persistence mode 0; Building (CACHIG03), owner Civilian1 House, cell (48, 145), tag 087772AC, persistence mode 0; Building (CANWY22), owner Civilian1 House, cell (61, 69), tag 087772AC, persistence mode 0; Building (CANEWY18), owner Civilian1 House, cell (49, 127), tag 087772AC, persistence mode 0; Building (CATEXS05), owner Civilian1 House, cell (49, 133), tag 087772AC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: AIR UNITS are very effective for assaults on Soviet-occupied civilian structures” (MISSION:All04k).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6337, Events line 6424, Actions line 6511.

64. TriggeredByAir - 0A965CFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team CopCar1 (0446F20C).
2. Supply reinforcement team CopCar2 (08CD76AC).
3. Supply reinforcement team CopCar3 (08CD730C).
4. Destroy current instances of TriggeredByGround (0E4B05BC).
5. Destroy current instances of TriggeredByGroundAlt (0E4B1F3C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6338, Events line 6425, Actions line 6512.

65. TriggeredByGround - 0E4B05BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TriggeredByAir (0A965CFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team CopCar1 (0446F20C).
2. Supply reinforcement team CopCar2 (08CD76AC).

3. Supply reinforcement team CopCar3 (08CD730C).
4. Destroy current instances of TriggeredByAir (0A965CFC).
5. Destroy current instances of TriggeredByGroundAlt (0E4B1F3C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6339, Events line 6426, Actions line 6513.

66. TriggeredByGroundAlt - 0E4B1F3C

Owner reference: PlayerAlt2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TriggeredByGround (0E4B05BC).

Attached scope: Tesla Trooper (SHK), owner Russian3 House, cell (60, 127), tag 08780B4C, persistence mode 0; Tesla Trooper (SHK), owner Russian3 House, cell (59, 126), tag 08780B4C, persistence mode 0; Tesla Trooper (SHK), owner Russian3 House, cell (60, 125), tag 08780B4C, persistence mode 0; 2 tagged map cells: (72, 122), (73, 122); tag 08780B4C, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 23 (country/type PLAYERALT2; placed owner PlayerAlt2 House).

Then perform these actions in order:

1. Supply reinforcement team CopCar1 (0446F20C).
2. Supply reinforcement team CopCar2 (08CD76AC).
3. Supply reinforcement team CopCar3 (08CD730C).
4. Destroy current instances of TriggeredByAir (0A965CFC).
5. Destroy current instances of TriggeredByGround (0E4B05BC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6340, Events line 6427, Actions line 6514.

67. CopCarSetpiece2 - 0868D03C

Owner reference: Russian3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0868904C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (CopsArrived) is set.

Then perform these actions in order:

1. Create/recruit team CopKillers (08CD6EFC).
2. Make enemy: owner selector 16 (country/type COPS; placed owner Cops House).
3. Reveal terrain around waypoint 62 (cell 62, 126).
4. All to Hunt: owner selector 20 (country/type RUSSIAN3; placed owner Russian3 House).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6341, Events line 6428, Actions line 6515.

68. BringInDestroyers2 - 0B910C3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BringInDestroyers1 (07E8F8CC).

Attached scope: Soviet Construction Yard (NACNST), owner Russian1 House, cell (38, 107), tag 07E8F69C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team EnemySubs (0C1CC67C).
2. Supply reinforcement team Reinforce5-Dest (0D57225C).
3. Supply reinforcement team Reinforce6-Dest (0D57212C).
4. Supply reinforcement team Reinforce7-Dest (0D571EFC).
5. Supply reinforcement team Reinforce8-Dest (0D571DCC).
6. Enable and reset applicable timers for PingTextDestroyers (07E8F09C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6342, Events line 6429, Actions line 6516.

69. TankAttackGar1 - 0BC2B68C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY06), owner Civilian1 House, cell (48, 122), tag 0BC2B14C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team TankAttackWSO (0BC2A80C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6343, Events line 6430, Actions line 6517.

70. TankAttackGar2 - 0BC2DB3C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CATEXS03), owner Civilian1 House, cell (48, 119), tag 0BC2D93C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team TankAttackSAO (0BC2A11C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6344, Events line 6431, Actions line 6518.

71. TankAttackGar3 - 0BC2AD8C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANWY23), owner Civilian1 House, cell (48, 117), tag 0BC28F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team TankAttackNY23 (0BC2CA5C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6345, Events line 6432, Actions line 6519.

72. TankAttackGar4 - 0BC28DDC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CACHIG02), owner Civilian1 House, cell (49, 114), tag 0BC288FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team TankAttackChigoBrick2 (0BC2F4FC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6346, Events line 6433, Actions line 6520.

73. Crate - WaterTreatment - 0C032E5C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Office Building (CATEXS08), owner Civilian1 House, cell (122, 31), tag 0C0322DC, persistence mode 0; Office Building (CATEXS08), owner Civilian1 House, cell (122, 34), tag 0C0322DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 71 (cell 118, 33).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6347, Events line 6434, Actions line 6521.

74. StartingDestroyersDead - Easy - 089C433C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: Destroyer (DEST), owner Player House, cell (155, 92), tag 089C749C, persistence mode 1; Destroyer (DEST), owner Player House, cell (156, 91), tag 089C749C, persistence mode 1; Destroyer (DEST), owner Player House, cell (157, 90), tag 089C749C, persistence mode 1; Destroyer (DEST), owner Player House, cell (158, 89), tag 089C749C, persistence mode 1; Destroyer (DEST), owner Player House, cell (159, 88), tag 089C749C, persistence mode 1; Destroyer (DEST), owner Player House, cell (160, 87), tag 089C749C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team StartingDest1 (0B1B559C).
2. Supply reinforcement team StartingDest2 (0B1BE6AC).
3. Supply reinforcement team StartingDest3 (0B1BE30C).
4. Supply reinforcement team StartingDest4 (0B1BDC8C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6348, Events line 6435, Actions line 6522.

75. RefineryCaptured - 0AFED8FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RuskySellRefinery (0878081C).

Attached scope: Soviet Ore Refinery (NAREFN), owner Russian1 House, cell (66, 110), tag 0878039C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Destroy current instances of RuskySellRefinery (0878081C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6349, Events line 6436, Actions line 6523.

76. GenerateSubs - HARD - 088202EC

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0882008C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team SpawnedSubs (08821D2C) at waypoint 92 (cell 98, 122).
2. Supply reinforcement team SpawnedSubs (08821D2C) at waypoint 93 (cell 102, 106).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6350, Events line 6437, Actions line 6524.

77. GenerateSubs - MED - 08821F3C

Owner reference: Russian1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08821E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team SpawnedSubs (08821D2C) at waypoint 93 (cell 102, 106).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6351, Events line 6438, Actions line 6525.

78. StartRocketeers - EASY - 0AFB803C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AFC104C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team StartingRocket(L) - EASY (044699CC) at waypoint 18 (cell 155, 89).
2. Supply reinforcement team StartingRocket(R) - EASY (0D57E67C) at waypoint 18 (cell 155, 89).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6352, Events line 6439, Actions line 6526.

79. StartRocketeers - MED - 087DFC8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087DF73C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team StartingRocket(L) - MED (0D57DC8C) at waypoint 18 (cell 155, 89).
2. Supply reinforcement team StartingRocket(R) - MED (0D57D7DC) at waypoint 18 (cell 155, 89).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6353, Events line 6440, Actions line 6527.

80. StartRocketeers - HARD - 087DBCCC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087DBACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team StartingRocket - HARD (0D57D43C) at waypoint 18 (cell 155, 89).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6354, Events line 6441, Actions line 6528.

81. GrabMCV - 0F3EB96C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0F3EB2FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team PlayerMCV (0B1C230C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6355, Events line 6442, Actions line 6529.

82. Hint-MCV - 0F3EB20C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0F3EEF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (mcvUnloaded) is set.

Then perform these actions in order:

1. Flash team PlayerMCV (0B1C230C) with duration setting 80.
2. Disable GrabMCV (0F3EB96C).
3. Display message “Deploy your Mobile Construction Vehicle into a Construction Yard” (MISSION:All04m).
4. Enable and reset applicable timers for Hint-MCV2 (0AEB7A4C).
5. Disable PlayerLoss3 (0BB8CADC).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6356, Events line 6443, Actions line 6530.

83. Hint-MCV2 - 0AEB7A4C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint-MCV (0F3EB20C).

Attached scope: tag definitions 0AEB796C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) PlayerMCV (0B1C230C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6357, Events line 6444, Actions line 6531.

84. SearsCaptured - 08953EAC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Sears Tower (CACHIG05), owner Civilian1 House, cell (16, 114), tag 08953A0C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal the whole map.

Source locator: MAPS01.MIX/all04u.map; Triggers line 6358, Events line 6445, Actions line 6532.

85. StartNavyEnters2 - 0B0D117C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0D71FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team StartingForce1 (0A6A8B3C).
2. Supply reinforcement team StartingForce2 (0D592A4C).
3. Supply reinforcement team StartingForce3 (0D59259C).
4. Supply reinforcement team StartingForce4 (0D59946C).

Source locator: MAPS01.MIX/all04u.map; Triggers line 6359, Events line 6446, Actions line 6533.

All team rosters and ordered plans | All mission overrides

Operation: Last Chance - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all04u.map; each team/script ID identifies its section.

StartingForce1 - 0A6A8B3C

Owner: Player. Roster: 1 × Allied Construction Vehicle (AMCV); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: LC1EnterMap (03FCD2DC).

1. Move to waypoint: waypoint 0 (cell 142, 88).
2. Set facing; configured argument 6.

StartingDest1 - 0B1B559C

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: Dest1EnterMap (0FB64B7C).

1. Move to waypoint: waypoint 16 (cell 138, 92).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

StartingForce2 - 0D592A4C

Owner: PlayerAlt2. Roster: 1 × Grizzly Battle Tank (MTNK); 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: LC2EnterMap (07FB8A1C).

1. Move to waypoint: waypoint 21 (cell 142, 90).
2. Set facing; configured argument 6.

StartingForce3 - 0D59259C

Owner: PlayerAlt2. Roster: 1 × Grizzly Battle Tank (MTNK); 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: LC3EnterMap (07FB86AC).

1. Move to waypoint: waypoint 22 (cell 142, 92).
2. Set facing; configured argument 6.

Patrol1 - 0C51EC8C

Owner: Russian1. Roster: 3 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Patrol1 (0A6E13BC).

1. Move to waypoint: waypoint 78 (cell 25, 112).
2. Move to waypoint: waypoint 79 (cell 53, 112).
3. Guard for interval; configured argument 50.
4. Move to waypoint: waypoint 80 (cell 53, 97).

5. Move to waypoint: waypoint 81 (cell 36, 97).
6. Move to waypoint: waypoint 82 (cell 36, 125).
7. Move to waypoint: waypoint 83 (cell 25, 125).
8. Jump to script line; configured argument 1.

Patrol2 - 0C51E7DC

Owner: Russian1. Roster: 3 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Patrol2 (0A6EF21C).

1. Move to waypoint: waypoint 84 (cell 77, 97).
2. Guard for interval; configured argument 30.
3. Move to waypoint: waypoint 80 (cell 53, 97).
4. Move to waypoint: waypoint 85 (cell 53, 138).
5. Set facing; configured argument 2.
6. Guard for interval; configured argument 30.
7. Move to waypoint: waypoint 86 (cell 36, 138).
8. Move to waypoint: waypoint 81 (cell 36, 97).
9. Jump to script line; configured argument 3.

Patrol3 - 0C51E43C

Owner: Russian1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Patrol3 (0993412C).

1. Move to waypoint: waypoint 78 (cell 25, 112).
2. Move to waypoint: waypoint 79 (cell 53, 112).
3. Move to waypoint: waypoint 80 (cell 53, 97).
4. Move to waypoint: waypoint 84 (cell 77, 97).
5. Move to waypoint: waypoint 87 (cell 77, 138).
6. Move to waypoint: waypoint 86 (cell 36, 138).
7. Move to waypoint: waypoint 82 (cell 36, 125).
8. Move to waypoint: waypoint 83 (cell 25, 125).
9. Jump to script line; configured argument 1.

BaseDef1 - 095657DC

Owner: Russian1. Roster: 3 × Conscript (E2); 1 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: GuardBase (09056DBC).

1. Adopt object mission: area guard.

BaseDef2 - 0956532C

Owner: Russian1. Roster: 3 × Conscript (E2); 1 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: GuardBase (09056DBC).

1. Adopt object mission: area guard.

BaseDef3 - 095651FC

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 40; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: GuardBase (09056DBC).

1. Adopt object mission: area guard.

EngineerBridge - 0C6A76DC

Owner: Russian1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: RepairBridge (0995370C).

1. Attack selected enemy-building category; configured argument 131102.

!Attack01 - 0C6A733C

Owner: Russian1. Roster: 6 × Conscript (E2); 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackRefine,Harv,Any (07FC64FC).

1. Attack selected enemy-building category; configured argument 1.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

!Attack02 - 087F632C

Owner: Russian1. Roster: 3 × Flak Track (HTK); 6 × Conscript (E2); 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackInf,Any (07FC78AC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

!Attack03 - 093B990C

Owner: Russian1. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,Veh,ConYard (07FCFDBC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 5.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

!Attack04 - 0C6A821C

Owner: Russian1. Roster: 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackPower,BaseDef,Fact,Any (0C6A9DBC).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

!V3Escort - 0800769C

Owner: Russian1. Roster: 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: GuardV3s (0800514C).

1. Follow friendly objects.
2. Report team success.

!SubAttack - 0C1C0B7C

Owner: Russian1. Roster: 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackNavyYard,Veh,Any (0800030C).

1. Attack selected enemy-building category; configured argument 23.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

!Attack05 - 0B21321C

Owner: Russian1. Roster: 7 × Conscript (E2); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackPower,BaseDef,Fact,Any (0C6A9DBC).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

!Attack06 - 0B215DEC

Owner: Russian1. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,Fact,Any (07DD071C).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

!Attack07 - 080070BC

Owner: Russian1. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,Any (08005DBC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!DestroyAirport - 087F2A4C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: DestroyAirport (087F4DBC).

1. Gather near own base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131142.
3. Attack selected enemy-building category; configured argument 131141.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Garrison1 - 09868EFC

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY18 (09868ABC).

1. Attack selected enemy-building category; configured argument 131241.

Garrison2 - 07F3B68C

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY11 (07F3CDBC).

1. Attack selected enemy-building category; configured argument 131234.

Garrison3 - 098685EC

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY23 (0986837C).

1. Attack selected enemy-building category; configured argument 131261.

StartingDest2 - 0B1BE6AC

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Dest2EnterMap (0FBDEB4C).

1. Move to waypoint: waypoint 1 (cell 138, 90).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

StartingDest3 - 0B1BE30C

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: Dest3EnterMap (0FBDE7AC).

1. Move to waypoint: waypoint 17 (cell 138, 88).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

StartingDest4 - 0B1BDC8C

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: Dest4EnterMap (0FBDE40C).

1. Move to waypoint: waypoint 19 (cell 138, 86).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

StartingDest5 - 0B1BD8EC

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Dest5EnterMap (0FBDADBC).

1. Move to waypoint: waypoint 20 (cell 138, 84).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

Garrison4 - 094B207C

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY10 (094B55BC).

1. Attack selected enemy-building category; configured argument 131233.

Garrison5 - 094B53AC

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY26 (094B683C).

1. Attack selected enemy-building category; configured argument 131264.

Garrison6 - 094B663C

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrChicagoBrick(S) (094B36FC).

1. Attack selected enemy-building category; configured argument 131275.

Garrison7 - 094B59EC

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrAssociatesCtr (094B7DBC).

1. Attack selected enemy-building category; configured argument 131269.

EnemySubs - 0C1CC67C

Owner: Russian1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: SubHunt (0B082DBC).

1. Attack-move toward waypoint: waypoint 8 (cell 117, 111).
2. Guard for interval; configured argument 20.
3. Adopt object mission: hunt.

Garrison8 - 0949D97C

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY22 (0949D70C).

1. Attack selected enemy-building category; configured argument 131260.

!Attack08 - 07F3887C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAnything (07F3D8FC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.

!Attack09 - 07F3D58C

Owner: Russian1. Roster: 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAnything (07F3D8FC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.

StartingForce4 - 0D59946C

Owner: PlayerAlt2. Roster: 1 × Grizzly Battle Tank (MTNK); 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: LC4EnterMap (0B08F18C).

1. Move to waypoint: waypoint 46 (cell 142, 86).
2. Set facing; configured argument 6.

StartingDest6 - 0B1BE1DC

Owner: Player. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BU.

Ordered plan: Dest6EnterMap (0FBDD6AC).

1. Move to waypoint: waypoint 47 (cell 138, 94).
2. Set facing; configured argument 6.
3. Guard for interval; configured argument 160.

Reinforce1-Trans - 0C1A3C8C

Owner: Player. Roster: 1 × Amphibious Transport (LCRF); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce1 (0A3D4A1C).

1. Move to waypoint: waypoint 1 (cell 138, 90).
2. Move to waypoint: waypoint 56 (cell 90, 127).
3. Set facing; configured argument 6.

Reinforce2-Trans - 0C1A37DC

Owner: Player. Roster: 1 × Grizzly Battle Tank (MTNK); 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce2 (09B5043C).

1. Move to waypoint: waypoint 16 (cell 138, 92).
2. Move to waypoint: waypoint 57 (cell 90, 129).
3. Set facing; configured argument 6.

Reinforce3-Trans - 0C1A343C

Owner: Player. Roster: 1 × Amphibious Transport (LCRF); 4 × GI (E1); 1 × Grizzly Battle Tank (MTNK); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce3 (09B54C8C).

1. Move to waypoint: waypoint 47 (cell 138, 94).
2. Move to waypoint: waypoint 58 (cell 90, 131).
3. Set facing; configured argument 6.

Reinforce4-Trans - 0C1A4C8C

Owner: Player. Roster: 1 × Grizzly Battle Tank (MTNK); 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce4 (0A3D3B7C).

1. Move to waypoint: waypoint 22 (cell 142, 92).
2. Move to waypoint: waypoint 59 (cell 90, 133).

3. Set facing; configured argument 6.

MonkeyForce5 - 0C1A48EC

Owner: Player. Roster: 5 × Monkey (JOSH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GuardBase (09056DBC).

1. Adopt object mission: area guard.

SubReinforcments - 086ABBFC

Owner: Russian1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: SubReinforce (086AB98C).

1. Move to waypoint: waypoint 26 (cell 140, 48).
2. Adopt object mission: area guard.

V3HintTeam - 086068EC

Owner: Russian1. Roster: 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: GuardBase (09056DBC).

1. Adopt object mission: area guard.

!Attack10 - 0F99246C

Owner: Russian1. Roster: 1 × Rhino Heavy Tank (HTNK); 1 × V3 Launcher (V3); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,Fact,Any (07DD071C).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

!SubAttack(Easy) - 0BA2739C

Owner: Russian1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackNavyYard,Veh,Any (0800030C).

1. Attack selected enemy-building category; configured argument 23.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

!Engineers4SovConYard - 0BA2712C

Owner: Russian1. Roster: 1 × Engineer (SENGINEER); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: RetakeConYard (0428ABBC).

1. Move to waypoint: waypoint 78 (cell 25, 112).
2. Load transport.
3. Approach selected enemy-building category; configured argument 131097.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Attack selected enemy-building category; configured argument 131097.

GarrNY18Easy - 086D29BC

Owner: Russian1. Roster: 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY18 (09868ABC).

1. Attack selected enemy-building category; configured argument 131241.

GarrNY18Medium - 08762EFC

Owner: Russian1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY18 (09868ABC).

1. Attack selected enemy-building category; configured argument 131241.

GarrNY18Hard - 086E876C

Owner: Russian1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY18 (09868ABC).

1. Attack selected enemy-building category; configured argument 131241.

Reinforce5-Dest - 0D57225C

Owner: PlayerAlt2. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce1 (0A3D4A1C).

1. Move to waypoint: waypoint 1 (cell 138, 90).
2. Move to waypoint: waypoint 56 (cell 90, 127).
3. Set facing; configured argument 6.

Reinforce6-Dest - 0D57212C

Owner: PlayerAlt2. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce2 (09B5043C).

1. Move to waypoint: waypoint 16 (cell 138, 92).
2. Move to waypoint: waypoint 57 (cell 90, 129).
3. Set facing; configured argument 6.

Reinforce7-Dest - 0D571EFC

Owner: PlayerAlt2. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce3 (09B54C8C).

1. Move to waypoint: waypoint 47 (cell 138, 94).
2. Move to waypoint: waypoint 58 (cell 90, 131).
3. Set facing; configured argument 6.

Reinforce8-Dest - 0D571DCC

Owner: PlayerAlt2. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforce4 (0A3D3B7C).

1. Move to waypoint: waypoint 22 (cell 142, 92).
2. Move to waypoint: waypoint 59 (cell 90, 133).
3. Set facing; configured argument 6.

Reinforce9-Rocketeers - 0D571C9C

Owner: PlayerAlt2. Roster: 10 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AZ.

Ordered plan: ReinforceRocketeers (0A147DBC).

1. Move to waypoint: waypoint 28 (cell 87, 53).
2. Adopt object mission: guard.

ShockBridgeGuards - 0BA2932C

Owner: Russian1. Roster: 5 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: MoveToBridge (0A56CDBC).

1. Move to waypoint: waypoint 55 (cell 53, 90).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

CopCar1 - 0446F20C

Owner: Cops. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Cop1 (0446C27C).

1. Move to waypoint: waypoint 62 (cell 62, 126).
2. Set local flag: local flag 4 (CopsArrived).
3. Seek/attack target category; configured argument 4.

CopKillers - 08CD6EFC

Owner: Russian3. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: KillCopCars (0DDC1A1C).

1. Seek/attack target category; configured argument 5.
2. Adopt object mission: guard.

TankAttackWSO - 0BC2A80C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: AttackWallStrOffice (0BC2A59C).

1. Move to waypoint: waypoint 80 (cell 53, 97).
2. Move to waypoint: waypoint 63 (cell 54, 123).
3. Attack selected enemy-building category; configured argument 131226.

TankAttackSAO - 0BC2A11C

Owner: Russian1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: AttackSanAntOffice (0BC2CDBC).

1. Move to waypoint: waypoint 80 (cell 53, 97).
2. Move to waypoint: waypoint 64 (cell 54, 120).
3. Attack selected enemy-building category; configured argument 131265.

TankAttackNY23 - 0BC2CA5C

Owner: Russian1. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: TankAttackNY23 (0BC2F73C).

1. Move to waypoint: waypoint 80 (cell 53, 97).
2. Move to waypoint: waypoint 64 (cell 54, 120).
3. Attack selected enemy-building category; configured argument 131261.

TankAttackChigoBrick2 - 0BC2F4FC

Owner: Russian1. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: AttackChigoBrickVar2 (0BC2BDBC).

1. Move to waypoint: waypoint 80 (cell 53, 97).
2. Move to waypoint: waypoint 65 (cell 54, 116).
3. Attack selected enemy-building category; configured argument 131276.

HackCivilianForEnding - 0867773C

Owner: Other2. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BeAsleep (0867D49C).

1. Adopt object mission: sleep.

CopCar2 - 08CD76AC

Owner: Cops. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Cop2 (08CD743C).

1. Move to waypoint: waypoint 62 (cell 62, 126).

2. Seek/attack target category; configured argument 4.

CopCar3 - 08CD730C

Owner: Cops. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Cop3 (08CD709C).

1. Move to waypoint: waypoint 62 (cell 62, 126).
2. Seek/attack target category; configured argument 4.

SpawnedSubs - 08821D2C

Owner: Russian1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: SpawnAndGuard (08821ABC).

1. Set facing; configured argument 6.
2. Adopt object mission: area guard.

StartingRocket(R) - EASY - 0D57E67C

Owner: PlayerAlt2. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StartRktRightEasy (0D4E0A1C).

1. Move to waypoint: waypoint 19 (cell 138, 86).
2. Guard for interval; configured argument 10.
3. Move to waypoint: waypoint 94 (cell 124, 102).
4. Attack selected enemy-building category; configured argument 131136.

StartingRocket(L) - EASY - 044699CC

Owner: PlayerAlt2. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StartRktLeftEasy (0446975C).

1. Move to waypoint: waypoint 16 (cell 138, 92).
2. Guard for interval; configured argument 10.
3. Move to waypoint: waypoint 95 (cell 124, 114).
4. Move to waypoint: waypoint 24 (cell 118, 116).
5. Attack selected enemy-building category; configured argument 131136.

StartingRocket(L) - MED - 0D57DC8C

Owner: PlayerAlt2. Roster: 2 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StartRktLeftMed (087D87CC).

1. Move to waypoint: waypoint 16 (cell 138, 92).
2. Move to waypoint: waypoint 95 (cell 124, 114).

StartingRocket(R) - MED - 0D57D7DC

Owner: PlayerAlt2. Roster: 2 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StartRktRightMed (087DFDBC).

1. Move to waypoint: waypoint 19 (cell 138, 86).
2. Move to waypoint: waypoint 94 (cell 124, 102).

StartingRocket - HARD - 0D57D43C

Owner: PlayerAlt2. Roster: 2 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StartRktHard (087DBDBC).

1. Move to waypoint: waypoint 17 (cell 138, 88).

PlayerMCV - 0B1C230C

Owner: Player. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: MCVUnloaded (0E323B4C).

1. Set local flag: local flag 5 (mcvUnloaded).
2. Guard for interval; configured argument 5.

Operation: Last Chance - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all04u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	3000,2000,1000	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Deferment	1	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Damage	1	15
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Storm Duration	200	16
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Warhead	IonWH	17
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Hit Delay	40000	18
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Scatter Delay	40000	19
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Cell Spread	1	20
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Print Text	no	21
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Ion Storms	no	22
AUDIOVISUAL (AUDIOVISUAL)	Storm Sound	ChronoLegionAttack	25
AUDIOVISUAL (AUDIOVISUAL)	Lightning Sounds	ChronoLegionAttack	26
Weather Storm (LIGHTNINGSTORMSPECIAL)	UI Name	Name:Storm	29
Weather Storm (LIGHTNINGSTORMSPECIAL)	Name	Lightning Storm	30
Weather Storm (LIGHTNINGSTORMSPECIAL)	Is Powered	true	31
Weather Storm (LIGHTNINGSTORMSPECIAL)	Recharge Time	10	32
Weather Storm (LIGHTNINGSTORMSPECIAL)	Type	LightningStorm	33
Weather Storm (LIGHTNINGSTORMSPECIAL)	Action	LightningStorm	34
Weather Storm (LIGHTNINGSTORMSPECIAL)	Sidebar Image	BOLTICON	35
Weather Storm (LIGHTNINGSTORMSPECIAL)	Show Timer	no	36

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	39
Chrono Miner (CMIN)	Resource cargo capacity	10	42
TIBERIUMS (TIBERIUMS)	0	Riparius	45
TIBERIUMS (TIBERIUMS)	1	Cruentus	46
TIBERIUMS (TIBERIUMS)	2	Vinifera	47
TIBERIUMS (TIBERIUMS)	3	Aboreus	48
Tiberium Riparius (RIPARIUS)	Value	50	51
Tiberium Cruentus (CRUENTUS)	Value	100	54
Tiberium Vinifera (VINIFERA)	Value	50	57
Tiberium Aboreus (ABOREUS)	Value	50	60
SPECIALFLAGS	Tiberium Grows	no	63
SPECIALFLAGS	Tiberium Spreads	yes	64
SPECIALFLAGS	Tiberium Explosive	no	65
SPECIALFLAGS	Destroyable Bridges	yes	66
SPECIALFLAGS	MCV Deploy	no	67
SPECIALFLAGS	Initial Veteran	no	68
SPECIALFLAGS	Fixed Alliance	no	69
SPECIALFLAGS	Harvester Immune	no	70
SPECIALFLAGS	Fog Of War	no	71
SPECIALFLAGS	Inert	no	72
SPECIALFLAGS	Ion Storms	no	73
SPECIALFLAGS	Meteorites	no	74
SPECIALFLAGS	Visceroids	no	75
COUNTRIES (COUNTRIES)	0	Player	78
COUNTRIES (COUNTRIES)	1	Russian1	79
COUNTRIES (COUNTRIES)	2	Russian2	80
COUNTRIES (COUNTRIES)	3	Cops	81
COUNTRIES (COUNTRIES)	4	Civilian1	82
COUNTRIES (COUNTRIES)	5	Other1	83
COUNTRIES (COUNTRIES)	6	Other2	84
COUNTRIES (COUNTRIES)	7	Russian3	85
COUNTRIES (COUNTRIES)	8	CivilianTech	86
COUNTRIES (COUNTRIES)	9	PlayerAlt	87
COUNTRIES (COUNTRIES)	10	PlayerAlt2	88
Psychic Amplifier (NAPSYA)	Name	RA2 Psychic Amplifier	198
Psychic Amplifier (NAPSYA)	Engineer-capture permission	false	199
Psychic Amplifier (NAPSYA)	Working Sound	PsychicAmplifierLoop	200
Psychic Amplifier (NAPSYA)	Ambient Sound	Dummy	201
Grand Cannon (GTGCAN)	Name	Grand Cannon	204
Grand Cannon (GTGCAN)	Starting health capacity	1200	205
Grand Cannon (GTGCAN)	Armor class	wood	206

Object/system	Property	Mission value	Source line
Grand Cannon (GTGCAN)	Sight radius setting	9	207
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Damage	100	210
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	ROF	150	211
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Range	15	212
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Minimum Range	3	213
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Projectile	GrandCannonBall	214
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Movement rating	1	215
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Report	GrandCannonAttack	216
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Bright	yes	217
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Warhead	GrandCannonWH	218
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Anim	GCMUZZLE	219
Nuclear Missile Silo (NAMISL)	Charged Anim Time	9.7	222
Nuclear Missile Silo (NAMISL)	Signed power contribution	0	223
Nuclear Missile Silo (NAMISL)	Price in credits	5	224
Nuclear Missile (MULTISPECIAL)	Name	N U K E !!!	227
Nuclear Missile (MULTISPECIAL)	Show Timer	no	228
Sears Tower (CACHIG05)	Name	RA2 Chicago Sears Tower	231
Sears Tower (CACHIG05)	Whole-map reveal service	no	232
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3000	235
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	236
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.40	237
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.40	238
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.15	239
Invisible Purple Light Post (INPURPLAMP)	Local light reach	1800	242
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.001	243
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.3	244
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.05	245
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.5	246
Allied Repair Depot (GADEPT)	Name	Allied Service Depot	249
Allied Repair Depot (GADEPT)	Technology level	-1	250

Object/system	Property	Mission value	Source line
Police Car (COP)	Name	RA2 Pig	253
Police Car (COP)	Starting health capacity	20	254
Police Car (COP)	Primary	Pistola	255
Police Car (COP)	Movement rating	10	256
Police Car (COP)	Can crush through ordinary crushing logic	no	257
Police Car (COP)	Turret	no	258
Police Car (COP)	Insignificant-object flag	no	259
Police Car (COP)	Ambient Sound	PoliceSirenLoop	260
PISTOLA (PISTOLA)	Damage	5	263
PISTOLA (PISTOLA)	ROF	20	264
PISTOLA (PISTOLA)	Range	4	265
PISTOLA (PISTOLA)	Projectile	InvisibleLow	266
PISTOLA (PISTOLA)	Movement rating	100	267
PISTOLA (PISTOLA)	Warhead	SA	268
PISTOLA (PISTOLA)	Report	CivAttack	269
Engineer (SENGINEER)	Technology level	-1	272
Attack Dog (DOG)	Technology level	-1	275
Tesla Trooper (SHK)	Name	Shock Trooper	278
Tesla Trooper (SHK)	Technology level	4	279
Civilian (CIVBFM)	Name	Civilian Beach Fat Male	282
Civilian (CIVBFM)	Insignificant-object flag	no	283
Civilian (CIVBFM)	Image	BeInvisibleHack	284
VARIABLENAMES (VARIABLENAMES)	0	Reactor1Taken,0	325
VARIABLENAMES (VARIABLENAMES)	1	Reactor2Taken,0	326
VARIABLENAMES (VARIABLENAMES)	2	Reactor3Taken,0	327
VARIABLENAMES (VARIABLENAMES)	3	BridgeOpen,1	328
VARIABLENAMES (VARIABLENAMES)	4	CopsArrived,0	329
VARIABLENAMES (VARIABLENAMES)	5	mcvUnloaded,0	330

Operation: Dark Night

Campaign reading guide | Engine

Operation: Dark Night

all05s.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- RedTeam House (131)
- Civilians House (41)
- OrangeTeam House (36)
- YellowTeam House (35)
- Mr. Neutral House (18)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL
2. TANY

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all05s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all05s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all05s.map. **Effective extracted member:** MAPS01.MIX/all05s.map. **Trigger definitions:** 128.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,50,130
Visible local rectangle	2,53,45,71
Placed vehicles	5
Placed infantry	91
Placed structures	171
Placed aircraft	0
Team templates	42

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Tanya House	0	Tanya
1	Spies House	0	Spies
2	Engineers House	100	Engineers
3	RedTeam House	100	RedTeam
4	Reinforcement House	0	Reinforcements
5	YellowTeam House	100	YellowTeam
6	OrangeTeam House	100	OrangeTeam
7	Rebels House	0	Rebels
8	Civilians House	0	Civilians
9	Player House	100	Player
10	Mr. Neutral House	0	Mr. Neutral

Local state flags at initialization

Flag	Meaning label and initial value
0	Nuke1Complete,0
1	Nuke 2 Complete,0
2	BattleLab Infiltrat,0
3	Tesla 1 Activated,0
4	Tesla 2 Activated,0
5	Nuke1Captured,0
6	Nuke 2 Captured,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Mission Failed (07474A30)	4 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 22 (country/type PLAYER; placed owner Player House) the loser.
Victory 2 (09F98660)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 22 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. BattleLab Entered 2 - 06B41DA0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BattleLab Entered (0A19C0CC).

Attached scope: tag definitions 0A1918EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 2 (BattleLab Infiltrat).
2. Play sound MessageText.

3. Disable Objective 1 (074734A0).
4. Enable and reset applicable timers for Objective 1 Complete (03E8CADC).
5. Play voice notification Mis_A5_EvaMapEnlarging.
6. Display message “Silo coordinates acquired successfully - Enlarging map size to compensate” (MISSION:All05p).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6102, Events line 6232, Actions line 6362.

2. Objective 1 - 074734A0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 1 Given (0747E330).

Attached scope: tag definitions 07477C80 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Infiltrate the Soviet Battle Lab with a Spy” (MISSION:All05a).
3. Create radar-event marker type 1 at waypoint 11 (cell 101, 95).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6103, Events line 6233, Actions line 6363.

3. Objective 1 Complete - 03E8CADC

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BattleLab Entered 2 (06B41DA0).

Attached scope: tag definitions 03E8C0EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Secondary Objective Complete” (MISSION:All01J).
2. Play voice notification EVA_SecondaryObjectiveAchieved.
3. Play sound MessageText.
4. Enable and reset applicable timers for Objective 1 Complete b (0B577F3C).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6104, Events line 6234, Actions line 6364.

4. Objective 1 Complete b - 0B577F3C

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 1 Complete (03E8CADC).

Attached scope: tag definitions 0B57793C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 2 Given (098CFF60).
2. Enable and reset applicable timers for Resize Player View (07479F60).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6105, Events line 6235, Actions line 6365.

5. Objective 2 Given - 098CFF60

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 1 Complete b (0B577F3C).

Attached scope: tag definitions 098CBB70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 23 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 2 (098CEB70).
2. Display message “Objective 2: Eliminate the two Soviet Nuclear Missile Silos” (MISSION:All05b).
3. Play sound MessageText.
4. Create radar-event marker type 1 at waypoint 9 (cell 66, 41).
5. Create radar-event marker type 1 at waypoint 10 (cell 59, 66).
6. Enable and reset applicable timers for Objective 2b (09C205E0).
7. Enable and reset applicable timers for Objective 2c (09C20090).
8. Enable and reset applicable timers for Enable Yellow Patrols (07CE5F60).
9. Enable and reset applicable timers for Enable Orange Patrols (086E46D0).
10. Reveal terrain around waypoint 9 (cell 66, 41).
11. Reveal terrain around waypoint 10 (cell 59, 66).
12. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6106, Events line 6236, Actions line 6366.

6. Resize Player View - 07479F60

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 1 Complete b (0B577F3C).

Attached scope: tag definitions 0747EF70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 2, parameter 2: 4, parameter 3: 45, parameter 4: 120.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6107, Events line 6237, Actions line 6367.

7. Objective 2 - 098CEB70

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 Given (098CFF60).

Attached scope: tag definitions 098C9E70 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Eliminate the two Soviet Nuclear Missile Silos” (MISSION:All05b).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6108, Events line 6238, Actions line 6368.

8. Objective 2b - 09C205E0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 Given (098CFF60).

Attached scope: tag definitions 09C20150 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 9 (cell 66, 41).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6109, Events line 6239, Actions line 6369.

9. Objective 2c - 09C20090

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 Given (098CFF60).

Attached scope: tag definitions 09C21D30 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 10 (cell 59, 66).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6110, Events line 6240, Actions line 6370.

10. Enable Yellow Patrols - 07CE5F60

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 Given (098CFF60).

Attached scope: tag definitions 07CE7350 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Yellow Patrol 1 (07D01310).
2. Enable and reset applicable timers for Yellow Patrol 2 (06F87F60).
3. Enable and reset applicable timers for Yellow Patrol 3 (07CA1DC0).
4. Enable and reset applicable timers for Yellow Patrol 4 (07CE4030).
5. Enable and reset applicable timers for Yellow Patrol 5 (07CE0B60).
6. Enable and reset applicable timers for Yellow Patrol 6 (07CE0350).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6111, Events line 6241, Actions line 6371.

11. Enable Orange Patrols - 086E46D0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 Given (098CFF60).

Attached scope: tag definitions 086E6EF0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Orange Patrol 2 (087DF160).
2. Enable and reset applicable timers for Orange Patrol 3 (087DACF0).
3. Enable and reset applicable timers for Orange Patrol 4 (087DAAA0).
4. Enable and reset applicable timers for Orange Patrol 5 (087DA850).
5. Enable and reset applicable timers for Orange Patrol 6 (087DA600).
6. Enable and reset applicable timers for Orange Patrol 7 (087DA1A0).
7. Enable and reset applicable timers for Orange Patrol 8 (087DBEB0).
8. Enable and reset applicable timers for Orange Patrol 9 (087DBAB0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6112, Events line 6242, Actions line 6372.

12. Yellow Patrol 1 - 07D01310

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 07D02470 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 1 (070290C0) at waypoint 45 (cell 69, 44).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6113, Events line 6243, Actions line 6373.

13. Yellow Patrol 2 - 06F87F60

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 06F85910 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 2 (07CECF30) at waypoint 56 (cell 62, 36).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6114, Events line 6244, Actions line 6374.

14. Yellow Patrol 3 - 07CA1DC0

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 07CA6F70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 3 (07CEFC70) at waypoint 49 (cell 66, 31).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6115, Events line 6245, Actions line 6375.

15. Yellow Patrol 4 - 07CE4030

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 07CE0C20 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 4 (07CE9E80) at waypoint 52 (cell 75, 35).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6116, Events line 6246, Actions line 6376.

16. Yellow Patrol 5 - 07CE0B60

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 07CE2C80 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 5 (07CEA3C0) at waypoint 53 (cell 72, 43).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6117, Events line 6247, Actions line 6377.

17. Yellow Patrol 6 - 07CE0350

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yellow Patrols (07CE5F60).

Attached scope: tag definitions 07CE01C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yellow Patrol 6 (06F85F30) at waypoint 60 (cell 84, 59).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6118, Events line 6248, Actions line 6378.

18. Orange Patrol 2 - 087DF160

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DAF70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 2 (087DFB40) at waypoint 75 (cell 59, 61).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6119, Events line 6249, Actions line 6379.

19. Orange Patrol 3 - 087DACF0

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DAB60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 3 (087DFA50) at waypoint 77 (cell 47, 69).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6120, Events line 6250, Actions line 6380.

20. Orange Patrol 4 - 087DAAA0

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DA910 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 4 (087DF960) at waypoint 79 (cell 42, 65).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6121, Events line 6251, Actions line 6381.

21. Orange Patrol 5 - 087DA850

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DA6C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 5 (087D9CE0) at waypoint 81 (cell 29, 48).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6122, Events line 6252, Actions line 6382.

22. Orange Patrol 6 - 087DA600

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DA260 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 6 (087D9BF0) at waypoint 83 (cell 36, 69).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6123, Events line 6253, Actions line 6383.

23. Orange Patrol 7 - 087DA1A0

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DBF70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 7 (087D9B00) at waypoint 85 (cell 47, 80).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6124, Events line 6254, Actions line 6384.

24. Orange Patrol 8 - 087DBEB0

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DBB70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 8 (087D9F30) at waypoint 89 (cell 38, 61).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6125, Events line 6255, Actions line 6385.

25. Orange Patrol 9 - 087DBAB0

Owner reference: OrangeTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Orange Patrols (086E46D0).

Attached scope: tag definitions 087DB980 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Orange Patrol 9 (087D9E40) at waypoint 93 (cell 24, 50).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6126, Events line 6256, Actions line 6386.

26. BattleLab Destroyed - 07476A30

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “The Battle Lab has been destroyed - CRITICAL STRUCTURE LOST” (MISSION:All05l).
2. Enable and reset applicable timers for Mission Failed (07474A30).
3. Play sound MessageText.
4. Play voice notification Mis_A5_EvaBattleLabDestroyed.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6127, Events line 6257, Actions line 6387.

27. Mission Failed - 07474A30

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BattleLab Destroyed (07476A30); enable from Tanya Dies 2 (08FEB83C).

Attached scope: tag definitions 07474740 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 22 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6128, Events line 6258, Actions line 6388.

28. Nuke 1 Entered - 078F7090

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke 1 Destroyed (07914350).

Attached scope: Nuclear Missile Silo (NAMISL), owner YellowTeam House, cell (65, 40), tag 07910D30, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Set local flag 5 (Nuke1Captured).
2. Disable Objective 2b (09C205E0).
3. All to Hunt: owner selector 18 (country/type YELLOWTEAM; placed owner YellowTeam House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6129, Events line 6259, Actions line 6389.

29. Nuke 1 Destroyed - 07914350

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 0 (Nuke1Complete).
2. Disable Objective 2b (09C205E0).
3. All to Hunt: owner selector 18 (country/type YELLOWTEAM; placed owner YellowTeam House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6130, Events line 6260, Actions line 6390.

30. Objective 1 Given - 0747E330

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Helicopter Lands (078E70A0).

Attached scope: tag definitions 0747B3F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 73 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Infiltrate the Soviet Battle Lab with a Spy” (MISSION:All05a).

3. Create radar-event marker type 1 at waypoint 11 (cell 101, 95).
4. Enable and reset applicable timers for Objective 1 (074734A0).
5. Reveal terrain around waypoint 11 (cell 101, 95).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6131, Events line 6261, Actions line 6391.

31. Tanya Dies - 08836B30

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Tanya Dies (080906B0).

Attached scope: tag definitions 088361A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Tanya has died - CRITICAL UNIT LOST” (MISSION:All05k).
2. Play sound MessageText.
3. Enable and reset applicable timers for Tanya Dies 2 (08FEB83C).
4. Play voice notification Mis_A1_EvaTanyaDeath.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6132, Events line 6262, Actions line 6392.

32. Tanya Dies 2 - 08FEB83C

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya Dies (08836B30).

Attached scope: tag definitions 08FE93EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_CriticalUnitLost.
2. Enable and reset applicable timers for Mission Failed (07474A30).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6133, Events line 6263, Actions line 6393.

33. Red Patrol 1 - 06B4B050

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B4C800 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 1 (082ABA4C) at waypoint 2 (cell 127, 141).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6134, Events line 6264, Actions line 6394.

34. Red Patrol 2 - 06B5F920

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B5D930 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 2 (0A55348C) at waypoint 14 (cell 106, 83).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6135, Events line 6265, Actions line 6395.

35. Tesla Coil Spotted 1 - 06B5A430

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (97, 110), tag 06B5A0F0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 18 (cell 97, 110).
2. Create radar-event marker type 5 at waypoint 18 (cell 97, 110).
3. Play sound WarningAlarm.
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6136, Events line 6266, Actions line 6396.

36. Tesla Coil Spotted 2 - 06B74F60

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (107, 110), tag 06B74C00, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 19 (cell 107, 110).
2. Create radar-event marker type 5 at waypoint 19 (cell 107, 110).
3. Play sound WarningAlarm.
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6137, Events line 6267, Actions line 6397.

37. Hint: Power Plant 1 - 06B731F0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Hint:Power 1 (0824AC2C); enable from Enable Hint:Power1b (08249B4C); enable from Enable Hint:Power1c (0824989C); enable from Enable Hint:Power1d (0824965C).

Attached scope: Tesla Reactor (NAPOWR), owner RedTeam House, cell (104, 102), tag 06B73790, persistence mode 0; Tesla Reactor (NAPOWR), owner RedTeam House, cell (98, 102), tag 06B73790, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 16 (cell 98, 101).
2. Reveal terrain around waypoint 22 (cell 104, 101).
3. Play voice notification Mis_A5_EvaSpyHint.
4. Create radar-event marker type 1 at waypoint 16 (cell 98, 101).
5. Create radar-event marker type 1 at waypoint 22 (cell 104, 101).
6. Destroy current instances of Enable Hint:Power2a (0BEEAA2C).
7. Display message “HINT: Send a SPY into a TESLA REACTOR to shut down all base defenses” (MISSION:All05o).
8. Play sound MessageText.
9. Destroy current instances of Enable Hint:Power2b (0BEEA3FC).
10. Destroy current instances of Enable Hint:Power2c (0BEEA1EC).
11. Destroy current instances of Enable Hint:Power2d (0BEEBF3C).
12. Destroy current instances of Hint: Power Plant 2 (0B5855E0).
13. Enable and reset applicable timers for Anim: Power Plants (0433F0DC).
14. Enable and reset applicable timers for Anim: Power Plants 2 (0433F61C).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6138, Events line 6268, Actions line 6398.

38. Enable Hint:Power2a - 0BEEAA2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 2 (0B5855E0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6139, Events line 6269, Actions line 6399.

39. Enable Hint:Power2b - 0BEEA3FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power2a (0BEEAA2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type TANYA; placed owner Tanya House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 2 (0B5855E0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6140, Events line 6270, Actions line 6400.

40. Enable Hint:Power2c - 0BEEA1EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power2b (0BEEA3FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 2 (0B5855E0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6141, Events line 6271, Actions line 6401.

41. Enable Hint:Power2d - 0BEEBF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power2c (0BEEA1EC).

Attached scope: 31 tagged map cells: (100, 80), (101, 80), (95, 81), (96, 81), (97, 81), (98, 81), (99, 81), (100, 81), (101, 81), (102, 81), (103, 81), (104, 81), (105, 81), (106, 81), (95, 82), (106, 82), (95, 83), (106, 83), (95, 84), (106, 84), (95, 85), (106, 85), (92, 86), (94, 86), (95, 86), (107, 86), (108, 86), (109, 86), (110, 86), (111, 86), (112, 86); tag 0BEEA4EC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type REBELS; placed owner Rebels House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 2 (0B5855E0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6142, Events line 6272, Actions line 6402.

42. Hint: Power Plant 2 - 0B5855E0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Hint:Power2a (0BEEAA2C); enable from Enable Hint:Power2b (0BEEA3FC); enable from Enable Hint:Power2c (0BEEA1EC); enable from Enable Hint:Power2d (0BEEBF3C).

Attached scope: Tesla Reactor (NAPOWR), owner RedTeam House, cell (100, 85), tag 0B582F50, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Hint: Power Plant 1 (06B731F0).
2. Play voice notification Mis_A5_EvaSpyHint.
3. Create radar-event marker type 1 at waypoint 20 (cell 100, 84).
4. Reveal terrain around waypoint 20 (cell 100, 84).
5. Play sound MessageText.
6. Display message “HINT: Send a SPY into a TESLA REACTOR to shut down all base defenses” (MISSION:All05o).
7. Destroy current instances of Enable Hint:Power 1 (0824AC2C).
8. Destroy current instances of Enable Hint:Power1b (08249B4C).
9. Destroy current instances of Enable Hint:Power1c (0824989C).
10. Destroy current instances of Enable Hint:Power1d (0824965C).
11. Enable and reset applicable timers for Anim: Power Plants (0433F0DC).
12. Enable and reset applicable timers for Anim: Power Plants 2 (0433F61C).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6143, Events line 6273, Actions line 6403.

43. Anim: Power Plants - 0433F0DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Power Plant 1 (06B731F0); enable from Hint: Power Plant 2 (0B5855E0).

Attached scope: tag definitions 0433F70C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field Q.
2. Play Anim At; main setting 479; location/duration field W.
3. Play Anim At; main setting 471; location/duration field U.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6144, Events line 6274, Actions line 6404.

44. Anim: Power Plants 2 - 0433F61C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Power Plant 1 (06B731F0); enable from Hint: Power Plant 2 (0B5855E0).

Attached scope: tag definitions 0433D78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Anim: Power Plants (0433F0DC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6145, Events line 6275, Actions line 6405.

45. Enable Hint:Power 1 - 0824AC2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 1 (06B731F0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6146, Events line 6276, Actions line 6406.

46. Enable Hint:Power1b - 08249B4C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power 1 (0824AC2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type TANYA; placed owner Tanya House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 1 (06B731F0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6147, Events line 6277, Actions line 6407.

47. Enable Hint:Power1c - 0824989C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power1b (08249B4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 1 (06B731F0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6148, Events line 6278, Actions line 6408.

48. Enable Hint:Power1d - 0824965C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Enable Hint:Power1c (0824989C).

Attached scope: 41 tagged map cells: (89, 97), (89, 98), (89, 99), (89, 100), (89, 101), (89, 102), (89, 103), (89, 104), (89, 105), (90, 105), (90, 106), (98, 106), (99, 106), (100, 106), (101, 106), (103, 106), (104, 106), (105, 106), (106, 106), (90, 107), (91, 107), (92, 107), (98, 107), (101, 107), (102, 107), (103, 107), (106, 107), (92, 108), (93, 108), (94, 108), (95, 108), (96, 108), (97, 108), (98, 108), (106, 108), (107, 108), (108, 108), (109, 108), (110, 108), (111, 108), (112, 108); tag 08249C3C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type REBELS; placed owner Rebels House).

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Power Plant 1 (06B731F0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6149, Events line 6279, Actions line 6409.

49. Spies Dead 1 - 03D734F0

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Spies Dead (06EF68E0); enable from Spies Dead 4d (0991D6A0).

Attached scope: tag definitions 03D73060 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Disable Spies Dead 1 (03D734F0).
2. Enable and reset applicable timers for Spies Dead 1b (03D72D50).
3. Supply reinforcement team Reinforcements 1 (08533A2C).
4. Play voice notification Mis_A5_TanyaNeedSpies1.
5. Enable and reset applicable timers for Helicopter Lands (078E70A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6150, Events line 6280, Actions line 6410.

50. Spies Dead 1b - 03D72D50

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 1 (03D734F0).

Attached scope: tag definitions 03D72830 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 1b (03D72D50).
2. Enable and reset applicable timers for Spies Dead 1c (03D72770).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6151, Events line 6281, Actions line 6411.

51. Helicopter Lands - 078E70A0

Owner reference: Reinforcements. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 1 (03D734F0); enable from Spies Dead 2 (083775A0); enable from Spies Dead 3 (08370580); enable from Spies Dead 4 (083703F0).

Attached scope: 36 tagged map cells: (113, 138), (111, 139), (112, 139), (113, 139), (114, 139), (110, 140), (111, 140), (112, 140), (113, 140), (114, 140), (115, 140), (109, 141), (110, 141), (111, 141), (112, 141), (113, 141), (114, 141), (115, 141), (111, 142), (112, 142), (113, 142), (114, 142), (115, 142), (116, 142), (110, 143), (111, 143), (112, 143), (113, 143), (114, 143), (115, 143), (116, 143), (111, 144), (112, 144), (113, 144), (113, 145), (115, 145); tag 078E0180, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 17 (country/type REINFORCEMENTS; placed owner Reinforcement House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Spies House (079B4660).
2. Enable and reset applicable timers for Objective 1 Given (0747E330).
3. Enable and reset applicable timers for Mission Start 4 (08A40F60).
4. Enable and reset applicable timers for Play Spies Movie (07D4739C).
5. Disable Helicopter Lands (078E70A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6152, Events line 6282, Actions line 6412.

52. Spies Dead 1c - 03D72770

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 1b (03D72D50).

Attached scope: tag definitions 03D72530 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Additional Spies have arrived” (MISSION:All05f).
2. Create radar-event marker type 2 at waypoint 0 (cell 112, 141).
3. Disable Spies Dead 1c (03D72770).
4. Enable and reset applicable timers for Spies Dead 1d (0991C520).
5. Play sound MessageText.
6. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6153, Events line 6283, Actions line 6413.

53. Change Spies House - 079B4660

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Helicopter Lands (078E70A0).

Attached scope: tag definitions 079B6F70 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Spies (088BE7DC).
2. Enable and reset applicable timers for Unally 2 (06F25E70).
3. Enable and reset applicable timers for Enable Spies Dead (06EF68E0).
4. Disable Change Spies House (079B4660).
5. Create/recruit team Spies (088BE7DC).
6. Create/recruit team Spies (088BE7DC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6154, Events line 6284, Actions line 6414.

54. Mission Start 4 - 08A40F60

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Helicopter Lands (078E70A0).

Attached scope: tag definitions 08A40BA0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play sound MessageText.
3. Display message “--Battle Control Online--” (MISSION:All05q).
4. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6155, Events line 6285, Actions line 6415.

55. Play Spies Movie - 07D4739C

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Helicopter Lands (078E70A0).

Attached scope: tag definitions 07D44E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 86.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6156, Events line 6286, Actions line 6416.

56. Spies Dead 1d - 0991C520

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 1c (03D72770).

Attached scope: tag definitions 0991DC20 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 2 (083775A0).
2. Disable Spies Dead 1d (0991C520).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6157, Events line 6287, Actions line 6417.

57. Unally 2 - 06F25E70

Owner reference: YellowTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change Spies House (079B4660).

Attached scope: tag definitions 06F257F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type TANYA; placed owner Tanya House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6158, Events line 6288, Actions line 6418.

58. Enable Spies Dead - 06EF68E0

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change Spies House (079B4660).

Attached scope: tag definitions 06EF4D60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 1 (03D734F0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6159, Events line 6289, Actions line 6419.

59. Spies Dead 2 - 083775A0

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 1d (0991C520).

Attached scope: tag definitions 08370640 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Disable Spies Dead 2 (083775A0).
2. Enable and reset applicable timers for Spies Dead 2b (03D59E90).
3. Supply reinforcement team Reinforcements 1 (08533A2C).
4. Play voice notification Mis_A5_TanyaNeedSpies2.
5. Enable and reset applicable timers for Helicopter Lands (078E70A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6160, Events line 6290, Actions line 6420.

60. Spies Dead 2b - 03D59E90

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 2 (083775A0).

Attached scope: tag definitions 03D751E0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 2b (03D59E90).
2. Enable and reset applicable timers for Spies Dead 2c (03D75090).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6161, Events line 6291, Actions line 6421.

61. Spies Dead 2c - 03D75090

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 2b (03D59E90).

Attached scope: tag definitions 03D75520 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 2d (0991DB60).
2. Disable Spies Dead 2c (03D75090).
3. Create radar-event marker type 2 at waypoint 0 (cell 112, 141).
4. Display message “Additional Spies have arrived” (MISSION:All05f).
5. Play sound MessageText.
6. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6162, Events line 6292, Actions line 6422.

62. Spies Dead 2d - 0991DB60

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 2c (03D75090).

Attached scope: tag definitions 0991D9E0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 3 (08370580).
2. Disable Spies Dead 2d (0991DB60).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6163, Events line 6293, Actions line 6423.

63. Spies Dead 3 - 08370580

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 2d (0991DB60).

Attached scope: tag definitions 083771C0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Disable Spies Dead 3 (08370580).
2. Enable and reset applicable timers for Spies Dead 3b (03D725E0).
3. Supply reinforcement team Reinforcements 1 (08533A2C).
4. Play voice notification Mis_A5_TanyaNeedSpies3.
5. Enable and reset applicable timers for Helicopter Lands (078E70A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6164, Events line 6294, Actions line 6424.

64. Spies Dead 3b - 03D725E0

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 3 (08370580).

Attached scope: tag definitions 03D724A0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 3b (03D725E0).
2. Enable and reset applicable timers for Spies Dead 3c (03D723E0).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6165, Events line 6295, Actions line 6425.

65. Spies Dead 3c - 03D723E0

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 3b (03D725E0).

Attached scope: tag definitions 03D778B0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 3c (03D723E0).
2. Enable and reset applicable timers for Spies Dead 3d (0991D920).
3. Create radar-event marker type 2 at waypoint 0 (cell 112, 141).
4. Display message “Additional Spies have arrived” (MISSION:All05f).
5. Play sound MessageText.
6. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6166, Events line 6296, Actions line 6426.

66. Spies Dead 3d - 0991D920

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 3c (03D723E0).

Attached scope: tag definitions 0991D760 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 4 (083703F0).
2. Disable Spies Dead 3d (0991D920).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6167, Events line 6297, Actions line 6427.

67. Spies Dead 4 - 083703F0

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 3d (0991D920).

Attached scope: tag definitions 08370340 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Disable Spies Dead 4 (083703F0).
2. Enable and reset applicable timers for Spies Dead 4b (03D777F0).
3. Supply reinforcement team Reinforcements 1 (08533A2C).
4. Play voice notification Mis_A5_TanyaNeedSpies1.
5. Enable and reset applicable timers for Helicopter Lands (078E70A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6168, Events line 6298, Actions line 6428.

68. Spies Dead 4b - 03D777F0

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 4 (083703F0).

Attached scope: tag definitions 03D775C0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 4b (03D777F0).
2. Enable and reset applicable timers for Spies Dead 4c (03D77470).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6169, Events line 6299, Actions line 6429.

69. Spies Dead 4c - 03D77470

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 4b (03D777F0).

Attached scope: tag definitions 03D773C0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Spies Dead 4c (03D77470).
2. Enable and reset applicable timers for Spies Dead 4d (0991D6A0).
3. Create radar-event marker type 2 at waypoint 0 (cell 112, 141).
4. Display message “Additional Spies have arrived” (MISSION:All05f).
5. Play sound MessageText.
6. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6170, Events line 6300, Actions line 6430.

70. Spies Dead 4d - 0991D6A0

Owner reference: Spies. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies Dead 4c (03D77470).

Attached scope: tag definitions 0991D500 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Spies Dead 1 (03D734F0).
2. Disable Spies Dead 4d (0991D6A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6171, Events line 6301, Actions line 6431.

71. Starting Forces - 0875A270

Owner reference: Reinforcements. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03D79890 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Reinforcements 1 (08533A2C).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6172, Events line 6302, Actions line 6432.

72. Change Tanya House - 06C8DAD0

Owner reference: Reinforcements. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mission Start 2 (07EFD7A0).

Attached scope: tag definitions 06C88870 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Tanya (1) (07F21C10).
2. Enable and reset applicable timers for Change Tanya House 2 (07EBB590).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6173, Events line 6303, Actions line 6433.

73. Change Tanya House 2 - 07EBB590

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change Tanya House (06C8DAD0).

Attached scope: tag definitions 07EBC510 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Tanya (2) (08AB2210).
2. Enable and reset applicable timers for Enable Tanya Dies (080906B0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6174, Events line 6304, Actions line 6434.

74. Enable Tanya Dies - 080906B0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change Tanya House 2 (07EBB590).

Attached scope: tag definitions 08091E50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Tanya Dies (08836B30).
2. Enable and reset applicable timers for Unally (07E3A0D0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6175, Events line 6305, Actions line 6435.

75. Unally - 07E3A0D0

Owner reference: Tanya. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Tanya Dies (080906B0).

Attached scope: tag definitions 07E39850 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 18 (country/type YELLOWTEAM; placed owner YellowTeam House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6176, Events line 6306, Actions line 6436.

76. Mission Start 1 - 08A40330

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A42E50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Move the camera to waypoint 98 (cell 123, 152) with speed setting 3.
2. Enable and reset applicable timers for Mission Start 2 (07EFD7A0).
3. Reveal terrain around waypoint 98 (cell 123, 152).
4. Disable player input.
5. Reveal terrain around waypoint 97 (cell 119, 148).

6. Reveal terrain around waypoint 100 (cell 125, 154).
7. Display message “Somewhere in Poland...” (MISSION:All05r).
8. Enable and reset applicable timers for Mission Start 3 (08A3F1B0).
9. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6177, Events line 6307, Actions line 6437.

77. Mission Start 2 - 07EFD7A0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mission Start 1 (08A40330).

Attached scope: tag definitions 07EFD0C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Particle Anim at; main setting 2.
2. Enable and reset applicable timers for Change Tanya House (06C8DAD0).
3. Reveal terrain around waypoint 12 (cell 112, 140).
4. Play sound Flare.
5. Display message “Signal Flare Detected” (MISSION:All05s).
6. Play sound MessageText.
7. Enable and reset applicable timers for Create Seals (0B9ECBBC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6178, Events line 6308, Actions line 6438.

78. Mission Start 3 - 08A3F1B0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mission Start 1 (08A40330).

Attached scope: tag definitions 08A40080 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 99 (cell 113, 142) with speed setting 2.
2. Play sound TanyaCreated.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6179, Events line 6309, Actions line 6439.

79. Create Seals - 0B9ECBBC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mission Start 2 (07EFD7A0).

Attached scope: tag definitions 0B9EC87C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Elite GI's (0F1097DC) at waypoint 7 (cell 110, 141).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6180, Events line 6310, Actions line 6440.

80. Cow 1 - 08A40730

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barrels (CAMISC01), owner RedTeam House, cell (92, 122), tag 08A45610, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Cow 1b (08A45080).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6181, Events line 6311, Actions line 6441.

81. Cow 1b - 08A45080

Owner reference: Rebels. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cow 1 (08A40730); enable from Cow 1c (04353B3C).

Attached scope: Cow (COW), owner Civilians House, cell (94, 119), tag 08A5DE50, persistence mode 0; Cow (COW), owner Civilians House, cell (93, 120), tag 08A5DE50, persistence mode 0; Cow (COW), owner Civilians House, cell (92, 120), tag 08A5DE50, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 20 (country/type REBELS; placed owner Rebels House).
2. Play sound CowFear.
3. Create radar-event marker type 0 at waypoint 21 (cell 93, 119).
4. Display message “Bovine rescued” (MISSION:All05j).
5. Play sound MessageText.
6. Enable and reset applicable timers for Cow 1c (0838ED2C).
7. Create/recruit team Cows1 (0E584EFC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6182, Events line 6312, Actions line 6442.

82. Cow 1c - 0838ED2C

Owner reference: Rebels. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cow 1b (08A45080).

Attached scope: tag definitions 0838E73C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team Cows1 (0E584EFC) with duration setting 90.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6183, Events line 6313, Actions line 6443.

83. Start Red Patrols - 07DB9E80

Owner reference: Engineers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07DBB7F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. AI triggers begin: owner selector 15 (country/type ENGINEERS; placed owner Engineers House).
2. Production Begins: owner selector 15 (country/type ENGINEERS; placed owner Engineers House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6184, Events line 6314, Actions line 6444.

84. Red Patrol 3 - 08A70CE0

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A709C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 3 (03D48870) at waypoint 30 (cell 87, 72).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6185, Events line 6315, Actions line 6445.

85. Red Patrol 4 - 08A70900

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A703A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 4 (03D4B940) at waypoint 26 (cell 105, 92).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6186, Events line 6316, Actions line 6446.

86. Red Patrol 5 - 08A702E0

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A70160 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 5 (08AF15E0) at waypoint 23 (cell 95, 106).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6187, Events line 6317, Actions line 6447.

87. Rebels 1b - 06F51870

Owner reference: Mr. Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner Civilians House, cell (151, 124), tag 06F51730, persistence mode 0; GI (E1), owner Civilians House, cell (150, 125), tag 06F51730, persistence mode 0; GI (E1), owner Civilians House, cell (150, 126), tag 06F51730, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Allied patrol discovered” (MISSION:All05g).
3. Create radar-event marker type 1 at waypoint 37 (cell 152, 125).
4. Reveal terrain around waypoint 37 (cell 152, 125).
5. Change House: owner selector 22 (country/type PLAYER; placed owner Player House).
6. Play voice notification Mis_A5_AllSoldier2.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6188, Events line 6318, Actions line 6448.

88. Red Patrol 6 - 06FF94D0

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06FF91B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 7 (0A55580C) at waypoint 38 (cell 109, 113).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6189, Events line 6319, Actions line 6449.

89. Red Patrol 7 - 06FB7F60

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06FB75E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Red Patrol 8 (0A55D54C) at waypoint 23 (cell 95, 106).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6190, Events line 6320, Actions line 6450.

90. Rebels 2b - 07C56120

Owner reference: Rebels. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner Civilians House, cell (128, 121), tag 07C43260, persistence mode 0; GI (E1), owner Civilians House, cell (126, 120), tag 07C43260, persistence mode 0; GI (E1), owner Civilians House, cell (129, 121), tag 07C43260, persistence mode 0; Engineer (ENGINEER), owner Civilians House, cell (124, 119), tag 07C43260, persistence mode 0; Engineer (ENGINEER), owner Civilians House, cell (128, 120), tag 07C43260, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 43 (cell 55, 84).
3. Display message “Allied patrol discovered” (MISSION:All05g).
4. Reveal terrain around waypoint 44 (cell 126, 117).
5. Play voice notification Mis_A5_AllSoldier1.
6. Change House: owner selector 22 (country/type PLAYER; placed owner Player House).
7. Particle Anim at; main setting 2; location/duration field AS.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6191, Events line 6321, Actions line 6451.

91. Change Hospital Owner - 07D21D60

Owner reference: Civilians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07D267E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 20 (country/type REBELS; placed owner Rebels House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6192, Events line 6322, Actions line 6452.

92. Hint: Spies - 07D0B360

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07D361B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 48 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “HINT: SPIES can disguise themselves as ENEMY TROOPS” (MISSION:All05c).
2. Play sound MessageText.
3. Enable and reset applicable timers for Hint: Spies 2 (07D15520).
4. Remove instances of the team organization (not automatically its surviving objects) Spies (088BE7DC).
5. Create/recruit team Hint: Spies (0A7CFDBC).
6. Create/recruit team Hint: Spies (0A7CFDBC).
7. Create/recruit team Hint: Spies (0A7CFDBC).
8. Flash team Hint: Spies (0A7CFDBC) with duration setting 70.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6193, Events line 6323, Actions line 6453.

93. Hint: Spies 2 - 07D15520

Owner reference: RedTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Spies (07D0B360).

Attached scope: tag definitions 07D15190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: To disguise a SPY, select him and left click on an ENEMY SOLDIER” (MISSION:All05d).
2. Play sound MessageText.
3. Create/recruit team Flash Conscript (0BECEC1C).
4. Create/recruit team Flash Conscript (0BECEC1C).
5. Create/recruit team Flash Conscript (0BECEC1C).
6. Create/recruit team Flash Conscript (0BECEC1C).
7. Create/recruit team Flash Conscript (0BECEC1C).
8. Create/recruit team Flash Conscript (0BECEC1C).
9. Create/recruit team Flash Conscript (0BECEC1C).
10. Create/recruit team Flash Conscript (0BECEC1C).
11. Flash team Flash Conscript (0BECEC1C) with duration setting 70.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6194, Events line 6324, Actions line 6454.

94. Tesla Coil Spotted 3 - 09F99E80

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (107, 92), tag 09F99A20, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 61 (cell 107, 92).
3. Create radar-event marker type 5 at waypoint 61 (cell 107, 92).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6195, Events line 6325, Actions line 6455.

95. Tesla Coil Spotted 4 - 09F99960

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (94, 92), tag 09F997D0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 62 (cell 94, 92).
3. Create radar-event marker type 5 at waypoint 62 (cell 94, 92).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6196, Events line 6326, Actions line 6456.

96. Tesla Coil Spotted 5 - 0B656D30

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (97, 78), tag 0B6568A0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 63 (cell 97, 78).
3. Create radar-event marker type 5 at waypoint 63 (cell 97, 78).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6197, Events line 6327, Actions line 6457.

97. Tesla Coil Spotted 6 - 0B6567E0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner RedTeam House, cell (104, 78), tag 0B656650, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 64 (cell 104, 78).
3. Create radar-event marker type 5 at waypoint 64 (cell 104, 78).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6198, Events line 6328, Actions line 6458.

98. Tesla Coil Spotted 7 - 0B656590

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner YellowTeam House, cell (73, 40), tag 0B656400, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 65 (cell 73, 40).
3. Create radar-event marker type 5 at waypoint 65 (cell 73, 40).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6199, Events line 6329, Actions line 6459.

99. Tesla Coil Spotted 8 - 0B655330

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner YellowTeam House, cell (58, 39), tag 0B6551A0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 66 (cell 58, 39).
3. Create radar-event marker type 5 at waypoint 66 (cell 58, 39).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6200, Events line 6330, Actions line 6460.

100. Tesla Coil Spotted 9 - 0B6550E0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner YellowTeam House, cell (62, 30), tag 0B652EF0, persistence mode 0; Tesla Coil (TESLA), owner YellowTeam House, cell (66, 30), tag 0B652EF0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 67 (cell 64, 30).
3. Create radar-event marker type 5 at waypoint 67 (cell 64, 30).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6201, Events line 6331, Actions line 6461.

101. Tesla Coil Spotted 10 - 0B652E30

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner OrangeTeam House, cell (44, 61), tag 0B652CA0, persistence mode 0; Tesla Coil (TESLA), owner OrangeTeam House, cell (44, 65), tag 0B652CA0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 68 (cell 44, 63).
3. Create radar-event marker type 5 at waypoint 68 (cell 44, 63).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6202, Events line 6332, Actions line 6462.

102. Tesla Coil Spotted 11 - 0B652BE0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner OrangeTeam House, cell (49, 64), tag 0B652A50, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 69 (cell 49, 64).
3. Create radar-event marker type 5 at waypoint 69 (cell 49, 64).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6203, Events line 6333, Actions line 6463.

103. Tesla Coil Spotted 12 - 0B652990

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner OrangeTeam House, cell (31, 45), tag 0B652800, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 70 (cell 37, 45).
3. Create radar-event marker type 5 at waypoint 70 (cell 37, 45).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6204, Events line 6334, Actions line 6464.

104. Tesla Coil Spotted 13 - 0B652740

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Coil (TESLA), owner OrangeTeam House, cell (37, 45), tag 0B6525B0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 71 (cell 31, 45).
3. Create radar-event marker type 5 at waypoint 71 (cell 31, 45).
4. Display message “Tesla Coil detected - CAUTION: EXTREME DANGER” (MISSION:All05e).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6205, Events line 6335, Actions line 6465.

105. Nuke 2 Entered - 09F99710

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Objective 2c (09C20090).
2. Set local flag 6 (Nuke 2 Captured).
3. All to Hunt: owner selector 19 (country/type ORANGETEAM; placed owner OrangeTeam House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6206, Events line 6336, Actions line 6466.

106. Nuke 2 Destroyed - 09F993A0

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke 2 Entered (09F99710).

Attached scope: Nuclear Missile Silo (NAMISL), owner OrangeTeam House, cell (56, 63), tag 09F99460, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Objective 2c (09C20090).
2. Set local flag 1 (Nuke 2 Complete).
3. All to Hunt: owner selector 19 (country/type ORANGETEAM; placed owner OrangeTeam House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6207, Events line 6337, Actions line 6467.

107. Victory 1 - 09F9E650

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 1 (Nuke 2 Complete) is set.
2. local flag 0 (Nuke1Complete) is set.

Flag writers in this mission: set local flag 1 (Nuke 2 Complete) at Nuke 2 Destroyed (09F993A0); set local flag 0 (Nuke1Complete) at Nuke 1 Destroyed (07914350). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Victory 2 (09F98660).
2. Play voice notification EVA_PrimaryObjectiveAchieved.
3. Disable Objective 2 (098CEB70).

4. Disable Objective 2b (09C205E0).
5. Disable Objective 2c (09C20090).
6. Enable and reset applicable timers for Cheer (0A30A8FC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6208, Events line 6338, Actions line 6468.

108. Victory 2 - 09F98660

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Victory 1 (09F9E650); enable from Victory 1b (0799FF3C); enable from Victory 1c (0799FC0C); enable from Victory 1d (0799F8DC).

Attached scope: tag definitions 09F984D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 22 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6209, Events line 6339, Actions line 6469.

109. Cheer - 0A30A8FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Victory 1 (09F9E650); enable from Victory 1b (0799FF3C); enable from Victory 1c (0799FC0C); enable from Victory 1d (0799F8DC).

Attached scope: tag definitions 0A30A2DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 22 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6210, Events line 6340, Actions line 6470.

110. Victory 0 - 09F98A50

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 0 (Nuke1Complete) is set.

Flag writers in this mission: set local flag 0 (Nuke1Complete) at Nuke 1 Destroyed (07914350). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_A5_EvaMissileDestroyed.
2. Play sound MessageText.
3. Display message “First Nuclear Missile Silo destroyed - one remaining” (MISSION:All05m).
4. Create radar-event marker type 1 at waypoint 9 (cell 66, 41).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6211, Events line 6341, Actions line 6471.

111. Victory 0b - 09F98800

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 0 (09F98A50).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 1 (Nuke 2 Complete) is set.

Flag writers in this mission: set local flag 1 (Nuke 2 Complete) at Nuke 2 Destroyed (09F993A0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_A5_EvaMissileDestroyed.
2. Display message “First Nuclear Missile Silo destroyed - one remaining” (MISSION:All05m).
3. Play sound MessageText.
4. Create radar-event marker type 1 at waypoint 74 (cell 59, 66).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6212, Events line 6342, Actions line 6472.

112. Prisoners 1b - 08802960

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prisoners 1 (087E1F20); enable from Prisoners 1c (0A4D262C).

Attached scope: Grizzly Battle Tank (MTNK), owner Civilians House, cell (44, 83), tag 08800E10, persistence mode 0; GI (E1), owner Civilians House, cell (43, 82), tag 08800E10, persistence mode 0; GI (E1), owner Civilians House, cell (43, 83), tag 08800E10, persistence mode 0; GI (E1), owner Civilians House, cell (45, 83), tag 08800E10, persistence mode 0; GI (E1), owner Civilians House, cell (45, 84), tag 08800E10, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 22 (country/type PLAYER; placed owner Player House).
2. Play sound MessageText.
3. Create radar-event marker type 1 at waypoint 72 (cell 44, 83).
4. Display message “Allied patrol discovered” (MISSION:All05g).
5. Play voice notification Mis_A5_AllSoldier3.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6213, Events line 6343, Actions line 6473.

113. Prisoners 1 - 087E1F20

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barrels (CAMISC01), owner OrangeTeam House, cell (45, 86), tag 087E1670, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Prisoners 1b (08802960).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6214, Events line 6344, Actions line 6474.

114. Create Crate - 0806A03C

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0807204C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 10 at waypoint 41 (cell 126, 165).
2. Create crate type 9 at waypoint 42 (cell 66, 98).
3. Create crate type 2 at waypoint 43 (cell 55, 84).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6215, Events line 6345, Actions line 6475.

115. Start Ambient Sounds - 07BC6E5C

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07BC4D5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 99 (cell 113, 142).
2. Play sound _Amb_CricketBed at waypoint 12 (cell 112, 140).
3. Play sound _Amb_BirdsTemperate2 at waypoint 4 (cell 120, 133).
4. Play sound _Amb_WindCold at waypoint 6 (cell 109, 128).
5. Play sound _Amb_WindCold at waypoint 37 (cell 152, 125).
6. Play sound _Amb_WindPlains at waypoint 39 (cell 95, 113).
7. Play sound _Amb_CricketBed at waypoint 36 (cell 76, 114).
8. Play sound _Amb_CricketChirps at waypoint 42 (cell 66, 98).
9. Play sound _Amb_WindCold at waypoint 31 (cell 87, 77).
10. Play sound _Amb_WindPlains at waypoint 35 (cell 101, 72).
11. Play sound _Amb_CricketBed at waypoint 57 (cell 79, 59).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6216, Events line 6346, Actions line 6476.

116. BattleLab Entered - 0A19C0CC

Owner reference: Tanya. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BattleLab Destroyed (07476A30).

Attached scope: Soviet Battle Lab (NATECH), owner RedTeam House, cell (100, 94), tag 06B416F0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type SPIES; placed owner Spies House).

Then perform these actions in order:

1. Play in-game movie 84.
2. Enable and reset applicable timers for BattleLab Entered 2 (06B41DA0).
3. Disable Objective 1 (074734A0).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6217, Events line 6347, Actions line 6477.

117. No Power Plants - 09E7015C

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Nuclear Reactor (NANRCT), owner RedTeam House, cell (143, 97), tag 09E7864C, persistence mode 0.

Wait for the recorded events:

1. Building does not exist: type index 9 (global list position: Tesla Reactor (NAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 23 (country/type MR. NEUTRAL; placed owner Mr. Neutral House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6218, Events line 6348, Actions line 6478.

118. No Power Plants 2 - 0824769C

Owner reference: OrangeTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Nuclear Reactor (NANRCT), owner OrangeTeam House, cell (138, 92), tag 082434BC, persistence mode 0.

Wait for the recorded events:

1. Building does not exist: type index 9 (global list position: Tesla Reactor (NAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 23 (country/type MR. NEUTRAL; placed owner Mr. Neutral House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6219, Events line 6349, Actions line 6479.

119. No Power Plants 3 - 08240C2C

Owner reference: YellowTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Nuclear Reactor (NANRCT), owner YellowTeam House, cell (133, 87), tag 08240A2C, persistence mode 0.

Wait for the recorded events:

1. Building does not exist: type index 9 (global list position: Tesla Reactor (NAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 23 (country/type MR. NEUTRAL; placed owner Mr. Neutral House).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6220, Events line 6350, Actions line 6480.

120. Victory 0c - 0799DDBC

Owner reference: YellowTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 0b (09F98800).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Nuke1Captured) is set.

Flag writers in this mission: set local flag 5 (Nuke1Captured) at Nuke 1 Entered (078F7090). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “First Nuclear Missile Silo has been captured - one remaining” (MISSION:All05n).
3. Play voice notification Mis_A5_EvaMissileCaptured.
4. Create radar-event marker type 1 at waypoint 9 (cell 66, 41).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6221, Events line 6351, Actions line 6481.

121. Victory 0d - 0799D38C

Owner reference: OrangeTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 0c (0799DDBC).

Attached scope: tag definitions 09F988C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Nuke 2 Captured) is set.

Flag writers in this mission: set local flag 6 (Nuke 2 Captured) at Nuke 2 Entered (09F99710). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “First Nuclear Missile Silo has been captured - one remaining” (MISSION:All05n).
3. Play voice notification Mis_A5_EvaMissileCaptured.
4. Create radar-event marker type 1 at waypoint 74 (cell 59, 66).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6222, Events line 6352, Actions line 6482.

122. Victory 1b - 0799FF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 1 (09F9E650).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (Nuke 2 Captured) is set.
2. local flag 5 (Nuke1Captured) is set.

Flag writers in this mission: set local flag 6 (Nuke 2 Captured) at Nuke 2 Entered (09F99710); set local flag 5 (Nuke1Captured) at Nuke 1 Entered (078F7090). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.
2. Enable and reset applicable timers for Victory 2 (09F98660).
3. Disable Objective 2 (098CEB70).

4. Disable Objective 2b (09C205E0).
5. Disable Objective 2c (09C20090).
6. Enable and reset applicable timers for Cheer (0A30A8FC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6223, Events line 6353, Actions line 6483.

123. Victory 1c - 0799FC0C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 1b (0799FF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (Nuke 2 Captured) is set.
2. local flag 0 (Nuke1Complete) is set.

Flag writers in this mission: set local flag 6 (Nuke 2 Captured) at Nuke 2 Entered (09F99710); set local flag 0 (Nuke1Complete) at Nuke 1 Destroyed (07914350). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.
2. Enable and reset applicable timers for Victory 2 (09F98660).
3. Disable Objective 2 (098CEB70).
4. Disable Objective 2b (09C205E0).
5. Disable Objective 2c (09C20090).
6. Enable and reset applicable timers for Cheer (0A30A8FC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6224, Events line 6354, Actions line 6484.

124. Victory 1d - 0799F8DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Victory 1c (0799FC0C).

Attached scope: tag definitions 09F98B10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Nuke 2 Complete) is set.
2. local flag 5 (Nuke1Captured) is set.

Flag writers in this mission: set local flag 1 (Nuke 2 Complete) at Nuke 2 Destroyed (09F993A0); set local flag 5 (Nuke1Captured) at Nuke 1 Entered (078F7090). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.
2. Enable and reset applicable timers for Victory 2 (09F98660).
3. Disable Objective 2 (098CEB70).
4. Disable Objective 2b (09C205E0).
5. Disable Objective 2c (09C20090).
6. Enable and reset applicable timers for Cheer (0A30A8FC).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6225, Events line 6355, Actions line 6485.

125. Hint: Seals - 07A2C03C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0825149C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Seals can SWIM and PLANT C4 like Tanya” (MISSION:All01l).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all05s.map; Triggers line 6226, Events line 6356, Actions line 6486.

126. Start Ambient Sounds 2 - 0AC5382C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC52D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 59 (cell 84, 64).
2. Play sound _Amb_BirdsNightOwl at waypoint 58 (cell 79, 64).
3. Play sound _Amb_CricketBed at waypoint 37 (cell 152, 125).
4. Play sound _Amb_WindCold at waypoint 67 (cell 64, 30).
5. Play sound _Amb_WindPlains at waypoint 48 (cell 62, 44).
6. Play sound _Amb_BirdsMorning at waypoint 75 (cell 59, 61).
7. Play sound _Amb_WindCold at waypoint 70 (cell 37, 45).
8. Play sound _Amb_WindPlains at waypoint 89 (cell 38, 61).
9. Play sound _Amb_BirdsNightOwl at waypoint 94 (cell 24, 59).
10. Play sound _Amb_CricketBed at waypoint 86 (cell 41, 80).
11. Play sound _Amb_BirdsMorning at waypoint 43 (cell 55, 84).
12. Play sound _Amb_WindCold at waypoint 69 (cell 49, 64).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6227, Events line 6357, Actions line 6487.

127. Prisoners 1c - 0A4D262C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 16 tagged map cells: (42, 81), (43, 81), (44, 81), (45, 81), (46, 81), (42, 82), (46, 82), (42, 83), (46, 83), (42, 84), (46, 84), (42, 85), (43, 85), (44, 85), (45, 85), (46, 85); tag 0A4D3DAC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Enable and reset applicable timers for Prisoners 1b (08802960).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6228, Events line 6358, Actions line 6488.

128. Cow 1c - 04353B3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 14 tagged map cells: (91, 118), (92, 118), (93, 118), (94, 118), (95, 118), (91, 119), (95, 119), (91, 120), (95, 120), (91, 121), (92, 121), (93, 121), (94, 121), (95, 121); tag 0435396C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Enable and reset applicable timers for Cow 1b (08A45080).

Source locator: MAPS01.MIX/all05s.map; Triggers line 6229, Events line 6359, Actions line 6489.

All team rosters and ordered plans | All mission overrides

Operation: Dark Night - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all05s.map; each team/script ID identifies its section.

Red Patrol 1 - 082ABA4C

Owner: RedTeam. Roster: 1 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol B to I Script (0A92CB7C).

1. Attack-move toward waypoint: waypoint 2 (cell 127, 141).
2. Attack-move toward waypoint: waypoint 3 (cell 124, 139).
3. Attack-move toward waypoint: waypoint 4 (cell 120, 133).
4. Attack-move toward waypoint: waypoint 5 (cell 120, 129).
5. Attack-move toward waypoint: waypoint 6 (cell 109, 128).
6. Attack-move toward waypoint: waypoint 8 (cell 103, 114).
7. Guard for interval; configured argument 15.
8. Attack-move toward waypoint: waypoint 6 (cell 109, 128).
9. Attack-move toward waypoint: waypoint 5 (cell 120, 129).
10. Attack-move toward waypoint: waypoint 4 (cell 120, 133).
11. Attack-move toward waypoint: waypoint 3 (cell 124, 139).
12. Attack-move toward waypoint: waypoint 2 (cell 127, 141).
13. Attack-move toward waypoint: waypoint 1 (cell 123, 147).
14. Guard for interval; configured argument 15.
15. Jump to script line; configured argument 4.

Red Patrol 2 - 0A55348C

Owner: RedTeam. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol Border (07E3CDE0).

1. Guard for interval; configured argument 30.
2. Attack-move toward waypoint: waypoint 15 (cell 95, 83).
3. Attack-move toward waypoint: waypoint 14 (cell 106, 83).
4. Jump to script line; configured argument 2.

Reinforcement Spies 1 - 0A15E69C

Owner: Reinforcements. Roster: 3 × Spy (SPY); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Spy Reinforcement Script (0A15ADBC).

1. Attack-move toward waypoint: waypoint 0 (cell 112, 141).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Attack-move toward waypoint: waypoint 13 (cell 116, 163).
4. Delete team objects.

Reinforcements 1 - 08533A2C

Owner: Reinforcements. Roster: 3 × Spy (SPY); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Unload Helicopter (08536DBC).

1. Move to waypoint: waypoint 12 (cell 112, 140).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Move to waypoint: waypoint 13 (cell 116, 163).
4. Delete team objects.

Spies - 088BE7DC

Owner: Reinforcements. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Change Spies House (088BE56C).

1. Change country ownership; configured argument 14.
2. Flash team; configured argument 90.

Tanya (1) - 07F21C10

Owner: Reinforcements. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Tanya Script (07F21920).

1. Change country ownership; configured argument 13.

Helicopter - 08AE2380

Owner: Reinforcements. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Delete Helicopter (098CB0A0).

1. Change country ownership; configured argument 13.
2. Attack-move toward waypoint: waypoint 13 (cell 116, 163).
3. Delete team objects.

3 Dogs - 0A552EFC

Owner: RedTeam. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol for Spies (07D875C0).

1. Attack-move toward waypoint: waypoint 8 (cell 103, 114).
2. Seek/attack target category; configured argument 4.
3. Report team success.

Red Patrol 3 - 03D48870

Owner: RedTeam. Roster: 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Red Patrol 3 (0A92E21C).

1. Attack-move toward waypoint: waypoint 31 (cell 87, 77).

2. Attack-move toward waypoint: waypoint 32 (cell 91, 77).
3. Attack-move toward waypoint: waypoint 33 (cell 100, 77).
4. Attack-move toward waypoint: waypoint 34 (cell 102, 75).
5. Attack-move toward waypoint: waypoint 35 (cell 101, 72).
6. Guard for interval; configured argument 8.
7. Attack-move toward waypoint: waypoint 34 (cell 102, 75).
8. Attack-move toward waypoint: waypoint 33 (cell 100, 77).
9. Attack-move toward waypoint: waypoint 32 (cell 91, 77).
10. Attack-move toward waypoint: waypoint 31 (cell 87, 77).
11. Attack-move toward waypoint: waypoint 30 (cell 87, 72).
12. Guard for interval; configured argument 8.
13. Jump to script line; configured argument 1.

Red Patrol 4 - 03D4B940

Owner: RedTeam. Roster: 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Red Patrol 4 (0A92FB7C).

1. Attack-move toward waypoint: waypoint 27 (cell 97, 92).
2. Attack-move toward waypoint: waypoint 28 (cell 97, 100).
3. Attack-move toward waypoint: waypoint 29 (cell 105, 100).
4. Attack-move toward waypoint: waypoint 26 (cell 105, 92).
5. Jump to script line; configured argument 1.

Red Patrol 6 - 0A555EFC

Owner: RedTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol for Spies (07D875C0).

1. Attack-move toward waypoint: waypoint 8 (cell 103, 114).
2. Seek/attack target category; configured argument 4.
3. Report team success.

Red Patrol 5 - 08AF15E0

Owner: RedTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Red Patrol 5 (0A92F59C).

1. Attack-move toward waypoint: waypoint 24 (cell 109, 106).
2. Guard for interval; configured argument 4.
3. Attack-move toward waypoint: waypoint 23 (cell 95, 106).
4. Guard for interval; configured argument 4.
5. Jump to script line; configured argument 1.

Red Patrol 7 - 0A55580C

Owner: RedTeam. Roster: 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Red Patrol 6 (0A930DBC).

1. Attack-move toward waypoint: waypoint 39 (cell 95, 113).
2. Guard for interval; configured argument 4.
3. Attack-move toward waypoint: waypoint 38 (cell 109, 113).
4. Guard for interval; configured argument 4.
5. Jump to script line; configured argument 1.

3 Rebels - 08A81C00

Owner: Civilians. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Change to Rebels House (08A819C0).

1. Change country ownership; configured argument 20.

Border Guard 1 - 0B0BC420

Owner: RedTeam. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Border Guard 1 (0B0B9DC0).

1. Guard for interval; configured argument 4.
2. Attack-move toward waypoint: waypoint 42 (cell 66, 98).
3. Guard for interval; configured argument 10.
4. Attack-move toward waypoint: waypoint 36 (cell 76, 114).
5. Guard for interval; configured argument 10.
6. Jump to script line; configured argument 2.

Tanya (2) - 08AB2210

Owner: Tanya. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 8; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Tanya 2 Script (08AB9D20).

1. Play idle behavior.

Rebels 2 - 09B3FA00

Owner: Rebels. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Rebels 2 (09B3F7C0).

1. Attack-move toward waypoint: waypoint 44 (cell 126, 117).

Yellow Patrol 1 - 070290C0

Owner: YellowTeam. Roster: 1 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 1 (0A93169C).

1. Attack-move toward waypoint: waypoint 46 (cell 69, 37).
2. Attack-move toward waypoint: waypoint 47 (cell 62, 37).
3. Attack-move toward waypoint: waypoint 48 (cell 62, 44).
4. Attack-move toward waypoint: waypoint 45 (cell 69, 44).
5. Jump to script line; configured argument 1.

Yellow Patrol 2 - 07CECF30

Owner: YellowTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 2 (0A9312FC).

1. Attack-move toward waypoint: waypoint 55 (cell 67, 36).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 56 (cell 62, 36).
4. Guard for interval; configured argument 3.
5. Jump to script line; configured argument 1.

Yellow Patrol 3 - 07CEFC70

Owner: YellowTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 3 (0A932DBC).

1. Attack-move toward waypoint: waypoint 50 (cell 62, 31).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 49 (cell 66, 31).
4. Guard for interval; configured argument 3.
5. Jump to script line; configured argument 1.

Yellow Patrol 4 - 07CE9E80

Owner: YellowTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 4 (0A932A1C).

1. Attack-move toward waypoint: waypoint 51 (cell 75, 46).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 52 (cell 75, 35).
4. Guard for interval; configured argument 3.
5. Jump to script line; configured argument 1.

Yellow Patrol 5 - 07CEA3C0

Owner: YellowTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 5 (0A93267C).

1. Attack-move toward waypoint: waypoint 54 (cell 72, 38).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 53 (cell 72, 43).
4. Guard for interval; configured argument 3.
5. Jump to script line; configured argument 1.

Yellow Patrol 6 - 06F85F30

Owner: YellowTeam. Roster: 1 × Attack Dog (DOG); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 6 (0A9322DC).

1. Attack-move toward waypoint: waypoint 57 (cell 79, 59).
2. Attack-move toward waypoint: waypoint 58 (cell 79, 64).
3. Attack-move toward waypoint: waypoint 59 (cell 84, 64).
4. Attack-move toward waypoint: waypoint 60 (cell 84, 59).
5. Jump to script line; configured argument 1.

Yellow Patrol 7 - 07CD22E0

Owner: YellowTeam. Roster: 1 × Attack Dog (DOG); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yellow Patrol 7 (0A933C8C).

1. Attack-move toward waypoint: waypoint 59 (cell 84, 64).
2. Attack-move toward waypoint: waypoint 60 (cell 84, 59).
3. Attack-move toward waypoint: waypoint 57 (cell 79, 59).
4. Attack-move toward waypoint: waypoint 58 (cell 79, 64).
5. Jump to script line; configured argument 1.

Engineers (3) - 0A2D2700

Owner: Rebels. Roster: 3 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Rebels 2 (09B3F7C0).

1. Attack-move toward waypoint: waypoint 44 (cell 126, 117).

Orange Patrol 1 - 087D8F30

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 1 (0A9336AC).

1. Attack-move toward waypoint: waypoint 74 (cell 59, 66).
2. Attack-move toward waypoint: waypoint 75 (cell 59, 61).
3. Attack-move toward waypoint: waypoint 76 (cell 55, 61).
4. Attack-move toward waypoint: waypoint 73 (cell 55, 66).
5. Jump to script line; configured argument 1.

Orange Patrol 2 - 087DFB40

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 2 (0A93330C).

1. Attack-move toward waypoint: waypoint 76 (cell 55, 61).
2. Attack-move toward waypoint: waypoint 73 (cell 55, 66).
3. Attack-move toward waypoint: waypoint 74 (cell 59, 66).
4. Attack-move toward waypoint: waypoint 75 (cell 59, 61).
5. Jump to script line; configured argument 1.

Orange Patrol 3 - 087DFA50

Owner: OrangeTeam. Roster: 1 × Attack Dog (DOG); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 3 (0A934DBC).

1. Attack-move toward waypoint: waypoint 78 (cell 47, 57).
2. Attack-move toward waypoint: waypoint 77 (cell 47, 69).
3. Jump to script line; configured argument 1.

Orange Patrol 4 - 087DF960

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 4 (0A934B4C).

1. Attack-move toward waypoint: waypoint 80 (cell 42, 61).
2. Attack-move toward waypoint: waypoint 79 (cell 42, 65).
3. Jump to script line; configured argument 1.

Orange Patrol 5 - 087D9CE0

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 5 (0A9347AC).

1. Attack-move toward waypoint: waypoint 82 (cell 40, 48).
2. Attack-move toward waypoint: waypoint 81 (cell 29, 48).
3. Jump to script line; configured argument 1.

Orange Patrol 6 - 087D9BF0

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 6 (0A93440C).

1. Attack-move toward waypoint: waypoint 84 (cell 33, 69).
2. Attack-move toward waypoint: waypoint 83 (cell 36, 69).
3. Jump to script line; configured argument 1.

Orange Patrol 7 - 087D9B00

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 7 (0A935DBC).

1. Attack-move toward waypoint: waypoint 86 (cell 41, 80).
2. Attack-move toward waypoint: waypoint 87 (cell 41, 86).
3. Attack-move toward waypoint: waypoint 88 (cell 47, 86).
4. Attack-move toward waypoint: waypoint 85 (cell 47, 80).
5. Jump to script line; configured argument 1.

Orange Patrol 8 - 087D9F30

Owner: OrangeTeam. Roster: 1 × Attack Dog (DOG); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 8 (0A935B4C).

1. Attack-move toward waypoint: waypoint 90 (cell 31, 61).

2. Attack-move toward waypoint: waypoint 91 (cell 31, 67).
3. Attack-move toward waypoint: waypoint 92 (cell 38, 67).
4. Attack-move toward waypoint: waypoint 89 (cell 38, 61).
5. Jump to script line; configured argument 1.

Orange Patrol 9 - 087D9E40

Owner: OrangeTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Orange Patrol 9 (0A9357AC).

1. Attack-move toward waypoint: waypoint 94 (cell 24, 59).
2. Attack-move toward waypoint: waypoint 95 (cell 44, 59).
3. Attack-move toward waypoint: waypoint 96 (cell 44, 50).
4. Attack-move toward waypoint: waypoint 93 (cell 24, 50).
5. Jump to script line; configured argument 1.

Red Patrol 8 - 0A55D54C

Owner: RedTeam. Roster: 1 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: Red Patrol 7 (0A2C1DC0).

1. Attack-move toward waypoint: waypoint 24 (cell 109, 106).
2. Guard for interval; configured argument 4.
3. Attack-move toward waypoint: waypoint 23 (cell 95, 106).
4. Guard for interval; configured argument 4.
5. Jump to script line; configured argument 1.

Truck - 0907359C

Owner: RedTeam. Roster: 1 × Propaganda Truck (PROPA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Truck (0907072C).

1. Attack-move toward waypoint: waypoint 1 (cell 123, 147).
2. Attack-move toward waypoint: waypoint 2 (cell 127, 141).
3. Attack-move toward waypoint: waypoint 3 (cell 124, 139).
4. Attack-move toward waypoint: waypoint 4 (cell 120, 133).
5. Attack-move toward waypoint: waypoint 5 (cell 120, 129).
6. Attack-move toward waypoint: waypoint 6 (cell 109, 128).
7. Attack-move toward waypoint: waypoint 7 (cell 110, 141).
8. Attack-move toward waypoint: waypoint 8 (cell 103, 114).
9. Attack-move toward waypoint: waypoint 17 (cell 102, 106).
10. Attack-move toward waypoint: waypoint 24 (cell 109, 106).
11. Adopt object mission: sleep.

Elite GI's - 0F1097DC

Owner: Player. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: H.

Ordered plan: Seals (0CDC493C).

1. Scatter.
2. Set facing; configured argument 4.

Hint: Spies - 0A7CFDBC

Owner: Spies. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Hint:Spies (0A71503C).

1. Flash team; configured argument 70.

Flash Conscript - 0BECEC1C

Owner: RedTeam. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 8; Veteran Level: 1; Technology level: 0.

Ordered plan: Hint:Spies (0A71503C).

1. Flash team; configured argument 70.

Shock Trooper 1 - 0A62EEFC

Owner: RedTeam. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Shock Trooper 1 (0A62F2EC).

1. Set facing; configured argument 6.
2. Flash team; configured argument 120.
3. Guard for interval; configured argument 120.
4. Set facing; configured argument 4.
5. Guard for interval; configured argument 0.

Shock Trooper 2 - 0A62BBCC

Owner: RedTeam. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Shock Trooper 2 (0A62B95C).

1. Set facing; configured argument 2.
2. Guard for interval; configured argument 120.
3. Flash team; configured argument 120.
4. Set facing; configured argument 4.
5. Guard for interval; configured argument 0.

Cows1 - 0E584EFC

Owner: Rebels. Roster: 3 × Cow (COW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: V.

Ordered plan: Cows (0E584C8C).

1. Flash team; configured argument 90.

Operation: Dark Night - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all05s.map.

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	2
TIBERIUMS (TIBERIUMS)	0	Riparius	5
TIBERIUMS (TIBERIUMS)	1	Cruentus	6
TIBERIUMS (TIBERIUMS)	2	Vinifera	7
TIBERIUMS (TIBERIUMS)	3	Aboreus	8
Tiberium Riparius (RIPARIUS)	Value	50	11
Tiberium Cruentus (CRUENTUS)	Value	100	14
Tiberium Vinifera (VINIFERA)	Value	50	17
Tiberium Aboreus (ABOREUS)	Value	50	20
NUKEPAYLOAD (NUKEPAYLOAD)	Damage	6000	23
Engineer (ENGINEER)	Technology level	-1	26
GI (E1)	Technology level	-1	29
Attack Dog (ADOG)	Technology level	-1	32
Chrono Miner (CMIN)	Technology level	-1	35
Chrono Miner (CMIN)	Resource cargo capacity	10	36
Tesla Coil (TESLA)	Starting health capacity	250	39
Building (CANEWY12)	UI Name	Name:CANEWY12	42
Building (CANEWY12)	Name	RA2 NY Building 12	43
Building (CANEWY12)	Image	CANEWY12	44
Building (CANEWY12)	Technology level	-1	45
Building (CANEWY12)	Starting health capacity	1000	46
Building (CANEWY12)	Insignificant-object flag	no	47
Building (CANEWY12)	Hidden from radar	no	48
Building (CANEWY12)	Points	5	49
Building (CANEWY12)	Armor class	steel	50
Building (CANEWY12)	Infantry garrison permitted	no	51
Building (CANEWY12)	Garrison capacity	0	52
Building (CANEWY12)	Distributed Fire	no	53
Building (CANEWY12)	Primary	AlliedOccupyW	54
Building (CANEWY12)	Secondary	SovietOccupyW	55
Building (CANEWY12)	Leaves rubble	no	56
Nuclear Missile (MULTISPECIAL)	UI Name	Name:Nuke	68
Nuclear Missile (MULTISPECIAL)	Name	N U K E !!!	69

Object/system	Property	Mission value	Source line
Nuclear Missile (MULTISPECIAL)	Show Timer	no	70
Nuclear Missile (MULTISPECIAL)	Recharge Time	5	71
Tanya (TANY)	Starting health capacity	250	74
Tanya (TANY)	Armor class	flak	75
Tanya (TANY)	Sight radius setting	8	76
Tanya (TANY)	Movement rating	6	77
MP5 (MP5)	Damage	125	80
MP5 (MP5)	ROF	10	81
MP5 (MP5)	Range	5	82
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Reveal Trigger Radius	6	85
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	86
BARRELEXPLOSION (BARRELEXPLOSION)	Damage	200	89
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	2	92
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.25	93
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	Yes	94
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	97
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	98
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	99
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	100
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	101
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0	102
Negative Light Post (NEGLAMP)	Name	Negative Light Post	105
Negative Light Post (NEGLAMP)	Image	GALITE	106
Negative Light Post (NEGLAMP)	Local light reach	5000	107
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	108
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	109
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	110
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	111
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	114
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	115
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	116
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.67059	117

Object/system	Property	Mission value	Source line
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.19608	118
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.67059	119
Soviet Wall (NAWALL)	Name	Soviet Wall	122
Soviet Wall (NAWALL)	Starting health capacity	20	123
Soviet Wall (NAWALL)	Armor class	wood	124
Barrels (CAMISC01)	Name	RA2 Barrels	127
Barrels (CAMISC01)	Technology level	-1	128
Barrels (CAMISC01)	Starting health capacity	1	129
Barrel (CAMISC02)	Name	RA2 Barrel	132
Barrel (CAMISC02)	Technology level	-1	133
Barrel (CAMISC02)	Starting health capacity	1	134
NightHawk Transport (SHAD)	Name	BlackHawk Transport	137
NightHawk Transport (SHAD)	Primary	VirtualScanner	138
Nuclear Missile Silo (NAMISL)	Name	Nuclear Missile	141
Nuclear Missile Silo (NAMISL)	Signed power contribution	0	142
Nuclear Missile Silo (NAMISL)	Depends on power	yes	143
Nuclear Missile Silo (NAMISL)	Engineer-capture permission	true	144
COILBOLT (COILBOLT)	Damage	200	147
COILBOLT (COILBOLT)	ROF	100	148
COILBOLT (COILBOLT)	Range	6	149
SPECIALFLAGS	Tiberium Grows	yes	152
SPECIALFLAGS	Tiberium Spreads	yes	153
SPECIALFLAGS	Tiberium Explosive	no	154
SPECIALFLAGS	Destroyable Bridges	no	155
SPECIALFLAGS	MCV Deploy	no	156
SPECIALFLAGS	Initial Veteran	no	157
SPECIALFLAGS	Fixed Alliance	no	158
SPECIALFLAGS	Harvester Immune	no	159
SPECIALFLAGS	Fog Of War	no	160
SPECIALFLAGS	Inert	no	161
SPECIALFLAGS	Ion Storms	no	162
SPECIALFLAGS	Meteorites	no	163
SPECIALFLAGS	Visceroids	no	164
Invisible Red Light Post (INREDLMP)	Name	Invisible Red Light Post	167
Invisible Red Light Post (INREDLMP)	Local light reach	2500	168
Invisible Red Light Post (INREDLMP)	Local light intensity	0.001	169
Invisible Red Light Post (INREDLMP)	Light Red Tint	0.10	170
Invisible Red Light Post (INREDLMP)	Light Green Tint	0.20	171
Invisible Red Light Post (INREDLMP)	Light Blue Tint	0.40	172
COUNTRIES (COUNTRIES)	0	Tanya	175

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	1	Spies	176
COUNTRIES (COUNTRIES)	2	Engineers	177
COUNTRIES (COUNTRIES)	3	RedTeam	178
COUNTRIES (COUNTRIES)	4	Reinforcements	179
COUNTRIES (COUNTRIES)	5	YellowTeam	180
COUNTRIES (COUNTRIES)	6	OrangeTeam	181
COUNTRIES (COUNTRIES)	7	Rebels	182
COUNTRIES (COUNTRIES)	8	Civilians	183
COUNTRIES (COUNTRIES)	9	Player	184
COUNTRIES (COUNTRIES)	10	Mr. Neutral	185
VARIABLENAMES (VARIABLENAMES)	0	Nuke1Complete,0	332
VARIABLENAMES (VARIABLENAMES)	1	Nuke 2 Complete,0	333
VARIABLENAMES (VARIABLENAMES)	2	BattleLab Infiltrat,0	334
VARIABLENAMES (VARIABLENAMES)	3	Tesla 1 Activated,0	335
VARIABLENAMES (VARIABLENAMES)	4	Tesla 2 Activated,0	336
VARIABLENAMES (VARIABLENAMES)	5	Nuke1Captured,0	337
VARIABLENAMES (VARIABLENAMES)	6	Nuke 2 Captured,0	338

Operation: Liberty

Campaign reading guide | Engine

Operation: Liberty

all06u.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- Civie1 House (97)
- BadGuy1 House (68)
- BadGuy2 House (39)
- Player House (23)
- House Elania (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CAWASH01
2. CAWA2A

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all06u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all06u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all06u.map. **Effective extracted member:** MAPS01.MIX/all06u.map. **Trigger definitions:** 74.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,95,105
Visible local rectangle	2,4,90,95
Placed vehicles	26
Placed infantry	37
Placed structures	165
Placed aircraft	0
Team templates	65

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	500	BadGuy1
2	BadGuy2 House	500	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	0	Other2
7	Other3 House	0	Other3
8	House Elania	0	Elania

Local state flags at initialization

Flag	Meaning label and initial value
0	Player on Map,0
1	NE1 Bridge Team,0
2	NE1 Bridge Destroye,0
3	SE2 Bridge Destroye,0
4	SE2 Bridge Team,0
5	Terror Uncovered,0
6	Terror Drones Creat,0
7	Fodder5 Go,0
8	Bring Camera Back,0
9	BO Still Alive,0
10	BP Still Alive,0
11	BN Still Alive,0
12	BQ Still Alive,1
13	N Bridge Fixed,0
14	BG2 Bridge Team,0
15	Drones Away,0
16	Ready to Work,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Loss Game Over (0AD1988C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
_Win Game Over (0AD1A66C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Prism Fodder 1 Go (M&H) - 03F0703C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 600 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder1 (0902AB5C).
2. Supply reinforcement team Prism Fodder2 (09FBE48C).
3. Supply reinforcement team Prism Fodder3 (0902A1FC).
4. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
5. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
6. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
7. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6899, Events line 6975, Actions line 7051.

2. Player Start Forces Go - 07519F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (78, 140); tag 07519D3C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Player Starting Forces1 (0AFF3C8C).
2. Supply reinforcement team Player Starting Forces2 (09EE4B7C).
3. Supply reinforcement team Player Starting Forces3 (09EE46CC).
4. Reveal terrain around waypoint 7 (cell 91, 163).
5. Reveal terrain around waypoint 8 (cell 74, 148).
6. Reveal terrain around waypoint 9 (cell 77, 162).
7. Reveal terrain around waypoint 10 (cell 98, 154).
8. Reveal terrain around waypoint 11 (cell 95, 178).
9. Reveal terrain around waypoint 1 (cell 120, 169).
10. Reveal terrain around waypoint 12 (cell 84, 147).
11. Reveal terrain around waypoint 13 (cell 82, 170).
12. Reveal terrain around waypoint 33 (cell 20, 89).
13. Create radar-event marker type 1 at waypoint 42 (cell 51, 102).
14. Disable player input.
15. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6900, Events line 6976, Actions line 7052.

3. Player Takes Command - 0A1FBADC

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 63 tagged map cells: (125, 153), (126, 153), (127, 153), (128, 153), (129, 153), (130, 153), (131, 153), (136, 153), (137, 153), (138, 153), (139, 153), (140, 153), (141, 153), (142, 153), (125, 154), (126, 154), (127, 154), (128, 154), (129, 154), (130, 154), (131, 154), (136, 154), (137, 154), (138, 154), (139, 154), (140, 154), (141, 154), (142, 154), (126, 155), (127, 155), (128, 155), (129, 155), (130, 155), (137, 155), (138, 155), (139, 155), (140, 155), (141, 155), (87, 158), (88, 158), (87, 159), (88, 159), (89, 159), (88, 160), (89, 160), (88, 161), (89, 161), (88, 162), (89, 162), (88, 163), (89, 163), (88, 164), (89, 164), (88, 165), (89, 165), (88, 166), (89, 166), (87, 167), (88, 167), (89, 167), (87, 168), (88, 168), (89, 168); tag 0A1F9E1C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable _Loss (Pentagon) (0B1A8A1C).
2. Enable and reset applicable timers for Prism Fodder 2 Go (M&H) (0AFEA29C).
3. Display message “Pentagon forces transferred to your command” (Mission:All06d1).
4. Display message “Objective 1 Accomplished” (Mission:All06d2).
5. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
6. Create radar-event marker type 1 at waypoint 31 (cell 111, 170).
7. Enable and reset applicable timers for Objective 2 Statement (0A4DF5BC).
8. Enable and reset applicable timers for Prism Fodder 2 Go (E) (07AFD59C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6901, Events line 6977, Actions line 7053.

4. _Loss (Pentagon) - 0B1A8A1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pentagon (CAWA2B), owner Civie1 House, cell (107, 170), tag 0B46B9CC, persistence mode 1; Pentagon (CAWA2C), owner Civie1 House, cell (103, 170), tag 0B46B9CC, persistence mode 1; Pentagon (CAWA2D), owner Civie1 House, cell (103, 166), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (100, 175), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (102, 175), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (100, 173), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (100, 163), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (102, 163), tag 0B46B9CC, persistence mode 1; Power Plant (GAPOWR), owner Player House, cell (100, 165), tag 0B46B9CC, persistence mode 1; Patriot Missile (NASAM), owner Player House, cell (113, 165), tag 0B46B9CC, persistence mode 1; Patriot Missile (NASAM), owner Player House, cell (113, 174), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (100, 169), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (104, 175), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (114, 170), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (115, 176), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (110, 165), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (115, 164), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (116, 168), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (116, 172), tag 0B46B9CC, persistence mode 1; Pentagon (CAWA2A), owner Civie1 House, cell (107, 166), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (104, 163), tag 0B46B9CC, persistence mode 1; Prism Tower (ATESLA), owner Player House, cell (110, 174), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (97, 165), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (97, 173), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (112, 168), tag 0B46B9CC, persistence mode 1; Pill Box (GAPILL), owner Player House, cell (112, 171), tag 0B46B9CC, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss Game Over (0AD1988C).
2. Jump the camera to waypoint 31 (cell 111, 170).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6902, Events line 6978, Actions line 7054.

5. Prism Fodder 2 Go (M&H) - 0AFEA29C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Prism Fodder 1 Go (M&H) (03F0703C).

Incoming activation links: enable from Player Takes Command (0A1FBADC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder1 (0902AB5C).
2. Supply reinforcement team Prism Fodder2 (09FBE48C).
3. Supply reinforcement team Prism Fodder3 (0902A1FC).
4. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
5. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

6. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
7. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6903, Events line 6979, Actions line 7055.

6. Objective 2 Statement - 0A4DF5BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Takes Command (0A1FBADC).

Attached scope: tag definitions 0A4DE99C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Eliminate all Soviet forces” (MISSION:All06b1).
2. Display message “occupying Washington, DC” (MISSION:All06b2).
3. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6904, Events line 6980, Actions line 7056.

7. Prism Fodder 2 Go (E) - 07AFD59C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Prism Fodder 2 Go (M&H) (0AFEA29C).

Incoming activation links: enable from Player Takes Command (0A1FBADC).

Attached scope: tag definitions 03F0018C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder3 (0902A1FC).
2. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
5. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6905, Events line 6981, Actions line 7057.

8. _Loss Game Over - 0AD1988C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Pentagon) (0B1A8A1C); enable from _Loss (Player Only) (0AFEB45C).

Attached scope: tag definitions 0AD1927C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6906, Events line 6982, Actions line 7058.

9. _Loss (Player Only) - 0AFEB45C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Has Arrived (0AFEBD2C).

Attached scope: tag definitions 0AFEB0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss Game Over (0AD1988C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6907, Events line 6983, Actions line 7059.

10. Player Has Arrived - 0AFEBD2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AFEB8EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Player Only) (0AFEB45C).
2. Enable and reset applicable timers for Flank Attack Go (090AF1CC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6908, Events line 6984, Actions line 7060.

11. Flank Attack Go - 090AF1CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Has Arrived (0AFEBD2C).

Attached scope: tag definitions 090AC40C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Flank Attack (099FE32C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6909, Events line 6985, Actions line 7061.

12. _Win Occurs - 0AFEB7FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AFEB54C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. Destroyed, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Display message “Objective 2 Accomplished” (Mission:All09d).
2. Enable and reset applicable timers for _Win Game Over (0AD1A66C).
3. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6910, Events line 6986, Actions line 7062.

13. _Win Game Over - 0AD1A66C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win Occurs (0AFEB7FC).

Attached scope: tag definitions 0AD1A46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6911, Events line 6987, Actions line 7063.

14. Bridge Destroyed (NE1) - 07B1087C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: N Bridge Fixers Go (0979640C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (NE1 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6912, Events line 6988, Actions line 7064.

15. N Bridge Fixers Go - 0979640C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Bridge Destroyed (N) (097CA03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (N Bridge Fixed) is set.

Flag writers in this mission: clear local flag 13 (N Bridge Fixed) at N Bridge Fixers Go (0979640C); set local flag 13 (N Bridge Fixed) at Bridge Destroyed (N) (097CA03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team 0 (template not recovered locally).
2. Clear local flag 13 (N Bridge Fixed).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6913, Events line 6989, Actions line 7065.

16. Bridge Destroyed (N) - 097CA03C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 13 (N Bridge Fixed).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6914, Events line 6990, Actions line 7066.

17. Cancel All Bridge Teams - 0B0A831C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: SE2 Bridge Fixers Go (0A9E022C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Bridge Destroyed (NE1) (07B1087C).
2. Disable NE1 Fixers Made It? (07A396DC).
3. Disable NE1 Bridge Fixers Go (07A39E6C).
4. Disable Bridge Destroyed (SE2) (03EAB81C).
5. Disable SE2 Fixers Made It? (07A3ACEC).
6. Disable SE2 Bridge Fixers Go (0A9E022C).
7. Disable Bridge Destroyed (N) (097CA03C).
8. Disable 0 (not a defined local trigger).
9. Disable N Bridge Fixers Go (0979640C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6915, Events line 6991, Actions line 7067.

18. SE2 Bridge Fixers Go - 0A9E022C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Bridge Destroyed (SE2) (03EAB81C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (SE2 Bridge Destroye) is set.

Flag writers in this mission: clear local flag 3 (SE2 Bridge Destroye) at SE2 Bridge Fixers Go (0A9E022C); set local flag 3 (SE2 Bridge Destroye) at Bridge Destroyed (SE2) (03EAB81C); set local flag 3 (SE2 Bridge Destroye) at SE2 Fixers Made It? (07A3ACEC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team SE Bridge Repair Team 1 (09F9159C).
2. Clear local flag 3 (SE2 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6916, Events line 6992, Actions line 7068.

19. NE1 Fixers Made It? - 07A396DC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Cancel All Bridge Teams (0B0A831C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (NE1 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6917, Events line 6993, Actions line 7069.

20. NE1 Bridge Fixers Go - 07A39E6C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Bridge Destroyed (NE1) (07B1087C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 2 (NE1 Bridge Destroye) is set.

Flag writers in this mission: set local flag 2 (NE1 Bridge Destroye) at Bridge Destroyed (NE1) (07B1087C); set local flag 2 (NE1 Bridge Destroye) at NE1 Fixers Made It? (07A396DC); clear local flag 2 (NE1 Bridge Destroye) at NE1 Bridge Fixers Go (07A39E6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team NE Bridge Repair Team (0906DEFC).
2. Clear local flag 2 (NE1 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6918, Events line 6994, Actions line 7070.

21. Bridge Destroyed (SE2) - 03EAB81C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: NE1 Bridge Fixers Go (07A39E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (SE2 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6919, Events line 6995, Actions line 7071.

22. SE2 Fixers Made It? - 07A3ACEC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: NE1 Fixers Made It? (07A396DC).

Attached scope: tag definitions 097CD2FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (SE2 Bridge Destroye).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6920, Events line 6996, Actions line 7072.

23. BG1 Garrisoners 2 - 0876EE7C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Garrisoners 1 (087C194C).

Attached scope: tag definitions 0879004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 9 (BO Still Alive) is clear.

Flag writers in this mission: set local flag 9 (BO Still Alive) at BO Still Kickin? (0BF02E3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG1 Garrisoners_B (0BC9456C).
2. Enable and reset applicable timers for BG1 Garrisoners 3 (0BEAC89C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6921, Events line 6997, Actions line 7073.

24. BG1 Garrisoners 3 - 0BEAC89C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Garrisoners 2 (0876EE7C).

Attached scope: tag definitions 0BEAC3AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 11 (BN Still Alive) is clear.

Flag writers in this mission: set local flag 11 (BN Still Alive) at BN Still Kickin? (0988ED8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG1 Garrisoners_C (0BC941CC).
2. Enable and reset applicable timers for BG1 Garrisoners 4 (0BEACF3C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6922, Events line 6998, Actions line 7074.

25. BG1 Garrisoners 4 - 0BEACF3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Garrisoners 3 (0BEAC89C).

Attached scope: tag definitions 0BEAC98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 12 (BQ Still Alive) is clear.

Flag writers in this mission: set local flag 12 (BQ Still Alive) at BQ Still Kickin? (0988ABBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG1 Garrisoners_D (0BC95C8C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6923, Events line 6999, Actions line 7075.

26. BG1 Garrisoners 1 - 087C194C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 43 tagged map cells: (34, 99), (35, 99), (36, 99), (37, 99), (38, 99), (34, 100), (35, 100), (36, 100), (37, 100), (34, 101), (35, 101), (36, 101), (37, 101), (38, 101), (126, 131), (127, 131), (128, 131), (129, 131), (130, 131), (131, 131), (136, 131), (137, 131), (138, 131), (139, 131), (140, 131), (141, 131), (142, 131), (126, 132), (127, 132), (128, 132), (129, 132), (130, 132), (131, 132), (136, 132), (137, 132), (138, 132), (139, 132), (140, 132), (141, 132), (125, 133), (131, 133), (136, 133), (142, 133); tag 087C135C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).
2. local flag 10 (BP Still Alive) is clear.

Flag writers in this mission: set local flag 10 (BP Still Alive) at BP Still Kickin? (0988C92C); set local flag 10 (BP Still Alive) at Did George Survive (0AE0737C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG1 Garrisoners_A (0AE4FB7C).
2. Enable and reset applicable timers for BG1 Garrisoners 2 (0876EE7C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6924, Events line 7000, Actions line 7076.

27. Street Patrols Start - 0A6792EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Production Start (t=10m) (0999341C); enable from BG1 Production Start (t=15m) (081C703C); enable from BG1 Production Start (t=30m) (081DB55C); enable from BG1 Production Start (Sees BG1) (081DE05C).

Attached scope: tag definitions 0A67A0EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Street Patrol 1 (0B03493C).
2. Supply reinforcement team Street Patrol 3 (0B033B5C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6925, Events line 7001, Actions line 7077.

28. BG1 Production Start (t=10m) - 0999341C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
5. Create/recruit team BG1 Hard (0BC9FDEC).
6. Enable and reset applicable timers for Street Patrols Start (0A6792EC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6926, Events line 7002, Actions line 7078.

29. All BG1 Bldgs KIA - 07AF0F3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07AF09FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6927, Events line 7003, Actions line 7079.

30. All BG2 Bldgs KIA - 0B0F0F3C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0F067C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6928, Events line 7004, Actions line 7080.

31. Loose the Terror Drones - 09A0E96C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Terror Drone Movie Play (07ABD16C).

Attached scope: tag definitions 07A5DB7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 16 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Terror Inbound (0A9C6C8C).
2. Create radar-event marker type 5 at waypoint 30 (cell 128, 72).
3. Reveal terrain around waypoint 30 (cell 128, 72).
4. Enable and reset applicable timers for Service Depot Hint (0A4DE7FC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6929, Events line 7005, Actions line 7081.

32. Service Depot Hint - 0A4DE7FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Loose the Terror Drones (09A0E96C).

Attached scope: tag definitions 0A4DE2BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A6_EvaTerrorAttacks.
2. Display message “HINT: The SERVICE DEPOT can safely remove” (MISSION:All06c1).
3. Display message “Soviet TERROR DRONES from infected vehicles” (MISSION:All06c2).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6930, Events line 7006, Actions line 7082.

33. BG2 Declare War - 0A7BF17C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7BC0EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make enemy: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6931, Events line 7007, Actions line 7083.

34. Prism Fodder5 Go - 07A6AE9C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A6AC9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Fodder5 Go) is set.

Flag writers in this mission: set local flag 7 (Fodder5 Go) at Recenter Camera to AF (0C3D103C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder5 (09E693AC).
2. Move the camera to waypoint 42 (cell 51, 102) with speed setting 4.
3. Display message “Objective 1: Reinforce and take command” (Mission:All06a1).
4. Enable and reset applicable timers for Prism Fodder Demo1 (M & H) (07B8270C).
5. Enable and reset applicable timers for Einstein Movie Play (0ADBCBDC).
6. Display message “of Allied forces near the Pentagon” (MISSION:All06a2).
7. Enable and reset applicable timers for Bring Camera Back (07C9B91C).
8. Play voice notification EVA_ReinforcementsHaveArrived.
9. Enable and reset applicable timers for Prism Fodder Demo1 (E) (0B4F886C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6932, Events line 7008, Actions line 7084.

35. Prism Fodder Demo1 (M & H) - 07B8270C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prism Fodder5 Go (07A6AE9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder1 (0902AB5C).
2. Enable and reset applicable timers for Prism Fodder Demo2 (M & H) (07B83CFC).
3. Supply reinforcement team Prism Fodder3 (0902A1FC).
4. Supply reinforcement team Prism Fodder4 (0A149EFC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6933, Events line 7009, Actions line 7085.

36. Einstein Movie Play - 0ADBCBDC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prism Fodder5 Go (07A6AE9C).

Attached scope: tag definitions 0ADBC78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 88.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6934, Events line 7010, Actions line 7086.

37. Bring Camera Back - 07C9B91C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prism Fodder5 Go (07A6AE9C).

Attached scope: tag definitions 07C9B1AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 31 (cell 111, 170) with speed setting 4.
2. Enable player input.
3. Display message “--Battle Control Online--” (MISSION:ALL01q).
4. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6935, Events line 7011, Actions line 7087.

38. Prism Fodder Demo1 (E) - 0B4F886C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Prism Fodder Demo1 (M & H) (07B8270C).

Incoming activation links: enable from Prism Fodder5 Go (07A6AE9C).

Attached scope: tag definitions 07B8211C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder1 (0902AB5C).
2. Supply reinforcement team Prism Fodder4 (0A149EFC).
3. Enable and reset applicable timers for Prism Fodder Demo2 (E) (0B4FB28C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6936, Events line 7012, Actions line 7088.

39. Prism Fodder Demo2 (M & H) - 07B83CFC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prism Fodder Demo1 (M & H) (07B8270C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder5 (09E693AC).
2. Supply reinforcement team Prism Fodder1 (0902AB5C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6937, Events line 7013, Actions line 7089.

40. Prism Fodder Demo2 (E) - 0B4FB28C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Prism Fodder Demo2 (M & H) (07B83CFC).

Incoming activation links: enable from Prism Fodder Demo1 (E) (0B4F886C).

Attached scope: tag definitions 07B8396C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Prism Fodder5 (09E693AC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6938, Events line 7014, Actions line 7090.

41. Play Water Sounds - 03EA390C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03EA313C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 37 (cell 29, 90).

2. Play sound _Amb_OceanLight at waypoint 42 (cell 51, 102).
3. Play sound _Amb_OceanHeavy at waypoint 52 (cell 67, 127).
4. Play sound _Amb_OceanLight at waypoint 53 (cell 108, 140).
5. Play sound _Amb_OceanLight at waypoint 54 (cell 93, 79).
6. Play sound _Amb_OceanLight at waypoint 55 (cell 89, 99).
7. Play sound _Amb_OceanLight at waypoint 56 (cell 133, 141).
8. Play sound _Amb_OceanLight at waypoint 57 (cell 177, 101).
9. Play sound _Amb_OceanLight at waypoint 58 (cell 133, 95).
10. Play sound _Amb_OceanLight at waypoint 58 (cell 133, 95).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6939, Events line 7015, Actions line 7091.

42. That's not Lincoln - 07411F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Light Post (INGALITE), owner Civie1 House, cell (49, 61), tag 0741191C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_A6_EvaNotLincoln.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6940, Events line 7016, Actions line 7092.

43. Play Park Sounds - 07A5ED6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 2 tagged map cells: (110, 81), (155, 136); tag 07A5E7AC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 60 (cell 155, 136).
2. Play sound _Amb_BirdsPark at waypoint 61 (cell 110, 81).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6941, Events line 7017, Actions line 7093.

44. Play Pond Sounds - 0B73381C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B735C6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 62 (cell 74, 46).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6942, Events line 7018, Actions line 7094.

45. BG1 Firesale - 0ADFDC6C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADF8DCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6943, Events line 7019, Actions line 7095.

46. BG2 Firesale - 0ADF8CDC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADF8A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6944, Events line 7020, Actions line 7096.

47. Reveal Reinforce Path - 0C140F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C1405CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 42 (cell 51, 102).
2. Reveal terrain around waypoint 39 (cell 44, 95).
3. Reveal terrain around waypoint 36 (cell 29, 89).
4. Reveal terrain around waypoint 33 (cell 20, 89).
5. Reveal terrain around waypoint 63 (cell 107, 179).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6945, Events line 7021, Actions line 7097.

48. BO Still Kickin? - 0BF02E3C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF0268C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 112 (global list position: Building (CAWASH11)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 9 (BO Still Alive).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6946, Events line 7022, Actions line 7098.

49. BQ Still Kickin? - 0988ABBC

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0988A40C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 75 (global list position: Building (CACITY02)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 12 (BQ Still Alive).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6947, Events line 7023, Actions line 7099.

50. Lincoln Fixed Up - 0988CF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 71 (cell 51, 66).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6948, Events line 7024, Actions line 7100.

51. BP Still Kickin? - 0988C92C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF4076C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 294 (global list position: Concession Stand (CAMOV02)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 10 (BP Still Alive).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6949, Events line 7025, Actions line 7101.

52. Washington Fixed Up - 0988C63C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 70 (cell 120, 62).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6950, Events line 7026, Actions line 7102.

53. BN Still Kickin? - 0988ED8C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0988E9BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 108 (global list position: Building (CAWASH05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 11 (BN Still Alive).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6951, Events line 7027, Actions line 7103.

54. Jefferson Fixed Up - 0988E7DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 69 (cell 107, 109).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6952, Events line 7028, Actions line 7104.

55. White House Fixed Up - 09E6C08C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: White House (CAWASH01), owner Civie1 House, cell (97, 16), tag 09E731FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 72 (cell 98, 20).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6953, Events line 7029, Actions line 7105.

56. Recenter Camera to AF - 0C3D103C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C3EE04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set local flag 7 (Fodder5 Go).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6954, Events line 7030, Actions line 7106.

57. BG1 Production Start (t=15m) - 081C703C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: BG1 Production Start (t=10m) (0999341C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 900 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
5. Create/recruit team BG1 Medium (0BC9F93C).
6. Enable and reset applicable timers for Street Patrols Start (0A6792EC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6955, Events line 7031, Actions line 7107.

58. BG1 Production Start (t=30m) - 081DB55C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: BG1 Production Start (t=15m) (081C703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1800 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Create/recruit team BG1 Easy (0BC9F48C).
5. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
6. Enable and reset applicable timers for Street Patrols Start (0A6792EC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6956, Events line 7032, Actions line 7108.

59. BG1 Production Start (Sees BG1) - 081DE05C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG1 Production Start (t=30m) (081DB55C).

Attached scope: Dumpster (CAMISC03), owner Civie1 House, cell (84, 70), tag 099930BC, persistence mode 0; Mr. Yummy's Hot Dogs! (CAMSC01), owner Civie1 House, cell (117, 86), tag 099930BC, persistence mode 0; Outhouse (CAFRMB), owner Civie1 House, cell (104, 78), tag 099930BC, persistence mode 0; Invisible Yellow Light Post (INYELWLAMP), owner Civie1 House, cell (48, 84), tag 099930BC, persistence mode 0; Invisible Yellow Light Post (INYELWLAMP), owner Civie1 House, cell (73, 84), tag 099930BC, persistence mode 0; Soviet Ore Refinery (NAREFN), owner BadGuy1 House, cell (56, 81), tag 099930BC, persistence mode 0; Sentry Gun (NALASR), owner BadGuy1 House, cell (62, 62), tag

099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (34, 75), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (92, 65), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (134, 86), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (142, 84), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (154, 84), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Civie1 House, cell (162, 78), tag 099930BC, persistence mode 0; Invisible Light Post (INGALITE), owner Player House, cell (125, 90), tag 099930BC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
5. Create/recruit team BG1 Medium (0BC9F93C).
6. Enable and reset applicable timers for Street Patrols Start (0A6792EC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6957, Events line 7033, Actions line 7109.

60. Terror Drone Movie Play - 07ABD16C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07ABABFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Terror Drones Creat) is set.

Then perform these actions in order:

1. Play in-game movie 87.
2. Enable and reset applicable timers for Loose the Terror Drones (09A0E96C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6958, Events line 7034, Actions line 7110.

61. Drones Away - 07ABA81C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07ABA4BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (Drones Away) is set.

Then perform these actions in order:

1. Reshroud Map At; main setting 30; location/duration field AE.
2. Reshroud Map At; main setting 23; location/duration field X.
3. Reshroud Map At; main setting 22; location/duration field W.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6959, Events line 7035, Actions line 7111.

62. Rubble States - 09D6C84C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09D6C30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6960, Events line 7036, Actions line 7112.

63. Did Jeff Survive - 0ADF9B2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Jefferson Fixed Up (0988E7DC).

Attached scope: Jefferson Memorial (CAWASH14), owner Civie1 House, cell (106, 106), tag 0988E5DC, persistence mode 0.

Wait for the recorded events:

1. global flag 5 is set.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6961, Events line 7037, Actions line 7113.

64. Did George Survive - 0AE0737C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Washington Fixed Up (0988C63C).

Attached scope: Washington Monument (CAWSH12), owner Civie1 House, cell (116, 61), tag 0988C72C, persistence mode 0.

Wait for the recorded events:

1. global flag 6 is set.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Set local flag 10 (BP Still Alive).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6962, Events line 7038, Actions line 7114.

65. Did Abe Survive - 0AE05B1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Lincoln Fixed Up (0988CF3C).

Attached scope: Lincoln Memorial (CAWASH15), owner Civie1 House, cell (48, 62), tag 0988CC0C, persistence mode 0.

Wait for the recorded events:

1. global flag 4 is set.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6963, Events line 7039, Actions line 7115.

66. Smithsonian Castle - 0AE0551C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Smithsonian Castle (CAWASH16), owner Civie1 House, cell (144, 65), tag 0AE0531C, persistence mode 0.

Wait for the recorded events:

1. global flag 7 is set.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6964, Events line 7040, Actions line 7116.

67. Empty Building at BO - 08339B7C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Eviction Notice (0835364C).

Attached scope: Building (CAWASH11), owner Civie1 House, cell (133, 65), tag 0AF4068C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6965, Events line 7041, Actions line 7117.

68. Empty Building at BN - 083393AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Eviction Notice (0835364C).

Attached scope: Building (CAWASH05), owner Civie1 House, cell (143, 81), tag 0AF404BC, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6966, Events line 7042, Actions line 7118.

69. Empty Building at BQ - 08353DAC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Eviction Notice (0835364C).

Attached scope: Building (CANEWY01), owner Civie1 House, cell (31, 76), tag 0AF40EEC, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6967, Events line 7043, Actions line 7119.

70. Empty Building at BP - 0835385C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Eviction Notice (0835364C).

Attached scope: Bunker (CABUNK01), owner Civie1 House, cell (117, 65), tag 0B4FC35C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6968, Events line 7044, Actions line 7120.

71. Eviction Notice - 0835364C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08354E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Empty Building at BN (083393AC).
2. Enable and reset applicable timers for Empty Building at BO (08339B7C).
3. Enable and reset applicable timers for Empty Building at BP (0835385C).
4. Enable and reset applicable timers for Empty Building at BQ (08353DAC).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6969, Events line 7045, Actions line 7121.

72. Reinforcements Ready - 06446DAC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0644103C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Ready to Work) is set.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsReady.

Source locator: MAPS01.MIX/all06u.map; Triggers line 6970, Events line 7046, Actions line 7122.

73. Civilian Panic-ers - 0CDBF51C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 42 tagged map cells: (156, 73), (141, 74), (142, 74), (143, 74), (144, 74), (145, 74), (146, 74), (147, 74), (148, 74), (149, 74), (150, 74), (151, 74), (152, 74), (153, 74), (154, 74), (155, 74), (157, 74), (158, 74), (159, 74), (160, 74), (161, 74), (162, 74), (141, 75), (162, 75), (141, 76), (162, 76), (141, 77), (162, 77), (141, 78), (141, 79), (162, 79), (141, 80), (162, 80), (141, 81), (162, 81), (141, 82), (162, 82), (141, 83), (162, 83), (141, 84), (162, 84), (163, 84); tag 0CDC0F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Create/recruit team Civilian Panic (0CDBD16C).
2. Play sound CivAllFear at waypoint 80 (cell 154, 80).
3. Enable and reset applicable timers for Stop the Panic (0A410A3C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6971, Events line 7047, Actions line 7123.

74. Stop the Panic - 0A410A3C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Civilian Panic-ers (0CDBF51C).

Attached scope: tag definitions 0A41052C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Civilian Panic (0CDBD16C).

Source locator: MAPS01.MIX/all06u.map; Triggers line 6972, Events line 7048, Actions line 7124.

All team rosters and ordered plans | All mission overrides

Operation: Liberty - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all06u.map; each team/script ID identifies its section.

Prism Fodder1 - 0902AB5C

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Prism Fodder1 SCR (08DE493C).

1. Move to waypoint: waypoint 1 (cell 120, 169).
2. Attack selected enemy-building category; configured argument 131127.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Prism Fodder2 - 09FBE48C

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Prism Fodder2 SCR (0B2924DC).

1. Attack selected enemy-building category; configured argument 131203.
2. Seek/attack target category; configured argument 10.
3. Seek/attack target category; configured argument 1.

Prism Fodder3 - 0902A1FC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Prism Fodder3 SCR (08DE3DBC).

1. Move to waypoint: waypoint 0 (cell 128, 156).
2. Move to waypoint: waypoint 2 (cell 117, 157).
3. Attack selected enemy-building category; configured argument 131127.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

Prism Fodder4 - 0A149EFC

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Prism Fodder4 SCR (0A149C8C).

1. Attack selected enemy-building category; configured argument 131204.
2. Seek/attack target category; configured argument 10.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

Player Starting Forces1 - 0AFF3C8C

Owner: Player. Roster: 1 × Amphibious Transport (LCRF); 1 × Allied Construction Vehicle (AMCV); 3 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Player Starting Forces MCV SCR (0AFF3A1C).

1. Move to waypoint: waypoint 42 (cell 51, 102).
2. Set local flag: local flag 7 (Fodder5 Go).
3. Move to waypoint: waypoint 45 (cell 55, 116).
4. Move to waypoint: waypoint 48 (cell 78, 139).
5. Set local flag: local flag 8 (Bring Camera Back).
6. Move to waypoint: waypoint 16 (cell 78, 150).
7. Move to waypoint: waypoint 76 (cell 94, 164).
8. Unload with continuation mode: transport and passengers continue.
9. Set local flag: local flag 16 (Ready to Work).
10. Scatter.
11. Scatter.
12. Report team success.

Player Starting Forces2 - 09EE4B7C

Owner: Player. Roster: 1 × Amphibious Transport (LCRF); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Player Starting Forces2 SCR (0B072DBC).

1. Move to waypoint: waypoint 44 (cell 54, 117).
2. Move to waypoint: waypoint 47 (cell 76, 139).
3. Move to waypoint: waypoint 98 (cell 76, 150).
4. Move to waypoint: waypoint 75 (cell 94, 168).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Move to waypoint: waypoint 9 (cell 77, 162).
7. Adopt object mission: area guard.

Player Starting Forces3 - 09EE46CC

Owner: Player. Roster: 1 × Amphibious Transport (LCRF); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Player Starting Forces3 SCR (09EE445C).

1. Move to waypoint: waypoint 46 (cell 56, 115).
2. Move to waypoint: waypoint 49 (cell 80, 139).
3. Move to waypoint: waypoint 17 (cell 80, 150).
4. Move to waypoint: waypoint 77 (cell 94, 160).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Approach friendly building category; configured argument 131072.
7. Adopt object mission: area guard.

Flank Attack - 099FE32C

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK); 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Flank Attack SCR (099FE0BC).

1. Move to waypoint: waypoint 15 (cell 36, 122).
2. Move to waypoint: waypoint 9 (cell 77, 162).
3. Attack selected enemy-building category; configured argument 131072.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

NE Bridge Repair Team - 0906DEFC

Owner: BadGuy1. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 24; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: NE Bridge Repair Team SCR (0B0A35FC).

1. Attack waypoint: waypoint 18 (cell 125, 90).
2. Report team success.

Street Patrol 1 - 0B03493C

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: V.

Ordered plan: Street Patrol 1 SCR (0B0346CC).

1. Attack-move toward waypoint: waypoint 25 (cell 103, 71).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 26 (cell 103, 73).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 23 (cell 128, 73).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 24 (cell 155, 73).
8. Guard for interval; configured argument 6.
9. Attack-move toward waypoint: waypoint 21 (cell 155, 71).
10. Guard for interval; configured argument 12.
11. Jump to script line; configured argument 1.

SE Bridge Repair Team 1 - 09F9159C

Owner: BadGuy1. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 24; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: SE Bridge Repair Team SCR (09F9132C).

1. Attack waypoint: waypoint 29 (cell 142, 132).
2. Report team success.

Street Patrol 2 - 0A67BEFC

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Street Patrol 2 SCR (0A67BC8C).

1. Attack-move toward waypoint: waypoint 25 (cell 103, 71).
2. Guard for interval; configured argument 14.
3. Attack-move toward waypoint: waypoint 26 (cell 103, 73).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 23 (cell 128, 73).

6. Guard for interval; configured argument 12.
7. Attack-move toward waypoint: waypoint 22 (cell 128, 71).
8. Guard for interval; configured argument 4.
9. Jump to script line; configured argument 1.

Street Patrol 3 - 0B033B5C

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Street Patrol 3 SCR (0B712A1C).

1. Attack-move toward waypoint: waypoint 27 (cell 39, 71).
2. Guard for interval; configured argument 16.
3. Attack-move toward waypoint: waypoint 28 (cell 39, 73).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 79 (cell 84, 73).
6. Guard for interval; configured argument 12.
7. Attack-move toward waypoint: waypoint 78 (cell 84, 71).
8. Guard for interval; configured argument 5.
9. Jump to script line; configured argument 1.

Def_GI - 0A07A1AC

Owner: BadGuy1. Roster: 2 × Attack Dog (DOG); 2 × Flak Trooper (FLAKT); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_IFV - 0A079B7C

Owner: BadGuy1. Roster: 1 × Terror Drone (DRON); 4 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Grizzly - 0A07993C

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON); 1 × Rhino Heavy Tank (HTNK); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Engineer - 0A0796FC

Owner: BadGuy1. Roster: 3 × Attack Dog (DOG); 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Spy - 0A0794BC

Owner: BadGuy1. Roster: 4 × Attack Dog (DOG); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Blackhawk - 0A07927C

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Rocketeer - 0A07CA7C

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Intruder - 0A07C83C

Owner: BadGuy1. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Barracks - 0A07C5FC

Owner: BadGuy1. Roster: 2 × Attack Dog (DOG); 2 × Flak Trooper (FLAKT); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_War Factory - 0A07C3BC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON); 1 × Rhino Heavy Tank (HTNK); 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_AF Command - 0A07C17C

Owner: BadGuy1. Roster: 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Hard1 - 0A07BDEC

Owner: BadGuy1. Roster: 2 × Flak Track (HTK); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Hard2 - 0A07BBAC

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Terror Drone (DRON); 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Hard3 - 0A07B96C

Owner: BadGuy1. Roster: 6 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0B13A66C).

1. Adopt object mission: area guard.
2. Report team success.

Attk_Rhino1 - 09F6004C

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Rhino1 SCR (0A0DDB7C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131072.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Attk_Rhino2 - 0A035AEC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Rhino2 SCR (0A0DD6CC).

1. Move to waypoint: waypoint 14 (cell 36, 78).
2. Move to waypoint: waypoint 15 (cell 36, 122).
3. Attack selected enemy-building category; configured argument 131127.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Attk_Engineer1 - 07B64C2C

Owner: BadGuy1. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer1 SCR (07B651BC).

1. Attack selected enemy-building category; configured argument 131073.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131073.
4. Attack selected enemy-building category; configured argument 131075.
5. Seek/attack target category; configured argument 2.

Attk_Engineer2 - 099EC21C

Owner: BadGuy1. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer2 SCR (099EDDBC).

1. Move to waypoint: waypoint 14 (cell 36, 78).
2. Attack selected enemy-building category; configured argument 131079.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131074.
5. Attack selected enemy-building category; configured argument 131075.
6. Seek/attack target category; configured argument 2.

Attk_Engineer3 - 099ED77C

Owner: BadGuy1. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer3 SCR (099ED50C).

1. Attack selected enemy-building category; configured argument 131074.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131079.
4. Seek/attack target category; configured argument 2.

Terror Inbound - 0A9C6C8C

Owner: BadGuy1. Roster: 5 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 24; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Terror Inbound SCR (0A9C6A1C).

1. Scatter.
2. Flash team; configured argument 20.
3. Guard for interval; configured argument 8.
4. Flash team; configured argument 20.

5. Guard for interval; configured argument 8.
6. Flash team; configured argument 20.
7. Guard for interval; configured argument 8.
8. Set local flag: local flag 15 (Drones Away).
9. Seek/attack target category; configured argument 5.
10. Adopt object mission: hunt.

Attk_Infantry1a - 0A03190C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry1a SCR (0A9C656C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Attack selected enemy-building category; configured argument 131072.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Attk_Infantry2 - 0A03145C

Owner: BadGuy1. Roster: 1 × Attack Dog (DOG); 5 × Conscript (E2); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry2 SCR (0A0DBA1C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131127.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Attk_Infantry3 - 0A033EFC

Owner: BadGuy1. Roster: 3 × Conscript (E2); 1 × Attack Dog (DOG); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry3 SCR (0A0DB56C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131177.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

Attk_Infantry1b - 0A033A4C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry1b SCR (0A9C16CC).

1. Move to waypoint: waypoint 14 (cell 36, 78).
2. Seek/attack target category; configured argument 4.

3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

Attk_Terror1 - 0A0336AC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Terror1 SCR (0A9C132C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 4.
6. Adopt object mission: hunt.

Attk_Terror2 - 0A0331FC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Terror2 SCR (0974E56C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 4.
6. Adopt object mission: hunt.

Attk_Terror3 - 09E853AC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Terror3 SCR (09E85DBC).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Adopt object mission: hunt.
3. Report team success.
4. Seek/attack target category; configured argument 5.

Attk_V3_1 - 0A032A1C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 1 × Terror Drone (DRON); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3_1 SCR (0ADAD43C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 9.

5. Seek/attack target category; configured argument 7.
6. Attack selected enemy-building category; configured argument 131079.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Attk_V3_2 - 0A03256C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3_2 SCR (0A15256C).

1. Attack selected enemy-building category; configured argument 131177.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131127.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_V3_3 - 0A0320BC

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 5 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3_3 SCR (0A9C3B7C).

1. Move to waypoint: waypoint 14 (cell 36, 78).
2. Attack selected enemy-building category; configured argument 131127.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_Hunter1 - 09E82B7C

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hunter1 SCR (09E8290C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Adopt object mission: hunt.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Attk_Hunter2 - 09E826CC

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hunter2 SCR (09E8245C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Move to waypoint: waypoint 14 (cell 36, 78).

3. Adopt object mission: hunt.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Prism Fodder5 - 09E693AC

Owner: BadGuy2. Roster: 3 × Rhino Heavy Tank (HTNK); 5 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: Prism Fodder5 SCR (09E6B8BC).

1. Attack selected enemy-building category; configured argument 131127.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Attk_Infantry Sweepers - 0AC4EEFC

Owner: BadGuy1. Roster: 4 × Conscript (E2); 3 × Flak Trooper (FLAKT); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry Sweepers SCR (0A9D7B7C).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Attk_Armor Sweepers - 0AC5EDBC

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 3 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Armor Sweepers SCR (0A9D76CC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 131127.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_V3_4 - 09C4042C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3_4 SCR (0A9D721C).

1. Attack-move toward waypoint: waypoint 14 (cell 36, 78).
2. Attack-move toward waypoint: waypoint 15 (cell 36, 122).
3. Attack-move toward waypoint: waypoint 64 (cell 65, 147).
4. Attack selected enemy-building category; configured argument 65647.

5. Attack selected enemy-building category; configured argument 65647.
6. Attack selected enemy-building category; configured argument 65646.
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 1.

Attk_Engineer4 - 09B7E3FC

Owner: BadGuy1. Roster: 3 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer4 SCR (09B81DBC).

1. Attack selected enemy-building category; configured argument 131097.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131083.
4. Attack selected enemy-building category; configured argument 131086.
5. Attack selected enemy-building category; configured argument 131087.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.

Attk_Moneybags 1 - 09B8123C

Owner: BadGuy1. Roster: 5 × Rhino Heavy Tank (HTNK); 3 × Terror Drone (DRON); 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Moneybags 1 SCR (0ADA9DBC).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Attack selected enemy-building category; configured argument 131127.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Attack selected enemy-building category; configured argument 131087.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

Attk_Moneybags 2 - 09B86EFC

Owner: BadGuy1. Roster: 6 × Conscript (E2); 6 × Flak Trooper (FLAKT); 4 × Tesla Trooper (SHK); 2 × Attack Dog (DOG); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Moneybags 2 SCR (0ADA9A1C).

1. Set local flag: local flag 6 (Terror Drones Creat).
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Attk_V3_5 - 09B8073C

Owner: BadGuy1. Roster: 4 × V3 Launcher (V3); 4 × Flak Trooper (FLAKT); 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3_5 SCR (0A0E5DBC).

1. Attack selected enemy-building category; configured argument 65591.

2. Report team success.
3. Attack selected enemy-building category; configured argument 65591.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Attk_Garrison - 09DD532C

Owner: BadGuy1. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Garrison SCR (0A083DBC).

1. Seek/attack target category; configured argument 10.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

BG1 Garrisoners_A - 0AE4FB7C

Owner: BadGuy1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Garrisoners_A SCR (0AE4F90C).

1. Attack waypoint: waypoint 67 (cell 117, 65).
2. Seek/attack target category; configured argument 1.

BG1 Garrisoners_B - 0BC9456C

Owner: BadGuy1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Garrisoners_B SCR (0BF287BC).

1. Attack waypoint: waypoint 66 (cell 134, 67).
2. Seek/attack target category; configured argument 1.

BG1 Garrisoners_C - 0BC941CC

Owner: BadGuy1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Garrisoners_C SCR (0BF2E3BC).

1. Attack waypoint: waypoint 65 (cell 144, 82).
2. Seek/attack target category; configured argument 1.

BG1 Garrisoners_D - 0BC95C8C

Owner: BadGuy1. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Garrisoners_D SCR (0BF29DBC).

1. Attack waypoint: waypoint 68 (cell 33, 78).
2. Seek/attack target category; configured argument 1.

SE Bridge Repair Team 2 - 09EBF46C

Owner: BadGuy2. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 24; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: SE Bridge Repair Team SCR (09F9132C).

1. Attack waypoint: waypoint 29 (cell 142, 132).
2. Report team success.

Attk_BG2 Armor 1 - 09DFB81C

Owner: BadGuy2. Roster: 3 × Rhino Heavy Tank (HTNK); 5 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BG2 Armor 1 SCR (09DFAB4C).

1. Attack selected enemy-building category; configured argument 131127.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Attk_BG2 Armor 2 - 09DFA51C

Owner: BadGuy2. Roster: 2 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3); 5 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BG2 Armor 2 SCR (09DFA19C).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

BG1 Hard - 0BC9FDEC

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3); 2 × Flak Track (HTK); 8 × Conscript (E2); 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Hard SCR (09FC090C).

1. Attack selected enemy-building category; configured argument 131079.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

BG1 Medium - 0BC9F93C

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK); 6 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Medium SCR (0AF3C6CC).

1. Attack selected enemy-building category; configured argument 131075.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 9.

5. Seek/attack target category; configured argument 1.

BG1 Easy - 0BC9F48C

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK); 4 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG1 Easy SCR (09FC1DBC).

1. Seek/attack target category; configured argument 1.

Civilian Panic - 0CDBD16C

Owner: Civilian1. Roster: 1 × Civilian (CIV1); 1 × Civilian (CIV2); 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Civilian Panic SCR (0AE0556C).

1. Panic.
2. Jump to script line; configured argument 1.

Operation: Liberty - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all06u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1500,1250,1000	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	30,30,30	14
War Miner (HARV)	Resource cargo capacity	20	17
Chrono Miner (CMIN)	Resource cargo capacity	10	20
TIBERIUMS (TIBERIUMS)	0	Riparius	23
TIBERIUMS (TIBERIUMS)	1	Cruentus	24
TIBERIUMS (TIBERIUMS)	2	Vinifera	25
TIBERIUMS (TIBERIUMS)	3	Aboreus	26
Tiberium Riparius (RIPARIUS)	Value	50	29
Tiberium Cruentus (CRUENTUS)	Value	100	32
Tiberium Vinifera (VINIFERA)	Value	50	35
Tiberium Aboreus (ABOREUS)	Value	50	38
CRATERULES (CRATERULES)	Solo Crate Money	2000	41
Pentagon (CAWA2A)	Name	RA2 Wash Pent A	44
Pentagon (CAWA2A)	Hidden from radar	no	45
Pentagon (CAWA2A)	Repair-tool permission	no	46
Pentagon (CAWA2A)	Engineer-capture permission	false	47
Pentagon (CAWA2A)	Infantry garrison permitted	yes	48
Pentagon (CAWA2A)	Garrison capacity	10	49
Pentagon (CAWA2A)	Primary	AlliedOccupyW	50
Pentagon (CAWA2A)	Secondary	SovietOccupyW	51
Pentagon (CAWA2B)	Name	RA2 Wash Pent B	54
Pentagon (CAWA2B)	Hidden from radar	no	55
Pentagon (CAWA2B)	Repair-tool permission	no	56
Pentagon (CAWA2B)	Engineer-capture permission	false	57
Pentagon (CAWA2B)	Infantry garrison permitted	yes	58
Pentagon (CAWA2B)	Garrison capacity	10	59
Pentagon (CAWA2B)	Primary	AlliedOccupyW	60
Pentagon (CAWA2B)	Secondary	SovietOccupyW	61

Object/system	Property	Mission value	Source line
Pentagon (CAWA2C)	Name	RA2 Wash Pent C	64
Pentagon (CAWA2C)	Hidden from radar	no	65
Pentagon (CAWA2C)	Repair-tool permission	no	66
Pentagon (CAWA2C)	Engineer-capture permission	false	67
Pentagon (CAWA2C)	Infantry garrison permitted	yes	68
Pentagon (CAWA2C)	Garrison capacity	10	69
Pentagon (CAWA2C)	Primary	AlliedOccupyW	70
Pentagon (CAWA2C)	Secondary	SovietOccupyW	71
Pentagon (CAWA2D)	Name	RA2 Wash Pent D	74
Pentagon (CAWA2D)	Hidden from radar	no	75
Pentagon (CAWA2D)	Repair-tool permission	no	76
Pentagon (CAWA2D)	Engineer-capture permission	false	77
Pentagon (CAWA2D)	Infantry garrison permitted	yes	78
Pentagon (CAWA2D)	Garrison capacity	10	79
Pentagon (CAWA2D)	Primary	AlliedOccupyW	80
Pentagon (CAWA2D)	Secondary	SovietOccupyW	81
Washington Monument (CAWSH12)	Name	RA2 Washington Monument	84
Washington Monument (CAWSH12)	Infantry garrison permitted	no	85
Washington Monument (CAWSH12)	Distributed Fire	no	86
Washington Monument (CAWSH12)	Primary	none	87
Washington Monument (CAWSH12)	Secondary	none	88
Washington Monument (CAWSH12)	Crate Beneath	false	89
Lincoln Memorial (CAWASH15)	Name	RA2 Lincoln Memorial	92
Lincoln Memorial (CAWASH15)	Infantry garrison permitted	no	93
Lincoln Memorial (CAWASH15)	Distributed Fire	no	94
Lincoln Memorial (CAWASH15)	Primary	none	95
Lincoln Memorial (CAWASH15)	Secondary	none	96
Lincoln Memorial (CAWASH15)	Crate Beneath	false	97
Jefferson Memorial (CAWASH14)	Name	Jefferson Memorial	100
Jefferson Memorial (CAWASH14)	Infantry garrison permitted	no	101
Jefferson Memorial (CAWASH14)	Primary	none	102
Jefferson Memorial (CAWASH14)	Secondary	none	103
Jefferson Memorial (CAWASH14)	Crate Beneath	false	104
White House (CAWASH01)	Name	RA2 White House	107
White House (CAWASH01)	Crate Beneath	false	108
Engineer (SENGINEER)	Technology level	10	111
Allied Construction Vehicle (AMCV)	Technology level	5	114
Attack Dog (DOG)	Technology level	10	117
Prism Tank (SREF)	Name	Prism Tank	120
Prism Tank (SREF)	Technology level	12	121
Allied Shipyard (GAYARD)	Name	Allied Shipyard	124

Object/system	Property	Mission value	Source line
Allied Shipyard (GAYARD)	Technology level	12	125
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	128
Soviet Shipyard (NAYARD)	Technology level	12	129
SEAL (GHOST)	Name	SEAL	132
SEAL (GHOST)	Technology level	12	133
SEAL (GHOST)	Prerequisite Override	GAOREP	134
Mirage Tank (MGTK)	Name	Mirage Tank	137
Mirage Tank (MGTK)	Technology level	12	138
Chrono Legionnaire (CLEG)	Name	Chrono Legionnaire	141
Chrono Legionnaire (CLEG)	Technology level	12	142
Tanya (TANY)	Name	Tanya	145
Tanya (TANY)	Technology level	12	146
Desolator (DESO)	Name	Desolater	149
Desolator (DESO)	Technology level	12	150
Apocalypse (APOC)	Name	Apocalypse	153
Apocalypse (APOC)	Technology level	12	154
Kirov Airship (ZEP)	Name	Kirov Airship	157
Kirov Airship (ZEP)	Technology level	12	158
Yuri (YURI)	Name	Yuri	161
Yuri (YURI)	Technology level	12	162
Crazy Ivan (IVAN)	Technology level	12	165
Tesla Tank (TTNK)	Technology level	12	168
Ore Purifier (GAOREP)	Technology level	12	171
SpySat Uplink (GASPYSAT)	Technology level	12	174
Cloning Vats (NACLON)	Technology level	12	177
Iron Curtain Device (NAIRON)	Technology level	12	180
Weather Controller (GAWEAT)	Technology level	12	183
Chrono Sphere (GACSPH)	Technology level	12	186
Gap Generator (GAGAP)	Name	Gap Generator	189
Gap Generator (GAGAP)	Technology level	12	190
Psychic Sensor (NAPSIS)	Technology level	12	193
Nuclear Reactor (NANRCT)	Technology level	12	196
Nuclear Missile Silo (NAMISL)	Name	Nuclear Missile Silo	199
Nuclear Missile Silo (NAMISL)	Technology level	12	200
SPECIALFLAGS	Tiberium Grows	yes	203
SPECIALFLAGS	Tiberium Spreads	yes	204
SPECIALFLAGS	Tiberium Explosive	no	205
SPECIALFLAGS	Destroyable Bridges	no	206
SPECIALFLAGS	MCV Deploy	no	207
SPECIALFLAGS	Initial Veteran	no	208
SPECIALFLAGS	Fixed Alliance	no	209

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Harvester Immune	no	210
SPECIALFLAGS	Fog Of War	no	211
SPECIALFLAGS	Inert	no	212
SPECIALFLAGS	Ion Storms	no	213
SPECIALFLAGS	Meteorites	no	214
SPECIALFLAGS	Visceroids	no	215
COUNTRIES (COUNTRIES)	0	Player	218
COUNTRIES (COUNTRIES)	1	BadGuy1	219
COUNTRIES (COUNTRIES)	2	BadGuy2	220
COUNTRIES (COUNTRIES)	3	BadGuy3	221
COUNTRIES (COUNTRIES)	4	Civilian1	222
COUNTRIES (COUNTRIES)	5	Other1	223
COUNTRIES (COUNTRIES)	6	Other2	224
COUNTRIES (COUNTRIES)	7	Other3	225
COUNTRIES (COUNTRIES)	8	Elania	226
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3500	316
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	317
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.6094	318
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.6094	319
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0000	320
Invisible Purple Light Post (INPURPLAMP)	Local light reach	2500	323
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.001	324
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.8438	325
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.0117	326
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.9102	327
Negative Light Post (NEGLAMP)	Name	Negative Light Post	330
Negative Light Post (NEGLAMP)	Local light reach	5000	331
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	332
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	333
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	334
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	335
Invisible Light Post (INGALITE)	Name	Invisible Light Post	338
Invisible Light Post (INGALITE)	Local light reach	10	339
Invisible Light Post (INGALITE)	Local light intensity	0.001	340
Invisible Light Post (INGALITE)	Light Red Tint	0.05	341
Invisible Light Post (INGALITE)	Light Green Tint	0.05	342

Object/system	Property	Mission value	Source line
Invisible Light Post (INGALITE)	Light Blue Tint	0.01	343
Invisible Light Post (INGALITE)	Depends on power	true	344
VARIABLENAMES (VARIABLENAMES)	0	Player on Map,0	385
VARIABLENAMES (VARIABLENAMES)	1	NE1 Bridge Team,0	386
VARIABLENAMES (VARIABLENAMES)	2	NE1 Bridge Destroye,0	387
VARIABLENAMES (VARIABLENAMES)	3	SE2 Bridge Destroye,0	388
VARIABLENAMES (VARIABLENAMES)	4	SE2 Bridge Team,0	389
VARIABLENAMES (VARIABLENAMES)	5	Terror Uncovered,0	390
VARIABLENAMES (VARIABLENAMES)	6	Terror Drones Creat,0	391
VARIABLENAMES (VARIABLENAMES)	7	Fodder5 Go,0	392
VARIABLENAMES (VARIABLENAMES)	8	Bring Camera Back,0	393
VARIABLENAMES (VARIABLENAMES)	9	BO Still Alive,0	394
VARIABLENAMES (VARIABLENAMES)	10	BP Still Alive,0	395
VARIABLENAMES (VARIABLENAMES)	11	BN Still Alive,0	396
VARIABLENAMES (VARIABLENAMES)	12	BQ Still Alive,1	397
VARIABLENAMES (VARIABLENAMES)	13	N Bridge Fixed,0	398
VARIABLENAMES (VARIABLENAMES)	14	BG2 Bridge Team,0	399
VARIABLENAMES (VARIABLENAMES)	15	Drones Away,0	400
VARIABLENAMES (VARIABLENAMES)	16	Ready to Work,0	401

Operation: Deep Sea

Campaign reading guide | Engine

Operation: Deep Sea

all07t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- Civie2 House (108)
- Other1 House (45)
- Player House (39)
- Civie1 House (7)
- Civie3 House (7)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all07t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all07t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all07t.map. **Effective extracted member:** MAPS01.MIX/all07t.map. **Trigger definitions:** 57.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,175,125
Visible local rectangle	5,5,165,114
Placed vehicles	35
Placed infantry	47
Placed structures	128
Placed aircraft	0
Team templates	87

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	600	BadGuy1
2	BadGuy2 House	0	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	10	Other1
6	Civie3 House	0	Civilian3
7	House Balabos	0	Balabos
8	Civie2 House	0	Civilian2

Local state flags at initialization

Flag	Meaning label and initial value
0	Niihau Invaders 1,0
1	Niihau Invaders 2,0
2	Niihau Invaders 3,0
3	Niihau Invaders MCV,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Win Game Over (09C9877C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
_Loss Game Over (09C98F3C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Reveal Hawaii - 0A991F3C

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A991A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 1 (cell 186, 161).
2. Reveal terrain around waypoint 2 (cell 196, 171).
3. Reveal terrain around waypoint 3 (cell 205, 168).
4. Reveal terrain around waypoint 4 (cell 216, 166).
5. Reveal terrain around waypoint 5 (cell 211, 147).
6. Reveal terrain around waypoint 95 (cell 204, 123).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10368, Events line 10427, Actions line 10486.

2. Zone Reveal Hawaii - 0BA51E1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BA51A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal the zone associated with waypoint 6 (cell 172, 113).
2. Reveal the zone associated with waypoint 7 (cell 87, 114).
3. Reveal the zone associated with waypoint 9 (cell 65, 131).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10369, Events line 10428, Actions line 10487.

3. Niihau Neutralizers Go1 (Easy) - 07C3C06C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 18 (country/type OTHER1; placed owner Other1 House).
2. Supply reinforcement team Niihau Softener 1a (09D4AA4C).
3. Supply reinforcement team Niihau Softener 1b (09D496AC).
4. Supply reinforcement team Niihau Softener 1c (0AF92A1C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10370, Events line 10429, Actions line 10488.

4. Niihau Neutralizers Go2 - 0C43798C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C435B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Niihau Softener 2 (0913C28C).
2. Enable and reset applicable timers for Niihau Neutralizers Go3 (0C435A9C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10371, Events line 10430, Actions line 10489.

5. Niihau Neutralizers Go3 - 0C435A9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Niihau Neutralizers Go2 (0C43798C); enable from Niihau Defenders (0AAC521C).

Attached scope: tag definitions 0C4357EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Niihau Softener 3a (0A0F832C).
2. Supply reinforcement team Niihau Softener 3b (08D1174C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10372, Events line 10431, Actions line 10490.

6. Niihau Defenders - 0AAC521C

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Patriot Missile (NASAM), owner Other1 House, cell (63, 188), tag 0AAC1A0C, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (50, 188), tag 0AAC1A0C, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (54, 195), tag 0AAC1A0C, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (59, 195), tag 0AAC1A0C, persistence mode 0.

Wait for the recorded events:

1. First damaged (any source). See attached-object/cell scope below.

Then perform these actions in order:

1. Make enemy: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Create/recruit team Niihau Choppers (0AAB5ABC).
3. Create/recruit team Niihau GIs (08C4935C).
4. Play in-game movie 89.
5. Enable and reset applicable timers for Niihau - Just Die Already (03EE525C).
6. Create/recruit team Niihau Grizzlies (09DEDEFC).
7. Supply reinforcement team Niihau Softener 2 (0913C28C).
8. Enable and reset applicable timers for Niihau Neutralizers Go3 (0C435A9C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10373, Events line 10432, Actions line 10491.

7. Niihau - Just Die Already - 03EE525C

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Niihau Defenders (0AAC521C).

Attached scope: GI (E1), owner Other1 House, cell (63, 193), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (63, 191), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (50, 193), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (50, 191), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (55, 197), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (58, 197), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (55, 197), tag 03EE33CC, persistence mode 0; GI (E1), owner Other1 House, cell (59, 197), tag 03EE33CC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (52, 193), tag 03EE33CC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (61, 193), tag 03EE33CC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (50, 190), tag 03EE33CC, persistence mode 0; Pill Box (GAPILL), owner Other1 House, cell (63, 190), tag 03EE33CC, persistence mode 0.

Wait for the recorded events:

1. 135 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10374, Events line 10433, Actions line 10492.

8. _Win Occurred - 07A173AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A170FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Win Game Over (09C9877C).
2. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Make side cheer: owner selector 17 (country/type CIVILIAN1; placed owner Civie1 House).
4. Make side cheer: owner selector 21 (country/type CIVILIAN2; placed owner Civie2 House).
5. Make side cheer: owner selector 19 (country/type CIVILIAN3; placed owner Civie3 House).
6. Disable Objective Statement (0A949BE4).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10375, Events line 10434, Actions line 10493.

9. _Win Game Over - 09C9877C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win Occurred (07A173AC).

Attached scope: tag definitions 09C984CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10376, Events line 10435, Actions line 10494.

10. _Loss Occured - 07A17A6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A1749C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss Game Over (09C98F3C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10377, Events line 10436, Actions line 10495.

11. _Loss Game Over - 09C98F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss Occured (07A17A6C).

Attached scope: tag definitions 09C9894C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10378, Events line 10437, Actions line 10496.

12. Niihau Lost - 08DA9E3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DA981C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Then perform these actions in order:

1. Supply reinforcement team Niihau Invaders 1 (0B0EBEFC).
2. Supply reinforcement team Niihau Invaders 2 (0B0EBA4C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10379, Events line 10438, Actions line 10497.

13. Niihau Invaders 1a Go - 07C2B23C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C28DFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Niihau Invaders 1) is set.

Then perform these actions in order:

1. Create/recruit team Niihau Invaders 1a (09D7B59C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10380, Events line 10439, Actions line 10498.

14. Niihau Invaders 2a Go - 07C28D0C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C28B0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Niihau Invaders 2) is set.

Then perform these actions in order:

1. Create/recruit team Niihau Invaders 2a (08D6495C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10381, Events line 10440, Actions line 10499.

15. Niihau Captured - 07A3A6BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A3C7CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 1a (09D4AA4C).
2. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 1b (09D496AC).
3. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 1c (0AF92A1C).
4. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 3a (0A0F832C).
5. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 3b (08D1174C).
6. Remove instances of the team organization (not automatically its surviving objects) Niihau Softener 2 (0913C28C).
7. Supply reinforcement team Niihau Invaders MCV (0B0ECA4C).
8. Create/recruit team Niihau Softener 1a2 (08DF920C).
9. Create/recruit team Niihau Softener 1b2 (08C232DC).
10. Create/recruit team Niihau Softener 1c2 (08C21DFC).
11. Create/recruit team Niihau Softener 3a2 (08BFA80C).
12. Create/recruit team Niihau Softener 3b2 (08BFEF0C).
13. Create/recruit team Niihau Softener 22 (0AA1D1EC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10382, Events line 10441, Actions line 10500.

16. Niihau Invaders MCV Go - 07A3D71C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A3A56C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Niihau Invaders MCV) is set.

Then perform these actions in order:

1. Create/recruit team Niihau Invaders MCVa (08F867FC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10383, Events line 10442, Actions line 10501.

17. BG1 Production Start - 07C38ABC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C3849C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10384, Events line 10443, Actions line 10502.

18. Can't See BG1 - 08BFCC2C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08BFC87C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Then perform these actions in order:

1. Reshroud Map At; main setting 0.
2. Reshroud Map At; main setting 18; location/duration field S.
3. Reshroud Map At; main setting 17; location/duration field R.
4. Reshroud Map At; main setting 25; location/duration field Z.
5. Reshroud Map At; main setting 23; location/duration field X.
6. Reshroud Map At; main setting 36; location/duration field AK.
7. Reshroud Map At; main setting 46; location/duration field AU.
8. Reshroud Map At; main setting 47; location/duration field AV.
9. Reshroud Map At; main setting 21; location/duration field V.
10. Enable and reset applicable timers for Objective Statement (0A949BE4).
11. Reshroud Map At; main setting 49; location/duration field AX.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10385, Events line 10444, Actions line 10503.

19. Objective Statement - 0A949BE4

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Can't See BG1 (08BFCC2C).

Attached scope: tag definitions 0A949764 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy all Soviet forces” (MISSION:All07a1).
2. Display message “on or around the Hawaiian Islands” (MISSION:All07a2).
3. Create radar-event marker type 5 at waypoint 18 (cell 57, 192).
4. Play voice notification Mis_A7_EvaNiihauFallen.
5. Enable and reset applicable timers for Restate Objective (07F3E94C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10386, Events line 10445, Actions line 10504.

20. Restate Objective - 07F3E94C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective Statement (0A949BE4).

Attached scope: tag definitions 07F3E5EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 18 (cell 57, 192).
2. Display message “Objective 1: Destroy all Soviet forces” (MISSION:All07a1).
3. Display message “on or around the Hawaiian Islands” (MISSION:All07a2).
4. Enable and reset applicable timers for Enough with the Objective (07F3E44C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10387, Events line 10446, Actions line 10505.

21. Enough with the Objective - 07F3E44C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Restate Objective (07F3E94C).

Attached scope: tag definitions 07F3E24C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 540 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Restate Objective (07F3E94C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10388, Events line 10447, Actions line 10506.

22. Pearl Neutralization 1 (Easy) - 07BE3CCC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Pearl Attack Fleet 1a (0A102C8C).
2. Supply reinforcement team Pearl Attack Fleet 1b (0A1027DC).
3. Supply reinforcement team Pearl Attack Fleet 1c (0A101A4C).
4. Display message “WARNING - SOVIET ATTACK IMMINENT” (MISSION:All07b).
5. Enable and reset applicable timers for Pearl Neutralization 2 (09A5098C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10389, Events line 10448, Actions line 10507.

23. Pearl Neutralization 2 - 09A5098C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pearl Neutralization 1 (Easy) (07BE3CCC); enable from Pearl Neutralization 1 (Med) (041788DC); enable from Pearl Neutralization 1 (Hard) (0417812C).

Attached scope: tag definitions 09A5057C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Pearl Attack Fleet 3a (0A1016AC).
2. Supply reinforcement team Pearl Attack Fleet 3b (0A1011FC).
3. Supply reinforcement team Pearl Attack Fleet 3c (0A100C8C).
4. Enable and reset applicable timers for Pearl Neutralization 3 (09A50F3C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10390, Events line 10449, Actions line 10508.

24. Pearl Neutralization 3 - 09A50F3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pearl Neutralization 2 (09A5098C).

Attached scope: tag definitions 09A50A7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Pearl Attack Fleet 2a (09366444).
2. Supply reinforcement team Pearl Attack Fleet 2b (08F077FC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10391, Events line 10450, Actions line 10509.

25. PAttk_Infantry2 Trig - 0BD9631C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PAttk_Infantrys Enable (Easy) (07A1628C); enable from PAttk_Infantrys Enable (Med) (0834D25C); enable from PAttk_Infantrys Enable (Hard) (0835372C).

Attached scope: tag definitions 0BD97E1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team PAttk_Infantry2 (0AFC51FC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10392, Events line 10451, Actions line 10510.

26. PAttk_Infantrys Enable (Easy) - 07A1628C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for PAttk_Infantry2 Trig (0BD9631C).
2. Enable and reset applicable timers for PAttk_Infantry1 Trig (08EB692C).
3. Enable and reset applicable timers for PAttk_Infantry3 Trig (08EB60BC).
4. Supply reinforcement team PAttk_Infantry1 (0AFC56AC).
5. Supply reinforcement team PAttk_Infantry2 (0AFC51FC).
6. Enable and reset applicable timers for End PAttk Trigs (07B775BC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10393, Events line 10452, Actions line 10511.

27. PAttk_Infantry1 Trig - 08EB692C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PAttk_Infantrys Enable (Easy) (07A1628C); enable from PAttk_Infantrys Enable (Med) (0834D25C); enable from PAttk_Infantrys Enable (Hard) (0835372C).

Attached scope: tag definitions 08EB644C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team PAttk_Infantry1 (0AFC56AC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10394, Events line 10453, Actions line 10512.

28. PAttk_Infantry3 Trig - 08EB60BC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PAttk_Infantrys Enable (Easy) (07A1628C); enable from PAttk_Infantrys Enable (Med) (0834D25C); enable from PAttk_Infantrys Enable (Hard) (0835372C).

Attached scope: tag definitions 08EB7C5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team PAttk_Infantry3 (0AFC4B7C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10395, Events line 10454, Actions line 10513.

29. End PAttk Trigs - 07B775BC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PAttk_Infantrys Enable (Easy) (07A1628C); enable from PAttk_Infantrys Enable (Med) (0834D25C); enable from PAttk_Infantrys Enable (Hard) (0835372C).

Attached scope: tag definitions 07B7171C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Disable PAttk_Infantry1 Trig (08EB692C).
2. Disable PAttk_Infantry2 Trig (0BD9631C).
3. Disable PAttk_Infantry3 Trig (08EB60BC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10396, Events line 10455, Actions line 10514.

30. Player Harvesters Start - 0A8F13D4

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A8F6C44 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team Player Harvesters (0A8F2F04).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10397, Events line 10456, Actions line 10515.

31. Play Heavy Surf - 07FED65C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FED15C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 69 (cell 223, 155).
2. Play sound _Amb_OceanHeavy at waypoint 70 (cell 197, 180).
3. Play sound _Amb_OceanHeavy at waypoint 71 (cell 175, 165).
4. Play sound _Amb_OceanHeavy at waypoint 72 (cell 148, 168).
5. Play sound _Amb_OceanHeavy at waypoint 73 (cell 122, 169).
6. Play sound _Amb_OceanHeavy at waypoint 76 (cell 120, 122).
7. Play sound _Amb_OceanHeavy at waypoint 77 (cell 135, 106).
8. Play sound _Amb_OceanHeavy at waypoint 78 (cell 129, 81).
9. Play sound _Amb_OceanHeavy at waypoint 79 (cell 141, 72).
10. Play sound _Amb_OceanHeavy at waypoint 81 (cell 174, 77).
11. Play sound _Amb_OceanHeavy at waypoint 82 (cell 196, 80).
12. Play sound _Amb_OceanHeavy at waypoint 83 (cell 226, 83).
13. Play sound _Amb_OceanHeavy at waypoint 84 (cell 252, 121).
14. Play sound _Amb_OceanHeavy at waypoint 28 (cell 78, 182).
15. Play sound _Amb_OceanHeavy at waypoint 30 (cell 40, 166).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10398, Events line 10457, Actions line 10516.

32. Play Light Surf - 07FEE3EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEFC0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 37 (cell 209, 136).
2. Play sound _Amb_OceanLight at waypoint 74 (cell 101, 150).
3. Play sound _Amb_OceanLight at waypoint 75 (cell 106, 132).
4. Play sound _Amb_OceanLight at waypoint 80 (cell 157, 82).
5. Play sound _Amb_OceanLight at waypoint 85 (cell 245, 139).
6. Play sound _Amb_OceanLight at waypoint 15 (cell 47, 202).
7. Play sound _Amb_OceanLight at waypoint 16 (cell 64, 204).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10399, Events line 10458, Actions line 10517.

33. Play Harbor Birds - 07FEFB1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEF98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 38 (cell 194, 139).
2. Play sound _Amb_BirdsHarbor at waypoint 39 (cell 196, 126).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10400, Events line 10459, Actions line 10518.

34. Play Urban Murmur - 07FEF89C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEFF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 65 (cell 230, 125).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10401, Events line 10460, Actions line 10519.

35. Play Birdsongs - 07FEFE5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEE5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate2 at waypoint 86 (cell 163, 95).
2. Play sound _Amb_BirdsTemperate2 at waypoint 58 (cell 154, 132).
3. Play sound _Amb_BirdsTemperate1 at waypoint 9 (cell 65, 131).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10402, Events line 10461, Actions line 10520.

36. BG1 Firesale - 0B33703C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale Enabler 2 (0BF482EC).

Attached scope: tag definitions 0BF48B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Enable and reset applicable timers for Transports Must Die (0B445EDC).
4. Enable and reset applicable timers for End Transport Team Creation (0B4458FC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10403, Events line 10462, Actions line 10521.

37. Transports Must Die - 0B445EDC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale (0B33703C).

Attached scope: tag definitions 0B4459EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Stupid Transports Must Die (083346CC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10404, Events line 10463, Actions line 10522.

38. End Transport Team Creation - 0B4458FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale (0B33703C).

Attached scope: tag definitions 0B44149C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 51 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Transports Must Die (0B445EDC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10405, Events line 10464, Actions line 10523.

39. BG1 Firesale Enabler 1 - 0BF48A9C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF484BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Firesale Enabler 2 (0BF482EC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10406, Events line 10465, Actions line 10524.

40. BG1 Firesale Enabler 2 - 0BF482EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale Enabler 1 (0BF48A9C).

Attached scope: tag definitions 0BF49C3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Firesale (0B33703C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10407, Events line 10466, Actions line 10525.

41. BG1 Hates Player - 0BF4CCFC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF4C96C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Then perform these actions in order:

1. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
2. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10408, Events line 10467, Actions line 10526.

42. Couple Extra Transports - 079ED7EC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079ED17C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Extra Transport 1 (079ED04C).
2. Supply reinforcement team Extra Transport 2 (079EE79C).
3. Supply reinforcement team Extra Transport 3 (081B8EFC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10409, Events line 10468, Actions line 10527.

43. PAttk_Infantrys Enable (Med) - 0834D25C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: PAttk_Infantrys Enable (Easy) (07A1628C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for PAttk_Infantry1 Trig (08EB692C).
2. Enable and reset applicable timers for PAttk_Infantry2 Trig (0BD9631C).
3. Enable and reset applicable timers for PAttk_Infantry3 Trig (08EB60BC).
4. Supply reinforcement team PAttk_Infantry1 (0AFC56AC).
5. Supply reinforcement team PAttk_Infantry2 (0AFC51FC).
6. Enable and reset applicable timers for End PAttk Trigs (07B775BC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10410, Events line 10469, Actions line 10528.

44. PAttk_Infantrys Enable (Hard) - 0835372C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: PAttk_Infantrys Enable (Med) (0834D25C).

Attached scope: tag definitions 07A17B5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for PAttk_Infantry1 Trig (08EB692C).
2. Enable and reset applicable timers for PAttk_Infantry2 Trig (0BD9631C).
3. Enable and reset applicable timers for PAttk_Infantry3 Trig (08EB60BC).
4. Supply reinforcement team PAttk_Infantry1 (0AFC56AC).
5. Supply reinforcement team PAttk_Infantry2 (0AFC51FC).
6. Enable and reset applicable timers for End PAttk Trigs (07B775BC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10411, Events line 10470, Actions line 10529.

45. Niihau Neutralizers Go1 (Med) - 0CEA003C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Niihau Neutralizers Go1 (Easy) (07C3C06C).

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 18 (country/type OTHER1; placed owner Other1 House).
2. Supply reinforcement team Niihau Softener 1a (09D4AA4C).
3. Supply reinforcement team Niihau Softener 1b (09D496AC).
4. Supply reinforcement team Niihau Softener 1c (0AF92A1C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10412, Events line 10471, Actions line 10530.

46. Niihau Neutralizers Go1 (Hard) - 04178E9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Niihau Neutralizers Go1 (Med) (0CEA003C).

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: tag definitions 07C3E94C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 18 (country/type OTHER1; placed owner Other1 House).
2. Supply reinforcement team Niihau Softener 1a (09D4AA4C).
3. Supply reinforcement team Niihau Softener 1b (09D496AC).
4. Supply reinforcement team Niihau Softener 1c (0AF92A1C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10413, Events line 10472, Actions line 10531.

47. Pearl Neutralization 1 (Med) - 041788DC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Pearl Neutralization 1 (Easy) (07BE3CCC).

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Pearl Attack Fleet 1a (0A102C8C).
2. Supply reinforcement team Pearl Attack Fleet 1b (0A1027DC).
3. Supply reinforcement team Pearl Attack Fleet 1c (0A101A4C).

4. Display message “WARNING - SOVIET ATTACK IMMINENT” (MISSION:All07b).
5. Enable and reset applicable timers for Pearl Neutralization 2 (09A5098C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10414, Events line 10473, Actions line 10532.

48. Pearl Neutralization 1 (Hard) - 0417812C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Pearl Neutralization 1 (Med) (041788DC).

Incoming activation links: enable from _Intro Step 5 (0899009C).

Attached scope: tag definitions 07BE0C0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Pearl Attack Fleet 1a (0A102C8C).
2. Supply reinforcement team Pearl Attack Fleet 1b (0A1027DC).
3. Supply reinforcement team Pearl Attack Fleet 1c (0A101A4C).
4. Display message “WARNING - SOVIET ATTACK IMMINENT” (MISSION:All07b).
5. Enable and reset applicable timers for Pearl Neutralization 2 (09A5098C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10415, Events line 10474, Actions line 10533.

49. _Intro Step 1 - 08B45E0C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B458CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Disable player input.
2. Enable and reset applicable timers for _Intro Step 2 (08B457DC).
3. Play voice notification EVA_EstablishBattlefieldControl.
4. Create/recruit team Forward Team (064DCC9C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10416, Events line 10475, Actions line 10534.

50. _Intro Step 2 - 08B457DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Intro Step 1 (08B45E0C).

Attached scope: tag definitions 08B455DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 100 (cell 200, 132) with speed setting 4.
2. Create/recruit team Aegis Flashers (0AFE51FC).
3. Enable and reset applicable timers for _Intro Step 3 (07EC505C).
4. Play voice notification Unit_Eva_Aegis.
5. Switch the sidebar to tab 3.
6. Flash cameo/type 320; additional configured duration/location argument 200.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10417, Events line 10476, Actions line 10535.

51. _Intro Step 3 - 07EC505C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Intro Step 2 (08B457DC).

Attached scope: tag definitions 07EC2EDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 38 (cell 194, 139) with speed setting 4.
2. Create/recruit team Aircraft Carrier Flashers (0AFE6B7C).
3. Enable and reset applicable timers for _Intro Step 5 (0899009C).
4. Play voice notification Unit_Eva_AircraftCarrier.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10418, Events line 10477, Actions line 10536.

52. _Intro Step 5 - 0899009C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Intro Step 3 (07EC505C).

Attached scope: tag definitions 0899105C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 23 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 98 (cell 195, 155) with speed setting 3.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Display message “--Battle Control Online--” (MISSION:ALL01q).
4. Enable player input.
5. Enable and reset applicable timers for Niihau Neutralizers Go1 (Easy) (07C3C06C).
6. Enable and reset applicable timers for Niihau Neutralizers Go1 (Hard) (04178E9C).
7. Enable and reset applicable timers for Niihau Neutralizers Go1 (Med) (0CEA003C).
8. Enable and reset applicable timers for Pearl Neutralization 1 (Easy) (07BE3CCC).
9. Enable and reset applicable timers for Pearl Neutralization 1 (Hard) (0417812C).
10. Enable and reset applicable timers for Pearl Neutralization 1 (Med) (041788DC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10419, Events line 10478, Actions line 10537.

53. BG1 Niihau Patrol Start - 0AB356BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AB353CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG1 Niihau Patrol (090F489C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10420, Events line 10479, Actions line 10538.

54. Honolulu Area Panic - 0CE3B93C

Owner reference: Civilian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 37 tagged map cells: (244, 115), (246, 115), (244, 116), (245, 116), (244, 117), (245, 117), (246, 117), (244, 118), (245, 118), (246, 118), (244, 119), (245, 119), (246, 119), (245, 120), (222, 122), (218, 123), (219, 123), (220, 123), (221, 123), (222, 123), (223, 123), (218, 124), (219, 124), (220, 124), (223, 124), (230, 124), (218, 125), (219, 125), (220, 125), (230, 125), (230, 126), (231, 126), (232, 126), (233, 126), (232, 127), (233, 127), (233, 128); tag 0CE3B85C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Create/recruit team Waikiki Panic (0CE3BEFC).
2. Create/recruit team Honolulu Panic (0CE3583C).
3. Enable and reset applicable timers for Stop Honolulu Panic (0CE3A79C).
4. Play sound CivAllFear at waypoint 8 (cell 219, 124).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10421, Events line 10480, Actions line 10539.

55. Stop Honolulu Panic - 0CE3A79C

Owner reference: Civilian2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Honolulu Area Panic (0CE3B93C).

Attached scope: tag definitions 0CE3A16C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Honolulu Panic (0CE3583C).
2. Remove instances of the team organization (not automatically its surviving objects) Waikiki Panic (0CE3BEFC).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10422, Events line 10481, Actions line 10540.

56. Cultural Cntr Panic - 0CE3F44C

Owner reference: Civilian2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 26 tagged map cells: (164, 99), (165, 99), (166, 99), (164, 100), (165, 100), (166, 100), (164, 101), (165, 101), (166, 101), (164, 102), (165, 102), (166, 102), (164, 103), (165, 103), (166, 103), (143, 104), (141, 105), (142, 105), (143, 105), (141, 106), (142, 106), (143, 106), (141, 107), (142, 107), (143, 107), (142, 108); tag 0CE3F24C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Create/recruit team Cultural Center Panic (0CE3FC6C).
2. Enable and reset applicable timers for Stop Cntr Panic (0CE3AF3C).
3. Play sound CivAllFear.

Source locator: MAPS01.MIX/all07t.map; Triggers line 10423, Events line 10482, Actions line 10541.

57. Stop Cntr Panic - 0CE3AF3C

Owner reference: Civilian2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cultural Cntr Panic (0CE3F44C).

Attached scope: tag definitions 0CE3B4EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Cultural Center Panic (0CE3FC6C).

Source locator: MAPS01.MIX/all07t.map; Triggers line 10424, Events line 10483, Actions line 10542.

All team rosters and ordered plans | All mission overrides

Operation: Deep Sea - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all07t.map; each team/script ID identifies its section.

Niihau Softener 1a - 09D4AA4C

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Softener 1a SCR (0979CB7C).

1. Move to waypoint: waypoint 14 (cell 58, 207).
2. Attack waypoint: waypoint 48 (cell 59, 195).
3. Attack waypoint: waypoint 50 (cell 50, 188).
4. Attack waypoint: waypoint 56 (cell 63, 188).
5. Attack waypoint: waypoint 54 (cell 61, 193).
6. Attack waypoint: waypoint 52 (cell 52, 193).
7. Adopt object mission: area guard.

Niihau Softener 2 - 0913C28C

Owner: BadGuy1. Roster: 3 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Softener 2 SCR (08E8CB8C).

1. Attack-move toward waypoint: waypoint 11 (cell 63, 208).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 19 (cell 67, 204).
4. Guard for interval; configured argument 24.
5. Attack-move toward waypoint: waypoint 20 (cell 55, 211).
6. Guard for interval; configured argument 12.
7. Attack-move toward waypoint: waypoint 21 (cell 42, 200).
8. Guard for interval; configured argument 12.
9. Attack-move toward waypoint: waypoint 20 (cell 55, 211).
10. Jump to script line; configured argument 1.

Niihau Softener 3a - 0A0F832C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Softener 3a SCR (0A107DBC).

1. Attack-move toward waypoint: waypoint 12 (cell 44, 204).
2. Adopt object mission: area guard.

Niihau Softener 3b - 08D1174C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Softener 3b SCR (08D114DC).

1. Attack-move toward waypoint: waypoint 13 (cell 90, 220).
2. Adopt object mission: area guard.

Niihau Softener 1b - 09D496AC

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CS.

Ordered plan: Niihau Softener 1b SCR (0979B7DC).

1. Move to waypoint: waypoint 15 (cell 47, 202).
2. Attack waypoint: waypoint 53 (cell 54, 195).
3. Attack waypoint: waypoint 50 (cell 50, 188).
4. Attack waypoint: waypoint 56 (cell 63, 188).
5. Attack waypoint: waypoint 51 (cell 50, 190).
6. Adopt object mission: area guard.

Niihau Softener 1c - 0AF92A1C

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Niihau Softener 1c SCR (0AF927AC).

1. Move to waypoint: waypoint 16 (cell 64, 204).
2. Attack waypoint: waypoint 48 (cell 59, 195).
3. Attack selected enemy-building category; configured argument 131164.
4. Guard for interval; configured argument 3.
5. Attack selected enemy-building category; configured argument 131164.
6. Attack waypoint: waypoint 56 (cell 63, 188).
7. Attack waypoint: waypoint 55 (cell 63, 190).
8. Attack waypoint: waypoint 51 (cell 50, 190).
9. Adopt object mission: area guard.

Niihau Choppers - 0AAB5ABC

Owner: Other1. Roster: 4 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Niihau Choppers SCR (0980D7BC).

1. Seek/attack target category; configured argument 5.

Niihau GIs - 08C4935C

Owner: Other1. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Niihau GIs SCR (08C4C73C).

1. Move to waypoint: waypoint 18 (cell 57, 192).
2. Deploy.
3. Adopt object mission: area guard.

Niihau Invaders 1 - 0B0EBEFC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Invaders 1 SCR (0B0EBC8C).

1. Move to waypoint: waypoint 22 (cell 49, 195).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 0 (Niihau Invaders 1).
4. Move to waypoint: waypoint 87 (cell 35, 173).
5. Report team success.

Niihau Invaders 2 - 0B0EBA4C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Invaders 2 SCR (0B0EB7DC).

1. Move to waypoint: waypoint 23 (cell 64, 198).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 1 (Niihau Invaders 2).
4. Move to waypoint: waypoint 88 (cell 72, 187).
5. Report team success.

Niihau Invaders 1a - 09D7B59C

Owner: BadGuy1. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Niihau Invaders 1a SCR (09D7B32C).

1. Move to waypoint: waypoint 18 (cell 57, 192).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 57 (cell 69, 192).
4. Guard for interval; configured argument 6.
5. Move to waypoint: waypoint 24 (cell 47, 176).
6. Adopt object mission: area guard.

Niihau Invaders 2a - 08D6495C

Owner: BadGuy1. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: Niihau Invaders 2a SCR (08D646EC).

1. Move to waypoint: waypoint 57 (cell 69, 192).
2. Guard for interval; configured argument 6.
3. Move to waypoint: waypoint 18 (cell 57, 192).
4. Guard for interval; configured argument 8.
5. Move to waypoint: waypoint 25 (cell 57, 183).
6. Adopt object mission: area guard.

Niihau Invaders MCV - 0B0ECA4C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Niihau Invaders MCV SCR (0B0EC7DC).

1. Move to waypoint: waypoint 19 (cell 67, 204).
2. Move to waypoint: waypoint 49 (cell 72, 204).

3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 3 (Niihau Invaders MCV).
5. Report team success.

Niihau Invaders MCVa - 08F867FC

Owner: BadGuy1. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 24; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: Niihau Invaders MCVa SCR (07A3950C).

1. Move to waypoint: waypoint 0 (cell 72, 192).
2. Deploy.

Niihau Softener 1a2 - 08DF920C

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Niihau Softener 1a2 SCR (0B009DBC).

1. Attack-move toward waypoint: waypoint 29 (cell 55, 177).
2. Adopt object mission: area guard.

Niihau Softener 1b2 - 08C232DC

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Niihau Softener 1b2 SCR (08C2306C).

1. Attack-move toward waypoint: waypoint 28 (cell 78, 182).
2. Adopt object mission: area guard.

Niihau Softener 1c2 - 08C21DFC

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Niihau Softener 1c2 SCR (08C21B8C).

1. Attack-move toward waypoint: waypoint 30 (cell 40, 166).
2. Adopt object mission: area guard.

Niihau Softener 3a2 - 08BFA80C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Niihau Softener 3a2 SCR (08BFA44C).

1. Attack-move toward waypoint: waypoint 31 (cell 51, 165).
2. Adopt object mission: area guard.

Niihau Softener 3b2 - 08BFEF0C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Niihau Softener 3b2 SCR (08BFEC9C).

1. Attack-move toward waypoint: waypoint 32 (cell 68, 173).

2. Adopt object mission: area guard.

Niihau Softener 22 - 0AA1D1EC

Owner: BadGuy1. Roster: 3 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Niihau Softener 22 SCR (0AA1EB4C).

1. Move to waypoint: waypoint 33 (cell 80, 175).
2. Guard for interval; configured argument 8.
3. Attack-move toward waypoint: waypoint 34 (cell 59, 162).
4. Guard for interval; configured argument 8.
5. Attack-move toward waypoint: waypoint 35 (cell 33, 161).
6. Guard for interval; configured argument 8.
7. Attack-move toward waypoint: waypoint 34 (cell 59, 162).
8. Guard for interval; configured argument 8.
9. Attack-move toward waypoint: waypoint 33 (cell 80, 175).
10. Jump to script line; configured argument 2.

Pearl Attack Fleet 1a - 0A102C8C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Pearl Attack Fleet 1a SCR (0A102A1C).

1. Attack-move toward waypoint: waypoint 5 (cell 211, 147).
2. Attack-move toward waypoint: waypoint 37 (cell 209, 136).
3. Seek/attack target category; configured argument 5.
4. Adopt object mission: area guard.

Pearl Attack Fleet 1b - 0A1027DC

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Pearl Attack Fleet 1b SCR (0A10256C).

1. Attack-move toward waypoint: waypoint 5 (cell 211, 147).
2. Attack-move toward waypoint: waypoint 38 (cell 194, 139).
3. Seek/attack target category; configured argument 5.
4. Adopt object mission: area guard.

Pearl Attack Fleet 2a - 09366444

Owner: BadGuy1. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Pearl Attack Fleet 2a SCR (093661C4).

1. Move to waypoint: waypoint 42 (cell 223, 160).
2. Attack waypoint: waypoint 45 (cell 208, 152).
3. Attack selected enemy-building category; configured argument 131079.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 2.

7. Seek/attack target category; configured argument 1.

Pearl Attack Fleet 2b - 08F077FC

Owner: BadGuy1. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: Pearl Attack Fleet 2b SCR (09361C84).

1. Move to waypoint: waypoint 43 (cell 227, 154).
2. Attack waypoint: waypoint 44 (cell 215, 144).
3. Attack selected enemy-building category; configured argument 131095.
4. Attack selected enemy-building category; configured argument 131177.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Pearl Attack Fleet 1c - 0A101A4C

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Pearl Attack Fleet 1c SCR (0A1017DC).

1. Attack-move toward waypoint: waypoint 5 (cell 211, 147).
2. Adopt object mission: area guard.

Pearl Attack Fleet 3a - 0A1016AC

Owner: BadGuy1. Roster: 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Pearl Attack Fleet 3a SCR (0A10143C).

1. Attack-move toward waypoint: waypoint 40 (cell 224, 164).
2. Adopt object mission: area guard.

Pearl Attack Fleet 3b - 0A1011FC

Owner: BadGuy1. Roster: 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: Pearl Attack Fleet 3b SCR (0A100DBC).

1. Attack-move toward waypoint: waypoint 41 (cell 231, 154).
2. Adopt object mission: area guard.

Pearl Attack Fleet 3c - 0A100C8C

Owner: BadGuy1. Roster: 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Pearl Attack Fleet 3c SCR (0A100A1C).

1. Attack-move toward waypoint: waypoint 5 (cell 211, 147).
2. Attack-move toward waypoint: waypoint 38 (cell 194, 139).
3. Adopt object mission: area guard.

Pearl Paradrop Attack - 09A1BA0C

Owner: BadGuy1. Roster: 8 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Pearl Paradrop Attack SCR (09FDADBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

LDEF_AirAttk1 - 079A310C

Owner: BadGuy1. Roster: 4 × Flak Trooper (FLAKT); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

WDEF_Carriers - 03E5BB64

Owner: BadGuy1. Roster: 3 × Sea Scorpion (HYD); 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WBase Defense SCR (07A0A0A4).

1. Attack-move toward waypoint: waypoint 68 (cell 95, 191).
2. Adopt object mission: area guard.
3. Report team success.

WDEF_Aegis - 03E5DDE4

Owner: BadGuy1. Roster: 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WBase Defense SCR (07A0A0A4).

1. Attack-move toward waypoint: waypoint 68 (cell 95, 191).
2. Adopt object mission: area guard.
3. Report team success.

WDEF_Destroyers1 - 03E5DB94

Owner: BadGuy1. Roster: 3 × Typhoon Attack Sub (SUB); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WBase Defense SCR (07A0A0A4).

1. Attack-move toward waypoint: waypoint 68 (cell 95, 191).
2. Adopt object mission: area guard.
3. Report team success.

WDEF_Destroyers2 - 03E5D944

Owner: BadGuy1. Roster: 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WBase Defense SCR (07A0A0A4).

1. Attack-move toward waypoint: waypoint 68 (cell 95, 191).
2. Adopt object mission: area guard.
3. Report team success.

WDEF_Lander - 03E58B34

Owner: BadGuy1. Roster: 1 × Typhoon Attack Sub (SUB); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WBase Defense SCR (07A0A0A4).

1. Attack-move toward waypoint: waypoint 68 (cell 95, 191).
2. Adopt object mission: area guard.
3. Report team success.

LDEF_Grizzly - 09096A4C

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_IFV - 0909681C

Owner: BadGuy1. Roster: 2 × Flak Trooper (FLAKT); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Intruder - 0909646C

Owner: BadGuy1. Roster: 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Rocketeer - 0909609C

Owner: BadGuy1. Roster: 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_AirAttk2 - 0903703C

Owner: BadGuy1. Roster: 3 × Flak Track (HTK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Spy - 0900D0CC

Owner: BadGuy1. Roster: 4 × Attack Dog (DOG); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Engineer1 - 0905104C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Engineer2 - 0905C04C

Owner: BadGuy1. Roster: 3 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_GI1 - 0906504C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_GI2 - 0907604C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Destroyer - 0906104C

Owner: BadGuy1. Roster: 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

LDEF_Carrier - 0907204C

Owner: BadGuy1. Roster: 1 × V3 Launcher (V3); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense SCR (0C1EC69C).

1. Adopt object mission: area guard.
2. Report team success.

WAttk_Subs - 0AD7753C

Owner: BadGuy1. Roster: 3 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Subs SCR (0ACDCCCC).

1. Adopt object mission: hunt.
2. Report team success.
3. Seek/attack target category; configured argument 1.

WAttk_Scorpions - 0ACDCB6C

Owner: BadGuy1. Roster: 4 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Scorpions SCR (0AD80DBC).

1. Adopt object mission: hunt.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

WAttk_Dreadnought1 - 0A7EF39C

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Dreadnought1 SCR (0A7EF12C).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 1.

WAttk_Dreadnought2 - 0AD82BBC

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Dreadnought2 SCR (0AD8294C).

1. Attack selected enemy-building category; configured argument 131075.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

WAttk_Hard1 - 0AD8255C

Owner: BadGuy1. Roster: 2 × Dreadnought (DRED); 4 × Sea Scorpion (HYD); 3 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Hard1 SCR (0AD821DC).

1. Attack selected enemy-building category; configured argument 131095.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

WAttk_Hard2 - 0AD83F0C

Owner: BadGuy1. Roster: 4 × Sea Scorpion (HYD); 4 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WAttk_Hard2 SCR (0AD83B8C).

1. Attack selected enemy-building category; configured argument 131095.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

IAttk_Rhino1 - 0AD8396C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Rhino1 SCR (08B0EDBC).

1. Load transport.
2. Move to waypoint: waypoint 61 (cell 167, 82).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 4.
8. Seek/attack target category; configured argument 1.

IAttk_Rhino2 - 07BA924C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Rhino2 SCR (0B5E6DBC).

1. Load transport.
2. Move to waypoint: waypoint 60 (cell 142, 106).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131073.
6. Seek/attack target category; configured argument 3.
7. Seek/attack target category; configured argument 1.

IAttk_Rhino3 - 07ABA67C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Rhino3 SCR (0B5E6B4C).

1. Load transport.
2. Move to waypoint: waypoint 64 (cell 109, 161).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 1.

IAttk_Infantry1 - 07B7AAAC

Owner: BadGuy1. Roster: 5 × Conscript (E2); 3 × Flak Trooper (FLAKT); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Infantry1 SCR (08B0E2DC).

1. Load transport.
2. Move to waypoint: waypoint 63 (cell 201, 175).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

IAttk_Infantry2 - 0B0F7C8C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 3 × Tesla Trooper (SHK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Infantry2 SCR (08FA7DBC).

1. Load transport.
2. Move to waypoint: waypoint 62 (cell 245, 118).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Seek/attack target category; configured argument 3.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.

IAttk_Infantry3 - 0B29BC8C

Owner: BadGuy1. Roster: 3 × Attack Dog (DOG); 5 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Infantry3 SCR (08FA59AC).

1. Load transport.
2. Move to waypoint: waypoint 61 (cell 167, 82).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Seek/attack target category; configured argument 4.

6. Seek/attack target category; configured argument 1.

IAttk_V31 - 07B6A13C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 1 × V3 Launcher (V3); 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_V31 SCR (0B5E77DC).

1. Load transport.
2. Move to waypoint: waypoint 63 (cell 201, 175).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

IAttk_V32 - 07B76AFC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 1 × V3 Launcher (V3); 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_V32 SCR (0B5E732C).

1. Load transport.
2. Move to waypoint: waypoint 64 (cell 109, 161).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131095.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

IAttk_V33 - 07B7649C

Owner: BadGuy1. Roster: 2 × Flak Trooper (FLAKT); 1 × Amphibious Transport (SAPC); 2 × Terror Drone (DRON); 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_V33 SCR (0B5E8DBC).

1. Load transport.
2. Move to waypoint: waypoint 61 (cell 167, 82).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Adopt object mission: hunt.

IAttk_V34 - 07B7305C

Owner: BadGuy1. Roster: 2 × Flak Trooper (FLAKT); 1 × Amphibious Transport (SAPC); 2 × Terror Drone (DRON); 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_V34 SCR (0B5E890C).

1. Load transport.
2. Move to waypoint: waypoint 62 (cell 245, 118).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131079.

6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 1.

IAttk_Hard1 - 07B6C2CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK); 4 × Conscript (E2); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Hard1 SCR (08FA2C8C).

1. Load transport.
2. Move to waypoint: waypoint 60 (cell 142, 106).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Adopt object mission: hunt.

IAttk_Engineers1 - 07B392E4

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Engineers1 SCR (08FA65DC).

1. Load transport.
2. Move to waypoint: waypoint 63 (cell 201, 175).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 6.

IAttk_Engineers2 - 08E00CBC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Engineers2 SCR (0B5E9A1C).

1. Load transport.
2. Move to waypoint: waypoint 62 (cell 245, 118).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131073.
6. Seek/attack target category; configured argument 9.

IAttk_Engineers3 - 07B3C8D4

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Engineers3 SCR (0B5E967C).

1. Load transport.
2. Move to waypoint: waypoint 61 (cell 167, 82).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131075.

6. Attack selected enemy-building category; configured argument 131079.
7. Seek/attack target category; configured argument 2.

PAttk_Infantry1 - 0AFC56AC

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PAttk_Infantry1 SCR (08FA1DBC).

1. Move to waypoint: waypoint 6 (cell 172, 113).
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

PAttk_Infantry2 - 0AFC51FC

Owner: BadGuy1. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: PAttk_Infantry2 SCR (0B070DBC).

1. Move to waypoint: waypoint 8 (cell 219, 124).
2. Seek/attack target category; configured argument 10.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

PAttk_Infantry3 - 0AFC4B7C

Owner: BadGuy1. Roster: 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CU.

Ordered plan: PAttk_Infantry3 SCR (08FA371C).

1. Move to waypoint: waypoint 98 (cell 195, 155).
2. Attack selected enemy-building category; configured argument 131073.
3. Attack selected enemy-building category; configured argument 131074.
4. Attack selected enemy-building category; configured argument 131079.
5. Seek/attack target category; configured argument 2.

IAttk_Engineers4 - 07B38444

Owner: BadGuy1. Roster: 6 × Conscript (E2); 1 × Amphibious Transport (SAPC); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Engineers4 SCR (0B5EA32C).

1. Load transport.
2. Move to waypoint: waypoint 67 (cell 97, 126).
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131142.
6. Seek/attack target category; configured argument 10.
7. Seek/attack target category; configured argument 1.

Player Harvesters - 0A8F2F04

Owner: Player. Roster: 2 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Player Harvesters SCR (0A8F3174).

1. Adopt object mission: harvest.
2. Report team success.

IAttk_Airport Conquest - 0A0546CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: IAttk_Airport Conquest SCR (0A05445C).

1. Load transport.
2. Approach selected enemy-building category; configured argument 131142.
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131142.
6. Seek/attack target category; configured argument 2.

Extra Transport 1 - 079ED04C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Extra Transport 1 SCR (079EEA1C).

1. Move to waypoint: waypoint 93 (cell 38, 186).
2. Report team success.

Extra Transport 2 - 079EE79C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Extra Transport 2 SCR (079EE52C).

1. Move to waypoint: waypoint 90 (cell 80, 206).
2. Report team success.

Extra Transport 3 - 081B8EFC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Extra Transport 3 SCR (081B8C8C).

1. Move to waypoint: waypoint 89 (cell 82, 203).
2. Report team success.

Niihau Grizzlies - 09DEDEFC

Owner: Other1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Niihau Grizzlies SCR (09DEE4FC).

1. Move to waypoint: waypoint 18 (cell 57, 192).
2. Adopt object mission: area guard.

Aegis Flashers - 0AFE51FC

Owner: Player. Roster: 2 × Aegis Cruiser (AEGIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Aegis Flashers SCR (0AFE6DBC).

1. Flash team; configured argument 200.

Aircraft Carrier Flashers - 0AFE6B7C

Owner: Player. Roster: 2 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Aircraft Carrier Flashers SCR (0B25ADBC).

1. Flash team; configured argument 220.

BG1 Niihau Patrol - 090F489C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 1 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: BG1 Niihau Patrol SCR (0B5C2DBC).

1. Move to waypoint: waypoint 89 (cell 82, 203).
2. Guard for interval; configured argument 10.
3. Move to waypoint: waypoint 23 (cell 64, 198).
4. Guard for interval; configured argument 10.
5. Move to waypoint: waypoint 47 (cell 44, 188).
6. Guard for interval; configured argument 10.
7. Move to waypoint: waypoint 92 (cell 32, 180).
8. Guard for interval; configured argument 10.
9. Move to waypoint: waypoint 91 (cell 41, 175).
10. Guard for interval; configured argument 10.
11. Move to waypoint: waypoint 25 (cell 57, 183).
12. Guard for interval; configured argument 10.
13. Move to waypoint: waypoint 88 (cell 72, 187).
14. Guard for interval; configured argument 10.
15. Move to waypoint: waypoint 89 (cell 82, 203).
16. Guard for interval; configured argument 10.
17. Jump to script line; configured argument 1.

BG1 Rebuild ConYard - 0AB32E5C

Owner: BadGuy1. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Rebuild ConYard SCR (0AB3987C).

1. Move to waypoint: waypoint 0 (cell 72, 192).
2. Report team success.
3. Deploy.

LDEF_ReEngineers - 0AB3CD2C

Owner: BadGuy1. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: LDEF_ReEngineers (0AB3B86C).

1. Attack selected enemy-building category; configured argument 131097.
2. Attack selected enemy-building category; configured argument 131126.
3. Attack selected enemy-building category; configured argument 131086.
4. Attack selected enemy-building category; configured argument 131083.
5. Report team success.
6. Seek/attack target category; configured argument 2.

Stupid Transports Must Die - 083346CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Stupid Transports Must Die SCR (0B44688C).

1. Approach selected enemy-building category; configured argument 131074.
2. Adopt object mission: area guard.
3. Report team success.

Honolulu Panic - 0CE3583C

Owner: Civilian2. Roster: 3 × Civilian (CIV3); 1 × Civilian (CIV1); 2 × Civilian (CIV2); 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Honolulu Panic SCR (0DEFD45C).

1. Panic.
2. Jump to script line; configured argument 1.

Waikiki Panic - 0CE3BEFC

Owner: Civilian2. Roster: 1 × Civilian (CIVBTM); 2 × Civilian (CIVBF); 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: Waikiki Panic SCR (0DEFEDBC).

1. Panic.
2. Jump to script line; configured argument 1.

Cultural Center Panic - 0CE3FC6C

Owner: Civilian2. Roster: 2 × Civilian (CIV1); 2 × Civilian (CIV2); 2 × Civilian (CIVBF); 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: Cultural Center Panic SCR (0DEFE90C).

1. Panic.
2. Jump to script line; configured argument 1.

Forward Team - 064DCC9C

Owner: BadGuy1. Roster: 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Forward Team SCR (064DD43C).

1. Attack selected enemy-building category; configured argument 131324.
2. Report team success.

Operation: Deep Sea - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all07t.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1500,1000,750	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	30,30,30	13
War Miner (HARV)	Resource cargo capacity	20	16
Chrono Miner (CMIN)	Resource cargo capacity	10	19
TIBERIUMS (TIBERIUMS)	0	Riparius	22
TIBERIUMS (TIBERIUMS)	1	Cruentus	23
TIBERIUMS (TIBERIUMS)	2	Vinifera	24
TIBERIUMS (TIBERIUMS)	3	Aboreus	25
Tiberium Riparius (RIPARIUS)	Value	50	28
Tiberium Cruentus (CRUENTUS)	Value	100	31
Tiberium Vinifera (VINIFERA)	Value	50	34
Tiberium Aboreus (ABOREUS)	Value	50	37
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	Yes	40
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	43
Soviet Construction Vehicle (SMCV)	Required structures/groups	NAWEAP	44
Soviet Construction Vehicle (SMCV)	Technology level	8	45
SEAL (GHOST)	Technology level	12	48
Apocalypse (APOC)	Name	Apocalypse	51
Apocalypse (APOC)	Technology level	12	52
Engineer (SENGINEER)	Technology level	10	55
Attack Dog (DOG)	Technology level	10	58
Tanya (TANY)	Technology level	12	61
Allied Construction Vehicle (AMCV)	Technology level	5	64
Yuri (YURI)	Technology level	12	67
Crazy Ivan (IVAN)	Technology level	12	70
Desolator (DESO)	Technology level	12	73
Chrono Legionnaire (CLEG)	Technology level	12	76
Dolphin (DLPH)	Technology level	12	79
Giant Squid (SQD)	Technology level	12	82
Mirage Tank (MGTK)	Technology level	12	85

Object/system	Property	Mission value	Source line
Tesla Tank (TTNK)	Technology level	12	88
Prism Tank (SREF)	Technology level	12	91
Kirov Airship (ZEP)	Technology level	12	94
Ore Purifier (GAOREP)	Technology level	12	97
SpySat Uplink (GASPYSAT)	Technology level	12	100
Cloning Vats (NACLON)	Technology level	12	103
Iron Curtain Device (NAIRON)	Technology level	12	106
Weather Controller (GAWEAT)	Technology level	12	109
Chrono Sphere (GACSPH)	Technology level	12	112
Gap Generator (GAGAP)	Name	Gap Generator	115
Gap Generator (GAGAP)	Technology level	12	116
Psychic Sensor (NAPSIS)	Technology level	12	119
Nuclear Reactor (NANRCT)	Technology level	12	122
Police Car (COP)	Name	RA2 Pig	125
Police Car (COP)	Ambient Sound	Dummy	126
Air Force Command Headquarters (AMRADR)	Name	Airforce Command Headquarters	129
Air Force Command Headquarters (AMRADR)	Primary granted special weapon	none	130
Negative Light Post (NEGLAMP)	Name	Negative Light Post	133
Negative Light Post (NEGLAMP)	Image	GALITE	134
Negative Light Post (NEGLAMP)	Local light reach	5000	135
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	136
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	137
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	138
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	139
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3500	142
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.30	143
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.25	144
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.10	145
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.01	146
SPECIALFLAGS	Tiberium Grows	yes	149
SPECIALFLAGS	Tiberium Spreads	yes	150
SPECIALFLAGS	Tiberium Explosive	no	151
SPECIALFLAGS	Destroyable Bridges	yes	152
SPECIALFLAGS	MCV Deploy	no	153
SPECIALFLAGS	Initial Veteran	no	154
SPECIALFLAGS	Fixed Alliance	no	155
SPECIALFLAGS	Harvester Immune	no	156

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Fog Of War	no	157
SPECIALFLAGS	Inert	no	158
SPECIALFLAGS	Ion Storms	no	159
SPECIALFLAGS	Meteorites	no	160
SPECIALFLAGS	Visceroids	no	161
COUNTRIES (COUNTRIES)	0	Player	164
COUNTRIES (COUNTRIES)	1	BadGuy1	165
COUNTRIES (COUNTRIES)	2	BadGuy2	166
COUNTRIES (COUNTRIES)	3	BadGuy3	167
COUNTRIES (COUNTRIES)	4	Civilian1	168
COUNTRIES (COUNTRIES)	5	Other1	169
COUNTRIES (COUNTRIES)	6	Civilian3	170
COUNTRIES (COUNTRIES)	7	Balabos	171
COUNTRIES (COUNTRIES)	8	Civilian2	172
VARIABLENAMES (VARIABLENAMES)	0	Niihau Invaders 1,0	302
VARIABLENAMES (VARIABLENAMES)	1	Niihau Invaders 2,0	303
VARIABLENAMES (VARIABLENAMES)	2	Niihau Invaders 3,0	304
VARIABLENAMES (VARIABLENAMES)	3	Niihau Invaders MCV,0	305

Operation: Free Gateway

Campaign reading guide | Engine

Operation: Free Gateway

all08u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (88)
- BadGuy1 House (60)
- BadGuy2 House (27)
- Evil House (25)
- House Elania (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAPSYB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all08u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all08u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all08u.map. **Effective extracted member:** MAPS01.MIX/all08u.map. **Trigger definitions:** 109.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,80,80
Visible local rectangle	5,5,70,69
Placed vehicles	4
Placed infantry	66
Placed structures	138
Placed aircraft	0
Team templates	64

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	20	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	200	BadGuy2
3	Evil House	0	Evil
4	Civie1 House	0	Civilian1
5	TanyaLand House	0	TanyaLand
6	GILand House	0	GILand
7	EngineerLand House	0	EngineerLand
8	House Elania	0	Elania
9	Reinforcers House	0	Reinforcers

Local state flags at initialization

Flag	Meaning label and initial value
0	Tanya Converted,0
1	Reinforcments Arriv,0
2	Beacon Destroyed,0
3	Engineers Evil,0
4	GIs Evil,0
5	GIs KIA,0
6	Engineers KIA,0
7	Refinery Reclaimed,0
8	War Factory Reclaim,0
9	Desolator Gooing,0
10	Prism 1 Unloaded,0
11	Prism 2 Unloaded,0
12	Engineer Fix,0
13	Evil Armor Redempti,0
14	Goto AW,0
15	3 Unloaded,0
16	4 Unloaded,0
17	5e1 Unloaded,0
18	5e2 Unloaded,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Loss Game Over (0A0641FC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
_Loss (Tanya Movie Over) (0B8A82CC)	93 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Gate	Conditions recorded	Terminal-related actions
_Win Game Over (0A0661FC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Player Start Force Go - 07A3B77C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A3B23C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Player Start Force (0A99211C).
2. Reveal terrain around waypoint 1 (cell 90, 27).
3. Disable player input.
4. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5731, Events line 5842, Actions line 5953.

2. Each to His Own House - 08D59F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D5987C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 27 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team GILanders (09B81684).
2. Create/recruit team TanyaLanders (09B80694).
3. Create/recruit team EngineerLanders (0AC59B7C).
4. Set the mission timer to 1200 configured time units.
5. Start the visible mission timer.
6. Use countdown label “Time until Beacon affects Tanya:” (MISSION:All08T).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5732, Events line 5843, Actions line 5954.

3. _Loss (Tanya KIA) - 09C3C9BC

Owner reference: TanyaLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _Loss (Player KIA) (07BB9A0C).

Incoming activation links: enable from _Loss (Tanya KIA) enabled (08DBCF3C).

Attached scope: tag definitions 07BB9AFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type TANYALAND; placed owner TanyaLand House).
2. local flag 0 (Tanya Converted) is clear.

Flag writers in this mission: set local flag 0 (Tanya Converted) at Tanya Go Evil (0B8A96EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss Game Over (0A0641FC).
2. Play voice notification Mis_A1_EvaTanyaDeath.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5733, Events line 5844, Actions line 5955.

4. _Loss (Player KIA) - 07BB9A0C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _Loss (Tanya Converted) (07BBC47C).

Incoming activation links: enable from _Loss (player KIA) enabled (07BBC1AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type TANYALAND; placed owner TanyaLand House).
2. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss Game Over (0A0641FC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5734, Events line 5845, Actions line 5956.

5. _Loss Game Over - 0A0641FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Tanya KIA) (09C3C9BC); enable from _Loss (Player KIA) (07BB9A0C).

Attached scope: tag definitions 0A06320C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5735, Events line 5846, Actions line 5957.

6. _Loss (Tanya Converted) - 07BBC47C

Owner reference: TanyaLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 0 (Tanya Converted) is set.

Flag writers in this mission: set local flag 0 (Tanya Converted) at Tanya Go Evil (0B8A96EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Tanya Movie) (07BB974C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5736, Events line 5847, Actions line 5958.

7. _Loss (Tanya Movie) - 07BB974C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Tanya Converted) (07BBC47C).

Attached scope: tag definitions 07BB935C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 72.
2. Enable and reset applicable timers for _Loss (Tanya Movie Over) (0B8A82CC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5737, Events line 5848, Actions line 5959.

8. _Loss (Tanya Movie Over) - 0B8A82CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Tanya Movie) (07BB974C).

Attached scope: tag definitions 0B8AAF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 93 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reshroud Map; main setting 0.
2. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5738, Events line 5849, Actions line 5960.

9. Psychic Beacon KIA - 07BB91BC

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (Beacon Destroyed).
2. Enable and reset applicable timers for Player Reinforcements Go (0B89FCFC).
3. Display message “Objective 1 Accomplished” (MISSION:All09c).
4. Stop the visible mission timer.
5. Play voice notification EVA_PrimaryObjectiveAchieved.
6. Disable Psychic Beacon KIA (07BB91BC).
7. Disable Psychic Beacon Captured (08511C5C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5739, Events line 5850, Actions line 5961.

10. Player Reinforcements Go - 0B89FCFC

Owner reference: Reinforcers. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Psychic Beacon KIA (07BB91BC); enable from Psychic Beacon Change House (0CF745DC).

Attached scope: tag definitions 0B8A0BFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Player Reinforcements 1 (0CE11DEC).
2. Create radar-event marker type 2 at waypoint 5 (cell 148, 81).
3. Reveal terrain around waypoint 5 (cell 148, 81).
4. Supply reinforcement team Player Reinforcements 2 (0CE10DEC).
5. Supply reinforcement team Player Reinforcements 3 (0CE1093C).
6. Supply reinforcement team Player Reinforcements 4 (0CE1048C).
7. Create crate type 0 at waypoint 21 (cell 103, 80).
8. Display message “Objective 2: Drive all Soviet forces out” (MISSION:All08b1).
9. Display message “of St. Louis” (MISSION:All08b2).
10. Play sound Bonus at waypoint 21 (cell 103, 80).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5740, Events line 5851, Actions line 5962.

11. Psychic Beacon Captured - 08511C5C

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Psychic Beacon KIA (07BB91BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Psychic Beacon Change House (0CF745DC).
2. Disable Psychic Beacon Captured (08511C5C).
3. Disable Psychic Beacon KIA (07BB91BC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5741, Events line 5852, Actions line 5963.

12. Psychic Beacon Change House - 0CF745DC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Psychic Beacon Captured (08511C5C).

Incoming activation links: enable from Psychic Beacon Captured (08511C5C).

Attached scope: Psychic Beacon (NAPSYB), owner BadGuy2 House, cell (47, 100), tag 07BBBBEC, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Sell the attached building through the scripted sale action.
3. Set local flag 2 (Beacon Destroyed).
4. Enable and reset applicable timers for Player Reinforcements Go (0B89FCFC).
5. Display message “Objective 1 Accomplished” (MISSION:All09c).
6. Stop the visible mission timer.
7. Play voice notification EVA_PrimaryObjectiveAchieved.
8. Disable Psychic Beacon Change House (0CF745DC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5742, Events line 5853, Actions line 5964.

13. Play Reinforcements Arrived - 0AEEB75C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AEEB16C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Reinforcments Arriv) is set.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5743, Events line 5854, Actions line 5965.

14. Prism Tank Movie Play - 075A9ADC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prism Flashers Enable (0D2533DC).

Attached scope: tag definitions 075A96BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 4 (cell 114, 80) with speed setting 4.
2. Create/recruit team Prism Flashers! (0A2BD7DC).
3. Play in-game movie 99.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5744, Events line 5855, Actions line 5966.

15. _Loss (player KIA) enabled - 07BBC1AC

Owner reference: TanyaLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B89FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Reinforcments Arriv) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Player KIA) (07BB9A0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5745, Events line 5856, Actions line 5967.

16. GI Back to Player - 0B89FE5C

Owner reference: GILand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B89E35C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Reinforcments Arriv) is set.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5746, Events line 5857, Actions line 5968.

17. Engineers Back to Player - 079F9AEC

Owner reference: EngineerLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07BB87DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Reinforcments Arriv) is set.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5747, Events line 5858, Actions line 5969.

18. Evil Redeemed 1 - 0B8A09AC

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Engineers Evil) is set.
2. local flag 4 (GIs Evil) is set.
3. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 3 (Engineers Evil) at Engineers Go Evil (0B8A848C); set local flag 4 (GIs Evil) at GIs go Evil (0B8A9B6C); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Cons & Techs Redeemed (09ABB17C).
3. Play voice notification Mis_A8_AllSoldierFreed.
4. Enable and reset applicable timers for Techs Goto Arch Start (0BE8EE3C).
5. Enable and reset applicable timers for Techs Goto Arch End (09366E6C).
6. Enable and reset applicable timers for Engineerland Revert to Player (082E3C9C).
7. Enable and reset applicable timers for Evil Armor 2 Redemption (0D2A2A0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5748, Events line 5859, Actions line 5970.

19. Cons & Techs Redeemed - 09ABB17C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil Redeemed 1 (0B8A09AC); enable from Evil Redeemed 2 (08FC4564); enable from Evil Redeemed 3 (08FC3834); enable from Evil Redeemed 4 (08FC3374).

Attached scope: tag definitions 09AB9DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Play voice notification Mis_S3_UnYuriedCiv.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5749, Events line 5860, Actions line 5971.

20. Techs Goto Arch Start - 0BE8EE3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil Redeemed 1 (0B8A09AC); enable from Evil Redeemed 2 (08FC4564); enable from Evil Redeemed 3 (08FC3834); enable from Evil Redeemed 4 (08FC3374).

Attached scope: tag definitions 0BE8E4FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Techs Goto Arch (0BE8B86C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5750, Events line 5861, Actions line 5972.

21. Techs Goto Arch End - 09366E6C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil Redeemed 1 (0B8A09AC); enable from Evil Redeemed 2 (08FC4564); enable from Evil Redeemed 3 (08FC3834); enable from Evil Redeemed 4 (08FC3374).

Attached scope: tag definitions 093668DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 21 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Techs Goto Arch Start (0BE8EE3C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5751, Events line 5862, Actions line 5973.

22. Engineerland Revert to Player - 082E3C9C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil Redeemed 1 (0B8A09AC); enable from Evil Redeemed 2 (08FC4564); enable from Evil Redeemed 3 (08FC3834); enable from Evil Redeemed 4 (08FC3374).

Attached scope: tag definitions 082E373C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5752, Events line 5863, Actions line 5974.

23. Evil Armor 2 Redemption - 0D2A2A0C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil Redeemed 1 (0B8A09AC); enable from Evil Redeemed 2 (08FC4564); enable from Evil Redeemed 3 (08FC3834); enable from Evil Redeemed 4 (08FC3374).

Attached scope: tag definitions 0D2A0AFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Evil Armor 2 Redemption (0CF25A4C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5753, Events line 5864, Actions line 5975.

24. Engineers Go Evil - 0B8A848C

Owner reference: EngineerLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8A9C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Engineers KIA) is clear.
2. local flag 2 (Beacon Destroyed) is clear.
3. 900 configured time units have elapsed since scenario start.

Flag writers in this mission: set local flag 6 (Engineers KIA) at Engineers KIA (08FC2D34); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 16 (country/type EVIL; placed owner Evil House).
2. Play voice notification Mis_A8_AllSoldierTurned.
3. Set local flag 3 (Engineers Evil).
4. Display message “WARNING: The Psychic Beacon has affected” (MISSION:All08d1).
5. Display message “your team” (MISSION:All08d2).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5754, Events line 5865, Actions line 5976.

25. GIs go Evil - 0B8A9B6C

Owner reference: GILand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8A98BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (GIs KIA) is clear.
2. local flag 2 (Beacon Destroyed) is clear.
3. 1080 configured time units have elapsed since scenario start.

Flag writers in this mission: set local flag 5 (GIs KIA) at GIs KIA (08FC3104); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 16 (country/type EVIL; placed owner Evil House).
2. Play voice notification Mis_A8_AllSoldierTurned.
3. Set local flag 4 (GIs Evil).
4. Display message “WARNING: The Psychic Beacon has affected” (MISSION:All08d1).
5. Display message “your team” (MISSION:All08d2).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5755, Events line 5866, Actions line 5977.

26. Tanya Go Evil - 0B8A96EC

Owner reference: TanyaLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8A93CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Beacon Destroyed) is clear.
2. The visible mission countdown has expired.

Flag writers in this mission: set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 0 (Tanya Converted).

2. Disable _Loss (Tanya KIA) (09C3C9BC).
3. Create/recruit team Tanya Converted (08352E1C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5756, Events line 5867, Actions line 5978.

27. BG2 Bldgs KIA - 08D4B9EC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D4B78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Enable and reset applicable timers for 2x Check BG2 is Hunting (0D4CAB7C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5757, Events line 5868, Actions line 5979.

28. 2x Check BG2 is Hunting - 0D4CAB7C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Bldgs KIA (08D4B9EC).

Attached scope: tag definitions 0D4CA63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5758, Events line 5869, Actions line 5980.

29. BG1 Bldgs KIA - 08D4B69C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D4B49C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5759, Events line 5870, Actions line 5981.

30. _Loss (Tanya KIA) enabled - 08DBCF3C

Owner reference: TanyaLand. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DBCA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Tanya KIA) (09C3C9BC).
2. Enable and reset applicable timers for GIs KIA (08FC3104).
3. Enable and reset applicable timers for Engineers KIA (08FC2D34).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5760, Events line 5871, Actions line 5982.

31. GIs KIA - 08FC3104

Owner reference: GILand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Tanya KIA) enabled (08DBCF3C).

Attached scope: tag definitions 08FC2744 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 19 (country/type GILAND; placed owner GILand House).

Then perform these actions in order:

1. Set local flag 5 (GIs KIA).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5761, Events line 5872, Actions line 5983.

32. Engineers KIA - 08FC2D34

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Tanya KIA) enabled (08DBCF3C).

Attached scope: tag definitions 08FC3204 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Set local flag 6 (Engineers KIA).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5762, Events line 5873, Actions line 5984.

33. GIs Are Evil - 09AF2CCC

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AF26AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (GIs Evil) is set.

Flag writers in this mission: set local flag 4 (GIs Evil) at GIs go Evil (0B8A9B6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All to Hunt: owner selector 16 (country/type EVIL; placed owner Evil House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5763, Events line 5874, Actions line 5985.

34. Engineers Are Evil - 09AF25BC

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AF0F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Engineers Evil) is set.

Flag writers in this mission: set local flag 3 (Engineers Evil) at Engineers Go Evil (0B8A848C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All to Hunt: owner selector 16 (country/type EVIL; placed owner Evil House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5764, Events line 5875, Actions line 5986.

35. BG Patrols Start (Hard) - 09AB895C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Beacon Perimeter Patrol (081104F4).
2. Supply reinforcement team Evil Patrol 1 (0B996384).
3. Supply reinforcement team Evil Patrol 2 (08F73AF4).
4. Supply reinforcement team Evil Patrol 3 (07A458C4).
5. Supply reinforcement team Evil Armor 1 (08DA8F04).
6. Supply reinforcement team Evil Armor 2 (0A632EFC).

7. Supply reinforcement team Terror On Patrol (0C1B17B4).
8. Supply reinforcement team POW Patrol 1 (0A300CBC).
9. Supply reinforcement team POW Patrol 2 (0AF7132C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5765, Events line 5876, Actions line 5987.

36. Evil Redeemed 2 - 08FC4564

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Evil Redeemed 1 (0B8A09AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (Engineers KIA) is set.
2. local flag 4 (GIs Evil) is set.
3. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 6 (Engineers KIA) at Engineers KIA (08FC2D34); set local flag 4 (GIs Evil) at GIs go Evil (0B8A9B6C); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Cons & Techs Redeemed (09ABB17C).
3. Play voice notification Mis_A8_AllSoldierFreed.
4. Enable and reset applicable timers for Techs Goto Arch Start (0BE8EE3C).
5. Enable and reset applicable timers for Techs Goto Arch End (09366E6C).
6. Enable and reset applicable timers for Engineerland Revert to Player (082E3C9C).
7. Enable and reset applicable timers for Evil Armor 2 Redemption (0D2A2A0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5766, Events line 5877, Actions line 5988.

37. Evil Redeemed 3 - 08FC3834

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Evil Redeemed 2 (08FC4564).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Engineers Evil) is set.
2. local flag 5 (GIs KIA) is set.
3. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 3 (Engineers Evil) at Engineers Go Evil (0B8A848C); set local flag 5 (GIs KIA) at GIs KIA (08FC3104); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Cons & Techs Redeemed (09ABB17C).
3. Play voice notification Mis_A8_AllSoldierFreed.
4. Enable and reset applicable timers for Techs Goto Arch Start (0BE8EE3C).
5. Enable and reset applicable timers for Techs Goto Arch End (09366E6C).
6. Enable and reset applicable timers for Engineerland Revert to Player (082E3C9C).
7. Enable and reset applicable timers for Evil Armor 2 Redemption (0D2A2A0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5767, Events line 5878, Actions line 5989.

38. Evil Redeemed 4 - 08FC3374

Owner reference: Evil. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Evil Redeemed 3 (08FC3834).

Attached scope: tag definitions 0B8A047C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Engineers KIA) is set.
2. local flag 5 (GIs KIA) is set.
3. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 6 (Engineers KIA) at Engineers KIA (08FC2D34); set local flag 5 (GIs KIA) at GIs KIA (08FC3104); set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Cons & Techs Redeemed (09ABB17C).
3. Enable and reset applicable timers for Techs Goto Arch Start (0BE8EE3C).
4. Enable and reset applicable timers for Techs Goto Arch End (09366E6C).
5. Enable and reset applicable timers for Engineerland Revert to Player (082E3C9C).
6. Enable and reset applicable timers for Evil Armor 2 Redemption (0D2A2A0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5768, Events line 5879, Actions line 5990.

39. Reclaimed Refinery (Engineerland) - 07AEFA84

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Set local flag 7 (Refinery Reclaimed).
2. Enable and reset applicable timers for Change House Refinery (Engineerland) (0ABE07DC).
3. Disable Reclaimed Refinery (Engineerland) (07AEFA84).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5769, Events line 5880, Actions line 5991.

40. Change House Refinery (Engineerland) - 0ABE07DC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Refinery (Engineerland) (07AEFA84).

Incoming activation links: enable from Reclaimed Refinery (Engineerland) (07AEFA84).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Refinery (Engineerland) (0ABE07DC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5770, Events line 5881, Actions line 5992.

41. Reclaimed War Factory (Engineerland) - 08CD3194

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Set local flag 8 (War Factory Reclaim).
2. Enable and reset applicable timers for Change House War Factory (Engineerland) (0ABE8C3C).

3. Disable Reclaimed War Factory (Engineerland) (08CD3194).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5771, Events line 5882, Actions line 5993.

42. Change House War Factory (Engineerland) - 0ABE8C3C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed War Factory (Engineerland) (08CD3194).

Incoming activation links: enable from Reclaimed War Factory (Engineerland) (08CD3194); enable from Reclaimed War Factory (Player) (087D4AEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House War Factory (Engineerland) (0ABE8C3C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5772, Events line 5883, Actions line 5994.

43. Send Desolators - 0BDEA2C4

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BDEB944 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Prism 1 Unloaded) is set.
2. local flag 11 (Prism 2 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team 1st Desolator Usage (0C48359C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5773, Events line 5884, Actions line 5995.

44. BG2 Production Begin - 077F3084

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 077F4514 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 52 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
3. Make enemy: owner selector 18 (country/type TANYALAND; placed owner TanyaLand House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5774, Events line 5885, Actions line 5996.

45. BG1 Production Begin - 077F4414

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 077F5F44 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Make enemy: owner selector 18 (country/type TANYALAND; placed owner TanyaLand House).
3. Create/recruit team Def_GI (0BDEF684).
4. Create/recruit team Def_IFV (0BDEDA74).
5. Create/recruit team Def_Spy (0BE84804).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5775, Events line 5886, Actions line 5997.

46. Reveal Beacon - 08D39954

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D39214 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 47, 100).
2. Display message “Objective 1: Capture or Destroy the” (MISSION:All08a1).
3. Create radar-event marker type 5 at waypoint 0 (cell 47, 100).
4. Reveal terrain around waypoint 38 (cell 47, 105).
5. Reveal terrain around waypoint 37 (cell 48, 96).
6. Move the camera to waypoint 0 (cell 47, 100) with speed setting 4.
7. Enable and reset applicable timers for Camera Back to Paratroops (0D0BB03C).
8. Display message “Psychic Beacon before it affects your team” (MISSION:All08a2).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5776, Events line 5887, Actions line 5998.

47. Camera Back to Paratroops - 0D0BB03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal Beacon (08D39954).

Attached scope: tag definitions 0D3B892C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 13 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 1 (cell 90, 27) with speed setting 4.
2. Enable player input.
3. Display message “--Battle Control Online--” (MISSION:ALL01q).
4. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5777, Events line 5888, Actions line 5999.

48. 2x Check on BG2 - 0A28A3F4

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A28BE44 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 2x Check on BG2 (0A287514).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5778, Events line 5889, Actions line 6000.

49. Harrassment Teams - 0A1D7E04

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A1D77A4 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Harrassment Team (09D7F8D4).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5779, Events line 5890, Actions line 6001.

50. BG1 Hates Player - 079D0B74

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079D3534 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5780, Events line 5891, Actions line 6002.

51. _Win Occurred - 0963903C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0963703C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Destroyed, All: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Win Game Over (0A0661FC).
2. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Make side cheer: owner selector 18 (country/type TANYALAND; placed owner TanyaLand House).
4. Make side cheer: owner selector 17 (country/type CIVILIAN1; placed owner Civie1 House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5781, Events line 5892, Actions line 6003.

52. _Win Game Over - 0A0661FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win Occurred (0963903C).

Attached scope: tag definitions 0A06115C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5782, Events line 5893, Actions line 6004.

53. Desolator Gooing - 09B9297C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09BDA90C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Desolator Gooing) is set.

Then perform these actions in order:

1. Create radar-event marker type 0 at waypoint 20 (cell 71, 80).
2. Reveal terrain around waypoint 20 (cell 71, 80).
3. Flash team 1st Desolator Usage (0C48359C) with duration setting 30.
4. Move the camera to waypoint 20 (cell 71, 80) with speed setting 4.
5. Enable and reset applicable timers for Desolator Description (0D9C1F3C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5783, Events line 5894, Actions line 6005.

54. Desolator Description - 0D9C1F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Desolator Gooing (09B9297C).

Attached scope: tag definitions 0D9C783C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_Desolator.
2. Display message “WARNING: Soviet Desolators have irradiated” (MISSION:All08c1).
3. Display message “the ground at this location” (MISSION:All08c2).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5784, Events line 5895, Actions line 6006.

55. Play Shore Sounds - 03E6423C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (127, 83); tag 03E63F4C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 39 (cell 127, 83).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5785, Events line 5896, Actions line 6007.

56. Play Winds Sound - 07A2B48C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (101, 131); tag 07AF00FC, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 40 (cell 101, 131).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5786, Events line 5897, Actions line 6008.

57. Play City1 Sounds - 079F0D5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (66, 47); tag 079F05FC, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 28 (cell 66, 47).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5787, Events line 5898, Actions line 6009.

58. Play City2 Sounds - 0BE67DAC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE674CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 36 (cell 22, 88).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5788, Events line 5899, Actions line 6010.

59. BG1 Firesale - 09DB4D9C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09DB47EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
4. All to Hunt: owner selector 16 (country/type EVIL; placed owner Evil House).
5. Enable and reset applicable timers for No Really Go Hunt (0ACA12CC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5789, Events line 5900, Actions line 6011.

60. No Really Go Hunt - 0ACA12CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale (09DB4D9C).

Attached scope: tag definitions 0ACA21AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
3. All to Hunt: owner selector 16 (country/type EVIL; placed owner Evil House).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5790, Events line 5901, Actions line 6012.

61. Reclaimed Hospital (Engineerland) - 0A6C003C

Owner reference: Elania. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Hospital (0ABA31BC).
2. Disable Reclaimed Hospital (Engineerland) (0A6C003C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5791, Events line 5902, Actions line 6013.

62. Change House Hospital - 0ABA31BC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Hospital (Engineerland) (0A6C003C).

Incoming activation links: enable from Reclaimed Hospital (Engineerland) (0A6C003C).

Attached scope: Civilian Hospital (CAHOSP), owner House Elania, cell (71, 95), tag 0A6CB04C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Hospital (0ABA31BC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5792, Events line 5903, Actions line 6014.

63. Pop Beacon Light - 0A867E5C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Red Light Post (INREDLMP), owner Civie1 House, cell (47, 102), tag 0A86791C, persistence mode 0.

Wait for the recorded events:

1. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5793, Events line 5904, Actions line 6015.

64. Reclaimed Tesla 01 - 09D56C6C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 01 (0ABE3A3C).
2. Disable Reclaimed Tesla 01 (09D56C6C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5794, Events line 5905, Actions line 6016.

65. Change House Tesla 01 - 0ABE3A3C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 01 (09D56C6C).

Incoming activation links: enable from Reclaimed Tesla 01 (09D56C6C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (42, 109), tag 09D5672C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Tesla 01 (0ABE3A3C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5795, Events line 5906, Actions line 6017.

66. Reclaimed Tesla 02 - 09D5613C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 02 (0ABE1F3C).
2. Disable Reclaimed Tesla 02 (09D5613C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5796, Events line 5907, Actions line 6018.

67. Change House Tesla 02 - 0ABE1F3C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 02 (09D5613C).

Incoming activation links: enable from Reclaimed Tesla 02 (09D5613C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (51, 109), tag 09D54E2C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Tesla 02 (0ABE1F3C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5797, Events line 5908, Actions line 6019.

68. Reclaimed Tesla 03 - 07ACFD0C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 03 (0ABE1A4C).
2. Disable Reclaimed Tesla 03 (07ACFD0C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5798, Events line 5909, Actions line 6020.

69. Change House Tesla 03 - 0ABE1A4C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 03 (07ACFD0C).

Incoming activation links: enable from Reclaimed Tesla 03 (07ACFD0C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (42, 91), tag 07ACFC2C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Tesla 03 (0ABE1A4C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5799, Events line 5910, Actions line 6021.

70. Reclaimed Tesla 04 - 07ACF66C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 04 (0ABE2DDC).
2. Disable Reclaimed Tesla 04 (07ACF66C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5800, Events line 5911, Actions line 6022.

71. Change House Tesla 04 - 0ABE2DDC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 04 (07ACF66C).

Incoming activation links: enable from Reclaimed Tesla 04 (07ACF66C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (42, 93), tag 07ACF46C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).

2. Disable Change House Tesla 04 (0ABE2DDC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5801, Events line 5912, Actions line 6023.

72. Reclaimed Tesla 05 - 079FEBBC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 05 (0ABE3DEC).
2. Disable Reclaimed Tesla 05 (079FEBBC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5802, Events line 5913, Actions line 6024.

73. Change House Tesla 05 - 0ABE3DEC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 05 (079FEBBC).

Incoming activation links: enable from Reclaimed Tesla 05 (079FEBBC).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (45, 91), tag 079FE65C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Tesla 05 (0ABE3DEC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5803, Events line 5914, Actions line 6025.

74. Reclaimed Tesla 06 - 079FE06C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Tesla 06 (0ABA227C).
2. Disable Reclaimed Tesla 06 (079FE06C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5804, Events line 5915, Actions line 6026.

75. Change House Tesla 06 - 0ABA227C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Tesla 06 (079FE06C).

Incoming activation links: enable from Reclaimed Tesla 06 (079FE06C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (45, 93), tag 079F852C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Tesla 06 (0ABA227C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5805, Events line 5916, Actions line 6027.

76. Reclaimed Sov Barracks2 - 079F81FC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov Barracks2 (0ABE5B2C).
2. Disable Reclaimed Sov Barracks2 (079F81FC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5806, Events line 5917, Actions line 6028.

77. Change House Sov Barracks2 - 0ABE5B2C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov Barracks2 (079F81FC).

Incoming activation links: enable from Reclaimed Sov Barracks2 (079F81FC).

Attached scope: Soviet Barracks (NAHAND), owner BadGuy2 House, cell (52, 92), tag 079FB3DC, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov Barracks2 (0ABE5B2C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5807, Events line 5918, Actions line 6029.

78. Reclaimed Sov Refinery 1 - 079FB26C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov Refinery 1 (0ABE31EC).
2. Disable Reclaimed Sov Refinery 1 (079FB26C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5808, Events line 5919, Actions line 6030.

79. Change House Sov Refinery 1 - 0ABE31EC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov Refinery 1 (079FB26C).

Incoming activation links: enable from Reclaimed Sov Refinery 1 (079FB26C).

Attached scope: Soviet Ore Refinery (NAREFN), owner BadGuy1 House, cell (44, 75), tag 079FB06C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov Refinery 1 (0ABE31EC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5809, Events line 5920, Actions line 6031.

80. Reclaimed Sov Refinery 2 - 079FDB4C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov Refinery 2 (0ABE76CC).
2. Disable Reclaimed Sov Refinery 2 (079FDB4C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5810, Events line 5921, Actions line 6032.

81. Change House Sov Refinery 2 - 0ABE76CC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov Refinery 2 (079FDB4C).

Incoming activation links: enable from Reclaimed Sov Refinery 2 (079FDB4C).

Attached scope: Soviet Ore Refinery (NAREFN), owner BadGuy1 House, cell (57, 75), tag 079FD94C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov Refinery 2 (0ABE76CC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5811, Events line 5922, Actions line 6033.

82. Reclaimed Sov Barracks1 - 079FD76C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov Barracks1 (0ABE5E9C).
2. Disable Reclaimed Sov Barracks1 (079FD76C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5812, Events line 5923, Actions line 6034.

83. Change House Sov Barracks1 - 0ABE5E9C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov Barracks1 (079FD76C).

Incoming activation links: enable from Reclaimed Sov Barracks1 (079FD76C).

Attached scope: Soviet Barracks (NAHAND), owner BadGuy1 House, cell (61, 60), tag 07A0221C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov Barracks1 (0ABE5E9C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5813, Events line 5924, Actions line 6035.

84. Reclaimed Sov ConYard - 07A040AC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov ConYard (0ABE34EC).

2. Disable Reclaimed Sov ConYard (07A040AC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5814, Events line 5925, Actions line 6036.

85. Change House Sov ConYard - 0ABE34EC

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov ConYard (07A040AC).

Incoming activation links: enable from Reclaimed Sov ConYard (07A040AC).

Attached scope: Soviet Construction Yard (NACNST), owner BadGuy1 House, cell (59, 65), tag 07A0542C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov ConYard (0ABE34EC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5815, Events line 5926, Actions line 6037.

86. Reclaimed Sov WarFactory - 07A0662C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type ENGINEERLAND; placed owner EngineerLand House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Sov WarFactory (0ABE735C).
2. Disable Reclaimed Sov WarFactory (07A0662C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5816, Events line 5927, Actions line 6038.

87. Change House Sov WarFactory - 0ABE735C

Owner reference: EngineerLand. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Sov WarFactory (07A0662C).

Incoming activation links: enable from Reclaimed Sov WarFactory (07A0662C).

Attached scope: Soviet War Factory (NAWEAP), owner BadGuy1 House, cell (50, 61), tag 07A0642C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Sov WarFactory (0ABE735C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5817, Events line 5928, Actions line 6039.

88. BG Patrols Start (Med) - 0844203C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: BG Patrols Start (Hard) (09AB895C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Beacon Perimeter Patrol (081104F4).
2. Supply reinforcement team Evil Patrol 1 (0B996384).
3. Supply reinforcement team Evil Patrol 2 (08F73AF4).
4. Supply reinforcement team Evil Patrol 3 (07A458C4).

5. Supply reinforcement team Evil Armor 1 (08DA8F04).
6. Supply reinforcement team Evil Armor 2 (0A632EFC).
7. Supply reinforcement team POW Patrol 1 (0A300CBC).
8. Supply reinforcement team POW Patrol 2 (0AF7132C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5818, Events line 5929, Actions line 6040.

89. BG Patrols Start (Easy) - 09E9D56C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: BG Patrols Start (Med) (0844203C).

Attached scope: tag definitions 09AB81CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Beacon Perimeter Patrol (081104F4).
2. Supply reinforcement team Evil Armor 1 (08DA8F04).
3. Supply reinforcement team Evil Patrol 1 (0B996384).
4. Supply reinforcement team Evil Patrol 2 (08F73AF4).
5. Supply reinforcement team Evil Patrol 3 (07A458C4).
6. Supply reinforcement team POW Patrol 1 (0A300CBC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5819, Events line 5930, Actions line 6041.

90. BG1 AITrig Begin - 0A7998FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A79BB6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Play music theme Destroy.
4. Enable and reset applicable timers for Player Reinforcers2E Go (0A197B2C).
5. Enable and reset applicable timers for Player Reinforcers2M Go (0A19AAFC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5820, Events line 5931, Actions line 6042.

91. Player Reinforcers2E Go - 0A197B2C

Owner reference: Reinforcers. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 AITrig Begin (0A7998FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Player Reinforcements 5E_1 (0CE2448C).
2. Supply reinforcement team Player Reinforcements 5E_2 (0CE23DEC).
3. Create radar-event marker type 2 at waypoint 5 (cell 148, 81).
4. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5821, Events line 5932, Actions line 6043.

92. Player Reinforcers2M Go - 0A19AAFC

Owner reference: Reinforcers. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Player Reinforcers2E Go (0A197B2C).

Incoming activation links: enable from BG1 AITrig Begin (0A7998FC).

Attached scope: tag definitions 0A19753C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Player Reinforcements 5E_1 (0CE2448C).
2. Create radar-event marker type 2 at waypoint 5 (cell 148, 81).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5822, Events line 5933, Actions line 6044.

93. Extra Cash - 0A78F81C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A78B1FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Beacon Destroyed) is set.

Flag writers in this mission: set local flag 2 (Beacon Destroyed) at Psychic Beacon KIA (07BB91BC); set local flag 2 (Beacon Destroyed) at Psychic Beacon Change House (0CF745DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 0 (cell 47, 100).
2. Play sound Bonus at waypoint 0 (cell 47, 100).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5823, Events line 5934, Actions line 6045.

94. Bonus Timer Extension (WF) - 087966DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 8 (War Factory Reclaim) is set.

Flag writers in this mission: set local flag 8 (War Factory Reclaim) at Reclaimed War Factory (Engineerland) (08CD3194). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Bonus Discovered. Timer Extended.” (MISSION:All08e).
2. Extend the mission timer by 600 configured time units.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5824, Events line 5935, Actions line 6046.

95. Bonus Timer Extension (Ref) - 087965EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Bonus Timer Extension (WF) (087966DC).

Attached scope: tag definitions 0879689C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Refinery Reclaimed) is set.

Flag writers in this mission: set local flag 7 (Refinery Reclaimed) at Reclaimed Refinery (Engineerland) (07AEFA84). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Bonus Discovered. Timer Extended.” (MISSION:All08e).
2. Extend the mission timer by 600 configured time units.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5825, Events line 5936, Actions line 6047.

96. Reclaimed War Factory (Player) - 087D4AEC

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change House War Factory (Engineerland) (0ABE8C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).
2. local flag 8 (War Factory Reclaim) is clear.

Flag writers in this mission: set local flag 8 (War Factory Reclaim) at Reclaimed War Factory (Engineerland) (08CD3194). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Change House War Factory (Engineerland) (0ABE8C3C).
2. Disable Reclaimed War Factory (Player) (087D4AEC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5826, Events line 5937, Actions line 6048.

97. Change House War Factory (Player) - 087D5E8C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed War Factory (Player) (087D4AEC).

Attached scope: Allied War Factory (GAWEAP), owner Civie1 House, cell (103, 120), tag 08CD4B94, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House War Factory (Player) (087D5E8C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5827, Events line 5938, Actions line 6049.

98. Change House Refinery (Player) - 087D593C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change House Refinery (Engineerland) (0ABE07DC).

Incoming activation links: enable from Reclaimed Refinery (Player) (087D567C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change House Refinery (Player) (087D593C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5828, Events line 5939, Actions line 6050.

99. Reclaimed Refinery (Player) - 087D567C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change House Refinery (Player) (087D593C).

Attached scope: Allied Ore Refinery (GAREFN), owner Civie1 House, cell (87, 139), tag 079F4E24, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).
2. local flag 7 (Refinery Reclaimed) is clear.

Flag writers in this mission: set local flag 7 (Refinery Reclaimed) at Reclaimed Refinery (Engineerland) (07AEFA84). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Change House Refinery (Player) (087D593C).
2. Disable Reclaimed Refinery (Player) (087D567C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5829, Events line 5940, Actions line 6051.

100. POW Panic Begin - 0D1A8C6C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D1A867C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Desolator Gooing) is set.

Then perform these actions in order:

1. Create/recruit team POW Panic (0D1A928C).
2. Play sound CivAllFear at waypoint 20 (cell 71, 80).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5830, Events line 5941, Actions line 6052.

101. Evil Armor Redemption MkII - 0A5C417C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A5C334C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Evil Armor Redempti) is set.

Then perform these actions in order:

1. Create/recruit team Evil Armor Redemption MkII (0A5C531C).
2. Play voice notification Mis_A8_AllSoldierFreed.

Source locator: MAPS01.MIX/all08u.map; Triggers line 5831, Events line 5942, Actions line 6053.

102. Get Thee to the Arch - 0A5DB64C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A5DFE7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Goto AW) is set.

Then perform these actions in order:

1. Create/recruit team Get thee to the Arch (0A5C321C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5832, Events line 5943, Actions line 6054.

103. Reinforcers 1 Here - 0D28C05C

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D28BDCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Prism 1 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 1a (0CDAAEFC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5833, Events line 5944, Actions line 6055.

104. Reinforcers 2 Here - 0D28BCDC

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D289A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Prism 2 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 2a (0CDAAB5C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5834, Events line 5945, Actions line 6056.

105. Reinforcers 3 Here - 0D255CFC

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D253B2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (3 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 3a (0CDAA91C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5835, Events line 5946, Actions line 6057.

106. Reinforcers 4 Here - 0D254F3C

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D252C4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (4 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 4a (0CDAA6DC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5836, Events line 5947, Actions line 6058.

107. Reinforcers 5e1 Here - 0D2568BC

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D2520CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 17 (5e1 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 5e1a (0CDAA49C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5837, Events line 5948, Actions line 6059.

108. Reinforcers 5e2 Here - 0D256F3C

Owner reference: Reinforcers. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D25758C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 18 (5e2 Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team Player Reinforcers 5e2a (0CDAA25C).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5838, Events line 5949, Actions line 6060.

109. Prism Flashers Enable - 0D2533DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D256B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Prism 1 Unloaded) is set.
2. local flag 11 (Prism 2 Unloaded) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Prism Tank Movie Play (075A9ADC).

Source locator: MAPS01.MIX/all08u.map; Triggers line 5839, Events line 5950, Actions line 6061.

All team rosters and ordered plans | All mission overrides

Operation: Free Gateway - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all08u.map; each team/script ID identifies its section.

Player Start Force - 0A99211C

Owner: Player. Roster: 5 × GI (E1); 2 × Engineer (ENGINEER); 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: B; Transport Waypoint: C.

Ordered plan: Player Start Force SCR (0740F56C).

1. Adopt object mission: guard.
2. Report team success.

GILanders - 09B81684

Owner: Player. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GILanders SCR (07A9CB4C).

1. Change country ownership; configured argument 19.

EngineerLanders - 0AC59B7C

Owner: Player. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: EngineerLanders SCR (0AC5990C).

1. Set local flag: local flag 12 (Engineer Fix).
2. Change country ownership; configured argument 20.

TanyaLanders - 09B80694

Owner: Player. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: TanyaLanders SCR (079C0A1C).

1. Change country ownership; configured argument 18.

Player Reinforcements 1 - 0CE11DEC

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 1 × Prism Tank (SREF); 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements SCR (0CE11B7C).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Set local flag: local flag 1 (Reinforcments Arriv).
3. Move to waypoint: waypoint 18 (cell 115, 84).
4. Unload with continuation mode: transport continues; passengers leave team.
5. Set local flag: local flag 10 (Prism 1 Unloaded).
6. Move to waypoint: waypoint 45 (cell 115, 88).
7. Change country ownership; configured argument 13.

8. Adopt object mission: guard.

Beacon Perimeter Patrol - 081104F4

Owner: BadGuy2. Roster: 5 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: G.

Ordered plan: Beacon Perimeter Patrol SCR (08F897B4).

1. Attack-move toward waypoint: waypoint 7 (cell 39, 88).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 8 (cell 56, 88).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 9 (cell 56, 100).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 10 (cell 56, 113).
8. Guard for interval; configured argument 10.
9. Attack-move toward waypoint: waypoint 11 (cell 48, 113).
10. Guard for interval; configured argument 10.
11. Attack-move toward waypoint: waypoint 10 (cell 56, 113).
12. Guard for interval; configured argument 10.
13. Attack-move toward waypoint: waypoint 9 (cell 56, 100).
14. Guard for interval; configured argument 10.
15. Attack-move toward waypoint: waypoint 8 (cell 56, 88).
16. Guard for interval; configured argument 10.
17. Attack-move toward waypoint: waypoint 7 (cell 39, 88).
18. Guard for interval; configured argument 10.
19. Attack-move toward waypoint: waypoint 6 (cell 39, 106).
20. Guard for interval; configured argument 10.
21. Jump to script line; configured argument 1.

Evil Patrol 1 - 0B996384

Owner: BadGuy1. Roster: 1 × Technician (CTECH); 4 × GI (E1); 1 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Evil Patrol 1 SCR (09721DB4).

1. Scatter.
2. Attack-move toward waypoint: waypoint 4 (cell 114, 80).
3. Guard for interval; configured argument 12.
4. Attack-move toward waypoint: waypoint 13 (cell 114, 113).
5. Guard for interval; configured argument 12.
6. Attack-move toward waypoint: waypoint 14 (cell 96, 113).
7. Guard for interval; configured argument 12.
8. Attack-move toward waypoint: waypoint 15 (cell 89, 80).
9. Guard for interval; configured argument 12.
10. Attack-move toward waypoint: waypoint 16 (cell 95, 47).
11. Guard for interval; configured argument 12.
12. Attack-move toward waypoint: waypoint 12 (cell 114, 47).
13. Guard for interval; configured argument 12.
14. Jump to script line; configured argument 2.

Player Reinforcements 2 - 0CE10DEC

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 1 × Grizzly Battle Tank (MTNK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements 2 SCR (0CE10B7C).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Move to waypoint: waypoint 19 (cell 115, 76).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 11 (Prism 2 Unloaded).
5. Move to waypoint: waypoint 46 (cell 115, 72).
6. Change country ownership; configured argument 13.
7. Adopt object mission: guard.

Player Reinforcements 3 - 0CE1093C

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements 3 SCR (0CE106CC).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Move to waypoint: waypoint 17 (cell 111, 80).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 15 (3 Unloaded).
5. Move to waypoint: waypoint 45 (cell 115, 88).
6. Change country ownership; configured argument 13.
7. Adopt object mission: guard.

Player Reinforcements 4 - 0CE1048C

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 1 × Allied Construction Vehicle (AMCV); 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements 4 SCR (0CE1021C).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Move to waypoint: waypoint 4 (cell 114, 80).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 16 (4 Unloaded).
5. Move to waypoint: waypoint 46 (cell 115, 72).
6. Change country ownership; configured argument 13.
7. Adopt object mission: guard.

Evil Patrol 2 - 08F73AF4

Owner: BadGuy1. Roster: 2 × Technician (CTECH); 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Y.

Ordered plan: Evil Patrol 2 SCR (0972FA04).

1. Scatter.
2. Attack-move toward waypoint: waypoint 22 (cell 66, 72).
3. Guard for interval; configured argument 28.
4. Attack-move toward waypoint: waypoint 23 (cell 66, 88).
5. Guard for interval; configured argument 6.

6. Attack-move toward waypoint: waypoint 7 (cell 39, 88).
7. Guard for interval; configured argument 12.
8. Attack-move toward waypoint: waypoint 24 (cell 39, 72).
9. Guard for interval; configured argument 24.
10. Jump to script line; configured argument 2.

Evil Patrol 3 - 07A458C4

Owner: BadGuy1. Roster: 2 × Technician (CTECH); 2 × Attack Dog (DOG); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Evil Patrol 3 SCR (0972F534).

1. Scatter.
2. Attack-move toward waypoint: waypoint 25 (cell 66, 27).
3. Guard for interval; configured argument 27.
4. Attack-move toward waypoint: waypoint 26 (cell 78, 26).
5. Guard for interval; configured argument 15.
6. Attack-move toward waypoint: waypoint 27 (cell 77, 47).
7. Guard for interval; configured argument 21.
8. Attack-move toward waypoint: waypoint 28 (cell 66, 47).
9. Guard for interval; configured argument 15.
10. Jump to script line; configured argument 2.

Evil Armor 1 - 08DA8F04

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Evil Armor 1 SCR (0972EDB4).

1. Scatter.
2. Attack-move toward waypoint: waypoint 27 (cell 77, 47).
3. Guard for interval; configured argument 6.
4. Attack-move toward waypoint: waypoint 30 (cell 77, 57).
5. Guard for interval; configured argument 20.
6. Attack-move toward waypoint: waypoint 32 (cell 86, 72).
7. Guard for interval; configured argument 9.
8. Attack-move toward waypoint: waypoint 22 (cell 66, 72).
9. Guard for interval; configured argument 15.
10. Attack-move toward waypoint: waypoint 24 (cell 39, 72).
11. Guard for interval; configured argument 12.
12. Attack-move toward waypoint: waypoint 33 (cell 39, 57).
13. Guard for interval; configured argument 17.
14. Attack-move toward waypoint: waypoint 29 (cell 48, 47).
15. Guard for interval; configured argument 10.
16. Jump to script line; configured argument 2.

Evil Armor 2 - 0A632EFC

Owner: BadGuy2. Roster: 2 × IFV (FV); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Evil Armor 2 SCR (0A63244C).

1. Scatter.
2. Unload with continuation mode: transport and passengers continue.
3. Load transport.
4. Attack-move toward waypoint: waypoint 14 (cell 96, 113).
5. Guard for interval; configured argument 25.
6. Attack-move toward waypoint: waypoint 11 (cell 48, 113).
7. Guard for interval; configured argument 25.
8. Attack-move toward waypoint: waypoint 34 (cell 66, 113).
9. Guard for interval; configured argument 25.
10. Attack-move toward waypoint: waypoint 23 (cell 66, 88).
11. Attack-move toward waypoint: waypoint 22 (cell 66, 72).
12. Attack-move toward waypoint: waypoint 28 (cell 66, 47).
13. Guard for interval; configured argument 25.
14. Attack-move toward waypoint: waypoint 12 (cell 114, 47).
15. Guard for interval; configured argument 25.
16. Attack-move toward waypoint: waypoint 13 (cell 114, 113).
17. Guard for interval; configured argument 25.
18. Jump to script line; configured argument 4.

Terror On Patrol - 0C1B17B4

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Terror On Patrol SCR (0C1B1534).

1. Scatter.
2. Attack-move toward waypoint: waypoint 14 (cell 96, 113).
3. Guard for interval; configured argument 25.
4. Attack-move toward waypoint: waypoint 34 (cell 66, 113).
5. Guard for interval; configured argument 25.
6. Attack-move toward waypoint: waypoint 23 (cell 66, 88).
7. Guard for interval; configured argument 25.
8. Attack-move toward waypoint: waypoint 36 (cell 22, 88).
9. Guard for interval; configured argument 25.
10. Attack-move toward waypoint: waypoint 35 (cell 22, 72).
11. Guard for interval; configured argument 25.
12. Attack-move toward waypoint: waypoint 32 (cell 86, 72).
13. Guard for interval; configured argument 25.
14. Attack-move toward waypoint: waypoint 16 (cell 95, 47).
15. Guard for interval; configured argument 25.
16. Attack-move toward waypoint: waypoint 4 (cell 114, 80).
17. Guard for interval; configured argument 25.
18. Jump to script line; configured argument 2.

1st Desolator Usage - 0C48359C

Owner: BadGuy1. Roster: 3 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: 1st Desolator Usage SCR (0DA7432C).

1. Guard for interval; configured argument 45.

2. Move to waypoint: waypoint 20 (cell 71, 80).
3. Set local flag: local flag 9 (Desolator Gooing).
4. Deploy.
5. Flash team; configured argument 90.
6. Guard for interval; configured argument 15.
7. Deploy.
8. Approach selected enemy-building category; configured argument 131074.
9. Deploy.

Def_Spy - 0BE84804

Owner: BadGuy1. Roster: 3 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Engineer - 0BE86A74

Owner: BadGuy1. Roster: 1 × Attack Dog (DOG); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Rocketeer - 0BE86524

Owner: BadGuy1. Roster: 3 × Flak Trooper (FLAKT); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_GI - 0BDEF684

Owner: BadGuy1. Roster: 3 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Grizzly - 0BDEE994

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON); 1 × Rhino Heavy Tank (HTNK); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_IFV - 0BDEDA74

Owner: BadGuy1. Roster: 1 × Rhino Heavy Tank (HTNK); 1 × V3 Launcher (V3); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Intruder - 0BDED6D4

Owner: BadGuy1. Roster: 2 × Flak Track (HTK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Blackhawk - 0BDE7234

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 1 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Hard1 - 0BDEF8E4

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON); 3 × Tesla Trooper (SHK); 2 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Def_Hard2 - 0BDE6614

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base SCR (0BDE2924).

1. Adopt object mission: area guard.
2. Report team success.

Attk_Rhino1 - 092FCCBC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Rhino1 SCR (092FCA4C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131127.
4. Seek/attack target category; configured argument 7.

5. Attack selected enemy-building category; configured argument 131079.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_Rhino2 - 092FC80C

Owner: BadGuy1. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Rhino2 SCR (092FC59C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131072.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 131075.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_V3 1 - 09362F04

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Terror Drone (DRON); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3 1 SCR (093634C4).

1. Attack selected enemy-building category; configured argument 131127.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 131079.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_V3 2 - 09365D64

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Flak Trooper (FLAKT); 2 × Conscript (E2); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_V3 2 SCR (093657E4).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 131177.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Attk_FlakTrack - 09343AE4

Owner: BadGuy1. Roster: 2 × Flak Track (HTK); 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_FlakTrack SCR (09345DB4).

1. Seek/attack target category; configured argument 4.

2. Report team success.
3. Attack selected enemy-building category; configured argument 131177.
4. Attack selected enemy-building category; configured argument 131074.
5. Seek/attack target category; configured argument 1.

Attk_Terror 1 - 09345924

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Terror 1 SCR (09345584).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Adopt object mission: hunt.

Attk_Terror 2 - 093450E4

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Terror 2 SCR (09346C94).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Adopt object mission: hunt.

Attk Infantry 1 - 08114DEC

Owner: BadGuy1. Roster: 6 × Conscript (E2); 2 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk Infantry 1 SCR (08114B7C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131072.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 131075.
6. Seek/attack target category; configured argument 1.

Attk Infantry 2 - 0811493C

Owner: BadGuy1. Roster: 2 × Attack Dog (DOG); 2 × Desolator (DESO); 4 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk Infantry 2 SCR (081146CC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Adopt object mission: hunt.

Attk Infantry 3 - 0811448C

Owner: BadGuy1. Roster: 5 × Flak Trooper (FLAKT); 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk Infantry 3 SCR (0811421C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131075.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

Attk Infantry 4 - 08113DEC

Owner: BadGuy1. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk Infantry 4 SCR (08113B7C).

1. Seek/attack target category; configured argument 10.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Attk_Hard1 - 09301B7C

Owner: BadGuy1. Roster: 3 × V3 Launcher (V3); 2 × Rhino Heavy Tank (HTNK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hard1 SCR (0930190C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131079.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131074.
5. Seek/attack target category; configured argument 2.

Attk_Hard2 - 093016CC

Owner: BadGuy1. Roster: 4 × Desolator (DESO); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hard2 SCR (0C1B7064).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Adopt object mission: hunt.

Attk_Hard3 - 0930121C

Owner: BadGuy1. Roster: 5 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hard3 SCR (09300DBC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131177.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131079.
5. Attack selected enemy-building category; configured argument 131073.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

Attk_Engineer1 - 09300B7C

Owner: BadGuy1. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer1 SCR (0930090C).

1. Attack selected enemy-building category; configured argument 131177.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131075.
4. Attack selected enemy-building category; configured argument 131074.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.

Attk_Engineer2 - 093006CC

Owner: BadGuy1. Roster: 3 × Conscript (E2); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer2 SCR (0930045C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131072.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 2.

Attk_Engineer3 - 0930021C

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer3 SCR (09302DBC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131073.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131073.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.

Attk_Patrol1 - 07E4D754

Owner: BadGuy2. Roster: 3 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Patrol1 SCR (0ABD60E4).

1. Attack-move toward waypoint: waypoint 22 (cell 66, 72).
2. Guard for interval; configured argument 17.
3. Attack-move toward waypoint: waypoint 28 (cell 66, 47).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 16 (cell 95, 47).
6. Guard for interval; configured argument 15.
7. Attack-move toward waypoint: waypoint 31 (cell 86, 57).

8. Guard for interval; configured argument 8.
9. Attack-move toward waypoint: waypoint 32 (cell 86, 72).
10. Guard for interval; configured argument 24.
11. Attack-move toward waypoint: waypoint 14 (cell 96, 113).
12. Guard for interval; configured argument 3.
13. Attack-move toward waypoint: waypoint 10 (cell 56, 113).
14. Guard for interval; configured argument 18.
15. Attack-move toward waypoint: waypoint 8 (cell 56, 88).
16. Guard for interval; configured argument 10.
17. Jump to script line; configured argument 1.

2x Check on BG2 - 0A287514

Owner: BadGuy1. Roster: 6 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: 2x Check on BG2 SCR (0A289554).

1. Attack-move toward waypoint: waypoint 8 (cell 56, 88).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 7 (cell 39, 88).
4. Guard for interval; configured argument 12.
5. Attack-move toward waypoint: waypoint 24 (cell 39, 72).
6. Guard for interval; configured argument 12.
7. Attack-move toward waypoint: waypoint 22 (cell 66, 72).
8. Guard for interval; configured argument 12.
9. Attack-move toward waypoint: waypoint 23 (cell 66, 88).
10. Guard for interval; configured argument 12.
11. Jump to script line; configured argument 1.

Attk_Desolators - 0930221C

Owner: BadGuy1. Roster: 3 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Desolators SCR (09306DBC).

1. Gather near enemy base; configured argument 0.
2. Approach selected enemy-building category; configured argument 131075.
3. Report team success.
4. Deploy.

Harrassment Team - 09D7F8D4

Owner: BadGuy1. Roster: 1 × Attack Dog (DOG); 4 × Conscript (E2); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: Y.

Ordered plan: Harrassment Team SCR (093489D4).

1. Adopt object mission: hunt.
2. Report team success.
3. Seek/attack target category; configured argument 4.

Techs Goto Arch - 0BE8B86C

Owner: Player. Roster: 1 × Technician (CTECH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Techs Goto Arch SCR (0BE8DDBC).

1. Move to waypoint: waypoint 17 (cell 111, 80).
2. Adopt object mission: guard.

Prism Flashers! - 0A2BD7DC

Owner: Player. Roster: 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Prism Flashers! SCR (0A2BD56C).

1. Flash team; configured argument 180.
2. Report team success.

Tanya Converted - 08352E1C

Owner: TanyaLand. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Tanya Converted SCR (083508EC).

1. Center view on team; configured argument 4.
2. Flash team; configured argument 15.
3. Play voice notification; configured argument 154.
4. Change country ownership; configured argument 16.

Player Reinforcements 5E_1 - 0CE2448C

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements 5E_1 SCR (0CE2421C).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Move to waypoint: waypoint 18 (cell 115, 84).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 17 (5e1 Unloaded).
5. Move to waypoint: waypoint 45 (cell 115, 88).
6. Change country ownership; configured argument 13.
7. Adopt object mission: guard.

Player Reinforcements 5E_2 - 0CE23DEC

Owner: Reinforcers. Roster: 1 × Amphibious Transport (LCRF); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Reinforcements 5E_2 SCR (0CE23B7C).

1. Move to waypoint: waypoint 5 (cell 148, 81).
2. Move to waypoint: waypoint 19 (cell 115, 76).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 18 (5e2 Unloaded).
5. Move to waypoint: waypoint 46 (cell 115, 72).
6. Change country ownership; configured argument 13.
7. Adopt object mission: guard.

POW Patrol 1 - 0A300CBC

Owner: BadGuy1. Roster: 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: AP.

Ordered plan: POW Patrol 1 SCR (0A30EDBC).

1. Attack-move toward waypoint: waypoint 42 (cell 67, 86).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 44 (cell 67, 73).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 43 (cell 79, 73).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 41 (cell 79, 87).
8. Guard for interval; configured argument 10.
9. Jump to script line; configured argument 1.

POW Patrol 2 - 0AF7132C

Owner: BadGuy1. Roster: 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: AS.

Ordered plan: POW Patrol 2 SCR (0AF73DBC).

1. Attack-move toward waypoint: waypoint 43 (cell 79, 73).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 41 (cell 79, 87).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 42 (cell 67, 86).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 44 (cell 67, 73).
8. Guard for interval; configured argument 10.
9. Jump to script line; configured argument 1.

POW Panic - 0D1A928C

Owner: Civilian1. Roster: 5 × Civilian (CIV1); 7 × Civilian (CIV2); 7 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: POW Panic SCR (0D1AABFC).

1. Panic.
2. Scatter.
3. Jump to script line; configured argument 1.

Evil Armor 2 Redemption - 0CF25A4C

Owner: BadGuy2. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Evil Armor 2 Redemption SCR (0CF257DC).

1. Move to waypoint: waypoint 32 (cell 86, 72).
2. Unload with continuation mode: transport and passengers continue.
3. Set local flag: local flag 13 (Evil Armor Redempti).
4. Change country ownership; configured argument 13.

Evil Armor Redemption MkII - 0A5C531C

Owner: BadGuy2. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Evil Armor Redemption MkII SCR (0A5C469C).

1. Set local flag: local flag 14 (Goto AW).
2. Change country ownership; configured argument 13.

Get thee to the Arch - 0A5C321C

Owner: Player. Roster: 2 × IFV (FV); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 41; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Get thee to the Arch SCR (0A5C5CAC).

1. Move to waypoint: waypoint 48 (cell 107, 81).
2. Report team success.

Player Reinforcers 1a - 0CDAAEFC

Owner: Reinforcers. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Player Reinforcers 2a - 0CDAAB5C

Owner: Reinforcers. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Player Reinforcers 3a - 0CDAA91C

Owner: Reinforcers. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Player Reinforcers 4a - 0CDAA6DC

Owner: Reinforcers. Roster: 1 × Allied Construction Vehicle (AMCV); 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Player Reinforcers 5e1a - 0CDAA49C

Owner: Reinforcers. Roster: 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Player Reinforcers 5e2a - 0CDAA25C

Owner: Reinforcers. Roster: 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Reinforcers Change House SCR (0D14204C).

1. Change country ownership; configured argument 13.

Operation: Free Gateway - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all08u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1500,1250,1000	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	15	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	30,30,30	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Parachute Max Fall Rate	-5	15
War Miner (HARV)	Resource cargo capacity	20	18
Chrono Miner (CMIN)	Resource cargo capacity	10	21
TIBERIUMS (TIBERIUMS)	0	Riparius	24
TIBERIUMS (TIBERIUMS)	1	Cruentus	25
TIBERIUMS (TIBERIUMS)	2	Vinifera	26
TIBERIUMS (TIBERIUMS)	3	Aboreus	27
Tiberium Riparius (RIPARIUS)	Value	50	30
Tiberium Cruentus (CRUENTUS)	Value	100	33
Tiberium Vinifera (VINIFERA)	Value	50	36
Tiberium Aboreus (ABOREUS)	Value	50	39
CRATERULES (CRATERULES)	Solo Crate Money	10000	42
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	Yes	45
Technician (CTECH)	Name	Technician	48
Technician (CTECH)	Primary	M1Carbine	49
Technician (CTECH)	Insignificant-object flag	no	50
Technician (CTECH)	Threat contribution	10	51
Allied Shipyard (GAYARD)	Name	Allied Shipyard	54
Allied Shipyard (GAYARD)	Technology level	12	55
Engineer (SENGINEER)	Technology level	-1	58
Attack Dog (DOG)	Technology level	-1	61
Tesla Reactor (NAPOWR)	Name	Tesla Reactor	64
Tesla Reactor (NAPOWR)	Signed power contribution	150	65
Psychic Beacon (NAPSYB)	Name	RA2 Psychic Beacon	68
Psychic Beacon (NAPSYB)	Technology level	12	69
Psychic Beacon (NAPSYB)	Signed power contribution	-100	70

Object/system	Property	Mission value	Source line
Psychic Beacon (NAPSYB)	Price in credits	6000	71
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	75
Soviet Shipyard (NAYARD)	Technology level	12	76
SEAL (GHOST)	Name	SEAL	79
SEAL (GHOST)	Technology level	12	80
Mirage Tank (MGTK)	Name	Mirage Tank	83
Mirage Tank (MGTK)	Technology level	12	84
Chrono Legionnaire (CLEG)	Name	Chrono Legionnaire	87
Chrono Legionnaire (CLEG)	Technology level	12	88
Tanya (TANY)	Name	Tanya	91
Tanya (TANY)	Technology level	12	92
Apocalypse (APOC)	Name	Apocalypse	95
Apocalypse (APOC)	Technology level	12	96
Kirov Airship (ZEP)	Name	Kirov Airship	99
Kirov Airship (ZEP)	Technology level	12	100
Yuri (YURI)	Name	Yuri	103
Yuri (YURI)	Technology level	12	104
Crazy Ivan (IVAN)	Technology level	12	107
Tesla Tank (TTNK)	Technology level	12	110
Ore Purifier (GAOREP)	Technology level	12	113
SpySat Uplink (GASPYSAT)	Technology level	12	116
Cloning Vats (NACLON)	Technology level	12	119
Iron Curtain Device (NAIRON)	Technology level	12	122
Weather Controller (GAWEAT)	Technology level	12	125
Chrono Sphere (GACSPH)	Technology level	12	128
Gap Generator (GAGAP)	Name	Gap Generator	131
Gap Generator (GAGAP)	Technology level	12	132
Psychic Sensor (NAPSIS)	Technology level	12	135
Nuclear Reactor (NANRCT)	Technology level	12	138
Nuclear Missile Silo (NAMISL)	Name	Nuclear Missile Silo	141
Nuclear Missile Silo (NAMISL)	Technology level	12	142
COILBOLT (COILBOLT)	Range	6	145
COUNTRIES (COUNTRIES)	0	Player	148
COUNTRIES (COUNTRIES)	1	BadGuy1	149
COUNTRIES (COUNTRIES)	2	BadGuy2	150
COUNTRIES (COUNTRIES)	3	Evil	151
COUNTRIES (COUNTRIES)	4	Civilian1	152
COUNTRIES (COUNTRIES)	5	TanyaLand	153
COUNTRIES (COUNTRIES)	6	GILand	154
COUNTRIES (COUNTRIES)	7	EngineerLand	155
COUNTRIES (COUNTRIES)	8	Elania	156

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	9	Reinforcers	157
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3500	257
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.02	258
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.625	259
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.625	260
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.00	261
Invisible Purple Light Post (INPURPLAMP)	Local light reach	2000	264
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	265
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.3	266
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.05	267
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.5	268
Invisible Red Light Post (INREDLMP)	Local light reach	7000	271
Invisible Red Light Post (INREDLMP)	Local light intensity	0.05	272
Invisible Red Light Post (INREDLMP)	Light Red Tint	1.00	273
Invisible Red Light Post (INREDLMP)	Light Green Tint	0.00	274
Invisible Red Light Post (INREDLMP)	Light Blue Tint	0.00	275
SPECIALFLAGS	Tiberium Grows	no	278
SPECIALFLAGS	Tiberium Spreads	yes	279
SPECIALFLAGS	Tiberium Explosive	no	280
SPECIALFLAGS	Destroyable Bridges	no	281
SPECIALFLAGS	MCV Deploy	no	282
SPECIALFLAGS	Initial Veteran	no	283
SPECIALFLAGS	Fixed Alliance	no	284
SPECIALFLAGS	Harvester Immune	no	285
SPECIALFLAGS	Fog Of War	no	286
SPECIALFLAGS	Inert	no	287
SPECIALFLAGS	Ion Storms	no	288
SPECIALFLAGS	Meteorites	no	289
SPECIALFLAGS	Visceroids	no	290
VARIABLENAMES (VARIABLENAMES)	0	Tanya Converted,0	331
VARIABLENAMES (VARIABLENAMES)	1	Reinforcments Arriv,0	332
VARIABLENAMES (VARIABLENAMES)	2	Beacon Destroyed,0	333
VARIABLENAMES (VARIABLENAMES)	3	Engineers Evil,0	334
VARIABLENAMES (VARIABLENAMES)	4	GIs Evil,0	335
VARIABLENAMES (VARIABLENAMES)	5	GIs KIA,0	336
VARIABLENAMES (VARIABLENAMES)	6	Engineers KIA,0	337

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	7	Refinery Reclaimed,0	338
VARIABLENAMES (VARIABLENAMES)	8	War Factory Reclaim,0	339
VARIABLENAMES (VARIABLENAMES)	9	Desolator Gooing,0	340
VARIABLENAMES (VARIABLENAMES)	10	Prism 1 Unloaded,0	341
VARIABLENAMES (VARIABLENAMES)	11	Prism 2 Unloaded,0	342
VARIABLENAMES (VARIABLENAMES)	12	Engineer Fix,0	343
VARIABLENAMES (VARIABLENAMES)	13	Evil Armor Redempti,0	344
VARIABLENAMES (VARIABLENAMES)	14	Goto AW,0	345
VARIABLENAMES (VARIABLENAMES)	15	3 Unloaded,0	346
VARIABLENAMES (VARIABLENAMES)	16	4 Unloaded,0	347
VARIABLENAMES (VARIABLENAMES)	17	5e1 Unloaded,0	348
VARIABLENAMES (VARIABLENAMES)	18	5e2 Unloaded,0	349

Operation: Sun Temple

Campaign reading guide | Engine

Operation: Sun Temple

all09t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy1 House (144)
- Civie1 House (40)
- BadGuy2 House (15)
- Other2 House (12)
- House Balabos (9)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all09t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all09t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all09t.map. **Effective extracted member:** MAPS01.MIX/all09t.map. **Trigger definitions:** 80.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,85,90
Visible local rectangle	5,5,75,79
Placed vehicles	17
Placed infantry	112
Placed structures	96
Placed aircraft	0
Team templates	37

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	25	BadGuy1
2	BadGuy2 House	0	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	0	Other1
6	Other2 House	0	Other2
7	Other3 House	0	Other3
8	House Balabos	0	Balabos
9	Hack House	50	Hack

Local state flags at initialization

Flag	Meaning label and initial value
0	SEALs onsite,0
1	POWs Rescued,0
2	POW Vehicles Freed,0
3	Players Has Airport,0
4	BG1 KIA,0
5	Balabos KIA,0
6	Barracks Destroyed,0
7	War Fact Destroyed,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Loss (07C90E40)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
_Win Text (0D2B6F3C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Base Life - 03D82A60

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (80, 109); tag 03D86850, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team BG1 Dog Patrol A (07B61310).
2. Create/recruit team BG1 Dog Patrol B (07B9DCA0).
3. Create/recruit team BG1 Perimeter Patrol A (099427E0).

4. Create/recruit team BG1 Perimeter Patrol B (0992EA00).
5. Create/recruit team Shock @ Y (08BE8B80).
6. Create/recruit team Shock @ Z (08BE8700).
7. Create/recruit team BG1 Beach Patrol (08C08A80).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4586, Events line 4668, Actions line 4750.

2. SEAL Insertion GO - 03D87830

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (79, 19); tag 03D872D0, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team SEAL Insertion (0C1691FC).
2. Enable and reset applicable timers for Move Camera LZ (0A7956F0).
3. Disable player input.
4. Reveal terrain around waypoint 98 (cell 74, 24).
5. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4587, Events line 4669, Actions line 4751.

3. Move Camera LZ - 0A7956F0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SEAL Insertion GO (03D87830).

Attached scope: tag definitions 0A795210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 10 (cell 73, 44) with speed setting 1.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4588, Events line 4670, Actions line 4752.

4. Seals have Landed - 07BA0BD0

Owner reference: Other3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 25 tagged map cells: (71, 43), (72, 43), (73, 43), (74, 43), (75, 43), (71, 44), (72, 44), (73, 44), (74, 44), (75, 44), (71, 45), (72, 45), (73, 45), (74, 45), (75, 45), (71, 46), (72, 46), (73, 46), (74, 46), (75, 46), (71, 47), (72, 47), (73, 47), (74, 47), (75, 47); tag 07BA4F50, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for _Loss (07C90E40).
3. Remove instances of the team organization (not automatically its surviving objects) SEAL Insertion (0C1691FC).
4. Display message “Objective 1: Capture or Eliminate Soviet Research Facility within the Pyramid Ruins” (MISSION:All09a).
5. Display message “Objective 2: Destroy the Soviet base” (MISSION:All09b).
6. Play voice notification EVA_BattlefieldControlOnline.
7. Reveal terrain around waypoint 13 (cell 60, 81).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4589, Events line 4671, Actions line 4753.

5. _Loss - 07C90E40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Seals have Landed (07BA0BD0).

Attached scope: tag definitions 07C90BE0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4590, Events line 4672, Actions line 4754.

6. Village Life - 09041CB0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (60, 77); tag 0904B030, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team BG2 Vehicle Guard (090EB140).
2. Create/recruit team BG2 Village Guard A (08B88BA0).
3. Create/recruit team BG2 Village Guard B (08B88820).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4591, Events line 4673, Actions line 4755.

7. Rescue POWs - 07A7E110

Owner reference: Other2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Conscript (E2), owner BadGuy2 House, cell (64, 82), tag 07AB62E0, persistence mode 1; Conscript (E2), owner BadGuy2 House, cell (64, 81), tag 07AB62E0, persistence mode 1; Conscript (E2), owner BadGuy2 House, cell (63, 83), tag 07AB62E0, persistence mode 1; Conscript (E2), owner BadGuy2 House, cell (63, 79), tag 07AB62E0, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 1 (POWs Rescued).
2. Create radar-event marker type 1 at waypoint 18 (cell 55, 86).
3. Reveal terrain around waypoint 18 (cell 55, 86).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4592, Events line 4674, Actions line 4756.

8. Rescue Vehicles - 07B23080

Owner reference: Other2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Conscript (E2), owner BadGuy2 House, cell (59, 86), tag 07B27F20, persistence mode 1; Conscript (E2), owner BadGuy2 House, cell (60, 86), tag 07B27F20, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (POW Vehicles Freed).
2. Create radar-event marker type 1 at waypoint 13 (cell 60, 81).
3. Reveal terrain around waypoint 19 (cell 60, 79).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4593, Events line 4675, Actions line 4757.

9. _Win - 07C90810

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C98130 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 21 (country/type BALABOS; placed owner House Balabos).
2. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Win Text (0D2B6F3C).
2. Enable and reset applicable timers for Cheer (0ADD32AC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4594, Events line 4676, Actions line 4758.

10. _Win Text - 0D2B6F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (07C90810).

Attached scope: tag definitions 0D2B6E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4595, Events line 4677, Actions line 4759.

11. Cheer - 0ADD32AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (07C90810).

Attached scope: tag definitions 0ADD31CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4596, Events line 4678, Actions line 4760.

12. POW GI Freed - 08F54B80

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner Other2 House, cell (67, 82), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (67, 82), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (66, 82), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (66, 80), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (66, 81), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (67, 81), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (67, 80), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (66, 81), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (66, 80), tag 08F52120, persistence mode 0; GI (E1), owner Other2 House, cell (67, 81), tag 08F52120, persistence mode 0.

Wait for the recorded events:

1. local flag 1 (POWs Rescued) is set.

Flag writers in this mission: set local flag 1 (POWs Rescued) at Rescue POWs (07A7E110). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Play voice notification Mis_A9_SealFightersJoining.
3. Enable and reset applicable timers for POW Movie (09FCACFC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4597, Events line 4679, Actions line 4761.

13. POW Movie - 09FCACFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from POW GI Freed (08F54B80).

Attached scope: tag definitions 09FCA84C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 129.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4598, Events line 4680, Actions line 4762.

14. POW Vehicles Freed - 08F55400

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grizzly Battle Tank (MTNK), owner Other2 House, cell (58, 88), tag 08F53CF0, persistence mode 0; Grizzly Battle Tank (MTNK), owner Other2 House, cell (60, 89), tag 08F53CF0, persistence mode 0.

Wait for the recorded events:

1. local flag 2 (POW Vehicles Freed) is set.

Flag writers in this mission: set local flag 2 (POW Vehicles Freed) at Rescue Vehicles (07B23080). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Supply reinforcement team Heli_Engineer Reinforce (0F54A24C).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4599, Events line 4681, Actions line 4763.

15. BG1 Check POW - 07B21820

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B21170 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (POW Vehicles Freed) is set.
2. local flag 1 (POWs Rescued) is set.

Flag writers in this mission: set local flag 2 (POW Vehicles Freed) at Rescue Vehicles (07B23080); set local flag 1 (POWs Rescued) at Rescue POWs (07A7E110). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team BG1 POW Check A (07B093D0).
2. Supply reinforcement team BG1 POW Check B (07B22790).
3. Reveal terrain around waypoint 1 (cell 69, 112).
4. Reveal terrain around waypoint 3 (cell 72, 127).
5. Reveal terrain around waypoint 38 (cell 118, 124).
6. Reveal terrain around waypoint 46 (cell 80, 97).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4600, Events line 4682, Actions line 4764.

16. BG3 Airport Team KIA - 09947100

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09942680 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (Players Has Airport).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4601, Events line 4683, Actions line 4765.

17. Player Captures Airport - 09940B80

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099409B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 3 (Players Has Airport).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4602, Events line 4684, Actions line 4766.

18. BG3 Airport Engineers - 099408D0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09940630 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Players Has Airport) is set.

Flag writers in this mission: set local flag 3 (Players Has Airport) at BG3 Airport Team KIA (09947100); set local flag 3 (Players Has Airport) at Player Captures Airport (09940B80); clear local flag 3 (Players Has Airport) at BG3 Airport Engineers (099408D0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team BG3 Assimilate Airport (08BA34E0).
2. Clear local flag 3 (Players Has Airport).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4603, Events line 4685, Actions line 4767.

19. Stop BG3 Airport Engineers - 0A741B80

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7412A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 6.

Then perform these actions in order:

1. Disable BG3 Airport Engineers (099408D0).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4604, Events line 4686, Actions line 4768.

20. BG1 Attk Response 1 - 09A4E1C0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (69, 114), tag 07C10A50, persistence mode 0; Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (71, 112), tag 07C10A50, persistence mode 0; Tesla Trooper (SHK), owner BadGuy1 House, cell (69, 109), tag 07C10A50, persistence mode 0; Tesla Trooper (SHK), owner BadGuy1 House, cell (66, 112), tag 07C10A50, persistence mode 0; Tesla Coil (TESLA), owner BadGuy1 House, cell (65, 112), tag 07C10A50, persistence mode 0; Tesla Coil (TESLA), owner BadGuy1 House, cell (69, 108), tag 07C10A50, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG1 Attk Response 1A (09A4D390).
2. Create/recruit team BG1 Attk Response 1B (03DA2F00).
3. Create/recruit team BG1 Attk Response 1C1 (03DA2590).
4. Create/recruit team BG1 Attk Response 1C2 (03DA1BB0).
5. Create/recruit team BG1 Attk Response 1C3 (03D57860).
6. Create/recruit team BG1 Attk Response 1C4 (03D5D810).
7. Create/recruit team BG1 Attk Response 1C5 (03D70180).
8. Create/recruit team BG1 Attk Response D (03D73A40).
9. Disable BG1 Attk Response 2 (09994840).
10. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
11. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4605, Events line 4687, Actions line 4769.

21. BG1 Attk Response 2 - 09994840

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Attacked Radar (0AF418FC).

Attached scope: Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (74, 128), tag 09991F50, persistence mode 0; Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (71, 125), tag 09991F50, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (77, 132), tag 09991F50, persistence mode 0; Sentry Gun (NALASR), owner BadGuy1 House, cell (68, 127), tag 09991F50, persistence mode 0; Sentry Gun (NALASR), owner BadGuy1 House, cell (72, 131), tag 09991F50, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG1 Attk Response D (03D73A40).
2. Disable BG1 Attk Response 1 (09A4E1C0).
3. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
4. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
5. Create/recruit team BG1 Attk Response 2A (07BEAC60).
6. Create/recruit team BG1 Attk Response 2B (08B8C340).
7. Create/recruit team BG1 Attk Response 2C1 (08B89DF0).
8. Create/recruit team BG1 Attk Response 2C2 (08B897A0).
9. Create/recruit team BG1 Attk Response 2C3 (08B73580).
10. Create/recruit team BG1 Attk Response 2C4 (08B71050).
11. Create/recruit team BG1 Attk Response 2C5 (08B87EC0).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4606, Events line 4688, Actions line 4770.

22. BG1 Flak Patrol Begin - 0A7AF510

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Flak Patrol Enable (0A7AF750).

Attached scope: tag definitions 0A7AF2E0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Flak Patrol (08C15280).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4607, Events line 4689, Actions line 4771.

23. BG1 Flak Patrol Enable - 0A7AF750

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7AA3C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (POW Vehicles Freed) is set.

Flag writers in this mission: set local flag 2 (POW Vehicles Freed) at Rescue Vehicles (07B23080). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Flak Patrol Begin (0A7AF510).
2. Supply reinforcement team BG1 Flak Patrol (08C15280).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4608, Events line 4690, Actions line 4772.

24. Flak Patrol Disable (Easy) - 0A7AAC10

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 80 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable BG1 Flak Patrol Begin (0A7AF510).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4609, Events line 4691, Actions line 4773.

25. Flak Patrol Disable (Med) - 0A7AED30

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Flak Patrol Disable (Easy) (0A7AAC10).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 200 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable BG1 Flak Patrol Begin (0A7AF510).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4610, Events line 4692, Actions line 4774.

26. Flak Patrol Disable (Hard) - 0A7ABB20

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Flak Patrol Disable (Med) (0A7AED30).

Attached scope: tag definitions 0A7AE7B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable BG1 Flak Patrol Begin (0A7AF510).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4611, Events line 4693, Actions line 4775.

27. Balabos KIA - 098D410C

Owner reference: Balabos. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 098D609C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 21 (country/type BALABOS; placed owner House Balabos).

Then perform these actions in order:

1. Set local flag 5 (Balabos KIA).
2. Display message “Objective 1 Accomplished” (MISSION:All09c).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4612, Events line 4694, Actions line 4776.

28. BG1 KIA - 098D135C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 098D30FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Set local flag 4 (BG1 KIA).
2. Display message “Objective 2 Accomplished” (MISSION:All09d).
3. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4613, Events line 4695, Actions line 4777.

29. Reveal Around AN - 08F5556C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F5064C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 39 (cell 81, 27).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4614, Events line 4696, Actions line 4778.

30. Reveal Around AO - 08EAE54C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08EA9BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 40 (cell 76, 37).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4615, Events line 4697, Actions line 4779.

31. Reveal Around K - 079B5E3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079B59EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 21 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 10 (cell 73, 44).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4616, Events line 4698, Actions line 4780.

32. Hack of the Airport - 08B266FC

Owner reference: Hack. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Airport (CAAIRP), owner Other1 House, cell (18, 90), tag 08B2627C, persistence mode 2.

Wait for the recorded events:

1. Building exists: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Switch the sidebar to tab 1.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4617, Events line 4699, Actions line 4781.

33. Player Owns Prism Pyramid - 08B9B8DC

Owner reference: Hack. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B9CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 143 (global list position: Mayan Pyramid (MAYAN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Reveal terrain around waypoint 30 (cell 80, 118).
2. Reveal terrain around waypoint 2 (cell 67, 118).
3. Reveal terrain around waypoint 41 (cell 98, 124).
4. Reveal terrain around waypoint 4 (cell 88, 140).

5. Reveal terrain around waypoint 5 (cell 101, 140).
6. Reveal terrain around waypoint 33 (cell 86, 122).
7. Reveal terrain around waypoint 42 (cell 89, 107).
8. Reveal terrain around waypoint 43 (cell 84, 131).
9. Reveal terrain around waypoint 44 (cell 108, 132).
10. Reveal terrain around waypoint 45 (cell 106, 120).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4618, Events line 4700, Actions line 4782.

34. Attacked Radar - 0AF418FC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Attk Response 2 (09994840).
2. Disable Attacked Radar (0AF418FC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4619, Events line 4701, Actions line 4783.

35. Captured Radar - 0AF4172C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Attacked Radar (0AF418FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Radar (0D55451C).
2. Disable Captured Radar (0AF4172C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4620, Events line 4702, Actions line 4784.

36. Change Radar - 0D55451C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Captured Radar (0AF4172C).

Incoming activation links: enable from Captured Radar (0AF4172C).

Attached scope: Radar Tower (NARADR), owner BadGuy1 House, cell (83, 133), tag 0AF4181C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Radar (0D55451C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4621, Events line 4703, Actions line 4785.

37. Captured Barracks - 0A09DF3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Barracks (0D5547DC).

2. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
4. Disable Captured Barracks (0A09DF3C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4622, Events line 4704, Actions line 4786.

38. Change Barracks - 0D5547DC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroyed Barracks (0A09EE9C).

Incoming activation links: enable from Captured Barracks (0A09DF3C).

Attached scope: Soviet Barracks (NAHAND), owner BadGuy1 House, cell (79, 116), tag 0A09DE5C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Barracks (0D5547DC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4623, Events line 4705, Actions line 4787.

39. Destroyed Barracks - 0A09EE9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Captured Barracks (0A09DF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 6 (Barracks Destroyed).
2. Disable Destroyed Barracks (0A09EE9C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4624, Events line 4706, Actions line 4788.

40. Destroyed War Factory - 0A0B9CDC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 7 (War Fact Destroyed).
2. Disable Destroyed War Factory (0A0B9CDC).
3. Disable BG1 Flak Patrol Begin (0A7AF510).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4625, Events line 4707, Actions line 4789.

41. Captured War Factory - 0A0B9B0C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroyed War Factory (0A0B9CDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change War Factory (0D55425C).
2. Disable Captured War Factory (0A0B9B0C).

3. Create/recruit team Attack WarFactory (09848EFC).
4. Disable BG1 Flak Patrol Begin (0A7AF510).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4626, Events line 4708, Actions line 4790.

42. Change War Factory - 0D55425C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Captured War Factory (0A0B9B0C).

Incoming activation links: enable from Captured War Factory (0A0B9B0C).

Attached scope: Soviet War Factory (NAWEAP), owner BadGuy1 House, cell (80, 125), tag 0A0B9BFC, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change War Factory (0D55425C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4627, Events line 4709, Actions line 4791.

43. Captured Service Depot - 0A0A2E5C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Service Depot (0D5549EC).

Attached scope: Soviet Repair Depot (NADEPT), owner BadGuy1 House, cell (86, 120), tag 08A2017C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Service Depot (0D5549EC).
2. Disable Captured Service Depot (0A0A2E5C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4628, Events line 4710, Actions line 4792.

44. Change Service Depot - 0D5549EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Service Depot (0A0A2E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Service Depot (0D5549EC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4629, Events line 4711, Actions line 4793.

45. Captured Con Yard - 0A0A156C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Con Yard (0D554BFC).

Attached scope: Soviet Construction Yard (NACNST), owner BadGuy1 House, cell (89, 130), tag 0DCCF76C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Con Yard (0D554BFC).
2. Create/recruit team Attack ConYard (098487CC).
3. Disable Captured Con Yard (0A0A156C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4630, Events line 4712, Actions line 4794.

46. Change Con Yard - 0D554BFC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Con Yard (0A0A156C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Con Yard (0D554BFC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4631, Events line 4713, Actions line 4795.

47. Captured Battle Lab - 0A0A108C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Battle Lab (0D554E0C).

Attached scope: Soviet Battle Lab (NATECH), owner BadGuy1 House, cell (95, 125), tag 0DCB21EC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Battle Lab (0D554E0C).
2. Disable Captured Battle Lab (0A0A108C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4632, Events line 4714, Actions line 4796.

48. Change Battle Lab - 0D554E0C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Battle Lab (0A0A108C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Battle Lab (0D554E0C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4633, Events line 4715, Actions line 4797.

49. Captured Refinery 1 - 0A0BB09C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Refinery 1 (0E803D6C).
2. Disable Captured Refinery 1 (0A0BB09C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4634, Events line 4716, Actions line 4798.

50. Change Refinery 1 - 0E803D6C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Captured Refinery 1 (0A0BB09C).

Incoming activation links: enable from Captured Refinery 1 (0A0BB09C).

Attached scope: Soviet Ore Refinery (NAREFN), owner BadGuy1 House, cell (98, 136), tag 0E803C8C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Refinery 1 (0E803D6C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4635, Events line 4717, Actions line 4799.

51. Captured Refinery 2 - 0A0BF3EC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Refinery 2 (0E80335C).
2. Disable Captured Refinery 2 (0A0BF3EC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4636, Events line 4718, Actions line 4800.

52. Change Refinery 2 - 0E80335C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Captured Refinery 2 (0A0BF3EC).

Incoming activation links: enable from Captured Refinery 2 (0A0BF3EC).

Attached scope: Soviet Ore Refinery (NAREFN), owner BadGuy1 House, cell (102, 131), tag 0E80327C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Refinery 2 (0E80335C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4637, Events line 4719, Actions line 4801.

53. Captured Reactor 1 - 0A0BCCAC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 1 (0D5519EC).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (85, 113), tag 0DCCF29C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 1 (0D5519EC).
2. Disable Captured Reactor 1 (0A0BCCAC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4638, Events line 4720, Actions line 4802.

54. Change Reactor 1 - 0D5519EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 1 (0A0BCCAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 1 (0D5519EC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4639, Events line 4721, Actions line 4803.

55. Captured Reactor 2 - 0A0BCADC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 2 (0D5514CC).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (90, 105), tag 0DCC8F4C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 2 (0D5514CC).
2. Disable Captured Reactor 2 (0A0BCADC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4640, Events line 4722, Actions line 4804.

56. Change Reactor 2 - 0D5514CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 2 (0A0BCADC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 2 (0D5514CC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4641, Events line 4723, Actions line 4805.

57. Captured Reactor 3 - 0A0BC80C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 3 (0D5512BC).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (90, 142), tag 0DCC8D7C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 3 (0D5512BC).
2. Disable Captured Reactor 3 (0A0BC80C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4642, Events line 4724, Actions line 4806.

58. Change Reactor 3 - 0D5512BC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 3 (0A0BC80C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 3 (0D5512BC).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4643, Events line 4725, Actions line 4807.

59. Captured Reactor 4 - 0A0BC63C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 4 (0D556E9C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (90, 138), tag 0DCC8AFC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 4 (0D556E9C).
2. Disable Captured Reactor 4 (0A0BC63C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4644, Events line 4726, Actions line 4808.

60. Change Reactor 4 - 0D556E9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 4 (0A0BC63C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 4 (0D556E9C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4645, Events line 4727, Actions line 4809.

61. Captured Reactor 5 - 0A0BC46C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 5 (0D556C8C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (109, 118), tag 0DCC887C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 5 (0D556C8C).
2. Disable Captured Reactor 5 (0A0BC46C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4646, Events line 4728, Actions line 4810.

62. Change Reactor 5 - 0D556C8C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 5 (0A0BC46C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 5 (0D556C8C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4647, Events line 4729, Actions line 4811.

63. Captured Reactor 6 - 0A0BC29C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change Reactor 6 (0D556A7C).

Attached scope: Tesla Reactor (NAPOWR), owner BadGuy1 House, cell (107, 114), tag 0DCC85FC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Enable and reset applicable timers for Change Reactor 6 (0D556A7C).
2. Disable Captured Reactor 6 (0A0BC29C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4648, Events line 4730, Actions line 4812.

64. Change Reactor 6 - 0D556A7C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Reactor 6 (0A0BC29C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Reactor 6 (0D556A7C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4649, Events line 4731, Actions line 4813.

65. All To Hunt - 0A0A4E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A0A4B2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Barracks Destroyed) is set.
2. local flag 7 (War Fact Destroyed) is set.

Flag writers in this mission: set local flag 6 (Barracks Destroyed) at Destroyed Barracks (0A09EE9C); set local flag 7 (War Fact Destroyed) at Destroyed War Factory (0A0B9CDC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
3. All to Hunt: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4650, Events line 4732, Actions line 4814.

66. 1 Captured (Hack) - 07C401DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Disable 1 Captured (Hack) (07C401DC).
2. Disable Pyramid 1 Destroyed (07C41C3C).
3. Enable and reset applicable timers for 1 Seal (07C4A1AC).
4. Enable and reset applicable timers for 2 Seals (07C4BF3C).
5. Disable 1 Captured (Player) (0CB4203C).
6. Enable and reset applicable timers for Change Pyramid 1 (0F50E86C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4651, Events line 4733, Actions line 4815.

67. Pyramid 1 Destroyed - 07C41C3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: 1 Captured (Hack) (07C401DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Pyramid 1 Destroyed (07C41C3C).
2. Disable 1 Captured (Hack) (07C401DC).
3. Enable and reset applicable timers for 1 Seal (07C4A1AC).
4. Enable and reset applicable timers for 2 Seals (07C4BF3C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4652, Events line 4734, Actions line 4816.

68. 1 Seal - 07C4A1AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1 Captured (Hack) (07C401DC); enable from Pyramid 1 Destroyed (07C41C3C); enable from 1 Captured (Player) (0CB4203C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.
2. Supply reinforcement team 1 Seal (0CF0ADEC) at waypoint 42 (cell 89, 107).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4653, Events line 4735, Actions line 4817.

69. 2 Seals - 07C4BF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: 1 Seal (07C4A1AC).

Incoming activation links: enable from 1 Captured (Hack) (07C401DC); enable from Pyramid 1 Destroyed (07C41C3C); enable from 1 Captured (Player) (0CB4203C).

Attached scope: tag definitions 07C4A0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.
2. Supply reinforcement team 2 Seals (07C496DC) at waypoint 42 (cell 89, 107).
3. Supply reinforcement team 1 Engineer (0CE2903C) at waypoint 42 (cell 89, 107).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4654, Events line 4736, Actions line 4818.

70. 1 Captured (Player) - 0CB4203C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player sees Pyramid 1 (07C41B4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable 1 Captured (Player) (0CB4203C).
2. Disable 1 Captured (Hack) (07C401DC).

3. Disable Pyramid 1 Destroyed (07C41C3C).
4. Enable and reset applicable timers for 1 Seal (07C4A1AC).
5. Enable and reset applicable timers for 2 Seals (07C4BF3C).
6. Enable and reset applicable timers for Change Pyramid 1 (0F50E86C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4655, Events line 4737, Actions line 4819.

71. Change Pyramid 1 - 0F50E86C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: 1 Captured (Player) (0CB4203C).

Incoming activation links: enable from 1 Captured (Hack) (07C401DC); enable from 1 Captured (Player) (0CB4203C).

Attached scope: Mayan Pyramid (MAYAN), owner House Balabos, cell (86, 106), tag 07C400FC, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Pyramid 1 (0F50E86C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4656, Events line 4738, Actions line 4820.

72. Player sees Pyramid 1 - 07C41B4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Pyramid 1 Destroyed (07C41C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Player sees Pyramid 1 (07C41B4C).
2. Disable Player sees Pyramid 2 (07C41A5C).
3. Play voice notification Mis_A9_SealNoTemple.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4657, Events line 4739, Actions line 4821.

73. Player sees Pyramid 2 - 07C41A5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Pyramid 2 Destroyed (07C41D2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Player sees Pyramid 2 (07C41A5C).
2. Disable Player sees Pyramid 1 (07C41B4C).
3. Play voice notification Mis_A9_SealNoTemple.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4658, Events line 4740, Actions line 4822.

74. Pyramid 2 Destroyed - 07C41D2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: 2 Captured (Hack) (07C41F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Pyramid 2 Destroyed (07C41D2C).
2. Disable 2 Captured (Hack) (07C41F3C).
3. Enable and reset applicable timers for 1 Seal 2 (07C4BE4C).
4. Enable and reset applicable timers for 2 Seals 2 (07C4BC7C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4659, Events line 4741, Actions line 4823.

75. 2 Captured (Hack) - 07C41F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type HACK; placed owner Hack House).

Then perform these actions in order:

1. Disable 2 Captured (Hack) (07C41F3C).
2. Disable Pyramid 2 Destroyed (07C41D2C).
3. Enable and reset applicable timers for 1 Seal 2 (07C4BE4C).
4. Enable and reset applicable timers for 2 Seals 2 (07C4BC7C).
5. Disable 2 Captured (Player) (08E468AC).
6. Enable and reset applicable timers for Change Pyramid 2 (0F50FE8C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4660, Events line 4742, Actions line 4824.

76. 1 Seal 2 - 07C4BE4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pyramid 2 Destroyed (07C41D2C); enable from 2 Captured (Hack) (07C41F3C); enable from 2 Captured (Player) (08E468AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.
2. Supply reinforcement team 1 Seal (0CF0ADEC) at waypoint 6 (cell 111, 124).
3. Supply reinforcement team 1 Engineer (0CE2903C) at waypoint 6 (cell 111, 124).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4661, Events line 4743, Actions line 4825.

77. 2 Seals 2 - 07C4BC7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: 1 Seal 2 (07C4BE4C).

Incoming activation links: enable from Pyramid 2 Destroyed (07C41D2C); enable from 2 Captured (Hack) (07C41F3C); enable from 2 Captured (Player) (08E468AC).

Attached scope: tag definitions 07C4BD6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.
2. Supply reinforcement team 2 Seals (07C496DC) at waypoint 6 (cell 111, 124).
3. Supply reinforcement team 1 Engineer (0CE2903C) at waypoint 6 (cell 111, 124).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4662, Events line 4744, Actions line 4826.

78. 2 Captured (Player) - 08E468AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player sees Pyramid 2 (07C41A5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable 2 Captured (Player) (08E468AC).
2. Disable 2 Captured (Hack) (07C41F3C).
3. Disable Pyramid 2 Destroyed (07C41D2C).
4. Enable and reset applicable timers for 1 Seal 2 (07C4BE4C).
5. Enable and reset applicable timers for 2 Seals 2 (07C4BC7C).
6. Enable and reset applicable timers for Change Pyramid 2 (0F50FE8C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4663, Events line 4745, Actions line 4827.

79. Change Pyramid 2 - 0F50FE8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: 2 Captured (Player) (08E468AC).

Incoming activation links: enable from 2 Captured (Hack) (07C41F3C); enable from 2 Captured (Player) (08E468AC).

Attached scope: Mayan Pyramid (MAYAN), owner House Balabos, cell (105, 125), tag 07C41E5C, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable Change Pyramid 2 (0F50FE8C).

Source locator: MAPS01.MIX/all09t.map; Triggers line 4664, Events line 4746, Actions line 4828.

80. Destroy Vehicles - 0B67703C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: War Miner (HARV), owner BadGuy1 House, cell (107, 132), tag 0B67E04C, persistence mode 0; Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (74, 121), tag 0B67E04C, persistence mode 0; Rhino Heavy Tank (HTNK), owner BadGuy1 House, cell (85, 125), tag 0B67E04C, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (95, 129), tag 0B67E04C, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (85, 110), tag 0B67E04C, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (111, 115), tag 0B67E04C, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (92, 117), tag 0B67E04C, persistence mode 0; Flak Track (HTK), owner BadGuy1 House, cell (76, 108), tag 0B67E04C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/all09t.map; Triggers line 4665, Events line 4747, Actions line 4829.

All team rosters and ordered plans | All mission overrides

Operation: Sun Temple - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all09t.map; each team/script ID identifies its section.

BG1 Dog Patrol A - 07B61310

Owner: BadGuy1. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: BG1 Dog Patrol A SCR (07B5A5F0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 2 (cell 67, 118).
3. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
4. Attack-move toward waypoint: waypoint 4 (cell 88, 140).
5. Attack-move toward waypoint: waypoint 5 (cell 101, 140).
6. Attack-move toward waypoint: waypoint 6 (cell 111, 124).
7. Attack-move toward waypoint: waypoint 7 (cell 107, 110).
8. Attack-move toward waypoint: waypoint 8 (cell 93, 106).
9. Attack-move toward waypoint: waypoint 0 (cell 81, 106).
10. Jump to script line; configured argument 1.

BG1 Dog Patrol B - 07B9DCA0

Owner: BadGuy1. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: BG1 Dog Patrol B SCR (07B9DA40).

1. Attack-move toward waypoint: waypoint 4 (cell 88, 140).
2. Attack-move toward waypoint: waypoint 5 (cell 101, 140).
3. Attack-move toward waypoint: waypoint 6 (cell 111, 124).
4. Attack-move toward waypoint: waypoint 7 (cell 107, 110).
5. Attack-move toward waypoint: waypoint 8 (cell 93, 106).
6. Attack-move toward waypoint: waypoint 0 (cell 81, 106).
7. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
8. Attack-move toward waypoint: waypoint 2 (cell 67, 118).
9. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
10. Jump to script line; configured argument 1.

SEAL Insertion - 0C1691FC

Owner: Player. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: K; Transport Waypoint: J.

Ordered plan: SEAL Insertion SCR (0B478A1C).

1. Adopt object mission: stop.

BG2 Vehicle Guard - 090EB140

Owner: BadGuy2. Roster: 2 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: BG2 Vehicle Guard SCR (08DD2260).

1. Attack-move toward waypoint: waypoint 12 (cell 60, 77).
2. Guard for interval; configured argument 4.
3. Attack-move toward waypoint: waypoint 13 (cell 60, 81).
4. Guard for interval; configured argument 4.
5. Jump to script line; configured argument 1.

BG2 Village Guard A - 08B88BA0

Owner: BadGuy2. Roster: 2 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: BG2 Village Guard A SCR (08B88940).

1. Attack-move toward waypoint: waypoint 15 (cell 49, 65).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 14 (cell 48, 72).
4. Guard for interval; configured argument 6.
5. Jump to script line; configured argument 1.

BG2 Village Guard B - 08B88820

Owner: BadGuy2. Roster: 2 × Conscript (E2); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: BG2 Village Guard B SCR (07BCE700).

1. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
2. Guard for interval; configured argument 7.
3. Attack-move toward waypoint: waypoint 13 (cell 60, 81).
4. Guard for interval; configured argument 7.
5. Attack-move toward waypoint: waypoint 16 (cell 42, 83).
6. Guard for interval; configured argument 7.
7. Jump to script line; configured argument 1.

BG1 Perimeter Patrol A - 099427E0

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: BG1 Perimeter Patrol A SCR (09944DC0).

1. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 22 (cell 74, 93).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 0 (cell 81, 106).
6. Guard for interval; configured argument 5.
7. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
8. Guard for interval; configured argument 5.
9. Jump to script line; configured argument 1.

BG1 Perimeter Patrol B - 0992EA00

Owner: BadGuy1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: BG1 Perimeter Patrol B SCR (0990FDC0).

1. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
2. Guard for interval; configured argument 8.
3. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
4. Guard for interval; configured argument 8.
5. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
6. Guard for interval; configured argument 8.
7. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
8. Guard for interval; configured argument 8.
9. Jump to script line; configured argument 1.

Shock @ Y - 08BE8B80

Owner: BadGuy1. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Y.

Ordered plan: Shock @ Y SCR (08DD4140).

1. Attack waypoint: waypoint 24 (cell 65, 112).
2. Jump to script line; configured argument 1.

Shock @ Z - 08BE8700

Owner: BadGuy1. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Shock @ Z SCR (08DD3BA0).

1. Attack waypoint: waypoint 25 (cell 69, 108).
2. Jump to script line; configured argument 1.

BG1 Beach Patrol - 08C08A80

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: BG1 Beach Patrol SCR (08C9BB60).

1. Attack-move toward waypoint: waypoint 27 (cell 84, 74).
2. Guard for interval; configured argument 8.
3. Attack-move toward waypoint: waypoint 28 (cell 68, 61).
4. Guard for interval; configured argument 15.
5. Attack-move toward waypoint: waypoint 20 (cell 69, 47).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 15 (cell 49, 65).
8. Guard for interval; configured argument 8.
9. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
10. Guard for interval; configured argument 6.
11. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
12. Guard for interval; configured argument 15.
13. Attack-move toward waypoint: waypoint 22 (cell 74, 93).

14. Guard for interval; configured argument 3.
15. Attack-move toward waypoint: waypoint 26 (cell 88, 92).
16. Guard for interval; configured argument 8.
17. Jump to script line; configured argument 1.

BG1 POW Check A - 07B093D0

Owner: BadGuy1. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 POW Check SCR (07B22DC0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
3. Guard for interval; configured argument 5.
4. Attack-move toward waypoint: waypoint 13 (cell 60, 81).
5. Guard for interval; configured argument 8.
6. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
7. Guard for interval; configured argument 8.
8. Attack-move toward waypoint: waypoint 14 (cell 48, 72).
9. Guard for interval; configured argument 8.
10. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
11. Guard for interval; configured argument 8.
12. Attack-move toward waypoint: waypoint 16 (cell 42, 83).
13. Guard for interval; configured argument 8.
14. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
15. Guard for interval; configured argument 8.
16. Jump to script line; configured argument 4.

BG1 POW Check B - 07B22790

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 POW Check SCR (07B22DC0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
3. Guard for interval; configured argument 5.
4. Attack-move toward waypoint: waypoint 13 (cell 60, 81).
5. Guard for interval; configured argument 8.
6. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
7. Guard for interval; configured argument 8.
8. Attack-move toward waypoint: waypoint 14 (cell 48, 72).
9. Guard for interval; configured argument 8.
10. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
11. Guard for interval; configured argument 8.
12. Attack-move toward waypoint: waypoint 16 (cell 42, 83).
13. Guard for interval; configured argument 8.
14. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
15. Guard for interval; configured argument 8.
16. Jump to script line; configured argument 4.

BG3 Assimilate Airport - 08BA34E0

Owner: BadGuy3. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: BG3 Assimilate Airport SCR (08BA3280).

1. Attack selected enemy-building category; configured argument 131142.

BG1 Attk Response 1A - 09A4D390

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1A SCR (03DA3DC0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
3. Guard for interval; configured argument 5.
4. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
5. Guard for interval; configured argument 5.
6. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
7. Guard for interval; configured argument 5.
8. Adopt object mission: hunt.

BG1 Attk Response 1B - 03DA2F00

Owner: BadGuy1. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1B SCR (03DA2CA0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
3. Guard for interval; configured argument 7.
4. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
5. Guard for interval; configured argument 7.
6. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
7. Guard for interval; configured argument 7.
8. Adopt object mission: hunt.

BG1 Attk Response 1C1 - 03DA2590

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1C1 SCR (03DA21E0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
3. Guard for interval; configured argument 3.
4. Attack-move toward waypoint: waypoint 22 (cell 74, 93).
5. Guard for interval; configured argument 3.
6. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
7. Guard for interval; configured argument 3.
8. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
9. Guard for interval; configured argument 3.

10. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
11. Guard for interval; configured argument 3.
12. Adopt object mission: hunt.

BG1 Attk Response 1C2 - 03DA1BB0

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1C2 SCR (03DA1700).

1. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
6. Guard for interval; configured argument 3.
7. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
8. Guard for interval; configured argument 3.
9. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
10. Guard for interval; configured argument 3.
11. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
12. Guard for interval; configured argument 3.
13. Jump to script line; configured argument 1.

BG1 Attk Response 1C3 - 03D57860

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1C3 SCR (03D6FB80).

1. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 22 (cell 74, 93).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
6. Guard for interval; configured argument 5.
7. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
8. Guard for interval; configured argument 5.
9. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
10. Guard for interval; configured argument 5.
11. Adopt object mission: hunt.

BG1 Attk Response 1C4 - 03D5D810

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1C4 SCR (03D73DC0).

1. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
2. Guard for interval; configured argument 8.
3. Attack-move toward waypoint: waypoint 32 (cell 73, 103).
4. Guard for interval; configured argument 8.

5. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
6. Guard for interval; configured argument 8.
7. Adopt object mission: hunt.

BG1 Attk Response 1C5 - 03D70180

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: BG1 Attk Response 1C5 SCR (07CCEB60).

1. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
2. Adopt object mission: hunt.

BG1 Attk Response D - 03D73A40

Owner: BadGuy1. Roster: 5 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG1 Attk Response D SCR (07CCE7E0).

1. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
2. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
3. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
4. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
5. Attack-move toward waypoint: waypoint 0 (cell 81, 106).
6. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
7. Attack-move toward waypoint: waypoint 6 (cell 111, 124).
8. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
9. Jump to script line; configured argument 1.

BG1 Attk Response 2A - 07BEAC60

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2A SCR (08B8BDC0).

1. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
2. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
3. Guard for interval; configured argument 3.
4. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
5. Guard for interval; configured argument 3.
6. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
7. Guard for interval; configured argument 3.
8. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
9. Guard for interval; configured argument 3.
10. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
11. Guard for interval; configured argument 3.
12. Adopt object mission: hunt.

BG1 Attk Response 2B - 08B8C340

Owner: BadGuy1. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2B SCR (08B8C0E0).

1. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
6. Guard for interval; configured argument 3.
7. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
8. Guard for interval; configured argument 3.
9. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
10. Guard for interval; configured argument 3.
11. Adopt object mission: hunt.

BG1 Attk Response 2C1 - 08B89DF0

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2C1 SCR (08B89B90).

1. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
6. Guard for interval; configured argument 5.
7. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
8. Guard for interval; configured argument 5.
9. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
10. Guard for interval; configured argument 5.
11. Jump to script line; configured argument 1.

BG1 Attk Response 2C2 - 08B897A0

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2C2 SCR (08B89540).

1. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
6. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
7. Guard for interval; configured argument 3.
8. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
9. Guard for interval; configured argument 3.
10. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
11. Guard for interval; configured argument 3.
12. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
13. Guard for interval; configured argument 3.

14. Adopt object mission: hunt.

BG1 Attk Response 2C3 - 08B73580

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2C3 SCR (08B76060).

1. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
6. Guard for interval; configured argument 3.
7. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
8. Guard for interval; configured argument 3.
9. Attack-move toward waypoint: waypoint 1 (cell 69, 112).
10. Guard for interval; configured argument 3.
11. Attack-move toward waypoint: waypoint 2 (cell 67, 118).
12. Guard for interval; configured argument 3.
13. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
14. Guard for interval; configured argument 3.
15. Adopt object mission: hunt.

BG1 Attk Response 2C4 - 08B71050

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2C4 SCR (08B80050).

1. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
6. Guard for interval; configured argument 5.
7. Adopt object mission: hunt.

BG1 Attk Response 2C5 - 08B87EC0

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Attk Response 2C5 SCR (08B87C60).

1. Attack-move toward waypoint: waypoint 2 (cell 67, 118).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 33 (cell 86, 122).
4. Guard for interval; configured argument 8.
5. Attack-move toward waypoint: waypoint 6 (cell 111, 124).
6. Guard for interval; configured argument 8.
7. Attack-move toward waypoint: waypoint 3 (cell 72, 127).
8. Guard for interval; configured argument 8.

9. Adopt object mission: hunt.

BG1 Flak Patrol - 08C15280

Owner: BadGuy1. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 18; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: BG1 Flak Patrol SCR (08C11750).

1. Attack-move toward waypoint: waypoint 0 (cell 81, 106).
2. Attack-move toward waypoint: waypoint 22 (cell 74, 93).
3. Attack-move toward waypoint: waypoint 26 (cell 88, 92).
4. Attack-move toward waypoint: waypoint 27 (cell 84, 74).
5. Attack-move toward waypoint: waypoint 28 (cell 68, 61).
6. Attack-move toward waypoint: waypoint 15 (cell 49, 65).
7. Attack-move toward waypoint: waypoint 17 (cell 52, 82).
8. Attack-move toward waypoint: waypoint 21 (cell 58, 102).
9. Attack-move toward waypoint: waypoint 31 (cell 60, 118).
10. Attack-move toward waypoint: waypoint 23 (cell 67, 134).
11. Attack-move toward waypoint: waypoint 34 (cell 85, 148).
12. Attack-move toward waypoint: waypoint 37 (cell 113, 144).
13. Attack-move toward waypoint: waypoint 38 (cell 118, 124).
14. Attack-move toward waypoint: waypoint 6 (cell 111, 124).
15. Jump to script line; configured argument 1.

Attack WarFactory - 09848EFC

Owner: BadGuy1. Roster: 1 × Rhino Heavy Tank (HTNK); 3 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack WarFactory (09848C8C).

1. Attack selected enemy-building category; configured argument 131086.
2. Report team success.

Attack ConYard - 098487CC

Owner: BadGuy1. Roster: 2 × Rhino Heavy Tank (HTNK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack ConYard (0984855C).

1. Attack selected enemy-building category; configured argument 131097.
2. Report team success.

Attack Barracks - 0984831C

Owner: BadGuy1. Roster: 4 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Barracks (099470FC).

1. Attack selected enemy-building category; configured argument 131083.
2. Report team success.

1 Seal - 0CF0ADEC

Owner: Player. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Do Nothing (07C49A7C).

1. Flash team; configured argument 0.

2 Seals - 07C496DC

Owner: Player. Roster: 2 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Do Nothing (07C49A7C).

1. Flash team; configured argument 0.

Heli_Engineer Reinforce - 0F54A24C

Owner: Player. Roster: 1 × NightHawk Transport (SHAD); 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: Reinforce @ POW Camp (0F549DBC).

1. Move to waypoint: waypoint 13 (cell 60, 81).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Change country ownership; configured argument 22.

1 Engineer - 0CE2903C

Owner: Hack. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Do Nothing (07C49A7C).

1. Flash team; configured argument 0.

Operation: Sun Temple - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all09t.map.

Object/system	Property	Mission value	Source line
Paradrop (PARADROPSPECIAL)	Name	Paratrooper Drop	11
Paradrop (PARADROPSPECIAL)	Recharge Time	4	12
NightHawk Transport (SHAD)	Hidden from radar	no	16
Nuclear Missile Silo (NAMISL)	Technology level	12	19
Iron Curtain Device (NAIRON)	Technology level	12	22
Nuclear Reactor (NANRCT)	Technology level	12	25
Cloning Vats (NACLON)	Technology level	12	28
Kirov Airship (ZEP)	Technology level	12	31
Yuri (YURI)	Technology level	12	34
Desolator (DESO)	Name	Desolater	37
Desolator (DESO)	Technology level	12	38
Apocalypse (APOC)	Name	Apocalypse	41
Apocalypse (APOC)	Technology level	12	42
Engineer (SENGINEER)	Name	Soviet Engineer	45
Engineer (SENGINEER)	Technology level	12	46
Attack Dog (DOG)	Name	Attack Dog	49
Attack Dog (DOG)	Technology level	12	50
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	53
Soviet Shipyard (NAYARD)	Technology level	12	54
War Miner (HARV)	Resource cargo capacity	20	57
Chrono Miner (CMIN)	Resource cargo capacity	10	60
TIBERIUMS (TIBERIUMS)	0	Riparius	63
TIBERIUMS (TIBERIUMS)	1	Cruentus	64
TIBERIUMS (TIBERIUMS)	2	Vinifera	65
TIBERIUMS (TIBERIUMS)	3	Aboreus	66
Tiberium Riparius (RIPARIUS)	Value	50	69
Tiberium Cruentus (CRUENTUS)	Value	100	72
Tiberium Vinifera (VINIFERA)	Value	50	75
Tiberium Aboreus (ABOREUS)	Value	50	78
Power Plant (GAPOWR)	Name	Power Plant	81
Power Plant (GAPOWR)	Hidden from radar	yes	82
Power Plant (GAPOWR)	Signed power contribution	200	83
Building (CAWASH09)	Insignificant-object flag	no	86

Object/system	Property	Mission value	Source line
Building (CAWASH09)	Hidden from radar	no	87
Building (CAWASH09)	Repair-tool permission	no	88
Building (CAWASH09)	Infantry garrison permitted	no	89
Building (CAWASH09)	Garrison capacity	0	90
Building (CAWASH09)	Distributed Fire	no	91
Building (CAWASH09)	Primary	none	92
Building (CAWASH09)	Secondary	none	93
Building (CAWASH10)	Insignificant-object flag	no	96
Building (CAWASH10)	Hidden from radar	no	97
Building (CAWASH10)	Repair-tool permission	no	98
Building (CAWASH10)	Infantry garrison permitted	no	99
Building (CAWASH10)	Garrison capacity	0	100
Building (CAWASH10)	Distributed Fire	no	101
Building (CAWASH10)	Primary	none	102
Building (CAWASH10)	Secondary	none	103
Building (CAWASH11)	Insignificant-object flag	no	106
Building (CAWASH11)	Hidden from radar	no	107
Building (CAWASH11)	Repair-tool permission	no	108
Building (CAWASH11)	Infantry garrison permitted	no	109
Building (CAWASH11)	Garrison capacity	0	110
Building (CAWASH11)	Distributed Fire	no	111
Building (CAWASH11)	Primary	none	112
Building (CAWASH11)	Secondary	none	113
Tesla Coil (TESLA)	Name	Tesla Coil	116
Tesla Coil (TESLA)	Signed power contribution	-50	117
Negative Light Post (NEGLAMP)	Name	Negative Light Post	120
Negative Light Post (NEGLAMP)	Image	GALITE	121
Negative Light Post (NEGLAMP)	Local light reach	5000	122
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	123
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	124
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	125
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	126
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3500	129
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.10	130
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.25	131
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.10	132
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.01	133
Mayan Pyramid (MAYAN)	Name	Mayan Pyramid	139

Object/system	Property	Mission value	Source line
Mayan Pyramid (MAYAN)	Image	CAMEX01	140
Mayan Pyramid (MAYAN)	Primary	Mayanprism	141
Mayan Pyramid (MAYAN)	Technology level	-1	142
Mayan Pyramid (MAYAN)	Starting health capacity	2000	143
Mayan Pyramid (MAYAN)	Insignificant-object flag	no	144
Mayan Pyramid (MAYAN)	Nominal	yes	145
Mayan Pyramid (MAYAN)	Hidden from radar	no	146
Mayan Pyramid (MAYAN)	Points	5	147
Mayan Pyramid (MAYAN)	Armor class	concrete	148
Mayan Pyramid (MAYAN)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	149
Mayan Pyramid (MAYAN)	Max Debris	0	150
Mayan Pyramid (MAYAN)	Normal base-adjacency role	no	151
Mayan Pyramid (MAYAN)	Sight radius setting	12	152
Mayan Pyramid (MAYAN)	Repair-tool permission	yes	153
Mayan Pyramid (MAYAN)	Depends on power	yes	154
Mayan Pyramid (MAYAN)	Signed power contribution	-100	155
Mayan Pyramid (MAYAN)	Engineer-capture permission	true	156
MAYANPRISM (MAYANPRISM)	Damage	1000	159
MAYANPRISM (MAYANPRISM)	ROF	20	160
MAYANPRISM (MAYANPRISM)	Range	18	161
MAYANPRISM (MAYANPRISM)	Movement rating	25	162
MAYANPRISM (MAYANPRISM)	Projectile	InvisibleHigh	163
MAYANPRISM (MAYANPRISM)	Warhead	PrismWarhead	164
MAYANPRISM (MAYANPRISM)	Laser Outer Spread	0,0,0	165
MAYANPRISM (MAYANPRISM)	Laser Duration	15	166
MAYANPRISM (MAYANPRISM)	Is Laser	true	167
MAYANPRISM (MAYANPRISM)	Is House Color	true	168
MAYANPRISM (MAYANPRISM)	Report	OBELRAY1	169
SPECIALFLAGS	Tiberium Grows	no	172
SPECIALFLAGS	Tiberium Spreads	yes	173
SPECIALFLAGS	Tiberium Explosive	no	174
SPECIALFLAGS	Destroyable Bridges	yes	175
SPECIALFLAGS	MCV Deploy	no	176
SPECIALFLAGS	Initial Veteran	no	177
SPECIALFLAGS	Fixed Alliance	no	178
SPECIALFLAGS	Harvester Immune	no	179
SPECIALFLAGS	Fog Of War	no	180
SPECIALFLAGS	Inert	no	181
SPECIALFLAGS	Ion Storms	no	182
SPECIALFLAGS	Meteorites	no	183
SPECIALFLAGS	Visceroids	no	184

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	0	Player	187
COUNTRIES (COUNTRIES)	1	BadGuy1	188
COUNTRIES (COUNTRIES)	2	BadGuy2	189
COUNTRIES (COUNTRIES)	3	BadGuy3	190
COUNTRIES (COUNTRIES)	4	Civilian1	191
COUNTRIES (COUNTRIES)	5	Other1	192
COUNTRIES (COUNTRIES)	6	Other2	193
COUNTRIES (COUNTRIES)	7	Other3	194
COUNTRIES (COUNTRIES)	8	Balabos	195
COUNTRIES (COUNTRIES)	9	Hack	196
VARIABLENAMES (VARIABLENAMES)	0	SEALs onsite,0	334
VARIABLENAMES (VARIABLENAMES)	1	POWs Rescued,0	335
VARIABLENAMES (VARIABLENAMES)	2	POW Vehicles Freed,0	336
VARIABLENAMES (VARIABLENAMES)	3	Players Has Airport,0	337
VARIABLENAMES (VARIABLENAMES)	4	BG1 KIA,0	338
VARIABLENAMES (VARIABLENAMES)	5	Balabos KIA,0	339
VARIABLENAMES (VARIABLENAMES)	6	Barracks Destroyed,0	340
VARIABLENAMES (VARIABLENAMES)	7	War Fact Destroyed,0	341

Operation: Mirage

Campaign reading guide | Engine

Operation: Mirage

all10s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Player House (38)
- German1 House (37)
- German3 House (36)
- Civilian House (32)
- German2 House (32)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. GACSPH
2. CALAB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all10s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all10s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all10s.map. **Effective extracted member:** MAPS01.MIX/all10s.map. **Trigger definitions:** 89.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,105,105
Visible local rectangle	5,5,95,94
Placed vehicles	10
Placed infantry	43
Placed structures	140
Placed aircraft	0
Team templates	66

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	400	BadGuy2
3	German1 House	0	Germany1
4	Civilian House	0	Neutral
5	Einstein House	0	Einstein
6	BadGuy3 House	400	BadGuy3
7	German2 House	0	Germany2
8	German3 House	0	Germany3
9	Temp House	0	Temp

Local state flags at initialization

Flag	Meaning label and initial value
0	Einsteins Gift FLG,0
1	Einstein Audio1,0
2	Einstein Audio2,0
3	Einstein Audio3,0
4	SpySat Audio Played,0
5	Polar Bears Gone,0
6	Woman in Car,0
7	Spawn Crate,0
8	Spawn Crate2,0
9	Spawn Crate3,0
10	Spawn Crate4,0
11	Spawn Crate5,0
12	Spawn Crate6,0
13	Spawn Crate7,0
14	Purifier Exists,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Loss (Game Over) (09F7978C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 14 (country/type PLAYER; placed owner Player House) the loser.
_Win (Game Over) (09F864EC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 14 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Reveal Allies - 0912CA20

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0912C4D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 98, 172).
2. Reveal terrain around waypoint 1 (cell 80, 58).
3. Reveal terrain around waypoint 2 (cell 111, 40).
4. Reveal terrain around waypoint 3 (cell 145, 72).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7238, Events line 7329, Actions line 7420.

2. _2 Move Camera to Einstein - 03D8B8D0

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03D8B210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Move the camera to waypoint 4 (cell 107, 175) with speed setting 4.
2. Create radar-event marker type 1 at waypoint 4 (cell 107, 175).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7239, Events line 7330, Actions line 7421.

3. _5 Player Start - 03D8CE20

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _4 Enable Player Start (0BF2B960).

Attached scope: tag definitions 03D8CC90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Remove instances of the team organization (not automatically its surviving objects) Einsteins Gift (0E5FA71C).
3. Enable and reset applicable timers for _6 Begin Sov Invasion (092A3410).
4. Display message “--Battle Control Online--” (MISSION:ALL01q).
5. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7240, Events line 7331, Actions line 7422.

4. _6 Begin Sov Invasion - 092A3410

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _5 Player Start (03D8CE20).

Attached scope: tag definitions 092A1DB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Invasion 2 (09E7F0C0).
2. Supply reinforcement team BG2 Invasion 2 (0B5A8190).

3. Supply reinforcement team BG3 Invasion 2 (09D44B20).
4. Enable and reset applicable timers for _7 Second Wave (0B5B32F0).
5. Display message “ALERT! Soviet Invasion Forces Detected. ALERT!” (MISSION:All10b1).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7241, Events line 7332, Actions line 7423.

5. _7 Second Wave - 0B5B32F0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _6 Begin Sov Invasion (092A3410).

Attached scope: tag definitions 0B5B5ED0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Invasion 1 (0ADAEEFC).
2. Supply reinforcement team BG2 Invasion 1 (09D45C10).
3. Supply reinforcement team BG3 Invasion 1 (09EE54D0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7242, Events line 7333, Actions line 7424.

6. _3 Move Camera to F - 0BF20F60

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 9 tagged map cells: (110, 179), (111, 179), (112, 179), (110, 180), (111, 180), (112, 180), (110, 181), (111, 181), (112, 181); tag 0BF20CF0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type EINSTEIN; placed owner Einstein House).

Then perform these actions in order:

1. Move the camera to waypoint 5 (cell 117, 169) with speed setting 1.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7243, Events line 7334, Actions line 7425.

7. _4 Enable Player Start - 0BF2B960

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BF2B3D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Einsteins Gift FLG) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for _5 Player Start (03D8CE20).
2. Display message “HINT: When the MIRAGE TANK stops, it” (MISSION:All10a1).
3. Display message “cloaks itself as a TREE and waits to ambush” (MISSION:All10a2).
4. Display message “passing enemy forces” (MISSION:All10a3).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7244, Events line 7335, Actions line 7426.

8. _1 Spawn Mirages - 08DC0BA0

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DC09C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Einsteins Gift (0E5FA71C).
2. Make enemy: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

4. Make enemy: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).
5. Play in-game movie 111.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7245, Events line 7336, Actions line 7427.

9. Loss Einstein KIA - 0B0CF040

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 0 (cell 98, 172).
2. Enable and reset applicable timers for _Loss (Game Over) (09F7978C).
3. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7246, Events line 7337, Actions line 7428.

10. _Loss (Game Over) - 09F7978C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Loss Einstein KIA (0B0CF040); enable from Loss Player KIA (0B0CC050); enable from Loss Captured by BG1 (089C46E0); enable from Loss Captured by BG2 (09FA7F40); enable from Loss Captured by BG3 (0A37DCE0).

Attached scope: tag definitions 09F7933C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 14 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7247, Events line 7338, Actions line 7429.

11. Loss Player KIA - 0B0CC050

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Loss Einstein KIA (0B0CF040).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Game Over) (09F7978C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7248, Events line 7339, Actions line 7430.

12. German1 Attacked - 08DB0BD0

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner German1 House, cell (79, 52), tag 08DB0570, persistence mode 0; GI (E1), owner German1 House, cell (81, 52), tag 08DB0570, persistence mode 0; Pill Box (GAPILL), owner German1 House, cell (82, 52), tag 08DB0570, persistence mode 0; Pill Box (GAPILL), owner German1 House, cell (78, 52), tag 08DB0570, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team German1 Guards (09DD39D0).
2. Create radar-event marker type 0 at waypoint 1 (cell 80, 58).
3. Enable and reset applicable timers for German1 Explode (09EE4770).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7249, Events line 7340, Actions line 7431.

13. German1 Explode - 09EE4770

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German1 Attacked (08DB0BD0).

Attached scope: Barrels (CAMISC01), owner German1 House, cell (86, 54), tag 09EE6F70, persistence mode 0; Barrels (CAMISC01), owner German1 House, cell (82, 61), tag 09EE6F70, persistence mode 0; Barrel (CAMISC02), owner German1 House, cell (78, 54), tag 09EE6F70, persistence mode 0; Barrel (CAMISC02), owner German1 House, cell (76, 61), tag 09EE6F70, persistence mode 0; Barrel (CAMISC02), owner German2 House, cell (115, 38), tag 09EE6F70, persistence mode 0.

Wait for the recorded events:

1. A random delay centered on 6 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Supply reinforcement team BG1 Invasion 3 (0AD31B7C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7250, Events line 7341, Actions line 7432.

14. German2 Attacked - 0931E830

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner German2 House, cell (112, 36), tag 0931E250, persistence mode 0; GI (E1), owner German2 House, cell (109, 36), tag 0931E250, persistence mode 0; Pill Box (GAPILL), owner German2 House, cell (113, 36), tag 0931E250, persistence mode 0; Pill Box (GAPILL), owner German2 House, cell (108, 36), tag 0931E250, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team German2 Guards (09DD3560).
2. Create radar-event marker type 0 at waypoint 2 (cell 111, 40).
3. Enable and reset applicable timers for German2 Explode (09EE67B0).
4. Do Explosion At; main setting 35; location/duration field AF.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7251, Events line 7342, Actions line 7433.

15. German2 Explode - 09EE67B0

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German2 Attacked (0931E830).

Attached scope: Barrels (CAMISC01), owner German2 House, cell (108, 44), tag 09EE65D0, persistence mode 0; Barrels (CAMISC01), owner German2 House, cell (106, 40), tag 09EE65D0, persistence mode 0; Barrels (CAMISC01), owner German2 House, cell (109, 38), tag 09EE65D0, persistence mode 0; Barrel (CAMISC02), owner German2 House, cell (115, 41), tag 09EE65D0, persistence mode 0.

Wait for the recorded events:

1. A random delay centered on 8 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Supply reinforcement team BG2 Invasion 3 (0AD316CC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7252, Events line 7343, Actions line 7434.

16. German3 Attacked - 0931E070

Owner reference: Germany3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner German3 House, cell (150, 72), tag 09319BA0, persistence mode 0; GI (E1), owner German3 House, cell (150, 70), tag 09319BA0, persistence mode 0; Pill Box (GAPILL), owner German3 House, cell (150, 74), tag 09319BA0, persistence mode 0; Pill Box (GAPILL), owner German3 House, cell (150, 68), tag 09319BA0, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create radar-event marker type 0 at waypoint 3 (cell 145, 72).
2. Create/recruit team German3 Guards (09DD30F0).
3. Enable and reset applicable timers for German3 Explode (09EE63A0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7253, Events line 7344, Actions line 7435.

17. German3 Explode - 09EE63A0

Owner reference: Germany3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German3 Attacked (0931E070).

Attached scope: Barrel (CAMISC02), owner German3 House, cell (140, 67), tag 09EE6210, persistence mode 0; Barrel (CAMISC02), owner German3 House, cell (148, 67), tag 09EE6210, persistence mode 0; Barrels (CAMISC01), owner German3 House, cell (148, 74), tag 09EE6210, persistence mode 0; Barrels (CAMISC01), owner German3 House, cell (141, 77), tag 09EE6210, persistence mode 0; Barrels (CAMISC01), owner German3 House, cell (143, 72), tag 09EE6210, persistence mode 0.

Wait for the recorded events:

1. A random delay centered on 8 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Supply reinforcement team BG3 Invasion 3 (0AD3121C).
3. Do Explosion At; main setting 35; location/duration field AA.
4. Do Explosion At; main setting 35; location/duration field Z.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7254, Events line 7345, Actions line 7436.

18. German1 KIA - 08DB3810

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DB3370 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 18 (country/type GERMANY1; placed owner German1 House).

Then perform these actions in order:

1. Supply reinforcement team BG1 MCV (0A287950).
2. Reshroud Map At; main setting 1; location/duration field B.
3. Remove instances of the team organization (not automatically its surviving objects) BG1 Invasion 1 (0ADAEEFC).
4. Remove instances of the team organization (not automatically its surviving objects) BG1 Invasion 2 (09E7F0C0).
5. Remove instances of the team organization (not automatically its surviving objects) BG1 Invasion 3 (0AD31B7C).
6. Enable and reset applicable timers for BG1 Invaders Reform (0925E080).
7. Reshroud Map At; main setting 11; location/duration field L.
8. Reshroud Map At; main setting 32; location/duration field AG.
9. Reshroud Map At; main setting 33; location/duration field AH.
10. Reshroud Map At; main setting 34; location/duration field AI.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7255, Events line 7346, Actions line 7437.

19. BG1 Invaders Reform - 0925E080

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German1 KIA (08DB3810).

Attached scope: tag definitions 0925F310 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG1 Invasion 1a (09D599A0).
2. Create/recruit team BG1 Invasion 2a (09E7A4D0).

3. Create/recruit team BG1 Invasion 3a (09D592C0).
4. Make enemy: owner selector 13 (country/type EINSTEIN; placed owner Einstein House).
5. Make enemy: owner selector 14 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7256, Events line 7347, Actions line 7438.

20. German2 KIA - 08DB4F60

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DB1BA0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 19 (country/type GERMANY2; placed owner German2 House).

Then perform these actions in order:

1. Supply reinforcement team BG2 MCV (08DB22A0).
2. Reshroud Map At; main setting 2; location/duration field C.
3. Remove instances of the team organization (not automatically its surviving objects) BG2 Invasion 1 (09D45C10).
4. Remove instances of the team organization (not automatically its surviving objects) BG2 Invasion 2 (0B5A8190).
5. Remove instances of the team organization (not automatically its surviving objects) BG2 Invasion 3 (0AD316CC).
6. Enable and reset applicable timers for BG2 Invaders Reform (0924E6D0).
7. Reshroud Map At; main setting 35; location/duration field AJ.
8. Reshroud Map At; main setting 12; location/duration field M.
9. Reshroud Map At; main setting 36; location/duration field AK.
10. Reshroud Map At; main setting 29; location/duration field AD.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7257, Events line 7348, Actions line 7439.

21. BG2 Invaders Reform - 0924E6D0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German2 KIA (08DB4F60).

Attached scope: tag definitions 092520E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG2 Invasion 1a (09D591B0).
2. Create/recruit team BG2 Invasion 2a (09D58A50).
3. Create/recruit team BG2 Invasion 3a (09E795D0).
4. Make enemy: owner selector 13 (country/type EINSTEIN; placed owner Einstein House).
5. Make enemy: owner selector 14 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7258, Events line 7349, Actions line 7440.

22. German3 KIA - 08DB49A0

Owner reference: Germany3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DB4550 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 20 (country/type GERMANY3; placed owner German3 House).

Then perform these actions in order:

1. Supply reinforcement team BG3 MCV (08DB1420).
2. Reshroud Map At; main setting 3; location/duration field D.
3. Remove instances of the team organization (not automatically its surviving objects) BG3 Invasion 1 (09EE54D0).
4. Remove instances of the team organization (not automatically its surviving objects) BG3 Invasion 2 (09D44B20).
5. Remove instances of the team organization (not automatically its surviving objects) BG3 Invasion 3 (0AD3121C).

6. Enable and reset applicable timers for BG3 Invaders Reform (09250A70).
7. Reshroud Map At; main setting 37; location/duration field AL.
8. Reshroud Map At; main setting 38; location/duration field AM.
9. Reshroud Map At; main setting 39; location/duration field AN.
10. Reshroud Map At; main setting 40; location/duration field AO.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7259, Events line 7350, Actions line 7441.

23. BG3 Invaders Reform - 09250A70

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from German3 KIA (08DB49A0).

Attached scope: tag definitions 09273220 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG3 Invasion 1a (09D58370).
2. Create/recruit team BG3 Invasion 2a (09E79150).
3. Create/recruit team BG3 Invasion 3a (09D67BA0).
4. Make enemy: owner selector 13 (country/type EINSTEIN; placed owner Einstein House).
5. Make enemy: owner selector 14 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7260, Events line 7351, Actions line 7442.

24. BG1 Production Start - 08DC9190

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Production Start Enable (0A46D390).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
3. Destroy the attached object through the scripted destruction action.
4. Enable and reset applicable timers for BG1 Firesale Enabler (0AC09D2C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7261, Events line 7352, Actions line 7443.

25. BG1 Firesale Enabler - 0AC09D2C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Production Start (08DC9190); enable from Kill BG1 Local Guy (0AD3822C).

Attached scope: tag definitions 0AC0BA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Firesale (0AC0257C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7262, Events line 7353, Actions line 7444.

26. BG1 Firesale - 0AC0257C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale Enabler (0AC09D2C).

Attached scope: tag definitions 0AC066DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
2. Enable and reset applicable timers for BG1 All to Hunt (08FB68BC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7263, Events line 7354, Actions line 7445.

27. BG1 All to Hunt - 08FB68BC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Firesale (0AC0257C).

Attached scope: tag definitions 08FB73EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7264, Events line 7355, Actions line 7446.

28. BG2 Production Start - 08DC95C0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Production Enable (0A468930).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).
2. AI triggers begin: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).
3. Destroy the attached object through the scripted destruction action.
4. Enable and reset applicable timers for BG2 Firesale Enabler (0AC0326C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7265, Events line 7356, Actions line 7447.

29. BG2 Firesale Enabler - 0AC0326C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Production Start (08DC95C0); enable from Kill BG2 Local Guy (0AD3EBBC).

Attached scope: tag definitions 0AC09F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG2 Firesale (0AC065EC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7266, Events line 7357, Actions line 7448.

30. BG3 Firesale Enabler - 0AC0044C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Production Start (08DCA960); enable from Kill BG3 Local Guy (0AD3E9AC).

Attached scope: tag definitions 0AC057BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG3 Firesale (0AC00A8C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7267, Events line 7358, Actions line 7449.

31. BG3 Firesale - 0AC00A8C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Firesale Enabler (0AC0044C).

Attached scope: tag definitions 0AC0053C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).
2. Enable and reset applicable timers for BG3 All to Hunt (08FB1E5C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7268, Events line 7359, Actions line 7450.

32. BG2 Firesale - 0AC065EC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Firesale Enabler (0AC0326C).

Attached scope: tag definitions 0AC063AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).
2. Enable and reset applicable timers for BG2 All to Hunt (08FB473C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7269, Events line 7360, Actions line 7451.

33. BG3 All to Hunt - 08FB1E5C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Firesale (0AC00A8C).

Attached scope: tag definitions 08FBB30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7270, Events line 7361, Actions line 7452.

34. BG2 All to Hunt - 08FB473C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Firesale (0AC065EC).

Attached scope: tag definitions 08FB1F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7271, Events line 7362, Actions line 7453.

35. BG3 Production Start - 08DCA960

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Production Enable (0A4685D0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).
2. AI triggers begin: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).
3. Destroy the attached object through the scripted destruction action.
4. Enable and reset applicable timers for BG3 Firesale Enabler (0AC0044C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7272, Events line 7363, Actions line 7454.

36. Win - 0924EB00

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09250080 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
2. Destroyed, All: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).
3. Destroyed, All: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Win (Game Over) (09F864EC).
2. Make side cheer: owner selector 14 (country/type PLAYER; placed owner Player House).
3. Make side cheer: owner selector 13 (country/type EINSTEIN; placed owner Einstein House).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7273, Events line 7364, Actions line 7455.

37. _Win (Game Over) - 09F864EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win (0924EB00).

Attached scope: tag definitions 09F8623C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 14 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7274, Events line 7365, Actions line 7456.

38. BG1 Production Start Enable - 0A46D390

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A468DD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Production Start (08DC9190).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7275, Events line 7366, Actions line 7457.

39. BG2 Production Enable - 0A468930

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A4686B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for BG2 Production Start (08DC95C0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7276, Events line 7367, Actions line 7458.

40. BG3 Production Enable - 0A4685D0

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A468400 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for BG3 Production Start (08DCA960).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7277, Events line 7368, Actions line 7459.

41. Apocalypse Created (SpySat) - 0A468320

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team First Apocalypse Sighting (0AD0D6CC).
2. Enable and reset applicable timers for Apoc Sighted (SpySat) (0A46CAF0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7278, Events line 7369, Actions line 7460.

42. Apoc Sighted (SpySat) - 0A46CAF0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Apocalypse Created (SpySat) (0A468320).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Play in-game movie 102.
2. Reveal terrain around waypoint 27 (cell 111, 19).
3. Jump the camera to waypoint 27 (cell 111, 19).
4. Flash team First Apocalypse Sighting (0AD0D6CC) with duration setting 30.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7279, Events line 7370, Actions line 7461.

43. BG1 Summon Harvester - 08933B30

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08932C70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG1 Extra Harvester (0A0CA0D0) at waypoint 8 (cell 80, 32).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7280, Events line 7371, Actions line 7462.

44. BG3 Summon Harvester - 0893AE50

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0893A970 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG3 Extra Harvester (0893D580) at waypoint 10 (cell 169, 71).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7281, Events line 7372, Actions line 7463.

45. BG2 Summon Harvester - 0893A890

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0893A690 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG2 Extra Harvester (08938F10) at waypoint 9 (cell 111, 13).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7282, Events line 7373, Actions line 7464.

46. Apocalypse Created (timed) - 09D79700

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Apocalypse Created (SpySat) (0A468320).

Incoming activation links: enable from Apocalypse Created (timed) (09D79700).

Attached scope: tag definitions 0A46D780 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 900 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team First Apocalypse Sighting (0AD0D6CC).
2. Enable and reset applicable timers for Apocalypse Created (timed) (09D79700).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7283, Events line 7374, Actions line 7465.

47. Loss Captured by BG1 - 089C46E0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Loss Player KIA (0B0CC050).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 8 (global list position: Einstein's Laboratory (CALAB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Game Over) (09F7978C).
2. Jump the camera to waypoint 0 (cell 98, 172).
3. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7284, Events line 7375, Actions line 7466.

48. Loss Captured by BG2 - 09FA7F40

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Loss Captured by BG1 (089C46E0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 8 (global list position: Einstein's Laboratory (CALAB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Game Over) (09F7978C).
2. Jump the camera to waypoint 0 (cell 98, 172).
3. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7285, Events line 7376, Actions line 7467.

49. Loss Captured by BG3 - 0A37DCE0

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Loss Captured by BG2 (09FA7F40).

Attached scope: Einstein's Laboratory (CALAB), owner Einstein House, cell (99, 173), tag 0B0CF980, persistence mode 0.

Wait for the recorded events:

1. Building exists: type index 8 (global list position: Einstein's Laboratory (CALAB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Game Over) (09F7978C).
2. Jump the camera to waypoint 0 (cell 98, 172).
3. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7286, Events line 7377, Actions line 7468.

50. Einstein Audio 1 Play - 0B155310

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Asslt Sqd 1 Go (08962F40).

Attached scope: 35 tagged map cells: (57, 93), (58, 93), (59, 93), (60, 93), (61, 93), (62, 93), (63, 93), (57, 94), (58, 94), (59, 94), (60, 94), (61, 94), (62, 94), (63, 94), (57, 95), (58, 95), (59, 95), (60, 95), (61, 95), (62, 95), (63, 95), (57, 96), (58, 96), (59, 96), (60, 96), (61, 96), (62, 96), (63, 96), (57, 97), (58, 97), (59, 97), (60, 97), (61, 97), (62, 97), (63, 97); tag 0B157D00, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein1.
2. Reveal terrain around waypoint 42 (cell 60, 95).
3. Create radar-event marker type 5 at waypoint 42 (cell 60, 95).
4. Set local flag 1 (Einstein Audio1).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7287, Events line 7378, Actions line 7469.

51. Einstein Asslt Sqd 1 Go - 08962F40

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089A0800 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Einstein Assualt Squad 1 (09D6743C).
2. Enable and reset applicable timers for Einstein Audio 1 Play (0B155310).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7288, Events line 7379, Actions line 7470.

52. Einstein Asslt Sqd 2 Go - 0BFBA880

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BFBA370 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Einstein Audio1) is set.
2. 900 configured time units have elapsed since scenario start.

Flag writers in this mission: set local flag 1 (Einstein Audio1) at Einstein Audio 1 Play (0B155310). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Einstein Assualt Squad 2 (09D6C96C).
2. Enable and reset applicable timers for Einstein Audio 2 Play (0BFBBEB0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7289, Events line 7380, Actions line 7471.

53. Einstein Audio 2 Play - 0BFBBEB0

Owner reference: Einstein. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Asslt Sqd 2 Go (0BFBA880).

Attached scope: 43 tagged map cells: (168, 106), (169, 106), (165, 107), (166, 107), (167, 107), (168, 107), (169, 107), (171, 107), (166, 108), (167, 108), (168, 108), (169, 108), (171, 108), (165, 109), (166, 109), (167, 109), (168, 109), (169, 109), (170, 109), (171, 109), (166, 110), (167, 110), (169, 110), (170, 110), (171, 110), (165, 111), (166, 111), (167, 111), (168, 111), (169, 111), (170, 111), (171, 111), (165, 112), (166, 112), (167, 112), (168, 112), (169, 112), (170, 112), (171, 112), (165, 113), (166, 113), (167, 113), (168, 113); tag 0BFBB700, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein2.
2. Reveal terrain around waypoint 41 (cell 168, 110).
3. Create radar-event marker type 5 at waypoint 41 (cell 168, 110).
4. Set local flag 2 (Einstein Audio2).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7290, Events line 7381, Actions line 7472.

54. Einstein Asslt Sqd 3 Go - 0BFBC710

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BFBC500 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Einstein Audio2) is set.
2. 1200 configured time units have elapsed since scenario start.

Flag writers in this mission: set local flag 2 (Einstein Audio2) at Einstein Audio 2 Play (0BFBBEB0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Einstein Assualt Squad 3 (09D6CEFC).
2. Enable and reset applicable timers for Einstein Audio 3 Play (0BFBC420).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7291, Events line 7382, Actions line 7473.

55. Einstein Audio 3 Play - 0BFBC420

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Asslt Sqd 3 Go (0BFBC710).

Attached scope: 41 tagged map cells: (145, 145), (146, 145), (147, 145), (148, 145), (149, 145), (150, 145), (144, 146), (145, 146), (146, 146), (147, 146), (148, 146), (149, 146), (150, 146), (144, 147), (145, 147), (146, 147), (147, 147), (148, 147), (149, 147), (150, 147), (144, 148), (145, 148), (146, 148), (147, 148), (148, 148), (149, 148), (150, 148), (144, 149), (145, 149), (146, 149), (147, 149), (148, 149), (149, 149), (150, 149), (144, 150), (145, 150), (146, 150), (147, 150), (148, 150), (149, 150), (150, 150); tag 0BFBC090, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein3.
2. Create radar-event marker type 5 at waypoint 43 (cell 147, 148).
3. Reveal terrain around waypoint 43 (cell 147, 148).
4. Set local flag 3 (Einstein Audio3).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7292, Events line 7383, Actions line 7474.

56. Einstein Audio 4 Enable - 0895BA00

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0895B400 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Einstein Audio2) is set.
2. local flag 3 (Einstein Audio3) is set.

Flag writers in this mission: set local flag 2 (Einstein Audio2) at Einstein Audio 2 Play (0BFBBEB0); set local flag 3 (Einstein Audio3) at Einstein Audio 3 Play (0BFBC420). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Entered by BG1 (0895B320).
2. Enable and reset applicable timers for Entered by BG2 (0895AD70).
3. Enable and reset applicable timers for Entered by BG3 (0895A960).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7293, Events line 7384, Actions line 7475.

57. Entered by BG1 - 0895B320

Owner reference: Einstein. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Audio 4 Enable (0895BA00).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein4.
2. Create radar-event marker type 5 at waypoint 5 (cell 117, 169).
3. Reveal terrain around waypoint 5 (cell 117, 169).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7294, Events line 7385, Actions line 7476.

58. Entered by BG2 - 0895AD70

Owner reference: Einstein. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Entered by BG1 (0895B320).

Incoming activation links: enable from Einstein Audio 4 Enable (0895BA00).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein4.
2. Create radar-event marker type 5 at waypoint 5 (cell 117, 169).
3. Reveal terrain around waypoint 5 (cell 117, 169).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7295, Events line 7386, Actions line 7477.

59. Entered by BG3 - 0895A960

Owner reference: Einstein. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Entered by BG2 (0895AD70).

Incoming activation links: enable from Einstein Audio 4 Enable (0895BA00).

Attached scope: 35 tagged map cells: (115, 166), (116, 166), (117, 166), (118, 166), (119, 166), (120, 166), (116, 167), (117, 167), (118, 167), (119, 167), (120, 167), (115, 168), (116, 168), (117, 168), (118, 168), (119, 168), (120, 168), (115, 169), (116, 169), (117, 169), (118, 169), (119, 169), (120, 169), (115, 170), (116, 170), (117, 170), (118, 170), (119, 170), (120, 170), (115, 171), (116, 171), (117, 171), (118, 171), (119, 171), (120, 171); tag 0895AF50, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 17 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Play voice notification Mis_A10_Einstein4.
2. Create radar-event marker type 5 at waypoint 5 (cell 117, 169).
3. Reveal terrain around waypoint 5 (cell 117, 169).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7296, Events line 7387, Actions line 7478.

60. Build SpySat Audio Play - 0B17B1F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B17C740 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 6 (global list position: Allied Battle Lab (GATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_A10_EvaSpySat.
2. Set local flag 4 (SpySat Audio Played).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7297, Events line 7388, Actions line 7479.

61. Build Purifier Audio Play - 0B17C1F0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Purifier Audio (03D64400).

Attached scope: tag definitions 0B17C120 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Purifier Exists) is clear.
2. The trigger owner's credits are below 2000.
3. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 14 (Purifier Exists) at Does Purifier Exist (0CF6E22C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_A10_EvaOrePurifier.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7298, Events line 7389, Actions line 7480.

62. Enable Purifier Audio - 03D64400

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03D65040 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (SpySat Audio Played) is set.

Flag writers in this mission: set local flag 4 (SpySat Audio Played) at Build SpySat Audio Play (0B17B1F0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Build Purifier Audio Play (0B17C1F0).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7299, Events line 7390, Actions line 7481.

63. Objective Statements - 03D7C6B0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03D63F50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 20 (country/type GERMANY3; placed owner German3 House).
2. Destroyed, All: owner selector 19 (country/type GERMANY2; placed owner German2 House).
3. Destroyed, All: owner selector 18 (country/type GERMANY1; placed owner German1 House).

Then perform these actions in order:

1. Display message “Objective 1: Defend Professor Einstein's” (MISSION:All10d1).
2. Display message “Laboratory” (MISSION:All10d2).
3. Display message “Objective 2: Destroy all Soviet invaders” (MISSION:All10e).
4. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7300, Events line 7391, Actions line 7482.

64. Play Cold Wind Sounds - 0AC0456C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC0266C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 17 (cell 96, 95).
2. Play sound _Amb_WindCold at waypoint 45 (cell 36, 99).
3. Play sound _Amb_WindCold at waypoint 46 (cell 47, 78).
4. Play sound _Amb_WindCold at waypoint 47 (cell 171, 102).
5. Play sound _Amb_WindCold at waypoint 48 (cell 170, 132).
6. Play sound _Amb_WindCold at waypoint 98 (cell 114, 128).
7. Play sound _Amb_WindCold at waypoint 49 (cell 59, 74).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7301, Events line 7392, Actions line 7483.

65. Einstein Under Attk - 0B5BD66C

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Power Plant (GAPOWR), owner Einstein House, cell (96, 176), tag 0B5BD58C, persistence mode 0; Power Plant (GAPOWR), owner Einstein House, cell (103, 176), tag 0B5BD58C, persistence mode 0; Pill Box (GAPILL), owner Einstein House, cell (106, 172), tag 0B5BD58C, persistence mode 0; Pill Box (GAPILL), owner Einstein House, cell (106, 177), tag 0B5BD58C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “WARNING: Einstein's Laboratory is under attack” (MISSION:All10c).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7302, Events line 7393, Actions line 7484.

66. Apoc Sighted (timed) - 0AE4646C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Apoc Sighted (SpySat) (0A46CAF0).

Attached scope: 38 tagged map cells: (107, 16), (108, 16), (109, 16), (110, 16), (107, 17), (108, 17), (110, 17), (111, 17), (107, 18), (108, 18), (109, 18), (110, 18), (111, 18), (112, 18), (107, 19), (108, 19), (109, 19), (110, 19), (111, 19), (112, 19), (113, 19), (107, 20), (108, 20), (109, 20), (110, 20), (111, 20), (112, 20), (113, 20), (114, 20), (107, 21), (108, 21), (109, 21), (110, 21), (111, 21), (112, 21), (113, 21), (114, 21), (115, 21); tag 0A46C6B0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Jump the camera to waypoint 27 (cell 111, 19).
2. Create radar-event marker type 5 at waypoint 27 (cell 111, 19).
3. Flash team First Apocalypse Sighting (0AD0D6CC) with duration setting 30.
4. Play voice notification Unit_Eva_Apocalypse.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7303, Events line 7394, Actions line 7485.

67. _0 Lock Input - 0881557C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088111DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7304, Events line 7395, Actions line 7486.

68. Polar Bears - 0AE73F3C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Polar Bears Enable I (0A0F1D9C); enable from Polar Bears Enable II (0AB2E52C).

Attached scope: tag definitions 0AE739FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Polar Bears (0AD98B7C).
2. Play sound BearSelect at waypoint 52 (cell 23, 115).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7305, Events line 7396, Actions line 7487.

69. Polar Bear Woman - 0AE79EDC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE79B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Polar Bears Gone) is set.

Then perform these actions in order:

1. Create/recruit team Polar Bear Woman (0AE789FC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7306, Events line 7397, Actions line 7488.

70. Polar Bear Woman Car - 0AE7DEBC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7DCBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Woman in Car) is set.

Then perform these actions in order:

1. Create/recruit team Polar Bear Woman Car (0ACF76CC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7307, Events line 7398, Actions line 7489.

71. Bear Crate Spawn 1 - 0AE7D53C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7D3AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Spawn Crate) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 54 (cell 38, 131).
2. Play sound Bonus at waypoint 54 (cell 38, 131).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7308, Events line 7399, Actions line 7490.

72. Bear Crate Spawn 2 - 0AE7D2BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7BE2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Spawn Crate2) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 55 (cell 42, 129).
2. Play sound Bonus at waypoint 55 (cell 42, 129).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7309, Events line 7400, Actions line 7491.

73. Bear Crate Spawn 3 - 0AE7BD3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7BB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Spawn Crate3) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 56 (cell 51, 130).
2. Play sound Bonus at waypoint 56 (cell 51, 130).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7310, Events line 7401, Actions line 7492.

74. Bear Crate Spawn 4 - 0AE7BA4C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7B84C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Spawn Crate4) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 57 (cell 52, 135).
2. Play sound Bonus at waypoint 57 (cell 52, 135).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7311, Events line 7402, Actions line 7493.

75. Bear Crate Spawn 5 - 0AE7B75C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7B55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Spawn Crate5) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 58 (cell 55, 136).

2. Play sound Bonus at waypoint 58 (cell 55, 136).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7312, Events line 7403, Actions line 7494.

76. Bear Crate Spawn 6 - 0AE7B46C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE77E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 12 (Spawn Crate6) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 59 (cell 64, 145).
2. Play sound Bonus at waypoint 59 (cell 64, 145).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7313, Events line 7404, Actions line 7495.

77. Bear Crate Spawn 7 - 0AE71F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE7591C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Spawn Crate7) is set.

Then perform these actions in order:

1. Create crate type 0 at waypoint 60 (cell 63, 153).
2. Play sound Bonus at waypoint 60 (cell 63, 153).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7314, Events line 7405, Actions line 7496.

78. Polar Bears Enable I - 0A0F1D9C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Polar Bears (0AE73F3C).
2. Play sound BearSelect at waypoint 52 (cell 23, 115).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7315, Events line 7406, Actions line 7497.

79. Reclaimed Refinery - 0AAE8DCC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Ore Refinery (GAREFN), owner Civilian House, cell (178, 128), tag 0AAEA9EC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Change House: owner selector 14 (country/type PLAYER; placed owner Player House).
2. Create crate type 1 at waypoint 63 (cell 181, 126).
3. Play sound Bonus at waypoint 63 (cell 181, 126).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7316, Events line 7407, Actions line 7498.

80. Polar Bears Enable II - 0AB2E52C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Polar Bears Enable I (0A0F1D9C).

Attached scope: tag definitions 0A0F475C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Polar Bears (0AE73F3C).
2. Play sound BearSelect at waypoint 52 (cell 23, 115).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7317, Events line 7408, Actions line 7499.

81. Chrono Power Off - 0C701BBC

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C7016DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Set the attached building offline.

Source locator: MAPS01.MIX/all10s.map; Triggers line 7318, Events line 7409, Actions line 7500.

82. Crate at BM - 08B3CF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (54, 148); tag 08B3A1BC, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create crate type 0 at waypoint 64 (cell 54, 148).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7319, Events line 7410, Actions line 7501.

83. BG1 Babysitters Spawn - 0B02E3EC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B02FD9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG1 Baby Sitters (0B02B25C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7320, Events line 7411, Actions line 7502.

84. BG2 Babysitters Spawn - 0B02FCAC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B02F90C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG2 Baby Sitters (0B02EEFC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7321, Events line 7412, Actions line 7503.

85. BG3 Babysitters Spawn - 0B02F81C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B02F44C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG3 Baby Sitters (0B02EDCC).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7322, Events line 7413, Actions line 7504.

86. Does Purifier Exist - 0CF6E22C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CF6FD6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 73 (global list position: Ore Purifier (GAOREP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 14 (Purifier Exists).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7323, Events line 7414, Actions line 7505.

87. Kill BG1 Local Guy - 0AD3822C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG1 Production Start (08DC9190).

Attached scope: Conscript (E2), owner BadGuy1 House, cell (80, 30), tag 08DC9680, persistence mode 0.

Wait for the recorded events:

1. 240 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Enable and reset applicable timers for BG1 Firesale Enabler (0AC09D2C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7324, Events line 7415, Actions line 7506.

88. Kill BG2 Local Guy - 0AD3EBBC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG2 Production Start (08DC95C0).

Attached scope: Conscript (E2), owner BadGuy2 House, cell (111, 12), tag 08DCAA20, persistence mode 0.

Wait for the recorded events:

1. 240 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Enable and reset applicable timers for BG2 Firesale Enabler (0AC0326C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7325, Events line 7416, Actions line 7507.

89. Kill BG3 Local Guy - 0AD3E9AC

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG3 Production Start (08DCA960).

Attached scope: Conscript (E2), owner BadGuy3 House, cell (170, 71), tag 08DCA5D0, persistence mode 0.

Wait for the recorded events:

1. 240 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Enable and reset applicable timers for BG3 Firesale Enabler (0AC0044C).

Source locator: MAPS01.MIX/all10s.map; Triggers line 7326, Events line 7417, Actions line 7508.

All team rosters and ordered plans | All mission overrides

Operation: Mirage - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all10s.map; each team/script ID identifies its section.

Einsteins Gift - 0E5FA71C

Owner: Einstein. Roster: 3 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Einsteins Gift SCR (0E65590C).

1. Move to waypoint: waypoint 7 (cell 111, 180).
2. Move to waypoint: waypoint 5 (cell 117, 169).
3. Set local flag: local flag 0 (Einsteins Gift FLG).
4. Report team success.
5. Guard for interval; configured argument 20.
6. Change country ownership; configured argument 14.

BG1 Invasion 1 - 0ADAEEFC

Owner: BadGuy1. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: BG1 Invasion 1 SCR (09D52BB0).

1. Attack-move toward waypoint: waypoint 1 (cell 80, 58).
2. Guard for interval; configured argument 30.
3. Attack-move toward waypoint: waypoint 11 (cell 80, 66).
4. Adopt object mission: area guard.

BG2 Invasion 1 - 09D45C10

Owner: BadGuy2. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 Invasion 1 SCR (09D459D0).

1. Attack-move toward waypoint: waypoint 2 (cell 111, 40).
2. Guard for interval; configured argument 30.
3. Attack-move toward waypoint: waypoint 12 (cell 110, 50).
4. Adopt object mission: area guard.

BG3 Invasion 1 - 09EE54D0

Owner: BadGuy3. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: BG3 Invasion 1 SCR (08DF6AB0).

1. Attack-move toward waypoint: waypoint 3 (cell 145, 72).
2. Guard for interval; configured argument 30.
3. Attack-move toward waypoint: waypoint 13 (cell 147, 87).
4. Adopt object mission: area guard.

BG1 Invasion 2 - 09E7F0C0

Owner: BadGuy1. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: BG1 Invasion 2 SCR (09D50DC0).

1. Attack-move toward waypoint: waypoint 1 (cell 80, 58).
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.

BG2 Invasion 2 - 0B5A8190

Owner: BadGuy2. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 Invasion 2 SCR (09D61290).

1. Attack-move toward waypoint: waypoint 2 (cell 111, 40).
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.

BG3 Invasion 2 - 09D44B20

Owner: BadGuy3. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: BG3 Invasion 2 SCR (09D448E0).

1. Attack-move toward waypoint: waypoint 3 (cell 145, 72).
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.

German1 Guards - 09DD39D0

Owner: Germany1. Roster: 2 × Engineer (ENGINEER); 2 × Technician (CTECH); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: German1 Guards SCR (09D5C280).

1. Panic.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.

German2 Guards - 09DD3560

Owner: Germany2. Roster: 2 × Technician (CTECH); 2 × Engineer (ENGINEER); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: German2 Guards SCR (09D5BCB0).

1. Panic.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.

German3 Guards - 09DD30F0

Owner: Germany3. Roster: 2 × Engineer (ENGINEER); 2 × Technician (CTECH); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: German3 Guards SCR (09D5B840).

1. Panic.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.

BG1 Invasion 3 - 0AD31B7C

Owner: BadGuy1. Roster: 2 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: BG1 Invasion 3 SCR (0AF9645C).

1. Attack-move toward waypoint: waypoint 14 (cell 80, 74).
2. Adopt object mission: area guard.

BG2 Invasion 3 - 0AD316CC

Owner: BadGuy2. Roster: 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 Invasion 3 SCR (0AF95DBC).

1. Attack-move toward waypoint: waypoint 15 (cell 111, 71).
2. Adopt object mission: area guard.

BG3 Invasion 3 - 0AD3121C

Owner: BadGuy3. Roster: 2 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: BG3 Invasion 3 SCR (0AFBC0BC).

1. Attack-move toward waypoint: waypoint 16 (cell 147, 114).
2. Adopt object mission: area guard.

BG1 MCV - 0A287950

Owner: BadGuy1. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: BG1 MCV SCR (08DB2680).

1. Move to waypoint: waypoint 1 (cell 80, 58).
2. Deploy.

BG2 MCV - 08DB22A0

Owner: BadGuy2. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 MCV SCR (08DB1550).

1. Move to waypoint: waypoint 2 (cell 111, 40).
2. Deploy.

BG3 MCV - 08DB1420

Owner: BadGuy3. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: BG3 MCV SCR (08DB1030).

1. Move to waypoint: waypoint 3 (cell 145, 72).
2. Deploy.

BG1 Invasion 1a - 09D599A0

Owner: BadGuy1. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Invasion 1a SCR (0A256DC0).

1. Attack-move toward waypoint: waypoint 17 (cell 96, 95).
2. Attack-move toward waypoint: waypoint 18 (cell 114, 119).
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

BG1 Invasion 2a - 09E7A4D0

Owner: BadGuy1. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Invasion 2a SCR (09E7A270).

1. Attack-move toward waypoint: waypoint 14 (cell 80, 74).
2. Guard for interval; configured argument 30.
3. Attack selected enemy-building category; configured argument 131072.
4. Attack selected enemy-building category; configured argument 65721.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

BG1 Invasion 3a - 09D592C0

Owner: BadGuy1. Roster: 2 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Invasion 3a SCR (09D58DC0).

1. Attack-move toward waypoint: waypoint 19 (cell 80, 110).
2. Attack selected enemy-building category; configured argument 131072.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

BG2 Invasion 1a - 09D591B0

Owner: BadGuy2. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Invasion 1a SCR (0ACC85C0).

1. Attack-move toward waypoint: waypoint 15 (cell 111, 71).
2. Guard for interval; configured argument 20.
3. Attack-move toward waypoint: waypoint 18 (cell 114, 119).
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

BG2 Invasion 2a - 09D58A50

Owner: BadGuy2. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Invasion 2a SCR (09D587F0).

1. Attack-move toward waypoint: waypoint 15 (cell 111, 71).
2. Guard for interval; configured argument 120.
3. Attack selected enemy-building category; configured argument 131295.
4. Attack selected enemy-building category; configured argument 131075.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

BG2 Invasion 3a - 09E795D0

Owner: BadGuy2. Roster: 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Invasion 3a SCR (09E79370).

1. Attack-move toward waypoint: waypoint 20 (cell 109, 85).
2. Guard for interval; configured argument 120.
3. Attack-move toward waypoint: waypoint 18 (cell 114, 119).
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 3.
6. Seek/attack target category; configured argument 1.

BG3 Invasion 1a - 09D58370

Owner: BadGuy3. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Invasion 1a SCR (0ACD7DE0).

1. Attack-move toward waypoint: waypoint 21 (cell 133, 103).
2. Attack-move toward waypoint: waypoint 22 (cell 123, 123).
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

BG3 Invasion 2a - 09E79150

Owner: BadGuy3. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Invasion 2a SCR (09E78B60).

1. Move to waypoint: waypoint 13 (cell 147, 87).
2. Attack-move toward waypoint: waypoint 16 (cell 147, 114).
3. Guard for interval; configured argument 60.
4. Attack-move toward waypoint: waypoint 22 (cell 123, 123).
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

BG3 Invasion 3a - 09D67BA0

Owner: BadGuy3. Roster: 2 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Invasion 3a SCR (09D67940).

1. Attack-move toward waypoint: waypoint 23 (cell 139, 126).
2. Guard for interval; configured argument 30.
3. Attack selected enemy-building category; configured argument 131295.
4. Attack selected enemy-building category; configured argument 196793.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

Spy Defenders - 0CEC8C8C

Owner: BadGuy1. Roster: 8 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Spy Defenders SCR (09E397F0).

1. Adopt object mission: area guard.
2. Report team success.

Armor Defenders - 0CEC87DC

Owner: BadGuy1. Roster: 4 × Tesla Trooper (SHK); 1 × Rhino Heavy Tank (HTNK); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Armor Defenders SCR (09F42DBC).

1. Adopt object mission: area guard.
2. Report team success.

Infantry Defenders - 0CEC832C

Owner: BadGuy1. Roster: 4 × Conscript (E2); 1 × Desolator (DESO); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Infantry Defenders SCR (09E4FDC0).

1. Adopt object mission: area guard.
2. Report team success.

Rocketeer Defenders - 0CEC9DEC

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Rocketeer Defenders SCR (09E4F950).

1. Adopt object mission: area guard.
2. Report team success.

Harrier Defenders - 0CEC993C

Owner: BadGuy1. Roster: 1 × Apocalypse (APOC); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Harrier Defenders SCR (09E4F4E0).

1. Adopt object mission: area guard.
2. Report team success.

Solar Refractor Defenders - 0CEC948C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Solar Refractor Defenders SCR (0ACD3370).

1. Adopt object mission: area guard.
2. Report team success.

Hard Ass Defenders - 0CECADEC

Owner: BadGuy1. Roster: 2 × Apocalypse (APOC); 1 × V3 Launcher (V3); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Hard Ass Defenders SCR (09E4E950).

1. Adopt object mission: area guard.
2. Report team success.

Assault Team 01 - 0AD06A4C

Owner: BadGuy1. Roster: 5 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 8; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 01 SCR (09F40DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Assault Team 02 - 0AD0659C

Owner: BadGuy1. Roster: 3 × Tesla Trooper (SHK); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 02 SCR (09F4090C).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

Assault Team 03 - 0AD060EC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 03 SCR (09F4045C).

1. Attack-move toward waypoint: waypoint 18 (cell 114, 119).
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 8.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Assault Team 04 - 0AD00B7C

Owner: BadGuy1. Roster: 3 × Tesla Trooper (SHK); 2 × Terror Drone (DRON); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 04 SCR (09F4FDBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

Assault Team 05 - 0AD006CC

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 05 SCR (09F4F90C).

1. Attack selected enemy-building category; configured argument 131079.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Assault Team 06 - 0AD0021C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 2 × Terror Drone (DRON); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 06 SCR (09F4F45C).

1. Attack selected enemy-building category; configured argument 131074.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Assault Team 07 - 0D0196CC

Owner: BadGuy1. Roster: 2 × Apocalypse (APOC); 3 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 11; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 07 SCR (0D01945C).

1. Attack-move toward waypoint: waypoint 50 (cell 118, 151).
2. Attack selected enemy-building category; configured argument 131080.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131073.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Assault Team 08 - 0AD056CC

Owner: BadGuy1. Roster: 2 × Apocalypse (APOC); 1 × V3 Launcher (V3); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 08 SCR (0D6AADBC).

1. Attack selected enemy-building category; configured argument 196610.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131080.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Assault Team 09 - 0AD0521C

Owner: BadGuy1. Roster: 4 × Apocalypse (APOC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 09 SCR (09F4E45C).

1. Attack-move toward waypoint: waypoint 22 (cell 123, 123).
2. Attack selected enemy-building category; configured argument 131127.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

Assault Team 10 - 0AD02C8C

Owner: BadGuy1. Roster: 8 × Conscript (E2); 4 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 11; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 10 SCR (0D01A45C).

1. Attack-move toward waypoint: waypoint 4 (cell 107, 175).
2. Attack selected enemy-building category; configured argument 131080.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Assault Team 11 - 0AD027DC

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 11; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 11 SCR (0D01BDBC).

1. Attack-move toward waypoint: waypoint 7 (cell 111, 180).
2. Attack selected enemy-building category; configured argument 131080.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Assault Team 12 - 0AD0232C

Owner: BadGuy1. Roster: 4 × Conscript (E2); 2 × V3 Launcher (V3); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 11; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 12 SCR (0D01B90C).

1. Attack-move toward waypoint: waypoint 5 (cell 117, 169).
2. Attack-move toward waypoint: waypoint 7 (cell 111, 180).

3. Attack selected enemy-building category; configured argument 131080.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

Assault Team 13a - 0AD03C8C

Owner: BadGuy1. Roster: 3 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 13a SCR (0D01B45C).

1. Attack-move toward waypoint: waypoint 41 (cell 168, 110).
2. Report team success.
3. Attack selected enemy-building category; configured argument 131080.
4. Attack selected enemy-building category; configured argument 131177.
5. Seek/attack target category; configured argument 2.

Assault Team 14 - 0AD037DC

Owner: BadGuy1. Roster: 6 × Conscript (E2); 2 × Attack Dog (DOG); 4 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 14 SCR (0D01CDBC).

1. Attack-move toward waypoint: waypoint 5 (cell 117, 169).
2. Attack-move toward waypoint: waypoint 4 (cell 107, 175).
3. Report team success.
4. Attack selected enemy-building category; configured argument 131080.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Assault Team 15 - 0AD0332C

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 15 SCR (0D01C90C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 5 (cell 117, 169).
3. Attack-move toward waypoint: waypoint 4 (cell 107, 175).
4. Report team success.
5. Unload with continuation mode: transport and passengers continue.
6. Attack selected enemy-building category; configured argument 131080.
7. Seek/attack target category; configured argument 2.

Scout Team 1 - 0AD0DB7C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 11; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Scout Team 1 SCR (07B70534).

1. Scout.
2. Report team success.

First Apocalypse Sighting - 0AD0D6CC

Owner: BadGuy2. Roster: 3 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: First Apocalypse Sighting SCR (0D01DDBC).

1. Move to waypoint: waypoint 27 (cell 111, 19).
2. Attack-move toward waypoint: waypoint 15 (cell 111, 71).
3. Attack selected enemy-building category; configured argument 131127.
4. Seek/attack target category; configured argument 7.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 1.

BG1 Extra Harvester - 0A0CA0D0

Owner: BadGuy1. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: BG1 Extra Harvester SCR (09EC2950).

1. Move to waypoint: waypoint 28 (cell 90, 55).
2. Report team success.

BG2 Extra Harvester - 08938F10

Owner: BadGuy2. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 Extra Harvester SCR (09EC24E0).

1. Move to waypoint: waypoint 29 (cell 120, 42).
2. Report team success.

BG3 Extra Harvester - 0893D580

Owner: BadGuy3. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: BG3 Extra Harvester SCR (09EC2070).

1. Move to waypoint: waypoint 29 (cell 120, 42).
2. Report team success.

Assault Team 13b - 0AD0B32C

Owner: BadGuy1. Roster: 3 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 13b SCR (0D01E90C).

1. Attack-move toward waypoint: waypoint 42 (cell 60, 95).
2. Report team success.
3. Attack selected enemy-building category; configured argument 131080.
4. Seek/attack target category; configured argument 2.

Einstein Assualt Squad 1 - 09D6743C

Owner: BadGuy1. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Einstein Assualt Squad 1 SCR (0D01E56C).

1. Attack-move toward waypoint: waypoint 42 (cell 60, 95).
2. Report team success.
3. Attack selected enemy-building category; configured argument 131080.
4. Seek/attack target category; configured argument 1.

Einstein Assualt Squad 2 - 09D6C96C

Owner: BadGuy3. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Einstein Assualt Squad 2 SCR (0D01FDBC).

1. Attack-move toward waypoint: waypoint 41 (cell 168, 110).
2. Report team success.
3. Attack selected enemy-building category; configured argument 131080.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Einstein Assualt Squad 3 - 09D6CEFC

Owner: BadGuy2. Roster: 2 × V3 Launcher (V3); 1 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Einstein Assualt Squad 3 SCR (0D01FA1C).

1. Attack-move toward waypoint: waypoint 16 (cell 147, 114).
2. Attack-move toward waypoint: waypoint 43 (cell 147, 148).
3. Report team success.
4. Attack selected enemy-building category; configured argument 131080.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Assault Team 16 - 09EEC840

Owner: BadGuy1. Roster: 2 × Terror Drone (DRON); 2 × Rhino Heavy Tank (HTNK); 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 16 SCR (09F48DBC).

1. Attack selected enemy-building category; configured argument 196609.
2. Report team success.
3. Attack selected enemy-building category; configured argument 196609.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 1.

Assault Team 17 - 09D72B3C

Owner: BadGuy1. Roster: 8 × Conscript (E2); 2 × Tesla Trooper (SHK); 4 × Rhino Heavy Tank (HTNK); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 17 SCR (09F48A1C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Assault Team 18 - 09D733AC

Owner: BadGuy1. Roster: 5 × Rhino Heavy Tank (HTNK); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Team 18 SCR (09F4856C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Polar Bears - 0AD98B7C

Owner: Neutral. Roster: 2 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Polar Bears SCR (0ADF5DBC).

1. Guard for interval; configured argument 2.
2. Move to waypoint: waypoint 52 (cell 23, 115).
3. Play sound; configured argument 421.
4. Panic.
5. Move to waypoint: waypoint 62 (cell 20, 114).
6. Set local flag: local flag 5 (Polar Bears Gone).
7. Move to waypoint: waypoint 51 (cell 19, 114).
8. Delete team objects.

Polar Bear Woman - 0AE789FC

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Polar Bear Woman SCR (0AE7CA6C).

1. Play sound; configured argument 405.
2. Move to waypoint: waypoint 52 (cell 23, 115).
3. Move to waypoint: waypoint 53 (cell 30, 118).
4. Move to waypoint: waypoint 54 (cell 38, 131).
5. Set local flag: local flag 6 (Woman in Car).
6. Delete team objects.

Polar Bear Woman Car - 0ACF76CC

Owner: Neutral. Roster: 1 × Automobile (EUROC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: Polar Bear Woman Car SCR (0AE7C36C).

1. Move to waypoint: waypoint 55 (cell 42, 129).

2. Set local flag: local flag 7 (Spawn Crate).
3. Move to waypoint: waypoint 56 (cell 51, 130).
4. Set local flag: local flag 8 (Spawn Crate2).
5. Move to waypoint: waypoint 57 (cell 52, 135).
6. Set local flag: local flag 9 (Spawn Crate3).
7. Move to waypoint: waypoint 58 (cell 55, 136).
8. Set local flag: local flag 10 (Spawn Crate4).
9. Move to waypoint: waypoint 59 (cell 64, 145).
10. Set local flag: local flag 11 (Spawn Crate5).
11. Move to waypoint: waypoint 60 (cell 63, 153).
12. Set local flag: local flag 12 (Spawn Crate6).
13. Move to waypoint: waypoint 61 (cell 60, 156).
14. Set local flag: local flag 13 (Spawn Crate7).
15. Delete team objects.

Assault Engineers - 0B47D15C

Owner: BadGuy1. Roster: 5 × Engineer (SENGINEER); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Assault Engineers SCR (0B47CCAC).

1. Gather near own base; configured argument 0.
2. Approach selected enemy-building category; configured argument 196610.
3. Unload with continuation mode: transport and passengers continue.
4. Attack selected enemy-building category; configured argument 196610.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.

BG1 Baby Sitters - 0B02B25C

Owner: BadGuy1. Roster: 4 × Flak Trooper (FLAKT); 5 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Baby Sitters SCR (0B02D59C).

1. Approach friendly building category; configured argument 131097.
2. Scatter.
3. Scatter.
4. Adopt object mission: area guard.

BG2 Baby Sitters - 0B02EEFC

Owner: BadGuy2. Roster: 4 × Flak Trooper (FLAKT); 5 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Baby Sitters SCR (0B02D59C).

1. Approach friendly building category; configured argument 131097.
2. Scatter.
3. Scatter.
4. Adopt object mission: area guard.

BG3 Baby Sitters - 0B02EDCC

Owner: BadGuy3. Roster: 4 × Flak Trooper (FLAKT); 5 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Baby Sitters SCR (0B02D59C).

1. Approach friendly building category; configured argument 131097.
2. Scatter.
3. Scatter.
4. Adopt object mission: area guard.

Operation: Mirage - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all10s.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1500,750,500	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Default Mirage Disguises	TREE26,TREE27,TREE28,TREE25	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	30,30,30	15
War Miner (HARV)	Resource cargo capacity	20	18
Chrono Miner (CMIN)	Resource cargo capacity	10	21
TIBERIUMS (TIBERIUMS)	0	Riparius	24
TIBERIUMS (TIBERIUMS)	1	Cruentus	25
TIBERIUMS (TIBERIUMS)	2	Vinifera	26
TIBERIUMS (TIBERIUMS)	3	Aboreus	27
Tiberium Riparius (RIPARIUS)	Value	50	30
Tiberium Cruentus (CRUENTUS)	Value	100	33
Tiberium Vinifera (VINIFERA)	Value	50	36
Tiberium Aboreus (ABOREUS)	Value	50	39
CRATERULES (CRATERULES)	Solo Crate Money	1500	42
CRATERULES (CRATERULES)	Unit Crate Type	CMIN	43
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	Yes	46
COLORS (COLORS)	Neo Red	0,140,205	49
Chrono Sphere (GACSPH)	Name	Chrono Sphere	52
Chrono Sphere (GACSPH)	Technology level	12	53
Allied Construction Vehicle (AMCV)	Technology level	5	56
Chronosphere (CHRONOSPHERESPECIAL)	Recharge Time	120	59
Chronosphere (CHRONOSPHERESPECIAL)	Show Timer	no	60
Engineer (SENGINEER)	Technology level	10	63
Attack Dog (DOG)	Technology level	10	66
Nuclear Missile Silo (NAMISL)	Technology level	12	69
Iron Curtain Device (NAIRON)	Technology level	12	72
Yuri (YURI)	Technology level	12	75

Object/system	Property	Mission value	Source line
Chrono Legionnaire (CLEG)	Technology level	12	78
Soviet Shipyard (NAYARD)	Technology level	12	81
Kirov Airship (ZEP)	Technology level	12	84
Allied Shipyard (GAYARD)	Technology level	12	87
Weather Controller (GAWEAT)	Technology level	12	90
Gap Generator (GAGAP)	Name	Gap Generator	93
Gap Generator (GAGAP)	Technology level	12	94
Cloning Vats (NACLON)	Technology level	12	97
Psychic Sensor (NAPSIS)	Technology level	12	100
Tanya (TANY)	Technology level	12	103
Ore Purifier (GAOREP)	Name	Allied Ore Processor	106
Ore Purifier (GAOREP)	Technology level	9	107
SEAL (GHOST)	Name	SEAL	110
SEAL (GHOST)	Technology level	3	111
Technician (CTECH)	Name	Technician	114
Technician (CTECH)	Insignificant-object flag	no	115
Technician (CTECH)	Threat contribution	10	116
Negative Light Post (NEGLAMP)	Name	Negative Light Post	119
Negative Light Post (NEGLAMP)	Image	GALITE	120
Negative Light Post (NEGLAMP)	Local light reach	4000	121
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	122
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	123
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	124
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	125
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	128
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	129
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	130
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.4000	131
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.0000	132
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.4000	133
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	136
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	137
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	138
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	139
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	140

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	-0.1	141
Barrels (CAMISC01)	Name	RA2 Barrels	144
Barrels (CAMISC01)	Insignificant-object flag	no	145
Barrels (CAMISC01)	Hidden from radar	no	146
Barrel (CAMISC02)	Name	RA2 Barrel	149
Barrel (CAMISC02)	Insignificant-object flag	no	150
Barrel (CAMISC02)	Hidden from radar	no	151
Einstein's Laboratory (CALAB)	Name	RA2 Einstein's Lab	154
Einstein's Laboratory (CALAB)	Technology level	-1	155
Einstein's Laboratory (CALAB)	Insignificant-object flag	no	156
Einstein's Laboratory (CALAB)	Hidden from radar	no	157
Einstein's Laboratory (CALAB)	Repair-tool permission	yes	158
Einstein's Laboratory (CALAB)	Infantry garrison permitted	no	159
Einstein's Laboratory (CALAB)	Garrison capacity	0	160
Einstein's Laboratory (CALAB)	Distributed Fire	no	161
Einstein's Laboratory (CALAB)	Primary	none	162
Einstein's Laboratory (CALAB)	Secondary	none	163
SPECIALFLAGS	Tiberium Grows	no	166
SPECIALFLAGS	Tiberium Spreads	yes	167
SPECIALFLAGS	Tiberium Explosive	no	168
SPECIALFLAGS	Destroyable Bridges	yes	169
SPECIALFLAGS	MCV Deploy	no	170
SPECIALFLAGS	Initial Veteran	no	171
SPECIALFLAGS	Fixed Alliance	no	172
SPECIALFLAGS	Harvester Immune	no	173
SPECIALFLAGS	Fog Of War	no	174
SPECIALFLAGS	Inert	no	175
SPECIALFLAGS	Ion Storms	no	176
SPECIALFLAGS	Meteorites	no	177
SPECIALFLAGS	Visceroids	no	178
COUNTRIES (COUNTRIES)	0	Einstein	181
COUNTRIES (COUNTRIES)	1	Player	182
COUNTRIES (COUNTRIES)	2	BadGuy1	183
COUNTRIES (COUNTRIES)	3	BadGuy2	184
COUNTRIES (COUNTRIES)	4	BadGuy3	185
COUNTRIES (COUNTRIES)	5	Germany1	186
COUNTRIES (COUNTRIES)	6	Germany2	187
COUNTRIES (COUNTRIES)	7	Germany3	188
COUNTRIES (COUNTRIES)	8	Temp	189
VARIABLENAMES (VARIABLENAMES)	0	Einsteins Gift FLG,0	325
VARIABLENAMES (VARIABLENAMES)	1	Einstein Audio1,0	326

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	2	Einstein Audio2,0	327
VARIABLENAMES (VARIABLENAMES)	3	Einstein Audio3,0	328
VARIABLENAMES (VARIABLENAMES)	4	SpySat Audio Played,0	329
VARIABLENAMES (VARIABLENAMES)	5	Polar Bears Gone,0	330
VARIABLENAMES (VARIABLENAMES)	6	Woman in Car,0	331
VARIABLENAMES (VARIABLENAMES)	7	Spawn Crate,0	332
VARIABLENAMES (VARIABLENAMES)	8	Spawn Crate2,0	333
VARIABLENAMES (VARIABLENAMES)	9	Spawn Crate3,0	334
VARIABLENAMES (VARIABLENAMES)	10	Spawn Crate4,0	335
VARIABLENAMES (VARIABLENAMES)	11	Spawn Crate5,0	336
VARIABLENAMES (VARIABLENAMES)	12	Spawn Crate6,0	337
VARIABLENAMES (VARIABLENAMES)	13	Spawn Crate7,0	338
VARIABLENAMES (VARIABLENAMES)	14	Purifier Exists,0	339

Operation: Fallout

Campaign reading guide | Engine

Operation: Fallout

all11t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy2 House (80)
- Civie1 House (77)
- Player House (40)
- House Elania (18)
- BadGuy3 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all11t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all11t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all11t.map. **Effective extracted member:** MAPS01.MIX/all11t.map. **Trigger definitions:** 102.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,90,170
Visible local rectangle	10,5,75,95
Placed vehicles	35
Placed infantry	49
Placed structures	145
Placed aircraft	0
Team templates	95

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	600	BadGuy2
3	BadGuy3 House	100	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	0	Other1
6	Other2 House	0	Other2
7	Other3 House	0	Other3
8	House Elania	0	Elania

Local state flags at initialization

Flag	Meaning label and initial value
0	Chronosphere Built,0
1	Team Landed,0
2	Team 2 Landed,0
3	Anti-Oil Landed,0
4	Oil Captured,0
5	Team 3 Landed,0
6	Team 2b Landed,0
7	Team 3b Landed,0
8	Team 3c Landed,0
9	Anti-Oil 2 Landed,0
10	Para 1 Landed,0
11	Recur Invader 1a La,0
12	Nuke Ready,0
13	Got Gap,0
14	Nuke2 Ready,0
15	Civ Boat offscreen,0
16	Recur 2a landed,0
17	Recur 2b landed,0
18	Low Power,0
19	Mainland Bridge,0
20	Base Island Bridge,0
21	1 CO Landed,0
22	2 CO Landed,0
23	3 CO Landed,0
24	4 CO Landed,0
25	5 CO Landed,0
26	6 CO Landed,0
27	1 CN Landed,0
28	2 CN Landed,0
29	3 CN Landed,0
30	4 CN Landed,0
31	5 CN Landed,0
32	6 CN Landed,0
33	Chronosphere Up,0
34	Nuke Win Go,0
35	Dead Squid,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Win (Game Over) (0CD424DC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
_Loss (Game Over) (0A06B1BC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Reveal BG Base - 08A048F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A00E90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 10, parameter 2: 5, parameter 3: 75, parameter 4: 155.
2. Supply reinforcement team Sov Right Flank Patrol (0BCC8AD0).
3. Supply reinforcement team Sov Left Flank Patrol (0BCD1810).
4. Supply reinforcement team BG2 Harvesters a (04186C8C).
5. Supply reinforcement team BG2 Harvesters b (0BA595AC).
6. Enable and reset applicable timers for BG2 AITrig & Prod Start (0BCDB040).
7. Enable and reset applicable timers for Win (Nukes KIA) Enabler (07A1260C).
8. Enable and reset applicable timers for Play 1st Romanov Movie (0A9CD77C).
9. Supply reinforcement team BG2 ParaTeam 6 (0877B26C).
10. Enable and reset applicable timers for 1st Teams Go (0ADC130C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9409, Events line 9513, Actions line 9617.

2. BG2 AITrig & Prod Start - 0BCDB040

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal BG Base (08A048F0).

Attached scope: tag definitions 0BCDBD20 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9410, Events line 9514, Actions line 9618.

3. Win (Nukes KIA) Enabler - 07A1260C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal BG Base (08A048F0).

Attached scope: tag definitions 079FF99C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Win (Nukes KIA) (0BA9F670).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9411, Events line 9515, Actions line 9619.

4. Play 1st Romanov Movie - 0A9CD77C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal BG Base (08A048F0).

Attached scope: tag definitions 0A9CD3DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 63 (cell 189, 199).
2. Play sound CameraSwitch.
3. Play in-game movie with game pause 73.
4. Enable and reset applicable timers for Return Camera to CU (0C9771AC).
5. Disable player input.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9412, Events line 9516, Actions line 9620.

5. 1st Teams Go - 0ADC130C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal BG Base (08A048F0); enable from 3rd Teams Go (0A77D05C).

Attached scope: tag definitions 0ADC0B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 300CN Team (0B0A448C).
2. Supply reinforcement team 300CO Team (0B0A493C).
3. Enable and reset applicable timers for 2nd Teams Go (0B65103C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9413, Events line 9517, Actions line 9621.

6. Win (Nukes KIA) - 0BA9F670

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win (Nukes KIA) Enabler (07A1260C).

Attached scope: Nuclear Missile Silo (NAMISL), owner BadGuy1 House, cell (184, 202), tag 0BA99E80, persistence mode 1; Nuclear Missile Silo (NAMISL), owner BadGuy1 House, cell (186, 196), tag 0BA99E80, persistence mode 1; Nuclear Missile Silo (NAMISL), owner BadGuy1 House, cell (192, 194), tag 0BA99E80, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Win (Play Movie) (0AD6F94C).
2. Disable Objective 1 Statement (0A9513BC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9414, Events line 9518, Actions line 9622.

7. Return Camera to CU - 0C9771AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play 1st Romanov Movie (0A9CD77C).

Attached scope: tag definitions 0C977E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 98 (cell 110, 102).
2. Play sound CameraSwitch.
3. Enable player input.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9415, Events line 9519, Actions line 9623.

8. 2nd Teams Go - 0B65103C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Teams Go (0ADC130C).

Attached scope: tag definitions 0B65C04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 600CO Team (0B0A559C).
2. Supply reinforcement team 600CN Team (0B0A67BC).
3. Enable and reset applicable timers for 3rd Teams Go (0A77D05C).
4. Supply reinforcement team BG2 ParaTeam 5 (087AF6AC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9416, Events line 9520, Actions line 9624.

9. Win (Play Movie) - 0AD6F94C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win (Nukes KIA) (0BA9F670).

Attached scope: tag definitions 0AD709BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie with game pause 74.
2. Enable and reset applicable timers for Win (Nukes All Finished) (0B3EA4FC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9417, Events line 9521, Actions line 9625.

10. Objective 1 Statement - 0A9513BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 1 Statement Enable (0A9519EC).

Attached scope: tag definitions 0A957F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 33 (Chronosphere Up) is clear.

Flag writers in this mission: set local flag 33 (Chronosphere Up) at Chronosphere is Built (0B5E803C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective 1: Construct a Chronosphere” (MISSION:All11d).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9418, Events line 9522, Actions line 9626.

11. 3rd Teams Go - 0A77D05C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2nd Teams Go (0B65103C).

Attached scope: tag definitions 0A77EB8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 900CN Team (0B0A630C).
2. Supply reinforcement team 900CO Team (0B0A7C8C).
3. Enable and reset applicable timers for 1st Teams Go (0ADC130C).
4. Supply reinforcement team BG2 ParaTeam 6 (0877B26C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9419, Events line 9523, Actions line 9627.

12. Win (Nukes All Finished) - 0B3EA4FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win (Play Movie) (0AD6F94C).

Attached scope: tag definitions 0B3E9EAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 34 (Nuke Win Go).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9420, Events line 9524, Actions line 9628.

13. Win (Cheer) - 0AD71F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AD721BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 34 (Nuke Win Go) is set.

Flag writers in this mission: set local flag 34 (Nuke Win Go) at Win (Nukes All Finished) (0B3EA4FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Win (Game Over) (0CD424DC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9421, Events line 9525, Actions line 9629.

14. Win (Game Over) - 0CD424DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win (Cheer) (0AD71F3C).

Attached scope: tag definitions 0CD43EEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9422, Events line 9526, Actions line 9630.

15. Create BG Defense Teams - 0BCD1030

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BCD0C80 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _WDefense Dolphin (0418E94C).
2. Supply reinforcement team _WDefense Destroyer (0418E4CC).
3. Create/recruit team _Defense Spy (0D1516AC).
4. Create/recruit team _Defense Infantry (0D150DEC).
5. Create/recruit team _Defense Lt Armor (0D1511FC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9423, Events line 9527, Actions line 9631.

16. Nuke Silos to BG2 - 0BCCEB50

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BCCE950 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. Display message “WARNING: Soviet Nuclear Missiles are now” (MISSION:All11c1).
3. Display message “being armed” (MISSION:All11c2).
4. Enable and reset applicable timers for Objective 2 Statement (0A0C951C).
5. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9424, Events line 9528, Actions line 9632.

17. Objective 2 Statement - 0A0C951C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke Silos to BG2 (0BCCEB50).

Attached scope: tag definitions 0A0CDDEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Neutralize the Soviet Nuclear” (MISSION:All11e1).
2. Display message “Missile Silos” (MISSION:All11e2).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9425, Events line 9529, Actions line 9633.

18. BG2 Initial Patrols - 09D97560

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09D93D10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 62 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team BG2 Squid Patrol (0BA6672C).
2. Create/recruit team BG2 Sub Patrol (0BA6627C).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9426, Events line 9530, Actions line 9634.

19. BG2 Invader 1 Go t=90 - 09E5A2A0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E5BCD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 Invader 1 (09EF548C).
2. Supply reinforcement team BG2 Invader 1 Escort (0B07348C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9427, Events line 9531, Actions line 9635.

20. BG2 Invader 1a Go - 09E5BBF0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E5B850 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Team Landed) is set.

Flag writers in this mission: clear local flag 1 (Team Landed) at BG2 Invader 1a Go (09E5BBF0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 1a (0879D48C).
2. Clear local flag 1 (Team Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9428, Events line 9532, Actions line 9636.

21. BG2 Para 1 Go (t=150) - 09FCE390

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09FCFE30 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 1 (0879C3EC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9429, Events line 9533, Actions line 9637.

22. BG2 Invader 2 Go t=240 - 0999C740

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0999E600 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 Invader 2-1 (0AE7CAA0).
2. Supply reinforcement team BG2 Invader 2-2 (0AE78630).
3. Supply reinforcement team BG2 Invader 2 Escort (0AEA72D0).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9430, Events line 9534, Actions line 9638.

23. BG2 Invader 2a Go - 0999E450

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0999E2E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Team 2 Landed) is set.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 2a (0879B7DC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9431, Events line 9535, Actions line 9639.

24. BG2 Anti-Oil Team Enable 1 - 0999AAB0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 71 (global list position: Tech Oil Derrick (CAOILD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 4 (Oil Captured).
2. Enable and reset applicable timers for BG2 Anti-Oil Team Go (0999A680).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9432, Events line 9536, Actions line 9640.

25. BG2 Anti-Oil Team Go - 0999A680

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Anti-Oil Team Enable 1 (0999AAB0); enable from BG2 Anti-Oil Team Enable 2 (time) (089FD960).

Attached scope: tag definitions 0999A360 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team BG2 Anti-Oil Team-1 (08C802A0).
2. Supply reinforcement team BG2 Anti-Oil Team-2 (0BBFA43C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9433, Events line 9537, Actions line 9641.

26. BG2 Anti-Oil Team a Go - 0999A1E0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099A0F50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Anti-Oil Landed) is set.

Then perform these actions in order:

1. Create/recruit team BG2 Anti-Oil Team a (0879995C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9434, Events line 9538, Actions line 9642.

27. BG2 Invader 3 Go (battlelab up) - 099BAF40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099C20C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 6 (global list position: Allied Battle Lab (GATECH)). A map-local type-list change can affect index interpretation.
2. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG2 Invader 3-2 (0D15A1FC).
2. Supply reinforcement team BG2 Invader 3 Escorts (093BE580).
3. Supply reinforcement team BG2 Invader 3-1 (0D15BA4C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9435, Events line 9539, Actions line 9643.

28. BG2 Invader 3a - 099C32C0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Team 3 Landed) is set.

Flag writers in this mission: clear local flag 5 (Team 3 Landed) at BG2 Invader 3c Go (09EC92C0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 3a (0D15B59C).
2. Create/recruit team BG2 Invader 3b (0D15AEFC).
3. Create/recruit team BG2 Invader 3c (0D15AA4C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9436, Events line 9540, Actions line 9644.

29. BG2 Invader 3a Go - B

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099C89A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Team 3 Landed) is set.

Flag writers in this mission: clear local flag 5 (Team 3 Landed) at BG2 Invader 3c Go (09EC92C0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 3a (0D15B59C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9437, Events line 9541, Actions line 9645.

30. BG2 Invader 2b Go - 09ECABD0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09ECAA20 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Team 2b Landed) is set.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 2b (0879B32C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9438, Events line 9542, Actions line 9646.

31. BG2 Invader 3b Go - 09EC95B0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EC9430 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Team 3b Landed) is set.

Flag writers in this mission: clear local flag 7 (Team 3b Landed) at BG2 Invader 3c Go (09EC92C0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 3b (0D15AEFC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9439, Events line 9543, Actions line 9647.

32. BG2 Invader 3c Go - 09EC92C0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EC91F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Team 3b Landed) is set.
2. local flag 5 (Team 3 Landed) is set.

Flag writers in this mission: clear local flag 7 (Team 3b Landed) at BG2 Invader 3c Go (09EC92C0); clear local flag 5 (Team 3 Landed) at BG2 Invader 3c Go (09EC92C0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team BG2 Invader 3c (0D15AA4C).
2. Clear local flag 5 (Team 3 Landed).
3. Clear local flag 7 (Team 3b Landed).
4. Clear local flag 8 (Team 3c Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9440, Events line 9544, Actions line 9648.

33. BG2 Anti-Oil Team b GO - 09EC9880

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09ECBD90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Anti-Oil 2 Landed) is set.

Then perform these actions in order:

1. Create/recruit team BG2 Anti-Oil Team b (0879EEFC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9441, Events line 9545, Actions line 9649.

34. BG2 Seaborn Attk Go (warfactory up) - 09EDABB0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EDA920 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 7 (global list position: Allied War Factory (GAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG2 Seaborn Attack (09C011FC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9442, Events line 9546, Actions line 9650.

35. BG2 ParaTeam 2 - 093A04F0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 2 (087A247C).
2. Supply reinforcement team BG2 ParaTeam 3 (087A223C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9443, Events line 9547, Actions line 9651.

36. BG2 Para 2&3 Go (t=360) Hard - 3 GO

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 360 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 2 (087A247C).
2. Supply reinforcement team BG2 ParaTeam 3 (087A223C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9444, Events line 9548, Actions line 9652.

37. BG2 Anti-Oil Team Enable 2 (time) - 089FD960

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: BG2 Anti-Oil Team Enable 1 (0999AAB0).

Attached scope: tag definitions 0999A760 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for BG2 Anti-Oil Team Go (0999A680).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9445, Events line 9549, Actions line 9653.

38. First Squid Attack (t=5) - 0AE6C0D0

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE620E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Civ Boat (0C54E59C).
2. Create/recruit team First Squid Attk (0BCAF21C).
3. Make enemy: owner selector 18 (country/type OTHER1; placed owner Other1 House).
4. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Move the camera to waypoint 94 (cell 97, 119) with speed setting 2.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9446, Events line 9550, Actions line 9654.

39. Civ Call for Help - 0AE750E0

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cruise Ship (CRUISE), owner Other1 House, cell (88, 115), tag 0AE73770, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.
2. local flag 35 (Dead Squid) is clear.

Flag writers in this mission: set local flag 35 (Dead Squid) at Dead Squid (0DC801EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 50 (cell 103, 129).
2. Enable and reset applicable timers for Squid Explanation (0AE9139C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9447, Events line 9551, Actions line 9655.

40. Squid Explanation - 0AE9139C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Civ Call for Help (0AE750E0).

Attached scope: tag definitions 0AE90B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 104.
2. Enable and reset applicable timers for Dolphin Explanation (0AE8F44C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9448, Events line 9552, Actions line 9656.

41. Dolphin Explanation - 0AE8F44C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Squid Explanation (0AE9139C).

Attached scope: tag definitions 0AE8B72C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 21 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: To make SQUID release a ship, you” (MISSION:All11a1).
2. Create/recruit team Dolphin Flashers! (0B3612CC).
3. Display message “must force your DOLPHINS to fire on the” (MISSION:All11a2).
4. Display message “AFFECTED SHIP” (MISSION:All11a3).
5. Make ally: owner selector 18 (country/type OTHER1; placed owner Other1 House).
6. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9449, Events line 9553, Actions line 9657.

42. _Loss (Occurs) - 0BA99910

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BA995A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for _Loss (Game Over) (0A06B1BC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9450, Events line 9554, Actions line 9658.

43. _Loss (Game Over) - 0A06B1BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Loss (Occurs) (0BA99910).

Attached scope: tag definitions 09F866CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9451, Events line 9555, Actions line 9659.

44. ParaTeam 4 (t=t+420) - 0D5F4220

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 0D5F19D0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 4 (087AA6AC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9452, Events line 9556, Actions line 9660.

45. _AAA Disable Recursives - 0D5F1860

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D5F7920 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Recur Invader 2a (t=300) (0A3B0160).
2. Disable Invader 2b (t=t+450) (0A390C80).
3. Disable Recur Invader 1 (t=t+300) (0BB1A4D0).
4. Disable Sea Attk (t=t+625) (0BB1C5E0).
5. Disable ParaTeam 5 (t=t+500) (09B465EC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9453, Events line 9557, Actions line 9661.

46. Recur Invader 2a (t=300) - 0A3B0160

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 0A3B6520 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Recur Invader 2a (0A391780).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9454, Events line 9558, Actions line 9662.

47. Invader 2b (t=t+450) - 0A390C80

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 0A39A030 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 450 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Recur Invader 2b (0A3B1C10).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9455, Events line 9559, Actions line 9663.

48. Recur Invader 1 (t=t+300) - 0BB1A4D0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 0BB1DCA0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Recur Invader 1a (0AEE07DC).
2. Supply reinforcement team Recur Invader 1 escort (0A41CEFC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9456, Events line 9560, Actions line 9664.

49. Sea Attk (t=t+625) - 0BB1C5E0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 0BB18850 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 625 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Sea Attk (09C167DC).
2. Supply reinforcement team BG2 Squid Patrol (0BA6672C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9457, Events line 9561, Actions line 9665.

50. ParaTeam 5 (t=t+500) - 09B465EC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Persistent Teams (0DB6A7EC).

Attached scope: tag definitions 09B43BEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 500 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 5 (087AF6AC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9458, Events line 9562, Actions line 9666.

51. Invader 1 Onshore - 0A067260

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A067F50 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Recur Invader 1a La) is set.

Flag writers in this mission: clear local flag 11 (Recur Invader 1a La) at Invader 1 Onshore (0A067260). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Recur Invader 1a-Landed (0AEE6EFC).
2. Clear local flag 11 (Recur Invader 1a La).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9459, Events line 9563, Actions line 9667.

52. Got Gap Generator? - 0BAE9210

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAE3070 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 63 (global list position: Gap Generator (GAGAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 13 (Got Gap).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9460, Events line 9564, Actions line 9668.

53. NUKE Targeting 1 - 0BAF16F0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal Nukes (0A3C7E40).

Attached scope: tag definitions 0BAF71D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 710 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Preferred target; main setting 7.
2. Enable and reset applicable timers for NUKE Targeting 2 (0BAF6240).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9461, Events line 9565, Actions line 9669.

54. NUKE Targeting 2 - 0BAF6240

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from NUKE Targeting 1 (0BAF16F0).

Attached scope: tag definitions 0BAF1080 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Preferred target; main setting 9.
2. Enable and reset applicable timers for NUKE Targeting 3+ (0BAEB340).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9462, Events line 9566, Actions line 9670.

55. NUKE Targeting 3+ - 0BAEB340

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from NUKE Targeting 2 (0BAF6240).

Attached scope: tag definitions 0BAF76A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Preferred target; main setting 6; location/duration field BI.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9463, Events line 9567, Actions line 9671.

56. Make sure Civ Boat is gone - 0A353800

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A36E190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (Civ Boat offscreen) is clear.
2. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Civ Boat (0C54E59C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9464, Events line 9568, Actions line 9672.

57. Reveal Nukes - 0A3C7E40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3C6720 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Reveal terrain around waypoint 48 (cell 197, 207).
2. Reveal terrain around waypoint 15 (cell 181, 207).
3. Reveal terrain around waypoint 14 (cell 183, 193).
4. Reveal terrain around waypoint 16 (cell 197, 191).
5. Reveal terrain around waypoint 63 (cell 189, 199).
6. Create radar-event marker type 5 at waypoint 63 (cell 189, 199).

7. Enable and reset applicable timers for NUKE Targeting 1 (0BAF16F0).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9465, Events line 9569, Actions line 9673.

58. Chronosphere Hint - 0A95E08C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chronosphere is Built (0B5E803C).

Attached scope: tag definitions 0A95FE0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 290 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: The CHRONOSPHERE will teleport all” (MISSION:All11b1).
2. Display message “VEHICLES within a small area across any distance” (MISSION:All11b2).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9466, Events line 9570, Actions line 9674.

59. Invader 2a Landed - 0A3B3C10

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3B3B00 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Recur 2a landed) is set.

Flag writers in this mission: clear local flag 16 (Recur 2a landed) at Invader 2a Landed (0A3B3C10). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Recur Invader 2a Landed (0A3AD940).
2. Clear local flag 16 (Recur 2a landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9467, Events line 9571, Actions line 9675.

60. Invader 2b Landed - 0A2E7B30

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A36E4A0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 17 (Recur 2b landed) is set.

Flag writers in this mission: clear local flag 17 (Recur 2b landed) at Invader 2b Landed (0A2E7B30). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Recur Invader 2b Landed (08C8E2A0).
2. Clear local flag 17 (Recur 2b landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9468, Events line 9572, Actions line 9676.

61. Reveal Known Areas - 0A3CEF40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3CAC30 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 32 (cell 124, 83).
2. Reveal terrain around waypoint 67 (cell 74, 62).
3. Reveal terrain around waypoint 66 (cell 110, 85).
4. Reveal terrain around waypoint 52 (cell 132, 87).

5. Reveal terrain around waypoint 53 (cell 123, 113).
6. Reveal terrain around waypoint 42 (cell 64, 62).
7. Reveal terrain around waypoint 60 (cell 72, 76).
8. Reveal terrain around waypoint 68 (cell 118, 92).
9. Reveal terrain around waypoint 69 (cell 126, 99).
10. Reveal terrain around waypoint 70 (cell 83, 54).
11. Reveal terrain around waypoint 71 (cell 75, 32).
12. Reveal terrain around waypoint 72 (cell 49, 60).
13. Reveal terrain around waypoint 73 (cell 75, 43).
14. Reveal terrain around waypoint 74 (cell 68, 50).
15. Reveal terrain around waypoint 75 (cell 58, 49).
16. Reveal terrain around waypoint 76 (cell 66, 43).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9469, Events line 9573, Actions line 9677.

62. Objective 1 Statement Enable - 0A9519EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A9514AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 1 Statement (0A9513BC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9470, Events line 9574, Actions line 9678.

63. Play Crickets Sounds - 0A952A2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A95094C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_CricketBed at waypoint 85 (cell 65, 82).
2. Play sound _Amb_CricketBed at waypoint 86 (cell 44, 77).
3. Play sound _Amb_CricketBed at waypoint 56 (cell 50, 101).
4. Play sound _Amb_CricketBed at waypoint 47 (cell 64, 123).
5. Play sound _Amb_CricketBed at waypoint 55 (cell 67, 102).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9471, Events line 9575, Actions line 9679.

64. Play Beach Birds Sounds - 0A95072C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A9503CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 51 (cell 80, 60).
2. Play sound _Amb_BirdsBeach at waypoint 71 (cell 75, 32).
3. Play sound _Amb_BirdsBeach at waypoint 52 (cell 132, 87).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9472, Events line 9576, Actions line 9680.

65. Play Harbor Birds Sounds - 0A9502DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A9500DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 82 (cell 103, 108).
2. Play sound _Amb_BirdsHarbor at waypoint 83 (cell 170, 186).
3. Play sound _Amb_BirdsHarbor at waypoint 84 (cell 183, 178).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9473, Events line 9577, Actions line 9681.

66. Play Urban Murmur Sounds - 0A94E12C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A95544C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 76 (cell 66, 43).
2. Play sound _Amb_UrbanMurmur2 at waypoint 59 (cell 61, 57).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9474, Events line 9578, Actions line 9682.

67. Play Light Surf Sounds - 0A95FBBC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A95EF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 61 (cell 93, 46).
2. Play sound _Amb_OceanLight at waypoint 64 (cell 78, 35).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9475, Events line 9579, Actions line 9683.

68. Play Hvy Surf Sounds 1 - 0A95ED7C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A95F9AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 79 (cell 148, 203).
2. Play sound _Amb_OceanHeavy at waypoint 17 (cell 147, 179).
3. Play sound _Amb_OceanHeavy at waypoint 19 (cell 162, 166).
4. Play sound _Amb_OceanHeavy at waypoint 18 (cell 183, 153).
5. Play sound _Amb_OceanHeavy at waypoint 80 (cell 210, 141).
6. Play sound _Amb_OceanHeavy at waypoint 81 (cell 200, 148).
7. Play sound _Amb_OceanHeavy at waypoint 22 (cell 143, 96).
8. Play sound _Amb_OceanHeavy at waypoint 53 (cell 123, 113).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9476, Events line 9580, Actions line 9684.

69. Play Hvy Surf Sounds 2 - 0A95F8BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A95E96C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 21 (cell 123, 128).
2. Play sound _Amb_OceanHeavy at waypoint 44 (cell 82, 89).
3. Play sound _Amb_OceanHeavy at waypoint 27 (cell 91, 81).
4. Play sound _Amb_OceanHeavy at waypoint 28 (cell 101, 65).
5. Play sound _Amb_OceanHeavy at waypoint 46 (cell 123, 65).
6. Play sound _Amb_OceanHeavy at waypoint 23 (cell 135, 71).
7. Play sound _Amb_OceanHeavy at waypoint 41 (cell 72, 122).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9477, Events line 9581, Actions line 9685.

70. Power transfer to Nuke - 08193F3C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08193C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9478, Events line 9582, Actions line 9686.

71. Ack! They see us...Get'em! - 0AD7FBAC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AD7F45C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 1 (0879C3EC).
2. Supply reinforcement team BG2 ParaTeam 2 (087A247C).
3. Supply reinforcement team BG2 ParaTeam 3 (087A223C).
4. Supply reinforcement team BG2 ParaTeam 4 (087AA6AC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9479, Events line 9583, Actions line 9687.

72. Mainland Brdg Fixers 1 - 0AD61B0C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (91, 43); tag 0AD66F4C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 19 (Mainland Bridge).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9480, Events line 9584, Actions line 9688.

73. Mainland Brdg Fixers 2 - 0B09F59C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B09F16C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 19 (Mainland Bridge) is set.

Flag writers in this mission: set local flag 19 (Mainland Bridge) at Mainland Brdg Fixers 1 (0AD61B0C); clear local flag 19 (Mainland Bridge) at Mainland Brdg Fixers 2 (0B09F59C); set local flag 19 (Mainland Bridge) at Mainland Brdg Fixers 3 (0B0A0F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Bridge to Mainland Up (0AF3DDEC).
2. Clear local flag 19 (Mainland Bridge).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9481, Events line 9585, Actions line 9689.

74. Mainland Brdg Fixers 3 - 0B0A0F3C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0A09DC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 19 (Mainland Bridge).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9482, Events line 9586, Actions line 9690.

75. Base Isle Brdg Fixers1 - 0B93071C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (110, 66); tag 0B93036C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 20 (Base Island Bridge).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9483, Events line 9587, Actions line 9691.

76. Base Isle Brdg Fixers2 - 0B93027C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B93EB8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 20 (Base Island Bridge) is set.

Flag writers in this mission: set local flag 20 (Base Island Bridge) at Base Isle Brdg Fixers1 (0B93071C); clear local flag 20 (Base Island Bridge) at Base Isle Brdg Fixers2 (0B93027C); set local flag 20 (Base Island Bridge) at Base Isle Brdg Fixers3 (0B93E94C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 20 (Base Island Bridge).
2. Supply reinforcement team Bridge to Base Isle Up (0AF3D93C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9484, Events line 9588, Actions line 9692.

77. Base Isle Brdg Fixers3 - 0B93E94C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B93E74C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 20 (Base Island Bridge).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9485, Events line 9589, Actions line 9693.

78. Zone Defenders Go 1 - 081DD84C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team Zone Defender 1 (081D57EC).
2. Create/recruit team Zone Defender 2 (081DA76C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9486, Events line 9590, Actions line 9694.

79. BG2 Base Response (M) - 099AEC2C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG2 Base Response 1 (0B41CDEC).
2. Create/recruit team BG2 Base Response 2 (0B41C93C).
3. Create/recruit team BG2 Base Response 3 (0B41C48C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9487, Events line 9591, Actions line 9695.

80. Zone Defenders Go 2 - 07F6786C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Zone Defenders Go 1 (081DD84C).

Attached scope: 221 tagged map cells: (208, 148), (209, 148), (206, 149), (207, 149), (208, 149), (209, 149), (210, 149), (211, 149), (212, 149), (213, 149), (214, 149), (215, 149), (223, 149), (224, 149), (234, 149), (206, 150), (215, 150), (216, 150), (217, 150), (218, 150), (219, 150), (220, 150), (221, 150), (222, 150), (223, 150), (224, 150), (225, 150), (226, 150), (227, 150), (228, 150), (229, 150), (230, 150), (231, 150), (232, 150), (233, 150), (234, 150), (205, 151), (206, 151), (205, 152), (198, 153), (199, 153), (200, 153), (201, 153), (202, 153), (203, 153), (204, 153), (205, 153), (196, 154), (197, 154), (198, 154), (196, 155), (197, 155), (197, 156), (197, 157), (196, 158), (197, 158), (196, 159), (197, 159), (198, 159), (198, 160), (198, 161), (191, 162), (192, 162), (198, 162), (191, 163), (192, 163), (193, 163), (194, 163), (197, 163), (198, 163), (191, 164), (192, 164), (194, 164), (197, 164), (192, 165), (194, 165), (195, 165), (196, 165), (197, 165), (192, 166), (192, 167), (192, 168), (192, 169), (192, 170), (192, 171), (192, 172), (192, 173), (193, 173), (193, 174), (193, 175), (188, 176), (189, 176), (190, 176), (191, 176), (192, 176), (193, 176), (186, 177), (187, 177), (188, 177), (186, 178), (174, 179), (175, 179), (176, 179), (177, 179), (178, 179), (179, 179), (180, 179), (186, 179), (187, 179), (172, 180), (173, 180), (174, 180), (180, 180), (187, 180), (172, 181), (180, 181), (181, 181), (182, 181), (187, 181), (172, 182), (182, 182), (185, 182), (186, 182), (187, 182), (172, 183), (182, 183), (183, 183), (184, 183), (185, 183), (172, 184), (172, 185), (172, 186), (171, 187), (172, 187), (159, 188), (160, 188), (161, 188), (162, 188), (163, 188), (164, 188), (171, 188), (157, 189), (158, 189), (159, 189), (164, 189), (165, 189), (166, 189), (167, 189), (168, 189), (169, 189), (170, 189), (171, 189), (157, 190), (157, 191), (157, 192), (157, 193), (157, 194), (157, 195), (156, 196), (157, 196), (156, 197), (157, 197), (158, 197), (158, 198), (158, 199), (156, 200), (157, 200), (158, 200), (156, 201), (154, 202), (155, 202), (156, 202), (154, 203), (154, 204), (154, 205), (154, 206), (154, 207), (153, 208), (154, 208), (153, 209), (154, 209), (155, 209), (155, 210), (141, 211), (142, 211), (143, 211), (144, 211), (145, 211), (146, 211), (147, 211), (155, 211), (141, 212), (147, 212), (155, 212), (141, 213), (147, 213), (148, 213), (149, 213), (155, 213), (141, 214), (149, 214), (150, 214), (151, 214), (152, 214), (153, 214), (154, 214), (155, 214), (141, 215), (141, 216), (141, 217), (142, 217), (142, 218), (142, 219), (141, 220), (142, 220), (141, 221), (141, 222), (141, 223), (139, 224), (140, 224), (141, 224); tag 081D9D0C, persistence mode 0.

Wait for the recorded events:

1. local flag 0 (Chronosphere Built) is set.

2. Build Unit Type: type index 0 (global list position: Allied Construction Vehicle (AMCV)). A map-local type-list change can affect index interpretation.

Flag writers in this mission: set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Easy) (09EDD83C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Med) (09EDD46C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (Hard) (09EE6F3C); set local flag 0 (Chronosphere Built) at Heeeere's Cuuuba (CSphere Up) (09EE6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Zone Defender 1 (081D57EC).
2. Create/recruit team Zone Defender 2 (081DA76C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9488, Events line 9592, Actions line 9696.

81. Heeeere's Cuuuba (Easy) - 09EDD83C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1860 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set local flag 0 (Chronosphere Built).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9489, Events line 9593, Actions line 9697.

82. Heeeere's Cuuuba (Med) - 09EDD46C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Heeeere's Cuuuba (Easy) (09EDD83C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1260 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set local flag 0 (Chronosphere Built).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9490, Events line 9594, Actions line 9698.

83. Heeeere's Cuuuba (Hard) - 09EE6F3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Heeeere's Cuuuba (Med) (09EDD46C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 960 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set local flag 0 (Chronosphere Built).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9491, Events line 9595, Actions line 9699.

84. Heeeere's Cuuuba (CSphere Up) - 09EE6A5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Heeeere's Cuuuba (Hard) (09EE6F3C).

Attached scope: tag definitions 09EDD55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Chronosphere Built).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9492, Events line 9596, Actions line 9700.

85. Reveal Known Areas Mk II - 09F0874C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F0815C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 38 (cell 108, 156).
2. Reveal terrain around waypoint 34 (cell 113, 156).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9493, Events line 9597, Actions line 9701.

86. Stop CK Attackers - 0C7CF10C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM07), owner Civie1 House, cell (127, 89), tag 0C7D004C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Recur Invader 1 (t=t+300) (0BB1A4D0).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9494, Events line 9598, Actions line 9702.

87. BG2 Para 2 Go (t=360) Easy - 07EE33FC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: BG2 Para 2&3 Go (t=360) Hard (3 Go).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 360 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 2 (087A247C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9495, Events line 9599, Actions line 9703.

88. BG2 Para 3 Go (t=360) Med - 07EE677C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: BG2 Para 2 Go (t=360) Easy (07EE33FC).

Attached scope: tag definitions 093A4F50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 360 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team BG2 ParaTeam 3 (087A223C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9496, Events line 9600, Actions line 9704.

89. 300CO SAPC exit - 0ADC09CC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADC07CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 21 (1 CO Landed) is set.

Flag writers in this mission: clear local flag 21 (1 CO Landed) at 300CO SAPC exit (0ADC09CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 300CO SAPC exit (0ADC069C).

2. Clear local flag 21 (1 CO Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9497, Events line 9601, Actions line 9705.

90. 300CN SAPC exit - 0ADC2C7C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADC274C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 27 (1 CN Landed) is set.

Flag writers in this mission: clear local flag 27 (1 CN Landed) at 300CN SAPC exit (0ADC2C7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 300CN SAPC exit (0ADB6A3C).
2. Clear local flag 27 (1 CN Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9498, Events line 9602, Actions line 9706.

91. 600CN SAPC exit - 086C374C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A858D6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 28 (2 CN Landed) is set.

Flag writers in this mission: clear local flag 28 (2 CN Landed) at 600CN SAPC exit (086C374C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 600CN SAPC exit (0A859B1C).
2. Clear local flag 28 (2 CN Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9499, Events line 9603, Actions line 9707.

92. 600CO SAPC exit - 0A858C7C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7789DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 22 (2 CO Landed) is set.

Flag writers in this mission: clear local flag 22 (2 CO Landed) at 600CO SAPC exit (0A858C7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 600CO SAPC exit (0A859EFC).
2. Clear local flag 22 (2 CO Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9500, Events line 9604, Actions line 9708.

93. 900CO SAPC exit - 0B25FDBC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B25F7CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 23 (3 CO Landed) is set.

Flag writers in this mission: clear local flag 23 (3 CO Landed) at 900CO SAPC exit (0B25FDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 900CO SAPC exit (0A77BA3C).
2. Clear local flag 23 (3 CO Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9501, Events line 9605, Actions line 9709.

94. 900CN SAPC exit - 0B25F6DC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B25F23C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 29 (3 CN Landed) is set.

Flag writers in this mission: clear local flag 29 (3 CN Landed) at 900CN SAPC exit (0B25F6DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 900CN SAPC exit (0A77D83C).
2. Clear local flag 29 (3 CN Landed).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9502, Events line 9606, Actions line 9710.

95. BG2 Base Response (E) - 0907F09C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: BG2 Base Response (M) (099AEC2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG2 Base Response 1 (0B41CDEC).
2. Create/recruit team BG2 Base Response 2 (0B41C93C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9503, Events line 9607, Actions line 9711.

96. BG2 Base Response (H) - 0907B33C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: BG2 Base Response (E) (0907F09C).

Attached scope: Tesla Coil (TESLA), owner BadGuy2 House, cell (181, 203), tag 099AEA2C, persistence mode 0; Tesla Coil (TESLA), owner BadGuy2 House, cell (193, 191), tag 099AEA2C, persistence mode 0; Tesla Coil (TESLA), owner BadGuy2 House, cell (193, 207), tag 099AEA2C, persistence mode 0; Tesla Coil (TESLA), owner BadGuy2 House, cell (197, 203), tag 099AEA2C, persistence mode 0; Soviet Construction Yard (NACNST), owner BadGuy2 House, cell (192, 202), tag 099AEA2C, persistence mode 0; Soviet Ore Refinery (NAREFN), owner BadGuy2 House, cell (200, 178), tag 099AEA2C, persistence mode 0; Sentry Gun (NALASR), owner BadGuy2 House, cell (201, 186), tag 099AEA2C, persistence mode 0; Sentry Gun (NALASR), owner BadGuy2 House, cell (201, 182), tag 099AEA2C, persistence mode 0; Sentry Gun (NALASR), owner BadGuy2 House, cell (176, 195), tag 099AEA2C, persistence mode 0; Sentry Gun (NALASR), owner BadGuy2 House, cell (173, 194), tag 099AEA2C, persistence mode 0; Flak Cannon (NAFLAK), owner BadGuy2 House, cell (185, 207), tag 099AEA2C, persistence mode 0; Flak Cannon (NAFLAK), owner BadGuy2 House, cell (197, 196), tag 099AEA2C, persistence mode 0; Soviet Ore Refinery (NAREFN), owner BadGuy2 House, cell (166, 201), tag 099AEA2C, persistence mode 0; Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (176, 207), tag 099AEA2C, persistence mode 0; Tesla Reactor (NAPOWR), owner BadGuy2 House, cell (189, 205), tag 099AEA2C, persistence mode 0; Nuclear Reactor (NANRCT), owner BadGuy2 House, cell (172, 203), tag 099AEA2C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG2 Base Response 4 (0907C51C).
2. Create/recruit team BG2 Base Response 3 (0B41C48C).
3. Create/recruit team BG2 Base Response 2 (0B41C93C).
4. Create/recruit team BG2 Base Response 1 (0B41CDEC).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9504, Events line 9608, Actions line 9712.

97. Chronosphere is Built - 0B5E803C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B5F604C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 33 (Chronosphere Up).
2. Enable and reset applicable timers for Chronosphere Hint (0A95E08C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9505, Events line 9609, Actions line 9713.

98. Disable Cuba Invasion Teams - 0AFA6F3C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Soviet Shipyard (NAYARD), owner BadGuy2 House, cell (180, 173), tag 0AFA660C, persistence mode 1; Soviet Shipyard (NAYARD), owner BadGuy2 House, cell (166, 182), tag 0AFA660C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable 1st Teams Go (0ADC130C).
2. Disable 2nd Teams Go (0B65103C).
3. Disable 3rd Teams Go (0A77D05C).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9506, Events line 9610, Actions line 9714.

99. Battlefield Control Online - 0B148F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B148A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 62 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.
2. Display message “--Battle Control Online--” (MISSION:All01q).
3. Enable player input.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9507, Events line 9611, Actions line 9715.

100. Dead Squid - 0DC801EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Giant Squid (SQD), owner BadGuy2 House, cell (93, 128), tag 0DC8618C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 35 (Dead Squid).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9508, Events line 9612, Actions line 9716.

101. Battlefield Control Hold - 0E01140C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E0135AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS01.MIX/all11t.map; Triggers line 9509, Events line 9613, Actions line 9717.

102. Enable Persistent Teams - 0DB6A7EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB6BD3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 62 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Recur Invader 1 (t=t+300) (0BB1A4D0).
2. Enable and reset applicable timers for Recur Invader 2a (t=300) (0A3B0160).
3. Enable and reset applicable timers for Sea Attk (t=t+625) (0BB1C5E0).
4. Enable and reset applicable timers for ParaTeam 4 (t=t+420) (0D5F4220).
5. Enable and reset applicable timers for ParaTeam 5 (t=t+500) (09B465EC).
6. Enable and reset applicable timers for Invader 2b (t=t+450) (0A390C80).

Source locator: MAPS01.MIX/all11t.map; Triggers line 9510, Events line 9614, Actions line 9718.

All team rosters and ordered plans | All mission overrides

Operation: Fallout - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all11t.map; each team/script ID identifies its section.

BG2 Harvesters a - 04186C8C

Owner: BadGuy2. Roster: 2 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: BG2 Harvesters a SCR (04186A1C).

1. Report team success.

BG2 Harvesters b - 0BA595AC

Owner: BadGuy2. Roster: 2 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: BG2 Harvesters b SCR (0BA5933C).

1. Report team success.

Sov Right Flank Patrol - 0BCC8AD0

Owner: BadGuy2. Roster: 4 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Sov Right Flank Patrol SCR (0BCCADC0).

1. Attack-move toward waypoint: waypoint 1 (cell 205, 179).
2. Attack-move toward waypoint: waypoint 5 (cell 199, 170).
3. Attack-move toward waypoint: waypoint 6 (cell 213, 153).
4. Attack-move toward waypoint: waypoint 7 (cell 223, 163).
5. Jump to script line; configured argument 1.

Sov Left Flank Patrol - 0BCD1810

Owner: BadGuy2. Roster: 4 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Sov Left Flank Patrol SCR (09E51950).

1. Attack-move toward waypoint: waypoint 9 (cell 158, 190).
2. Attack-move toward waypoint: waypoint 10 (cell 158, 216).
3. Attack-move toward waypoint: waypoint 11 (cell 149, 216).
4. Attack-move toward waypoint: waypoint 12 (cell 166, 233).
5. Attack-move toward waypoint: waypoint 13 (cell 179, 219).
6. Attack-move toward waypoint: waypoint 8 (cell 171, 195).
7. Jump to script line; configured argument 1.

_Defense Spy - 0D1516AC

Owner: BadGuy2. Roster: 4 × Attack Dog (DOG); 2 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_Defense Lt Armor - 0D1511FC

Owner: BadGuy2. Roster: 1 × Rhino Heavy Tank (HTNK); 2 × Terror Drone (DRON); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_Defense Infantry - 0D150DEC

Owner: BadGuy2. Roster: 2 × Desolator (DESO); 6 × Conscript (E2); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_Defense Rocketeers - 0BCC8190

Owner: BadGuy2. Roster: 1 × Flak Track (HTK); 5 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_Defense Harriers - 0BCC9E40

Owner: BadGuy2. Roster: 2 × Flak Track (HTK); 3 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_Defense Solar Refractor - 0BCC9C60

Owner: BadGuy2. Roster: 2 × V3 Launcher (V3); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 9; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

_WDefense Dolphin - 0418E94C

Owner: BadGuy2. Roster: 3 × Giant Squid (SQD); 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: _WDefense Dolphin SCR (07A040BC).

1. Attack-move toward waypoint: waypoint 17 (cell 147, 179).

2. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
3. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
4. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
5. Attack-move toward waypoint: waypoint 80 (cell 210, 141).
6. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
7. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
8. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
9. Attack-move toward waypoint: waypoint 17 (cell 147, 179).
10. Attack-move toward waypoint: waypoint 79 (cell 148, 203).
11. Jump to script line; configured argument 1.

_WDefense Carrier - 0418E70C

Owner: BadGuy2. Roster: 3 × Sea Scorpion (HYD); 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: _WDefense Carrier SCR (07A033DC).

1. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
2. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
3. Attack-move toward waypoint: waypoint 80 (cell 210, 141).
4. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
5. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
6. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
7. Attack-move toward waypoint: waypoint 17 (cell 147, 179).
8. Attack-move toward waypoint: waypoint 79 (cell 148, 203).
9. Attack-move toward waypoint: waypoint 17 (cell 147, 179).
10. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
11. Jump to script line; configured argument 1.

_WDefense Destroyer - 0418E4CC

Owner: BadGuy2. Roster: 2 × Giant Squid (SQD); 2 × Sea Scorpion (HYD); 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: _WDefense Destroyer SCR (07A0462C).

1. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
2. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
3. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
4. Attack-move toward waypoint: waypoint 80 (cell 210, 141).
5. Attack-move toward waypoint: waypoint 81 (cell 200, 148).
6. Attack-move toward waypoint: waypoint 18 (cell 183, 153).
7. Attack-move toward waypoint: waypoint 19 (cell 162, 166).
8. Attack-move toward waypoint: waypoint 17 (cell 147, 179).
9. Attack-move toward waypoint: waypoint 79 (cell 148, 203).
10. Attack-move toward waypoint: waypoint 17 (cell 147, 179).
11. Jump to script line; configured argument 1.

BG2 Squid Patrol - 0BA6672C

Owner: BadGuy2. Roster: 3 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: BG2 Squid Patrol SCR (0BA664BC).

1. Attack-move toward waypoint: waypoint 21 (cell 123, 128).
2. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
3. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
4. Attack-move toward waypoint: waypoint 28 (cell 101, 65).
5. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
6. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
7. Attack-move toward waypoint: waypoint 49 (cell 97, 123).
8. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
9. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
10. Attack-move toward waypoint: waypoint 29 (cell 130, 158).
11. Attack-move toward waypoint: waypoint 24 (cell 170, 107).
12. Attack-move toward waypoint: waypoint 20 (cell 136, 134).
13. Jump to script line; configured argument 1.

BG2 Sub Patrol - 0BA6627C

Owner: BadGuy2. Roster: 4 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: BG2 Sub Patrol SCR (09D9BC10).

1. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
2. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
3. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
4. Attack-move toward waypoint: waypoint 28 (cell 101, 65).
5. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
6. Attack-move toward waypoint: waypoint 24 (cell 170, 107).
7. Attack-move toward waypoint: waypoint 29 (cell 130, 158).
8. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
9. Jump to script line; configured argument 1.

BG2 Invader 1 - 09EF548C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 5 × Conscript (E2); 1 × Attack Dog (DOG); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: BG2 Invader 1 SCR (09EF521C).

1. Move to waypoint: waypoint 99 (cell 85, 114).
2. Move to waypoint: waypoint 44 (cell 82, 89).
3. Move to waypoint: waypoint 31 (cell 75, 82).
4. Unload with continuation mode: transport continues; passengers leave team.
5. Set local flag: local flag 1 (Team Landed).
6. Move to waypoint: waypoint 30 (cell 76, 151).
7. Delete team objects.

BG2 Invader 1a - 0879D48C

Owner: BadGuy2. Roster: 1 × Rhino Heavy Tank (HTNK); 1 × Attack Dog (DOG); 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: BG2 Invader 1a SCR (08C7F6C0).

1. Attack selected enemy-building category; configured argument 131073.

2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

BG2 ParaTeam 1 - 0879C3EC

Owner: BadGuy2. Roster: 8 × Conscript (E2); 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG; Transport Waypoint: AL.

Ordered plan: BG2 ParaTeam 1 SCR (0AF2C90C).

1. Move to waypoint: waypoint 88 (cell 127, 90).
2. Set local flag: local flag 10 (Para 1 Landed).
3. Attack waypoint: waypoint 88 (cell 127, 90).
4. Attack selected enemy-building category; configured argument 131073.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

BG2 Invader 2-1 - 0AE7CAA0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 6 × Conscript (E2); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG2 Invader 2-1 SCR (08C80DC0).

1. Move to waypoint: waypoint 34 (cell 113, 156).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 2 (Team 2 Landed).
4. Move to waypoint: waypoint 33 (cell 115, 188).
5. Delete team objects.

BG2 Invader 2a - 0879B7DC

Owner: BadGuy2. Roster: 1 × Rhino Heavy Tank (HTNK); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: BG2 Invader 2a SCR (08C80940).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 1.

BG2 Invader 2b - 0879B32C

Owner: BadGuy2. Roster: 6 × Conscript (E2); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: BG2 Invader 2b SCR (0AE7BCB0).

1. Attack selected enemy-building category; configured argument 131073.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

BG2 Anti-Oil Team-1 - 08C802A0

Owner: BadGuy2. Roster: 2 × Tesla Trooper (SHK); 6 × Conscript (E2); 1 × Amphibious Transport (SAPC); 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG2 Anti-Oil Team SCR (0AF2D45C).

1. Move to waypoint: waypoint 25 (cell 109, 168).
2. Move to waypoint: waypoint 26 (cell 90, 151).
3. Move to waypoint: waypoint 99 (cell 85, 114).
4. Move to waypoint: waypoint 35 (cell 68, 110).
5. Unload with continuation mode: transport continues; passengers leave team.
6. Set local flag: local flag 3 (Anti-Oil Landed).
7. Move to waypoint: waypoint 30 (cell 76, 151).
8. Delete team objects.

BG2 Anti-Oil Team a - 0879995C

Owner: BadGuy2. Roster: 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG2 Anti-Oil Team a SCR (0AF2EDBC).

1. Attack selected enemy-building category; configured argument 131143.
2. Attack selected enemy-building category; configured argument 131143.
3. Attack selected enemy-building category; configured argument 131073.
4. Attack selected enemy-building category; configured argument 131074.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.

BG2 Anti-Oil Team b - 0879EEFC

Owner: BadGuy2. Roster: 6 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG2 Anti-Oil Team b SCR (09C4FB7C).

1. Attack-move toward waypoint: waypoint 47 (cell 64, 123).
2. Attack selected enemy-building category; configured argument 131072.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 131073.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

BG2 Invader 3-1 - 0D15BA4C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 1 × Terror Drone (DRON); 1 × Tesla Trooper (SHK); 3 × Conscript (E2); 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: BG2 Invader 3-1 SCR (0899F740).

1. Move to waypoint: waypoint 24 (cell 170, 107).
2. Move to waypoint: waypoint 36 (cell 132, 57).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 5 (Team 3 Landed).
5. Move to waypoint: waypoint 37 (cell 192, 109).
6. Delete team objects.

BG2 Invader 3a - 0D15B59C

Owner: BadGuy2. Roster: 3 × Conscript (E2); 1 × Tesla Trooper (SHK); 1 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: BG2 Invader 3a SCR (099BA2E0).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

BG2 Invader 3b - 0D15AEFC

Owner: BadGuy2. Roster: 3 × Conscript (E2); 1 × Tesla Trooper (SHK); 1 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: BG2 Invader 3b SCR (099A2600).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 1.

BG2 Invader 3c - 0D15AA4C

Owner: BadGuy2. Roster: 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: BG2 Invader 3c SCR (08E9DBA0).

1. Attack selected enemy-building category; configured argument 131078.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

BG2 Invader 2-2 - 0AE78630

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 6 × Conscript (E2); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG2 Invader 2-2 SCR (08C83CA0).

1. Move to waypoint: waypoint 38 (cell 108, 156).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 6 (Team 2b Landed).
4. Move to waypoint: waypoint 33 (cell 115, 188).
5. Delete team objects.

BG2 Invader 3-2 - 0D15A1FC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 1 × Terror Drone (DRON); 1 × Tesla Trooper (SHK); 3 × Conscript (E2); 1 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: BG2 Invader 3-2 SCR (089C35E0).

1. Move to waypoint: waypoint 24 (cell 170, 107).
2. Move to waypoint: waypoint 39 (cell 128, 57).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 7 (Team 3b Landed).
5. Move to waypoint: waypoint 37 (cell 192, 109).

6. Delete team objects.

BG2 Anti-Oil Team-2 - 0BBFA43C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG2 Anti-Oil Team-2 SCR (09ED6340).

1. Move to waypoint: waypoint 25 (cell 109, 168).
2. Move to waypoint: waypoint 41 (cell 72, 122).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 9 (Anti-Oil 2 Landed).
5. Move to waypoint: waypoint 30 (cell 76, 151).
6. Delete team objects.

BG2 Seaborn Attack - 09C011FC

Owner: BadGuy2. Roster: 2 × Dreadnought (DRED); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: BG2 Seaborn Attack SCR (09F2ADBC).

1. Attack-move toward waypoint: waypoint 100 (cell 136, 113).
2. Attack selected enemy-building category; configured argument 131079.
3. Attack selected enemy-building category; configured argument 131072.
4. Attack selected enemy-building category; configured argument 131177.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

BG2 ParaTeam 2 - 087A247C

Owner: BadGuy2. Roster: 6 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AQ; Transport Waypoint: BF.

Ordered plan: BG2 ParaTeam 2 SCR (09C5B6CC).

1. Move to waypoint: waypoint 60 (cell 72, 76).
2. Attack selected enemy-building category; configured argument 131073.
3. Seek/attack target category; configured argument 3.
4. Attack selected enemy-building category; configured argument 131072.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

BG2 ParaTeam 3 - 087A223C

Owner: BadGuy2. Roster: 5 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AR; Transport Waypoint: BF.

Ordered plan: BG2 ParaTeam 3 SCR (09C5B21C).

1. Move to waypoint: waypoint 67 (cell 74, 62).
2. Seek/attack target category; configured argument 3.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

BG2 Invader 1 Escort - 0B07348C

Owner: BadGuy2. Roster: 3 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 9; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: BG2 Invader 1 Escorts SCR (0B07321C).

1. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
2. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
3. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

BG2 Invader 2 Escort - 0AEA72D0

Owner: BadGuy2. Roster: 4 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: BG2 Invader 2 Escorts SCR (0B072B7C).

1. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
2. Attack-move toward waypoint: waypoint 45 (cell 113, 164).
3. Guard for interval; configured argument 45.
4. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
5. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
6. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
7. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
8. Attack-move toward waypoint: waypoint 28 (cell 101, 65).
9. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
10. Jump to script line; configured argument 3.

BG2 Invader 3 Escorts - 093BE580

Owner: BadGuy2. Roster: 3 × Sea Scorpion (HYD); 2 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: BG2 Invader 3 Escorts SCR (093BE220).

1. Attack-move toward waypoint: waypoint 24 (cell 170, 107).
2. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
3. Attack-move toward waypoint: waypoint 46 (cell 123, 65).
4. Guard for interval; configured argument 45.
5. Attack selected enemy-building category; configured argument 131105.
6. Seek/attack target category; configured argument 1.

BG2 Base Patrol - 096803B0

Owner: BadGuy2. Roster: 2 × Flak Track (HTK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: BG2 Base Patrol SCR (09683C00).

1. Attack-move toward waypoint: waypoint 15 (cell 181, 207).
2. Guard for interval; configured argument 15.
3. Attack-move toward waypoint: waypoint 48 (cell 197, 207).
4. Guard for interval; configured argument 15.
5. Attack-move toward waypoint: waypoint 16 (cell 197, 191).

6. Guard for interval; configured argument 15.
7. Attack-move toward waypoint: waypoint 14 (cell 183, 193).
8. Guard for interval; configured argument 15.
9. Jump to script line; configured argument 1.

Civ Boat - 0C54E59C

Owner: Other1. Roster: 1 × Cruise Ship (CRUISE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: Civ Boat SCR (0C54E32C).

1. Move to waypoint: waypoint 49 (cell 97, 123).
2. Guard for interval; configured argument 5.
3. Move to waypoint: waypoint 50 (cell 103, 129).
4. Guard for interval; configured argument 5.
5. Move to waypoint: waypoint 99 (cell 85, 114).
6. Move to waypoint: waypoint 27 (cell 91, 81).
7. Move to waypoint: waypoint 28 (cell 101, 65).
8. Move to waypoint: waypoint 61 (cell 93, 46).
9. Move to waypoint: waypoint 62 (cell 93, 13).
10. Set local flag: local flag 15 (Civ Boat offscreen).
11. Delete team objects.

First Squid Attk - 0BCAF21C

Owner: BadGuy2. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: First Squid Attk SCR (0BCAEDBC).

1. Attack-move toward waypoint: waypoint 49 (cell 97, 123).
2. Seek/attack target category; configured argument 5.
3. Adopt object mission: hunt.

_Invade Harvesters 1 - 0BA6FD30

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Terror Drone (DRON); 4 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Harvesters 1 SCR (0B5B356C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
3. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
4. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
5. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
6. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
7. Attack-move toward waypoint: waypoint 51 (cell 80, 60).
8. Report team success.
9. Unload with continuation mode: transport and passengers continue.
10. Seek/attack target category; configured argument 3.
11. Seek/attack target category; configured argument 1.

_Invade Harvesters 2 - 0BA6D860

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Terror Drone (DRON); 4 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Harvesters 2 SCR (0B5B4DBC).

1. Load transport.
2. Attack-move toward waypoint: waypoint 20 (cell 136, 134).
3. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
4. Attack-move toward waypoint: waypoint 52 (cell 132, 87).
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Seek/attack target category; configured argument 3.
8. Seek/attack target category; configured argument 1.

_Invade Harvesters 3 - 0BA6D2A0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Terror Drone (DRON); 4 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Harvesters 3 SCR (0B5B4B4C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 45 (cell 113, 164).
3. Attack-move toward waypoint: waypoint 38 (cell 108, 156).
4. Unload with continuation mode: transport and passengers continue.
5. Report team success.
6. Seek/attack target category; configured argument 3.
7. Seek/attack target category; configured argument 1.

_Invade ConYard 1 - 0B29AEFC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade ConYard 1 SCR (0B5B47AC).

1. Load transport.
2. Gather near enemy base; configured argument 0.
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131074.
6. Attack selected enemy-building category; configured argument 131078.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 1.

_Invade ConYard 2 - 0B29AA4C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade ConYard 2 SCR (0B29A7DC).

1. Load transport.
2. Gather near enemy base; configured argument 0.
3. Unload with continuation mode: transport and passengers continue.

4. Report team success.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 1.

_Invade ConYard 3 - 0B29A6AC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade ConYard 3 SCR (0B29A43C).

1. Load transport.
2. Gather near enemy base; configured argument 0.
3. Unload with continuation mode: transport and passengers continue.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131074.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

_Attk Sea 1 - 079D154C

Owner: BadGuy2. Roster: 2 × Typhoon Attack Sub (SUB); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Attk Sea 1 SCR (079D12DC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131095.
4. Seek/attack target category; configured argument 1.

_Attk Sea 2 - 079D109C

Owner: BadGuy2. Roster: 3 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Attk Sea 2 SCR (079D2DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Adopt object mission: hunt.

_Attk Sea 3 - 079D2B7C

Owner: BadGuy2. Roster: 2 × Dreadnought (DRED); 2 × Typhoon Attack Sub (SUB); 3 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Attk Sea 3 SCR (079D290C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 196631.
4. Seek/attack target category; configured argument 1.
5. Adopt object mission: hunt.

_Invade Desolaters 1 - 0BA74BB0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Desolator (DESO); 4 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Desolaters 1 SCR (0B5B6A1C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 45 (cell 113, 164).
3. Attack-move toward waypoint: waypoint 34 (cell 113, 156).
4. Unload with continuation mode: transport and passengers continue.
5. Report team success.
6. Approach selected enemy-building category; configured argument 131075.
7. Deploy.

_Invade Desolaters 2 - 0BA745B0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Desolator (DESO); 4 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Desolaters 2 SCR (0B5B656C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 20 (cell 136, 134).
3. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
4. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
5. Attack-move toward waypoint: waypoint 39 (cell 128, 57).
6. Unload with continuation mode: transport and passengers continue.
7. Report team success.
8. Approach selected enemy-building category; configured argument 131075.
9. Deploy.

_Invade Desolaters 3 - 0BA76CB0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Desolator (DESO); 4 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade Desolaters 3 SCR (0B5B61CC).

1. Load transport.
2. Attack-move toward waypoint: waypoint 20 (cell 136, 134).
3. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
4. Attack-move toward waypoint: waypoint 52 (cell 132, 87).
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Approach selected enemy-building category; configured argument 131075.
8. Deploy.

_Invade w/ Rhino 1 - 0BA76730

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Rhino 1 SCR (0B5B7C8C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 20 (cell 136, 134).

3. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
4. Attack-move toward waypoint: waypoint 23 (cell 135, 71).
5. Attack-move toward waypoint: waypoint 36 (cell 132, 57).
6. Unload with continuation mode: transport and passengers continue.
7. Report team success.
8. Attack selected enemy-building category; configured argument 131072.
9. Seek/attack target category; configured argument 5.
10. Seek/attack target category; configured argument 1.

_Invade w/ Rhino 2 - 0BA731D0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Rhino 2 SCR (0AF402FC).

1. Load transport.
2. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
3. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
4. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
5. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
6. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
7. Attack-move toward waypoint: waypoint 51 (cell 80, 60).
8. Unload with continuation mode: transport and passengers continue.
9. Report team success.
10. Attack selected enemy-building category; configured argument 131072.
11. Seek/attack target category; configured argument 9.
12. Seek/attack target category; configured argument 1.

_Invade w/ Rhino 3 - 0BA72C20

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Rhino 3 SCR (0B5B743C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 20 (cell 136, 134).
3. Attack-move toward waypoint: waypoint 53 (cell 123, 113).
4. Unload with continuation mode: transport and passengers continue.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131127.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

_Invade w/ Rhino 4 - 0BA70E80

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Rhino 4 SCR (0B5B8DBC).

1. Load transport.
2. Attack-move toward waypoint: waypoint 25 (cell 109, 168).

3. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
4. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
5. Attack-move toward waypoint: waypoint 55 (cell 67, 102).
6. Unload with continuation mode: transport and passengers continue.
7. Report team success.
8. Attack selected enemy-building category; configured argument 131078.
9. Seek/attack target category; configured argument 6.
10. Seek/attack target category; configured argument 1.

_Invade w/ Infantry 1 - 0A0AC7BC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 5 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Infantry 1 SCR (0AF5767C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
3. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
4. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
5. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
6. Attack-move toward waypoint: waypoint 31 (cell 75, 82).
7. Unload with continuation mode: transport and passengers continue.
8. Report team success.
9. Adopt object mission: hunt.

_Invade w/ Infantry 2 - 0BA72510

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 5 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Infantry 2 SCR (0B5B856C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 45 (cell 113, 164).
3. Attack-move toward waypoint: waypoint 38 (cell 108, 156).
4. Unload with continuation mode: transport and passengers continue.
5. Report team success.
6. Adopt object mission: hunt.

_Invade w/ Infantry 3 - 08C91B80

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 5 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Infantry 3 SCR (0B5B81CC).

1. Load transport.
2. Move to waypoint: waypoint 20 (cell 136, 134).
3. Move to waypoint: waypoint 22 (cell 143, 96).
4. Move to waypoint: waypoint 23 (cell 135, 71).
5. Move to waypoint: waypoint 39 (cell 128, 57).
6. Unload with continuation mode: transport and passengers continue.

7. Report team success.
8. Adopt object mission: hunt.

_Invade w/ Infantry 4 - 0BA699A0

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 5 × Conscript (E2); 2 × Attack Dog (DOG); 1 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Invade w/ Infantry 4 SCR (0B5B9C8C).

1. Load transport.
2. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
3. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
4. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
5. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
6. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
7. Attack-move toward waypoint: waypoint 51 (cell 80, 60).
8. Unload with continuation mode: transport and passengers continue.
9. Report team success.
10. Adopt object mission: hunt.

_Attk Dreadnoughts 1 - 079D5A1C

Owner: BadGuy2. Roster: 2 × Dreadnought (DRED); 4 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Attk Dreadnoughts 1 SCR (079D57AC).

1. Attack selected enemy-building category; configured argument 131127.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

_Attk Dreadnoughts 2 - 079D556C

Owner: BadGuy2. Roster: 2 × Dreadnought (DRED); 4 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Attk Dreadnoughts 2 SCR (079D52FC).

1. Attack selected enemy-building category; configured argument 131099.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131072.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

BG2 ParaTeam 4 - 087AA6AC

Owner: BadGuy2. Roster: 4 × Conscript (E2); 2 × Tesla Trooper (SHK); 2 × Flak Trooper (FLAKT); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: BG2 ParaTeam 4 SCR (09C607DC).

1. Move to waypoint: waypoint 85 (cell 65, 82).
2. Attack selected enemy-building category; configured argument 131073.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131072.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Recur Invader 1a - 0AEE07DC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 9 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Recur Invader 1a SCR (09C5890C).

1. Move to waypoint: waypoint 22 (cell 143, 96).
2. Move to waypoint: waypoint 52 (cell 132, 87).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 11 (Recur Invader 1a La).
5. Move to waypoint: waypoint 57 (cell 139, 166).
6. Delete team objects.

Recur Invader 1a-Landed - 0AEE6EFC

Owner: BadGuy2. Roster: 9 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Recur Invader 1a-Landed SCR (085AB0BC).

1. Move to waypoint: waypoint 32 (cell 124, 83).
2. Attack selected enemy-building category; configured argument 131072.
3. Seek/attack target category; configured argument 4.
4. Adopt object mission: hunt.

Recur Invader 1 escort - 0A41CEFC

Owner: BadGuy2. Roster: 2 × Typhoon Attack Sub (SUB); 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 9; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Recur Invader 1 escorts SCR (09F347DC).

1. Attack-move toward waypoint: waypoint 22 (cell 143, 96).
2. Guard for interval; configured argument 120.
3. Adopt object mission: hunt.

Sea Attk - 09C167DC

Owner: BadGuy2. Roster: 1 × Dreadnought (DRED); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Sea Attk SCR (09C1656C).

1. Attack-move toward waypoint: waypoint 21 (cell 123, 128).
2. Attack selected enemy-building category; configured argument 131072.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 131074.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Recur Invader 2a - 0A391780

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Recur Invader 2a SCR (0A3AF520).

1. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
2. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
3. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
4. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
5. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
6. Attack-move toward waypoint: waypoint 28 (cell 101, 65).
7. Attack-move toward waypoint: waypoint 61 (cell 93, 46).
8. Attack-move toward waypoint: waypoint 64 (cell 78, 35).
9. Unload with continuation mode: transport continues; passengers leave team.
10. Set local flag: local flag 16 (Recur 2a landed).
11. Move to waypoint: waypoint 33 (cell 115, 188).
12. Delete team objects.

Recur Invader 2a Landed - 0A3AD940

Owner: BadGuy2. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: Recur Invader 2a Landed SCR (0A3B33A0).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 1.

Recur Invader 2b - 0A3B1C10

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Recur Invader 2b SCR (0A3B97C0).

1. Attack-move toward waypoint: waypoint 25 (cell 109, 168).
2. Attack-move toward waypoint: waypoint 26 (cell 90, 151).
3. Attack-move toward waypoint: waypoint 99 (cell 85, 114).
4. Attack-move toward waypoint: waypoint 44 (cell 82, 89).
5. Attack-move toward waypoint: waypoint 27 (cell 91, 81).
6. Attack-move toward waypoint: waypoint 28 (cell 101, 65).
7. Attack-move toward waypoint: waypoint 61 (cell 93, 46).
8. Attack-move toward waypoint: waypoint 65 (cell 89, 54).
9. Unload with continuation mode: transport continues; passengers leave team.
10. Set local flag: local flag 17 (Recur 2b landed).
11. Move to waypoint: waypoint 33 (cell 115, 188).
12. Delete team objects.

Recur Invader 2b Landed - 08C8E2A0

Owner: BadGuy2. Roster: 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: Recur Invader 2b Landed SCR (08C8FDC0).

1. Attack selected enemy-building category; configured argument 3.
2. Attack selected enemy-building category; configured argument 196608.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Bridge to Mainland Up - 0AF3DDEC

Owner: BadGuy2. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 24; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Bridge to Mainland Up SCR (0AFE15EC).

1. Move to waypoint: waypoint 87 (cell 112, 45).
2. Attack waypoint: waypoint 90 (cell 105, 41).
3. Seek/attack target category; configured argument 6.

Bridge to Base Isle Up - 0AF3D93C

Owner: BadGuy2. Roster: 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 24; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Bridge to Base Isle Up SCR (0AFE2DBC).

1. Move to waypoint: waypoint 87 (cell 112, 45).
2. Attack waypoint: waypoint 89 (cell 108, 55).
3. Seek/attack target category; configured argument 6.

Dolphin Flashers! - 0B3612CC

Owner: Player. Roster: 4 × Dolphin (DLPH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CP.

Ordered plan: Dolphin Flashers! (0B4F056C).

1. Flash team; configured argument 40.
2. Move to waypoint: waypoint 94 (cell 97, 119).
3. Flash team; configured argument 60.
4. Report team success.

Zone Defender 1 - 081D57EC

Owner: BadGuy2. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Apocalypse (APOC); 1 × Flak Track (HTK); 1 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Zone Defender 1 SCR (0B2A16CC).

1. Attack-move toward waypoint: waypoint 95 (cell 194, 216).
2. Attack-move toward waypoint: waypoint 96 (cell 209, 201).
3. Attack-move toward waypoint: waypoint 2 (cell 214, 174).
4. Attack-move toward waypoint: waypoint 97 (cell 226, 159).
5. Attack-move toward waypoint: waypoint 6 (cell 213, 153).
6. Attack-move toward waypoint: waypoint 5 (cell 199, 170).
7. Attack-move toward waypoint: waypoint 1 (cell 205, 179).
8. Attack-move toward waypoint: waypoint 96 (cell 209, 201).

9. Attack-move toward waypoint: waypoint 95 (cell 194, 216).
10. Attack-move toward waypoint: waypoint 13 (cell 179, 219).
11. Attack-move toward waypoint: waypoint 10 (cell 158, 216).
12. Attack-move toward waypoint: waypoint 3 (cell 161, 197).
13. Attack-move toward waypoint: waypoint 10 (cell 158, 216).
14. Attack-move toward waypoint: waypoint 13 (cell 179, 219).
15. Jump to script line; configured argument 1.

Zone Defender 2 - 081DA76C

Owner: BadGuy2. Roster: 3 × Conscript (E2); 2 × Tesla Trooper (SHK); 1 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Zone Defender 2 SCR (0B2A121C).

1. Attack-move toward waypoint: waypoint 95 (cell 194, 216).
2. Attack-move toward waypoint: waypoint 13 (cell 179, 219).
3. Attack-move toward waypoint: waypoint 10 (cell 158, 216).
4. Attack-move toward waypoint: waypoint 3 (cell 161, 197).
5. Attack-move toward waypoint: waypoint 10 (cell 158, 216).
6. Attack-move toward waypoint: waypoint 13 (cell 179, 219).
7. Attack-move toward waypoint: waypoint 95 (cell 194, 216).
8. Attack-move toward waypoint: waypoint 96 (cell 209, 201).
9. Attack-move toward waypoint: waypoint 2 (cell 214, 174).
10. Attack-move toward waypoint: waypoint 97 (cell 226, 159).
11. Attack-move toward waypoint: waypoint 6 (cell 213, 153).
12. Attack-move toward waypoint: waypoint 5 (cell 199, 170).
13. Attack-move toward waypoint: waypoint 1 (cell 205, 179).
14. Attack-move toward waypoint: waypoint 96 (cell 209, 201).
15. Jump to script line; configured argument 1.

BG2 ParaTeam 5 - 087AF6AC

Owner: BadGuy2. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: BG2 ParaTeam 5 SCR (09C6EC8C).

1. Move to waypoint: waypoint 67 (cell 74, 62).
2. Seek/attack target category; configured argument 10.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

BG2 ParaTeam 6 - 0877B26C

Owner: BadGuy2. Roster: 4 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 31; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: BG2 ParaTeam 6 SCR (0AF50B7C).

1. Approach selected enemy-building category; configured argument 131075.
2. Deploy.
3. Guard for interval; configured argument 20.
4. Deploy.
5. Approach selected enemy-building category; configured argument 131079.

6. Deploy.
7. Guard for interval; configured argument 20.
8. Deploy.
9. Jump to script line; configured argument 1.

BG2 Base Response 1 - 0B41CDEC

Owner: BadGuy2. Roster: 4 × Flak Trooper (FLAKT); 4 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: BG2 Base Response 1 SCR (099AFADC).

1. Approach friendly building category; configured argument 131126.
2. Adopt object mission: area guard.

BG2 Base Response 2 - 0B41C93C

Owner: BadGuy2. Roster: 6 × Conscript (E2); 2 × Attack Dog (DOG); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: BG2 Base Response 2 SCR (0B41C6CC).

1. Approach friendly building category; configured argument 196662.
2. Adopt object mission: area guard.

BG2 Base Response 3 - 0B41C48C

Owner: BadGuy2. Roster: 4 × Terror Drone (DRON); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: BG2 Base Response 3 SCR (099ACCAC).

1. Approach selected enemy-building category; configured argument 131126.
2. Adopt object mission: area guard.

_WDefense Aircraft - 07AAA6CC

Owner: BadGuy2. Roster: 5 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Defense SCR (0844FC8C).

1. Adopt object mission: area guard.
2. Report team success.

300CO Team - 0B0A493C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 1 × Apocalypse (APOC); 2 × Tesla Trooper (SHK); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: 300CO Team SCR (0ADB679C).

1. Move to waypoint: waypoint 25 (cell 109, 168).
2. Move to waypoint: waypoint 26 (cell 90, 151).
3. Move to waypoint: waypoint 99 (cell 85, 114).
4. Move to waypoint: waypoint 55 (cell 67, 102).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 21 (1 CO Landed).
7. Seek/attack target category; configured argument 7.

8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

300CN Team - 0B0A448C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 1 × Apocalypse (APOC); 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: 300CN Team SCR (0ADC181C).

1. Move to waypoint: waypoint 25 (cell 109, 168).
2. Move to waypoint: waypoint 26 (cell 90, 151).
3. Move to waypoint: waypoint 99 (cell 85, 114).
4. Move to waypoint: waypoint 44 (cell 82, 89).
5. Move to waypoint: waypoint 27 (cell 91, 81).
6. Move to waypoint: waypoint 51 (cell 80, 60).
7. Unload with continuation mode: passengers continue; transport leaves team.
8. Set local flag: local flag 27 (1 CN Landed).
9. Seek/attack target category; configured argument 5.
10. Seek/attack target category; configured argument 4.
11. Seek/attack target category; configured argument 1.

300CO SAPC exit - 0ADC069C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: 300CO SAPC exit SCR (0ADC031C).

1. Move to waypoint: waypoint 99 (cell 85, 114).
2. Move to waypoint: waypoint 30 (cell 76, 151).
3. Delete team objects.

300CN SAPC exit - 0ADB6A3C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AZ.

Ordered plan: 300CN SAPC exit SCR (0ADC1A9C).

1. Move to waypoint: waypoint 27 (cell 91, 81).
2. Move to waypoint: waypoint 99 (cell 85, 114).
3. Move to waypoint: waypoint 30 (cell 76, 151).
4. Delete team objects.

600CO Team - 0B0A559C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: 600CO Team SCR (0A8587DC).

1. Move to waypoint: waypoint 45 (cell 113, 164).
2. Move to waypoint: waypoint 38 (cell 108, 156).
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Set local flag: local flag 22 (2 CO Landed).
5. Seek/attack target category; configured argument 7.

6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

600CO SAPC exit - 0A859EFC

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: 600CO SAPC exit SCR (0A859C8C).

1. Move to waypoint: waypoint 33 (cell 115, 188).
2. Delete team objects.

600CN SAPC exit - 0A859B1C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: 600CO SAPC exit (0A8598AC).

1. Move to waypoint: waypoint 33 (cell 115, 188).
2. Delete team objects.

600CN Team - 0B0A67BC

Owner: BadGuy2. Roster: 4 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK); 1 × Amphibious Transport (SAPC); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: 600CN Team SCR (086C434C).

1. Move to waypoint: waypoint 45 (cell 113, 164).
2. Move to waypoint: waypoint 34 (cell 113, 156).
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Set local flag: local flag 28 (2 CN Landed).
5. Seek/attack target category; configured argument 1.

900CN Team - 0B0A630C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: 900CN Team SCR (0A77ACDC).

1. Move to waypoint: waypoint 25 (cell 109, 168).
2. Move to waypoint: waypoint 26 (cell 90, 151).
3. Move to waypoint: waypoint 99 (cell 85, 114).
4. Move to waypoint: waypoint 54 (cell 97, 89).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 29 (3 CN Landed).
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 7.
9. Seek/attack target category; configured argument 1.

900CO Team - 0B0A7C8C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: 900CO Team SCR (0A77A46C).

1. Move to waypoint: waypoint 20 (cell 136, 134).
2. Move to waypoint: waypoint 22 (cell 143, 96).
3. Move to waypoint: waypoint 52 (cell 132, 87).
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Set local flag: local flag 23 (3 CO Landed).
6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 1.

900CO SAPC exit - 0A77BA3C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: 900CO SAPC exit SCR (0A77B7CC).

1. Move to waypoint: waypoint 23 (cell 135, 71).
2. Move to waypoint: waypoint 46 (cell 123, 65).
3. Move to waypoint: waypoint 27 (cell 91, 81).
4. Move to waypoint: waypoint 99 (cell 85, 114).
5. Move to waypoint: waypoint 30 (cell 76, 151).
6. Delete team objects.

900CN SAPC exit - 0A77D83C

Owner: BadGuy2. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: 900CN SAPC exit SCR (0A77D5CC).

1. Move to waypoint: waypoint 99 (cell 85, 114).
2. Move to waypoint: waypoint 30 (cell 76, 151).
3. Delete team objects.

BG2 Base Response 4 - 0907C51C

Owner: BadGuy2. Roster: 1 × Apocalypse (APOC); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BL.

Ordered plan: BG2 Base Response 4 SCR (0907BDBC).

1. Approach friendly building category; configured argument 196662.
2. Adopt object mission: area guard.

Operation: Fallout - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all11t.map.

Object/system	Property	Mission value	Source line
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	Yes	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	12	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	30,30,30	15
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	16
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Default Mirage Disguises	TREE20,TREE21,TREE22,TREE23	17
War Miner (HARV)	Resource cargo capacity	20	20
Chrono Miner (CMIN)	Resource cargo capacity	10	23
TIBERIUMS (TIBERIUMS)	0	Riparius	26
TIBERIUMS (TIBERIUMS)	1	Cruentus	27
TIBERIUMS (TIBERIUMS)	2	Vinifera	28
TIBERIUMS (TIBERIUMS)	3	Aboreus	29
Tiberium Riparius (RIPARIUS)	Value	50	32
Tiberium Cruentus (CRUENTUS)	Value	100	35
Tiberium Vinifera (VINIFERA)	Value	50	38
Tiberium Aboreus (ABOREUS)	Value	50	41
Gap Generator (GAGAP)	Name	Gap Generator	44
Gap Generator (GAGAP)	Technology level	12	45
V3 Launcher (V3)	Default To Guard Area	yes	48
Tesla Trooper (SHK)	Default To Guard Area	yes	51
Apocalypse (APOC)	Default To Guard Area	yes	54
Flak Track (HTK)	Default To Guard Area	yes	57
Flak Trooper (FLAKT)	Default To Guard Area	yes	60
Conscript (E2)	Default To Guard Area	yes	63
Rhino Heavy Tank (HTNK)	Default To Guard Area	yes	66
Allied War Factory (GAWEAP)	Name	Allied War Factory	69
Allied War Factory (GAWEAP)	Armor class	concrete	70
Nuclear Missile (MULTISPECIAL)	Name	N U K E !!!	73
Nuclear Missile (MULTISPECIAL)	Recharge Time	20	74
Nuclear Missile (MULTISPECIAL)	Show Timer	yes	75
Chronosphere (CHRONOSPHERESPECIAL)	Name	Chrono Sphere	78

Object/system	Property	Mission value	Source line
Chronosphere (CHRONOSPHERESPECIAL)	Recharge Time	5	79
Cruise Ship (CRUISE)	Name	RA2 Cruise Ship	82
Cruise Ship (CRUISE)	Crate Goodie	no	83
Cruise Ship (CRUISE)	Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	84
Cruise Ship (CRUISE)	Insignificant-object flag	no	85
Cruise Ship (CRUISE)	Starting health capacity	600	86
Police Car (COP)	Ambient Sound	Dummy	89
Chrono Legionnaire (CLEG)	Name	Chrono Legionnaire	92
Chrono Legionnaire (CLEG)	Technology level	12	93
Tanya (TANY)	Name	Tanya	96
Tanya (TANY)	Technology level	12	97
Yuri (YURI)	Name	Yuri	100
Yuri (YURI)	Technology level	12	101
Kirov Airship (ZEP)	Name	Kirov Airship	104
Kirov Airship (ZEP)	Technology level	12	105
Iron Curtain Device (NAIRON)	Name	Iron Curtain Device	108
Iron Curtain Device (NAIRON)	Technology level	12	109
Weather Controller (GAWEAT)	Name	Weather Controller	112
Weather Controller (GAWEAT)	Technology level	12	113
Chrono Sphere (GACSPH)	Name	Chrono Sphere	116
Chrono Sphere (GACSPH)	Charged Anim Time	1	117
Chrono Sphere (GACSPH)	Armor class	concrete	118
Engineer (SENGINEER)	Technology level	-1	121
SEAL (GHOST)	Technology level	9	124
Attack Dog (DOG)	Technology level	-1	127
Negative Light Post (NEGLAMP)	Name	Negative Light Post	130
Negative Light Post (NEGLAMP)	Image	GALITE	131
Negative Light Post (NEGLAMP)	Local light reach	5000	132
Negative Light Post (NEGLAMP)	Local light intensity	-0.30	133
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	134
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	135
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	136
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2500	139
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	140
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.25	141
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.10	142
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.01	143

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Tiberium Grows	yes	146
SPECIALFLAGS	Tiberium Spreads	yes	147
SPECIALFLAGS	Tiberium Explosive	no	148
SPECIALFLAGS	Destroyable Bridges	yes	149
SPECIALFLAGS	MCV Deploy	no	150
SPECIALFLAGS	Initial Veteran	no	151
SPECIALFLAGS	Fixed Alliance	no	152
SPECIALFLAGS	Harvester Immune	no	153
SPECIALFLAGS	Fog Of War	no	154
SPECIALFLAGS	Inert	no	155
SPECIALFLAGS	Ion Storms	no	156
SPECIALFLAGS	Meteorites	no	157
SPECIALFLAGS	Visceroids	no	158
COUNTRIES (COUNTRIES)	0	Player	161
COUNTRIES (COUNTRIES)	1	BadGuy1	162
COUNTRIES (COUNTRIES)	2	BadGuy2	163
COUNTRIES (COUNTRIES)	3	BadGuy3	164
COUNTRIES (COUNTRIES)	4	Civilian1	165
COUNTRIES (COUNTRIES)	5	Other1	166
COUNTRIES (COUNTRIES)	6	Other2	167
COUNTRIES (COUNTRIES)	7	Other3	168
COUNTRIES (COUNTRIES)	8	Elania	169
VARIABLENAMES (VARIABLENAMES)	0	Chronosphere Built,0	297
VARIABLENAMES (VARIABLENAMES)	1	Team Landed,0	298
VARIABLENAMES (VARIABLENAMES)	2	Team 2 Landed,0	299
VARIABLENAMES (VARIABLENAMES)	3	Anti-Oil Landed,0	300
VARIABLENAMES (VARIABLENAMES)	4	Oil Captured,0	301
VARIABLENAMES (VARIABLENAMES)	5	Team 3 Landed,0	302
VARIABLENAMES (VARIABLENAMES)	6	Team 2b Landed,0	303
VARIABLENAMES (VARIABLENAMES)	7	Team 3b Landed,0	304
VARIABLENAMES (VARIABLENAMES)	8	Team 3c Landed,0	305
VARIABLENAMES (VARIABLENAMES)	9	Anti-Oil 2 Landed,0	306
VARIABLENAMES (VARIABLENAMES)	10	Para 1 Landed,0	307
VARIABLENAMES (VARIABLENAMES)	11	Recur Invader 1a La,0	308
VARIABLENAMES (VARIABLENAMES)	12	Nuke Ready,0	309
VARIABLENAMES (VARIABLENAMES)	13	Got Gap,0	310
VARIABLENAMES (VARIABLENAMES)	14	Nuke2 Ready,0	311
VARIABLENAMES (VARIABLENAMES)	15	Civ Boat offscreen,0	312
VARIABLENAMES (VARIABLENAMES)	16	Recur 2a landed,0	313
VARIABLENAMES (VARIABLENAMES)	17	Recur 2b landed,0	314
VARIABLENAMES (VARIABLENAMES)	18	Low Power,0	315

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	19	Mainland Bridge,0	316
VARIABLENAMES (VARIABLENAMES)	20	Base Island Bridge,0	317
VARIABLENAMES (VARIABLENAMES)	21	1 CO Landed,0	318
VARIABLENAMES (VARIABLENAMES)	22	2 CO Landed,0	319
VARIABLENAMES (VARIABLENAMES)	23	3 CO Landed,0	320
VARIABLENAMES (VARIABLENAMES)	24	4 CO Landed,0	321
VARIABLENAMES (VARIABLENAMES)	25	5 CO Landed,0	322
VARIABLENAMES (VARIABLENAMES)	26	6 CO Landed,0	323
VARIABLENAMES (VARIABLENAMES)	27	1 CN Landed,0	324
VARIABLENAMES (VARIABLENAMES)	28	2 CN Landed,0	325
VARIABLENAMES (VARIABLENAMES)	29	3 CN Landed,0	326
VARIABLENAMES (VARIABLENAMES)	30	4 CN Landed,0	327
VARIABLENAMES (VARIABLENAMES)	31	5 CN Landed,0	328
VARIABLENAMES (VARIABLENAMES)	32	6 CN Landed,0	329
VARIABLENAMES (VARIABLENAMES)	33	Chronosphere Up,0	330
VARIABLENAMES (VARIABLENAMES)	34	Nuke Win Go,0	331
VARIABLENAMES (VARIABLENAMES)	35	Dead Squid,0	332

Operation: Chrono Storm

Campaign reading guide | Engine

Operation: Chrono Storm

all12s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (150)
- BadGuy1 House (146)
- BadGuy2 House (32)
- BadGuy3 House (11)
- Other1 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CARUS03
2. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/all12s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all12s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all12s.map. **Effective extracted member:** MAPS01.MIX/all12s.map. **Trigger definitions:** 61.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,70,96
Visible local rectangle	2,9,66,81
Placed vehicles	41
Placed infantry	38
Placed structures	268
Placed aircraft	0
Team templates	37

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	120	Player
1	BadGuy1 House	1500	BadGuy1
2	BadGuy2 House	300	BadGuy2
3	BadGuy3 House	300	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	0	Other1
6	Other2 House	0	Other2
7	Other3 House	500	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Play Final Movie,0
1	MammothDead1,0
2	MammothDead2,0
3	MammothDead3,0
4	MammothDead4,0
5	TanyaLaugh,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Mission Failed (0798A3B0)	2 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
Mission Victory (09726B10)	3 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Mission Failed - 0798A3B0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin is Destroyed 2 (0A92464C); enable from Player Dead (0A65881C).

Attached scope: tag definitions 0798A1E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4531, Events line 4594, Actions line 4657.

2. Mission Victory - 09726B10

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya enters Kremlin (07F38664); enable from Failsafe End Mission (0886803C); enable from Kremlin Secured 4b (0A40787C); enable from Kremlin Secured 6 (0A0C79EC).

Attached scope: tag definitions 09726940 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4532, Events line 4595, Actions line 4658.

3. ParaSEALS - 078C35F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078C3120 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team aaaParaSEALS (0ABE46AC) at waypoint 3 (cell 63, 61).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4533, Events line 4596, Actions line 4659.

4. Reveal Starting area - 0798AF40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0798AAA0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 3 (cell 63, 61).
2. Reveal terrain around waypoint 6 (cell 55, 61).
3. Reveal terrain around waypoint 7 (cell 62, 54).
4. Reveal terrain around waypoint 8 (cell 55, 67).
5. Reveal terrain around waypoint 9 (cell 68, 54).
6. Reveal terrain around waypoint 10 (cell 64, 62).
7. Reveal terrain around waypoint 99 (cell 62, 61).
8. Reveal terrain around waypoint 1 (cell 62, 71).
9. Reveal terrain around waypoint 2 (cell 72, 61).
10. Reveal terrain around waypoint 11 (cell 71, 70).
11. Reveal terrain around waypoint 52 (cell 54, 53).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4534, Events line 4597, Actions line 4660.

5. Prepare to Chrono - 08E4D220

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Generators Destroyed 2 (0861E7EC).

Attached scope: tag definitions 08E5E190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A12_EvaCountdown.
2. Enable and reset applicable timers for Chrono 1 (08E800F0).
3. Enable and reset applicable timers for Chrono 2 (08DAF030).
4. Enable and reset applicable timers for Prepare to Chrono 2 (0861A71C).
5. Enable and reset applicable timers for Prepare to Chrono 3 (0861A29C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4535, Events line 4598, Actions line 4661.

6. Chrono 1 - 08E800F0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono (08E4D220).

Attached scope: tag definitions 0859404C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono MCV (08E71100) at waypoint 10 (cell 64, 62).
2. Enable and reset applicable timers for Begin Prod: Bad Guy 1 (09087AE4).
3. Enable and reset applicable timers for 0 (not a defined local trigger).
4. Enable and reset applicable timers for Chrono 1b (0AE8DA4C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4536, Events line 4599, Actions line 4662.

7. Chrono 2 - 08DAF030

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono (08E4D220).

Attached scope: tag definitions 09131050 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 1 (cell 62, 71).
2. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 2 (cell 72, 61).
3. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 14 (cell 64, 71).
4. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 12 (cell 62, 69).
5. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 13 (cell 64, 69).
6. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 17 (cell 70, 61).
7. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 15 (cell 72, 63).
8. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 16 (cell 70, 63).
9. Create radar-event marker type 2 at waypoint 18 (cell 64, 72).
10. Create radar-event marker type 2 at waypoint 19 (cell 72, 64).
11. Enable and reset applicable timers for Chrono 2b (0AE8D60C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4537, Events line 4600, Actions line 4663.

8. Prepare to Chrono 2 - 0861A71C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono (08E4D220).

Attached scope: tag definitions 0861A38C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A12_EvaCountdown.
2. Enable and reset applicable timers for Chrono 3 (0861DA8C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4538, Events line 4601, Actions line 4664.

9. Prepare to Chrono 3 - 0861A29C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono (08E4D220).

Attached scope: tag definitions 0861BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 500 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A12_EvaCountdown.
2. Enable and reset applicable timers for Chrono 4 (0861C7AC).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4539, Events line 4602, Actions line 4665.

10. Begin Prod: Bad Guy 1 - 09087AE4

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono 1 (08E800F0).

Attached scope: tag definitions 09087074 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4540, Events line 4603, Actions line 4666.

11. Chrono 1b - 0AE8DA4C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono 1 (08E800F0).

Attached scope: tag definitions 0AE8D80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 253; location/duration field U.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4541, Events line 4604, Actions line 4667.

12. Chrono 2b - 0AE8D60C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono 2 (08DAF030).

Attached scope: tag definitions 0AE939FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 253; location/duration field S.
2. Play Anim At; main setting 253; location/duration field T.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4542, Events line 4605, Actions line 4668.

13. Chrono 3 - 0861DA8C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono 2 (0861A71C).

Attached scope: tag definitions 0861CEAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 1 (cell 62, 71).
2. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 2 (cell 72, 61).
3. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 14 (cell 64, 71).
4. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 12 (cell 62, 69).
5. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 13 (cell 64, 69).
6. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 17 (cell 70, 61).
7. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 15 (cell 72, 63).
8. Supply chrono reinforcement team Chrono 3 (0AA18A4C) at waypoint 16 (cell 70, 63).
9. Create radar-event marker type 2 at waypoint 18 (cell 64, 72).
10. Create radar-event marker type 2 at waypoint 19 (cell 72, 64).
11. Enable and reset applicable timers for Chrono 3b (0861CDBC).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4543, Events line 4606, Actions line 4669.

14. Chrono 4 - 0861C7AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prepare to Chrono 3 (0861A29C).

Attached scope: tag definitions 08624BAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 11 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono 2 (09747E70) at waypoint 1 (cell 62, 71).
2. Supply chrono reinforcement team Chrono 2 (09747E70) at waypoint 14 (cell 64, 71).
3. Supply chrono reinforcement team Chrono 2 (09747E70) at waypoint 15 (cell 72, 63).
4. Supply chrono reinforcement team Chrono 2 (09747E70) at waypoint 2 (cell 72, 61).
5. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 12 (cell 62, 69).
6. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 13 (cell 64, 69).
7. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 17 (cell 70, 61).
8. Supply chrono reinforcement team Chrono 4 (0C6B624C) at waypoint 16 (cell 70, 63).
9. Create radar-event marker type 2 at waypoint 18 (cell 64, 72).
10. Create radar-event marker type 2 at waypoint 19 (cell 72, 64).
11. Enable and reset applicable timers for Chrono 4b (08624E2C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4544, Events line 4607, Actions line 4670.

15. Chrono 3b - 0861CDBC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono 3 (0861DA8C).

Attached scope: tag definitions 0861CB0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 253; location/duration field S.
2. Play Anim At; main setting 253; location/duration field T.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4545, Events line 4608, Actions line 4671.

16. Chrono 4b - 08624E2C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono 4 (0861C7AC).

Attached scope: tag definitions 0862334C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 253; location/duration field S.
2. Play Anim At; main setting 253; location/duration field T.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4546, Events line 4609, Actions line 4672.

17. Play MCV Movie - 0AD699EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AD694AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 105.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4547, Events line 4610, Actions line 4673.

18. Generators Destroyed - 07E91990

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E91820 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 9 (global list position: Tesla Reactor (NAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Generators Destroyed 2 (0861E7EC).
2. Play sound PowerOff.
3. Play voice notification EVA_PrimaryObjectiveAchieved.
4. Play sound MessageText.
5. Display message “Objective 1 Accomplished - Chrono Reinforcements can now arrive” (MISSION:All12d).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4548, Events line 4611, Actions line 4674.

19. Generators Destroyed 2 - 0861E7EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Generators Destroyed (07E91990).

Attached scope: tag definitions 0861D94C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 105.
2. Enable and reset applicable timers for Prepare to Chrono (08E4D220).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4549, Events line 4612, Actions line 4675.

20. Enable Objective 1 - 096910A0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09692A80 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Clear the area so Chrono Reinforcements can arrive” (MISSION:All12a).
3. Create radar-event marker type 1 at waypoint 10 (cell 64, 62).
4. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4550, Events line 4613, Actions line 4676.

21. Enable Objective 2 - 0907A234

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0907B424 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Enable Objective 2b (090739C4).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4551, Events line 4614, Actions line 4677.

22. Enable Objective 2b - 090739C4

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 2 (0907A234).

Attached scope: tag definitions 0907D624 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 26 (cell 125, 124).
2. Create radar-event marker type 5 at waypoint 26 (cell 125, 124).
3. Display message “Objective 2: Eliminate Romanov's Elite Black Guard around the Kremlin.” (MISSION:All12b).
4. Play sound MessageText.
5. Enable and reset applicable timers for Objective 2 (09087CB4).
6. Play voice notification EVA_NewObjectiveReceived.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4552, Events line 4615, Actions line 4678.

23. Objective 2 - 09087CB4

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 2b (090739C4).

Attached scope: tag definitions 09084DC4 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 26 (cell 125, 124).
2. Display message “Objective 2: Eliminate Romanov's Elite Black Guard around the Kremlin.” (MISSION:All12b).
3. Play sound MessageText.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4553, Events line 4616, Actions line 4679.

24. Tanya enters Kremlin - 07F38664

Owner reference: Other2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Kremlin (CARUS03), owner Civie1 House, cell (125, 122), tag 07F3F674, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 19 (country/type OTHER2; placed owner Other2 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Victory (09726B10).
2. Play sound MessageText.
3. Display message “Objective 2 Accomplished - Romanov has been captured” (MISSION:All12c).
4. Play voice notification EVA_PrimaryObjectiveAchieved.
5. Destroy current instances of Kremlin is Destroyed (0A92362C).
6. Destroy current instances of Kremlin is Destroyed 2 (0A92464C).
7. Destroy current instances of Mission Failed (0798A3B0).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4554, Events line 4617, Actions line 4680.

25. Kremlin is Destroyed - 0A92362C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A92318C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 160 (global list position: Kremlin (CARUS03)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Kremlin is Destroyed 2 (0A92464C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4555, Events line 4618, Actions line 4681.

26. Kremlin is Destroyed 2 - 0A92464C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin is Destroyed (0A92362C).

Attached scope: tag definitions 0A92444C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Failed (0798A3B0).
2. Create radar-event marker type 1 at waypoint 26 (cell 125, 124).
3. Play voice notification EVA_CriticalStrucureLost.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4556, Events line 4619, Actions line 4682.

27. Start Ambient Sounds 1 - 078E54AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078E3DDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 6 (cell 55, 61).
2. Play sound _Amb_WindPlains at waypoint 2 (cell 72, 61).
3. Play sound _Amb_UrbanMurmur1 at waypoint 27 (cell 39, 64).
4. Play sound _Amb_UrbanMurmur2 at waypoint 37 (cell 131, 67).
5. Play sound _Amb_WindCold at waypoint 28 (cell 24, 85).
6. Play sound _Amb_BirdsMorning at waypoint 29 (cell 43, 99).
7. Play sound _Amb_BirdsMorning at waypoint 32 (cell 98, 40).
8. Play sound _Amb_WindCold at waypoint 30 (cell 60, 99).

9. Play sound _Amb_WindPlains at waypoint 24 (cell 75, 99).
10. Play sound _Amb_WindCold at waypoint 22 (cell 94, 98).
11. Play sound _Amb_WindPlains at waypoint 21 (cell 99, 93).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4557, Events line 4620, Actions line 4683.

28. Start Ambient Sounds 2 - 078DE70C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078DB6AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 18 (cell 64, 72).
2. Play sound _Amb_WindCold at waypoint 31 (cell 100, 56).
3. Play sound _Amb_WindPlains at waypoint 33 (cell 85, 22).
4. Play sound _Amb_UrbanMurmur2 at waypoint 34 (cell 73, 35).
5. Play sound _Amb_WavesLake at waypoint 35 (cell 117, 64).
6. Play sound _Amb_WavesLake at waypoint 36 (cell 129, 85).
7. Play sound _Amb_WavesLake at waypoint 38 (cell 66, 114).
8. Play sound _Amb_WavesLake at waypoint 39 (cell 87, 133).
9. Play sound _Amb_UrbanMurmur2 at waypoint 40 (cell 69, 129).
10. Play sound _Amb_WindCold at waypoint 41 (cell 98, 130).
11. Play sound _Amb_WindPlains at waypoint 42 (cell 132, 97).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4558, Events line 4621, Actions line 4684.

29. Start Ambient Sounds 3 - 078E314C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078E5DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 43 (cell 122, 105).
2. Play sound _Amb_WindPlains at waypoint 44 (cell 110, 116).
3. Play sound _Amb_BirdsTemperate1 at waypoint 26 (cell 125, 124).
4. Play sound _Amb_BirdsPark at waypoint 45 (cell 138, 103).
5. Play sound _Amb_BirdsTemperate2 at waypoint 46 (cell 104, 137).
6. Play sound _Amb_BirdsTemperate1 at waypoint 47 (cell 48, 45).
7. Play sound _Amb_BirdsMorning at waypoint 48 (cell 55, 75).
8. Play sound _Amb_BirdsTemperate1 at waypoint 49 (cell 81, 80).
9. Play sound _Amb_BirdsTemperate2 at waypoint 50 (cell 75, 52).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4559, Events line 4622, Actions line 4685.

30. Weather Storm Movie - 0CC8E1AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CC9606C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 29 (global list position: Weather Controller (GAWEAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Weather Storm Movie 2 (0CC9505C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4560, Events line 4623, Actions line 4686.

31. Weather Storm Movie 2 - 0CC9505C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Weather Storm Movie (0CC8E1AC).

Attached scope: tag definitions 0CC9107C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 145.
2. Switch the sidebar to tab 2.
3. Flash cameo/type 29; additional configured duration/location argument 200.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4561, Events line 4624, Actions line 4687.

32. Prisoners 1b - 0ABA865C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Prisoners 1a (0ABAC4EC); enable from Prisoners 1c (0ABAAEBC).

Attached scope: GI (E1), owner Other1 House, cell (52, 51), tag 0ABACADC, persistence mode 0; GI (E1), owner Other1 House, cell (51, 51), tag 0ABACADC, persistence mode 0; GI (E1), owner Other1 House, cell (52, 52), tag 0ABACADC, persistence mode 0; GI (E1), owner Other1 House, cell (53, 51), tag 0ABACADC, persistence mode 0; GI (E1), owner Other1 House, cell (52, 50), tag 0ABACADC, persistence mode 0; GI (E1), owner Other1 House, cell (53, 52), tag 0ABACADC, persistence mode 0; Engineer (ENGINEER), owner Other1 House, cell (52, 52), tag 0ABACADC, persistence mode 0; Engineer (ENGINEER), owner Other1 House, cell (53, 52), tag 0ABACADC, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A5_AllSoldier2.
2. Play sound MessageText.
3. Display message “Additional troops gained” (MISSION:All01r).
4. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Create radar-event marker type 1 at waypoint 52 (cell 54, 53).
6. Create/recruit team Flash Engineer (08488A8C).
7. Create/recruit team Flash GI (0848715C).
8. Create/recruit team Flash Engineer (08488A8C).
9. Create/recruit team Flash GI (0848715C).
10. Create/recruit team Flash GI (0848715C).
11. Create/recruit team Flash GI (0848715C).
12. Create/recruit team Flash GI (0848715C).
13. Create/recruit team Flash GI (0848715C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4562, Events line 4625, Actions line 4688.

33. Prisoners 1a - 0ABAC4EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barrel (CAMISC02), owner Civie1 House, cell (56, 52), tag 0ABAC2EC, persistence mode 0; Barrels (CAMISC01), owner Civie1 House, cell (52, 55), tag 0ABAC2EC, persistence mode 0; Barrel (CAMISC02), owner Civie1 House, cell (53, 55), tag 0ABAC2EC, persistence mode 0; Barrels (CAMISC01), owner Civie1 House, cell (56, 51), tag 0ABAC2EC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Prisoners 1b (0ABA865C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4563, Events line 4626, Actions line 4689.

34. Prisoners 1c - 0ABAAEBC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 12 tagged map cells: (51, 50), (52, 50), (53, 50), (54, 50), (51, 51), (54, 51), (51, 52), (54, 52), (51, 53), (52, 53), (53, 53), (54, 53); tag 0ABAACBC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Prisoners 1b (0ABA865C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4564, Events line 4627, Actions line 4690.

35. Player Dead - 0A65881C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A65E06C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.
2. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Failed (0798A3B0).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4565, Events line 4628, Actions line 4691.

36. Kremlin Secured 1 - 0A5E6E1C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A5E693C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (MammothDead4) is set.
2. local flag 3 (MammothDead3) is set.
3. local flag 2 (MammothDead2) is set.
4. local flag 1 (MammothDead1) is set.
5. Building does not exist: type index 20 (global list position: Sentry Gun (NALASR)). A map-local type-list change can affect index interpretation.
6. Building does not exist: type index 67 (global list position: Flak Cannon (NAFLAK)). A map-local type-list change can affect index interpretation.
7. Building does not exist: type index 53 (global list position: Tesla Coil (TESLA)). A map-local type-list change can affect index interpretation.

Flag writers in this mission: set local flag 4 (MammothDead4) at MammothDead4 (0A66D32C); set local flag 3 (MammothDead3) at MammothDead3 (0A66D87C); set local flag 2 (MammothDead2) at MammothDead2 (0A66DAFC); set local flag 1 (MammothDead1) at MammothDead1 (0A66C3BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Kremlin Secured 1b (086BC03C).
2. Play voice notification Mis_A12_SoldierNoSurrender.
3. Disable player input.
4. Disable Player Dead (0A65881C).
5. Disable Chrono 3 (0861DA8C).
6. Disable Chrono 3b (0861CDBC).
7. Disable Chrono 4 (0861C7AC).
8. Disable Chrono 4b (08624E2C).
9. Disable Objective 2 (09087CB4).
10. Enable and reset applicable timers for Ally with Player (062329FC).

11. Enable and reset applicable timers for Ally With Bad Guy (062323EC).
12. Enable and reset applicable timers for Kremlin Secured 1a (087AC2BC).
13. Enable and reset applicable timers for Failsafe End Mission (0886803C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4566, Events line 4629, Actions line 4692.

37. Kremlin Secured 1b - 086BC03C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1 (0A5E6E1C).

Attached scope: tag definitions 086C004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.
2. Enable and reset applicable timers for Kremlin Secured 2 (0A5E684C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4567, Events line 4630, Actions line 4693.

38. Ally with Player - 062329FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1 (0A5E6E1C).

Attached scope: tag definitions 062324DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make ally: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4568, Events line 4631, Actions line 4694.

39. Ally With Bad Guy - 062323EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1 (0A5E6E1C).

Attached scope: tag definitions 062321EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make ally: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4569, Events line 4632, Actions line 4695.

40. Kremlin Secured 1a - 087AC2BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1 (0A5E6E1C).

Attached scope: tag definitions 087A849C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 57 (cell 120, 119) with speed setting 3.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4570, Events line 4633, Actions line 4696.

41. Failsafe End Mission - 0886803C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1 (0A5E6E1C).

Attached scope: tag definitions 0D99804C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Victory (09726B10).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4571, Events line 4634, Actions line 4697.

42. Kremlin Secured 2 - 0A5E684C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 1b (086BC03C).

Attached scope: tag definitions 0A5E664C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play full-screen movie 139.
2. Enable and reset applicable timers for Kremlin Secured 3 (0AEDD8CC).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4572, Events line 4635, Actions line 4698.

43. Kremlin Secured 3 - 0AEDD8CC

Owner reference: Other2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 2 (0A5E684C).

Attached scope: tag definitions 0AEE09CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team IFV-Tanya (0D80934C) at waypoint 58 (cell 119, 117).
2. Enable and reset applicable timers for Kremlin Secured 3b (0AEB998C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4573, Events line 4636, Actions line 4699.

44. Kremlin Secured 3b - 0AEB998C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 3 (0AEDD8CC).

Attached scope: tag definitions 0AEB951C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 253; location/duration field BF.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4574, Events line 4637, Actions line 4700.

45. Kremlin is Secured 4 - 0AEE1F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AEE715C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Play Final Movie) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Cheers (0640A0CC).

2. Play sound BuildingGarrisoned.
3. Play sound WallCrushSandbag.
4. Enable and reset applicable timers for Kremlin Secured 4b (0A40787C).
5. Enable and reset applicable timers for Stop Cheers (0ABB5D7C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4575, Events line 4638, Actions line 4701.

46. Cheers - 0640A0CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin is Secured 4 (0AEE1F3C); enable from Kremlin Secured 5 (0AEE6E7C).

Attached scope: tag definitions 064095AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4576, Events line 4639, Actions line 4702.

47. Kremlin Secured 4b - 0A40787C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin is Secured 4 (0AEE1F3C).

Attached scope: tag definitions 0A40751C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 2 Accomplished - Romanov has been captured” (MISSION:All12c).
3. Enable and reset applicable timers for Mission Victory (09726B10).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4577, Events line 4640, Actions line 4703.

48. Stop Cheers - 0ABB5D7C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin is Secured 4 (0AEE1F3C).

Attached scope: tag definitions 0ABB536C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Cheers (0640A0CC).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4578, Events line 4641, Actions line 4704.

49. Kremlin Secured 5 - 0AEE6E7C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AEE0D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play full-screen movie 143.
2. Enable and reset applicable timers for Kremlin Secured 6 (0A0C79EC).
3. Enable and reset applicable timers for Cheers (0640A0CC).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4579, Events line 4642, Actions line 4705.

50. Kremlin Secured 6 - 0A0C79EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kremlin Secured 5 (0AEE6E7C).

Attached scope: tag definitions 0A0C74AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Victory (09726B10).
2. Play sound MessageText.
3. Display message “Objective 2 Accomplished - Romanov has been captured” (MISSION:All12c).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4580, Events line 4643, Actions line 4706.

51. Kremlin Secured 6b - 0A1C640C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A1D3B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4581, Events line 4644, Actions line 4707.

52. Secret 1 - 0ADA748C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 27 tagged map cells: (19, 80), (21, 80), (18, 81), (21, 81), (20, 82), (19, 83), (22, 83), (21, 84), (22, 84), (25, 87), (27, 87), (25, 88), (26, 88), (27, 88), (26, 89), (27, 89), (32, 91), (31, 93), (32, 93), (33, 93), (34, 93), (31, 94), (32, 94), (33, 94), (34, 94), (32, 95), (33, 95); tag 0ADA6C6C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound HealCrate.
2. Play sound MessageText.
3. Display message “TSC&ACC” (MISSION:Sov11k).
4. Enable and reset applicable timers for Secret 2 (0ADA6B7C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4582, Events line 4645, Actions line 4708.

53. Secret 2 - 0ADA6B7C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Secret 1 (0ADA748C).

Attached scope: tag definitions 0ADA68CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “11/21/98” (MISSION:Sov11f).
2. Play sound MessageText.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4583, Events line 4646, Actions line 4709.

54. MammothDead1 - 0A66C3BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Apocalypse (APOC), owner BadGuy3 House, cell (124, 117), tag 0A66DBEC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 1 (MammothDead1).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4584, Events line 4647, Actions line 4710.

55. MammothDead2 - 0A66DAFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Apocalypse (APOC), owner BadGuy3 House, cell (122, 117), tag 0A66D96C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (MammothDead2).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4585, Events line 4648, Actions line 4711.

56. MammothDead3 - 0A66D87C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Apocalypse (APOC), owner BadGuy3 House, cell (118, 121), tag 0A66D54C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (MammothDead3).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4586, Events line 4649, Actions line 4712.

57. MammothDead4 - 0A66D32C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Apocalypse (APOC), owner BadGuy3 House, cell (118, 123), tag 0A66D12C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 4 (MammothDead4).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4587, Events line 4650, Actions line 4713.

58. Hint: Chrono Guy 2 - 0C49F06C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Chrono Guy (0C49C4CC).

Attached scope: tag definitions 0C49CC7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_ChronoLegion.
2. Create/recruit team Hint: Chrono Guy (0A49F17C).
3. Flash team Hint: Chrono Guy (0A49F17C) with duration setting 120.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4588, Events line 4651, Actions line 4714.

59. Hint: Chrono Guy - 0C49C4CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C49C08C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 15 (global list position: Chrono Legionnaire (CLEG)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Chrono Guy 2 (0C49F06C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4589, Events line 4652, Actions line 4715.

60. Tanya Laugh - 0D9E803C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D9F104C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (TanyaLaugh) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Tanya Laugh 2 (0D9F203C).

Source locator: MAPS01.MIX/all12s.map; Triggers line 4590, Events line 4653, Actions line 4716.

61. Tanya Laugh 2 - 0D9F203C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya Laugh (0D9E803C).

Attached scope: tag definitions 0DCD8A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound TanyaCreated.

Source locator: MAPS01.MIX/all12s.map; Triggers line 4591, Events line 4654, Actions line 4717.

All team rosters and ordered plans | All mission overrides

Operation: Chrono Storm - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/all12s.map; each team/script ID identifies its section.

aaaParaSEALS - 0ABE46AC

Owner: Player. Roster: 3 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: D; Transport Waypoint: E.

Ordered plan: ParaSEALS (0ABE443C).

1. Guard for interval; configured argument 0.

Chrono MCV - 08E71100

Owner: Player. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Chrono MCV (08EAF040).

1. Guard for interval; configured argument 0.

Chrono 2 - 09747E70

Owner: Player. Roster: 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono MCV (08EAF040).

1. Guard for interval; configured argument 0.

Chrono 3 - 0AA18A4C

Owner: Player. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono MCV (08EAF040).

1. Guard for interval; configured argument 0.

Chrono 4 - 0C6B624C

Owner: Player. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono MCV (08EAF040).

1. Guard for interval; configured argument 0.

Soviet Occupy Structure - 0AB1691C

Owner: BadGuy1. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Occupy Structure (0C0B546C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 10.

3. Report team success.

Terror Drones vs Vehicles - 0AB1646C

Owner: BadGuy1. Roster: 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Vehicles (0C0B635C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Flak Troopers vs infantry - 0AB15C8C

Owner: BadGuy1. Roster: 4 × Flak Trooper (FLAKT); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0AB15A1C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Tanks vs vehicles - 0AB1535C

Owner: BadGuy1. Roster: 4 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Vehicles (0C0B635C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Tanks vs Structures - 0AB14DEC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Structures (0C0B5C8C).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.

Flak Traks vs Infantry - 0AB14BAC

Owner: BadGuy1. Roster: 4 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0AB15A1C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Engineers vs Tech Buildings - 0AB1496C

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Tech Buildings (0AB146FC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 11.
3. Report team success.
4. Seek/attack target category; configured argument 2.

Terror Drones vs Harvesters - 0AB144BC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Harvesters (0AB13DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.

Apocs vs Vehicles - 0AB1427C

Owner: BadGuy1. Roster: 3 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Vehicles (0C0B635C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Apocs vs Structures - 0AB13B7C

Owner: BadGuy1. Roster: 2 × Apocalypse (APOC); 2 × V3 Launcher (V3); 2 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Structures (0C0B5C8C).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.

Apoc Rush - 0AB1393C

Owner: BadGuy1. Roster: 5 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Structures (0C0B5C8C).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.

Tanks vs Anything - 0AB136FC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Anything (0C0B291C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Conscripts vs Anything - 0AB12EFC

Owner: BadGuy1. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Anything (0C0B291C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.
4. Seek/attack target category; configured argument 1.

V3s vs Base Defenses - 0AB12DCC

Owner: BadGuy1. Roster: 3 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Base Defenses (0C0B222C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Request special-weapon support; configured argument 0.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 2.

Dogs vs Infantry - 0AB1291C

Owner: BadGuy1. Roster: 4 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0AB15A1C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Anti-Weather Storm - 0AB126DC

Owner: BadGuy1. Roster: 3 × V3 Launcher (V3); 2 × Apocalypse (APOC); 1 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Anti Weather Storm (0C0B193C).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Attack selected enemy-building category; configured argument 131101.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Tesla Tanks vs Vehicles - 0AB11EFC

Owner: BadGuy1. Roster: 5 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Vehicles (0C0B635C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Defense - Flak Trooper 1 - 0847E79C

Owner: BadGuy1. Roster: 4 × Flak Trooper (FLAKT); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 16; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC64DBC).

1. Guard for interval; configured argument 50.
2. Report team success.

Defense - Terror Drones 1 - 0847E4FC

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 17; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC64DBC).

1. Guard for interval; configured argument 50.
2. Report team success.

Defense - Tanks 1 - 0847E2EC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 12; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC64DBC).

1. Guard for interval; configured argument 50.
2. Report team success.

Defense - Tesla Tank 1 - 0847E1BC

Owner: BadGuy1. Roster: 2 × Tesla Tank (TTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC64DBC).

1. Guard for interval; configured argument 50.
2. Report team success.

BG1 Defense - Dogs 1 - 0C702EFC

Owner: BadGuy1. Roster: 4 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC64DBC).

1. Guard for interval; configured argument 50.
2. Report team success.

IFV-Tanya - 0D80934C

Owner: Other2. Roster: 1 × Tanya (TANY); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: BG.

Ordered plan: IFV-Tanya (0D808DBC).

1. Unload with continuation mode: passengers continue; transport leaves team.
2. Set local flag: local flag 5 (TanyaLaugh).
3. Move to waypoint: waypoint 59 (cell 124, 123).
4. Set local flag: local flag 0 (Play Final Movie).
5. Delete team objects.

Backdoor Right 1 - 0AE7007C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Backdoor 1 (0AF4305C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 60 (cell 97, 56).
3. Move to waypoint: waypoint 34 (cell 73, 35).
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 2.
7. Jump to script line; configured argument 4.

Backdoor Right 2 - 0AF42D7C

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Backdoor 1 (0AF4305C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 60 (cell 97, 56).
3. Move to waypoint: waypoint 34 (cell 73, 35).
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 2.

7. Jump to script line; configured argument 4.

Backdoor Left 1 - 0AF40B1C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Backdoor Left 1 (0AF4236C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 61 (cell 68, 110).
3. Move to waypoint: waypoint 27 (cell 39, 64).
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 2.
7. Jump to script line; configured argument 4.

Backdoor Left 2 - 0AF4793C

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Backdoor Left 1 (0AF4236C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 61 (cell 68, 110).
3. Move to waypoint: waypoint 27 (cell 39, 64).
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 2.
7. Jump to script line; configured argument 4.

Flash GI - 0848715C

Owner: Player. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Flash (08488DBC).

1. Flash team; configured argument 90.

Flash Engineer - 08488A8C

Owner: Player. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Flash (08488DBC).

1. Flash team; configured argument 90.

Kirov Medium - 0C586EBC

Owner: BadGuy1. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Kirov Script (0C58742C).

1. Seek/attack target category; configured argument 6.
2. Report team success.

3. Seek/attack target category; configured argument 1.
4. Jump to script line; configured argument 3.

Kirov Hard - 0C6411CC

Owner: BadGuy1. Roster: 2 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Kirov Script (0C58742C).

1. Seek/attack target category; configured argument 6.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Jump to script line; configured argument 3.

Hint: Chrono Guy - 0A49F17C

Owner: Player. Roster: 1 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Hint: Chrono Guy (0A4A503C).

1. Flash team; configured argument 120.

Operation: Chrono Storm - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/all12s.map.

Object/system	Property	Mission value	Source line
SEAL (GHOST)	Technology level	5	2
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	1	5
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.5	6
Tesla Coil (TESLA)	Signed power contribution	-10	9
War Miner (HARV)	Resource cargo capacity	20	12
Chrono Miner (CMIN)	Resource cargo capacity	10	15
TIBERIUMS (TIBERIUMS)	0	Riparius	18
TIBERIUMS (TIBERIUMS)	1	Cruentus	19
TIBERIUMS (TIBERIUMS)	2	Vinifera	20
TIBERIUMS (TIBERIUMS)	3	Aboreus	21
Tiberium Riparius (RIPARIUS)	Value	50	24
Tiberium Cruentus (CRUENTUS)	Value	100	27
Tiberium Vinifera (VINIFERA)	Value	50	30
Tiberium Aboreus (ABOREUS)	Value	50	33
Iron Curtain (IRONCURTAINSPECIAL)	Recharge Time	10	36
Nuclear Missile (MULTISPECIAL)	Recharge Time	20	39
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1000,750,500	42
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	4000	43
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-4000	44
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Line Trail Color	80,80,90	45
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Parachute Max Fall Rate	-10	46
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	60,40,30	47
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Chrono Reinf Delay	60	48
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.03	49
Engineer (SENGINEER)	Technology level	-1	52
Tanya (TANY)	Name	Tanya	64
Tanya (TANY)	Primary	MP5	65
Tanya (TANY)	Assaulter	yes	66

Object/system	Property	Mission value	Source line
Tanya (TANY)	Starting health capacity	250	67
Tanya (TANY)	Armor class	flak	68
Tanya (TANY)	Sight radius setting	8	69
Tanya (TANY)	Movement rating	6	70
Tanya (TANY)	Technology level	-1	71
MP5 (MP5)	Damage	125	74
MP5 (MP5)	ROF	10	75
MP5 (MP5)	Range	8	76
Attack Dog (DOG)	UI Name	Name:DOG	79
Attack Dog (DOG)	Name	Attack Dog	80
Attack Dog (DOG)	Technology level	-1	81
Negative Light Post (NEGLAMP)	Name	Negative Light Post	84
Negative Light Post (NEGLAMP)	Image	GALITE	85
Negative Light Post (NEGLAMP)	Local light reach	5000	86
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	87
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	88
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	89
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	90
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	93
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	94
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	95
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.67059	96
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.19608	97
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.67059	98
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	101
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	102
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	103
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	104
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	105
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0	106
SPECIALFLAGS	Tiberium Grows	no	109
SPECIALFLAGS	Tiberium Spreads	yes	110
SPECIALFLAGS	Tiberium Explosive	no	111
SPECIALFLAGS	Destroyable Bridges	no	112
SPECIALFLAGS	MCV Deploy	no	113

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Initial Veteran	no	114
SPECIALFLAGS	Fixed Alliance	no	115
SPECIALFLAGS	Harvester Immune	no	116
SPECIALFLAGS	Fog Of War	no	117
SPECIALFLAGS	Inert	no	118
SPECIALFLAGS	Ion Storms	no	119
SPECIALFLAGS	Meteorites	no	120
SPECIALFLAGS	Visceroids	no	121
COUNTRIES (COUNTRIES)	0	Player	124
COUNTRIES (COUNTRIES)	1	BadGuy1	125
COUNTRIES (COUNTRIES)	2	BadGuy2	126
COUNTRIES (COUNTRIES)	3	BadGuy3	127
COUNTRIES (COUNTRIES)	4	Civilian1	128
COUNTRIES (COUNTRIES)	5	Other1	129
COUNTRIES (COUNTRIES)	6	Other2	130
COUNTRIES (COUNTRIES)	7	Other3	131
VARIABLENAMES (VARIABLENAMES)	0	Play Final Movie,0	249
VARIABLENAMES (VARIABLENAMES)	1	MammothDead1,0	250
VARIABLENAMES (VARIABLENAMES)	2	MammothDead2,0	251
VARIABLENAMES (VARIABLENAMES)	3	MammothDead3,0	252
VARIABLENAMES (VARIABLENAMES)	4	MammothDead4,0	253
VARIABLENAMES (VARIABLENAMES)	5	TanyaLaugh,0	254

Operation: Red Dawn

Campaign reading guide | Engine

RA2 Soviet opening: Red Dawn. The initial Washington scene is visible with the Android command toolbar. Historical local Android-emulator campaign-start capture; not physical Samsung testing.

Operation: Red Dawn

sov01t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (209)
- BadGuy1 House (85)
- BadGuy2 House (4)
- Player House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov01t.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAWA2A

Initial placement schematic for sov01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov01t.map. **Effective extracted member:** MAPS02.MIX/sov01t.map. **Trigger definitions:** 132.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,55,100
Visible local rectangle	2,5,51,89
Placed vehicles	78
Placed infantry	60
Placed structures	161
Placed aircraft	0
Team templates	44

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	55	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	100	BadGuy2
3	BadGuy3 House	100	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Need Reinforcements,0
1	Win 1,1
2	Win 2,0
3	Win 3,0
4	Win 4,0
5	Baseball Panic,0
6	Bridge Discovered,0
7	Engineer Built,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
VICTORY! (0A301C50)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Gate	Conditions recorded	Terminal-related actions
Mission Fail (0A115A1C)	4 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Start AI Teams - 08F7F100

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F7C180 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4981, Events line 5115, Actions line 5249.

2. Bridge Audio a - 09367F40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 13 tagged map cells: (93, 83), (90, 84), (91, 84), (92, 84), (93, 84), (90, 85), (91, 85), (92, 85), (93, 85), (90, 86), (91, 86), (92, 86), (93, 86); tag 09367AC0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play voice notification Mis_S1_SofiaRepairBridge.
2. Create radar-event marker type 1 at waypoint 0 (cell 90, 85).
3. Reveal terrain around waypoint 1 (cell 90, 85).
4. Enable and reset applicable timers for Bridge Audio b (0A0FC9DC).
5. Enable and reset applicable timers for Bridge Audio 1 (080F340C).
6. Enable and reset applicable timers for Bridge Audio 2 (080F4F3C).
7. Play sound Bonus.
8. Enable and reset applicable timers for Bridge Hut Anim (083182BC).
9. Enable and reset applicable timers for Repair Bridge Hint (079D64BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4982, Events line 5116, Actions line 5250.

3. Bridge Audio b - 0A0FC9DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Audio a (09367F40).

Attached scope: tag definitions 0A0FC63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Bridge Audio 2 (080F4F3C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4983, Events line 5117, Actions line 5251.

4. Bridge Audio 1 - 080F340C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Audio a (09367F40).

Attached scope: tag definitions 080F306C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: Construct a BARRACKS in order to produce ENGINEERS to repair the bridge” (MISSION:ALL01f).
2. Flash cameo/type 11; additional configured duration/location argument 90.
3. Switch the sidebar to tab 2.
4. Enable and reset applicable timers for Repair Bridge Hint (079D64BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4984, Events line 5118, Actions line 5252.

5. Bridge Audio 2 - 080F4F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Audio a (09367F40).

Attached scope: tag definitions 080F4BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “HINT: Order an ENGINEER into the BRIDGE HUT to repair the bridge” (MISSION:Sov1b).
2. Switch the sidebar to tab 2.
3. Flash cameo/type 388; additional configured duration/location argument 90.
4. Enable and reset applicable timers for Repair Bridge Hint (079D64BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4985, Events line 5119, Actions line 5253.

6. Bridge Hut Anim - 083182BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Audio a (09367F40); enable from Hint: Engineer 2 (0A0FAE5C).

Attached scope: tag definitions 08319B4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4986, Events line 5120, Actions line 5254.

7. Repair Bridge Hint - 079D64BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Audio a (09367F40); enable from Bridge Audio 1 (080F340C); enable from Bridge Audio 2 (080F4F3C); enable from Hint: Engineer 2 (0A0FAE5C).

Attached scope: tag definitions 079D790C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S1_SofiaRepairBridge.
2. Create radar-event marker type 1 at waypoint 0 (cell 90, 85).
3. Play sound MessageText.
4. Display message “HINT: Order an ENGINEER into the BRIDGE HUT to repair the bridge” (MISSION:Sov1b).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4987, Events line 5121, Actions line 5255.

8. Disable Bridge Audio - 093679E0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Civie1 House, cell (92, 87), tag 09367560, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Bridge Audio a (09367F40).
2. Reveal terrain around waypoint 1 (cell 90, 85).
3. Destroy current instances of Bridge Hut Anim (083182BC).
4. Destroy current instances of Repair Bridge Hint (079D64BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4988, Events line 5122, Actions line 5256.

9. Tech Building 1 - 0934F880

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 9 tagged map cells: (69, 82), (70, 82), (69, 83), (68, 84), (69, 84), (68, 85), (68, 86), (68, 87), (69, 87); tag 0934DEB0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 2 (cell 64, 78).
2. Create radar-event marker type 1 at waypoint 2 (cell 64, 78).
3. Display message “HINT: Capture the AIRPORT with an ENGINEER to allow your paratroopers to land in the area” (MISSION:Sov1g).
4. Play voice notification Mis_S1_SofiaAirportHint1.
5. Enable and reset applicable timers for Reinforcements 4 (08E58F40).
6. Play sound Bonus.
7. Enable and reset applicable timers for Airport Animation (08498E5C).
8. Disable Urban Combat Anim (0848833C).
9. Disable Urban Combat Anim 2 (08489CEC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4989, Events line 5123, Actions line 5257.

10. Reinforcements 4 - 08E58F40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tech Building 1 (0934F880); force from Force Reinforcements 4 (0BB5779C).

Attached scope: tag definitions 08E5A8D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1b (08263EFC) at waypoint 12 (cell 63, 85).
2. Enable and reset applicable timers for Reinforcements 4b (079AA110).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4990, Events line 5124, Actions line 5258.

11. Airport Animation - 08498E5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tech Building 1 (0934F880).

Attached scope: tag definitions 0849891C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field C.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4991, Events line 5125, Actions line 5259.

12. Urban Combat Anim - 0848833C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Urban Combat 1 (079A71F0).

Attached scope: tag definitions 08489DDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field CJ.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4992, Events line 5126, Actions line 5260.

13. Urban Combat Anim 2 - 08489CEC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Urban Combat 1 (079A71F0).

Attached scope: tag definitions 08489AEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field CI.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4993, Events line 5127, Actions line 5261.

14. Reinforcements 4b - 079AA110

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 4 (08E58F40).

Attached scope: tag definitions 079AC090 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 12 (cell 63, 85).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4994, Events line 5128, Actions line 5262.

15. Urban Combat 1 - 079A71F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 14 tagged map cells: (81, 82), (82, 82), (81, 83), (82, 83), (81, 84), (82, 84), (81, 85), (82, 85), (81, 86), (82, 86), (81, 87), (82, 87), (81, 88), (82, 88); tag 09362180, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 4 (cell 75, 85).
2. Create radar-event marker type 1 at waypoint 4 (cell 75, 85).
3. Play sound MessageText.
4. Display message “HINT: Order your CONSCRIPTS to enter CIVILIAN BUILDINGS to fortify them” (MISSION:Sov1c).
5. Play voice notification Mis_S1_SofiaUrbanHint.

6. Enable and reset applicable timers for Urban Combat Anim (0848833C).
7. Enable and reset applicable timers for Urban Combat Anim 2 (08489CEC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4995, Events line 5129, Actions line 5263.

16. Reinforcements 1 - 08ECC6D0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (98, 92), (99, 92), (100, 92), (98, 93), (99, 93), (100, 93); tag 08ECC0E0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 53 (cell 99, 88).
2. Enable and reset applicable timers for Reinforcements 1b (08D07E80).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4996, Events line 5130, Actions line 5264.

17. Reinforcements 1b - 08D07E80

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 1 (08ECC6D0).

Attached scope: tag definitions 08D079C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 53 (cell 99, 88).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4997, Events line 5131, Actions line 5265.

18. Reinforcements 2b - 07A94480

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 2 (08DE3B80).

Attached scope: tag definitions 07A95C00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 10 (cell 91, 38).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4998, Events line 5132, Actions line 5266.

19. Reinforcements 3b - 07A95B20

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 3 (08DE67E0).

Attached scope: tag definitions 07A95880 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 11 (cell 84, 85).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 4999, Events line 5133, Actions line 5267.

20. Reinforcements 5b - 079B4200

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 5 (07A1BB70).

Attached scope: tag definitions 079B2210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 9 (cell 60, 78).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5000, Events line 5134, Actions line 5268.

21. Reinforcements 6b - 079B2130

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 6 (08ECC510).

Attached scope: tag definitions 079B74E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 14 (cell 60, 57).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5001, Events line 5135, Actions line 5269.

22. Reinforcements 7B - 092F5B30

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements 7 (08DF42C0).

Attached scope: tag definitions 092F5200 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 2 at waypoint 15 (cell 61, 44).
2. Create radar-event marker type 2 at waypoint 16 (cell 65, 38).
3. Create radar-event marker type 2 at waypoint 17 (cell 54, 39).
4. Create radar-event marker type 2 at waypoint 18 (cell 57, 34).
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5002, Events line 5136, Actions line 5270.

23. Reinforcements - 08ECE880

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092F5D30 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Initial Paratroopers (0BDAE1FC).
2. Supply reinforcement team Initial Paratroopers 2 (08E14F00).
3. Supply reinforcement team Initial Paratroopers 3 (08E14D10).
4. Enable and reset applicable timers for Reinforcements b (0810671C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5003, Events line 5137, Actions line 5271.

24. Reinforcements b - 0810671C

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements (08ECE880).

Attached scope: tag definitions 08107DDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Occupy Memorial (0A0C1A7C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5004, Events line 5138, Actions line 5272.

25. Reinforcements 2 - 08DE3B80

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DE68C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 10 (cell 91, 38).
2. Enable and reset applicable timers for Reinforcements 2b (07A94480).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5005, Events line 5139, Actions line 5273.

26. Reinforcements 3 - 08DE67E0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 3 tagged map cells: (86, 84), (86, 85), (86, 86); tag 08DE64C0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 11 (cell 84, 85).
2. Enable and reset applicable timers for Reinforcements 3b (07A95B20).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5006, Events line 5140, Actions line 5274.

27. Reinforcements 5 - 07A1BB70

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Airport Captured (0A3030B0).

Attached scope: tag definitions 07A1B470 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1b (08263EFC) at waypoint 9 (cell 60, 78).
2. Enable and reset applicable timers for Reinforcements 5b (079B4200).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5007, Events line 5141, Actions line 5275.

28. Reinforcements 6 - 08ECC510

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 3 tagged map cells: (59, 64), (60, 64), (61, 64); tag 08ECACC0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 14 (cell 60, 57).
2. Enable and reset applicable timers for Reinforcements 6b (079B2130).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5008, Events line 5142, Actions line 5276.

29. Reinforcements 7 - 08DF42C0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: force from Force Reinforcements 7 (080F4DAC).

Attached scope: 11 tagged map cells: (47, 39), (48, 39), (72, 39), (73, 39), (47, 40), (48, 40), (72, 40), (73, 40), (59, 47), (60, 47), (61, 47); tag 08DF4BB0, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 15 (cell 61, 44).
2. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 16 (cell 65, 38).
3. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 17 (cell 54, 39).
4. Supply reinforcement team Paratroopers 1 (09CCDC8C) at waypoint 18 (cell 57, 34).
5. Enable and reset applicable timers for Reinforcements 7B (092F5B30).
6. Play voice notification Mis_S1_SofiaDestroyPentagon.
7. Disable Force Reinforcements 7 (080F4DAC).
8. Supply reinforcement team Secret Tanks (0836F59C).
9. Supply reinforcement team Secret Tanks 2 (0826D22C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5009, Events line 5143, Actions line 5277.

30. Force Reinforcements 7 - 080F4DAC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner BadGuy1 House, cell (65, 39), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (54, 40), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (64, 37), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (64, 42), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (60, 44), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (57, 44), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (55, 36), tag 080FF60C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (59, 34), tag 080FF60C, persistence mode 0; Pentagon (CAWA2A), owner Civie1 House, cell (60, 36), tag 080FF60C, persistence mode 0; Pentagon (CAWA2B), owner Civie1 House, cell (60, 40), tag 080FF60C, persistence mode 0; Pentagon (CAWA2D), owner Civie1 House, cell (56, 36), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (56, 33), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (56, 46), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (64, 33), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (64, 46), tag 080FF60C, persistence mode 0; Pentagon (CAWA2C), owner Civie1 House, cell (56, 40), tag 080FF60C, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (54, 45), tag 080FF60C, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (54, 34), tag 080FF60C, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (66, 45), tag 080FF60C, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (66, 34), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (53, 43), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (53, 36), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (67, 43), tag 080FF60C, persistence mode 0; US Flag (CAUSFGL), owner BadGuy1 House, cell (67, 36), tag 080FF60C, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (59, 46), tag 080FF60C, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (61, 46), tag 080FF60C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Force Reinforcements 7 (08DF42C0).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5010, Events line 5144, Actions line 5278.

31. Pentagon 1 - 08696820

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 086963D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 131 (global list position: Pentagon (CAWA2A)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 1 (Win 1).
2. Enable and reset applicable timers for Angry GI's 3 (084584CC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5011, Events line 5145, Actions line 5279.

32. Angry GI's 3 - 084584CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pentagon 1 (08696820).

Attached scope: tag definitions 084582CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Angry GI's (09BDD6FC) at waypoint 93 (cell 61, 38).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5012, Events line 5146, Actions line 5280.

33. Win Condition 1 - 08691C50

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear Pentagon (08F2E200).

Attached scope: tag definitions 08691660 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Win 1) is set.
2. local flag 2 (Win 2) is set.
3. local flag 3 (Win 3) is set.
4. local flag 4 (Win 4) is set.

Flag writers in this mission: set local flag 1 (Win 1) at Pentagon 1 (08696820); clear local flag 1 (Win 1) at Clear Pentagon (08F2E200); set local flag 2 (Win 2) at Pentagon 2 (086919B0); clear local flag 2 (Win 2) at Clear Pentagon (08F2E200); set local flag 3 (Win 3) at Pentagon 3 (086958C0); clear local flag 3 (Win 3) at Clear Pentagon (08F2E200); set local flag 4 (Win 4) at Pentagon 4 (08692CF0); clear local flag 4 (Win 4) at Clear Pentagon (08F2E200). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_S1_SofiaVictorySpeech.
2. Enable and reset applicable timers for VICTORY! (0A301C50).
3. Disable Objective 1 (0A2F5090).
4. Enable and reset applicable timers for Cheer (0CD2F0BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5013, Events line 5147, Actions line 5281.

34. VICTORY! - 0A301C50

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Condition 1 (08691C50).

Attached scope: tag definitions 0A3069F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5014, Events line 5148, Actions line 5282.

35. Objective 1 - 0A2F5090

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Objective 1 (08DE7A00).

Attached scope: tag definitions 0A2F1A80 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 47 (cell 60, 40).
3. Display message “Objective 1: Destroy the Pentagon” (MISSION:Sov01a).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5015, Events line 5149, Actions line 5283.

36. Cheer - 0CD2F0BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Condition 1 (08691C50).

Attached scope: tag definitions 0CD2B05C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5016, Events line 5150, Actions line 5284.

37. Pentagon 2 - 086919B0

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08692EA0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 132 (global list position: Pentagon (CAWA2B)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 2 (Win 2).
2. Enable and reset applicable timers for Angry GI's 4 (084581DC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5017, Events line 5151, Actions line 5285.

38. Angry GI's 4 - 084581DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pentagon 2 (086919B0).

Attached scope: tag definitions 08459F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Angry GI's (09BDD6FC) at waypoint 92 (cell 61, 41).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5018, Events line 5152, Actions line 5286.

39. Pentagon 3 - 086958C0

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08692DD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 133 (global list position: Pentagon (CAWA2C)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 3 (Win 3).

2. Enable and reset applicable timers for Angry GI's 1 (079EF4FC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5019, Events line 5153, Actions line 5287.

40. Angry GI's 1 - 079EF4FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pentagon 3 (086958C0).

Attached scope: tag definitions 08498D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Angry GI's (09BDD6FC) at waypoint 91 (cell 58, 41).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5020, Events line 5154, Actions line 5288.

41. Pentagon 4 - 08692CF0

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08692950 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 134 (global list position: Pentagon (CAWA2D)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 4 (Win 4).
2. Enable and reset applicable timers for Angry GI's 2 (08458F3C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5021, Events line 5155, Actions line 5289.

42. Angry GI's 2 - 08458F3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pentagon 4 (08692CF0).

Attached scope: tag definitions 084587DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Angry GI's (09BDD6FC) at waypoint 94 (cell 57, 37).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5022, Events line 5156, Actions line 5290.

43. Unlock Input 2 - 09396C40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input 1 (0A51522C).

Attached scope: tag definitions 093969F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for Enable Objective 1 (08DE7A00).
3. Play sound MessageText.
4. Play voice notification EVA_BattlefieldControlOnline.
5. Display message “--Battle Control Online--” (MISSION:All01q).
6. Remove instances of the team organization (not automatically its surviving objects) Initial Paratroopers (0BDAE1FC).
7. Remove instances of the team organization (not automatically its surviving objects) Initial Paratroopers 2 (08E14F00).

8. Remove instances of the team organization (not automatically its surviving objects) Initial Paratroopers 3 (08E14D10).
9. Create/recruit team Initial Guys (0AEE832C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5023, Events line 5157, Actions line 5291.

44. Enable Objective 1 - 08DE7A00

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input 2 (09396C40).

Attached scope: tag definitions 08DE7210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Destroy the Pentagon” (MISSION:Sov01a).
3. Create radar-event marker type 1 at waypoint 47 (cell 60, 40).
4. Enable and reset applicable timers for Objective 1 (0A2F5090).
5. Play voice notification EVA_NewObjectiveReceived.
6. Reveal terrain around waypoint 47 (cell 60, 40).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5024, Events line 5158, Actions line 5292.

45. Start Scroll - 0A16AD50

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A16A6F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 7 (cell 102, 128) with speed setting 0.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5025, Events line 5159, Actions line 5293.

46. Building 8 - 08E7CC10

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: McBurger Kong (CAMSC10), owner Civie1 House, cell (92, 99), tag 08E7C730, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play Anim At; main setting 238; location/duration field AL.
2. Play Anim At; main setting 238; location/duration field AL.
3. Particle Anim at; main setting 2; location/duration field AL.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5026, Events line 5160, Actions line 5294.

47. Building 9 - 08E7C1C0

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH07), owner Civie1 House, cell (110, 113), tag 08E7AE20, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Particle Anim at; main setting 12; location/duration field AM.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5027, Events line 5161, Actions line 5295.

48. Clear Pentagon - 08F2E200

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F29120 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Clear local flag 1 (Win 1).
2. Clear local flag 2 (Win 2).
3. Clear local flag 3 (Win 3).
4. Clear local flag 4 (Win 4).
5. Enable and reset applicable timers for Win Condition 1 (08691C50).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5028, Events line 5162, Actions line 5296.

49. Low Power - 07A82BE0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07AAD030 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “HINT: Your base is OUT OF POWER, build Power Plants” (MISSION:Sov1e).
2. Play voice notification Mis_S1_SofiaBuildPower.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5029, Events line 5163, Actions line 5297.

50. Lock Input - 08B380F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E0F1A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5030, Events line 5164, Actions line 5298.

51. Create Crates - 0A2F5D80

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A2F5890 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 11 at waypoint 42 (cell 75, 94).
2. Create crate type 11 at waypoint 48 (cell 75, 75).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5031, Events line 5165, Actions line 5299.

52. Airport Captured - 0A3030B0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A302830 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 2 (cell 64, 78).
2. Play voice notification Mis_S1_SofiaAirportHint2.
3. Enable and reset applicable timers for Reinforcements 5 (07A1BB70).
4. Disable Airport Animation (08498E5C).
5. Switch the sidebar to tab 1.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5032, Events line 5166, Actions line 5300.

53. Sofia Line 2 - 08D875B0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sofia Line 1 (0C6701CC).

Attached scope: tag definitions 08D81810 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S1_SofiaReinforcements.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5033, Events line 5167, Actions line 5301.

54. CrateHint1 - 0AFA0F34

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (115, 103); tag 0AFA0814, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 43 (cell 115, 103).
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5034, Events line 5168, Actions line 5302.

55. CrateHint2 - 0AFA0274

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (116, 93); tag 0AFA1AB4, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 44 (cell 116, 93).
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5035, Events line 5169, Actions line 5303.

56. Building 1 - 093A09B4

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH06), owner Civie1 House, cell (101, 101), tag 093A0444, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Particle Anim at; main setting 2; location/duration field Y.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5036, Events line 5170, Actions line 5304.

57. Start Ambients - 07300F34

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 073009C4 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 8 (cell 89, 103).
2. Play sound _Amb_CricketChirps at waypoint 45 (cell 90, 103).
3. Play sound _Amb_OceanLight at waypoint 35 (cell 70, 98).
4. Play sound _Amb_OceanLight at waypoint 50 (cell 80, 90).
5. Play sound _Amb_BirdsBeach at waypoint 75 (cell 88, 85).
6. Play sound _Amb_UrbanMurmur1 at waypoint 37 (cell 93, 100).
7. Play sound _Amb_BirdsHarbor at waypoint 53 (cell 99, 88).
8. Play sound _Amb_OceanLight at waypoint 72 (cell 45, 84).
9. Play sound _Amb_BirdsTemperate1 at waypoint 28 (cell 37, 83).
10. Play sound _Amb_UrbanMurmur2 at waypoint 6 (cell 35, 70).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5037, Events line 5171, Actions line 5305.

58. Disable Reveal Barrels - 08F2D42C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0934410C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable 0 (not a defined local trigger).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5038, Events line 5172, Actions line 5306.

59. Start Ambients 2 - 08119E5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0811AB2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 80 (cell 126, 104).
2. Play sound _Amb_BirdsHarbor at waypoint 66 (cell 123, 113).
3. Play sound _Amb_BirdsBeach at waypoint 67 (cell 122, 123).
4. Play sound _Amb_OceanLight at waypoint 65 (cell 127, 118).
5. Play sound _Amb_UrbanMurmur1 at waypoint 64 (cell 93, 138).
6. Play sound _Amb_UrbanMurmur2 at waypoint 38 (cell 111, 114).
7. Play sound _Amb_BirdsMorning at waypoint 54 (cell 75, 119).
8. Play sound _Amb_BirdsTemperate1 at waypoint 32 (cell 98, 124).
9. Play sound _Amb_BirdsMorning at waypoint 40 (cell 83, 115).
10. Play sound _Amb_OceanLight at waypoint 36 (cell 52, 98).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5039, Events line 5173, Actions line 5307.

60. Start Ambients 3 - 0811AA3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 081192EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 57 (cell 49, 66).
2. Play sound _Amb_OceanLight at waypoint 89 (cell 66, 66).
3. Play sound _Amb_OceanHeavy at waypoint 55 (cell 76, 66).
4. Play sound _Amb_BirdsBeach at waypoint 56 (cell 84, 66).
5. Play sound _Amb_OceanLight at waypoint 13 (cell 84, 76).
6. Play sound _Amb_OceanHeavy at waypoint 52 (cell 93, 69).
7. Play sound _Amb_BirdsHarbor at waypoint 58 (cell 102, 69).
8. Play sound _Amb_OceanLight at waypoint 62 (cell 113, 71).
9. Play sound _Amb_OceanHeavy at waypoint 51 (cell 121, 83).
10. Play sound _Amb_BirdsBeach at waypoint 63 (cell 126, 96).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5040, Events line 5174, Actions line 5308.

61. Soviet MCV - 0822190C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0822289C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 38 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Soviet MCV (0815EB2C).
2. Play voice notification Mis_S1_SofiaCrushPentagon.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5041, Events line 5175, Actions line 5309.

62. Hint: Barracks - 0A0D76DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable: Hint: Barracks (0A0C277C).

Attached scope: tag definitions 0A0FF70C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Barracks 2 (0A0F065C).
2. Destroy current instances of Bridge Audio b (0A0FC9DC).
3. Destroy current instances of Bridge Audio 1 (080F340C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5042, Events line 5176, Actions line 5310.

63. Hint: Barracks 2 - 0A0F065C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Barracks (0A0D76DC).

Attached scope: tag definitions 0A0F1E6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash cameo/type 391; additional configured duration/location argument 90.
2. Play voice notification Unit_Sofia_Engineer.
3. Display message “HINT: Select the infantry TAB to view additional PRODUCTION OPTIONS” (MISSION:ALL01o).
4. Switch the sidebar to tab 3.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5043, Events line 5177, Actions line 5311.

64. Enable: Hint: Barracks - 0A0C277C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A0C223C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Barracks (0A0D76DC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5044, Events line 5178, Actions line 5312.

65. Hint: Engineer - 0A0FF90C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A0FAF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 27 (global list position: Engineer (SENGINEER)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint: Engineer 2 (0A0FAE5C).
2. Disable Bridge Audio a (09367F40).
3. Disable Hint: Barracks (0A0D76DC).
4. Set local flag 7 (Engineer Built).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5045, Events line 5179, Actions line 5313.

66. Hint: Engineer 2 - 0A0FAE5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint: Engineer (0A0FF90C).

Attached scope: tag definitions 0A0FA77C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 6 (Bridge Discovered) is set.
3. local flag 7 (Engineer Built) is set.

Flag writers in this mission: set local flag 6 (Bridge Discovered) at Discovered Bridge (0D7F790C); set local flag 7 (Engineer Built) at Hint: Engineer (0A0FF90C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “HINT: Order your ENGINEER into one of the REPAIR HUTS in order to fix the bridge” (MISSION:ALL01p).
2. Reveal terrain around waypoint 1 (cell 90, 85).
3. Create radar-event marker type 1 at waypoint 0 (cell 90, 85).
4. Create/recruit team Engineer 1 (0A0FD23C).
5. Enable and reset applicable timers for Bridge Hut Anim (083182BC).
6. Enable and reset applicable timers for Repair Bridge Hint (079D64BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5046, Events line 5180, Actions line 5314.

67. Begin Production - 0BB24A9C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB2456C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5047, Events line 5181, Actions line 5315.

68. Reveal Pillboxes 2 - 080CDF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner BadGuy1 House, cell (60, 58), tag 080CDA4C, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (61, 53), tag 080CDA4C, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (59, 53), tag 080CDA4C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 96 (cell 60, 53).
2. Create radar-event marker type 5 at waypoint 96 (cell 60, 53).
3. Play sound Bonus.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5048, Events line 5182, Actions line 5316.

69. Start Patrols - 0808945C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080891AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Patrol 1 (080BB0BC) at waypoint 97 (cell 50, 49).
2. Supply reinforcement team Patrol 2 (080C747C) at waypoint 30 (cell 70, 30).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5049, Events line 5183, Actions line 5317.

70. Hint: Unoccupy - 0B5B7F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B5B1F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 109 (global list position: Building (CAWASH04)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “HINT: To REMOVE your troops, DOUBLE-CLICK on the occupied building” (MISSION:All01s).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5050, Events line 5184, Actions line 5318.

71. Force Reinforcements 4 - 0BB5779C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB573FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Force Reinforcements 4 (08E58F40).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5051, Events line 5185, Actions line 5319.

72. Mission Fail - 0A115A1C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Mission Fail (0A1153EC).

Attached scope: tag definitions 0A1154DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5052, Events line 5186, Actions line 5320.

73. Enable Mission Fail - 0A1153EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A1151EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Destroyed, Buildings, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Mission Fail (0A115A1C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5053, Events line 5187, Actions line 5321.

74. Reveal Iwo Jima - 0AE0928C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE09F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 32 (cell 98, 124).
2. Display message “Iwo Jima Victory Monument, Washington D.C.” (MISSION:Sov1h).
3. Play sound MessageText.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5054, Events line 5188, Actions line 5322.

75. Panic Female - 083DA7AC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 083DB7BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Panic Female (08AAD22C).
2. Create/recruit team Panic Female (08AAD22C).
3. Create/recruit team Panic Female (08AAD22C).
4. Create/recruit team Panic Female (08AAD22C).
5. Create/recruit team Panic Female (08AAD22C).
6. Create/recruit team Panic Female (08AAD22C).

7. Create/recruit team Panic Female (08AAD22C).
8. Create/recruit team Panic Female (08AAD22C).
9. Create/recruit team Panic Female (08AAD22C).
10. Create/recruit team Panic Female (08AAD22C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5055, Events line 5189, Actions line 5323.

76. Panic Fat - 083D3DEC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 083D4DAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Panic Fat (08AB2BFC).
2. Create/recruit team Panic Fat (08AB2BFC).
3. Create/recruit team Panic Fat (08AB2BFC).
4. Create/recruit team Panic Fat (08AB2BFC).
5. Create/recruit team Panic Fat (08AB2BFC).
6. Create/recruit team Panic Fat (08AB2BFC).
7. Create/recruit team Panic Fat (08AB2BFC).
8. Create/recruit team Panic Fat (08AB2BFC).
9. Create/recruit team Panic Fat (08AB2BFC).
10. Create/recruit team Panic Fat (08AB2BFC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5056, Events line 5190, Actions line 5324.

77. Panic Thin - 084634FC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 084644AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Panic Thin (08AB5E3C).
2. Create/recruit team Panic Thin (08AB5E3C).
3. Create/recruit team Panic Thin (08AB5E3C).
4. Create/recruit team Panic Thin (08AB5E3C).
5. Create/recruit team Panic Thin (08AB5E3C).
6. Create/recruit team Panic Thin (08AB5E3C).
7. Create/recruit team Panic Thin (08AB5E3C).
8. Create/recruit team Panic Thin (08AB5E3C).
9. Create/recruit team Panic Thin (08AB5E3C).
10. Create/recruit team Panic Thin (08AB5E3C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5057, Events line 5191, Actions line 5325.

78. Enable Panics - 082DC72C

Owner reference: Civilian1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082DDD0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound NukeSiren.
2. Enable and reset applicable timers for Panic Fat (083D3DEC).
3. Enable and reset applicable timers for Panic Female (083DA7AC).
4. Enable and reset applicable timers for Panic Thin (084634FC).
5. Play sound CivAllFear.
6. Enable and reset applicable timers for Scream 1 (0A0DE2CC).
7. Enable and reset applicable timers for Scream 2 (0A0DE81C).
8. Enable and reset applicable timers for Scream 3 (0A0DE59C).
9. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5058, Events line 5192, Actions line 5326.

79. Scream 1 - 0A0DE2CC

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 0A0DC14C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5059, Events line 5193, Actions line 5327.

80. Scream 2 - 0A0DE81C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 0A0DE68C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound CivAllFear.
2. Play sound CivSovFear.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5060, Events line 5194, Actions line 5328.

81. Scream 3 - 0A0DE59C

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Panics (082DC72C).

Attached scope: tag definitions 0A0DAC4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5061, Events line 5195, Actions line 5329.

82. Play Nuke Siren - 08449D1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C5F2ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound NukeSiren.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5062, Events line 5196, Actions line 5330.

83. Create Crate 1b - 07A6DF3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 1 (0828357C).

Attached scope: tag definitions 07A6DC7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 14 at waypoint 43 (cell 115, 103).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5063, Events line 5197, Actions line 5331.

84. Create Crate 2b - 07A6DA9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 2 (08284AEC).

Attached scope: tag definitions 07A6D89C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 10 at waypoint 44 (cell 116, 93).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5064, Events line 5198, Actions line 5332.

85. Secret Transport - 0C60B51C

Owner reference: Other3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 14 tagged map cells: (35, 79), (36, 79), (37, 79), (38, 79), (39, 79), (40, 79), (41, 79), (35, 80), (35, 81), (35, 82), (34, 83), (35, 83), (34, 84), (34, 85); tag 0C60C74C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 79 (cell 25, 69).
2. Play sound Bonus.
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Create radar-event marker type 2 at waypoint 79 (cell 25, 69).
5. Supply reinforcement team Secret Transport (0AA795CC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5065, Events line 5199, Actions line 5333.

86. Create Crate 1 - 0828357C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner BadGuy2 House, cell (115, 103), tag 08284BDC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 1b (07A6DF3C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5066, Events line 5200, Actions line 5334.

87. Create Crate 2 - 08284AEC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner BadGuy1 House, cell (116, 93), tag 082848EC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 2b (07A6DA9C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5067, Events line 5201, Actions line 5335.

88. CrateHint3 - 083573FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (75, 94); tag 08284D0C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 42 (cell 75, 94).
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5068, Events line 5202, Actions line 5336.

89. CrateHint4 - 082836EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (75, 75); tag 083587EC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 48 (cell 75, 75).
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5069, Events line 5203, Actions line 5337.

90. Reveal First Base - 0834F3BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 24 tagged map cells: (90, 93), (90, 94), (90, 95), (90, 96), (91, 96), (92, 96), (105, 96), (106, 96), (107, 96), (108, 96), (92, 97), (93, 97), (94, 97), (95, 97), (96, 97), (97, 97), (98, 97), (99, 97), (100, 97), (101, 97), (102, 97), (103, 97), (104, 97), (105, 97); tag 083A0F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 53 (cell 99, 88).
2. Play sound Bonus.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5070, Events line 5204, Actions line 5338.

91. Introduce GI's - 0829F1FC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner BadGuy2 House, cell (98, 104), tag 082A860C, persistence mode 0; GI (E1), owner BadGuy2 House, cell (99, 105), tag 082A860C, persistence mode 0; GI (E1), owner BadGuy2 House, cell (100, 104), tag 082A860C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 3 (cell 98, 103).
2. Create radar-event marker type 5 at waypoint 3 (cell 98, 103).
3. Play voice notification EVA_EnemyInfantryBattalionDetected.
4. Enable and reset applicable timers for Introduce GI's 2 (082A851C).
5. Play sound Bonus.
6. Enable and reset applicable timers for GI Anim (07F6864C).
7. Enable and reset applicable timers for Disable GI Anim (07F69EFC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5071, Events line 5205, Actions line 5339.

92. Introduce GI's 2 - 082A851C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Introduce GI's (0829F1FC).

Attached scope: tag definitions 082A9F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_GI.
2. Create/recruit team GI's Flash (0A7A16FC).
3. Create/recruit team GI's Flash (0A7A16FC).
4. Create/recruit team GI's Flash (0A7A16FC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5072, Events line 5206, Actions line 5340.

93. GI Anim - 07F6864C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Introduce GI's (0829F1FC).

Attached scope: tag definitions 07F6810C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field D.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5073, Events line 5207, Actions line 5341.

94. Disable GI Anim - 07F69EFC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Introduce GI's (0829F1FC).

Attached scope: tag definitions 07F69CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable GI Anim (07F6864C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5074, Events line 5208, Actions line 5342.

95. Start Ambients 4 - 0822FD0C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0822F0EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 79 (cell 25, 69).
2. Play sound _Amb_OceanLight at waypoint 73 (cell 18, 65).
3. Play sound _Amb_BirdsHarbor at waypoint 59 (cell 21, 57).
4. Play sound _Amb_OceanHeavy at waypoint 74 (cell 30, 58).
5. Play sound _Amb_UrbanMurmur2 at waypoint 2 (cell 64, 78).
6. Play sound _Amb_BirdsMorning at waypoint 12 (cell 63, 85).
7. Play sound _Amb_BirdsTemperate1 at waypoint 48 (cell 75, 75).
8. Play sound _Amb_BirdsTemperate2 at waypoint 42 (cell 75, 94).
9. Play sound _Amb_BirdsMorning at waypoint 5 (cell 101, 52).
10. Play sound _Amb_BirdsTemperate1 at waypoint 61 (cell 86, 50).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5075, Events line 5209, Actions line 5343.

96. Start Ambients 5 - 0850F1FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0825082C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate2 at waypoint 49 (cell 83, 37).
2. Play sound _Amb_OceanHeavy at waypoint 60 (cell 59, 14).
3. Play sound _Amb_BirdsBeach at waypoint 88 (cell 59, 31).
4. Play sound _Amb_UrbanMurmur1 at waypoint 46 (cell 94, 120).
5. Play sound _Amb_UrbanMurmur2 at waypoint 70 (cell 27, 46).
6. Play sound _Amb_BirdsTemperate1 at waypoint 82 (cell 45, 56).
7. Play sound _Amb_BirdsMorning at waypoint 83 (cell 69, 55).
8. Play sound _Amb_BirdsTemperate2 at waypoint 77 (cell 41, 43).
9. Play sound _Amb_BirdsHarbor at waypoint 81 (cell 96, 60).
10. Play sound _Amb_BirdsBeach at waypoint 96 (cell 60, 53).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5076, Events line 5210, Actions line 5344.

97. Start Ambients 6 - 08270C1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0827037C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 25 (cell 137, 101).
2. Play sound _Amb_BirdsBeach at waypoint 22 (cell 139, 90).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5077, Events line 5211, Actions line 5345.

98. CrateHint5 - 082384AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (101, 113); tag 08239EAC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 69 (cell 101, 113).
2. Display message “Power-up Crate discovered!” (MISSION:Sov11g).
3. Play sound MessageText.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5078, Events line 5212, Actions line 5346.

99. Create Crate 3b - 082398BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 3 (082395CC).

Attached scope: tag definitions 082396BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 0 at waypoint 69 (cell 101, 113).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5079, Events line 5213, Actions line 5347.

100. Create Crate 3 - 082395CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner BadGuy1 House, cell (101, 113), tag 0823918C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 3b (082398BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5080, Events line 5214, Actions line 5348.

101. CrateHint6 - 0839AD6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (64, 108); tag 0839A41C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 23 (cell 64, 108).
2. Play sound MessageText.
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5081, Events line 5215, Actions line 5349.

102. CrateHint7 - 0839A15C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (86, 109); tag 0839BD3C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 68 (cell 86, 109).
2. Play sound MessageText.
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5082, Events line 5216, Actions line 5350.

103. CrateHint8 - 0824A18C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (35, 66); tag 0824BACC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 26 (cell 35, 66).
2. Play sound MessageText.
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5083, Events line 5217, Actions line 5351.

104. CrateHint9 - 084B3ACC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (96, 47); tag 084B345C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 76 (cell 96, 47).
2. Play sound MessageText.
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5084, Events line 5218, Actions line 5352.

105. CrateHint10 - 084B336C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (22, 51); tag 084B4F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Create radar-event marker type 1 at waypoint 71 (cell 22, 51).
3. Display message “Power-up Crate discovered!” (MISSION:Sov11g).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5085, Events line 5219, Actions line 5353.

106. Create Crate 4b - 082931BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 4 (0827C1FC).

Attached scope: tag definitions 08294C9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 9 at waypoint 23 (cell 64, 108).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5086, Events line 5220, Actions line 5354.

107. Create Crate 5b - 08294BAC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 5 (0827D7FC).

Attached scope: tag definitions 082946DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 11 at waypoint 68 (cell 86, 109).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5087, Events line 5221, Actions line 5355.

108. Create Crate 6b - 082945EC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 6 (084D5A8C).

Attached scope: tag definitions 082943EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 10 at waypoint 26 (cell 35, 66).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5088, Events line 5222, Actions line 5356.

109. Create Crate 7b - 083AC72C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 7 (084D53AC).

Attached scope: tag definitions 083AC1EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 11 at waypoint 76 (cell 96, 47).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5089, Events line 5223, Actions line 5357.

110. Create Crate 8b - 083AC0FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Crate 8 (084D50BC).

Attached scope: tag definitions 083ADDBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 2 at waypoint 71 (cell 22, 51).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5090, Events line 5224, Actions line 5358.

111. Create Crate 4 - 0827C1FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (64, 108), tag 0827DADC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 4b (082931BC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5091, Events line 5225, Actions line 5359.

112. Create Crate 5 - 0827D7FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (86, 109), tag 0827D5FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 5b (08294BAC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5092, Events line 5226, Actions line 5360.

113. Create Crate 6 - 084D5A8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (35, 66), tag 084D549C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 6b (082945EC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5093, Events line 5227, Actions line 5361.

114. Create Crate 7 - 084D53AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (96, 47), tag 084D51AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 7b (083AC72C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5094, Events line 5228, Actions line 5362.

115. Create Crate 8 - 084D50BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (22, 51), tag 084D6E9C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Crate 8b (083AC0FC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5095, Events line 5229, Actions line 5363.

116. Break Bridge - 0823BDEC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0823B5BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 72; location/duration field BU.
2. Apply 100 damage at; main setting 72; location/duration field BU.
3. Apply 100 damage at; main setting 72; location/duration field BU.
4. Apply 100 damage at; main setting 72; location/duration field BU.
5. Apply 100 damage at; main setting 75; location/duration field BX.
6. Apply 100 damage at; main setting 75; location/duration field BX.
7. Apply 100 damage at; main setting 75; location/duration field BX.

8. Apply 100 damage at; main setting 75; location/duration field BX.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5096, Events line 5230, Actions line 5364.

117. Disable Urban Anim - 041A2F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 041A294C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 109 (global list position: Building (CAWASH04)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Urban Combat Anim (0848833C).
2. Disable Urban Combat Anim 2 (08489CEC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5097, Events line 5231, Actions line 5365.

118. Iwo Jima Sound - 07EE0D9C

Owner reference: Other3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07EE061C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 209 (global list position: Iwo Jima Victory Monument (CAWASH19)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play sound IFVTransform.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5098, Events line 5232, Actions line 5366.

119. Disable Urban Anim 1 - 07ED0F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH04), owner Civie1 House, cell (75, 88), tag 07ED09FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Urban Combat Anim (0848833C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5099, Events line 5233, Actions line 5367.

120. Disable Urban Anim 2 - 07ED040C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH04), owner Civie1 House, cell (75, 79), tag 07ED012C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Urban Combat Anim 2 (08489CEC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5100, Events line 5234, Actions line 5368.

121. Disable Airport Anim - 07F288FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Airport (CAAIRP), owner Civie1 House, cell (64, 78), tag 07F282DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Airport Animation (08498E5C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5101, Events line 5235, Actions line 5369.

122. Disable Airport Anim b - 07F29CDC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F2989C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Airport Animation (08498E5C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5102, Events line 5236, Actions line 5370.

123. Disable GI Anim b - 07F92BEC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F926AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Land: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Disable GI Anim (07F6864C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5103, Events line 5237, Actions line 5371.

124. Sofia Line 1 - 0C6701CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C676E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 1 (global list position: Conscript (E2)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Sofia Line 2 (08D875B0).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5104, Events line 5238, Actions line 5372.

125. ByeByeTransport 2 - 0C67682C

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from ByeByeTransport 1 (0C67649C).

Attached scope: tag definitions 0C67658C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team ByeByeTransport (084311CC).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5105, Events line 5239, Actions line 5373.

126. ByeByeTransport 1 - 0C67649C

Owner reference: Other3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (25, 68), (26, 68), (25, 69), (26, 69), (25, 70), (26, 70); tag 0C67630C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type OTHER3; placed owner Other3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for ByeByeTransport 2 (0C67682C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5106, Events line 5240, Actions line 5374.

127. Con Yard Destroyed - 0AE3D06C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Con Yard Exists (0AE3DBEC).

Attached scope: tag definitions 0AE3DCDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Emergency Reinforcements (0A94465C) at waypoint 33 (cell 108, 134).
2. Create radar-event marker type 2 at waypoint 33 (cell 108, 134).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5107, Events line 5241, Actions line 5375.

128. Con Yard Exists - 0AE3DBEC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE38B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Con Yard Destroyed (0AE3D06C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5108, Events line 5242, Actions line 5376.

129. a - 0C72AAFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 44 tagged map cells: (144, 94), (144, 95), (143, 96), (144, 96), (145, 96), (146, 96), (143, 97), (144, 97), (145, 97), (146, 97), (147, 97), (144, 98), (145, 98), (146, 98), (147, 98), (140, 99), (141, 99), (142, 99), (140, 100), (141, 100), (142, 100), (137, 101), (138, 101), (140, 101), (141, 101), (142, 101), (138, 102), (139, 102), (139, 103), (140, 103), (138, 104), (140, 104), (141, 104), (134, 105), (135, 105), (137, 105), (138, 105), (139, 105), (135, 106), (136, 106), (138, 106), (139, 106), (136, 107), (137, 107); tag 0C72A50C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound HealCrate.
2. Display message “TSC&ACC” (MISSION:Sov11k).
3. Enable and reset applicable timers for b (0C72A41C).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5109, Events line 5243, Actions line 5377.

130. b - 0C72A41C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from a (0C72AAFC).

Attached scope: tag definitions 0C72A16C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “11/21/98” (MISSION:Sov11f).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5110, Events line 5244, Actions line 5378.

131. Discovered Bridge - 0D7F790C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner BadGuy1 House, cell (93, 87), tag 0D7F770C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 6 (Bridge Discovered).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5111, Events line 5245, Actions line 5379.

132. Unlock Input 1 - 0A51522C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (105, 131); tag 0A514BCC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Unlock Input 2 (09396C40).

Source locator: MAPS02.MIX/sov01t.map; Triggers line 5112, Events line 5246, Actions line 5380.

All team rosters and ordered plans | All mission overrides

Operation: Red Dawn - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov01t.map; each team/script ID identifies its section.

Paratroopers 1 - 09CCDC8C

Owner: Player. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Paratroopers 1 (03D7B0A0).

1. Scatter.

Defense 1 - 08608F00

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: 0AC98490-G (0AC98490-G).

No local script steps recovered for this reference; it may be supplied by another loaded source.

Bridge Rush 1 - 08C774E0

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base 1 (08C77280).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 2.

Harvester - 0A0A0B40

Owner: Player. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: CV.

Ordered plan: Harvester 1 (0A0A8630).

1. Move to waypoint: waypoint 5 (cell 101, 52).
2. Adopt object mission: harvest.

Initial Attack Team - 07ABE1C0

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Con Yard (08BD9DC0).

1. Unload with continuation mode: transport and passengers continue.
2. Attack selected enemy-building category; configured argument 131097.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Flak Trak (3) - 08BD9CA0

Owner: Civilian1. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Flak Trak (08BD9A40).

1. Change country ownership; configured argument 13.

Civilian 1 (3) - 09C1DEFC

Owner: Civilian1. Roster: 1 × Civilian (CIVSFM); 1 × Civilian (CIVSF); 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian 1 (09C0467C).

1. Panic.
2. Jump to script line; configured argument 1.

Civilian 1 (1) - 086D6E10

Owner: Civilian1. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian 1 (09C0467C).

1. Panic.
2. Jump to script line; configured argument 1.

Base Rush 1 - 085E9D10

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Con Yard (085E9AB0).

1. Seek/attack target category; configured argument 6.

Flak Trak (3) 2 - 09CF00EC

Owner: Player. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Flak Trak 2 (09CFFDBC).

1. Move to waypoint: waypoint 6 (cell 35, 70).
2. Guard for interval; configured argument 60.

Initial Paratroopers - 0BDAE1FC

Owner: Player. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: V; Transport Waypoint: AN.

Ordered plan: Initial Paratroopers (093DADBC).

1. Guard for interval; configured argument 34.
2. Move to waypoint: waypoint 31 (cell 105, 131).

Initial Paratroopers 2 - 08E14F00

Owner: Player. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T; Transport Waypoint: AO.

Ordered plan: Initial Paratroopers (093DADBC).

1. Guard for interval; configured argument 34.

2. Move to waypoint: waypoint 31 (cell 105, 131).

Initial Paratroopers 3 - 08E14D10

Owner: Player. Roster: 7 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: U; Transport Waypoint: AP.

Ordered plan: Initial Paratroopers (093DADBC).

1. Guard for interval; configured argument 34.
2. Move to waypoint: waypoint 31 (cell 105, 131).

Baseball Players1 - 09C0E2EC

Owner: Civilian1. Roster: 4 × Civilian (CIVBBP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian 1 (09C0467C).

1. Panic.
2. Jump to script line; configured argument 1.

Baseball Players2 - 079B6624

Owner: Other3. Roster: 4 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian 1 (09C0467C).

1. Panic.
2. Jump to script line; configured argument 1.

Starting Civilians - 07ADC0AC

Owner: Other3. Roster: 1 × Civilian (CIV1); 1 × Civilian (CIV2); 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian 1 (09C0467C).

1. Panic.
2. Jump to script line; configured argument 1.

IFVs (2) - 093DA36C

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: IFVs (2) (093CEA4C).

1. Attack selected enemy-building category; configured argument 131081.

IFVs (2)b - 08E7DA4C

Owner: BadGuy1. Roster: 3 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: IFVs (2) (093CEA4C).

1. Attack selected enemy-building category; configured argument 131081.

Angry GI's - 09BDD6FC

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (07A9FA4C).

1. Scatter.
2. Guard for interval; configured argument 0.

GI's Flash - 0A7A16FC

Owner: BadGuy2. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: GI's Flash (09CC8C8C).

1. Flash team; configured argument 90.

Soviet MCV - 0815EB2C

Owner: Player. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet MCV (0815B04C).

1. Move to waypoint: waypoint 33 (cell 108, 134).
2. Deploy.

BG1 - GI - 0A0E182C

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 - GI (0A0E15BC).

1. Seek/attack target category; configured argument 1.
2. Report team success.
3. Jump to script line; configured argument 1.

BG1 - GI d - 0A0E112C

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 - GI d (0A0E2BEC).

1. Guard for interval; configured argument 0.

BG1 - GI 2 - 0807BC2C

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 - GI (0A0E15BC).

1. Seek/attack target category; configured argument 1.
2. Report team success.
3. Jump to script line; configured argument 1.

Engineer 1 - 0A0FD23C

Owner: Player. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GI's Flash (09CC8C8C).

1. Flash team; configured argument 90.

Patrol 1 - 080BB0BC

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Patrol 1 (080C20CC).

1. Move to waypoint: waypoint 100 (cell 50, 30).
2. Move to waypoint: waypoint 30 (cell 70, 30).
3. Move to waypoint: waypoint 29 (cell 70, 49).
4. Move to waypoint: waypoint 97 (cell 50, 49).
5. Jump to script line; configured argument 1.

Patrol 2 - 080C747C

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Patrol 2 (080C40DC).

1. Move to waypoint: waypoint 29 (cell 70, 49).
2. Move to waypoint: waypoint 97 (cell 50, 49).
3. Move to waypoint: waypoint 100 (cell 50, 30).
4. Move to waypoint: waypoint 30 (cell 70, 30).
5. Jump to script line; configured argument 1.

Initial GI Attack - 079DF5FC

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Attack Player Base 1 (08C77280).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 2.

Occupy Memorial - 0A0C1A7C

Owner: Other3. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T; Transport Waypoint: AO.

Ordered plan: Occupy Memorial (0A0C6DBC).

1. Move to waypoint: waypoint 46 (cell 94, 120).
2. Attack selected enemy-building category; configured argument 131281.

Flak 1 - 09D3357C

Owner: Other2. Roster: 1 × Flak Track (HTK); 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Flak 1 (07902DBC).

1. Change country ownership; configured argument 13.
2. Move to waypoint: waypoint 6 (cell 35, 70).
3. Unload with continuation mode: transport continues; passengers leave team.

4. Seek/attack target category; configured argument 1.

Flak 2 - 09D32EFC

Owner: Other2. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Flak 2 (0790439C).

1. Change country ownership; configured argument 13.
2. Move to waypoint: waypoint 23 (cell 64, 108).
3. Seek/attack target category; configured argument 1.

Flak 3 - 09D32A4C

Owner: Other2. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Flak 3 (07900C3C).

1. Change country ownership; configured argument 13.
2. Move to waypoint: waypoint 25 (cell 137, 101).
3. Seek/attack target category; configured argument 1.

Flak 4 - 09D326AC

Owner: Other2. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Flak 4 (079063AC).

1. Change country ownership; configured argument 13.
2. Move to waypoint: waypoint 22 (cell 139, 90).
3. Seek/attack target category; configured argument 1.

Flak 5 - 09D3230C

Owner: Other2. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Flak 5 (07903DBC).

1. Change country ownership; configured argument 13.
2. Move to waypoint: waypoint 5 (cell 101, 52).
3. Seek/attack target category; configured argument 1.

Panic Female - 08AAD22C

Owner: Civilian1. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Panic (08AB50FC).

1. Panic.
2. Jump to script line; configured argument 1.

Panic Thin - 08AB5E3C

Owner: Civilian1. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Panic (08AB50FC).

1. Panic.
2. Jump to script line; configured argument 1.

Panic Fat - 08AB2BFC

Owner: Civilian1. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Panic (08AB50FC).

1. Panic.
2. Jump to script line; configured argument 1.

Secret Transport - 0AA795CC

Owner: Other3. Roster: 1 × Amphibious Transport (SAPC); 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Secret Transport (08545DBC).

1. Move to waypoint: waypoint 79 (cell 25, 69).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Change country ownership; configured argument 13.
4. Flash team; configured argument 90.

Paratroopers 1b - 08263EFC

Owner: Player. Roster: 6 × Conscript (E2); 3 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Guard Area (07A9FA4C).

1. Scatter.
2. Guard for interval; configured argument 0.

Secret Tanks - 0836F59C

Owner: Player. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Secret Tanks 1 (07A47C5C).

1. Move to waypoint: waypoint 95 (cell 50, 40).
2. Seek/attack target category; configured argument 1.

Secret Tanks 2 - 0826D22C

Owner: Player. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Secret Tanks 2 (08208DBC).

1. Move to waypoint: waypoint 90 (cell 70, 40).
2. Seek/attack target category; configured argument 1.

ByeByeTransport - 084311CC

Owner: Other3. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ByeByeTransport (08430B8C).

1. Move to waypoint: waypoint 78 (cell 15, 69).
2. Delete team objects.

Initial Guys - 0AEE832C

Owner: Player. Roster: 18 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: DO NOTHING (0831E90C).

1. Adopt object mission: stop.
2. Adopt object mission: sleep.

Emergency Reinforcements - 0A94465C

Owner: Player. Roster: 3 × Engineer (SENGINEER); 3 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Guard Area (07A9FA4C).

1. Scatter.
2. Guard for interval; configured argument 0.

Operation: Red Dawn - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov01t.map.

Object/system	Property	Mission value	Source line
Chrono Miner (CMIN)	Resource cargo capacity	10	2
TIBERIUMS (TIBERIUMS)	0	Riparius	5
TIBERIUMS (TIBERIUMS)	1	Cruentus	6
TIBERIUMS (TIBERIUMS)	2	Vinifera	7
TIBERIUMS (TIBERIUMS)	3	Aboreus	8
Tiberium Riparius (RIPARIUS)	Value	50	11
Tiberium Cruentus (CRUENTUS)	Value	100	14
Tiberium Vinifera (VINIFERA)	Value	50	17
Tiberium Aboreus (ABOREUS)	Value	50	20
Automobile (CAR)	Insignificant-object flag	no	23
Automobile (CAR)	Threat contribution	15	24
Cruise Ship (CRUISE)	Insignificant-object flag	no	27
Cruise Ship (CRUISE)	Threat contribution	15	28
Pickup Truck (PTRUCK)	Insignificant-object flag	no	31
Pickup Truck (PTRUCK)	Threat contribution	15	32
Taxi (TAXI)	Insignificant-object flag	no	35
Taxi (TAXI)	Threat contribution	15	36
Automobile (SUVW)	Insignificant-object flag	no	39
Automobile (SUVW)	Threat contribution	15	40
Excavator (CONA)	Insignificant-object flag	no	43
Excavator (CONA)	Threat contribution	15	44
Police Car (COP)	Insignificant-object flag	no	47
Police Car (COP)	Threat contribution	15	48
Police Car (COP)	Ambient Sound	Dummy	49
Automobile (EUROC)	Insignificant-object flag	no	52
Automobile (EUROC)	Threat contribution	15	53
Limousine (LIMO)	Insignificant-object flag	no	56
Limousine (LIMO)	Threat contribution	15	57
Automobile (STANG)	Insignificant-object flag	no	60
Automobile (STANG)	Threat contribution	15	61
Automobile (SUVB)	Insignificant-object flag	no	64
Automobile (SUVB)	Threat contribution	15	65
Civilian (CIV1)	Insignificant-object flag	no	68

Object/system	Property	Mission value	Source line
Civilian (CIV1)	Threat contribution	15	69
Civilian (CIV2)	Insignificant-object flag	no	72
Civilian (CIV2)	Threat contribution	15	73
Civilian (CIV3)	Insignificant-object flag	no	76
Civilian (CIV3)	Threat contribution	15	77
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	1500	80
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-1500	81
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1000,750,500	82
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Parachute Max Fall Rate	-5	83
Engineer (ENGINEER)	Technology level	-1	86
Attack Dog (ADOG)	Technology level	-1	89
Soviet Construction Yard (NACNST)	UI Name	Name:NACNST	92
Soviet Construction Yard (NACNST)	Selling forbidden	Yes	93
Soviet Construction Vehicle (SMCV)	UI Name	Name:SMCV	96
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	97
Soviet Construction Vehicle (SMCV)	Sight radius setting	5	98
Iwo Jima Victory Monument (CAWASH19)	Name	RA2 Iwo Jima Memorial	101
Iwo Jima Victory Monument (CAWASH19)	UI Name	Name:CAWASH19	102
Iwo Jima Victory Monument (CAWASH19)	Infantry garrison permitted	yes	103
Iwo Jima Victory Monument (CAWASH19)	Garrison capacity	1	104
Iwo Jima Victory Monument (CAWASH19)	Clear All Weapons	yes	105
Iwo Jima Victory Monument (CAWASH19)	General immunity flag	Yes	106
Iwo Jima Victory Monument (CAWASH19)	Show Occupant Pips	false	107
Soviet Wall (NAWALL)	UI Name	Name:NAWALL	110
Soviet Wall (NAWALL)	Name	Soviet Wall	111
Soviet Wall (NAWALL)	Technology level	-1	112
Allied Wall (GAWALL)	UI Name	Name:GAWALL	115
Allied Wall (GAWALL)	Name	Allied Wall	116
Allied Wall (GAWALL)	Technology level	-1	117
Paradrop (PARADROPSPECIAL)	UI Name	Name:Para	120
Paradrop (PARADROPSPECIAL)	Name	Paratrooper Drop	121
Paradrop (PARADROPSPECIAL)	Recharge Time	3	122
Pentagon (CAWA2A)	UI Name	Name:CAWA2A	125
Pentagon (CAWA2A)	Name	RA2 Wash Pent A	126
Pentagon (CAWA2A)	Engineer-capture permission	false	127

Object/system	Property	Mission value	Source line
Pentagon (CAWA2A)	Starting health capacity	180	128
Pentagon (CAWA2A)	Infantry garrison permitted	no	129
Pentagon (CAWA2A)	Garrison capacity	0	130
Pentagon (CAWA2A)	Clear All Weapons	yes	131
Pentagon (CAWA2B)	UI Name	Name:CAWA2A	134
Pentagon (CAWA2B)	Name	RA2 Wash Pent B	135
Pentagon (CAWA2B)	Engineer-capture permission	false	136
Pentagon (CAWA2B)	Starting health capacity	180	137
Pentagon (CAWA2B)	Infantry garrison permitted	no	138
Pentagon (CAWA2B)	Garrison capacity	0	139
Pentagon (CAWA2B)	Clear All Weapons	yes	140
Pentagon (CAWA2C)	UI Name	Name:CAWA2A	143
Pentagon (CAWA2C)	Name	RA2 Wash Pent C	144
Pentagon (CAWA2C)	Engineer-capture permission	false	145
Pentagon (CAWA2C)	Starting health capacity	180	146
Pentagon (CAWA2C)	Infantry garrison permitted	no	147
Pentagon (CAWA2C)	Garrison capacity	0	148
Pentagon (CAWA2C)	Clear All Weapons	yes	149
Pentagon (CAWA2D)	UI Name	Name:CAWA2A	152
Pentagon (CAWA2D)	Name	RA2 Wash Pent D	153
Pentagon (CAWA2D)	Engineer-capture permission	false	154
Pentagon (CAWA2D)	Starting health capacity	180	155
Pentagon (CAWA2D)	Infantry garrison permitted	no	156
Pentagon (CAWA2D)	Garrison capacity	0	157
Pentagon (CAWA2D)	Clear All Weapons	yes	158
Flak Trooper (FLAKT)	UI Name	Name:FLAKT	170
Flak Trooper (FLAKT)	Name	Flak Trooper	171
Flak Trooper (FLAKT)	Technology level	-1	172
Soviet War Factory (NAWEAP)	UI Name	Name:NAWEAP	175
Soviet War Factory (NAWEAP)	Name	Soviet War Factory	176
Soviet War Factory (NAWEAP)	Technology level	-1	177
Allied War Factory (GAWEAP)	UI Name	Name:GAWEAP	180
Allied War Factory (GAWEAP)	Name	Allied War Factory	181
Allied War Factory (GAWEAP)	Technology level	-1	182
Soviet Barracks (NAHAND)	UI Name	Name:NAHAND	185
Soviet Barracks (NAHAND)	Name	Soviet Barracks	186
Soviet Barracks (NAHAND)	Technology level	1	187
Soviet Shipyard (NAYARD)	UI Name	Name:NAYARD	190
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	191
Soviet Shipyard (NAYARD)	Technology level	-1	192
SOVIETOCCUPYW (SOVIETOCCUPYW)	Range	8	195

Object/system	Property	Mission value	Source line
VULCANTOWER (VULCANTOWER)	Range	5	198
War Miner (HARV)	Name	War Miner	201
War Miner (HARV)	Starting health capacity	1000	202
War Miner (HARV)	Armor class	medium	203
War Miner (HARV)	Sight radius setting	4	204
War Miner (HARV)	Movement rating	6	205
War Miner (HARV)	Resource cargo capacity	20	206
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	1.5	209
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.25	210
Engineer (SENGINEER)	Sight radius setting	9	213
Engineer (SENGINEER)	Movement rating	7	214
Conscript (E2)	Name	Conscript	217
Conscript (E2)	Primary	M1Carbine	218
Conscript (E2)	Starting health capacity	100	219
Conscript (E2)	Armor class	none	220
Conscript (E2)	Sight radius setting	9	221
Conscript (E2)	Movement rating	7	222
Invisible Green Light Post (INGRNLMP)	Name	Invisible Green Light Post	225
Invisible Green Light Post (INGRNLMP)	Local light reach	4000	226
Invisible Green Light Post (INGRNLMP)	Local light intensity	0.01	227
Invisible Green Light Post (INGRNLMP)	Light Red Tint	0.01	228
Invisible Green Light Post (INGRNLMP)	Light Green Tint	1.00	229
Invisible Green Light Post (INGRNLMP)	Light Blue Tint	1.00	230
Invisible Red Light Post (INREDLMP)	Name	Invisible Red Light Post	233
Invisible Red Light Post (INREDLMP)	Local light reach	4000	234
Invisible Red Light Post (INREDLMP)	Local light intensity	0.07	235
Invisible Red Light Post (INREDLMP)	Light Red Tint	0.30	236
Invisible Red Light Post (INREDLMP)	Light Green Tint	0.30	237
Invisible Red Light Post (INREDLMP)	Light Blue Tint	0.01	238
Invisible Blue Light Post (INBLULMP)	Name	Invisible Blue Light Post	241
Invisible Blue Light Post (INBLULMP)	Local light reach	4000	242
Invisible Blue Light Post (INBLULMP)	Local light intensity	0.01	243
Invisible Blue Light Post (INBLULMP)	Light Red Tint	0.01	244
Invisible Blue Light Post (INBLULMP)	Light Green Tint	0,01	245
Invisible Blue Light Post (INBLULMP)	Light Blue Tint	0.6	246
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2500	249

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	250
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.25	251
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.10	252
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.01	253
SPECIALFLAGS	Tiberium Grows	no	256
SPECIALFLAGS	Tiberium Spreads	yes	257
SPECIALFLAGS	Tiberium Explosive	no	258
SPECIALFLAGS	Destroyable Bridges	no	259
SPECIALFLAGS	MCV Deploy	no	260
SPECIALFLAGS	Initial Veteran	no	261
SPECIALFLAGS	Fixed Alliance	no	262
SPECIALFLAGS	Harvester Immune	no	263
SPECIALFLAGS	Fog Of War	no	264
SPECIALFLAGS	Inert	no	265
SPECIALFLAGS	Ion Storms	no	266
SPECIALFLAGS	Meteorites	no	267
SPECIALFLAGS	Visceroids	no	268
COUNTRIES (COUNTRIES)	0	Player	271
COUNTRIES (COUNTRIES)	1	BadGuy1	272
COUNTRIES (COUNTRIES)	2	BadGuy2	273
COUNTRIES (COUNTRIES)	3	BadGuy3	274
COUNTRIES (COUNTRIES)	4	Civilian1	275
COUNTRIES (COUNTRIES)	5	Other1	276
COUNTRIES (COUNTRIES)	6	Other2	277
COUNTRIES (COUNTRIES)	7	Other3	278
VARIABLENAMES (VARIABLENAMES)	0	Need Reinforcements,0	403
VARIABLENAMES (VARIABLENAMES)	1	Win 1,1	404
VARIABLENAMES (VARIABLENAMES)	2	Win 2,0	405
VARIABLENAMES (VARIABLENAMES)	3	Win 3,0	406
VARIABLENAMES (VARIABLENAMES)	4	Win 4,0	407
VARIABLENAMES (VARIABLENAMES)	5	Baseball Panic,0	408
VARIABLENAMES (VARIABLENAMES)	6	Bridge Discovered,0	409
VARIABLENAMES (VARIABLENAMES)	7	Engineer Built,0	410

Operation: Hostile Shore

Campaign reading guide | Engine

Initial placement schematic for sov02t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov02t.map. **Effective extracted member:** MAPS02.MIX/sov02t.map. **Trigger definitions:** 76.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Confederation
Theater	TEMPERATE
Map size	0,0,71,103
Visible local rectangle	2,5,64,89
Placed vehicles	46
Placed infantry	42
Placed structures	136
Placed aircraft	0
Team templates	42

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	500	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	500	British
5	Africans	10	Africans
6	Arabs	0	Arabs
7	Confederation	50	Confederation
8	Russians	0	Russians
9	GDI	0	GDI
10	Nod	0	Nod
11	Neutral	0	Neutral
12	Special	0	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	MCV Landed,0
1	Hotels Destroyed,0
2	Transports Unloaded,0
3	Vlad is Hit,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Player Win - Final (0CBCDB0C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the winner.
Player Loses (089D1680)	Destroyed, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation). 20 configured time units have elapsed since scenario start.	Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.

Every trigger, in file order

1. Open Start - 06A94550

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 98 (cell 93, 50).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4783, Events line 4861, Actions line 4939.

2. Reveal at Start - 09388F60

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09388AD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 98 (cell 93, 50).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4784, Events line 4862, Actions line 4940.

3. wave 2.1 - 06DA18D0

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Wave 2.1 (0C4B3C4C) at waypoint 19 (cell 98, 41).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4785, Events line 4863, Actions line 4941.

4. PC Tank 1 - 07FD8060

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08097D10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team PC Landers 2 (0C4B403C) at waypoint 3 (cell 99, 42).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4786, Events line 4864, Actions line 4942.

5. PC Tank 2 - 08097080

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0809F4C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team PC Landers 3 (0C4B190C) at waypoint 4 (cell 101, 44).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4787, Events line 4865, Actions line 4943.

6. Vladimir's Attack - 09819300

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player has built sub (08E056AC); enable from Player has attacked (08E0042C); enable from Player's Time has Run Out (08E32B9C).

Attached scope: tag definitions 0981ABF0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Vlad Attack Team (0AFD1B5C).
2. Create/recruit team Vlad's Charge Team (0A9DE7DC).
3. Play in-game movie 77.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4788, Events line 4866, Actions line 4944.

7. Destroyer Attack - 096FCEA0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (113, 94); tag 09704F70, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Enable and reset applicable timers for Kill Vlad! (08743820).
3. Play in-game movie 78.
4. Reveal terrain around waypoint 69 (cell 120, 116).
5. Reveal terrain around waypoint 60 (cell 123, 125).
6. Reveal terrain around waypoint 94 (cell 117, 124).
7. Reveal terrain around waypoint 96 (cell 118, 109).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4789, Events line 4867, Actions line 4945.

8. Kill Vlad! - 08743820

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyer Attack (096FCEA0).

Attached scope: tag definitions 08743350 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team 3 Destroyers (09EC293C).
2. Enable and reset applicable timers for Free Subs have Arrived (0A4EAA2C).
3. Enable and reset applicable timers for Free Subs Easy (0860A3EC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4790, Events line 4868, Actions line 4946.

9. Free Subs have Arrived - 0A4EAA2C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kill Vlad! (08743820).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 6 Free Subs (09E2A1FC) at waypoint 55 (cell 102, 37).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 0 at waypoint 36 (cell 98, 48).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4791, Events line 4869, Actions line 4947.

10. Free Subs Easy - 0860A3EC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Free Subs have Arrived (0A4EAA2C).

Incoming activation links: enable from Kill Vlad! (08743820).

Attached scope: tag definitions 0A4EA72C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 10 Free Subs (08608AEC) at waypoint 55 (cell 102, 37).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 2 at waypoint 36 (cell 98, 48).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4792, Events line 4870, Actions line 4948.

11. Vlad's Return - 0AAA576C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Vlad runs again (0AAA52DC).

Attached scope: tag definitions 0AAA53CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Vlad has been hit (0AC5B14C).
2. Supply reinforcement team Vlad Sneaks Back On (0AB8380C) at waypoint 55 (cell 102, 37).
3. Disable Vlad's Return (0AAA576C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4793, Events line 4871, Actions line 4949.

12. Vlad has been hit - 0AC5B14C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Vlad's Return (0AAA576C).

Attached scope: tag definitions 0AC5BF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Vlad runs again (0AAA52DC).
2. Enable and reset applicable timers for 2 Destroyer Attack (0BA2C61C).
3. Disable Vlad has been hit (0AC5B14C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4794, Events line 4872, Actions line 4950.

13. Vlad runs again - 0AAA52DC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Vlad has been hit (0AC5B14C).

Attached scope: tag definitions 0AAA6CBC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Vlad Sneaks Back On (0AB8380C).
2. Create/recruit team vlad runs again (0AF55B5C).
3. Enable and reset applicable timers for Vlad's Return (0AAA576C).
4. Disable Vlad runs again (0AAA52DC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4795, Events line 4873, Actions line 4951.

14. 2 Destroyer Attack - 0BA2C61C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Vlad has been hit (0AC5B14C).

Attached scope: tag definitions 0BA2C31C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Destroyer Attack (0CF1832C).
2. Disable 2 Destroyer Attack (0BA2C61C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4796, Events line 4874, Actions line 4952.

15. American Troops Build - 07B11750

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from USA 1st Attack (0A26E840); enable from Player has Built (089F5CE0).

Attached scope: tag definitions 07B11210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Production Begins: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. AI triggers begin: owner selector 0 (country/type AMERICANS; placed owner Americans).
3. Make enemy: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4797, Events line 4875, Actions line 4953.

16. wave 2.2 - 07B18F60

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: wave 2.1 (06DA18D0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Wave 2.2 (09F15C8C) at waypoint 3 (cell 99, 42).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4798, Events line 4876, Actions line 4954.

17. wave 2.3 - 07B18C70

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: wave 2.2 (07B18F60).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team wave 2.3 (0C4B308C) at waypoint 4 (cell 101, 44).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4799, Events line 4877, Actions line 4955.

18. Player Wins - 0719EA80

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0719B030 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Destroyed, All: owner selector 3 (country/type GERMANS; placed owner Germans).

Then perform these actions in order:

1. Enable and reset applicable timers for All to Cheer (0CBCE79C).
2. Enable and reset applicable timers for Player Win - Final (0CBCDB0C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4800, Events line 4878, Actions line 4956.

19. All to Cheer - 0CBCE79C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Wins (0719EA80).

Attached scope: tag definitions 0CBCDBFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4801, Events line 4879, Actions line 4957.

20. Player Win - Final - 0CBCDB0C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Wins (0719EA80).

Attached scope: tag definitions 0CBCD90C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the winner.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4802, Events line 4880, Actions line 4958.

21. Wave 2.4 - 0A248F60

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: wave 2.3 (07B18C70).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team wave 2.4 (0C4B0C8C) at waypoint 25 (cell 100, 43).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4803, Events line 4881, Actions line 4959.

22. Wave 2.5 - 0A249990

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Wave 2.4 (0A248F60).

Attached scope: tag definitions 09386EB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team wave 2.5 (0C4B08EC) at waypoint 26 (cell 99, 41).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4804, Events line 4882, Actions line 4960.

23. Vlad Shoots - 0A225F60

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A225920 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Vlad Attack Team (0AFD1B5C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4805, Events line 4883, Actions line 4961.

24. Reveal Beach - 0B8B5680

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8B51C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 24 (cell 89, 56).
2. Reveal terrain around waypoint 23 (cell 81, 60).
3. Reveal terrain around waypoint 0 (cell 80, 55).
4. Reveal terrain around waypoint 29 (cell 95, 52).
5. Reveal terrain around waypoint 30 (cell 82, 46).
6. Reveal terrain around waypoint 1 (cell 97, 40).
7. Reveal terrain around waypoint 21 (cell 102, 46).
8. Reveal terrain around waypoint 20 (cell 94, 38).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4806, Events line 4884, Actions line 4962.

25. USA 1st Attack - 0A26E840

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player has Built (089F5CE0).

Attached scope: 1 tagged map cells: (72, 58); tag 0A26E380, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Then perform these actions in order:

1. Create/recruit team USA first attack (0AD69C8C).
2. Reveal terrain around waypoint 54 (cell 69, 58).
3. Enable and reset applicable timers for American Troops Build (07B11750).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4807, Events line 4885, Actions line 4963.

26. Player Loses - 089D1680

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089D3AB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4808, Events line 4886, Actions line 4964.

27. Player has Built - 089F5CE0

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089F59E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for USA 1st Attack (0A26E840).
2. Enable and reset applicable timers for American Troops Build (07B11750).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4809, Events line 4887, Actions line 4965.

28. Lock Input - 0AC91480

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC92D90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Move the camera to waypoint 0 (cell 80, 55) with speed setting 1.
3. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4810, Events line 4888, Actions line 4966.

29. Unlock - 0AC92CB0

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC92870 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Transports Unloaded) is set.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4811, Events line 4889, Actions line 4967.

30. Boat Patrol - 09E6B790

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E6B2C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Destroyer Patrols (08CD1CDC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4812, Events line 4890, Actions line 4968.

31. American Destroyer Attack - 09EF6F40

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EF6A00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Destroyer Attack (0CF1832C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4813, Events line 4891, Actions line 4969.

32. Objective 1 - 07C9E0E0

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C9EF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Force a beach landing and build a base” (MISSION:Sov02a).
2. Play voice notification EVA_NewMissionObjective.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4814, Events line 4892, Actions line 4970.

33. Objective 2 - 07C9EE70

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C99C90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Enable and reset applicable timers for Remind Player of Object (03E9A47C).
3. Enable and reset applicable timers for Objective 2 Sounds (0AABD06C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4815, Events line 4893, Actions line 4971.

34. Remind Player of Object - 03E9A47C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 (07C9EE70).

Attached scope: tag definitions 03E9819C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy all enemy forces” (MISSION:Sov02b).
2. Play sound MessageText.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4816, Events line 4894, Actions line 4972.

35. Objective 2 Sounds - 0AABD06C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Objective 2 (07C9EE70).

Attached scope: tag definitions 0AAD318C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy all enemy forces” (MISSION:Sov02b).
2. Play voice notification EVA_NewMissionObjective.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4817, Events line 4895, Actions line 4973.

36. Player has built sub - 08E056AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Unit Type: type index 19 (global list position: Typhoon Attack Sub (SUB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Vladimir's Attack (09819300).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4818, Events line 4896, Actions line 4974.

37. Player has attacked - 08E0042C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player has built sub (08E056AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Crosses Horizontal Line: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Then perform these actions in order:

1. Enable and reset applicable timers for Vladimir's Attack (09819300).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4819, Events line 4897, Actions line 4975.

38. Player's Time has Run Out - 08E32B9C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player has attacked (08E0042C).

Attached scope: 1 tagged map cells: (75, 100); tag 08E00B3C, persistence mode 0.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Vladimir's Attack (09819300).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4820, Events line 4898, Actions line 4976.

39. create crate ba - 07B27B40

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM05), owner Neutral, cell (81, 93), tag 07B27520, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 52 (cell 81, 92).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4821, Events line 4899, Actions line 4977.

40. AZ Crate - 07B27440

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM06), owner Neutral, cell (84, 74), tag 07B27270, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 51 (cell 84, 73).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4822, Events line 4900, Actions line 4978.

41. BB Crate - 07B27190

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM07), owner Neutral, cell (87, 100), tag 07B28B70, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 53 (cell 88, 99).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4823, Events line 4901, Actions line 4979.

42. End Mission - 07AF4970

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Construction Yard (GACNST), owner Americans, cell (79, 129), tag 07AF3F50, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. All to Hunt: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4824, Events line 4902, Actions line 4980.

43. MCV Landed Hint - 0A9C07E0

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A9C0270 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (MCV Landed) is set.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 42 (cell 80, 58).
2. Display message “Your Mobile Construction Vehicle has landed. Double-click on it to create a Construction Yard” (MISSION:Sov02g).
3. Play voice notification EVA_ReinforcementsReady.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4825, Events line 4903, Actions line 4981.

44. Fleet Detected - 03E2BB40

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03E2CF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Reveal terrain around waypoint 9 (cell 113, 94).
2. Create radar-event marker type 5 at waypoint 9 (cell 113, 94).
3. Play voice notification EVA_EnemyFleetDetected.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4826, Events line 4904, Actions line 4982.

45. Give PC Radar - 0ADD00E0

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Radar Tower (NARADR), owner Neutral, cell (82, 13), tag 0ADD1BE0, persistence mode 0.

Wait for the recorded events:

1. local flag 2 (Transports Unloaded) is set.

Then perform these actions in order:

1. Change House: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Display message “--Battle Control Online--” (MISSION:ALL01q).
3. Reveal terrain around waypoint 50 (cell 83, 15).
4. Reshroud Map At; main setting 50; location/duration field AY.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4827, Events line 4905, Actions line 4983.

46. Transports Off - 07F36C80

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F352E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Transports Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team 7 Transports (090EDCE0).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4828, Events line 4906, Actions line 4984.

47. Send MCV Boat Away - 07EDC7B0

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy MCV Team (0B0EE1BC).

Attached scope: tag definitions 07EDFF20 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team Make Boat Go Away (0A30E1FC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4829, Events line 4907, Actions line 4985.

48. Txt - MCV Selected - 0A39993C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A39959C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Your Mobile Construction Vehicle has landed. Double-click on it to create a Construction Yard” (MISSION:Sov02g).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4830, Events line 4908, Actions line 4986.

49. Land the MCV - 0B10AA2C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pill Box (GAPILL), owner Americans, cell (72, 53), tag 0B10A4EC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Land the MCV (0A550DCC) at waypoint 16 (cell 106, 66).
2. Enable and reset applicable timers for 1 MCV Reinforce Voice (0A99E5AC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4831, Events line 4909, Actions line 4987.

50. 1 MCV Reinforce Voice - 0A99E5AC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Land the MCV (0B10AA2C).

Attached scope: tag definitions 0A99DE9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4832, Events line 4910, Actions line 4988.

51. Play Build Fleet Movie - 09B9703C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 76.
2. Destroy current instances of Play Fleet if A Refine (0871968C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4833, Events line 4911, Actions line 4989.

52. Play Fleet if A Refine - 0871968C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Play Build Fleet Movie (09B9703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 1 (global list position: Allied Ore Refinery (GAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 76.
2. Destroy current instances of Play Build Fleet Movie (09B9703C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4834, Events line 4912, Actions line 4990.

53. Destroy MCV Team - 0B0EE1BC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0EAB1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (MCV Landed) is set.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Land the MCV (0A550DCC).
2. Enable and reset applicable timers for Send MCV Boat Away (07EDC7B0).
3. Enable and reset applicable timers for Change MCV House (0B0EAA2C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4835, Events line 4913, Actions line 4991.

54. Change MCV House - 0B0EAA2C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy MCV Team (0B0EE1BC).

Attached scope: tag definitions 0B0EA82C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team MCV ON the Beach (0A1DB35C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4836, Events line 4914, Actions line 4992.

55. Flip Tab for Sub - 0AB4FDBC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Tab Flip (083F72EC).

Attached scope: tag definitions 0AB4F3DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.
2. Play voice notification Unit_Sofia_Sub.
3. Flash cameo/type 319; additional configured duration/location argument 40.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4837, Events line 4915, Actions line 4993.

56. Enable Tab Flip - 083F72EC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 083F52DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 61 (global list position: Soviet Shipyard (NAYARD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Flip Tab for Sub (0AB4FDBC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4838, Events line 4916, Actions line 4994.

57. Make Civlians Freak - 08324A9C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian (CIVBFM), owner Neutral, cell (102, 95), tag 0832461C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (100, 102), tag 0832461C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (103, 92), tag 0832461C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (99, 102), tag 0832461C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (93, 102), tag 0832461C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (95, 102), tag 0832461C, persistence mode 0; Civilian (CIVBFM), owner Neutral, cell (92, 103), tag 0832461C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (99, 92), tag 0832461C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 9 Civilians (0A22FDEC).
2. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4839, Events line 4917, Actions line 4995.

58. Send in More Troops! - 09CA6F3C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09CA6DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 14.

Then perform these actions in order:

1. Supply reinforcement team Conscript Reinforcements (0A2B50DC) at waypoint 40 (cell 74, 73).
2. Enable and reset applicable timers for Para Reinforcement Audio (089608AC).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4840, Events line 4918, Actions line 4996.

59. Para Reinforcement Audio - 089608AC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Send in More Troops! (09CA6F3C).

Attached scope: tag definitions 089604CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4841, Events line 4919, Actions line 4997.

60. North Civis - 07A4DA5C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian (CIVBFM), owner Neutral, cell (78, 37), tag 07A4D97C, persistence mode 0; Civilian (CIVBFM), owner Neutral, cell (79, 31), tag 07A4D97C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (78, 33), tag 07A4D97C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (81, 37), tag 07A4D97C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (80, 38), tag 07A4D97C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (79, 31), tag 07A4D97C, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (73, 40), tag 07A4D97C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (72, 38), tag 07A4D97C, persistence mode 0; Civilian (CIVBFM), owner Neutral, cell (73, 35), tag 07A4D97C, persistence mode 0.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.
2. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 9 Civies North (0A2271FC).
2. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4842, Events line 4920, Actions line 4998.

61. Freak 3 - 07A489AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian (CIVBFM), owner Neutral, cell (114, 112), tag 07A488CC, persistence mode 0; Civilian (CIVBFM), owner Neutral, cell (123, 113), tag 07A488CC, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (126, 117), tag 07A488CC, persistence mode 0; Civilian (CIVBF), owner Neutral, cell (116, 111), tag 07A488CC, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (117, 109), tag 07A488CC, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (126, 119), tag 07A488CC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 6 Civies South (09F136AC).
2. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4843, Events line 4921, Actions line 4999.

62. Reveal Vlad Targets - 0A10509C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A104B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 46 (cell 71, 43).
2. Reveal terrain around waypoint 47 (cell 70, 35).
3. Reveal terrain around waypoint 49 (cell 73, 28).
4. Reveal terrain around waypoint 48 (cell 76, 34).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4844, Events line 4922, Actions line 5000.

63. Transports Get Off Hard - 09FD0CBC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09FD09CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Transports Unloaded) is set.

Then perform these actions in order:

1. Create/recruit team 4 Transports - Hard (09DFF26C).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4845, Events line 4923, Actions line 5001.

64. Secret Crate Truck BH - 09CBE0DC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Neutral, cell (45, 59), tag 09CB882C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 11 at waypoint 59 (cell 44, 59).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4846, Events line 4924, Actions line 5002.

65. Secret Crate BI - 09CDE5DC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM07), owner Neutral, cell (123, 126), tag 09CDF07C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 60 (cell 123, 125).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4847, Events line 4925, Actions line 5003.

66. Secret Crate BJ - 09CD939C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM06), owner Neutral, cell (114, 130), tag 09CD916C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 61 (cell 115, 129).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4848, Events line 4926, Actions line 5004.

67. Secret Crate BK - 09CDFB5C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: McBurger Kong (CAMSC10), owner Neutral, cell (68, 91), tag 09CDF95C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 62 (cell 68, 90).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4849, Events line 4927, Actions line 5005.

68. Secret Crate BL - 09D9B4AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM07), owner Neutral, cell (69, 33), tag 09D9B10C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 63 (cell 70, 32).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4850, Events line 4928, Actions line 5006.

69. Ambient Crickets - 0A25472C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A25464C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_CricketChirps at waypoint 76 (cell 23, 78).
2. Play sound _Amb_CricketChirps at waypoint 77 (cell 38, 96).
3. Play sound _Amb_CricketBed at waypoint 78 (cell 48, 105).
4. Play sound _Amb_CricketBed at waypoint 79 (cell 61, 118).
5. Play sound _Amb_CricketBed at waypoint 80 (cell 71, 129).
6. Play sound _Amb_CricketBed at waypoint 81 (cell 87, 146).
7. Play sound _Amb_CricketChirps at waypoint 82 (cell 95, 157).
8. Play sound _Amb_CricketBed at waypoint 90 (cell 42, 87).
9. Play sound _Amb_CricketChirps at waypoint 91 (cell 43, 49).
10. Play sound _Amb_CricketChirps at waypoint 92 (cell 29, 69).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4851, Events line 4929, Actions line 5007.

70. Ambient Birds - 0A25455C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A25447C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 65 (cell 77, 68).
2. Play sound _Amb_BirdsJungle1 at waypoint 66 (cell 81, 66).
3. Play sound _Amb_BirdsBeach at waypoint 67 (cell 96, 90).
4. Play sound _Amb_BirdsJungle2 at waypoint 68 (cell 80, 101).
5. Play sound _Amb_BirdsTemperate1 at waypoint 69 (cell 120, 116).
6. Play sound _Amb_BirdsTemperate2 at waypoint 70 (cell 77, 42).
7. Play sound _Amb_BirdsJungle1 at waypoint 71 (cell 61, 59).
8. Play sound _Amb_BirdsBeach at waypoint 72 (cell 61, 89).
9. Play sound _Amb_BirdsJungle1 at waypoint 73 (cell 55, 89).
10. Play sound _Amb_BirdsHarbor at waypoint 6 (cell 99, 117).
11. Play sound _Amb_BirdsHarbor at waypoint 12 (cell 97, 122).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4852, Events line 4930, Actions line 5008.

71. Ambient Ocean - 0A2542AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A2541CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 97 (cell 88, 37).
2. Play sound _Amb_OceanHeavy at waypoint 43 (cell 82, 49).
3. Play sound _Amb_OceanHeavy at waypoint 42 (cell 80, 58).
4. Play sound _Amb_OceanHeavy at waypoint 23 (cell 81, 60).
5. Play sound _Amb_OceanHeavy at waypoint 83 (cell 98, 70).
6. Play sound _Amb_OceanHeavy at waypoint 84 (cell 101, 79).

7. Play sound _Amb_OceanHeavy at waypoint 38 (cell 102, 89).
8. Play sound _Amb_OceanHeavy at waypoint 11 (cell 109, 102).
9. Play sound _Amb_OceanLight at waypoint 85 (cell 99, 105).
10. Play sound _Amb_OceanLight at waypoint 86 (cell 88, 112).
11. Play sound _Amb_OceanLight at waypoint 13 (cell 94, 126).
12. Play sound _Amb_OceanLight at waypoint 14 (cell 100, 127).
13. Play sound _Amb_OceanLight at waypoint 87 (cell 109, 118).
14. Play sound _Amb_OceanHeavy at waypoint 88 (cell 124, 107).
15. Play sound _Amb_OceanHeavy at waypoint 89 (cell 131, 119).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4853, Events line 4931, Actions line 5009.

72. Ambient Urban - 08C1524C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08C15D3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 74 (cell 73, 96).
2. Play sound _Amb_UrbanMurmur2 at waypoint 75 (cell 65, 32).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4854, Events line 4932, Actions line 5010.

73. Fleet Destroyed - 088FBACC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Destroyer (DEST), owner Americans, cell (117, 90), tag 088FB1DC, persistence mode 0; Destroyer (DEST), owner Americans, cell (121, 96), tag 088FB1DC, persistence mode 0; Destroyer (DEST), owner Americans, cell (120, 93), tag 088FB1DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Fleet Detected (03E2BB40).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4855, Events line 4933, Actions line 5011.

74. Secret Crate CV - 086F1B2C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Ore Refinery (GAREFN), owner Germans, cell (63, 62), tag 086F138C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Then perform these actions in order:

1. Create crate type 0 at waypoint 99 (cell 66, 61).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4856, Events line 4934, Actions line 5012.

75. Secret Crate CR - 086F129C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Ore Refinery (GAREFN), owner Germans, cell (61, 55), tag 086F109C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Then perform these actions in order:

1. Create crate type 0 at waypoint 95 (cell 65, 58).

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4857, Events line 4935, Actions line 5013.

76. Build a Fleet - Catch All - 085F72CC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Play Fleet if A Refine (0871968C).

Attached scope: tag definitions 09B9004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play in-game movie 76.

Source locator: MAPS02.MIX/sov02t.map; Triggers line 4858, Events line 4936, Actions line 5014.

All team rosters and ordered plans | All mission overrides

Operation: Hostile Shore - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov02t.map; each team/script ID identifies its section.

Wave 2.2 - 09F15C8C

Owner: Confederation. Roster: 1 × Amphibious Transport (SAPC); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Beach Assault X (09F15A1C).

1. Move to waypoint: waypoint 23 (cell 81, 60).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 2 (Transports Unloaded).
4. Change country ownership; configured argument 5.

PC Landers 1 - 0C4B427C

Owner: Confederation. Roster: 1 × Soviet Construction Vehicle (SMCV); 1 × Amphibious Transport (SAPC); 3 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Player Transports (0992C860).

1. Move to waypoint: waypoint 24 (cell 89, 56).

PC Landers 2 - 0C4B403C

Owner: Confederation. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Beach Assualt (090F8A40).

1. Move to waypoint: waypoint 0 (cell 80, 55).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

PC Landers 3 - 0C4B190C

Owner: Confederation. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Beach Assault W (090F85C0).

1. Move to waypoint: waypoint 22 (cell 82, 52).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

Vlad's Charge Team - 0A9DE7DC

Owner: Russians. Roster: 1 × Vladimir's Command Ship (VLAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Vladmir's Crazy Attack (0A9E7C8C).

1. Move to waypoint: waypoint 7 (cell 105, 71).
2. Move to waypoint: waypoint 8 (cell 108, 86).

3. Move to waypoint: waypoint 9 (cell 113, 94).
4. Move to waypoint: waypoint 8 (cell 108, 86).
5. Move to waypoint: waypoint 7 (cell 105, 71).
6. Move to waypoint: waypoint 10 (cell 91, 59).
7. Move to waypoint: waypoint 55 (cell 102, 37).
8. Delete team objects.

3 Destroyers - 09EC293C

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Kill Vlad (0A1AE90C).

1. Guard for interval; configured argument 20.
2. Attack-move toward waypoint: waypoint 5 (cell 84, 56).
3. Attack selected enemy-building category; configured argument 61.
4. Attack selected enemy-building category; configured argument 25.
5. Seek/attack target category; configured argument 5.
6. Move to waypoint: waypoint 5 (cell 84, 56).
7. Adopt object mission: area guard.

Fleet Guard - 0A2E2BB0

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Move out the Fleet (07F66980).

1. Move to waypoint: waypoint 15 (cell 111, 100).
2. Move to waypoint: waypoint 11 (cell 109, 102).
3. Move to waypoint: waypoint 9 (cell 113, 94).
4. Move to waypoint: waypoint 16 (cell 106, 66).
5. Move to waypoint: waypoint 17 (cell 94, 95).

Fleet 1 - 0A2E2840

Owner: Americans. Roster: 2 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move out the Fleet (07F66980).

1. Move to waypoint: waypoint 15 (cell 111, 100).
2. Move to waypoint: waypoint 11 (cell 109, 102).
3. Move to waypoint: waypoint 9 (cell 113, 94).
4. Move to waypoint: waypoint 16 (cell 106, 66).
5. Move to waypoint: waypoint 17 (cell 94, 95).

Fleet 2 - 0A2E2630

Owner: Americans. Roster: 2 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Move out the Fleet (07F66980).

1. Move to waypoint: waypoint 15 (cell 111, 100).
2. Move to waypoint: waypoint 11 (cell 109, 102).

3. Move to waypoint: waypoint 9 (cell 113, 94).
4. Move to waypoint: waypoint 16 (cell 106, 66).
5. Move to waypoint: waypoint 17 (cell 94, 95).

Fleet 3 - 0A2E2520

Owner: Americans. Roster: 2 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 3; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Move out the Fleet (07F66980).

1. Move to waypoint: waypoint 15 (cell 111, 100).
2. Move to waypoint: waypoint 11 (cell 109, 102).
3. Move to waypoint: waypoint 9 (cell 113, 94).
4. Move to waypoint: waypoint 16 (cell 106, 66).
5. Move to waypoint: waypoint 17 (cell 94, 95).

Wave 2.1 - 0C4B3C4C

Owner: Confederation. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Beach Assault AQ (090FBCA0).

1. Move to waypoint: waypoint 42 (cell 80, 58).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

America Defense - 0ABBAB5C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense (09F01CBC).

1. Adopt object mission: area guard.

America GI Attack - 09FAF7EC

Owner: Americans. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: American Attack (09E6E20C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.

America Armor Attack - 0AD12A4C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: American Attack (09E6E20C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.

3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.

wave 2.3 - 0C4B308C

Owner: Confederation. Roster: 1 × Amphibious Transport (SAPC); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Beach Assault AT (090FB3C0).

1. Move to waypoint: waypoint 45 (cell 81, 54).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

wave 2.4 - 0C4B0C8C

Owner: Confederation. Roster: 1 × Amphibious Transport (SAPC); 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Beach Assault AR (090FDDC0).

1. Move to waypoint: waypoint 43 (cell 82, 49).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

wave 2.5 - 0C4B08EC

Owner: Confederation. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Beach Assault AE (090FDA40).

1. Move to waypoint: waypoint 30 (cell 82, 46).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 5.

Vlad Attack Team - 0AFD1B5C

Owner: Russians. Roster: 1 × Vladimir's Command Ship (VLAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Fire Missile Barrage (0AFD18EC).

1. Attack waypoint: waypoint 28 (cell 78, 55).
2. Attack waypoint: waypoint 58 (cell 78, 57).
3. Set facing; configured argument 6.
4. Guard for interval; configured argument 30.
5. Attack waypoint: waypoint 46 (cell 71, 43).
6. Guard for interval; configured argument 30.
7. Attack waypoint: waypoint 48 (cell 76, 34).
8. Guard for interval; configured argument 30.
9. Attack waypoint: waypoint 47 (cell 70, 35).
10. Guard for interval; configured argument 30.
11. Attack waypoint: waypoint 49 (cell 73, 28).
12. Adopt object mission: stop.

Vlad is Sleepy - 0A081A1C

Owner: Russians. Roster: 1 × Vladimir's Command Ship (VLAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Sleep (0A0817AC).

1. Adopt object mission: stop.

USA first attack - 0AD69C8C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 2; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: USA 1st Attack (0A008DBC).

1. Move to waypoint: waypoint 64 (cell 63, 81).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 2.

Land the MCV - 0A550DCC

Owner: Africans. Roster: 1 × Amphibious Transport (SAPC); 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Land MCV (0A550B5C).

1. Move to waypoint: waypoint 57 (cell 73, 56).
2. Unload with continuation mode: transport and passengers continue.
3. Guard for interval; configured argument 1.
4. Set local flag: local flag 0 (MCV Landed).

Destroyer Patrols - 08CD1CDC

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Patrol (09F4FCB0).

1. Attack-move toward waypoint: waypoint 15 (cell 111, 100).
2. Attack-move toward waypoint: waypoint 6 (cell 99, 117).
3. Jump to script line; configured argument 1.

American Navy - 09EA248C

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Destrpoyer Behavior (0AE6FC8C).

1. Attack-move toward waypoint: waypoint 10 (cell 91, 59).
2. Attack selected enemy-building category; configured argument 131133.
3. Report team success.
4. Attack selected enemy-building category; configured argument 25.
5. Attack selected enemy-building category; configured argument 15.
6. Attack selected enemy-building category; configured argument 11.
7. Adopt object mission: area guard.

Destroyer Attack - 0CF1832C

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Destrpoyer Behavior (0AE6FC8C).

1. Attack-move toward waypoint: waypoint 10 (cell 91, 59).
2. Attack selected enemy-building category; configured argument 131133.
3. Report team success.
4. Attack selected enemy-building category; configured argument 25.
5. Attack selected enemy-building category; configured argument 15.
6. Attack selected enemy-building category; configured argument 11.
7. Adopt object mission: area guard.

American Hard Attack - 09EA176C

Owner: Americans. Roster: 4 × Grizzly Battle Tank (MTNK); 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Anything (09F2BDC0).

1. Seek/attack target category; configured argument 1.

7 Transports - 090EDCE0

Owner: Africans. Roster: 7 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Get off map (0A30E43C).

1. Move to waypoint: waypoint 55 (cell 102, 37).
2. Delete team objects.

Make Boat Go Away - 0A30E1FC

Owner: Africans. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Get off map (0A30E43C).

1. Move to waypoint: waypoint 55 (cell 102, 37).
2. Delete team objects.

MCV ON the Beach - 0A1DB35C

Owner: Africans. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Change House (09A20DBC).

1. Change country ownership; configured argument 7.

3 Soviet Engineers - 094236FC

Owner: Confederation. Roster: 3 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Scatter Engineers (0952C90C).

1. Move to waypoint: waypoint 54 (cell 69, 58).

American Big Attack - 0BE41A9C

Owner: Americans. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: American Attack (09E6E20C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.

American Mixed Team - 09E73BAC

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Clever American Attack (09E7393C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 51, 69).
3. Seek/attack target category; configured argument 1.

American Engineer Attack - 09F1C80C

Owner: Americans. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer Attack (09F1C59C).

1. Approach selected enemy-building category; configured argument 9.
2. Attack selected enemy-building category; configured argument 9.

9 Civilians - 0A22FDEC

Owner: Neutral. Roster: 3 × Civilian (CIVBFM); 3 × Civilian (CIVBF); 3 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: panic! (093E9B4C).

1. Panic.
2. Jump to script line; configured argument 1.

6 Free Subs - 09E2A1FC

Owner: Confederation. Roster: 4 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Subs Reinforce (09E28DBC).

1. Move to waypoint: waypoint 10 (cell 91, 59).

Conscript Reinforcements - 0A2B50DC

Owner: Confederation. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: AO.

Ordered plan: Guard Area (09CA58CC).

1. Adopt object mission: area guard.

9 Civies North - 0A2271FC

Owner: Neutral. Roster: 3 × Civilian (CIVBFM); 3 × Civilian (CIVBF); 3 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: panic! (093E9B4C).

1. Panic.
2. Jump to script line; configured argument 1.

6 Civies South - 09F136AC

Owner: Neutral. Roster: 2 × Civilian (CIVBFM); 2 × Civilian (CIVBF); 2 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: panic! (093E9B4C).

1. Panic.
2. Jump to script line; configured argument 1.

4 Transports - Hard - 09DFF26C

Owner: Africans. Roster: 4 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Get off map (0A30E43C).

1. Move to waypoint: waypoint 55 (cell 102, 37).
2. Delete team objects.

2 Chrono Harvesters - 0AFB538C

Owner: Americans. Roster: 2 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono Miner Attack (09CA3DBC).

1. Move to waypoint: waypoint 64 (cell 63, 81).

Vlad Sneaks Back On - 0AB8380C

Owner: Russians. Roster: 1 × Vladimir's Command Ship (VLAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Vlad Sneaks back on. (0AB8097C).

1. Move to waypoint: waypoint 98 (cell 93, 50).
2. Move to waypoint: waypoint 9 (cell 113, 94).
3. Attack waypoint: waypoint 93 (cell 124, 128).
4. Attack waypoint: waypoint 94 (cell 117, 124).
5. Attack waypoint: waypoint 95 (cell 65, 58).
6. Attack waypoint: waypoint 99 (cell 66, 61).
7. Attack waypoint: waypoint 100 (cell 88, 93).
8. Move to waypoint: waypoint 10 (cell 91, 59).
9. Adopt object mission: area guard.

vlad runs again - 0AF55B5C

Owner: Russians. Roster: 1 × Vladimir's Command Ship (VLAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Vlad runs away (0AAA4C8C).

1. Move to waypoint: waypoint 10 (cell 91, 59).
2. Move to waypoint: waypoint 55 (cell 102, 37).
3. Clear local flag: local flag 3 (Vlad is Hit).
4. Delete team objects.

10 Free Subs - 08608AEC

Owner: Confederation. Roster: 10 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: BD.

Ordered plan: Subs Reinforce (09E28DBC).

1. Move to waypoint: waypoint 10 (cell 91, 59).

Operation: Hostile Shore - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov02t.map.

Object/system	Property	Mission value	Source line
Civilian (CIV1)	Insignificant-object flag	no	2
Civilian (CIV1)	Threat contribution	15	3
Civilian (CIV2)	Insignificant-object flag	no	6
Civilian (CIV2)	Threat contribution	15	7
Civilian (CIV3)	Insignificant-object flag	no	10
Civilian (CIV3)	Threat contribution	15	11
Civilian (CIVBFM)	Insignificant-object flag	no	14
Civilian (CIVBFM)	Threat contribution	15	15
Civilian (CIVBF)	Insignificant-object flag	no	18
Civilian (CIVBF)	Threat contribution	15	19
Civilian (CIVBTM)	Insignificant-object flag	no	22
Civilian (CIVBTM)	Threat contribution	15	23
IFV (FV)	Technology level	-1	26
War Miner (HARV)	Resource cargo capacity	20	29
Chrono Miner (CMIN)	Resource cargo capacity	10	32
TIBERIUMS (TIBERIUMS)	0	Riparius	35
TIBERIUMS (TIBERIUMS)	1	Cruentus	36
TIBERIUMS (TIBERIUMS)	2	Vinifera	37
TIBERIUMS (TIBERIUMS)	3	Aboreus	38
Tiberium Riparius (RIPARIUS)	Value	50	41
Tiberium Cruentus (CRUENTUS)	Value	100	44
Tiberium Vinifera (VINIFERA)	Value	50	47
Tiberium Aboreus (ABOREUS)	Value	50	50
Soviet Shipyard (NAYARD)	Starting health capacity	1200	53
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1000,750,500	56
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Hate Delays	2000,1500,1000	57
Hotel (CAMIAM02)	Armor class	Wood	60
Hotel (CAMIAM03)	Armor class	Wood	63
Hotel (CAMIAM01)	Armor class	Wood	66
Hut (CAMSC07)	UI Name	Name:CABANA	69
Hut (CAMSC08)	UI Name	Name:CABANA	72
Hotel (CAMIAM05)	Armor class	Wood	78

Object/system	Property	Mission value	Source line
Hotel (CAMIAM06)	Armor class	Wood	81
Hotel (CAMIAM07)	Armor class	Wood	84
DREDLAUNCHER (DREDLAUNCHER)	Range	35	87
DMISLWH (DMISLWH)	Verses	100%,90%,80%,100%,90%,80%,10%,65%,10%,80%,0%	90
Building (CAPARS10)	UI Name	Name:CANWY09	93
Building (CAPARS13)	UI Name	Name:CANWY09	96
Building (CAPARS14)	UI Name	Name:CANWY09	99
Flak Trooper (FLAKT)	Technology level	-1	111
Air Force Command Headquarters (GAAIRC)	Technology level	-1	114
Air Force Command Headquarters (AMRADR)	Technology level	-1	117
Rocketeer (JUMPJET)	Technology level	-1	120
V3 Launcher (V3)	Technology level	-1	123
Radar Tower (NARADR)	Signed power contribution	1	126
Radar Tower (NARADR)	Technology level	4	127
Radar Tower (NARADR)	Insignificant-object flag	yes	128
Radar Tower (NARADR)	Hidden from radar	yes	129
Allied Ore Refinery (GAREFN)	Signed power contribution	0	132
Destroyer (DEST)	Technology level	3	135
Communications Center (CATECH01)	Name	Command Center	138
Communications Center (CATECH01)	Technology level	-1	139
Communications Center (CATECH01)	Starting health capacity	400	140
Communications Center (CATECH01)	Insignificant-object flag	no	141
Communications Center (CATECH01)	Nominal	yes	142
Communications Center (CATECH01)	Hidden from radar	no	143
Communications Center (CATECH01)	Infantry garrison permitted	no	144
INVISIBLELOW (INVISIBLELOW)	Subject To Walls	no	147
Grand Cannon (GTGCAN)	Starting health capacity	200	150
Grand Cannon (GTGCAN)	Signed power contribution	0	151
Grand Cannon (GTGCAN)	Depends on power	no	152
CANNON (CANNON)	Image	120MM	155
CANNON (CANNON)	Arcing	true	156
CANNON (CANNON)	Subject To Cliffs	no	157
CANNON (CANNON)	Subject To Elevation	yes	158
CANNON (CANNON)	Subject To Walls	no	159
Sandbags (GASAND)	Name	Sandbags	162
Sandbags (GASAND)	Construction category	Combat	163
Sandbags (GASAND)	Starting health capacity	50	164
Sandbags (GASAND)	Armor class	wood	165
Sandbags (GASAND)	Can be crushed	yes	166
Sandbags (GASAND)	Wall behavior	yes	167

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2500	170
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	171
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.50	172
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.20	173
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.02	174
Invisible Purple Light Post (INPURPLAMP)	Local light reach	2500	177
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	178
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	1.0	179
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.005	180
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	1.0	181
155MM (155MM)	Minimum Range	0	184
Dreadnought (DRED)	Name	Vladimir's Command Ship	187
Dreadnought (DRED)	Starting health capacity	10000	188
Dreadnought (DRED)	Attacker replacement delay	120	189
Dreadnought (DRED)	Movement rating	9	190
Vladimir's Command Ship (VLAD)	Movement rating	9	193
Vladimir's Command Ship (VLAD)	Starting health capacity	10000	194
Vladimir's Command Ship (VLAD)	Attacker replacement delay	120	195
ASWBOMB (ASWBOMB)	Damage	100	198
Attack Dog (DOG)	Technology level	1	201
Typhoon Attack Sub (SUB)	Technology level	3	204
Amphibious Transport (SAPC)	Technology level	11	207
Amphibious Transport (SAPC)	Starting health capacity	800	208
SPECIALFLAGS	Tiberium Grows	yes	211
SPECIALFLAGS	Tiberium Spreads	yes	212
SPECIALFLAGS	Tiberium Explosive	no	213
SPECIALFLAGS	Destroyable Bridges	no	214
SPECIALFLAGS	MCV Deploy	no	215
SPECIALFLAGS	Initial Veteran	no	216
SPECIALFLAGS	Fixed Alliance	no	217
SPECIALFLAGS	Harvester Immune	no	218
SPECIALFLAGS	Fog Of War	no	219
SPECIALFLAGS	Inert	no	220
SPECIALFLAGS	Ion Storms	no	221
SPECIALFLAGS	Meteorites	no	222
SPECIALFLAGS	Visceroids	no	223

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	0	MCV Landed,0	264
VARIABLENAMES (VARIABLENAMES)	1	Hotels Destroyed,0	265
VARIABLENAMES (VARIABLENAMES)	2	Transports Unloaded,0	266
VARIABLENAMES (VARIABLENAMES)	3	Vlad is Hit,0	267
America (AMERICANS)	Country	Americans	299
America (AMERICANS)	Technology level	10	300
America (AMERICANS)	Credits	500	301
America (AMERICANS)	IQ	5	302
America (AMERICANS)	Edge	South	303
America (AMERICANS)	Player Control	no	304
America (AMERICANS)	Color	DarkBlue	305
America (AMERICANS)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI,Nod,Neutral,Special	306
America (AMERICANS)	Percent Built	0	307
America (AMERICANS)	Node Count	0	308
Korea (ALLIANCE)	Country	Alliance	311
Korea (ALLIANCE)	Technology level	1	312
Korea (ALLIANCE)	Credits	0	313
Korea (ALLIANCE)	IQ	0	314
Korea (ALLIANCE)	Edge	North	315
Korea (ALLIANCE)	Player Control	no	316
Korea (ALLIANCE)	Color	DarkBlue	317
Korea (ALLIANCE)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI	318
Korea (ALLIANCE)	Percent Built	0	319
Korea (ALLIANCE)	Node Count	0	320
France (FRENCH)	Country	French	323
France (FRENCH)	Technology level	1	324
France (FRENCH)	Credits	0	325
France (FRENCH)	IQ	0	326
France (FRENCH)	Edge	North	327
France (FRENCH)	Player Control	no	328
France (FRENCH)	Color	DarkBlue	329
France (FRENCH)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI,Neutral	330
France (FRENCH)	Percent Built	0	331
France (FRENCH)	Node Count	0	332
Germany (GERMANS)	Country	Germans	335
Germany (GERMANS)	Technology level	1	336
Germany (GERMANS)	Credits	0	337
Germany (GERMANS)	IQ	0	338
Germany (GERMANS)	Edge	North	339
Germany (GERMANS)	Player Control	no	340

Object/system	Property	Mission value	Source line
Germany (GERMANS)	Color	DarkBlue	341
Germany (GERMANS)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI,Neutral	342
Germany (GERMANS)	Percent Built	0	343
Germany (GERMANS)	Node Count	0	344
Great Britain (BRITISH)	Country	British	347
Great Britain (BRITISH)	Technology level	1	348
Great Britain (BRITISH)	Credits	500	349
Great Britain (BRITISH)	IQ	0	350
Great Britain (BRITISH)	Edge	North	351
Great Britain (BRITISH)	Player Control	no	352
Great Britain (BRITISH)	Color	DarkGreen	353
Great Britain (BRITISH)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI,Neutral	354
Great Britain (BRITISH)	Percent Built	0	355
Great Britain (BRITISH)	Node Count	0	356
Libya (AFRICANS)	Country	Africans	359
Libya (AFRICANS)	Technology level	1	360
Libya (AFRICANS)	Credits	10	361
Libya (AFRICANS)	IQ	0	362
Libya (AFRICANS)	Edge	North	363
Libya (AFRICANS)	Player Control	no	364
Libya (AFRICANS)	Color	DarkRed	365
Libya (AFRICANS)	Allies	Americans,Africans,Russians	366
Libya (AFRICANS)	Percent Built	0	367
Libya (AFRICANS)	Node Count	0	368
Iraq (ARABS)	Country	Arabs	371
Iraq (ARABS)	Technology level	1	372
Iraq (ARABS)	Credits	0	373
Iraq (ARABS)	IQ	0	374
Iraq (ARABS)	Edge	North	375
Iraq (ARABS)	Player Control	no	376
Iraq (ARABS)	Color	DarkGreen	377
Iraq (ARABS)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI	378
Iraq (ARABS)	Percent Built	0	379
Iraq (ARABS)	Node Count	0	380
Cuba (CONFEDERATION)	Country	Confederation	383
Cuba (CONFEDERATION)	Technology level	3	384
Cuba (CONFEDERATION)	Credits	50	385
Cuba (CONFEDERATION)	IQ	0	386
Cuba (CONFEDERATION)	Edge	East	387
Cuba (CONFEDERATION)	Player Control	yes	388

Object/system	Property	Mission value	Source line
Cuba (CONFEDERATION)	Color	DarkRed	389
Cuba (CONFEDERATION)	Allies	Africans,Confederation,Russians,Special	390
Cuba (CONFEDERATION)	Percent Built	0	391
Cuba (CONFEDERATION)	Node Count	0	392
Russia (RUSSIANS)	Country	Russians	395
Russia (RUSSIANS)	Technology level	1	396
Russia (RUSSIANS)	Credits	0	397
Russia (RUSSIANS)	IQ	0	398
Russia (RUSSIANS)	Edge	North	399
Russia (RUSSIANS)	Player Control	no	400
Russia (RUSSIANS)	Color	NeonBlue	401
Russia (RUSSIANS)	Allies	Africans,Confederation,Russians	402
Russia (RUSSIANS)	Percent Built	0	403
Russia (RUSSIANS)	Node Count	0	404
GDI (GDI)	Country	GDI	407
GDI (GDI)	Technology level	1	408
GDI (GDI)	Credits	0	409
GDI (GDI)	IQ	0	410
GDI (GDI)	Edge	North	411
GDI (GDI)	Player Control	no	412
GDI (GDI)	Color	DarkGreen	413
GDI (GDI)	Allies	Americans,Alliance,French,Germans,British,Arabs,GDI,Neutral	414
GDI (GDI)	Percent Built	0	415
GDI (GDI)	Node Count	0	416
Nod (NOD)	Country	Nod	419
Nod (NOD)	Technology level	1	420
Nod (NOD)	Credits	0	421
Nod (NOD)	IQ	0	422
Nod (NOD)	Edge	North	423
Nod (NOD)	Player Control	no	424
Nod (NOD)	Color	Grey	425
Nod (NOD)	Allies	Americans,Nod,Neutral	426
Nod (NOD)	Percent Built	0	427
Nod (NOD)	Node Count	0	428
Civilian (NEUTRAL)	Country	Neutral	431
Civilian (NEUTRAL)	Technology level	1	432
Civilian (NEUTRAL)	Credits	0	433
Civilian (NEUTRAL)	IQ	0	434
Civilian (NEUTRAL)	Edge	North	435
Civilian (NEUTRAL)	Player Control	no	436
Civilian (NEUTRAL)	Color	Grey	437

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	Allies	Neutral	438
Civilian (NEUTRAL)	Percent Built	0	439
Civilian (NEUTRAL)	Node Count	0	440
JP (SPECIAL)	Country	Special	443
JP (SPECIAL)	Technology level	1	444
JP (SPECIAL)	Credits	0	445
JP (SPECIAL)	IQ	0	446
JP (SPECIAL)	Edge	North	447
JP (SPECIAL)	Player Control	no	448
JP (SPECIAL)	Color	Grey	449
JP (SPECIAL)	Allies	Special	450
JP (SPECIAL)	Percent Built	0	451
JP (SPECIAL)	Node Count	0	452

Operation: Big Apple

Campaign reading guide | Engine



Initial placement schematic for sov03u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov03u.map. **Effective extracted member:** MAPS02.MIX/sov03u.map. **Trigger definitions:** 70.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,98,68
Visible local rectangle	2,8,94,54
Placed vehicles	46
Placed infantry	6
Placed structures	134
Placed aircraft	0
Team templates	32

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	1000	BadGuy1
2	BadGuy2 House	100	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	100	Other1
6	Other2 House	20	Other2
7	Other3 House	100	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Stop_Looping,0
1	Play Yuri Movie,0
2	Play Yuri Audio,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Player Loses (03D95C60)	3 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
Player Wins (03D95F40)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. BG1 Startup - 0B487180

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B488070 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Reveal terrain around waypoint 0 (cell 102, 28).
4. Reveal terrain around waypoint 98 (cell 71, 134).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4150, Events line 4222, Actions line 4294.

2. Entered Battle Lab - 09AC9C20

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Lab Destroyed (0A1E37BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 1 (08E025BC).
2. Disable Lab Destroyed (0A1E37BC).
3. Enable and reset applicable timers for Beacon Placed (0ADB3CB4).
4. Enable and reset applicable timers for Sell Lab (08AAA2DC).
5. Disable Entered Battle Lab (09AC9C20).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4151, Events line 4223, Actions line 4295.

3. Lab Destroyed - 0A1E37BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Player Loses (03D95C60).
2. Disable Lab Destroyed (0A1E37BC).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4152, Events line 4224, Actions line 4296.

4. Objective 1 - 08E025BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Entered Battle Lab (09AC9C20).

Attached scope: tag definitions 08E03F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Disable Objective 1 Reminder (08349ACC).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4153, Events line 4225, Actions line 4297.

5. Beacon Placed - 0ADB3CB4

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Entered Battle Lab (09AC9C20).

Attached scope: tag definitions 0ADB3684 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 20 (country/type OTHER3; placed owner Other3 House).
2. Enable and reset applicable timers for Change Beacon House (09462D4C).
3. Enable and reset applicable timers for 6 Psi-Corp Create (08345BFC).
4. Enable and reset applicable timers for Play Audio (09A2903C).
5. Enable and reset applicable timers for Play Movie (09A2603C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4154, Events line 4226, Actions line 4298.

6. Sell Lab - 08AAA2DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Entered Battle Lab (09AC9C20).

Incoming activation links: enable from Entered Battle Lab (09AC9C20).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Disable Sell Lab (08AAA2DC).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4155, Events line 4227, Actions line 4299.

7. Player Loses - 03D95C60

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lab Destroyed (0A1E37BC); enable from Beacon Destroyed (07C6E684); enable from Player Lose Conditions (03DA6100).

Attached scope: tag definitions 03DA6240 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4156, Events line 4228, Actions line 4300.

8. Objective 1 Reminder - 08349ACC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sofia 1 (0BD70F40).

Attached scope: tag definitions 0834958C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Capture the Allied BATTLE LAB with an ENGINEER” (MISSION:Sov03a).
2. Create radar-event marker type 5 at waypoint 22 (cell 101, 27).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4157, Events line 4229, Actions line 4301.

9. Change Beacon House - 09462D4C

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Placed (0ADB3CB4).

Attached scope: tag definitions 0946293C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for Beacon Destroyed (07C6E684).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4158, Events line 4230, Actions line 4302.

10. 6 Psi-Corp Create - 08345BFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Placed (0ADB3CB4).

Attached scope: tag definitions 083459FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 6 Psi-Corp Team (0AE6F1EC).
2. Supply reinforcement team 2 Grizzly RE Team (0AF10B5C).
3. Supply reinforcement team 2 Grizzly RE Team (0AF10B5C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4159, Events line 4231, Actions line 4303.

11. Play Audio - 09A2903C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Play Movie (09A2603C).

Incoming activation links: enable from Beacon Placed (0ADB3CB4); enable from WF_Captured (083243CC); enable from WF_Destroyed (083241FC); enable from Build War_Yuri Appears (0858B41C).

Attached scope: tag definitions 09A2016C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Play Yuri Movie) is set.

Flag writers in this mission: set local flag 1 (Play Yuri Movie) at Yuri Movie (09A2B03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Play Audio (09A2903C).
2. Disable Play Movie (09A2603C).
3. Enable and reset applicable timers for Yuri Audio (09A2403C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4160, Events line 4232, Actions line 4304.

12. Play Movie - 09A2603C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Placed (0ADB3CB4); enable from WF_Captured (083243CC); enable from WF_Destroyed (083241FC); enable from Build War_Yuri Appears (0858B41C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 1 (Play Yuri Movie) is clear.

Flag writers in this mission: set local flag 1 (Play Yuri Movie) at Yuri Movie (09A2B03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Play Movie (09A2603C).
2. Disable Play Audio (09A2903C).
3. Enable and reset applicable timers for Yuri Movie (09A2B03C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4161, Events line 4233, Actions line 4305.

13. Beacon Destroyed - 07C6E684

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change Beacon House (09462D4C).

Attached scope: tag definitions 07C68244 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 183 (global list position: Psychic Beacon (NAPSYB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Stop the visible mission timer.
2. Enable and reset applicable timers for Player Loses (03D95C60).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4162, Events line 4234, Actions line 4306.

14. Yuri Audio - 09A2403C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play Audio (09A2903C).

Attached scope: tag definitions 09A3503C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S10_Yuri.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4163, Events line 4235, Actions line 4307.

15. Yuri Movie - 09A2B03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Play Movie (09A2603C).

Attached scope: tag definitions 09A280AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 75.
2. Set local flag 1 (Play Yuri Movie).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4164, Events line 4236, Actions line 4308.

16. Objective 2 - 08E03DAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E03AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Technology gained - Build a PSYCHIC BEACON” (MISSION:Sov03b).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4165, Events line 4237, Actions line 4309.

17. Beacon Attack Teams - 09E00840

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Built (0DC7AB70).

Attached scope: tag definitions 09E0F480 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Re_GI (096948D4) at waypoint 11 (cell 82, 46).
2. Supply reinforcement team Re_IFV (099FE8EC) at waypoint 11 (cell 82, 46).
3. Supply reinforcement team Re_Tank (08D1E180) at waypoint 7 (cell 108, 51).
4. Supply reinforcement team Re_Rocket (08D1C6E0) at waypoint 11 (cell 82, 46).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4166, Events line 4238, Actions line 4310.

18. Disable Beacon Attack - 04386A7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0438699C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Beacon Attack Teams (09E00840).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4167, Events line 4239, Actions line 4311.

19. Create Outpost B Team - 09642890

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09642440 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Outpost B (08D1DCA0) at waypoint 1 (cell 138, 72).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4168, Events line 4240, Actions line 4312.

20. Create IFV Patrol - 0965F670

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0965F190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team 4IFV Patrol (099FDB5C) at waypoint 2 (cell 130, 78).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4169, Events line 4241, Actions line 4313.

21. Beacon Deployed - 03D97540

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03D97300 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Disable Beacon Attack Teams (09E00840).
2. Enable and reset applicable timers for Sofia 3 (099DFE70).
3. Display message “Objective 2 Complete” (MISSION:Objective2).
4. Play sound ChronoLegionAttack.
5. Enable and reset applicable timers for Give Buildings (07500224).
6. Enable and reset applicable timers for Allied Conversion (09152DB0).
7. AI triggers stop: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
8. Lightning Storm strike at waypoint 3 (cell 77, 78).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4170, Events line 4242, Actions line 4314.

22. Sofia 3 - 099DFE70

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Deployed (03D97540).

Attached scope: tag definitions 099DFCA0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S3_Sofia3.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4171, Events line 4243, Actions line 4315.

23. Give Buildings - 07500224

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Deployed (03D97540).

Attached scope: Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (141, 69), tag 07506BC4, persistence mode 0; Allied Construction Yard (GACNST), owner BadGuy1 House, cell (107, 18), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (122, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (95, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (98, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (116, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (101, 39), tag 07506BC4, persistence mode 0; Allied Ore Refinery (GAREFN), owner BadGuy1 House, cell (94, 33), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (113, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (104, 39), tag 07506BC4, persistence mode 0; Allied Barracks (GAPILE), owner BadGuy1 House, cell (82, 91), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (110, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (107, 39), tag 07506BC4, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (119, 39), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (91, 38), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (115, 48), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (127, 38), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (100, 48), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (127, 41), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (103, 48), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (118, 48), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (91, 41), tag 07506BC4, persistence mode 0; Air Force Command Headquarters (GAAIRC), owner BadGuy1 House, cell (95, 44), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (125, 66), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (111, 66), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (94, 80), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (71, 76), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (85, 54), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (99, 100), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (99, 56), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (107, 105), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (110, 84), tag 07506BC4, persistence mode 0; Gate (GAGATE_A), owner BadGuy1 House, cell (100, 47), tag 07506BC4, persistence mode 0; Gate (GAGATE_A), owner BadGuy1 House, cell (115, 47), tag 07506BC4, persistence mode 0; Allied Barracks (GAPILE), owner BadGuy1 House, cell (113, 27), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (117, 34), tag 07506BC4, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (113, 24), tag 07506BC4, persistence mode 0; Allied War Factory (GAWEAP), owner BadGuy1 House, cell (106, 43), tag 07506BC4, persistence mode 0; Allied Repair Depot (GADEPT), owner BadGuy1 House, cell (107, 23), tag 07506BC4, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable WF_Captured (083243CC).
3. Disable WF_Destroyed (083241FC).
4. Enable and reset applicable timers for WF_Give Buildings (0832410C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4172, Events line 4244, Actions line 4316.

24. Allied Conversion - 09152DB0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Deployed (03D97540).

Attached scope: tag definitions 09152A60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 0 (Stop_Looping) is clear.

Flag writers in this mission: set local flag 0 (Stop_Looping) at Allied Conversion (09152DB0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 0 (Stop_Looping).
2. Enable and reset applicable timers for Allied Conversion Talk (0AC77DD0).
3. Display message “Allied troops are now under Soviet control” (MISSION:Sov03e).
4. All change house: owner selector 13 (country/type PLAYER; placed owner Player House).

5. Reveal the whole map.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4173, Events line 4245, Actions line 4317.

25. WF_Captured - 083243CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable WF_Destroyed (083241FC).
2. Enable and reset applicable timers for 4 Psi-Corp Create (0834438C).
3. Disable WF_Captured (083243CC).
4. Enable and reset applicable timers for Play Audio (09A2903C).
5. Enable and reset applicable timers for Play Movie (09A2603C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4174, Events line 4246, Actions line 4318.

26. WF_Destroyed - 083241FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: WF_Captured (083243CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable WF_Captured (083243CC).
2. Enable and reset applicable timers for 4 Psi-Corp Create (0834438C).
3. Disable WF_Destroyed (083241FC).
4. Enable and reset applicable timers for Play Audio (09A2903C).
5. Enable and reset applicable timers for Play Movie (09A2603C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4175, Events line 4247, Actions line 4319.

27. WF_Give Buildings - 0832410C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: WF_Destroyed (083241FC).

Incoming activation links: enable from Give Buildings (07500224).

Attached scope: Allied War Factory (GAWEAP), owner BadGuy1 House, cell (111, 86), tag 083242EC, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Disable WF_Give Buildings (0832410C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4176, Events line 4248, Actions line 4320.

28. Allied Conversion Talk - 0AC77DD0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allied Conversion (09152DB0).

Attached scope: tag definitions 0AC77B10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A8_AllSoldierTurned.
2. Enable and reset applicable timers for Allies Yuried (0A4CF7A0).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4177, Events line 4249, Actions line 4321.

29. 4 Psi-Corp Create - 0834438C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WF_Captured (083243CC); enable from WF_Destroyed (083241FC); enable from Build War_Yuri Appears (0858B41C).

Attached scope: tag definitions 08345E1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 4 Psi-Corp Team (0ADE8A3C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4178, Events line 4250, Actions line 4322.

30. Allies Yuried - 0A4CF7A0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allied Conversion Talk (0AC77DD0).

Attached scope: tag definitions 0A4CF630 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Sofia 4 (099DFBC0).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4179, Events line 4251, Actions line 4323.

31. Sofia 4 - 099DFBC0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allies Yuried (0A4CF7A0).

Attached scope: tag definitions 099DF9F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Annouce Win (0D0211D0).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4180, Events line 4252, Actions line 4324.

32. Annouce Win - 0D0211D0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sofia 4 (099DFBC0).

Attached scope: tag definitions 0D022C80 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Player Wins (03D95F40).
2. Enable and reset applicable timers for Cheer (0CD9599C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4181, Events line 4253, Actions line 4325.

33. Player Wins - 03D95F40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Annouce Win (0D0211D0).

Attached scope: tag definitions 03D95D40 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4182, Events line 4254, Actions line 4326.

34. Cheer - 0CD9599C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Annouce Win (0D0211D0).

Attached scope: tag definitions 0CD9534C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4183, Events line 4255, Actions line 4327.

35. Final Announce Air - 08E29C44

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final Rush (0BA1C78C).

Attached scope: tag definitions 08E29594 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_EnemyAirArmadaDetected.
2. Enable and reset applicable timers for Final Announce Armor (08E29164).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4184, Events line 4256, Actions line 4328.

36. Final Announce Armor - 08E29164

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final Announce Air (08E29C44).

Attached scope: tag definitions 08E2EA54 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ArmorBattallianDetected.
2. Enable and reset applicable timers for Final Attack Teams (099DF7D0).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4185, Events line 4257, Actions line 4329.

37. Final Attack Teams - 099DF7D0

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final Announce Armor (08E29164).

Attached scope: tag definitions 099DF350 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Final_Tank (0C19E93C) at waypoint 14 (cell 150, 58).
2. Supply reinforcement team Final_IFV (0C19EB7C) at waypoint 2 (cell 130, 78).
3. Supply reinforcement team Final_Rocket (0C19E80C).
4. Supply reinforcement team Final_Tank2 (0C19F1BC) at waypoint 15 (cell 117, 74).
5. Supply reinforcement team Final IFV 2 (0C19E36C) at waypoint 6 (cell 109, 112).
6. Supply reinforcement team Death Rocketeers (0C1D87BC) at waypoint 5 (cell 130, 92).
7. Supply reinforcement team Death GIs (0C1D88EC) at waypoint 15 (cell 117, 74).
8. Supply reinforcement team Death GIs (0C1D88EC) at waypoint 1 (cell 138, 72).
9. Supply reinforcement team Death Tanks (0C1DF0CC) at waypoint 18 (cell 73, 51).
10. Supply reinforcement team Death Tanks (0C1DF0CC) at waypoint 17 (cell 139, 46).
11. Supply reinforcement team Death IFVs (0C1D8EFC) at waypoint 3 (cell 77, 78).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4186, Events line 4258, Actions line 4330.

38. Player Lose Conditions - 03DA6100

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03DA7210 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Player Loses (03D95C60).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4187, Events line 4259, Actions line 4331.

39. Create IFVa Patrol - 097851D0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B45C060 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team 4aIFV Patrol (099FD6AC) at waypoint 4 (cell 130, 38).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4188, Events line 4260, Actions line 4332.

40. Create IFVb Patrol - 0BE3F060

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE3FE70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team 4bIFV Patrol (099FD30C) at waypoint 6 (cell 109, 112).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4189, Events line 4261, Actions line 4333.

41. Create IFVc Patrol - 0BE3EEC0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE3EDF0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team 4cIFV Patrol (0D33D8EC) at waypoint 9 (cell 81, 36).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4190, Events line 4262, Actions line 4334.

42. Beacon Built - 0DC7AB70

Owner reference: Other3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DC7A690 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 183 (global list position: Psychic Beacon (NAPSYB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Beacon Attack Teams (09E00840).
2. Set the mission timer to 300 configured time units.
3. Start the visible mission timer.
4. Use countdown label “Beacon Deployment in:” (MISSION:Sov03d).
5. Display message “Objective 2: Defend the PSYCHIC BEACON from Allied attack” (MISSION:Sov03c).
6. Enable and reset applicable timers for Sofia 2 (099DE8C0).
7. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
8. Enable and reset applicable timers for Final Rush (0BA1C78C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4191, Events line 4263, Actions line 4335.

43. Sofia 2 - 099DE8C0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Built (0DC7AB70).

Attached scope: tag definitions 099DFF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S3_Sofia2.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4192, Events line 4264, Actions line 4336.

44. Final Rush - 0BA1C78C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Beacon Built (0DC7AB70).

Attached scope: tag definitions 0BA1C03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 175 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Final Announce Air (08E29C44).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4193, Events line 4265, Actions line 4337.

45. Sofia 1 - 0BD70F40

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Radar Movie (0A3A685C).

Attached scope: tag definitions 0BD709A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PIng Battle Lab (0ADEA2E0).

2. Play voice notification Mis_S3_Sofia1.
3. Display message “Objective 1: Capture the Allied BATTLE LAB with an ENGINEER” (MISSION:Sov03a).
4. Enable and reset applicable timers for Objective 1 Reminder (08349ACC).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4194, Events line 4266, Actions line 4338.

46. PIng Battle Lab - 0ADEA2E0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sofia 1 (0BD70F40).

Attached scope: tag definitions 0ADEC700 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 22 (cell 101, 27).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4195, Events line 4267, Actions line 4339.

47. V3 New Build Option - 078EEB1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078ED58C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 14 (global list position: V3 Launcher (V3)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for V3 Audio (0BDAB35C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4196, Events line 4268, Actions line 4340.

48. V3 Audio - 0BDAB35C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from V3 New Build Option (078EEB1C).

Attached scope: tag definitions 0BDAC95C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_V3.
2. Switch the sidebar to tab 3.
3. Flash cameo/type 314; additional configured duration/location argument 100.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4197, Events line 4269, Actions line 4341.

49. Reveal 2nd Ore - 091FCC64

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091FC8B4 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 12 (cell 68, 150).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4198, Events line 4270, Actions line 4342.

50. Hint_Oil Derricks - 07B00F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (79, 129), (80, 129), (79, 130), (80, 130), (79, 131), (80, 131), (79, 132), (80, 132); tag 07B01AEC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “HINT: Capture the OIL DERRICKS for extra resources” (MISSION:Sov03aa).
2. Reveal terrain around waypoint 13 (cell 86, 136).
3. Play sound HealCrate.
4. Create radar-event marker type 1 at waypoint 13 (cell 86, 136).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4199, Events line 4271, Actions line 4343.

51. Opening Harass 1 - 089E7B5C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089E77BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team 4Rocket Team (0C199C8C).
2. Create/recruit team 6 Rocket Team (0C19E23C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4200, Events line 4272, Actions line 4344.

52. Opening Harass 2 - 089E76CC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089E270C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 360 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team 10 GIs (0C19E6DC).
2. Create/recruit team 2Grizzly Team (0A0E259C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4201, Events line 4273, Actions line 4345.

53. Opening Harass 3 - 089E261C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089E21EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 500 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team 2Grizzly Team (0A0E259C).
2. Create/recruit team 4Rocket Team (0C199C8C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4202, Events line 4274, Actions line 4346.

54. Opening Harass 4 - 089E10FC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089E65BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team 6 Grizzly Team (0C19E49C).
2. Create/recruit team 10 GIs (0C19E6DC).
3. Create/recruit team 6 Rocket Team (0C19E23C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4203, Events line 4275, Actions line 4347.

55. Ambient Ocean - 0765551C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07657E3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 19 (cell 67, 65).
2. Play sound _Amb_OceanHeavy at waypoint 19 (cell 67, 65).
3. Play sound _Amb_OceanHeavy at waypoint 20 (cell 60, 82).
4. Play sound _Amb_OceanLight at waypoint 21 (cell 66, 101).
5. Play sound _Amb_OceanLight at waypoint 23 (cell 56, 116).
6. Play sound _Amb_BirdsHarbor at waypoint 23 (cell 56, 116).
7. Play sound _Amb_OceanHeavy at waypoint 24 (cell 57, 145).
8. Play sound _Amb_BirdsHarbor at waypoint 24 (cell 57, 145).
9. Play sound _Amb_OceanLight at waypoint 25 (cell 114, 106).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4204, Events line 4276, Actions line 4348.

56. Ambient City - 0765787C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0765772C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 26 (cell 117, 90).
2. Play sound _Amb_UrbanMurmur1 at waypoint 26 (cell 117, 90).
3. Play sound _Amb_Traffic at waypoint 14 (cell 150, 58).
4. Play sound _Amb_UrbanMurmur2 at waypoint 14 (cell 150, 58).
5. Play sound _Amb_Traffic at waypoint 3 (cell 77, 78).
6. Play sound _Amb_UrbanMurmur1 at waypoint 3 (cell 77, 78).
7. Play sound _Amb_Traffic at waypoint 11 (cell 82, 46).
8. Play sound _Amb_UrbanMurmur2 at waypoint 11 (cell 82, 46).
9. Play sound _Amb_Traffic at waypoint 27 (cell 83, 117).
10. Play sound _Amb_UrbanMurmur1 at waypoint 27 (cell 83, 117).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4205, Events line 4277, Actions line 4349.

57. _Radar Movie - 0A3A685C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3AB1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play in-game movie 79.
2. Enable and reset applicable timers for Sofia 1 (0BD70F40).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4206, Events line 4278, Actions line 4350.

58. Rocketeer Detected - 0BDAC86C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BD6810C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 4 (global list position: Rocketeer (JUMPJET)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification EVA_EnemyAirArmadaDetected.
2. Enable and reset applicable timers for Rocketeer Audio (0BDAC57C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4207, Events line 4279, Actions line 4351.

59. Rocketeer Audio - 0BDAC57C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rocketeer Detected (0BDAC86C).

Attached scope: tag definitions 0BDAC66C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_Rocketeer.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4208, Events line 4280, Actions line 4352.

60. Hint_Oil Derricks_2 - 0C11663C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Oil Derrick (CAOILD), owner Other2 House, cell (84, 138), tag 0C110EAC, persistence mode 0; Tech Oil Derrick (CAOILD), owner Other2 House, cell (88, 134), tag 0C110EAC, persistence mode 0; Tech Oil Derrick (CAOILD), owner Other2 House, cell (84, 134), tag 0C110EAC, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “HINT: Capture the OIL DERRICKS for extra resources” (MISSION:Sov03aa).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4209, Events line 4281, Actions line 4353.

61. Rubblizer - 083EE33C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY13), owner Civie1 House, cell (110, 90), tag 083EAD7C, persistence mode 0; Building (CANEWY15), owner Civie1 House, cell (118, 85), tag 083EAD7C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4210, Events line 4282, Actions line 4354.

62. Garrison Teams - 0A50AC5C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A50A50C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Garrison AF Team (0C1D959C).
2. Create/recruit team Garrison AG Team (0C1D91FC).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4211, Events line 4283, Actions line 4355.

63. Truck_Smoke - 082E894C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Automobile (SUVW), owner Civie1 House, cell (98, 74), tag 082EDF4C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Particle Anim at; main setting 2; location/duration field AH.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4212, Events line 4284, Actions line 4356.

64. Crater_Smoke - 0A07003C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A060AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Particle Anim at; main setting 2; location/duration field AI.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4213, Events line 4285, Actions line 4357.

65. Left Tower Destroyed - 0991CE5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Left Tower Garrisoned (06526E3C).

Attached scope: Building (CANWY05), owner Civie1 House, cell (95, 27), tag 06526D5C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Left Tower Destroyed (0991CE5C).
2. Create crate type 2 at waypoint 29 (cell 97, 29).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4214, Events line 4286, Actions line 4358.

66. Left Tower Garrisoned - 06526E3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Left Tower Garrisoned (06526E3C).
2. Reveal the whole map.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4215, Events line 4287, Actions line 4359.

67. Right Tower Destroyed - 09919ABC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Right Tower Garrisoned (06522F3C).

Attached scope: Building (CANWY05), owner Civie1 House, cell (101, 21), tag 06522E5C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Right Tower Destroyed (09919ABC).
2. Create crate type 14 at waypoint 30 (cell 103, 23).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4216, Events line 4288, Actions line 4360.

68. Right Tower Garrisoned - 06522F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Right Tower Garrisoned (06522F3C).
2. Reveal the whole map.

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4217, Events line 4289, Actions line 4361.

69. Build War_Yuri Appears - 0858B41C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0858B33C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Play Audio (09A2903C).
2. Enable and reset applicable timers for Play Movie (09A2603C).
3. Enable and reset applicable timers for 4 Psi-Corp Create (0834438C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4218, Events line 4290, Actions line 4362.

70. Lab Damaged - 0489224C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Sell Lab (08AAA2DC).

Attached scope: Allied Battle Lab (GATECH), owner BadGuy1 House, cell (101, 27), tag 08AAA1FC, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Display message “MISSION CRITICAL STRUCTURE - Do not destroy!” (MISSION:Sov10d).
3. Disable Lab Damaged (0489224C).

Source locator: MAPS02.MIX/sov03u.map; Triggers line 4219, Events line 4291, Actions line 4363.

All team rosters and ordered plans | All mission overrides

Operation: Big Apple - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov03u.map; each team/script ID identifies its section.

4GI Team - 08D1F920

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (0A0E2B7C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Base D - 08D1F4A0

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (0A4FD460).

1. Adopt object mission: area guard.
2. Report team success.

2Grizzly Team - 0A0E259C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (0A0E2B7C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

4Rocket Team - 0C199C8C

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack V3 then Any (08CE2820).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

GI Attack Power - 08D1E980

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0B94359C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 1.

2 IFV 2 GI Team - 099FB8EC

Owner: BadGuy1. Roster: 2 × IFV (FV); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: IFV Vehicle Attack (099FB67C).

1. Seek/attack target category; configured argument 5.
2. Report team success.

Re_Tank - 08D1E180

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Sov03 Lab/Beacon Attack (09693DB4).

1. Attack selected enemy-building category; configured argument 131255.
2. Seek/attack target category; configured argument 1.

Outpost B - 08D1DCA0

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Guard Outpost B (08CE16C0).

1. Adopt object mission: guard.

4IFV Patrol - 099FDB5C

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: IFV Patrol (0976E800).

1. Attack-move toward waypoint: waypoint 3 (cell 77, 78).
2. Attack-move toward waypoint: waypoint 2 (cell 130, 78).
3. Jump to script line; configured argument 1.

4aIFV Patrol - 099FD6AC

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: IFV Patrol (E, F) (0BE3F650).

1. Attack-move toward waypoint: waypoint 5 (cell 130, 92).
2. Attack-move toward waypoint: waypoint 4 (cell 130, 38).
3. Jump to script line; configured argument 1.

4bIFV Patrol - 099FD30C

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: IFV Patrol (G, H) (0BE3F180).

1. Attack-move toward waypoint: waypoint 7 (cell 108, 51).
2. Attack-move toward waypoint: waypoint 6 (cell 109, 112).
3. Jump to script line; configured argument 1.

4cIFV Patrol - 0D33D8EC

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: IFV Patrol (I, J) (0ADEF1CC).

1. Attack-move toward waypoint: waypoint 8 (cell 75, 94).
2. Attack-move toward waypoint: waypoint 9 (cell 81, 36).
3. Jump to script line; configured argument 1.

Re_GI - 096948D4

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Sov03 Lab/Beacon Attack (09693DB4).

1. Attack selected enemy-building category; configured argument 131255.
2. Seek/attack target category; configured argument 1.

Re_IFV - 099FE8EC

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Sov03 Lab/Beacon Attack (09693DB4).

1. Attack selected enemy-building category; configured argument 131255.
2. Seek/attack target category; configured argument 1.

Re_Rocket - 08D1C6E0

Owner: BadGuy1. Roster: 6 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Sov03 Lab/Beacon Attack (09693DB4).

1. Attack selected enemy-building category; configured argument 131255.
2. Seek/attack target category; configured argument 1.

Final_Tank2 - 0C19F1BC

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 2; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Final_IFV - 0C19EB7C

Owner: BadGuy1. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 2; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Final_Tank - 0C19E93C

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 2; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Final_Rocket - 0C19E80C

Owner: BadGuy1. Roster: 6 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 2; Technology level: 0; Waypoint: J.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

10 GIs - 0C19E6DC

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0B94359C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 1.

6 Grizzly Team - 0C19E49C

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Player Base (0B94359C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Final IFV 2 - 0C19E36C

Owner: BadGuy1. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 2; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

6 Rocket Team - 0C19E23C

Owner: BadGuy1. Roster: 6 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack from Sea (0BBE1C8C).

1. Move to waypoint: waypoint 16 (cell 34, 114).
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Death Tanks - 0C1DF0CC

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Death IFVs - 0C1D8EFC

Owner: BadGuy1. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Death GIs - 0C1D88EC

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

Death Rocketeers - 0C1D87BC

Owner: BadGuy1. Roster: 6 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Final Attack (09F2855C).

1. Adopt object mission: hunt.

4 Psi-Corp Team - 0ADE8A3C

Owner: Player. Roster: 4 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI; Transport Waypoint: AJ.

Ordered plan: Do Nothing (0836C9EC).

1. Adopt object mission: stop.

6 Psi-Corp Team - 0AE6F1EC

Owner: Player. Roster: 6 × Yuri (YURI); 5 × Flak Trooper (FLAKT); 5 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Do Nothing (0836C9EC).

1. Adopt object mission: stop.

Garrison AF Team - 0C1D959C

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Garrison AF (09BA756C).

1. Attack waypoint: waypoint 31 (cell 91, 96).

Garrison AG Team - 0C1D91FC

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Garrison AG (09BA71CC).

1. Attack waypoint: waypoint 32 (cell 119, 82).

2 Grizzly RE Team - 0AF10B5C

Owner: Player. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Move to Psy Beacon (086261DC).

1. Move to waypoint: waypoint 10 (cell 105, 17).
2. Move to waypoint: waypoint 28 (cell 103, 31).

Operation: Big Apple - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov03u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Deferment	1	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Damage	1	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Storm Duration	200	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Warhead	IonWH	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Hit Delay	40000	15
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Scatter Delay	40000	16
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Cell Spread	1	17
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Lightning Print Text	no	18
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Ion Storms	no	19
AUDIOVISUAL (AUDIOVISUAL)	Storm Sound	ChronoLegionAttack	22
AUDIOVISUAL (AUDIOVISUAL)	Lightning Sounds	ChronoLegionAttack	23
Weather Storm (LIGHTNINGSTORMSPECIAL)	UI Name	Name:Storm	26
Weather Storm (LIGHTNINGSTORMSPECIAL)	Name	Lightning Storm	27
Weather Storm (LIGHTNINGSTORMSPECIAL)	Is Powered	true	28
Weather Storm (LIGHTNINGSTORMSPECIAL)	Recharge Time	10	29
Weather Storm (LIGHTNINGSTORMSPECIAL)	Type	LightningStorm	30
Weather Storm (LIGHTNINGSTORMSPECIAL)	Action	LightningStorm	31
Weather Storm (LIGHTNINGSTORMSPECIAL)	Sidebar Image	BOLTICON	32
Weather Storm (LIGHTNINGSTORMSPECIAL)	Show Timer	no	33
Truck (loaded) (TRUCKB)	Immune to ordinary psychic control	yes	36
Truck (loaded) (TRUCKB)	Insignificant-object flag	yes	37
Pickup Truck (PTRUCK)	Immune to ordinary psychic control	yes	40
Pickup Truck (PTRUCK)	Insignificant-object flag	yes	41
Taxi (TAXI)	Immune to ordinary psychic control	yes	44

Object/system	Property	Mission value	Source line
Taxi (TAXI)	Insignificant-object flag	yes	45
Automobile (SUVW)	Immune to ordinary psychic control	yes	48
Automobile (SUVW)	Insignificant-object flag	yes	49
Automobile (SUVB)	Immune to ordinary psychic control	yes	52
Automobile (SUVB)	Insignificant-object flag	yes	53
Automobile (STANG)	Immune to ordinary psychic control	yes	56
Automobile (STANG)	Insignificant-object flag	yes	57
Automobile (EUROC)	Immune to ordinary psychic control	yes	60
Automobile (EUROC)	Insignificant-object flag	yes	61
Excavator (CONA)	Immune to ordinary psychic control	yes	64
Excavator (CONA)	Insignificant-object flag	yes	65
Automobile (CAR)	Immune to ordinary psychic control	yes	68
Automobile (CAR)	Insignificant-object flag	yes	69
War Miner (HARV)	Resource cargo capacity	20	72
Chrono Miner (CMIN)	Resource cargo capacity	10	75
TIBERIUMS (TIBERIUMS)	0	Riparius	78
TIBERIUMS (TIBERIUMS)	1	Cruentus	79
TIBERIUMS (TIBERIUMS)	2	Vinifera	80
TIBERIUMS (TIBERIUMS)	3	Aboreus	81
Tiberium Riparius (RIPARIUS)	Value	50	84
Tiberium Cruentus (CRUENTUS)	Value	100	87
Tiberium Vinifera (VINIFERA)	Value	50	90
Tiberium Aboreus (ABOREUS)	Value	50	93
Tesla Coil (TESLA)	Technology level	6	96
Flak Cannon (NAFLAK)	Technology level	6	99
Terror Drone (DRON)	Technology level	6	102
Amphibious Transport (SAPC)	Technology level	5	105
Crazy Ivan (IVAN)	Name	Crazy Ivan	108
Crazy Ivan (IVAN)	Technology level	6	109
Yuri (YURI)	UI Name	Name:PTROOP	112
Engineer (ENGINEER)	Name	Engineer	115
Engineer (ENGINEER)	Technology level	-1	116
Attack Dog (ADOG)	Name	Allied Attack Dog	119
Attack Dog (ADOG)	Technology level	-1	120
Rocketeer (JUMPJET)	Name	Rocketeer	123
Rocketeer (JUMPJET)	Technology level	-1	124
Harrier (ORCA)	Name	Intruder	127
Harrier (ORCA)	Technology level	-1	128
Patriot Missile (NASAM)	Name	Patriot Missile	131
Patriot Missile (NASAM)	Technology level	-1	132
Air Force Command Headquarters (GAAIRC)	Name	Airforce Command Headquarters	135

Object/system	Property	Mission value	Source line
Air Force Command Headquarters (GAAIRC)	Technology level	-1	136
Psychic Sensor (NAPSIS)	Name	Psychic Sensor	139
Psychic Sensor (NAPSIS)	Technology level	-1	140
Allied Battle Lab (GATECH)	UI Name	Name:GATECH	143
Allied Battle Lab (GATECH)	Name	Allied Battle Lab	144
Allied Battle Lab (GATECH)	Construction category	Tech	145
Allied Battle Lab (GATECH)	Required structures/groups	GAWEAP,RADAR	146
Allied Battle Lab (GATECH)	Starting health capacity	500	147
Allied Battle Lab (GATECH)	Armor class	wood	148
Allied Battle Lab (GATECH)	Technology level	8	149
Allied Battle Lab (GATECH)	Placement adjacency setting	2	150
Allied Battle Lab (GATECH)	Sight radius setting	6	151
Allied Battle Lab (GATECH)	Permitted country list	British,French,Germans,Americans,Alliance	152
Allied Battle Lab (GATECH)	Price in credits	2000	153
Allied Battle Lab (GATECH)	Points	85	154
Allied Battle Lab (GATECH)	Signed power contribution	-100	155
Allied Battle Lab (GATECH)	Engineer-capture permission	true	156
Allied Battle Lab (GATECH)	Crewed	no	157
Allied Battle Lab (GATECH)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	158
Allied Battle Lab (GATECH)	Max Debris	5	159
Allied Battle Lab (GATECH)	Threat contribution	0	160
Allied Battle Lab (GATECH)	Damage Particle Systems	SparkSys,SmallGreySSys,BigGreySmokeSys	161
Allied Battle Lab (GATECH)	Damage Smoke Offset	1500, 1055, 815	162
Allied Battle Lab (GATECH)	AI Build This	yes	163
Allied Battle Lab (GATECH)	Player power toggle allowed	no	164
Allied Battle Lab (GATECH)	Spy-infiltration permission	yes	165
Allied Battle Lab (GATECH)	Protect With Wall	yes	166
Psychic Beacon (NAPSYB)	Name	RA2 Psychic Beacon	169
Psychic Beacon (NAPSYB)	Construction category	Combat	170
Psychic Beacon (NAPSYB)	Required structures/groups	NATECH	171
Psychic Beacon (NAPSYB)	Starting health capacity	2500	172
Psychic Beacon (NAPSYB)	Armor class	wood	173
Psychic Beacon (NAPSYB)	Technology level	10	174
Psychic Beacon (NAPSYB)	Placement adjacency setting	2	175
Psychic Beacon (NAPSYB)	Sight radius setting	10	176
Psychic Beacon (NAPSYB)	Permitted country list	Russians,Confederation,Africans,Arabs	177
Psychic Beacon (NAPSYB)	Price in credits	50	178
Psychic Beacon (NAPSYB)	Points	50	179
Psychic Beacon (NAPSYB)	Signed power contribution	100	180
Psychic Beacon (NAPSYB)	Depends on power	true	181
Psychic Beacon (NAPSYB)	Engineer-capture permission	true	182

Object/system	Property	Mission value	Source line
Psychic Beacon (NAPSYB)	Crewed	no	183
Psychic Beacon (NAPSYB)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	184
Psychic Beacon (NAPSYB)	Max Debris	3	185
Psychic Beacon (NAPSYB)	Threat contribution	0	186
Psychic Beacon (NAPSYB)	Damage Particle Systems	SparkSys,SmallGreySSys,BigGreySmokeSys	187
Psychic Beacon (NAPSYB)	Damage Smoke Offset	220, 390, 150	188
Psychic Beacon (NAPSYB)	AI Build This	no	189
Psychic Beacon (NAPSYB)	Has Radial Indicator	true	190
Psychic Beacon (NAPSYB)	Detect Disguise	yes	191
Tech Outpost (CAOUTP)	Name	Tech Outpost	194
Tech Outpost (CAOUTP)	Insignificant-object flag	yes	195
Tech Oil Derrick (CAOILD)	Name	Tech Oil Derrick	198
Tech Oil Derrick (CAOILD)	Explosive destruction flag	no	199
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	202
Soviet Shipyard (NAYARD)	Technology level	-1	203
Allied Shipyard (GAYARD)	Name	Soviet Shipyard	206
Allied Shipyard (GAYARD)	Technology level	-1	207
World Trade Center (CANEWY05)	Name	RA2 World Trade Center	210
World Trade Center (CANEWY05)	Whole-map reveal service	no	211
SPECIALFLAGS	Tiberium Grows	no	214
SPECIALFLAGS	Tiberium Spreads	yes	215
SPECIALFLAGS	Tiberium Explosive	no	216
SPECIALFLAGS	Destroyable Bridges	no	217
SPECIALFLAGS	MCV Deploy	no	218
SPECIALFLAGS	Initial Veteran	no	219
SPECIALFLAGS	Fixed Alliance	no	220
SPECIALFLAGS	Harvester Immune	no	221
SPECIALFLAGS	Fog Of War	no	222
SPECIALFLAGS	Inert	no	223
SPECIALFLAGS	Ion Storms	no	224
SPECIALFLAGS	Meteorites	no	225
SPECIALFLAGS	Visceroids	no	226
COUNTRIES (COUNTRIES)	0	Player	229
COUNTRIES (COUNTRIES)	1	BadGuy1	230
COUNTRIES (COUNTRIES)	2	BadGuy2	231
COUNTRIES (COUNTRIES)	3	BadGuy3	232
COUNTRIES (COUNTRIES)	4	Civilian1	233
COUNTRIES (COUNTRIES)	5	Other1	234
COUNTRIES (COUNTRIES)	6	Other2	235
COUNTRIES (COUNTRIES)	7	Other3	236
VARIABLENAMES (VARIABLENAMES)	0	Stop_Looping,0	356

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	1	Play Yuri Movie,0	357
VARIABLENAMES (VARIABLENAMES)	2	Play Yuri Audio,0	358

Operation: Home Front

Campaign reading guide | Engine

Initial placement schematic for sov04s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov04s.map. **Effective extracted member:** MAPS02.MIX/sov04s.map. **Trigger definitions:** 38.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,105,80
Visible local rectangle	5,5,95,65
Placed vehicles	5
Placed infantry	31
Placed structures	48
Placed aircraft	0
Team templates	53

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	400	BadGuy2
3	German1 House	0	Germany1
4	Civilian House	0	Neutral
5	Other1 House	0	Other1
6	BadGuy3 House	100	BadGuy3
7	German2 House	0	Germany2
8	German3 House	0	Germany3
9	Temp House	0	Temp

Local state flags at initialization

Flag	Meaning label and initial value
0	Flak Cannons Up,0
1	GIs ashore,0
2	Grizzly ashore,0
3	MCV ashore,0
4	Grizzly2 ashore,0
5	GI2 ashore,0
6	Allied Fleet Here,0
7	Feint GI Landing 1,0
8	Feint GI Landing 2,0
9	Feint Tank Landing ,0
10	Feint Tank Landing ,0
11	Feint Tank Landing ,0
12	Feint Tank 1,0
13	Feint Tank 2,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Win (0A6E825C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 14 (country/type PLAYER; placed owner Player House) the winner.
Loss (095078B0)	Destroyed, All: owner selector 14 (country/type PLAYER; placed owner Player House).	Declare owner selector 14 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Begin Allied Timer - 0B454A10

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B454AF0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 600 configured time units.
2. Start the visible mission timer.
3. Play voice notification Mis_S4_SofiaTimerStarted.
4. Use countdown label “Time until Allied invasion begins:” (MISSION:sov04a).
5. Display message “Objective 1: Establish a base to defend our motherland” (MISSION:Sov04d).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5169, Events line 5209, Actions line 5249.

2. Intruder Harrass Attk 1 - 09AF4700

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AF4320 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Intruder Harrassment 1 (0D9E646C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5170, Events line 5210, Actions line 5250.

3. Zofia RE Intruders - 09E1B42C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E18A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_Intruder.
2. Enable and reset applicable timers for Zofia RE Terror Drones (09EB22AC).
3. Create/recruit team 1 Intruder (Attacks Navy) (09E6CBFC).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5171, Events line 5211, Actions line 5251.

4. Zofia RE Terror Drones - 09EB22AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia RE Intruders (09E1B42C).

Attached scope: tag definitions 09EB5D6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 101.
2. Switch the sidebar to tab 3.
3. Flash cameo/type 316; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5172, Events line 5212, Actions line 5252.

5. Intruder Harrass Attk 2a - 09A1FF40

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Intruder Harrassment 2 (0D9E5DEC).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5173, Events line 5213, Actions line 5253.

6. Zofia Suggest Flak Cannons - 09A1F8C0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A1BA00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 160 configured time units have elapsed since scenario start.
2. local flag 0 (Flak Cannons Up) is clear.

Flag writers in this mission: set local flag 0 (Flak Cannons Up) at Flak Cannons Built? (09A1B850). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_S4_SofiaBuildFlak.
2. Display message “Hint: Build Flak Cannons to engage Allied aircraft” (MISSION:sov04b).
3. Switch the sidebar to tab 1.
4. Flash cameo/type 67; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5174, Events line 5214, Actions line 5254.

7. Flak Cannons Built? - 09A1B850

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A1B6E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 67 (global list position: Flak Cannon (NAFLAK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Flak Cannons Up).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5175, Events line 5215, Actions line 5255.

8. Allied Fleet Arrival - 0B3FB820

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Allied Feint Attack (09E5E25C).

Attached scope: tag definitions 0B3FB390 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Allied Assault Fleet a (0BEFCB5C).
2. Supply reinforcement team Allied Assault Fleet b (0BEFC6AC).
3. Supply reinforcement team Allied Landing Fleet LZ@A a (0434C1FC).
4. Supply reinforcement team Allied Landing Fleet LZ@K a (0434DB7C).
5. Supply reinforcement team Allied Landing Fleet LZ@M a (0434D6CC).
6. Enable and reset applicable timers for _Allied MCV Arrival (0B3F9C90).
7. Enable and reset applicable timers for Win Timer (09506090).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5176, Events line 5216, Actions line 5256.

9. _Allied MCV Arrival - 0B3F9C90

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allied Fleet Arrival (0B3FB820).

Attached scope: tag definitions 0B3F99F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Allied Landing MCV@K (0434D32C).
2. Supply reinforcement team Allied Landing Fleet LZ@A a (0434C1FC).
3. Destroy the attached object through the scripted destruction action.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5177, Events line 5217, Actions line 5257.

10. Win Timer - 09506090

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allied Fleet Arrival (0B3FB820).

Attached scope: tag definitions 09507990 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Win (0A6E825C).
2. Enable and reset applicable timers for Cheer (0A6E956C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5178, Events line 5218, Actions line 5258.

11. Win - 0A6E825C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Timer (09506090).

Attached scope: tag definitions 0A6E817C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 14 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5179, Events line 5219, Actions line 5259.

12. Cheer - 0A6E956C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Timer (09506090).

Attached scope: tag definitions 0A6E948C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 14 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5180, Events line 5220, Actions line 5260.

13. GIs Landed - 09B5DBE0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09B5D730 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (GIs ashore) is set.

Then perform these actions in order:

1. Create/recruit team GIs Landed (0B135360).

2. Display message “Allied Forces have landed!” (MISSION:sov04c).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5181, Events line 5221, Actions line 5261.

14. Grizz@K Landed - 09B5D650

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09B5D450 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grizzly ashore) is set.

Then perform these actions in order:

1. Create/recruit team Grizz Landed @K (09987040).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5182, Events line 5222, Actions line 5262.

15. Grizz Landed @M - 09B5D370

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09B5D1C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Grizzly2 ashore) is set.

Then perform these actions in order:

1. Create/recruit team Grizz Landed @M (099B1610).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5183, Events line 5223, Actions line 5263.

16. MCV Landed - 09B5D0E0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09B76CF0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (MCV ashore) is set.

Then perform these actions in order:

1. Create/recruit team MCV Landed (099B3350).
2. Enable and reset applicable timers for Korean Taunt (09E1086C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5184, Events line 5224, Actions line 5264.

17. Korean Taunt - 09E1086C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MCV Landed (09B5D0E0).

Attached scope: tag definitions 09E1062C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 90.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5185, Events line 5225, Actions line 5265.

18. BG1 Production Begin - 0A4300D0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A436030 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. AI triggers begin: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
2. Production Begins: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 14 (country/type PLAYER; placed owner Player House).
4. Remove instances of the team organization (not automatically its surviving objects) GI2 Landed (0A3CB920).
5. Remove instances of the team organization (not automatically its surviving objects) GIs Landed (0B135360).
6. Remove instances of the team organization (not automatically its surviving objects) Grizz Landed @K (09987040).
7. Remove instances of the team organization (not automatically its surviving objects) Grizz Landed @M (099B1610).
8. Enable and reset applicable timers for Attacking Lighthouse (0B9F1E9C).
9. Enable and reset applicable timers for BG1 All to Hunt (08BA2DC0).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5186, Events line 5226, Actions line 5266.

19. Attacking Lighthouse - 0B9F1E9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Production Begin (0A4300D0).

Attached scope: Civilian (CIVSF), owner Civilian House, cell (117, 48), tag 0B9F196C, persistence mode 0; Light House (CAFARM06), owner Civilian House, cell (116, 46), tag 0B9F196C, persistence mode 0.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 37 (cell 115, 46).
2. Create radar-event marker type 5 at waypoint 37 (cell 115, 46).
3. Play sound CivSovFemFear.
4. Create/recruit team Lighthouse Lady (0DB377DC).
5. Play sound AirRaidSiren.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5187, Events line 5227, Actions line 5267.

20. BG1 All to Hunt - 08BA2DC0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Production Begin (0A4300D0).

Attached scope: tag definitions 08BA2A10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. All to Hunt: owner selector 15 (country/type BADGUY1; placed owner BadGuy1 House).
2. Reveal the whole map.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5188, Events line 5228, Actions line 5268.

21. Invasion ParaTeams a - 09AC1880

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Invasion Para 1 (0BFFF48C).
2. Supply reinforcement team Invasion Para 2 (0BFFEDEC).
3. Supply reinforcement team Invasion Para 3 (0BFFE48C).
4. Supply reinforcement team Invasion Para 4 (0BFFA59C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5189, Events line 5229, Actions line 5269.

22. Stupid Harvester Spawn - 09A2A7F0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A2A560 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 1 (global list position: Allied Ore Refinery (GAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Stupid Harvester 1 (09A280B0).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5190, Events line 5230, Actions line 5270.

23. GI2 Ashore - 0B14BBB0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B14B680 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (GI2 ashore) is set.

Then perform these actions in order:

1. Create/recruit team GI2 Landed (0A3CB920).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5191, Events line 5231, Actions line 5271.

24. Loss - 095078B0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09507510 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 14 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 14 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5192, Events line 5232, Actions line 5272.

25. End Intruder Harrassing - 0AB06870

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09508B00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Aircraft Type: type index 1 (global list position: Harrier (ORCA)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Intruder Harrass Attk 1 (09AF4700).
2. Disable Intruder Harrass Attk 2a (09A1FF40).
3. Disable Intruder Harrass Attk 2b (0ABF11B0).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5193, Events line 5233, Actions line 5273.

26. Intruder Harrass Attk 2b - 0ABF11B0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Intruder Harrass Attk 2a (09A1FF40).

Attached scope: tag definitions 09A1F9A0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 400 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Intruder Harrassment 2 (0D9E5DEC).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5194, Events line 5234, Actions line 5274.

27. Invasion ParaTeams b - 079036A0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Invasion ParaTeams a (09AC1880).

Attached scope: tag definitions 09AC1330 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Invasion Para 3 (0BFFE48C).
2. Supply reinforcement team Invasion Para 4 (0BFFA59C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5195, Events line 5235, Actions line 5275.

28. Zofia RE Scorpion - 0A66103C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A6660BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 36 (global list position: Sea Scorpion (HYD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_SeaScorpion.
2. Switch the sidebar to tab 3.
3. Flash cameo/type 336; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5196, Events line 5236, Actions line 5276.

29. _Reveal Start Point - 0CB1903C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CB2004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 27 (cell 57, 146).
2. Reveal terrain around waypoint 28 (cell 63, 137).
3. Reveal terrain around waypoint 29 (cell 66, 147).
4. Reveal terrain around waypoint 30 (cell 55, 137).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5197, Events line 5237, Actions line 5277.

30. _Allied Feint Attack - 09E5E25C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E5CD1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Play voice notification Mis_S4_SofiaFleetHere.
2. Display message “Objective 2: Drive the Allied invaders back into the sea” (MISSION:Sov04e).
3. Enable and reset applicable timers for Allied Fleet Arrival (0B3FB820).
4. Supply reinforcement team Allied Landing Feint Attack_AF (047374DC).
5. Supply reinforcement team Allied Landing Feint Attack_AG (047373AC).
6. Supply reinforcement team Allied Landing Feint Attack_AH (04732A1C).

7. Supply reinforcement team Allied Landing Feint Attack_AI (0473256C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5198, Events line 5238, Actions line 5278.

31. Feint GI Landing 1 - 0A073F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A073A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Feint GI Landing 1) is set.

Then perform these actions in order:

1. Create/recruit team GI Feint Attack 1 (0BFFBA4C).
2. Reveal terrain around waypoint 31 (cell 91, 135).
3. Create radar-event marker type 5 at waypoint 31 (cell 91, 135).
4. Enable and reset applicable timers for Attacking Huts (0B9E195C).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5199, Events line 5239, Actions line 5279.

32. Attacking Huts - 0B9E195C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Feint GI Landing 1 (0A073F3C).

Attached scope: Civilian (CIVSFM), owner Civilian House, cell (79, 128), tag 0B9E12CC, persistence mode 0; Civilian (CIVSF), owner Civilian House, cell (80, 123), tag 0B9E12CC, persistence mode 0; Civilian (CIVSTM), owner Civilian House, cell (83, 127), tag 0B9E12CC, persistence mode 0; Cottage (CAEUR1), owner Civilian House, cell (79, 124), tag 0B9E12CC, persistence mode 0; House (CAHSE01), owner Civilian House, cell (82, 129), tag 0B9E12CC, persistence mode 0.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 36 (cell 81, 127).
2. Create radar-event marker type 0 at waypoint 36 (cell 81, 127).
3. Play sound CivSovFear.
4. Play sound CivSovFemFear.
5. Create/recruit team Fishing Village People (0DB3732C).
6. Play sound AirRaidSiren.

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5200, Events line 5240, Actions line 5280.

33. Feint GI Landing 2 - 0A07393C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A07373C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Feint GI Landing 2) is set.

Then perform these actions in order:

1. Create/recruit team GI Feint Atttack 2 (0BFFB6AC).
2. Reveal terrain around waypoint 32 (cell 93, 132).
3. Create radar-event marker type 5 at waypoint 32 (cell 93, 132).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5201, Events line 5241, Actions line 5281.

34. Feint Tank 1 - 0A07364C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A07344C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 12 (Feint Tank 1) is set.

Then perform these actions in order:

1. Create/recruit team Tank Feint Attack 1 (0BFA7EFC).
2. Reveal terrain around waypoint 33 (cell 91, 128).
3. Create radar-event marker type 5 at waypoint 33 (cell 91, 128).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5202, Events line 5242, Actions line 5282.

35. Feint Tank 2 - 0A076F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A076E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Feint Tank 2) is set.

Then perform these actions in order:

1. Create/recruit team Tank Feint Attack 2 (0BFA2EFC).
2. Reveal terrain around waypoint 34 (cell 84, 118).
3. Create radar-event marker type 5 at waypoint 34 (cell 84, 118).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5203, Events line 5243, Actions line 5283.

36. _Ambient Wind 1 - 0ABBF69C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ABBF21C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 30 (cell 55, 137).
2. Play sound _Amb_WindCold at waypoint 39 (cell 44, 127).
3. Play sound _Amb_WindCold at waypoint 38 (cell 29, 110).
4. Play sound _Amb_WindCold at waypoint 17 (cell 60, 111).
5. Play sound _Amb_WindCold at waypoint 26 (cell 71, 119).
6. Play sound _Amb_WindCold at waypoint 99 (cell 81, 105).
7. Play sound _Amb_WindCold at waypoint 36 (cell 81, 127).
8. Play sound _Amb_WindCold at waypoint 40 (cell 54, 87).
9. Play sound _Amb_WindCold at waypoint 41 (cell 68, 93).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5204, Events line 5244, Actions line 5284.

37. _Ambient Wind 2 - 0ABC517C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ABC687C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 42 (cell 84, 92).
2. Play sound _Amb_WindCold at waypoint 43 (cell 73, 73).
3. Play sound _Amb_WindCold at waypoint 44 (cell 82, 62).
4. Play sound _Amb_WindCold at waypoint 21 (cell 94, 49).
5. Play sound _Amb_WindCold at waypoint 22 (cell 87, 41).
6. Play sound _Amb_WindCold at waypoint 20 (cell 112, 50).
7. Play sound _Amb_WindCold at waypoint 19 (cell 105, 27).

8. Play sound _Amb_WindCold at waypoint 24 (cell 92, 77).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5205, Events line 5245, Actions line 5285.

38. _Ambient Ocean - 0ABC678C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ABC7DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 45 (cell 72, 149).
2. Play sound _Amb_OceanHeavy at waypoint 46 (cell 86, 142).
3. Play sound _Amb_OceanHeavy at waypoint 47 (cell 100, 134).
4. Play sound _Amb_OceanHeavy at waypoint 5 (cell 99, 116).
5. Play sound _Amb_OceanHeavy at waypoint 48 (cell 97, 97).
6. Play sound _Amb_OceanHeavy at waypoint 49 (cell 101, 76).
7. Play sound _Amb_OceanHeavy at waypoint 50 (cell 115, 68).
8. Play sound _Amb_OceanHeavy at waypoint 7 (cell 125, 52).
9. Play sound _Amb_OceanHeavy at waypoint 8 (cell 129, 40).
10. Play sound _Amb_OceanHeavy at waypoint 51 (cell 116, 26).

Source locator: MAPS02.MIX/sov04s.map; Triggers line 5206, Events line 5246, Actions line 5286.

All team rosters and ordered plans | All mission overrides

Operation: Home Front - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov04s.map; each team/script ID identifies its section.

Intruder Harrassment 1 - 0D9E646C

Owner: BadGuy2. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Intruder Harrassment 1 SCR (0D9E61FC).

1. Attack selected enemy-building category; configured argument 131081.
2. Attack selected enemy-building category; configured argument 11.
3. Attack selected enemy-building category; configured argument 15.
4. Move to waypoint: waypoint 3 (cell 144, 116).
5. Delete team objects.

Intruder Harrassment 2 - 0D9E5DEC

Owner: BadGuy2. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Intruder Harrassment 2 SCR (0D9E5B7C).

1. Attack selected enemy-building category; configured argument 131087.
2. Attack selected enemy-building category; configured argument 131097.
3. Attack selected enemy-building category; configured argument 131081.
4. Move to waypoint: waypoint 4 (cell 161, 60).
5. Delete team objects.

Allied Assault Fleet a - 0BEFCB5C

Owner: BadGuy1. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Allied Assault Fleet a SCR (08D35A40).

1. Attack-move toward waypoint: waypoint 5 (cell 99, 116).
2. Attack selected enemy-building category; configured argument 131133.
3. Attack selected enemy-building category; configured argument 131097.
4. Attack selected enemy-building category; configured argument 131139.
5. Seek/attack target category; configured argument 1.
6. Adopt object mission: hunt.

Allied Assault Fleet b - 0BEFC6AC

Owner: BadGuy1. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Allied Assault Fleet b SCR (08D355C0).

1. Attack-move toward waypoint: waypoint 6 (cell 140, 57).
2. Attack-move toward waypoint: waypoint 7 (cell 125, 52).
3. Attack-move toward waypoint: waypoint 8 (cell 129, 40).

4. Attack-move toward waypoint: waypoint 9 (cell 131, 68).
5. Jump to script line; configured argument 1.

Allied Landing Fleet LZ@A a - 0434C1FC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Allied Landing Fleet GI@A SCR (08C17820).

1. Move to waypoint: waypoint 6 (cell 140, 57).
2. Set local flag: local flag 6 (Allied Fleet Here).
3. Move to waypoint: waypoint 0 (cell 121, 46).
4. Unload with continuation mode: transport continues; passengers leave team.
5. Set local flag: local flag 1 (GIs ashore).
6. Move to waypoint: waypoint 1 (cell 148, 50).
7. Delete team objects.

Allied Landing Fleet LZ@K a - 0434DB7C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Allied Landing Fleet Grizz@K SCR (0B3FC7D0).

1. Move to waypoint: waypoint 11 (cell 137, 48).
2. Move to waypoint: waypoint 10 (cell 121, 40).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 2 (Grizzly ashore).
5. Move to waypoint: waypoint 1 (cell 148, 50).
6. Delete team objects.

Allied Landing Fleet LZ@M a - 0434D6CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Allied Landing Fleet Grizz@M SCR (0B3F8890).

1. Move to waypoint: waypoint 6 (cell 140, 57).
2. Move to waypoint: waypoint 12 (cell 123, 56).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 4 (Grizzly2 ashore).
5. Move to waypoint: waypoint 1 (cell 148, 50).
6. Delete team objects.

Allied Landing MCV@K - 0434D32C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Allied Landing MCV@A SCR (0B3FBC10).

1. Move to waypoint: waypoint 11 (cell 137, 48).
2. Move to waypoint: waypoint 10 (cell 121, 40).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 3 (MCV ashore).

5. Move to waypoint: waypoint 1 (cell 148, 50).
6. Delete team objects.

GIs Landed - 0B135360

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: GIs Landed SCR (0AC536E0).

1. Attack-move toward waypoint: waypoint 16 (cell 99, 50).
2. Deploy.
3. Adopt object mission: area guard.

Grizz Landed @K - 09987040

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Grizzly Landed @K SCR (0999FC00).

1. Attack-move toward waypoint: waypoint 15 (cell 98, 47).
2. Adopt object mission: area guard.

Grizz Landed @M - 099B1610

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Grizzly Landed @M SCR (099B13B0).

1. Attack-move toward waypoint: waypoint 14 (cell 100, 53).
2. Adopt object mission: area guard.

MCV Landed - 099B3350

Owner: BadGuy1. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: MCV Landed SCR (099D6DC0).

1. Move to waypoint: waypoint 2 (cell 110, 40).
2. Deploy.

Allied Landing Fleet LZ@A b - 0434F90C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Allied Landing Fleet LZ@A b SCR (08DDAB7C).

1. Move to waypoint: waypoint 6 (cell 140, 57).
2. Move to waypoint: waypoint 0 (cell 121, 46).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 5 (GI2 ashore).
5. Move to waypoint: waypoint 1 (cell 148, 50).
6. Delete team objects.

GI2 Landed - 0A3CB920

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: GI2 Landed SCR (0AC52120).

1. Attack-move toward waypoint: waypoint 13 (cell 101, 50).
2. Deploy.
3. Adopt object mission: area guard.

Attk_Grizzly x3 - 0AA7D920

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Grizzly x3 SCR (08DDA43C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

Attk_IFV/Rocketeer x4 - 0A49BF0C

Owner: BadGuy1. Roster: 4 × IFV (FV); 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_IFV/Rocketeer x4 SCR (08DD9DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Def_Infantry - 0A713A80

Owner: BadGuy1. Roster: 8 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.
2. Report team success.

Def_V3 - 0A713600

Owner: BadGuy1. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Armor - 0A49B39C

Owner: BadGuy1. Roster: 5 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.

2. Report team success.

Def_Terror - 0A49B16C

Owner: BadGuy1. Roster: 4 × IFV (FV); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Terror SCR (08DD8DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Combo 1 - 0A49CB8C

Owner: BadGuy1. Roster: 4 × IFV (FV); 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Combo 1 SCR (08DD8A1C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Combo 2 - 0A711820

Owner: BadGuy1. Roster: 2 × IFV (FV); 2 × Grizzly Battle Tank (MTNK); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.
2. Report team success.

Invasion Para 1 - 0BFFF48C

Owner: BadGuy1. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Invasion Para 1 SCR (097537DC).

1. Move to waypoint: waypoint 21 (cell 94, 49).
2. Attack selected enemy-building category; configured argument 131087.
3. Seek/attack target category; configured argument 1.

Invasion Para 2 - 0BFFEDEC

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Invasion Para 2 SCR (0975332C).

1. Move to waypoint: waypoint 21 (cell 94, 49).
2. Attack selected enemy-building category; configured argument 131139.
3. Attack selected enemy-building category; configured argument 131092.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

Stupid Harvester 1 - 09A280B0

Owner: BadGuy1. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Stupid Harvester SCR (0ADFB3A0).

1. Move to waypoint: waypoint 23 (cell 102, 20).

Invasion Para 3 - 0BFFE48C

Owner: BadGuy1. Roster: 2 × GI (E1); 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Invasion Para 3 SCR (097527DC).

1. Move to waypoint: waypoint 21 (cell 94, 49).
2. Attack selected enemy-building category; configured argument 131139.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

Attk_GI x5 - 0AA80720

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_GI x5 SCR (08DE6C8C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Attk_Rocketeer x4 - 0C2292E0

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Rocketeer x4 SCR (08DE67DC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

Attk_Intruder x3a - 0994759C

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Intruder x4a SCR (08DE632C).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 1.

Attk_Intruder x3b - 09946EFC

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Intruder x4a SCR (08DE632C).

1. Attack selected enemy-building category; configured argument 131081.

2. Report team success.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 1.

Attk_Combined a - 0A6256FC

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Combined b SCR (09072A40).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Attk_Combined b - 0A62524C

Owner: BadGuy1. Roster: 8 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Combined b SCR (09072A40).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Attk_Engineer x2a - 08FD87DC

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer x2a SCR (08DE4C8C).

1. Attack selected enemy-building category; configured argument 131087.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131086.
4. Seek/attack target category; configured argument 2.

Attk_Engineer x2b - 08FD832C

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Engineer x2b SCR (08DE47DC).

1. Attack selected enemy-building category; configured argument 196619.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131097.
4. Seek/attack target category; configured argument 2.

Def_Engineer x2c - 0A71D800

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: yes; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.
2. Report team success.

Attk_Hard Grp a - 0A4A0B7C

Owner: BadGuy1. Roster: 5 × IFV (FV); 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hard Grp a SCR (08DE430C).

1. Attack selected enemy-building category; configured argument 131097.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

Attk_Hard Grp b - 102AEB20

Owner: BadGuy1. Roster: 5 × Grizzly Battle Tank (MTNK); 8 × GI (E1); 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Hard Grp b SCR (08DE3C8C).

1. Attack selected enemy-building category; configured argument 131092.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

Attk_Destroyer x3 - 03D85D70

Owner: BadGuy1. Roster: 3 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Destroyer x3 SCR (08DE37DC).

1. Attack selected enemy-building category; configured argument 131133.
2. Report team success.
3. Adopt object mission: hunt.

Def_Navy - 0A719940

Owner: BadGuy1. Roster: 3 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: _Base Defense SCR (08DD990C).

1. Adopt object mission: area guard.
2. Report team success.

Invasion Para 4 - 0BFFA59C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Invasion Para 4 SCR (0975E6CC).

1. Move to waypoint: waypoint 21 (cell 94, 49).
2. Attack selected enemy-building category; configured argument 131086.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Attk_GI Bldg Occupy x8 - 08B3B99C

Owner: BadGuy1. Roster: 8 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 18; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_GI Bldg Occupy x8 SCR (08DE2A1C).

1. Attack selected enemy-building category; configured argument 131178.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Allied Landing Feint Attack_AF - 047374DC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Landing@AF (04732DBC).

1. Move to waypoint: waypoint 31 (cell 91, 135).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 7 (Feint GI Landing 1).
4. Move to waypoint: waypoint 35 (cell 129, 131).
5. Delete team objects.

Allied Landing Feint Attack_AG - 047373AC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Landing@AG (04732B4C).

1. Move to waypoint: waypoint 32 (cell 93, 132).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 8 (Feint GI Landing 2).
4. Move to waypoint: waypoint 35 (cell 129, 131).
5. Delete team objects.

Allied Landing Feint Attack_AH - 04732A1C

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Landing@AH (0B7FDDBC).

1. Move to waypoint: waypoint 33 (cell 91, 128).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 12 (Feint Tank 1).
4. Move to waypoint: waypoint 35 (cell 129, 131).
5. Delete team objects.

Allied Landing Feint Attack_AI - 0473256C

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Landing@AI (0B7FD90C).

1. Move to waypoint: waypoint 34 (cell 84, 118).
2. Unload with continuation mode: transport continues; passengers leave team.

3. Set local flag: local flag 13 (Feint Tank 2).
4. Move to waypoint: waypoint 35 (cell 129, 131).
5. Delete team objects.

GI Feint Attack 1 - 0BFFBA4C

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: GI Feint Attack (0B01A54C).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

GI Feint Atttack 2 - 0BFFB6AC

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: GI Feint Attack (0B01A54C).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

Tank Feint Attack 1 - 0BFA7EFC

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Tank Feint Attack (0BFA204C).

1. Move to waypoint: waypoint 36 (cell 81, 127).
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 1.

Tank Feint Attack 2 - 0BFA2EFC

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: Tank Feint Attack 2 (0BFA54FC).

1. Move to waypoint: waypoint 36 (cell 81, 127).
2. Seek/attack target category; configured argument 1.

Lighthouse Lady - 0DB377DC

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Civilian Panic (0C16511C).

1. Panic.
2. Jump to script line; configured argument 1.

Fishing Village People - 0DB3732C

Owner: Neutral. Roster: 1 × Civilian (CIVSFM); 1 × Civilian (CIVSF); 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Civilian Panic (0C16511C).

1. Panic.
2. Jump to script line; configured argument 1.

Engineer_IFV Rush - 0BA0EEBC

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer_IFV Attack (0BA0F48C).

1. Load transport.
2. Move to waypoint: waypoint 38 (cell 29, 110).
3. Move to waypoint: waypoint 39 (cell 44, 127).
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Attack selected enemy-building category; configured argument 131072.

1 Intruder (Attacks Navy) - 09E6CBFC

Owner: BadGuy1. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Intruder vs Naval Yard (09E6DD0C).

1. Attack selected enemy-building category; configured argument 131133.

Operation: Home Front - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov04s.map.

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	11
Chrono Miner (CMIN)	Resource cargo capacity	10	14
TIBERIUMS (TIBERIUMS)	0	Riparius	17
TIBERIUMS (TIBERIUMS)	1	Cruentus	18
TIBERIUMS (TIBERIUMS)	2	Vinifera	19
TIBERIUMS (TIBERIUMS)	3	Aboreus	20
Tiberium Riparius (RIPARIUS)	Value	50	23
Tiberium Cruentus (CRUENTUS)	Value	100	26
Tiberium Vinifera (VINIFERA)	Value	50	29
Tiberium Aboreus (ABOREUS)	Value	50	32
AI (AI)	Attack Interval	0.01	35
AI (AI)	Attack Delay	0.10	36
155MM (155MM)	Range	10	39
Destroyer (DEST)	Name	Destroyer	42
Destroyer (DEST)	Technology level	5	43
Allied Repair Depot (GADEPT)	Name	Service Depot	46
Allied Repair Depot (GADEPT)	Technology level	6	47
Tesla Coil (TESLA)	Name	Tesla Coil	50
Tesla Coil (TESLA)	Technology level	12	51
Prism Tower (ATESLA)	Name	Prism Cannon	54
Prism Tower (ATESLA)	Technology level	12	55
Aircraft Carrier (CARRIER)	Name	Aircraft Carrier	58
Aircraft Carrier (CARRIER)	Technology level	12	59
Engineer (ENGINEER)	Name	Engineer	62
Engineer (ENGINEER)	Technology level	12	63
Attack Dog (ADOG)	Name	Allied Attack Dog	66
Attack Dog (ADOG)	Technology level	12	67
Spy (SPY)	Name	Spy	70
Spy (SPY)	Technology level	12	71
Dolphin (DLPH)	Name	Dolphin	74
Dolphin (DLPH)	Technology level	12	75
Allied Battle Lab (GATECH)	Name	Allied Battle Lab	78
Allied Battle Lab (GATECH)	Technology level	12	79

Object/system	Property	Mission value	Source line
Soviet Battle Lab (NATECH)	Name	Soviet Battle Lab	82
Soviet Battle Lab (NATECH)	Technology level	12	83
Crazy Ivan (IVAN)	Name	Crazy Ivan	86
Crazy Ivan (IVAN)	Technology level	12	87
Tesla Trooper (SHK)	Name	Shock Trooper	90
Tesla Trooper (SHK)	Technology level	5	91
Dreadnought (DRED)	Name	Dreadnought	94
Dreadnought (DRED)	Technology level	12	95
Yuri (YURI)	Name	Yuri	98
Yuri (YURI)	Technology level	12	99
Gap Generator (GAGAP)	Name	Gap Generator	102
Gap Generator (GAGAP)	Technology level	12	103
Patriot Missile (NASAM)	Name	Patriot Missile	106
Patriot Missile (NASAM)	Technology level	12	107
Light House (CAFARM06)	Name	RA2 Lighthouse	110
Light House (CAFARM06)	Insignificant-object flag	no	111
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	114
Soviet Construction Vehicle (SMCV)	Technology level	6	115
Negative Light Post (NEGLAMP)	Name	Negative Light Post	118
Negative Light Post (NEGLAMP)	Image	GALITE	119
Negative Light Post (NEGLAMP)	Local light reach	4000	120
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	121
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	122
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	123
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	124
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	127
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	128
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	129
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.4000	130
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.0000	131
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.4000	132
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	135
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	136
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	137
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	138

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	139
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	-0.1	140
SPECIALFLAGS	Tiberium Grows	no	143
SPECIALFLAGS	Tiberium Spreads	yes	144
SPECIALFLAGS	Tiberium Explosive	no	145
SPECIALFLAGS	Destroyable Bridges	yes	146
SPECIALFLAGS	MCV Deploy	no	147
SPECIALFLAGS	Initial Veteran	no	148
SPECIALFLAGS	Fixed Alliance	no	149
SPECIALFLAGS	Harvester Immune	no	150
SPECIALFLAGS	Fog Of War	no	151
SPECIALFLAGS	Inert	no	152
SPECIALFLAGS	Ion Storms	no	153
SPECIALFLAGS	Meteorites	no	154
SPECIALFLAGS	Visceroids	no	155
COUNTRIES (COUNTRIES)	0	Other1	158
COUNTRIES (COUNTRIES)	1	Player	159
COUNTRIES (COUNTRIES)	2	BadGuy1	160
COUNTRIES (COUNTRIES)	3	BadGuy2	161
COUNTRIES (COUNTRIES)	4	BadGuy3	162
COUNTRIES (COUNTRIES)	5	Germany1	163
COUNTRIES (COUNTRIES)	6	Germany2	164
COUNTRIES (COUNTRIES)	7	Germany3	165
COUNTRIES (COUNTRIES)	8	Temp	166
VARIABLENAMES (VARIABLENAMES)	0	Flak Cannons Up,0	297
VARIABLENAMES (VARIABLENAMES)	1	GIs ashore,0	298
VARIABLENAMES (VARIABLENAMES)	2	Grizzly ashore,0	299
VARIABLENAMES (VARIABLENAMES)	3	MCV ashore,0	300
VARIABLENAMES (VARIABLENAMES)	4	Grizzly2 ashore,0	301
VARIABLENAMES (VARIABLENAMES)	5	GI2 ashore,0	302
VARIABLENAMES (VARIABLENAMES)	6	Allied Fleet Here,0	303
VARIABLENAMES (VARIABLENAMES)	7	Feint GI Landing 1,0	304
VARIABLENAMES (VARIABLENAMES)	8	Feint GI Landing 2,0	305
VARIABLENAMES (VARIABLENAMES)	9	Feint Tank Landing ,0	306
VARIABLENAMES (VARIABLENAMES)	10	Feint Tank Landing ,0	307
VARIABLENAMES (VARIABLENAMES)	11	Feint Tank Landing ,0	308
VARIABLENAMES (VARIABLENAMES)	12	Feint Tank 1,0	309
VARIABLENAMES (VARIABLENAMES)	13	Feint Tank 2,0	310

Operation: City of Lights

Campaign reading guide | Engine

Operation: City of Lights

sov05u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (157)
- BadGuy1 House (57)
- Player House (17)
- Other3 House (5)
- Other1 House (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov05u.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CAPARS01

Initial placement schematic for sov05u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov05u.map. **Effective extracted member:** MAPS02.MIX/sov05u.map. **Trigger definitions:** 53.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,34,66
Visible local rectangle	2,4,30,56
Placed vehicles	47
Placed infantry	50
Placed structures	150
Placed aircraft	0
Team templates	16

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	25	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	100	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	100	Other2
7	Other3 House	0	Other3

Local state flags at initialization

No named local flags were found.

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Tower Destroyed Backup (0A70764C)	Building does not exist: type index 104 (global list position: Paris Tower (CAPARS01)). A map-local type-list change can affect index interpretation.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
Win (0A67AC6C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
Player Loses (08AB8D40)	Destroyed, All: owner selector 20 (country/type OTHER3; placed owner Other3 House). Building does not exist: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
Tower Destroyed (0AD6F19C)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Reveal Way A - 088601B0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pill Box (GAPILL), owner BadGuy1 House, cell (65, 56), tag 08907F50, persistence mode 0; Building (CAPARS10), owner Civie1 House, cell (61, 63), tag 08907F50, persistence mode 0; Building (CAPARS14), owner Civie1 House, cell (70, 61), tag 08907F50, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 71, 67).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2352, Events line 2407, Actions line 2462.

2. Reveal Way C - 089D6140

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (78, 60), tag 089D5B70, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (84, 57), tag 089D5B70, persistence mode 0; Barrel (CAMISC02), owner Civie1 House, cell (81, 64), tag 089D5B70, persistence mode 0; Building (CAPARS05), owner Civie1 House, cell (86, 64), tag 089D5B70, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 2 (cell 85, 66).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2353, Events line 2408, Actions line 2463.

3. Suicide GI - 089DE250

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089DDCD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Suicide GI (07701760).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2354, Events line 2409, Actions line 2464.

4. Suicide Dies - 089BA6A0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089BA130 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 1 (cell 79, 81).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2355, Events line 2410, Actions line 2465.

5. Tesla Talk - 0915F590

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tesla Selected (087D3A80).

Attached scope: tag definitions 0915F1B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S5_TeslaGuy.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2356, Events line 2411, Actions line 2466.

6. CreateCivCar1Team - 08930180

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088C9910 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team CivCar1Team (08AB64E0).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2357, Events line 2412, Actions line 2467.

7. CreateCivCar2Team - 0844F520

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0844AF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team CivCar2Team (076E4560).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2358, Events line 2413, Actions line 2468.

8. CreateCivCar3Team - 089C1F40

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089C1B00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team CivCar3Team (076E41E0).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2359, Events line 2414, Actions line 2469.

9. Reveal Way E - 088D0A90

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS05), owner Civie1 House, cell (73, 87), tag 088D0650, persistence mode 0; Building (CAPARS06), owner Civie1 House, cell (57, 86), tag 088D0650, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 4 (cell 67, 93).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2360, Events line 2415, Actions line 2470.

10. Reveal Way F - 088D00E0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH07), owner Civie1 House, cell (54, 79), tag 088D5E50, persistence mode 0; Building (CAPARS05), owner Civie1 House, cell (64, 72), tag 088D5E50, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 5 (cell 62, 76).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2361, Events line 2416, Actions line 2471.

11. Reveal Way G - 092CFE40

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (55, 32), tag 092CF9A0, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (58, 32), tag 092CF9A0, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (58, 35), tag 092CF9A0, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (55, 35), tag 092CF9A0, persistence mode 0; GI (E1), owner BadGuy1 House, cell (54, 36), tag 092CF9A0, persistence mode 0; GI (E1), owner BadGuy1 House, cell (53, 30), tag 092CF9A0, persistence mode 0; Building (CAWASH07), owner Civie1 House, cell (53, 26), tag 092CF9A0, persistence mode 0; Dumpster (CAMISC03), owner Civie1 House, cell (58, 39), tag 092CF9A0, persistence mode 0; Dumpster (CAMISC03), owner Civie1 House, cell (64, 39), tag 092CF9A0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 6 (cell 57, 33).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2362, Events line 2417, Actions line 2472.

12. Reveal Way H - 092CF430

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pill Box (GAPILL), owner BadGuy1 House, cell (49, 23), tag 092CF260, persistence mode 0; Dumpster (CAMISC03), owner Civie1 House, cell (45, 38), tag 092CF260, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (41, 36), tag 092CF260, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 7 (cell 50, 33).
2. Reveal terrain around waypoint 6 (cell 57, 33).
3. Reveal terrain around waypoint 53 (cell 40, 29).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2363, Events line 2418, Actions line 2473.

13. Flak Trak 1 Discovered - 092CB280

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092C8810 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 8 (cell 94, 65).
2. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Create radar-event marker type 2 at waypoint 36 (cell 92, 65).
4. Play sound FlakTroopAttackCommand.
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2364, Events line 2419, Actions line 2474.

14. Flak Trak 2 Discovered - 08A67270

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Flak Track (HTK), owner Other1 House, cell (51, 79), tag 08A67870, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 10 (cell 50, 83).
2. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
3. Create radar-event marker type 2 at waypoint 25 (cell 51, 79).
4. Play sound FlakTroopAttackCommand.
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2365, Events line 2420, Actions line 2475.

15. Transport Discovered - 089F31A0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Other1 House, cell (38, 50), tag 089F2850, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Full Transport Team (0EBF61CC) at waypoint 11 (cell 26, 50).
2. Reveal terrain around waypoint 11 (cell 26, 50).
3. Create radar-event marker type 2 at waypoint 11 (cell 26, 50).
4. Play sound GenSovWaterSelect.
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2366, Events line 2421, Actions line 2476.

16. Reveal Way M - 078DF210

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Civie1 House, cell (38, 43), tag 078D8C10, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 12 (cell 34, 42).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2367, Events line 2422, Actions line 2477.

17. Reveal Way N - 078D86A0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078D84D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 13 (cell 31, 35).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2368, Events line 2423, Actions line 2478.

18. Reveal Way O - 078D8320

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Civie1 House, cell (38, 25), tag 078D8150, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 14 (cell 27, 21).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2369, Events line 2424, Actions line 2479.

19. Reveal Way P - 078D9F40

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Civie1 House, cell (12, 35), tag 078D9D70, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 15 (cell 20, 42).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2370, Events line 2425, Actions line 2480.

20. Reveal Way Q - 078D9C90

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Civie1 House, cell (27, 30), tag 078D9AC0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 16 (cell 23, 28).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2371, Events line 2426, Actions line 2481.

21. Full Trak Discovered - 0843CCA0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH07), owner Civie1 House, cell (43, 12), tag 0843C690, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Full Trak Team (088B124C) at waypoint 17 (cell 43, 15).
2. Reveal terrain around waypoint 17 (cell 43, 15).
3. Create radar-event marker type 2 at waypoint 17 (cell 43, 15).
4. Play sound FlakTroopAttackCommand.
5. Enable and reset applicable timers for Full Trak Change (09EEBF3C).
6. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2372, Events line 2427, Actions line 2482.

22. Full Trak Change - 09EEBF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Full Trak Discovered (0843CCA0).

Attached scope: tag definitions 09EEBE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team 1 Flak Trak Team (0A0EC38C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2373, Events line 2428, Actions line 2483.

23. Reveal Way S - 08A11920

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (70, 50), tag 08A11500, persistence mode 0; Pickup Truck (PICK), owner Civie1 House, cell (79, 51), tag 08A11500, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 18 (cell 78, 50).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2374, Events line 2429, Actions line 2484.

24. Reveal Way T - 08A829A0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (59, 43), tag 08A828D0, persistence mode 0; Building (CAWASH07), owner Civie1 House, cell (62, 47), tag 08A828D0, persistence mode 0; Building (CAWASH07), owner Civie1 House, cell (56, 47), tag 08A828D0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 19 (cell 67, 54).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2375, Events line 2430, Actions line 2485.

25. Reveal Way U - 08A82380

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (50, 43), tag 08A82110, persistence mode 0; Building (CAWASH07), owner Civie1 House, cell (53, 47), tag 08A82110, persistence mode 0; Building (CAPARS06), owner Civie1 House, cell (46, 46), tag 08A82110, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 20 (cell 55, 54).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2376, Events line 2431, Actions line 2486.

26. Reveal Way V - 08B4BB20

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B4B3C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 21 (cell 52, 59).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2377, Events line 2432, Actions line 2487.

27. Reveal Way W and X - 08B4B0F0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pickup Truck (PICK), owner Civie1 House, cell (49, 68), tag 08B4ABF0, persistence mode 0; Building (CAPARS05), owner Civie1 House, cell (53, 60), tag 08B4ABF0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 22 (cell 45, 67).
2. Reveal terrain around waypoint 23 (cell 43, 71).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2378, Events line 2433, Actions line 2488.

28. Reveal Way Y - 08B37710

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS04), owner Civie1 House, cell (42, 46), tag 08B381A0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 24 (cell 52, 54).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2379, Events line 2434, Actions line 2489.

29. Player Near Tower - 0897D490

Owner reference: Other2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 20 tagged map cells: (45, 31), (46, 31), (47, 31), (48, 31), (49, 31), (50, 31), (45, 32), (50, 32), (45, 33), (50, 33), (45, 34), (50, 34), (45, 35), (50, 35), (45, 36), (46, 36), (47, 36), (48, 36), (49, 36), (50, 36); tag 0897DA60, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type OTHER3; placed owner Other3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Final Rush (08978F40).
2. Display message “Objective 1 Complete” (MISSION:Objective1).
3. Enable and reset applicable timers for Objective 2 (08B82CBC).
4. Enable and reset applicable timers for Win Timer (08AB8750).
5. Disable Reinforce BG1 (08445DBC).
6. Disable Re-enable Reinforce BG1 (08445BEC).
7. Enable and reset applicable timers for Tower Energized (0AD6A15C).

8. Disable Tesla Selected (087D3A80).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2380, Events line 2435, Actions line 2490.

30. Final Rush - 08978F40

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Near Tower (0897D490).

Attached scope: tag definitions 08978D70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Display message “Objective 3: Defeat all remaining Allied troops” (MISSION:Sov05c).
3. Enable and reset applicable timers for Objective 3 Reminder (0857BEFC).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2381, Events line 2436, Actions line 2491.

31. Objective 2 - 08B82CBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Near Tower (0897D490).

Attached scope: tag definitions 08B82ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Defend the PARIS TOWER from Allied attack” (MISSION:Sov05b).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2382, Events line 2437, Actions line 2492.

32. Win Timer - 08AB8750

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Near Tower (0897D490).

Attached scope: tag definitions 08AB84E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Win Delay (0CB2164C).
2. Display message “Objective 2 Complete” (MISSION:Objective2).
3. Disable Objective 3 Reminder (0857BEFC).
4. Display message “Objective 3 Complete” (MISSION:Objective3).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2383, Events line 2438, Actions line 2493.

33. Reinforce BG1 - 08445DBC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Re-enable Reinforce BG1 (08445BEC).

Attached scope: tag definitions 08445CDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Supply reinforcement team Re_3 IFV Team (08444A1C).
2. Supply reinforcement team Re_6 GIs_2 Tanks Team (084413FC).

3. Disable Reinforce BG1 (08445DBC).
4. Enable and reset applicable timers for Re-enable Reinforce BG1 (08445BEC).
5. Display message “Objective 1: Energize the PARIS TOWER with 3 TESLA TROOPERS” (MISSION:Sov05a).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2384, Events line 2439, Actions line 2494.

34. Re-enable Reinforce BG1 - 08445BEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce BG1 (08445DBC).

Attached scope: tag definitions 08445B0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Re-enable Reinforce BG1 (08445BEC).
2. Enable and reset applicable timers for Reinforce BG1 (08445DBC).
3. Play voice notification EVA_EnemyAirArmadaDetected.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2385, Events line 2440, Actions line 2495.

35. Tower Energized - 0AD6A15C

Owner reference: Other2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Near Tower (0897D490).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 20 (country/type OTHER3; placed owner Other3 House).
2. Enable and reset applicable timers for Tower Destroyed Backup (0A70764C).
3. Disable Tower Energized (0AD6A15C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2386, Events line 2441, Actions line 2496.

36. Objective 3 Reminder - 0857BEFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final Rush (08978F40).

Attached scope: tag definitions 0857BAAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Defeat all remaining Allied troops” (MISSION:Sov05c).
2. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2387, Events line 2442, Actions line 2497.

37. Win Delay - 0CB2164C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Timer (08AB8750).

Attached scope: tag definitions 0CB23C9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Win (0A67AC6C).
2. Enable and reset applicable timers for Cheer (0A67A58C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2388, Events line 2443, Actions line 2498.

38. Tower Destroyed Backup - 0A70764C

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tower Energized (0AD6A15C).

Attached scope: tag definitions 0A70756C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 104 (global list position: Paris Tower (CAPARS01)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2389, Events line 2444, Actions line 2499.

39. Win - 0A67AC6C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Delay (0CB2164C).

Attached scope: tag definitions 0A67AB8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2390, Events line 2445, Actions line 2500.

40. Cheer - 0A67A58C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Delay (0CB2164C).

Attached scope: tag definitions 0A67A4AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2391, Events line 2446, Actions line 2501.

41. Player Loses - 08AB8D40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08AB8B50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 20 (country/type OTHER3; placed owner Other3 House).
2. Building does not exist: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2392, Events line 2447, Actions line 2502.

42. Objective1 - 08B8375C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B82DAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Energize the PARIS TOWER with 3 TESLA TROOPERS” (MISSION:Sov05a).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2393, Events line 2448, Actions line 2503.

43. Tesla Selected - 087D3A80

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Trooper (SHK), owner Other3 House, cell (81, 79), tag 087D3730, persistence mode 0; Tesla Trooper (SHK), owner Other3 House, cell (81, 78), tag 087D3730, persistence mode 0; Tesla Trooper (SHK), owner Other3 House, cell (79, 78), tag 087D3730, persistence mode 0; Tesla Trooper (SHK), owner Other3 House, cell (79, 77), tag 087D3730, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Tesla Talk (0915F590).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2394, Events line 2449, Actions line 2504.

44. Ivan Hint - 08DFF090

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Crazy Ivan (IVAN), owner Player House, cell (83, 76), tag 08E000A0, persistence mode 0; Crazy Ivan (IVAN), owner Player House, cell (83, 76), tag 08E000A0, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play in-game movie 116.
2. Switch the sidebar to tab 2.
3. Flash cameo/type 371; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2395, Events line 2450, Actions line 2505.

45. Ambient Ocean - 0A1201BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A12E50C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 52 (cell 38, 29).
2. Play sound _Amb_BirdsHarbor at waypoint 52 (cell 38, 29).
3. Play sound _Amb_OceanLight at waypoint 57 (cell 38, 58).
4. Play sound _Amb_BirdsHarbor at waypoint 57 (cell 38, 58).
5. Play sound _Amb_OceanLight at waypoint 13 (cell 31, 35).
6. Play sound _Amb_BirdsHarbor at waypoint 13 (cell 31, 35).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2396, Events line 2451, Actions line 2506.

46. Ambient City - 0A12A7AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A12BDCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 80 (cell 71, 75).
2. Play sound _Amb_UrbanMurmur2 at waypoint 83 (cell 60, 67).
3. Play sound _Amb_UrbanMurmur1 at waypoint 28 (cell 64, 57).
4. Play sound _Amb_UrbanMurmur2 at waypoint 2 (cell 85, 66).
5. Play sound _Amb_UrbanMurmur1 at waypoint 26 (cell 50, 50).
6. Play sound _Amb_UrbanMurmur2 at waypoint 17 (cell 43, 15).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2397, Events line 2452, Actions line 2507.

47. Start Patrols - 0B49294C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B493DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GI Patrol 1 (0B458E1C).
2. Supply reinforcement team GI Patrol 2 (0B45856C).
3. Supply reinforcement team GI Patrol 3 (0B4586BC).
4. Supply reinforcement team GI Patrol 4 (0B45991C).
5. Supply reinforcement team GI Patrol 5 (09FF31AC).
6. Supply reinforcement team GI Patrol 6 (0A0912DC).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2398, Events line 2453, Actions line 2508.

48. _Radar Movie 1 - 0B00823C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B009BFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play in-game movie 91.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2399, Events line 2454, Actions line 2509.

49. _Radar Movie 2 - 0B009B0C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 49 tagged map cells: (36, 24), (36, 25), (37, 25), (36, 26), (37, 26), (36, 27), (37, 27), (67, 37), (67, 38), (67, 39), (67, 40), (67, 41), (49, 42), (50, 42), (51, 42), (52, 42), (58, 42), (59, 42), (60, 42), (61, 42), (67, 42), (39, 43), (40, 43), (41, 43), (42, 43), (43, 43), (44, 43), (45, 43), (46, 43), (47, 43), (48, 43), (49, 43), (52, 43), (53, 43), (54, 43), (55, 43), (56, 43), (57, 43), (58, 43), (61, 43), (62, 43), (63, 43), (64, 43), (65, 43), (66, 43), (67, 43), (37, 44), (38, 44), (39, 44); tag 0B009A2C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 20 (country/type OTHER3; placed owner Other3 House).

Then perform these actions in order:

1. Play in-game movie 92.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2400, Events line 2455, Actions line 2510.

50. _Flip Build Tab - 083B646C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 083B76BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Switch the sidebar to tab 2.

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2401, Events line 2456, Actions line 2511.

51. Tesla Built By Player - 084AFE9C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tesla To Other3 (0A0ACC3C).

Attached scope: tag definitions 084AFC6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 2 (global list position: Tesla Trooper (SHK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Tesla Built By Player (084AFE9C).
2. Enable and reset applicable timers for Tesla To Other3 (0A0ACC3C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2402, Events line 2457, Actions line 2512.

52. Tesla To Other3 - 0A0ACC3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tesla Built By Player (084AFE9C).

Attached scope: tag definitions 0A0A9BCC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Tesla To Other3 (0A0ACC3C).
2. Create/recruit team 1 Tesla Trooper Team (083D089C).
3. Enable and reset applicable timers for Tesla Built By Player (084AFE9C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2403, Events line 2458, Actions line 2513.

53. Tower Destroyed - 0AD6F19C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Tower Energized (0AD6A15C).

Attached scope: Paris Tower (CAPARS01), owner Other2 House, cell (46, 32), tag 0AD6CDCC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
2. Disable Tower Destroyed (0AD6F19C).

Source locator: MAPS02.MIX/sov05u.map; Triggers line 2404, Events line 2459, Actions line 2514.

All team rosters and ordered plans | All mission overrides

Operation: City of Lights - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov05u.map; each team/script ID identifies its section.

Suicide GI - 07701760

Owner: BadGuy1. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Suicide Run (089DADC0).

1. Move to waypoint: waypoint 3 (cell 74, 76).
2. Seek/attack target category; configured argument 1.

CivCar1Team - 08AB64E0

Owner: Other1. Roster: 1 × Pickup Truck (PICK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: CivCar1Path (089311C0).

1. Move to waypoint: waypoint 26 (cell 50, 50).
2. Move to waypoint: waypoint 27 (cell 64, 50).
3. Move to waypoint: waypoint 28 (cell 64, 57).
4. Move to waypoint: waypoint 29 (cell 83, 57).
5. Move to waypoint: waypoint 30 (cell 83, 68).
6. Move to waypoint: waypoint 31 (cell 75, 68).
7. Move to waypoint: waypoint 32 (cell 73, 69).
8. Move to waypoint: waypoint 33 (cell 69, 65).
9. Move to waypoint: waypoint 34 (cell 67, 67).
10. Move to waypoint: waypoint 35 (cell 50, 67).
11. Jump to script line; configured argument 1.

CivCar2Team - 076E4560

Owner: Other1. Roster: 1 × Pickup Truck (PICK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: CivCar2Path (0844E980).

1. Move to waypoint: waypoint 52 (cell 38, 29).
2. Move to waypoint: waypoint 53 (cell 40, 29).
3. Move to waypoint: waypoint 54 (cell 40, 50).
4. Move to waypoint: waypoint 55 (cell 51, 50).
5. Move to waypoint: waypoint 56 (cell 51, 58).
6. Move to waypoint: waypoint 57 (cell 38, 58).
7. Jump to script line; configured argument 1.

CivCar3Team - 076E41E0

Owner: Other1. Roster: 1 × Pickup Truck (PICK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: CivCar3Path (076E35A0).

1. Move to waypoint: waypoint 78 (cell 51, 67).
2. Move to waypoint: waypoint 79 (cell 51, 75).
3. Move to waypoint: waypoint 80 (cell 71, 75).
4. Move to waypoint: waypoint 81 (cell 71, 85).
5. Move to waypoint: waypoint 82 (cell 60, 85).
6. Move to waypoint: waypoint 83 (cell 60, 67).
7. Jump to script line; configured argument 1.

Full Transport Team - 0EBF61CC

Owner: Other3. Roster: 1 × Amphibious Transport (SAPC); 6 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Just Sit There (0EBF5DBC).

1. Move to waypoint: waypoint 61 (cell 32, 53).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Change country ownership; configured argument 13.

Full Trak Team - 088B124C

Owner: Other3. Roster: 2 × Conscript (E2); 3 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Just Sit There Really (0A99854C).

1. Adopt object mission: stop.

GI Patrol 1 - 0B458E1C

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: AM AN AO AL Patrol (0B458BAC).

1. Attack-move toward waypoint: waypoint 38 (cell 61, 76).
2. Attack-move toward waypoint: waypoint 39 (cell 70, 76).
3. Attack-move toward waypoint: waypoint 40 (cell 70, 84).
4. Attack-move toward waypoint: waypoint 37 (cell 61, 84).
5. Jump to script line; configured argument 1.

GI Patrol 2 - 0B45856C

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: CF AP CB CA Patrol (0B4582FC).

1. Attack-move toward waypoint: waypoint 83 (cell 60, 67).
2. Attack-move toward waypoint: waypoint 41 (cell 60, 75).
3. Attack-move toward waypoint: waypoint 79 (cell 51, 75).
4. Attack-move toward waypoint: waypoint 78 (cell 51, 67).
5. Jump to script line; configured argument 1.

GI Patrol 3 - 0B4586BC

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: AX AW AV AU Patrol (0B459C1C).

1. Attack-move toward waypoint: waypoint 49 (cell 50, 57).
2. Attack-move toward waypoint: waypoint 48 (cell 50, 51).
3. Attack-move toward waypoint: waypoint 47 (cell 40, 51).
4. Attack-move toward waypoint: waypoint 46 (cell 40, 57).
5. Jump to script line; configured argument 1.

GI Patrol 4 - 0B45991C

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: AR AQ AT AS Patrol (0B4596AC).

1. Attack-move toward waypoint: waypoint 43 (cell 63, 57).
2. Attack-move toward waypoint: waypoint 42 (cell 51, 57).
3. Attack-move toward waypoint: waypoint 45 (cell 51, 51).
4. Attack-move toward waypoint: waypoint 44 (cell 63, 51).
5. Jump to script line; configured argument 1.

GI Patrol 5 - 09FF31AC

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: AZ AY Patrol (09FF1DBC).

1. Attack-move toward waypoint: waypoint 51 (cell 64, 58).
2. Attack-move toward waypoint: waypoint 50 (cell 82, 58).
3. Jump to script line; configured argument 1.

GI Patrol 6 - 0A0912DC

Owner: BadGuy1. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: BH BG Patrol (0A090DBC).

1. Attack-move toward waypoint: waypoint 59 (cell 27, 33).
2. Attack-move toward waypoint: waypoint 58 (cell 39, 33).
3. Jump to script line; configured argument 1.

1 Tesla Trooper Team - 083D089C

Owner: Player. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: Change to Other3 (084C3DBC).

1. Change country ownership; configured argument 20.

1 Flak Trak Team - 0A0EC38C

Owner: Other3. Roster: 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Change to Player (0A1C903C).

1. Change country ownership; configured argument 13.

Re_6 GIs_2 Tanks Team - 084413FC

Owner: BadGuy1. Roster: 6 × GI (E1); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Guard Area (08444DBC).

1. Adopt object mission: area guard.

Re_3 IFV Team - 08444A1C

Owner: BadGuy1. Roster: 3 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Guard Area (08444DBC).

1. Adopt object mission: area guard.

Operation: City of Lights - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov05u.map.

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	11
Chrono Miner (CMIN)	Resource cargo capacity	10	14
TIBERIUMS (TIBERIUMS)	0	Riparius	17
TIBERIUMS (TIBERIUMS)	1	Cruentus	18
TIBERIUMS (TIBERIUMS)	2	Vinifera	19
TIBERIUMS (TIBERIUMS)	3	Aboreus	20
Tiberium Riparius (RIPARIUS)	Value	50	23
Tiberium Cruentus (CRUENTUS)	Value	100	26
Tiberium Vinifera (VINIFERA)	Value	50	29
Tiberium Aboreus (ABOREUS)	Value	50	32
Invisible Light Post (INGALITE)	Name	Invisible Light Post	35
Invisible Light Post (INGALITE)	Local light reach	4000	36
Invisible Light Post (INGALITE)	Local light intensity	0.01	37
Invisible Light Post (INGALITE)	Light Red Tint	0.5	38
Invisible Light Post (INGALITE)	Light Green Tint	0.5	39
Invisible Light Post (INGALITE)	Light Blue Tint	0.5	40
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	43
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	44
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	45
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.5	46
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.5	47
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0	48
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	51
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	52
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	53
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	1.5	54
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.01	55

Object/system	Property	Mission value	Source line
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.01	56
Invisible Green Light Post (INGRNLMP)	Name	Invisible Green Light Post	59
Invisible Green Light Post (INGRNLMP)	Local light reach	4000	60
Invisible Green Light Post (INGRNLMP)	Local light intensity	0.01	61
Invisible Green Light Post (INGRNLMP)	Light Red Tint	1.5	62
Invisible Green Light Post (INGRNLMP)	Light Green Tint	0.01	63
Invisible Green Light Post (INGRNLMP)	Light Blue Tint	0.01	64
Invisible Red Light Post (INREDLMP)	Name	Invisible Red Light Post	67
Invisible Red Light Post (INREDLMP)	Local light reach	2000	68
Invisible Red Light Post (INREDLMP)	Local light intensity	0.01	69
Invisible Red Light Post (INREDLMP)	Light Red Tint	0.4	70
Invisible Red Light Post (INREDLMP)	Light Green Tint	0.2	71
Invisible Red Light Post (INREDLMP)	Light Blue Tint	0.01	72
Invisible Blue Light Post (INBLULMP)	Name	Invisible Blue Light Post	75
Invisible Blue Light Post (INBLULMP)	Local light reach	3000	76
Invisible Blue Light Post (INBLULMP)	Local light intensity	0.01	77
Invisible Blue Light Post (INBLULMP)	Light Red Tint	0.01	78
Invisible Blue Light Post (INBLULMP)	Light Green Tint	0,01	79
Invisible Blue Light Post (INBLULMP)	Light Blue Tint	0.7	80
Crazy Ivan (IVAN)	Name	Crazy Ivan	83
Crazy Ivan (IVAN)	Required structures/groups	NAHAND	84
Engineer (ENGINEER)	Name	Engineer	87
Engineer (ENGINEER)	Technology level	-1	88
Attack Dog (ADOG)	Name	Allied Attack Dog	91
Attack Dog (ADOG)	Technology level	-1	92
Barrels (CAMISC01)	Name	RA2 Barrels	95
Barrels (CAMISC01)	Starting health capacity	2	96
Barrel (CAMISC02)	Name	RA2 Barrel	99
Barrel (CAMISC02)	Starting health capacity	1	100
BARRELEXPLOSION (BARRELEXPLOSION)	Projectile	Invisible	103
BARRELEXPLOSION (BARRELEXPLOSION)	Damage	50	104
BARRELEXPLOSION (BARRELEXPLOSION)	Warhead	OilExplosionWH	105
BARRELEXPLOSION (BARRELEXPLOSION)	Anim	RING1	106
Pickup Truck (PICK)	Name	Pickup Truck	109
Pickup Truck (PICK)	Category	Support	110

Object/system	Property	Mission value	Source line
Pickup Truck (PICK)	Passenger slot capacity	0	111
Pickup Truck (PICK)	Can crush through ordinary crushing logic	no	112
Soviet Barracks (NAHAND)	Name	Soviet Barracks	115
Soviet Barracks (NAHAND)	Signed power contribution	0	116
Tesla Coil (TESLA)	Name	Tesla Coil	119
Tesla Coil (TESLA)	Signed power contribution	0	120
Paris Tower (CAPARS01)	UI Name	Name:CAPARS01	123
Paris Tower (CAPARS01)	Name	RA2 Paris Tower	124
Paris Tower (CAPARS01)	Technology level	-1	125
Paris Tower (CAPARS01)	Starting health capacity	30000	126
Paris Tower (CAPARS01)	Insignificant-object flag	yes	127
Paris Tower (CAPARS01)	Nominal	yes	128
Paris Tower (CAPARS01)	Hidden from radar	no	129
Paris Tower (CAPARS01)	Points	5	130
Paris Tower (CAPARS01)	Armor class	concrete	131
Paris Tower (CAPARS01)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	132
Paris Tower (CAPARS01)	Max Debris	0	133
Paris Tower (CAPARS01)	Normal base-adjacency role	no	134
Paris Tower (CAPARS01)	Primary	EiffelBolt	135
Paris Tower (CAPARS01)	Signed power contribution	-100	136
Paris Tower (CAPARS01)	Depends on power	Yes	137
Paris Tower (CAPARS01)	Overpowerable	true	138
Paris Tower (CAPARS01)	Attached bombs permitted	no	139
SPECIALFLAGS	Tiberium Grows	no	142
SPECIALFLAGS	Tiberium Spreads	yes	143
SPECIALFLAGS	Tiberium Explosive	no	144
SPECIALFLAGS	Destroyable Bridges	no	145
SPECIALFLAGS	MCV Deploy	no	146
SPECIALFLAGS	Initial Veteran	no	147
SPECIALFLAGS	Fixed Alliance	no	148
SPECIALFLAGS	Harvester Immune	no	149
SPECIALFLAGS	Fog Of War	no	150
SPECIALFLAGS	Inert	no	151
SPECIALFLAGS	Ion Storms	no	152
SPECIALFLAGS	Meteorites	no	153
SPECIALFLAGS	Visceroids	no	154
COUNTRIES (COUNTRIES)	0	Player	157
COUNTRIES (COUNTRIES)	1	BadGuy1	158
COUNTRIES (COUNTRIES)	2	BadGuy2	159
COUNTRIES (COUNTRIES)	3	BadGuy3	160
COUNTRIES (COUNTRIES)	4	Civilian1	161

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	5	Other1	162
COUNTRIES (COUNTRIES)	6	Other2	163
COUNTRIES (COUNTRIES)	7	Other3	164

Operation: Sub-Divide

Campaign reading guide | Engine

Operation: Sub-Divide

sov06t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral House (95)
- BadGuy1 House (73)
- Other1 House (4)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov06t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov06t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov06t.map. **Effective extracted member:** MAPS02.MIX/sov06t.map. **Trigger definitions:** 43.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,148,78
Visible local rectangle	2,4,144,68
Placed vehicles	44
Placed infantry	23
Placed structures	105
Placed aircraft	0
Team templates	45

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	500	BadGuy1
2	KoreanFleet House	0	KoreanFleet
3	BadGuy3 House	1000	BadGuy3
4	Neutral House	0	Neutral
5	Other1 House	0	Other1
6	Other2 House	0	Other2
7	Other3 House	0	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	TransportArrived,0
1	TransportsUnloaded,0
2	TransportArrived2,0
3	TransportUnloaded2,0
4	AirHarrassArrived,0
5	TransportArrived1,0
6	DreadsHome,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerWin2 (0B0B04AC)	9 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
PlayerLoss (0907B050)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. AlliedScouts1 - 06C50B60

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06C50460 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Scouts1 (0E4FE57C).
2. Enable and reset applicable timers for AlliedHarassment1 (0907FF60).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6044, Events line 6089, Actions line 6134.

2. AlliedHarassment1 - 0907FF60

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AlliedScouts1 (06C50B60).

Attached scope: tag definitions 0907FB40 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for AlliedHarrassment2 (0A6C6830).
2. Create/recruit team Harrass1 (0E4FC48C).
3. Create/recruit team Harrass1 (0E4FC48C).
4. Create/recruit team Harrass2 (0E4FBDEC).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6045, Events line 6090, Actions line 6135.

3. AlliedHarrassment2 - 0A6C6830

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AlliedHarassment1 (0907FF60); enable from AlliedScouts2 (0888B070).

Attached scope: tag definitions 0A6C5B50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Harrass1 (0E4FC48C).
2. Create/recruit team Harrass1 (0E4FC48C).
3. Create/recruit team Harrass3 (0E50354C).
4. Create/recruit team Harrass3 (0E50354C).
5. Create/recruit team Harrass2 (0E4FBDEC).
6. Create/recruit team Harrass2 (0E4FBDEC).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6046, Events line 6091, Actions line 6136.

4. AlliedScouts2 - 0888B070

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08868440 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 350 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Scouts2 (0E4FDEFC).
2. Enable and reset applicable timers for AlliedHarrassment2 (0A6C6830).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6047, Events line 6092, Actions line 6137.

5. AsianFleetSpawn - 070454A0

Owner reference: KoreanFleet. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0848ACB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Supply reinforcement team AsianFleet1 (0FCA056C).
2. Supply reinforcement team AsianFleet2 (0FCAFEFC).
3. Supply reinforcement team AsianFleet3 (0B0DC7DC).
4. Supply reinforcement team AsianFleet4 (0FCAF80C).
5. Create radar-event marker type 5 at waypoint 32 (cell 152, 20).

6. Reveal terrain around waypoint 32 (cell 152, 20).
7. Enable and reset applicable timers for CarrierAttack (0A26ADB0).
8. Play in-game movie 112.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6048, Events line 6093, Actions line 6138.

6. CarrierAttack - 0A26ADB0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AsianFleetSpawn (070454A0).

Attached scope: tag definitions 0A26A4B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 400 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team 3Carriers (0AB9932C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6049, Events line 6094, Actions line 6139.

7. BG1 Produce - 07F8C4B0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F8B8F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6050, Events line 6095, Actions line 6140.

8. AllNavyDestroyed - 07A8FCA0

Owner reference: KoreanFleet. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A8FB90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Naval: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Destroyed, Units, Naval: owner selector 15 (country/type KOREANFLEET; placed owner KoreanFleet House).

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for PlayerWin2 (0B0B04AC).
3. Disable PlayerLoss (0907B050).
4. Disable RepeatObjective1 (0C02103C).
5. Disable RepeatObjective2 (0C09D06C).
6. Enable and reset applicable timers for CheerMore (0B0D333C).
7. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6051, Events line 6096, Actions line 6141.

9. PlayerWin2 - 0B0B04AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllNavyDestroyed (07A8FCA0).

Attached scope: tag definitions 0B0CA38C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6052, Events line 6097, Actions line 6142.

10. PlayerLoss - 0907B050

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerForcesLand3 (09688700).

Attached scope: tag definitions 0907CA50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6053, Events line 6098, Actions line 6143.

11. RepeatObjective1 - 0C02103C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from !StateObjective1 (09286080).

Attached scope: tag definitions 0C02707C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Establish a base on the Hawaiian Islands” (MISSION:Sov6a).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6054, Events line 6099, Actions line 6144.

12. RepeatObjective2 - 0C09D06C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StateObjective2 (0B1503BC).

Attached scope: tag definitions 0C09B08C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Allied fleet” (MISSION:Sov06g).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6055, Events line 6100, Actions line 6145.

13. CheerMore - 0B0D333C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AllNavyDestroyed (07A8FCA0).

Attached scope: tag definitions 0B0D237C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6056, Events line 6101, Actions line 6146.

14. Start1 - 0740C320

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E0BF70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Create/recruit team BaseDef1 (0AF5C0D4).
3. Create/recruit team BaseDef2 (0B0A3EFC).
4. Create/recruit team BaseDef3 (0AF5D9E4).
5. Create/recruit team BaseDef4(Navy) (0BFA0DCC).
6. Enable and reset applicable timers for !StateObjective1 (09286080).
7. Supply reinforcement team BaseDef5(Harriers) (0C1BF43C) at waypoint 95 (cell 52, 103).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6057, Events line 6102, Actions line 6147.

15. !StateObjective1 - 09286080

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start1 (0740C320).

Attached scope: tag definitions 09289090 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Establish a base on the Hawaiian Islands” (MISSION:Sov6a).
2. Enable and reset applicable timers for RepeatObjective1 (0C02103C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6058, Events line 6103, Actions line 6148.

16. StartCoastGuard - 09FEF960

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09FE8880 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team CoastGuard1 (0BF9232C).
2. Create/recruit team CoastGuard2 (0BF91B7C).
3. Create/recruit team CoastGuard3 (0BF917DC).
4. Create/recruit team CoastGuard4 (0BF9143C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6059, Events line 6104, Actions line 6149.

17. AirportTaken - 08C5D690

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Airport (CAAIRP), owner Neutral House, cell (69, 193), tag 08C5D350, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for AirportTaken2 (083828C0).
2. Create crate type 0 at waypoint 28 (cell 70, 197).
3. Create crate type 0 at waypoint 29 (cell 45, 180).
4. Play in-game movie 113.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6060, Events line 6105, Actions line 6150.

18. AirportTaken2 - 083828C0

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AirportTaken (08C5D690).

Attached scope: tag definitions 083825E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team AirportHarass (0ADCEB54).
2. Create/recruit team AirportHarass (0ADCEB54).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6061, Events line 6106, Actions line 6151.

19. PlayerForcesLand1 - 0968A9F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09688860 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 98 (cell 201, 89).
2. Disable player input.
3. Enable and reset applicable timers for UnlockInput (09701390).
4. Enable and reset applicable timers for MoveCamera (08E1CC80).
5. Supply reinforcement team StartForce2 (08D49CB0).
6. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6062, Events line 6107, Actions line 6152.

20. UnlockInput - 09701390

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerForcesLand1 (0968A9F0).

Attached scope: tag definitions 0970AF70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6063, Events line 6108, Actions line 6153.

21. MoveCamera - 08E1CC80

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerForcesLand1 (0968A9F0).

Attached scope: tag definitions 08E1C7D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 73 (cell 203, 76) with speed setting 1.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6064, Events line 6109, Actions line 6154.

22. PlayerForcesLand3 - 09688700

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09688520 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for PlayerLoss (0907B050).
2. Supply reinforcement team StartForce1a (09AD6520).
3. Supply reinforcement team StartForce1b (09ADFA80).
4. Supply reinforcement team StartForce1c (09ADFE00).
5. Supply reinforcement team StartForce1d (09ADF700).
6. Supply reinforcement team StartForce1e (09ADF280).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6065, Events line 6110, Actions line 6155.

23. PlayerForcesLand2 - 08CFEF60

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CFECB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team StartForce3 (08D49840).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6066, Events line 6111, Actions line 6156.

24. HarriersAttack - 0A91D700

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A91D560 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BaseDef5(Harriers) (0C1BF43C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6067, Events line 6112, Actions line 6157.

25. AsianFleetTimer - 077C80D0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartAsianFleetTimer (077C9DD0).

Attached scope: tag definitions 077C9EB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 900 configured time units.
2. Use countdown label “Estimated time until Korean Fleet arrives:” (MISSION:Sov06b).
3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6068, Events line 6113, Actions line 6158.

26. StartAsianFleetTimer - 077C9DD0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 077C9B60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for AsianFleetTimer (077C80D0).
2. Enable and reset applicable timers for Obj1CompleteSpeech (0C22FF3C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6069, Events line 6114, Actions line 6159.

27. Obj1CompleteSpeech - 0C22FF3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from StartAsianFleetTimer (077C9DD0).

Attached scope: tag definitions 0C22F91C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6070, Events line 6115, Actions line 6160.

28. CarrierVsConYard - 07E85310

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E86F50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1400 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Naval3 (0BFA22CC).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6071, Events line 6116, Actions line 6161.

29. DreadReinforcements1 - 0A14B2C4

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A14AC44 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 800 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team GiftFleet (0868F29C).
2. Enable and reset applicable timers for DreadReinforcements2 (0ADE2C14).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6072, Events line 6117, Actions line 6162.

30. DreadReinforcements2 - 0ADE2C14

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DreadReinforcements1 (0A14B2C4).

Attached scope: tag definitions 0ADE2B24 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 26 (cell 120, 46).
2. Create radar-event marker type 1 at waypoint 26 (cell 120, 46).
3. Display message “A small fleet of the new Soviet Dreadnought has arrived” (MISSION:Sov06c).

4. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6073, Events line 6118, Actions line 6163.

31. FreeCrate - 090E6394

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cow (COW), owner Neutral House, cell (174, 48), tag 090E1EA4, persistence mode 1; Cow (COW), owner Neutral House, cell (171, 49), tag 090E1EA4, persistence mode 1; Cow (COW), owner Neutral House, cell (172, 47), tag 090E1EA4, persistence mode 1.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 19 (cell 173, 48).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6074, Events line 6119, Actions line 6164.

32. CreateCrates - 08212A04

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08213AF4 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create crate type 0 at waypoint 30 (cell 30, 168).
2. Create crate type 0 at waypoint 34 (cell 76, 207).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6075, Events line 6120, Actions line 6165.

33. BunkerCaptured(Crate) - 0B3AC804

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bunker (CABUNK01), owner Neutral House, cell (159, 81), tag 0B3AC494, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 0 at waypoint 50 (cell 164, 82).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6076, Events line 6121, Actions line 6166.

34. Hint - 097137D4

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 53 (global list position: Tesla Coil (TESLA)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

No action entries.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6077, Events line 6122, Actions line 6167.

35. AmbientSounds1 - 096A9D1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096A9A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 52 (cell 91, 104).

2. Play sound _Amb_BirdsHarbor at waypoint 51 (cell 81, 114).
3. Play sound _Amb_OceanHeavy at waypoint 54 (cell 179, 96).
4. Play sound _Amb_OceanHeavy at waypoint 55 (cell 151, 68).
5. Play sound _Amb_OceanHeavy at waypoint 56 (cell 159, 41).
6. Play sound _Amb_OceanHeavy at waypoint 57 (cell 115, 60).
7. Play sound _Amb_OceanHeavy at waypoint 58 (cell 146, 92).
8. Play sound _Amb_OceanHeavy at waypoint 59 (cell 132, 126).
9. Play sound _Amb_OceanHeavy at waypoint 60 (cell 104, 161).
10. Play sound _Amb_OceanHeavy at waypoint 61 (cell 63, 149).
11. Play sound _Amb_OceanHeavy at waypoint 62 (cell 17, 157).
12. Play sound _Amb_OceanHeavy at waypoint 63 (cell 63, 169).
13. Play sound _Amb_OceanHeavy at waypoint 64 (cell 80, 185).
14. Play sound _Amb_BirdsHarbor at waypoint 53 (cell 99, 104).
15. Play sound _Amb_BirdsBeach at waypoint 65 (cell 201, 76).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6078, Events line 6123, Actions line 6168.

36. AmbientSounds2 - 09AD17DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AD2A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 66 (cell 99, 143).
2. Play sound _Amb_BirdsTemperate1 at waypoint 67 (cell 72, 137).
3. Play sound _Amb_BirdsTemperate1 at waypoint 68 (cell 35, 173).
4. Play sound _Amb_BirdsTemperate2 at waypoint 69 (cell 52, 176).
5. Play sound _Amb_BirdsTemperate1 at waypoint 70 (cell 55, 188).
6. Play sound _Amb_BirdsJungle1 at waypoint 71 (cell 118, 79).
7. Play sound _Amb_BirdsTemperate2 at waypoint 72 (cell 112, 79).
8. Play sound _Amb_OceanLight at waypoint 75 (cell 192, 89).
9. Play sound _Amb_River at waypoint 76 (cell 182, 74).
10. Play sound _Amb_OceanHeavy at waypoint 77 (cell 172, 31).
11. Play sound _Amb_BirdsJungle1 at waypoint 90 (cell 208, 65).
12. Play sound _Amb_BirdsTemperate1 at waypoint 91 (cell 188, 63).
13. Play sound _Amb_BirdsJungle1 at waypoint 92 (cell 172, 56).
14. Play sound _Amb_BirdsPark at waypoint 93 (cell 161, 57).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6079, Events line 6124, Actions line 6169.

37. Hint-TeslaCoilCharge - 086298FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0862E88C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 53 (global list position: Tesla Coil (TESLA)). A map-local type-list change can affect index interpretation.
2. Build Infantry Type: type index 2 (global list position: Tesla Trooper (SHK)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 93.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6080, Events line 6125, Actions line 6170.

38. ArizonaMemDestroyed - 085FD83C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Arizona Memorial (CAMIAM08), owner Neutral House, cell (92, 112), tag 0860F26C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 74 (cell 89, 112).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6081, Events line 6126, Actions line 6171.

39. DreadReinforcements3 - 0893939C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089392BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (DreadsHome) is set.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 11 (cell 195, 86).
2. Play voice notification EVA_ReinforcementsReady.

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6082, Events line 6127, Actions line 6172.

40. StateObjective2 - 0B1503BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B15D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Allied fleet” (MISSION:Sov06g).
2. Disable RepeatObjective1 (0C02103C).
3. Enable and reset applicable timers for RepeatObjective2 (0C09D06C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6083, Events line 6128, Actions line 6173.

41. AmbientSounds3 - 0C12EC8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C12EBAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 94 (cell 88, 75).
2. Play sound _Amb_BirdsTemperate1 at waypoint 95 (cell 52, 103).
3. Play sound _Amb_BirdsJungle1 at waypoint 96 (cell 42, 123).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6084, Events line 6129, Actions line 6174.

42. WilliamsHouse - 0A5D654C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE07), owner Neutral House, cell (78, 85), tag 0A5D3DFC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create crate type 14 at waypoint 97 (cell 81, 87).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6085, Events line 6130, Actions line 6175.

43. Start2 - 08CEA10C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CEBF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) BaseDef5(Harriers) (0C1BF43C).

Source locator: MAPS02.MIX/sov06t.map; Triggers line 6086, Events line 6131, Actions line 6176.

All team rosters and ordered plans | All mission overrides

Operation: Sub-Divide - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov06t.map; each team/script ID identifies its section.

Scouts1 - 0E4FE57C

Owner: BadGuy1. Roster: 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: ScoutTroops (0E4FE30C).

1. Move to waypoint: waypoint 45 (cell 54, 118).
2. Load transport.
3. Move to waypoint: waypoint 9 (cell 176, 85).
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Guard for interval; configured argument 10.
7. Adopt object mission: hunt.

Scouts2 - 0E4FDEFC

Owner: BadGuy1. Roster: 5 × GI (E1); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: Scouts2 (0E4FDC8C).

1. Move to waypoint: waypoint 46 (cell 78, 96).
2. Load transport.
3. Move to waypoint: waypoint 48 (cell 168, 47).
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Guard for interval; configured argument 10.
7. Adopt object mission: hunt.

AsianFleet1 - 0FCA056C

Owner: KoreanFleet. Roster: 4 × Destroyer (DEST); 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: ReinforceAllies1 (0FCA02FC).

1. Attack-move toward waypoint: waypoint 5 (cell 118, 137).
2. Scatter.
3. Set facing; configured argument 2.
4. Guard for interval; configured argument 20.
5. Gather near enemy base; configured argument 0.
6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 4.
9. Seek/attack target category; configured argument 10.
10. Seek/attack target category; configured argument 9.
11. Seek/attack target category; configured argument 8.

12. Jump to script line; configured argument 6.

AsianFleet2 - 0FCAFEFC

Owner: KoreanFleet. Roster: 1 × Aegis Cruiser (AEGIS); 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: ReinforceAllies3 (0FCAFC8C).

1. Move to waypoint: waypoint 7 (cell 125, 132).
2. Scatter.
3. Set facing; configured argument 2.
4. Guard for interval; configured argument 20.
5. Gather near enemy base; configured argument 0.
6. Attack selected enemy-building category; configured argument 131087.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 7.
10. Seek/attack target category; configured argument 9.
11. Seek/attack target category; configured argument 5.
12. Jump to script line; configured argument 6.

AsianFleet3 - 0B0DC7DC

Owner: KoreanFleet. Roster: 1 × Aegis Cruiser (AEGIS); 3 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: ReinforceAllies3 (0FCAFC8C).

1. Move to waypoint: waypoint 7 (cell 125, 132).
2. Scatter.
3. Set facing; configured argument 2.
4. Guard for interval; configured argument 20.
5. Gather near enemy base; configured argument 0.
6. Attack selected enemy-building category; configured argument 131087.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 7.
10. Seek/attack target category; configured argument 9.
11. Seek/attack target category; configured argument 5.
12. Jump to script line; configured argument 6.

AsianFleet4 - 0FCAF80C

Owner: KoreanFleet. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: ReinforceAllies4 (0FCAF59C).

1. Attack-move toward waypoint: waypoint 8 (cell 129, 142).
2. Scatter.
3. Set facing; configured argument 2.
4. Guard for interval; configured argument 50.
5. Gather near enemy base; configured argument 0.
6. Seek/attack target category; configured argument 6.

7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 5.
9. Seek/attack target category; configured argument 9.
10. Seek/attack target category; configured argument 8.
11. Jump to script line; configured argument 6.

Naval1 - 0C10432C

Owner: BadGuy1. Roster: 3 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackPower,Def,Fact,Any (0C105DBC).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

Harrass1 - 0E4FC48C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Harrass1 (0E4FC21C).

1. Move to waypoint: waypoint 43 (cell 103, 138).
2. Load transport.
3. Move to waypoint: waypoint 10 (cell 169, 71).
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Guard for interval; configured argument 5.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 1.

Harrass2 - 0E4FBDEC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Harrass2 (0E4FBB7C).

1. Move to waypoint: waypoint 44 (cell 60, 105).
2. Load transport.
3. Move to waypoint: waypoint 10 (cell 169, 71).
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Guard for interval; configured argument 5.
7. Seek/attack target category; configured argument 4.
8. Seek/attack target category; configured argument 9.
9. Seek/attack target category; configured argument 1.

CoastGuard1 - 0BF9232C

Owner: Other1. Roster: 1 × Coast Guard Boat (CDEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: CoastGuard1 (0AA5A534).

1. Guard for interval; configured argument 10.
2. Attack-move toward waypoint: waypoint 79 (cell 90, 179).
3. Guard for interval; configured argument 10.
4. Attack-move toward waypoint: waypoint 80 (cell 75, 180).
5. Guard for interval; configured argument 10.
6. Attack-move toward waypoint: waypoint 78 (cell 86, 197).
7. Jump to script line; configured argument 1.

CoastGuard2 - 0BF91B7C

Owner: Other1. Roster: 1 × Coast Guard Boat (CDEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CD.

Ordered plan: CoastGuard2 (0948DDB4).

1. Guard for interval; configured argument 10.
2. Attack-move toward waypoint: waypoint 82 (cell 69, 162).
3. Guard for interval; configured argument 10.
4. Attack-move toward waypoint: waypoint 83 (cell 56, 164).
5. Guard for interval; configured argument 10.
6. Attack-move toward waypoint: waypoint 84 (cell 68, 177).
7. Guard for interval; configured argument 10.
8. Attack-move toward waypoint: waypoint 81 (cell 82, 179).
9. Jump to script line; configured argument 1.

CoastGuard3 - 0BF917DC

Owner: Other1. Roster: 1 × Coast Guard Boat (CDEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CH.

Ordered plan: CoastGuard3 (0948DB34).

1. Guard for interval; configured argument 10.
2. Attack-move toward waypoint: waypoint 86 (cell 52, 151).
3. Guard for interval; configured argument 10.
4. Attack-move toward waypoint: waypoint 87 (cell 47, 161).
5. Guard for interval; configured argument 10.
6. Attack-move toward waypoint: waypoint 85 (cell 63, 164).
7. Jump to script line; configured argument 1.

CoastGuard4 - 0BF9143C

Owner: Other1. Roster: 1 × Coast Guard Boat (CDEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: CoastGuard4 (0948D8B4).

1. Guard for interval; configured argument 10.
2. Attack-move toward waypoint: waypoint 89 (cell 17, 155).
3. Guard for interval; configured argument 10.

4. Attack-move toward waypoint: waypoint 88 (cell 45, 155).
5. Jump to script line; configured argument 1.

AirportHarass - 0ADCEB54

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 29; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: AirportHarrass (0AE5FB04).

1. Move to waypoint: waypoint 42 (cell 73, 131).
2. Load transport.
3. Move to waypoint: waypoint 33 (cell 40, 172).
4. Unload with continuation mode: transport and passengers continue.
5. Seek/attack target category; configured argument 11.
6. Seek/attack target category; configured argument 1.

2Rocketeers - 0C16A1AC

Owner: BadGuy1. Roster: 2 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Rocketeers (09FABDB4).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

3Rocketeers - 0C169B7C

Owner: BadGuy1. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Rocketeers (09FABDB4).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Naval2 - 0B0D91FC

Owner: BadGuy1. Roster: 1 × Aegis Cruiser (AEGIS); 1 × Aircraft Carrier (CARRIER); 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackAny (08B8621C).

1. Gather near enemy base; configured argument 0.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

Naval3 - 0BFA22CC

Owner: BadGuy1. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBAny,Power,Any (0BFA205C).

1. Gather near enemy base; configured argument 0.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

Naval4 - 0BFA7DEC

Owner: BadGuy1. Roster: 2 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackRefine,Fact,Con,Radar (0BFA7B7C).

1. Gather near enemy base; configured argument 0.
2. Report team success.
3. Attack selected enemy-building category; configured argument 15.
4. Seek/attack target category; configured argument 6.
5. Attack selected enemy-building category; configured argument 25.
6. Attack selected enemy-building category; configured argument 13.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

BaseDef1 - 0AF5C0D4

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Guard Area (09FAA064).

1. Scatter.
2. Adopt object mission: area guard.
3. Report team success.

BaseDef2 - 0B0A3EFC

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Guard Area (09FAA064).

1. Scatter.
2. Adopt object mission: area guard.
3. Report team success.

BaseDef3 - 0AF5D9E4

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: Guard Area (09FAA064).

1. Scatter.
2. Adopt object mission: area guard.
3. Report team success.

BaseDef4(Navy) - 0BFA0DCC

Owner: BadGuy1. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area 2 (0947A620).

1. Adopt object mission: area guard.
2. Report team success.

StartForce1a - 09AD6520

Owner: Player. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerSubLand_a (09AD62C0).

1. Move to waypoint: waypoint 21 (cell 201, 79).
2. Set facing; configured argument 4.

StartForce2 - 08D49CB0

Owner: Player. Roster: 1 × Amphibious Transport (SAPC); 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerTrans1Land (0A8A6120).

1. Move to waypoint: waypoint 4 (cell 196, 70).
2. Unload with continuation mode: passengers continue; transport leaves team.

StartForce3 - 08D49840

Owner: Player. Roster: 1 × Amphibious Transport (SAPC); 1 × Soviet Construction Vehicle (SMCV); 2 × Tesla Trooper (SHK); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerTrans2Land (0A2B6DE0).

1. Move to waypoint: waypoint 25 (cell 200, 70).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Scatter.

StartForce1c - 09ADFE00

Owner: Player. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerSubLand_b (09ADFBA0).

1. Move to waypoint: waypoint 22 (cell 203, 79).
2. Set facing; configured argument 4.

StartForce1b - 09ADFA80

Owner: Player. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerSubLand_c (09ADF820).

1. Move to waypoint: waypoint 23 (cell 205, 79).
2. Set facing; configured argument 4.

StartForce1d - 09ADF700

Owner: Player. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerSeaScorpLand_d (09ADF4A0).

1. Move to waypoint: waypoint 24 (cell 204, 82).
2. Set facing; configured argument 4.

StartForce1e - 09ADF280

Owner: Player. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: PlayerSeaScorpLand_e (09ADBDC0).

1. Move to waypoint: waypoint 20 (cell 202, 82).
2. Set facing; configured argument 4.

BaseDef5(Harriers) - 0C1BF43C

Owner: BadGuy1. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CR.

Ordered plan: HarrierDefend (0D93E43C).

1. Approach friendly building category; configured argument 131177.

BaseDefInfantry - 0B0A532C

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area 3 (07F8FDC0).

1. Guard for interval; configured argument 50.
2. Report team success.
3. Adopt object mission: patrol.

Naval6 - 0BFADB7C

Owner: BadGuy1. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack NavalYard (0948E9A0).

1. Attack selected enemy-building category; configured argument 131133.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

3Carriers - 0AB9932C

Owner: BadGuy1. Roster: 3 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: CarrierAttack (0AB98DBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 2.

3. Seek/attack target category; configured argument 1.

GiftDread1 - 0AB991FC

Owner: Player. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: DreadToBase1 (0BB3667C).

1. Move to waypoint: waypoint 75 (cell 192, 89).
2. Scatter.
3. Set facing; configured argument 4.
4. Set local flag: local flag 6 (DreadsHome).

GiftDread2 - 0AB9890C

Owner: Player. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: DreadToBase2 (0AB9869C).

1. Move to waypoint: waypoint 11 (cell 195, 86).
2. Set facing; configured argument 4.
3. Set local flag: local flag 6 (DreadsHome).

GiftDread3 - 0AB9856C

Owner: Player. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: DreadToBase3 (0AB982FC).

1. Move to waypoint: waypoint 12 (cell 197, 86).
2. Set facing; configured argument 4.
3. Set local flag: local flag 6 (DreadsHome).

GiftScorp1 - 0C10D30C

Owner: Player. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: ScorpToBase4 (0C10EDBC).

1. Follow friendly objects.
2. Set facing; configured argument 4.
3. Set local flag: local flag 6 (DreadsHome).

GiftScorp2 - 0C10D1DC

Owner: Player. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: ScorpToBase5 (0C10EB4C).

1. Follow friendly objects.
2. Set facing; configured argument 4.
3. Set local flag: local flag 6 (DreadsHome).

Harrass3 - 0E50354C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: Harrass3 (0E5032DC).

1. Move to waypoint: waypoint 49 (cell 60, 123).
2. Load transport.
3. Move to waypoint: waypoint 48 (cell 168, 47).
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Guard for interval; configured argument 5.
7. Seek/attack target category; configured argument 9.
8. Attack selected enemy-building category; configured argument 131097.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

HarrierAnnoyance1 - 097393A4

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: HarrierAttack1 (09743074).

1. Seek/attack target category; configured argument 10.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

HarrierAnnoyance2 - 097422D4

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: HarrierAttack2 (0B2A5654).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 11.
4. Seek/attack target category; configured argument 10.
5. Seek/attack target category; configured argument 1.

Rocketeer VS Airport - 09520324

Owner: BadGuy1. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: RocketeerAirportAttack (09521DB4).

1. Seek/attack target category; configured argument 11.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

Naval5 - 0C00503C

Owner: BadGuy1. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackVeh,Con,Garr,Power,Def (0C00A0EC).

1. Gather near enemy base; configured argument 0.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Attack selected enemy-building category; configured argument 131097.
5. Seek/attack target category; configured argument 10.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

GiftFleet - 0868F29C

Owner: Player. Roster: 3 × Dreadnought (DRED); 2 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: DreadToBase1 (0BB3667C).

1. Move to waypoint: waypoint 75 (cell 192, 89).
2. Scatter.
3. Set facing; configured argument 4.
4. Set local flag: local flag 6 (DreadsHome).

Operation: Sub-Divide - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov06t.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	3500,1800,900	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	20,20,20	14
War Miner (HARV)	Resource cargo capacity	20	17
Chrono Miner (CMIN)	Resource cargo capacity	10	20
TIBERIUMS (TIBERIUMS)	0	Riparius	23
TIBERIUMS (TIBERIUMS)	1	Cruentus	24
TIBERIUMS (TIBERIUMS)	2	Vinifera	25
TIBERIUMS (TIBERIUMS)	3	Aboreus	26
Tiberium Riparius (RIPARIUS)	Value	50	29
Tiberium Cruentus (CRUENTUS)	Value	100	32
Tiberium Vinifera (VINIFERA)	Value	50	35
Tiberium Aboreus (ABOREUS)	Value	50	38
SPECIALFLAGS	Tiberium Grows	yes	41
SPECIALFLAGS	Tiberium Spreads	yes	42
SPECIALFLAGS	Tiberium Explosive	no	43
SPECIALFLAGS	Destroyable Bridges	no	44
SPECIALFLAGS	MCV Deploy	no	45
SPECIALFLAGS	Initial Veteran	no	46
SPECIALFLAGS	Fixed Alliance	no	47
SPECIALFLAGS	Harvester Immune	no	48
SPECIALFLAGS	Fog Of War	no	49
SPECIALFLAGS	Inert	no	50
SPECIALFLAGS	Ion Storms	no	51
SPECIALFLAGS	Meteorites	no	52
SPECIALFLAGS	Visceroids	no	53
COUNTRIES (COUNTRIES)	0	Player	56
COUNTRIES (COUNTRIES)	1	BadGuy1	57
COUNTRIES (COUNTRIES)	2	KoreanFleet	58
COUNTRIES (COUNTRIES)	3	BadGuy3	59

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	4	Neutral	60
COUNTRIES (COUNTRIES)	5	Other1	61
COUNTRIES (COUNTRIES)	6	Other2	62
COUNTRIES (COUNTRIES)	7	Other3	63
Civilian (NEUTRAL)	Parent Country	Neutral	106
Civilian (NEUTRAL)	Name	Neutral	107
Civilian (NEUTRAL)	Suffix	CIV	108
Civilian (NEUTRAL)	Prefix	C	109
Civilian (NEUTRAL)	Color	Grey	110
Civilian (NEUTRAL)	Multiplay Passive	true	111
Civilian (NEUTRAL)	Smart AI	yes	112
Civilian (NEUTRAL)	Side	Civilian	113
CRATERULES (CRATERULES)	Solo Crate Money	5000	143
CRATERULES (CRATERULES)	Wood Crate	Money	144
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	1500	147
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	148
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.50	149
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.20	150
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.02	151
Invisible Purple Light Post (INPURPLAMP)	Local light reach	1500	154
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	155
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	1.0	156
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.005	157
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	1.0	158
Soviet Battle Lab (NATECH)	Technology level	-1	161
Amphibious Transport (LCRF)	Name	Landing Craft	164
Amphibious Transport (LCRF)	Deploy Time	.022	165
Amphibious Transport (LCRF)	Leadership Rating	10	166
Crazy Ivan (IVAN)	Technology level	-1	169
Engineer (ENGINEER)	Technology level	-1	172
Attack Dog (ADOG)	Technology level	-1	175
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	178
Soviet Construction Vehicle (SMCV)	Technology level	6	179
Harrier (ORCA)	Name	Intruder	182
Harrier (ORCA)	Can Passive Aquire	no	183
Harrier (ORCA)	Can Retaliate	no	184

Object/system	Property	Mission value	Source line
Harrier (ORCA)	Sight radius setting	8	185
Harrier (ORCA)	Guard Range	0	186
VARIABLENAMES (VARIABLENAMES)	0	TransportArrived,0	227
VARIABLENAMES (VARIABLENAMES)	1	TransportsUnloaded,0	228
VARIABLENAMES (VARIABLENAMES)	2	TransportArrived2,0	229
VARIABLENAMES (VARIABLENAMES)	3	TransportUnloaded2,0	230
VARIABLENAMES (VARIABLENAMES)	4	AirHarrassArrived,0	231
VARIABLENAMES (VARIABLENAMES)	5	TransportArrived1,0	232
VARIABLENAMES (VARIABLENAMES)	6	DreadsHome,0	233

Operation: Chrono Defense

Campaign reading guide | Engine



Initial placement schematic for sov07s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov07s.map. **Effective extracted member:** MAPS02.MIX/sov07s.map. **Trigger definitions:** 62.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,90,75
Visible local rectangle	2,6,86,63
Placed vehicles	1
Placed infantry	42
Placed structures	50
Placed aircraft	0
Team templates	45

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	200	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	100	BadGuy2
3	BadGuy3 House	100	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	PropTruckArrived,0
1	CitizensArrived,0
2	SuppliesArrived,0
3	CitizensGathered,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
LabDestroyed (0A7F6220)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
PlayerWin2 (0C11377C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
LabCaptured (096C55C0)	Entered by: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
LabSpied (096C4DF0)	Spied upon. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Propaganda Truck Start - 08D65730

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D642B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Propaganda Truck (0B12F93C).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5274, Events line 5338, Actions line 5402.

2. PropagandaSpout - 08D5CF00

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PropEnableSpout (08D58560).

Attached scope: tag definitions 08D5CA50 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 450 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team ConvertedSoviets1 (0C13F1FC).
2. Enable and reset applicable timers for AngryMob (07FC08DC).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5275, Events line 5339, Actions line 5403.

3. AngryMob - 07FC08DC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PropagandaSpout (08D5CF00).

Attached scope: tag definitions 07FC045C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team ConvertedSoviets2 (0C24C7EC).
2. Enable and reset applicable timers for AngryMob2 (08A27E5C).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5276, Events line 5340, Actions line 5404.

4. AngryMob2 - 08A27E5C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AngryMob (07FC08DC).

Attached scope: tag definitions 08A27D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable AngryMob (07FC08DC).
2. Disable AngryMob2 (08A27E5C).
3. Supply reinforcement team TownRefill (0884B39C).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5277, Events line 5341, Actions line 5405.

5. PropEnableSpout - 08D58560

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D581E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (PropTruckArrived) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for PropagandaSpout (08D5CF00).
2. Enable and reset applicable timers for PropTruckWarn (089CCF40).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5278, Events line 5342, Actions line 5406.

6. PropTruckWarn - 089CCF40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PropEnableSpout (08D58560).

Attached scope: tag definitions 089CA920 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 19 (cell 28, 91).
2. Play in-game movie 94.
3. Reveal terrain around waypoint 69 (cell 26, 93).
4. Reveal terrain around waypoint 70 (cell 33, 91).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5279, Events line 5343, Actions line 5407.

7. PropagandaTruckDestroyed - 08DDA070

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Propaganda Truck (PROPA), owner Other1 House, cell (138, 76), tag 08DDD760, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable PropagandaSpout (08D5CF00).
2. Reveal the whole map.
3. Display message “Allied Spy Sat maps were found in the Propaganda Truck wreckage... updating map.” (MISSION:Sov07k).
4. Disable PropTruckWarn (089CCF40).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5280, Events line 5344, Actions line 5408.

8. LabDestroyed - 0A7F6220

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
2. Display message “CRITICAL STRUCTURE LOST: Our Battle Lab has been destroyed” (MISSION:Sov07j).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5281, Events line 5345, Actions line 5409.

9. PlayerWin1 - 0A7F7830

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Massive Last Attempt (08E14EC0).

Attached scope: tag definitions 0A7F7680 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for PlayerWin2 (0C11377C).
3. Enable and reset applicable timers for CheerMore (0C114D1C).
4. Play voice notification EVA_PrimaryObjectiveAchieved.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5282, Events line 5346, Actions line 5410.

10. PlayerWin2 - 0C11377C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerWin1 (0A7F7830).

Attached scope: tag definitions 0C11369C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5283, Events line 5347, Actions line 5411.

11. CheerMore - 0C114D1C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlayerWin1 (0A7F7830).

Attached scope: tag definitions 0C114B1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5284, Events line 5348, Actions line 5412.

12. Sniper - 08D65820

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D65370 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Sniper/GI Squad - Inf (0EF6B6CC) at waypoint 31 (cell 103, 95).
2. Display message “The first wave of Allied troops have entered the Chronosphere” (MISSION:Sov07d).
3. Play voice notification Mis_S7_SofiaChrono1.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5285, Events line 5349, Actions line 5413.

13. Sniper/GI - 08D80260

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D81120 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 320 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Sniper/GI Squad - Inf (0EF6B6CC) at waypoint 26 (cell 99, 20).
2. Supply reinforcement team !GI Rush (10) - Buildings, Any (0EF7093C) at waypoint 27 (cell 103, 110).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5286, Events line 5350, Actions line 5414.

14. GI/Tank/Rkt - 0A7D50B0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7D7030 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 400 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !GI Rush (10) - Power (0EF6C21C) at waypoint 28 (cell 105, 53).
2. Supply chrono reinforcement team !Tank Team (2) - Def,Any (0EF7543C) at waypoint 34 (cell 52, 132).
3. Supply reinforcement team !Rocketeer (2) - BattleLab (0EF6DB7C) at waypoint 49 (cell 131, 46).
4. Supply reinforcement team !Rocketeer (3) - Buildings, Any (0F99B1FC) at waypoint 15 (cell 96, 139).
5. Supply reinforcement team !GI Rush (10) - Buildings, Any (0EF7093C) at waypoint 35 (cell 42, 80).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5287, Events line 5351, Actions line 5415.

15. IFVs - 08D04AE0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D04990 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 650 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply chrono reinforcement team !IFV (2) - Veh,Any (0F8BA20C) at waypoint 68 (cell 86, 70).
2. Display message “Another Allied force has entered the Chronosphere” (MISSION:Sov07e).
3. Play voice notification Mis_S7_SofiaChrono2.
4. Enable and reset applicable timers for Hint-Spies(Audio) (07F48DBC).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5288, Events line 5352, Actions line 5416.

16. Hint-Spies(Audio) - 07F48DBC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from IFVs (08D04AE0).

Attached scope: tag definitions 07F48ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.
2. Build Infantry Type: type index 9 (global list position: Attack Dog (DOG)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_Spy.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5289, Events line 5353, Actions line 5417.

17. MoreSpies - 08D03A10

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D03860 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 670 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Radar (0EF6FB7C) at waypoint 28 (cell 105, 53).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5290, Events line 5354, Actions line 5418.

18. GI/Tanks/Prism - 08D091A0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D0F1B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 700 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Sniper/GI Squad - Inf (0EF6B6CC) at waypoint 37 (cell 48, 86).
2. Supply chrono reinforcement team !Tank Team (4) - Def,Any (0C32E21C) at waypoint 36 (cell 42, 91).
3. Supply chrono reinforcement team !Tank Team (6) - Def, Battle Lab (0EF7124C) at waypoint 35 (cell 42, 80).
4. Supply chrono reinforcement team !Solar Hint (3) - Veh,Def,Fact,Any (0C1C046C) at waypoint 26 (cell 99, 20).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5291, Events line 5355, Actions line 5419.

19. Hint-Prism - 07F5BD2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F5B98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play voice notification Unit_Sofia_PrismTank.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5292, Events line 5356, Actions line 5420.

20. Rocketeers - 08D638B0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D63B60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 850 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Rocketeer (3) - Buildings, Any (0F99B1FC) at waypoint 15 (cell 96, 139).
2. Supply reinforcement team !Rocketeer (3) - Vehicles (09F724E0) at waypoint 49 (cell 131, 46).
3. Supply reinforcement team !Rocketeer (5) - Vehicles, BatLab (0922F6FC) at waypoint 17 (cell 61, 146).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5293, Events line 5357, Actions line 5421.

21. Tank/Harrier/Rkt - 08E00450

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E06CC0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply chrono reinforcement team !Tank Team (4) - Def,Power (0EF6F43C) at waypoint 11 (cell 69, 125).
2. Supply reinforcement team !Harriers (4) - Power (0B135DEC) at waypoint 15 (cell 96, 139).
3. Supply reinforcement team !Rocketeer (3) - Buildings, Any (0F99B1FC) at waypoint 49 (cell 131, 46).
4. Supply reinforcement team !Rocketeer (3) - Buildings, Any (0F99B1FC) at waypoint 17 (cell 61, 146).
5. Display message “Another Allied force has entered the Chronosphere” (MISSION:Sov07e).
6. Play voice notification Mis_S7_SofiaChrono2.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5294, Events line 5358, Actions line 5422.

22. GI/IFV/Solar - 0A7DC080

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7DC730 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1600 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply chrono reinforcement team !IFV (2) - Veh,Any (0F8BA20C) at waypoint 67 (cell 61, 64).
2. Supply reinforcement team !GI Rush (10) - Power (0EF6C21C) at waypoint 28 (cell 105, 53).
3. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 29 (cell 126, 63).
4. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 30 (cell 113, 65).
5. Supply chrono reinforcement team !Solar (6) - Fact,Ref,BattleLab (0EF74C8C) at waypoint 36 (cell 42, 91).
6. Display message “Another Allied force has entered the Chronosphere” (MISSION:Sov07e).
7. Play voice notification Mis_S7_SofiaChrono2.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5295, Events line 5359, Actions line 5423.

23. GI/Harriers - 0A7DBB40

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7DB990 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1670 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply chrono reinforcement team !IFV (2) - Veh,Any (0F8BA20C) at waypoint 51 (cell 80, 56).
2. Supply reinforcement team !Harriers (5) - Refinery (0922B1FC) at waypoint 15 (cell 96, 139).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5296, Events line 5360, Actions line 5424.

24. 2Snipers - 0A7DB8D0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7DB680 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2000 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Sniper - Inf (0EF6BB7C) at waypoint 26 (cell 99, 20).
2. Supply reinforcement team !Sniper - Inf (0EF6BB7C) at waypoint 36 (cell 42, 91).
3. Display message “Another Allied force has entered the Chronosphere” (MISSION:Sov07e).
4. Play voice notification Mis_S7_SofiaChrono2.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5297, Events line 5361, Actions line 5425.

25. Eng/Rkt/GI-IFV - 0A7C80E0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7CA090 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2050 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Engineer (3), GI (10) - Battle Lab (0DE5F1DC) at waypoint 45 (cell 100, 35).
2. Supply reinforcement team !Rocketeer (5) - Vehicles (09F7E100) at waypoint 49 (cell 131, 46).
3. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 37 (cell 48, 86).
4. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 75 (cell 50, 91).
5. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 35 (cell 42, 80).
6. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 36 (cell 42, 91).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5298, Events line 5362, Actions line 5426.

26. Engineers - 0A825E30

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A826F40 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2100 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Engineer (4), GIs (10) - Battle Lab (0DE5DEFC) at waypoint 35 (cell 42, 80).
2. Supply chrono reinforcement team !Engineer/IFV 1 (0EF7432C) at waypoint 35 (cell 42, 80).
3. Supply chrono reinforcement team !Engineer/IFV 1 (0EF7432C) at waypoint 26 (cell 99, 20).
4. Supply chrono reinforcement team !Engineer/IFV 2 (0EF75C8C) at waypoint 86 (cell 103, 27).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5299, Events line 5363, Actions line 5427.

27. GI-IFV/Solar/Tanks - 08E10B10

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E10660 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2160 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply chrono reinforcement team !GI/IFV Combo - Inf, Battle Lab (0B2A38EC) at waypoint 37 (cell 48, 86).
2. Supply chrono reinforcement team !Solar (6) - Fact,Ref,BattleLab (0EF74C8C) at waypoint 29 (cell 126, 63).
3. Supply chrono reinforcement team !GI/IFV Combo - Inf, Buildings Any (0B2A580C) at waypoint 75 (cell 50, 91).
4. Supply chrono reinforcement team !Tank Team (4) - Def,Any (0C32E21C) at waypoint 30 (cell 113, 65).
5. Supply chrono reinforcement team !Tank Team (4) - Def,Power (0EF6F43C) at waypoint 32 (cell 96, 120).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5300, Events line 5364, Actions line 5428.

28. Spies - 08E10420

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E10270 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2450 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 35 (cell 42, 80).
2. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 37 (cell 48, 86).
3. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 26 (cell 99, 20).
4. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 86 (cell 103, 27).
5. Display message “The final Allied troops have entered the Chronosphere” (MISSION:Sov07f).
6. Play voice notification Mis_S7_SofiaChrono3.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5301, Events line 5365, Actions line 5429.

29. Massive Last Attempt - 08E14EC0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F0AF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2550 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Rocketeer (5) - Vehicles, BatLab (0922F6FC) at waypoint 49 (cell 131, 46).
2. Supply reinforcement team !Harriers (6) - Battle Lab (0922F35C) at waypoint 15 (cell 96, 139).
3. Enable and reset applicable timers for PlayerWin1 (0A7F7830).
4. Supply chrono reinforcement team !Tank Team (6) - Def, Battle Lab (0EF7124C) at waypoint 36 (cell 42, 91).
5. Supply chrono reinforcement team !GI/IFV Combo - Inf, Battle Lab (0B2A38EC) at waypoint 75 (cell 50, 91).
6. Supply chrono reinforcement team !Tank Team (4) - Def,Power (0EF6F43C) at waypoint 37 (cell 48, 86).
7. Supply chrono reinforcement team !Solar (6) - Fact,Ref,BattleLab (0EF74C8C) at waypoint 32 (cell 96, 120).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5302, Events line 5366, Actions line 5430.

30. SupplyTrucks - 09A02880

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A026B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1800 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team SupplyTrucks (0AE23310) at waypoint 18 (cell 80, 19).
2. Play sound MCVMoveStart at waypoint 52 (cell 84, 26).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5303, Events line 5367, Actions line 5431.

31. SuppliesArrived - 08970E20

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08970AD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (SuppliesArrived) is set.

Then perform these actions in order:

1. Supply reinforcement team TraitorousSoviets (0E003EFC) at waypoint 77 (cell 136, 69).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5304, Events line 5368, Actions line 5432.

32. Spies - 08A65240

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A665C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 26 (cell 99, 20).
2. Enable and reset applicable timers for Hint-Spies(Movie) (0C60D48C).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5305, Events line 5369, Actions line 5433.

33. Hint-Spies(Movie) - 0C60D48C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Spies (08A65240).

Attached scope: tag definitions 0C60E23C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 109.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5306, Events line 5370, Actions line 5434.

34. MusterAnyStuckForces - 096512B0

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BA6CE50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2700 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5307, Events line 5371, Actions line 5435.

35. LabCaptured - 096C55C0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LabDestroyed (0A7F6220).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
2. Display message “CRITICAL STRUCTURE LOST: Our Battle Lab has been captured” (MISSION:Sov07h).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5308, Events line 5372, Actions line 5436.

36. LabSpied - 096C4DF0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LabCaptured (096C55C0).

Attached scope: Soviet Battle Lab (NATECH), owner Player House, cell (76, 65), tag 0A7F7D80, persistence mode 0.

Wait for the recorded events:

1. Spied upon. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
2. Display message “CRITICAL STRUCTURE LOST: Spies have infiltrated our Battle Lab” (MISSION:Sov07i).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5309, Events line 5373, Actions line 5437.

37. !DeliverObjective - 0AE532FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE50F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Defend your Battle Lab against waves of Allied attackers” (MISSION:Sov07a).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5310, Events line 5374, Actions line 5438.

38. Rocketeers - 0CB987EC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CB9870C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Rocketeer (3) - Buildings, Any (0F99B1FC) at waypoint 15 (cell 96, 139).
2. Supply reinforcement team !Rocketeer (4) - Flak,BaseDef (0C48218C) at waypoint 17 (cell 61, 146).
3. Supply reinforcement team !Rocketeer (3) - BaseDef,BatLab (0EF6EDEC) at waypoint 49 (cell 131, 46).
4. Supply reinforcement team !Rocketeer (3) - Vehicles (09F724E0) at waypoint 76 (cell 158, 74).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5311, Events line 5375, Actions line 5439.

39. AmbientSounds1 - 04005E8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04005B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 41 (cell 124, 101).
2. Play sound _Amb_WavesLake at waypoint 42 (cell 115, 113).
3. Play sound _Amb_WavesLake at waypoint 40 (cell 73, 92).

4. Play sound _Amb_River at waypoint 20 (cell 31, 109).
5. Play sound _Amb_River at waypoint 21 (cell 44, 109).
6. Play sound _Amb_River at waypoint 22 (cell 50, 107).
7. Play sound _Amb_River at waypoint 23 (cell 55, 104).
8. Play sound _Amb_River at waypoint 24 (cell 59, 101).
9. Play sound _Amb_River at waypoint 25 (cell 65, 99).
10. Enable player input.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5312, Events line 5376, Actions line 5440.

40. AmbientSounds2 - 040052DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0400518C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 34 (cell 52, 132).
2. Play sound _Amb_WindCold at waypoint 33 (cell 76, 133).
3. Play sound _Amb_WindCold at waypoint 37 (cell 48, 86).
4. Play sound _Amb_WindCold at waypoint 43 (cell 53, 73).
5. Play sound _Amb_WindCold at waypoint 44 (cell 70, 96).
6. Play sound _Amb_WindCold at waypoint 38 (cell 92, 93).
7. Play sound _Amb_WindCold at waypoint 27 (cell 103, 110).
8. Play sound _Amb_WindCold at waypoint 39 (cell 114, 91).
9. Play sound _Amb_WindCold at waypoint 26 (cell 99, 20).
10. Play sound _Amb_WindCold at waypoint 28 (cell 105, 53).
11. Play sound _Amb_WindCold at waypoint 30 (cell 113, 65).
12. Play sound _Amb_WindCold at waypoint 29 (cell 126, 63).
13. Play sound _Amb_WindCold at waypoint 45 (cell 100, 35).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5313, Events line 5377, Actions line 5441.

41. AmbientSounds3 - 080866CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080822EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsNightOwl at waypoint 35 (cell 42, 80).
2. Play sound _Amb_BirdsNightOwl at waypoint 46 (cell 126, 83).
3. Play sound _Amb_WindCold at waypoint 47 (cell 64, 46).
4. Play sound _Amb_WindCold at waypoint 48 (cell 60, 134).
5. Play sound _Amb_WindCold at waypoint 50 (cell 72, 136).
6. Play sound _Amb_BirdsNightOwl at waypoint 73 (cell 90, 83).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5314, Events line 5378, Actions line 5442.

42. CapturedOutpost - 0B4355BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Outpost (CAOUTP), owner Other3 House, cell (112, 42), tag 0B4354DC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team OutpostGuards (0B4352BC) at waypoint 64 (cell 111, 45).
2. Supply reinforcement team OutpostGuards (0B4352BC) at waypoint 65 (cell 110, 40).
3. Supply reinforcement team OutpostGuards (0B4352BC) at waypoint 66 (cell 115, 41).
4. Supply reinforcement team OutpostGuards (0B4352BC) at waypoint 63 (cell 115, 46).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5315, Events line 5379, Actions line 5443.

43. HouseCrate1 - 0B44B9DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barn (CABARN02), owner Civie1 House, cell (21, 97), tag 0B44B50C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 9 at waypoint 83 (cell 22, 95).
2. Play sound Bonus at waypoint 83 (cell 22, 95).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5316, Events line 5380, Actions line 5444.

44. HouseCrate2 - 0B44CDBC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE01), owner Civie1 House, cell (28, 87), tag 0B44CBBC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 81 (cell 25, 85).
2. Play sound Bonus at waypoint 81 (cell 25, 85).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5317, Events line 5381, Actions line 5445.

45. Hint-Apocalypse part2 - 07F5B5AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hint-Apocalypse part1 (07F3505C).

Attached scope: tag definitions 07F48F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_Apocalypse.
2. Switch the sidebar to tab 3.
3. Flash cameo/type 302; additional configured duration/location argument 150.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5318, Events line 5382, Actions line 5446.

46. Hint-Apocalypse part1 - 07F3505C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F3D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Hint-Apocalypse part2 (07F5B5AC).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5319, Events line 5383, Actions line 5447.

47. Harriers/Prism-HardOnly - 0A2487CC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A2514AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2550 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Harriers (4) - Power (0B135DEC) at waypoint 17 (cell 61, 146).
2. Supply chrono reinforcement team !Solar (6) - Fact,Ref,BattleLab (0EF74C8C) at waypoint 27 (cell 103, 110).
3. Supply chrono reinforcement team !Solar (3) - Veh,Def,Fact,Any (0EF751FC) at waypoint 0 (cell 137, 84).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5320, Events line 5384, Actions line 5448.

48. GI/Prism-DiffOnly - 0A252C6C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A25334C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2160 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !GI Rush (10) - Power (0EF6C21C) at waypoint 26 (cell 99, 20).
2. Supply chrono reinforcement team !Solar (6) - Fact,Ref,BattleLab (0EF74C8C) at waypoint 45 (cell 100, 35).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5321, Events line 5385, Actions line 5449.

49. Crate-Tent1 - 088D420C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Army Tents (CAARMY01), owner Civie1 House, cell (131, 65), tag 088D359C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 71 (cell 133, 66).
2. Play sound Bonus at waypoint 71 (cell 133, 66).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5322, Events line 5386, Actions line 5450.

50. Crate-Tent2 - 088D4F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Army Tents (CAARMY01), owner Civie1 House, cell (139, 62), tag 088D4E5C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 72 (cell 141, 63).
2. Play sound Bonus at waypoint 72 (cell 141, 63).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5323, Events line 5387, Actions line 5451.

51. 1st Timer - 08A5D06C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5EF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 135 configured time units.
2. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).
3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5324, Events line 5388, Actions line 5452.

52. 2nd Timer - 08A5EA6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5E98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 400 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 250 configured time units.
2. Start the visible mission timer.
3. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5325, Events line 5389, Actions line 5453.

53. 3rd Timer - 08A5E20C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5E12C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 900 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 250 configured time units.
2. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).
3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5326, Events line 5390, Actions line 5454.

54. 4th Timer - 08A5FD2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5FC4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1350 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 250 configured time units.
2. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).
3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5327, Events line 5391, Actions line 5455.

55. 5th Timer - 08A5F94C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5F86C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1750 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 250 configured time units.
2. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).

3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5328, Events line 5392, Actions line 5456.

56. 6th Timer - 08A5E59C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A5E4BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2200 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Set the mission timer to 250 configured time units.
2. Use countdown label “Enemy Forces Arriving In:” (MISSION:Sov07l).
3. Start the visible mission timer.

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5329, Events line 5393, Actions line 5457.

57. GIs-Solar--M/H Only - 0C3E0E5C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C3E0D7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2550 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !GI Rush (10) - Buildings, Any (0EF7093C) at waypoint 26 (cell 99, 20).
2. Supply chrono reinforcement team !Solar (4) - Veh,Def,Fact,Any (0C2AF7DC) at waypoint 45 (cell 100, 35).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5330, Events line 5394, Actions line 5458.

58. Spies - 0FBD96BC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FBD95DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 650 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 34 (cell 52, 132).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5331, Events line 5395, Actions line 5459.

59. Spies - 0FBD8E6C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FBD8D1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Radar (0EF671FC) at waypoint 52 (cell 84, 26).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5332, Events line 5396, Actions line 5460.

60. Spies - 0FBD8B7C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FBD8A9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2050 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team !Spy (1) - Radar (0EF6FB7C) at waypoint 35 (cell 42, 80).
2. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 26 (cell 99, 20).
3. Supply reinforcement team !Spy (1) - Power (0EF6D6CC) at waypoint 86 (cell 103, 27).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5333, Events line 5397, Actions line 5461.

61. MakeBG1Hate - 0FD6B8DC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FD6B32C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5334, Events line 5398, Actions line 5462.

62. MakeBG2Hate - 0FD6B23C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FD6B03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov07s.map; Triggers line 5335, Events line 5399, Actions line 5463.

All team rosters and ordered plans | All mission overrides

Operation: Chrono Defense - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov07s.map; each team/script ID identifies its section.

Propaganda Truck - 0B12F93C

Owner: Other1. Roster: 1 × Propaganda Truck (PROPA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: A.

Ordered plan: PropTruckRoute (092201AC).

1. Move to waypoint: waypoint 0 (cell 137, 84).
2. Move to waypoint: waypoint 1 (cell 128, 91).
3. Move to waypoint: waypoint 2 (cell 112, 75).
4. Move to waypoint: waypoint 3 (cell 106, 84).
5. Move to waypoint: waypoint 4 (cell 106, 92).
6. Move to waypoint: waypoint 5 (cell 105, 98).
7. Move to waypoint: waypoint 6 (cell 95, 105).
8. Move to waypoint: waypoint 7 (cell 94, 111).
9. Move to waypoint: waypoint 8 (cell 89, 116).
10. Move to waypoint: waypoint 9 (cell 83, 117).
11. Move to waypoint: waypoint 10 (cell 79, 114).
12. Move to waypoint: waypoint 11 (cell 69, 125).
13. Move to waypoint: waypoint 12 (cell 47, 124).
14. Move to waypoint: waypoint 13 (cell 45, 126).
15. Move to waypoint: waypoint 14 (cell 39, 121).
16. Set local flag: local flag 0 (PropTruckArrived).
17. Move to waypoint: waypoint 78 (cell 38, 97).
18. Move to waypoint: waypoint 79 (cell 38, 91).
19. Move to waypoint: waypoint 80 (cell 32, 85).
20. Move to waypoint: waypoint 81 (cell 25, 85).
21. Move to waypoint: waypoint 82 (cell 20, 89).
22. Move to waypoint: waypoint 83 (cell 22, 95).
23. Move to waypoint: waypoint 84 (cell 28, 99).
24. Move to waypoint: waypoint 85 (cell 33, 97).
25. Jump to script line; configured argument 17.

ConvertedSoviets1 - 0C13F1FC

Owner: Civilian1. Roster: 3 × Civilian (CIVSFM); 3 × Civilian (CIVSF); 3 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: ChangeHouse (0C178DBC).

1. Change country ownership; configured argument 14.

!Sniper - Inf - 0EF6BB7C

Owner: BadGuy1. Roster: 1 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: SnipeInfantry (0EF6B90C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

!Sniper/GI Squad - Inf - 0EF6B6CC

Owner: BadGuy1. Roster: 1 × Sniper (SNIPE); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: AntiPersonnelSquad (0EF6B45C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

!Tank Team (4) - Def,Any - 0C32E21C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: AttackBaseDef,Any (0EF6CDBC).

1. Attack selected enemy-building category; configured argument 67.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!GI/IFV Combo - Factory, ConYard - 0B299B7C

Owner: BadGuy1. Roster: 1 × IFV (FV); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 8; Veteran Level: 1; Technology level: 0.

Ordered plan: Factory/ConYard Attack (0B29990C).

1. Unload with continuation mode: transport and passengers continue.
2. Load transport.
3. Seek/attack target category; configured argument 6.
4. Attack selected enemy-building category; configured argument 25.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!Rocketeer (3) - Vehicles - 09F724E0

Owner: BadGuy1. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: VehicleAttack (0A6C1DE0).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 1.

!GI Rush (10) - Power - 0EF6C21C

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: GI Rush1 (0EF6DDBC).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Rocketeer (2) - BattleLab - 0EF6DB7C

Owner: BadGuy1. Roster: 2 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: RktAttackBattleLab1 (0B2F3A5C).

1. Attack selected enemy-building category; configured argument 131082.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Spy (1) - Power - 0EF6D6CC

Owner: BadGuy2. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 8; Veteran Level: 1; Technology level: 0.

Ordered plan: SpyOnPower (0EF6D45C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 13.
5. Attack selected enemy-building category; configured argument 15.
6. Seek/attack target category; configured argument 2.

!GI Rush (5) - Power - 0EF6D21C

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: GI Rush1 (0EF6DDBC).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Rocketeer (3) - BaseDef,BatLab - 0EF6EDEC

Owner: BadGuy1. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: RktBaseDef,BattleLab (0B2F37EC).

1. Seek/attack target category; configured argument 7.
2. Attack selected enemy-building category; configured argument 131082.

3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Harriers (2) - Factories - 0A0A4420

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: HarrierAttackFact (0A0A41C0).

1. Seek/attack target category; configured argument 6.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.
4. Move to waypoint: waypoint 15 (cell 96, 139).
5. Delete team objects.

!Tank Team (4) - Def,Refinery - 0EF6E59C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackDef,Refine (0EF6E32C).

1. Seek/attack target category; configured argument 7.
2. Attack selected enemy-building category; configured argument 15.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Rocketeer (8) - Vehicles,ConYard,Power - 08DF411C

Owner: BadGuy1. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackVehicles2 (08DF5DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131097.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 131082.
6. Seek/attack target category; configured argument 1.

!Spy (1) - Radar - 0EF6FB7C

Owner: BadGuy2. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackRadar/Power (0EF6F90C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Attack selected enemy-building category; configured argument 13.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 15.
6. Seek/attack target category; configured argument 2.

!Rocketeer (3) - Buildings, Any - 0F99B1FC

Owner: BadGuy1. Roster: 3 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: RktAttackBuildings, Any (0F99CDBC).

1. Scatter.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

!Tank Team (4) - Def,Power - 0EF6F43C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackDef,Power (0EF6F1CC).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

!Spy (1) - Radar - 0EF671FC

Owner: BadGuy2. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackRadar/Power (0EF6F90C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Attack selected enemy-building category; configured argument 13.
4. Seek/attack target category; configured argument 9.
5. Attack selected enemy-building category; configured argument 15.
6. Seek/attack target category; configured argument 2.

!Harriers (5) - Refinery - 0922B1FC

Owner: BadGuy1. Roster: 5 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: HarrierRefineryAttack1 (0922DB7C).

1. Attack selected enemy-building category; configured argument 15.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.
4. Move to waypoint: waypoint 15 (cell 96, 139).
5. Delete team objects.

!GI Rush (10) - Buildings, Any - 0EF7093C

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: InfAttackBuildgs,Any (0EF706CC).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

!GI/IFV Combo - Inf, Buildings Any - 0B2A580C

Owner: BadGuy1. Roster: 1 × IFV (FV); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Infantry, Buildings Any (0B2A559C).

1. Unload with continuation mode: transport and passengers continue.
2. Load transport.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

!Engineer (3), GI (10) - Battle Lab - 0DE5F1DC

Owner: BadGuy1. Roster: 3 × Engineer (ENGINEER); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBattleLab1 (0DE5EB4C).

1. Guard for interval; configured argument 80.
2. Attack selected enemy-building category; configured argument 9.
3. Attack selected enemy-building category; configured argument 10.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!Snipers (3) - Inf - 0EF71DEC

Owner: BadGuy1. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Infantry, BaseDef (0EF71B7C).

1. Guard for interval; configured argument 80.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

!Rocketeer (5) - Vehicles - 09F7E100

Owner: BadGuy1. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: VehicleAttack (0A6C1DE0).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 1.

!Engineer (4), GIs (10) - Battle Lab - 0DE5DEFC

Owner: BadGuy1. Roster: 10 × GI (E1); 4 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBattleLab2 (0DE5DC8C).

1. Guard for interval; configured argument 80.
2. Attack selected enemy-building category; configured argument 15.

3. Attack selected enemy-building category; configured argument 10.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

!Tank Team (6) - Def, Battle Lab - 0EF7124C

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDef, Battle Lab (0EF6EB7C).

1. Seek/attack target category; configured argument 7.
2. Attack selected enemy-building category; configured argument 10.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Rocketeer (5) - Vehicles, BatLab - 0922F6FC

Owner: BadGuy1. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles, Battle Lab (0922F48C).

1. Seek/attack target category; configured argument 5.
2. Attack selected enemy-building category; configured argument 10.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Harriers (6) - Battle Lab - 0922F35C

Owner: BadGuy1. Roster: 6 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: HarrierAttackBattleLab (0925753C).

1. Attack selected enemy-building category; configured argument 10.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

!GI/IFV Combo - Inf, Battle Lab - 0B2A38EC

Owner: BadGuy1. Roster: 1 × IFV (FV); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Infantry, Battle Lab (0B2A367C).

1. Unload with continuation mode: transport and passengers continue.
2. Load transport.
3. Seek/attack target category; configured argument 4.
4. Attack selected enemy-building category; configured argument 10.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

SupplyTrucks - 0AE23310

Owner: Other1. Roster: 3 × Truck (loaded) (TRUCKB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: SuppliesToCamp (0955417C).

1. Move to waypoint: waypoint 52 (cell 84, 26).
2. Move to waypoint: waypoint 53 (cell 88, 31).
3. Move to waypoint: waypoint 54 (cell 90, 39).
4. Move to waypoint: waypoint 55 (cell 92, 40).
5. Move to waypoint: waypoint 56 (cell 94, 55).
6. Move to waypoint: waypoint 57 (cell 97, 56).
7. Move to waypoint: waypoint 58 (cell 101, 60).
8. Move to waypoint: waypoint 59 (cell 104, 67).
9. Move to waypoint: waypoint 60 (cell 116, 79).
10. Move to waypoint: waypoint 61 (cell 121, 82).
11. Move to waypoint: waypoint 62 (cell 124, 87).
12. Move to waypoint: waypoint 1 (cell 128, 91).
13. Move to waypoint: waypoint 0 (cell 137, 84).
14. Move to waypoint: waypoint 77 (cell 136, 69).
15. Scatter.
16. Set facing; configured argument 2.
17. Set local flag: local flag 2 (SuppliesArrived).

TraitorousSoviets - 0E003EFC

Owner: BadGuy2. Roster: 6 × Technician (CTECH); 5 × GI (E1); 2 × Civilian (CIVSFM); 1 × Civilian (CIVSTM); 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: TraitorInfantry (0E003C8C).

1. Scatter.
2. Move to waypoint: waypoint 3 (cell 106, 84).
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

!Harriers (4) - Power - 0B135DEC

Owner: BadGuy1. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: HarriersPower (095882DC).

1. Seek/attack target category; configured argument 9.
2. Seek/attack target category; configured argument 5.
3. Move to waypoint: waypoint 15 (cell 96, 139).
4. Delete team objects.

!Solar (4) - Veh,Def,Fact,Any - 0C2AF7DC

Owner: BadGuy1. Roster: 4 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles,Def,Fact,Any (0EF74DBC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 1.

!Solar (6) - Fact,Ref,BattleLab - 0EF74C8C

Owner: BadGuy1. Roster: 6 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Fact,Ref,BattleLab (0EF74A1C).

1. Seek/attack target category; configured argument 6.
2. Attack selected enemy-building category; configured argument 15.
3. Attack selected enemy-building category; configured argument 10.
4. Seek/attack target category; configured argument 1.

!Rocketeer (4) - Flak,BaseDef - 0C48218C

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackFlak,BaseDef,Vehicles,Any (0C4873DC).

1. Attack selected enemy-building category; configured argument 67.
2. Attack selected enemy-building category; configured argument 67.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

!Engineer/IFV 1 - 0EF7432C

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0.

Ordered plan: EngineerWarFactory (0B2A132C).

1. Unload with continuation mode: transport and passengers continue.
2. Load transport.
3. Approach selected enemy-building category; configured argument 14.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Attack selected enemy-building category; configured argument 14.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.

!Engineer/IFV 2 - 0EF75C8C

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0.

Ordered plan: EngineerBarracks (0EF75A1C).

1. Unload with continuation mode: transport and passengers continue.
2. Load transport.
3. Approach selected enemy-building category; configured argument 11.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Attack selected enemy-building category; configured argument 11.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.

OutpostGuards - 0B4352BC

Owner: Player. Roster: 1 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GuardOutpost (0B4377DC).

1. Adopt object mission: area guard.

!Tank Team (2) - Def,Any - 0EF7543C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,Any (0EF6CDBC).

1. Attack selected enemy-building category; configured argument 67.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

!Solar (3) - Veh,Def,Fact,Any - 0EF751FC

Owner: BadGuy1. Roster: 3 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles,Def,Fact,Any (0EF74DBC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 1.

!Solar Hint (3) - Veh,Def,Fact,Any - 0C1C046C

Owner: BadGuy1. Roster: 3 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles,Def,Fact,Any (0EF74DBC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 1.

TownRefill - 0884B39C

Owner: Civilian1. Roster: 3 × Civilian (CIVSFM); 3 × Civilian (CIVSF); 3 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: GoToTown (0884B12C).

1. Move to waypoint: waypoint 19 (cell 28, 91).
2. Scatter.
3. Adopt object mission: area guard.

ConvertedSoviets2 - 0C24C7EC

Owner: BadGuy1. Roster: 3 × Civilian (CIVSFM); 3 × Civilian (CIVSF); 3 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: AngryMobAttack (086C40AC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 1.

!IFV (2) - Veh,Any - 0F8BA20C

Owner: BadGuy1. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackVeh,BuildAny,Any (0D55EDBC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

Operation: Chrono Defense - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov07s.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Chrono Reinf Delay	140	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-10000	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	50,50,50	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	32	15
War Miner (HARV)	Resource cargo capacity	20	18
Chrono Miner (CMIN)	Resource cargo capacity	10	21
TIBERIUMS (TIBERIUMS)	0	Riparius	24
TIBERIUMS (TIBERIUMS)	1	Cruentus	25
TIBERIUMS (TIBERIUMS)	2	Vinifera	26
TIBERIUMS (TIBERIUMS)	3	Aboreus	27
Tiberium Riparius (RIPARIUS)	Value	50	30
Tiberium Cruentus (CRUENTUS)	Value	100	33
Tiberium Vinifera (VINIFERA)	Value	50	36
Tiberium Aboreus (ABOREUS)	Value	50	39
SPECIALFLAGS	Tiberium Grows	yes	42
SPECIALFLAGS	Tiberium Spreads	yes	43
SPECIALFLAGS	Tiberium Explosive	no	44
SPECIALFLAGS	Destroyable Bridges	no	45
SPECIALFLAGS	MCV Deploy	no	46
SPECIALFLAGS	Initial Veteran	no	47
SPECIALFLAGS	Fixed Alliance	no	48
SPECIALFLAGS	Harvester Immune	no	49
SPECIALFLAGS	Fog Of War	no	50
SPECIALFLAGS	Inert	no	51
SPECIALFLAGS	Ion Storms	no	52
SPECIALFLAGS	Meteorites	no	53
SPECIALFLAGS	Visceroids	no	54
COUNTRIES (COUNTRIES)	0	Player	57
COUNTRIES (COUNTRIES)	1	BadGuy1	58
COUNTRIES (COUNTRIES)	2	BadGuy2	59

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	3	BadGuy3	60
COUNTRIES (COUNTRIES)	4	Civilian1	61
COUNTRIES (COUNTRIES)	5	Other1	62
COUNTRIES (COUNTRIES)	6	Other2	63
COUNTRIES (COUNTRIES)	7	Other3	64
PISTOLA (PISTOLA)	Damage	8	144
PISTOLA (PISTOLA)	ROF	20	145
PISTOLA (PISTOLA)	Range	3	146
PISTOLA (PISTOLA)	Projectile	InvisibleLow	147
PISTOLA (PISTOLA)	Movement rating	100	148
PISTOLA (PISTOLA)	Warhead	SA	149
PISTOLA (PISTOLA)	Report	CivAttack	150
CRATERULES (CRATERULES)	Solo Crate Money	5000	153
CRATERULES (CRATERULES)	Wood Crate	Money	154
POWERUPS (POWERUPS)	Armor class	20,ARMOR,yes,1.5	167
POWERUPS (POWERUPS)	Firepower	20,FIREPOWR,yes,2.0	168
POWERUPS (POWERUPS)	Heal Base	0,HEALALL,yes	169
POWERUPS (POWERUPS)	Money	100,MONEY,yes,2000	170
POWERUPS (POWERUPS)	Reveal	0,REVEAL,yes	171
POWERUPS (POWERUPS)	Movement rating	20,SPEED,yes,1.2	172
POWERUPS (POWERUPS)	Veteran	10,VETERAN,yes,1	173
POWERUPS (POWERUPS)	Unit	0,<none>,no	174
POWERUPS (POWERUPS)	Invulnerability	0,ARMOR,yes,1.0	176
POWERUPS (POWERUPS)	Ion Storm	0,<none>,yes	177
POWERUPS (POWERUPS)	Gas	0,<none>,yes,100	178
POWERUPS (POWERUPS)	Tiberium	0,<none>,no	179
POWERUPS (POWERUPS)	Pod	0,<none>,no	180
POWERUPS (POWERUPS)	Cloak	0,CLOAK,yes	181
POWERUPS (POWERUPS)	Darkness	0,SHROUDX,yes	182
POWERUPS (POWERUPS)	Explosion	0,<none>,yes,500	183
POWERUPS (POWERUPS)	ICBM	0,CHEMISLE,yes	184
POWERUPS (POWERUPS)	Napalm	0,<none>,no,600	185
POWERUPS (POWERUPS)	Squad	0,<none>,no	186
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2200	193
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	194
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.25	195
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.25	196
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.00	197

Object/system	Property	Mission value	Source line
Invisible Purple Light Post (INPURPLAMP)	Local light reach	1800	200
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.001	201
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.3	202
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.05	203
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.5	204
Soviet Battle Lab (NATECH)	Technology level	-1	207
Soviet Battle Lab (NATECH)	Selling forbidden	true	208
Soviet Battle Lab (NATECH)	Name	Soviet Battle Lab	209
Soviet Battle Lab (NATECH)	Starting health capacity	750	210
Soviet Battle Lab (NATECH)	Armor class	concrete	211
Soviet Shipyard (NAYARD)	Technology level	-1	214
Technician (CTECH)	Primary	Pistola	217
Technician (CTECH)	Insignificant-object flag	no	218
Technician (CTECH)	Ammo	100	219
Technician (CTECH)	Reload	80	220
Civilian (CIVSFM)	Name	Civilian Snow Fat Male	223
Civilian (CIVSFM)	Armor class	none	224
Civilian (CIVSFM)	Primary	Pistola	225
Civilian (CIVSFM)	Insignificant-object flag	no	226
Civilian (CIVSFM)	Ammo	100	227
Civilian (CIVSFM)	Sight radius setting	2	228
Civilian (CIVSFM)	Movement rating	4	229
Civilian (CIVSFM)	Fraidycat	yes	230
Civilian (CIVSFM)	Civilian	yes	231
Civilian (CIVSFM)	Nominal	yes	232
Civilian (CIVSF)	Name	Civilian Snow Female	235
Civilian (CIVSF)	Armor class	none	236
Civilian (CIVSF)	Primary	Pistola	237
Civilian (CIVSF)	Insignificant-object flag	no	238
Civilian (CIVSF)	Ammo	100	239
Civilian (CIVSF)	Sight radius setting	2	240
Civilian (CIVSF)	Movement rating	4	241
Civilian (CIVSF)	Fraidycat	yes	242
Civilian (CIVSF)	Civilian	yes	243
Civilian (CIVSF)	Nominal	yes	244
Civilian (CIVSTM)	Name	Civilian Snow Thin Male	247
Civilian (CIVSTM)	Armor class	none	248
Civilian (CIVSTM)	Primary	Pistola	249

Object/system	Property	Mission value	Source line
Civilian (CIVSTM)	Insignificant-object flag	no	250
Civilian (CIVSTM)	Ammo	100	251
Civilian (CIVSTM)	Sight radius setting	2	252
Civilian (CIVSTM)	Movement rating	4	253
Civilian (CIVSTM)	Fraidycat	yes	254
Civilian (CIVSTM)	Civilian	yes	255
Civilian (CIVSTM)	Nominal	yes	256
Engineer (ENGINEER)	Technology level	-1	259
Attack Dog (ADOG)	Technology level	-1	262
Yuri (YURI)	Technology level	-1	265
Propaganda Truck (PROPA)	Name	RA2 Propaganda Truck	268
Propaganda Truck (PROPA)	Carries Crate	yes	269
Truck (loaded) (TRUCKB)	Name	Truck (loaded)	272
Truck (loaded) (TRUCKB)	Carries Crate	yes	273
VARIABLENAMES (VARIABLENAMES)	0	PropTruckArrived,0	314
VARIABLENAMES (VARIABLENAMES)	1	CitizensArrived,0	315
VARIABLENAMES (VARIABLENAMES)	2	SuppliesArrived,0	316
VARIABLENAMES (VARIABLENAMES)	3	CitizensGathered,0	317

Operation: Desecration

Campaign reading guide | Engine

Operation: Desecration

sov08u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Vlad2 House (78)
- Civilian1 House (76)
- Vlad1 House (26)
- Player House (16)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CAWASH01
2. NAPSYB

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov08u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov08u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov08u.map. **Effective extracted member:** MAPS02.MIX/sov08u.map. **Trigger definitions:** 35.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,95,88
Visible local rectangle	18,4,74,70
Placed vehicles	25
Placed infantry	56
Placed structures	115
Placed aircraft	0
Team templates	36

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	Vlad1 House	300	Vlad1
2	Vlad2 House	200	Vlad2
3	CivilianArmy House	100	CivilianArmy
4	Civilian1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Bridge1Open,0
1	Bridge2Open,1
2	Bridge3Open,0
3	VladSoldBase,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerLoss (0C2152A0)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
WhiteHouseTaken2 (08012920)	9 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. PlayerLoss - 0C2152A0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C214BE0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5233, Events line 5270, Actions line 5307.

2. WHCaptured - 0C214B00

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for WhiteHouseTaken2 (08012920).
2. Reveal terrain around waypoint 21 (cell 100, 19).
3. Disable RepeatObjective (0856B86C).
4. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Enable and reset applicable timers for CheerMore (0B538DFC).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5234, Events line 5271, Actions line 5308.

3. WhiteHouseTaken2 - 08012920

Owner reference: Vlad1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WHCaptured (0C214B00); enable from WHDestroyed (0965C050).

Attached scope: tag definitions 08012A00 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5235, Events line 5272, Actions line 5309.

4. RepeatObjective - 0856B86C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from !!DeliverObjective (07DB14FC).

Attached scope: tag definitions 0856CEDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Capture the White House so we can apprehend the traitor Vladimir” (MISSION:Sov08a).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5236, Events line 5273, Actions line 5310.

5. CheerMore - 0B538DFC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WHCaptured (0C214B00); enable from WHDestroyed (0965C050).

Attached scope: tag definitions 0B538A5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5237, Events line 5274, Actions line 5311.

6. Send Scouts - 09EE5AB0

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09EE55E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Scouts1 (0BF1CB5C) at waypoint 22 (cell 91, 10).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5238, Events line 5275, Actions line 5312.

7. Vlad1 Production - 0A7AEF40

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A7AEC30 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 14 (country/type VLAD1; placed owner Vlad1 House).
3. AI triggers begin: owner selector 14 (country/type VLAD1; placed owner Vlad1 House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5239, Events line 5276, Actions line 5313.

8. StartPatrols - 0E177CD0

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E177800 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ConscriptPatrol (0FBB359C).
2. Supply reinforcement team ShockPatrol (08837EFC) at waypoint 0 (cell 111, 121).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5240, Events line 5277, Actions line 5314.

9. DesolatorSquad - 0B83E7A0

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B83E300 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 600 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team HarrassInfantry (0A11C93C).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5241, Events line 5278, Actions line 5315.

10. BeaconDestroyed - 0E0F0110

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E0F1280 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for BeaconDestroyed2 (0E0F10D0).
2. Enable and reset applicable timers for BeaconDestroyed3 (098ABDA0).
3. Enable and reset applicable timers for BeaconDestroyed1 (0E02A7D0).
4. Create crate type 0 at waypoint 6 (cell 128, 71).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5242, Events line 5279, Actions line 5316.

11. BeaconDestroyed2 - 0E0F10D0

Owner reference: Vlad2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BeaconDestroyed (0E0F0110).

Attached scope: GI (E1), owner Vlad2 House, cell (105, 75), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (107, 77), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (103, 74), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (106, 69), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (108, 69), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (109, 68), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (104, 71), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (127, 75), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (133, 71), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (132, 74), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (123, 57), tag 0E0F2D10,

persistence mode 0; GI (E1), owner Vlad2 House, cell (122, 56), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (137, 58), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (124, 91), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (123, 90), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (133, 88), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (142, 87), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (132, 69), tag 0E0F2D10, persistence mode 0; GI (E1), owner Vlad2 House, cell (124, 68), tag 0E0F2D10, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 16 (country/type CIVILIANARMY; placed owner CivilianArmy House).
2. Make enemy: owner selector 16 (country/type CIVILIANARMY; placed owner CivilianArmy House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5243, Events line 5280, Actions line 5317.

12. BeaconDestroyed3 - 098ABDA0

Owner reference: Vlad1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BeaconDestroyed (0E0F0110).

Attached scope: tag definitions 098ABA50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 16 (country/type CIVILIANARMY; placed owner CivilianArmy House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5244, Events line 5281, Actions line 5318.

13. BeaconDestroyed1 - 0E02A7D0

Owner reference: Civilian1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BeaconDestroyed (0E0F0110).

Attached scope: Civilian (CIV3), owner Civilian1 House, cell (89, 83), tag 0E02A300, persistence mode 0; Civilian (CIV2), owner Civilian1 House, cell (72, 71), tag 0E02A300, persistence mode 0; Civilian (CIV1), owner Civilian1 House, cell (139, 103), tag 0E02A300, persistence mode 0; Civilian (CIV2), owner Civilian1 House, cell (138, 101), tag 0E02A300, persistence mode 0; Technician (CTECH), owner Civilian1 House, cell (136, 97), tag 0E02A300, persistence mode 0; Technician (CTECH), owner Civilian1 House, cell (135, 98), tag 0E02A300, persistence mode 0; Technician (CTECH), owner Civilian1 House, cell (75, 76), tag 0E02A300, persistence mode 0; Technician (CTECH), owner Civilian1 House, cell (87, 83), tag 0E02A300, persistence mode 0; Civilian (CIV1), owner Civilian1 House, cell (72, 70), tag 0E02A300, persistence mode 0; Civilian (CIV2), owner Civilian1 House, cell (87, 84), tag 0E02A300, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 16 (country/type CIVILIANARMY; placed owner CivilianArmy House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5245, Events line 5282, Actions line 5319.

14. WHDestroyed - 0965C050

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: WHCaptured (0C214B00).

Attached scope: White House (CAWASH01), owner Civilian1 House, cell (98, 14), tag 0C214930, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for WhiteHouseTaken2 (08012920).
2. Reveal terrain around waypoint 21 (cell 100, 19).
3. Disable RepeatObjective (0856B86C).
4. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).
5. Enable and reset applicable timers for CheerMore (0B538DFC).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5246, Events line 5283, Actions line 5320.

15. HuntAtBaseDie - 07FB8F40

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FB86E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 18.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type VLAD1; placed owner Vlad1 House).
2. Fire Sale: owner selector 14 (country/type VLAD1; placed owner Vlad1 House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5247, Events line 5284, Actions line 5321.

16. VladTaunt - 08B35B40

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 2 tagged map cells: (96, 47), (96, 48); tag 08B357F0, persistence mode 0.

Wait for the recorded events:

1. Crosses Horizontal Line: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play in-game movie 110.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5248, Events line 5285, Actions line 5322.

17. Monument Speech - 08B36F40

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B355A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 15 (global list position: Soviet Ore Refinery (NAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_S8_SofiaMonHint.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5249, Events line 5286, Actions line 5323.

18. !SendTanks - 09233C6C

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1400 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team 0 (template not recovered locally).
2. Create/recruit team !WHAttack11 (0A11ADEC).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5250, Events line 5287, Actions line 5324.

19. SendTanks-Deso - DRONES

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0923367C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 800 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team !WHAttack12 (0A11AA4C).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5251, Events line 5288, Actions line 5325.

20. !!DeliverObjective - 07DB14FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07DB11BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Capture the White House so we can apprehend the traitor Vladimir” (MISSION:Sov08a).
2. Enable and reset applicable timers for RepeatObjective (0856B86C).
3. Reveal terrain around waypoint 21 (cell 100, 19).
4. Create radar-event marker type 5 at waypoint 21 (cell 100, 19).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5252, Events line 5289, Actions line 5326.

21. GarrisonTroops - 07F40F3C

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F409FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Garrison3 (0B60354C) at waypoint 7 (cell 133, 103).
2. Supply reinforcement team Garrison2 (0FBCEDEC) at waypoint 13 (cell 91, 24).
3. Supply reinforcement team Garrison1 (0FBCD32C) at waypoint 29 (cell 91, 30).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5253, Events line 5290, Actions line 5327.

22. Reveal Monuments - 09BAB550

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09BACEB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 5 (cell 109, 75).
2. Reveal terrain around waypoint 9 (cell 138, 89).
3. Reveal terrain around waypoint 18 (cell 138, 57).
4. Reveal terrain around waypoint 10 (cell 42, 77).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5254, Events line 5291, Actions line 5328.

23. Beacon Speech - 09BAC370

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Beacon (NAPSYB), owner Vlad2 House, cell (128, 70), tag 09BAC0D0, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_S8_SofiaBeaconDest.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5255, Events line 5292, Actions line 5329.

24. Drop Paratroopers - 0AD7E200

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AD7FD90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Paratroopers (09FDBB5C) at waypoint 14 (cell 45, 94).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5256, Events line 5293, Actions line 5330.

25. Vlad2 Production - 0B312F3C

Owner reference: Vlad2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B3126EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 15 (country/type VLAD2; placed owner Vlad2 House).
3. AI triggers begin: owner selector 15 (country/type VLAD2; placed owner Vlad2 House).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5257, Events line 5294, Actions line 5331.

26. SmithCastleDestroy - 08678DBC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Smithsonian Castle (CAWASH16), owner Civilian1 House, cell (136, 86), tag 0858449C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 9 (cell 138, 89).
2. Create crate type 10 at waypoint 25 (cell 136, 90).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5258, Events line 5295, Actions line 5332.

27. SmithDestroyed - 0858555C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Smithsonian Natural History Museum (CAWASH17), owner Civilian1 House, cell (136, 53), tag 0858141C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 18 (cell 138, 57).
2. Create crate type 0 at waypoint 30 (cell 134, 51).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5259, Events line 5296, Actions line 5333.

28. WashDestroyed - 07E0F3CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Washington Monument (CAWSH12), owner Civilian1 House, cell (107, 72), tag 07E09C4C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 3 (cell 111, 73).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5260, Events line 5297, Actions line 5334.

29. Water - 0B657F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B65034C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 20 (cell 54, 73).
2. Play sound _Amb_WavesLake at waypoint 23 (cell 66, 73).
3. Play sound _Amb_WavesLake at waypoint 24 (cell 63, 57).
4. Play sound _Amb_WavesLake at waypoint 51 (cell 125, 118).
5. Play sound _Amb_UrbanMurmur1 at waypoint 44 (cell 153, 98).
6. Play sound _Amb_UrbanMurmur2 at waypoint 52 (cell 26, 89).
7. Play sound _Amb_OceanLight at waypoint 45 (cell 139, 115).
8. Play sound _Amb_OceanLight at waypoint 46 (cell 106, 115).
9. Play sound _Amb_OceanLight at waypoint 47 (cell 85, 99).
10. Play sound _Amb_OceanLight at waypoint 48 (cell 86, 113).
11. Play sound _Amb_OceanLight at waypoint 49 (cell 78, 122).
12. Play sound _Amb_BirdsBeach at waypoint 50 (cell 92, 143).
13. Enable player input.

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5261, Events line 5298, Actions line 5335.

30. Birds - 0B63A3BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B63248C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 33 (cell 60, 83).
2. Play sound _Amb_BirdsTemperate1 at waypoint 34 (cell 65, 64).
3. Play sound _Amb_BirdsPark at waypoint 35 (cell 34, 86).
4. Play sound _Amb_BirdsTemperate1 at waypoint 36 (cell 69, 103).
5. Play sound _Amb_BirdsPark at waypoint 37 (cell 53, 109).
6. Play sound _Amb_BirdsTemperate1 at waypoint 38 (cell 72, 38).
7. Play sound _Amb_BirdsPark at waypoint 39 (cell 134, 62).
8. Play sound _Amb_BirdsTemperate1 at waypoint 40 (cell 160, 81).
9. Play sound _Amb_BirdsPark at waypoint 41 (cell 110, 88).
10. Play sound _Amb_BirdsTemperate1 at waypoint 42 (cell 88, 86).
11. Play sound _Amb_BirdsPark at waypoint 43 (cell 97, 107).
12. Play sound _Amb_BirdsBeach at waypoint 53 (cell 82, 116).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5262, Events line 5299, Actions line 5336.

31. Drop Paratroopers - 0A229D4C

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A2298CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Paratroopers (09FDBB5C) at waypoint 17 (cell 60, 112).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5263, Events line 5300, Actions line 5337.

32. Drop Paratroopers - 0A22C0EC

Owner reference: Vlad1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A22DE9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 210 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Paratroopers (09FDBB5C) at waypoint 16 (cell 64, 90).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5264, Events line 5301, Actions line 5338.

33. EliteApocGuard - H only - 087D3C5C

Owner reference: Vlad2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087D3B7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team EliteApocGuard (087D21EC) at waypoint 15 (cell 100, 29).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5265, Events line 5302, Actions line 5339.

34. MonLincolnDestroyed - 0B086E1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Lincoln Memorial (CAWASH15), owner Civilian1 House, cell (40, 72), tag 0B086D3C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 10 (cell 42, 77).
2. Create crate type 0 at waypoint 8 (cell 45, 73).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5266, Events line 5303, Actions line 5340.

35. MonJeffersonDestroyed - 0B084D8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Jefferson Memorial (CAWASH14), owner Civilian1 House, cell (98, 128), tag 0B084CAC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 54 (cell 95, 128).

Source locator: MAPS02.MIX/sov08u.map; Triggers line 5267, Events line 5304, Actions line 5341.

All team rosters and ordered plans | All mission overrides

Operation: Desecration - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov08u.map; each team/script ID identifies its section.

Scouts1 - 0BF1CB5C

Owner: Vlad2. Roster: 5 × Conscript (E2); 5 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Scouts - Find Con, Attack Inf (0BF1C8EC).

1. Move to waypoint: waypoint 13 (cell 91, 24).
2. Approach selected enemy-building category; configured argument 131097.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

HarassmentTm1 - 0A0CEA4C

Owner: Vlad1. Roster: 5 × Conscript (E2); 2 × Attack Dog (DOG); 2 × Tesla Trooper (SHK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Harassment1 (08C6A40C).

1. Attack selected enemy-building category; configured argument 131081.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

BaseDef1 - 0A02448C

Owner: Vlad1. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: GuardBase (0A02421C).

1. Adopt object mission: area guard.
2. Report team success.

BaseDef2 - 0BF0193C

Owner: Vlad1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GuardBase (0A02421C).

1. Adopt object mission: area guard.
2. Report team success.

!WHAttack06 - 0AC896FC

Owner: Vlad2. Roster: 2 × Flak Track (HTK); 10 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBuildings,Any (09FD2A4C).

1. Gather near own base; configured argument 0.

2. Load transport.
3. Attack-move toward waypoint: waypoint 11 (cell 68, 94).
4. Report team success.
5. Approach selected enemy-building category; configured argument 25.
6. Unload with continuation mode: passengers continue; transport leaves team.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

!Attack01 - 0A0CA80C

Owner: Vlad1. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackBaseDef,ConYard,Any (0AC88DBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Attack selected enemy-building category; configured argument 25.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

!WHAttack03 - 09FD235C

Owner: Vlad2. Roster: 6 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Power,Any,Anything (09FD1DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

ConscriptPatrol - 0FBB359C

Owner: Vlad2. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Patrol (0AC654A0).

1. Move to waypoint: waypoint 78 (cell 80, 30).
2. Move to waypoint: waypoint 79 (cell 80, 48).
3. Move to waypoint: waypoint 80 (cell 120, 48).
4. Move to waypoint: waypoint 81 (cell 120, 31).
5. Move to waypoint: waypoint 80 (cell 120, 48).
6. Move to waypoint: waypoint 79 (cell 80, 48).
7. Move to waypoint: waypoint 78 (cell 80, 30).
8. Jump to script line; configured argument 2.

!Attack02 - 0A0C943C

Owner: Vlad1. Roster: 6 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Power,Any (09FD11CC).

1. Gather near own base; configured argument 0.
2. Attack selected enemy-building category; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!WHBaseDef1 - 0B1A932C

Owner: Vlad2. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: WhiteHouseBD1 (0B1A8DBC).

1. Move to waypoint: waypoint 28 (cell 102, 51).
2. Adopt object mission: area guard.
3. Report team success.

!WHBaseDef2 - 0B1A8C8C

Owner: Vlad2. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: WhiteHouseBD2 (0B1B032C).

1. Adopt object mission: area guard.
2. Report team success.

!WHBaseDef3 - 09FD048C

Owner: Vlad2. Roster: 5 × Conscript (E2); 3 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WhiteHouseBD3 (0B1A856C).

1. Adopt object mission: area guard.
2. Report team success.

!WHAttack07 - 0A02148C

Owner: Vlad2. Roster: 3 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles, Fact, ConYard (09FDF9DC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

!WHAttack08 - 0AC96B7C

Owner: Vlad2. Roster: 10 × Conscript (E2); 5 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0.

Ordered plan: AttackBaseDef,ConYard,Any (0AC88DBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Attack selected enemy-building category; configured argument 25.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

HarrassInfantry - 0A11C93C

Owner: Vlad2. Roster: 4 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hunt (09FDF2EC).

1. Adopt object mission: hunt.
2. Report team success.

!Attack04 - 0A0D635C

Owner: Vlad1. Roster: 3 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDef, Fact, Power, etc (09FDEC8C).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!WHAttack09 - 0A11BDEC

Owner: Vlad2. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles, Inf (09FDE7DC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 3.
6. Seek/attack target category; configured argument 1.

!WHAttack10 - 0A11B93C

Owner: Vlad2. Roster: 7 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicles, Fact, Power, etc (09FDE32C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

Vladimir - 0C3F393C

Owner: Vlad2. Roster: 1 × Civilian (VLADIMIR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: StandThere (0C3F36CC).

1. Set facing; configured argument 4.
2. Adopt object mission: guard.

!WHAttack11 - 0A11ADEC

Owner: Vlad2. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackHarv,Vehicles (0A80C940).

1. Attack-move toward waypoint: waypoint 11 (cell 68, 94).
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

!WHAttack12 - 0A11AA4C

Owner: Vlad2. Roster: 4 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Deso Harass (0B31B7DC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Adopt object mission: hunt.

Garrison1 - 0FBCD32C

Owner: Vlad2. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrNY12 (0A02E43C).

1. Attack selected enemy-building category; configured argument 131235.

Garrison2 - 0FBCEDEC

Owner: Vlad2. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash7 (07EE574C).

1. Attack selected enemy-building category; configured argument 131183.

Garrison3 - 0B60354C

Owner: Vlad1. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: GarrWash5 (07F7A5FC).

1. Attack selected enemy-building category; configured argument 131180.

Paratroopers - 09FDBB5C

Owner: Vlad1. Roster: 15 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Transport Waypoint: T.

Ordered plan: AttackAnything (09F34A3C).

1. Seek/attack target category; configured argument 1.

!Attack03 - 0B103B7C

Owner: Vlad1. Roster: 2 × Apocalypse (APOC); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackRefine,Any (0B1037FC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 15.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131087.
6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

!WHAttack01 - 0853B3BC

Owner: Vlad2. Roster: 3 × Attack Dog (DOG); 2 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: WHAttackInf,Any (0853D40C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

!WHAttack02 - 0853ECFC

Owner: Vlad2. Roster: 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Power,Any,Anything (09FD1DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 2.

7. Seek/attack target category; configured argument 1.

!Attack05 - 0A11859C

Owner: Vlad1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDefProbe (0853E36C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 1.

!Attack06 - 0A1181FC

Owner: Vlad1. Roster: 4 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: EngineerBuildings (085623FC).

1. Seek/attack target category; configured argument 6.
2. Report team success.
3. Attack selected enemy-building category; configured argument 15.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 6.
6. Attack selected enemy-building category; configured argument 10.
7. Seek/attack target category; configured argument 2.

!WHAttack04 - 08563D3C

Owner: Vlad2. Roster: 3 × Engineer (ENGINEER); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer/TransAttack (085639BC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 11.
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.

!WHAttack05 - 085810EC

Owner: Vlad2. Roster: 5 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackInfantry (0858331C).

1. Seek/attack target category; configured argument 4.
2. Report team success.

!WHAttack13 - 0890E2EC

Owner: Vlad2. Roster: 4 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackVeh,Def,Veh,Any (0AA6DB1C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

!WHAttack14 - 0880E39C

Owner: Vlad2. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: AttackVeh,Def,Veh,Any (0AA6DB1C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

ShockPatrol - 08837EFC

Owner: Vlad1. Roster: 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ShockPatrol (0882ADBC).

1. Attack-move toward waypoint: waypoint 4 (cell 111, 136).
2. Attack-move toward waypoint: waypoint 0 (cell 111, 121).
3. Jump to script line; configured argument 1.

EliteApocGuard - 087D21EC

Owner: Vlad2. Roster: 2 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0.

Ordered plan: GuardBase (0A02421C).

1. Adopt object mission: area guard.
2. Report team success.

Operation: Desecration - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov08u.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	2000,1750,1500	11
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	12
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	13
War Miner (HARV)	Resource cargo capacity	20	16
Chrono Miner (CMIN)	Resource cargo capacity	10	19
TIBERIUMS (TIBERIUMS)	0	Riparius	22
TIBERIUMS (TIBERIUMS)	1	Cruentus	23
TIBERIUMS (TIBERIUMS)	2	Vinifera	24
TIBERIUMS (TIBERIUMS)	3	Aboreus	25
Tiberium Riparius (RIPARIUS)	Value	50	28
Tiberium Cruentus (CRUENTUS)	Value	100	31
Tiberium Vinifera (VINIFERA)	Value	50	34
Tiberium Aboreus (ABOREUS)	Value	50	37
RADBEAMWEAPON (RADBEAMWEAPON)	Damage	200	40
CRATERULES (CRATERULES)	Solo Crate Money	8000	43
SPECIALFLAGS	Tiberium Grows	yes	46
SPECIALFLAGS	Tiberium Spreads	yes	47
SPECIALFLAGS	Tiberium Explosive	no	48
SPECIALFLAGS	Destroyable Bridges	yes	49
SPECIALFLAGS	MCV Deploy	yes	50
SPECIALFLAGS	Initial Veteran	no	51
SPECIALFLAGS	Fixed Alliance	no	52
SPECIALFLAGS	Harvester Immune	no	53
SPECIALFLAGS	Fog Of War	no	54
SPECIALFLAGS	Inert	no	55
SPECIALFLAGS	Ion Storms	no	56
SPECIALFLAGS	Meteorites	no	57
SPECIALFLAGS	Visceroids	no	58
COUNTRIES (COUNTRIES)	0	Player	61
COUNTRIES (COUNTRIES)	1	Vlad1	62
COUNTRIES (COUNTRIES)	2	Vlad2	63

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	3	CivilianArmy	64
COUNTRIES (COUNTRIES)	4	Civilian1	65
COUNTRIES (COUNTRIES)	5	Other1	66
COUNTRIES (COUNTRIES)	6	Other2	67
COUNTRIES (COUNTRIES)	7	Other3	68
POWERUPS (POWERUPS)	Armor class	20,ARMOR,yes,1.5	159
POWERUPS (POWERUPS)	Firepower	20,FIREPOWR,yes,2.0	160
POWERUPS (POWERUPS)	Heal Base	0,HEALALL,yes	161
POWERUPS (POWERUPS)	Money	100,MONEY,yes,2000	162
POWERUPS (POWERUPS)	Reveal	5,REVEAL,yes	163
POWERUPS (POWERUPS)	Movement rating	20,SPEED,yes,1.2	164
POWERUPS (POWERUPS)	Veteran	30,VETERAN,yes,1	165
POWERUPS (POWERUPS)	Unit	0,<none>,no	166
POWERUPS (POWERUPS)	Invulnerability	0,ARMOR,yes,1.0	168
POWERUPS (POWERUPS)	Ion Storm	0,<none>,yes	169
POWERUPS (POWERUPS)	Gas	0,<none>,yes,100	170
POWERUPS (POWERUPS)	Tiberium	0,<none>,no	171
POWERUPS (POWERUPS)	Pod	0,<none>,no	172
POWERUPS (POWERUPS)	Cloak	0,CLOAK,yes	173
POWERUPS (POWERUPS)	Darkness	0,SHROUDX,yes	174
POWERUPS (POWERUPS)	Explosion	0,<none>,yes,500	175
POWERUPS (POWERUPS)	ICBM	0,CHEMISLE,yes	176
POWERUPS (POWERUPS)	Napalm	0,<none>,no,600	177
POWERUPS (POWERUPS)	Squad	0,<none>,no	178
Psychic Beacon (NAPSYB)	Name	RA2 Psychic Beacon	185
Psychic Beacon (NAPSYB)	Engineer-capture permission	false	186
White House (CAWASH01)	Name	RA2 White House	189
White House (CAWASH01)	Starting health capacity	1000	190
White House (CAWASH01)	Infantry garrison permitted	no	191
White House (CAWASH01)	Primary	none	192
White House (CAWASH01)	Secondary	none	193
White House (CAWASH01)	Engineer-capture permission	true	194
White House (CAWASH01)	Crate Beneath	false	195
White House (CAWASH01)	Crate Beneath Is Money	true	196
Washington Monument (CAWSH12)	Name	RA2 Washington Monument	199
Washington Monument (CAWSH12)	Crate Beneath	false	200
Washington Monument (CAWSH12)	Crate Beneath Is Money	true	201
Jefferson Memorial (CAWASH14)	Name	Jefferson Memorial	204
Jefferson Memorial (CAWASH14)	Crate Beneath	false	205
Jefferson Memorial (CAWASH14)	Crate Beneath Is Money	true	206
Jefferson Memorial (CAWASH14)	Infantry garrison permitted	no	207

Object/system	Property	Mission value	Source line
Lincoln Memorial (CAWASH15)	Name	RA2 Lincoln Memorial	210
Lincoln Memorial (CAWASH15)	Crate Beneath	false	211
Lincoln Memorial (CAWASH15)	Crate Beneath Is Money	true	212
Smithsonian Castle (CAWASH16)	Name	RA2 Smithsonian Castle	215
Smithsonian Castle (CAWASH16)	Crate Beneath	false	216
Smithsonian Castle (CAWASH16)	Crate Beneath Is Money	true	217
Smithsonian Natural History Museum (CAWASH17)	Name	RA2 Smithsonian Natural History Museum	220
Smithsonian Natural History Museum (CAWASH17)	Crate Beneath	false	221
Smithsonian Natural History Museum (CAWASH17)	Crate Beneath Is Money	true	222
Smithsonian Natural History Museum (CAWASH17)	Infantry garrison permitted	no	223
Smithsonian Natural History Museum (CAWASH17)	Primary	none	224
Smithsonian Natural History Museum (CAWASH17)	Secondary	none	225
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3300	228
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	229
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.40	230
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.40	231
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.15	232
Invisible Purple Light Post (INPURPLAMP)	Local light reach	1800	235
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.001	236
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.3	237
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.05	238
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.5	239
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	242
Soviet Shipyard (NAYARD)	Technology level	-1	243
Nuclear Reactor (NANRCT)	Technology level	-1	246
Desolator (DESO)	Permitted country list	Russians,Confederation,Africans,Arabs	249
Desolator (DESO)	Required countries	Player	250
Engineer (ENGINEER)	Technology level	-1	253
Attack Dog (ADOG)	Technology level	-1	256
Yuri (YURI)	Technology level	-1	259
Giant Squid (SQD)	Technology level	-1	262
VARIABLENAMES (VARIABLENAMES)	0	Bridge1Open,0	303

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	1	Bridge2Open,1	304
VARIABLENAMES (VARIABLENAMES)	2	Bridge3Open,0	305
VARIABLENAMES (VARIABLENAMES)	3	VladSoldBase,0	306

Operation: The Fox and the Hound

Campaign reading guide | Engine

Operation: The Fox and the Hound

sov09u.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (107)
- Americans (52)
- Germans (30)
- Alliance (16)
- GDI (3)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov09u.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov09u.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov09u.map. **Effective extracted member:** MAPS02.MIX/sov09u.map. **Trigger definitions:** 55.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Confederation
Theater	URBAN
Map size	0,0,60,60
Visible local rectangle	2,4,56,50
Placed vehicles	53
Placed infantry	56
Placed structures	101
Placed aircraft	0
Team templates	26

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	0	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	100	Africans
6	Arabs	0	Arabs
7	Confederation	40	Confederation
8	Russians	0	Russians
9	GDI	0	GDI
10	Nod	0	Nod
11	Neutral	0	Neutral
12	Special	0	Special

Local state flags at initialization

No named local flags were found.

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Pres is Captured (0873BB5C)	Attacked by (house): owner selector 5 (country/type AFRICANS; placed owner Africans).	Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the winner.
Pres is Dead (086A4CCC)	First damaged (any source). See attached-object/cell scope below.	Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.
Yuri's are Dead (07A7507C)	Destroyed, Units, All: owner selector 5 (country/type AFRICANS; placed owner Africans).	Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.

Every trigger, in file order

1. Clear Starting Shroud - 03E3836C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03E3991C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 64, 59).
2. Reveal terrain around waypoint 1 (cell 57, 58).
3. Reveal terrain around waypoint 2 (cell 77, 59).
4. Reveal terrain around waypoint 3 (cell 66, 70).
5. Reveal terrain around waypoint 4 (cell 64, 51).
6. Reveal terrain around waypoint 23 (cell 32, 49).

7. Reveal terrain around waypoint 33 (cell 85, 35).
8. Reveal terrain around waypoint 34 (cell 50, 54).
9. Reveal terrain around waypoint 35 (cell 50, 58).
10. Reveal terrain around waypoint 37 (cell 35, 70).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3096, Events line 3153, Actions line 3210.

2. Pres is Captured - 0873BB5C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 5 (country/type AFRICANS; placed owner Africans).

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the winner.
3. Enable and reset applicable timers for Ally Americans (0878DF3C).
4. Enable and reset applicable timers for Allly Latin (0CC0044C).
5. Enable and reset applicable timers for Ally British (0CC00E5C).
6. Enable and reset applicable timers for Ally Germans (0CBFF28C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3097, Events line 3154, Actions line 3211.

3. Ally Americans - 0878DF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pres is Captured (0873BB5C).

Attached scope: tag definitions 0878DCAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make ally: owner selector 5 (country/type AFRICANS; placed owner Africans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3098, Events line 3155, Actions line 3212.

4. Allly Latin - 0CC0044C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pres is Captured (0873BB5C).

Attached scope: tag definitions 0CC0024C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make ally: owner selector 5 (country/type AFRICANS; placed owner Africans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3099, Events line 3156, Actions line 3213.

5. Ally British - 0CC00E5C

Owner reference: British. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pres is Captured (0873BB5C).

Attached scope: tag definitions 0CC0094C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make ally: owner selector 5 (country/type AFRICANS; placed owner Africans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3100, Events line 3157, Actions line 3214.

6. Ally Germans - 0CBFF28C

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Pres is Captured (0873BB5C).

Attached scope: tag definitions 0CC00F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make ally: owner selector 5 (country/type AFRICANS; placed owner Africans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3101, Events line 3158, Actions line 3215.

7. Pres is Dead - 086A4CCC

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Pres is Captured (0873BB5C).

Attached scope: tag definitions 07A4F52C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. First damaged (any source). See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.
2. Play voice notification EVA_CriticalUnitLost.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3102, Events line 3159, Actions line 3216.

8. Southern Patrol - 07A59A6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A5986C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team Southern Patrol (08BA2CCC).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3103, Events line 3160, Actions line 3217.

9. Reactive Defense - 0A53A1DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A53B94C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 5 (country/type AFRICANS; placed owner Africans).

Then perform these actions in order:

1. Create/recruit team Northern Defenders (0872F6DC).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3104, Events line 3161, Actions line 3218.

10. Player in Base - 0757067C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 35 tagged map cells: (58, 53), (60, 53), (61, 53), (62, 53), (66, 53), (67, 53), (71, 54), (72, 54), (73, 54), (73, 55), (74, 55), (56, 57), (73, 57), (56, 58), (72, 58), (73, 58), (56, 59), (73, 59), (56, 60), (74, 60), (59, 61), (73, 61), (74, 61), (58, 62), (59, 62), (60, 62), (60, 63), (74, 63), (60, 64), (61, 64), (74, 64), (66, 66), (67, 66), (72, 67), (73, 67); tag 0757013C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 5 (country/type AFRICANS; placed owner Africans).

Then perform these actions in order:

1. All to Hunt: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3105, Events line 3162, Actions line 3219.

11. Yuri's are Dead - 07A7507C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Yuri Dead (03EAB030).

Attached scope: tag definitions 07A7692C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 5 (country/type AFRICANS; placed owner Africans).

Then perform these actions in order:

1. Declare owner selector 7 (country/type CONFEDERATION; placed owner Confederation) the loser.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3106, Events line 3163, Actions line 3220.

12. ifv patrol - 08E6D1BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E6D62C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team ifv patrol (090B3A4C) at waypoint 24 (cell 37, 52).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3107, Events line 3164, Actions line 3221.

13. Text - Obj1 - 03E6DF3C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03E6CE6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 105 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Use Mind-Control to capture the President” (MISSION:Sov09a).
2. Create radar-event marker type 5 at waypoint 0 (cell 64, 59).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3108, Events line 3165, Actions line 3222.

14. Text - Hint1 - 03E6827C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03E680EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 93 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Use America's own soldiers against them” (MISSION:Sov09b).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3109, Events line 3166, Actions line 3223.

15. Reveal All - 08F4286C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F4232C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Reveal the whole map.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3110, Events line 3167, Actions line 3224.

16. Wall Patrol Teams - 0933136C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0933774C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team lower left patrol (0CBEFA4C) at waypoint 26 (cell 57, 73).
2. Supply reinforcement team upper right patrol (08D9846C) at waypoint 28 (cell 56, 48).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3111, Events line 3168, Actions line 3225.

17. SEAL Power Plant - 08F00EFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F009BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Seal Power Plant (08F03B4C) at waypoint 30 (cell 62, 50).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3112, Events line 3169, Actions line 3226.

18. Reminder - 07B7C7BC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B7951C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 360 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Use Mind-Control to capture the President” (MISSION:Sov09a).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3113, Events line 3170, Actions line 3227.

19. Ping Bases - 07B7942C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B7A13C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 23 (cell 32, 49).
2. Create radar-event marker type 5 at waypoint 33 (cell 85, 35).
3. Display message “Enemy bases detected” (MISSION:Sov09c).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3114, Events line 3171, Actions line 3228.

20. Ping Again - 07B7BBAC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B7B69C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 23 (cell 32, 49).
2. Create radar-event marker type 5 at waypoint 33 (cell 85, 35).
3. Display message “Enemy bases detected” (MISSION:Sov09c).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3115, Events line 3172, Actions line 3229.

21. Initial Drop - 08EEE03C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08EDF03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Drop Group 1 (08F74C8C) at waypoint 34 (cell 50, 54).
2. Supply reinforcement team Drop Group 2 (0A41E93C) at waypoint 36 (cell 47, 55).
3. Supply reinforcement team Drop Group 3 (08F7459C) at waypoint 35 (cell 50, 58).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3116, Events line 3173, Actions line 3230.

22. create patrol IFV - 08EC703C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08EF304C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Northern Patrol (0871BC9C) at waypoint 7 (cell 52, 55).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3117, Events line 3174, Actions line 3231.

23. Lock Input - 07B8036C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B835DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3118, Events line 3175, Actions line 3232.

24. Scroll Camera - 07B834EC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B84F0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Move the camera to waypoint 37 (cell 35, 70) with speed setting 2.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3119, Events line 3176, Actions line 3233.

25. Unlock Input - 07B79B4C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B7FCCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 65 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for Text - Use US Remind (092CCD8C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3120, Events line 3177, Actions line 3234.

26. Text - Use US Remind - 092CCD8C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input (07B79B4C).

Attached scope: tag definitions 092CC44C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 140 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Use America's own soldiers against them” (MISSION:Sov09b).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3121, Events line 3178, Actions line 3235.

27. Make Spy Team - 07B080CC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B0983C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create/recruit team spy team (0AC22EFC).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3122, Events line 3179, Actions line 3236.

28. Yuri Drop - 07C7BADC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Yuri Drop (0A4656DC) at waypoint 37 (cell 35, 70).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3123, Events line 3180, Actions line 3237.

29. Text Object 1 Remind - 0A73F88C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A73FC2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Objective 1: Use Mind-Control to capture the President” (MISSION:Sov09a).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3124, Events line 3181, Actions line 3238.

30. Switch Power House - 07CD2C6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07CD272C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3125, Events line 3182, Actions line 3239.

31. Battle Lab Captured - 08FD2CDC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Battle Lab (GATECH), owner Alliance, cell (31, 44), tag 08FD794C, persistence mode 0.

Wait for the recorded events:

1. Building exists: type index 6 (global list position: Allied Battle Lab (GATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3126, Events line 3183, Actions line 3240.

32. Captured Barracks - 09C480C0

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Barracks (GAPILE), owner Alliance, cell (33, 48), tag 09B510D0, persistence mode 0.

Wait for the recorded events:

1. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for Flip Tab (07B35C6C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3127, Events line 3184, Actions line 3241.

33. Flip Tab - 07B35C6C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Captured Barracks (09C480C0).

Attached scope: tag definitions 07B3561C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 2.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3128, Events line 3185, Actions line 3242.

34. Enable Yuri Dead - 03EAB030

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03EABF50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri's are Dead (07A7507C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3129, Events line 3186, Actions line 3243.

35. Spot Radar - 07F3773C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Radar Tower (NARADR), owner Neutral, cell (59, 117), tag 07F32EEC, persistence mode 0.

Wait for the recorded events:

1. 65 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Change House: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Display message “--Battle Control Online--” (MISSION:ALL01q).
3. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3130, Events line 3187, Actions line 3244.

36. Txt Disable US Remind - 092CBF3C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: NightHawk Transport (SHAD), owner Alliance, cell (87, 35), tag 092CBBEC, persistence mode 0; Grizzly Battle Tank (MTNK), owner Alliance, cell (84, 36), tag 092CBBEC, persistence mode 0; Engineer (ENGINEER), owner British, cell (30, 46), tag 092CBBEC, persistence mode 0; Sniper (SNIPE), owner British, cell (83, 31), tag 092CBBEC, persistence mode 0.

Wait for the recorded events:

1. Attacked by (house): owner selector 5 (country/type AFRICANS; placed owner Africans).

Then perform these actions in order:

1. Disable Text - Use US Remind (092CCD8C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3131, Events line 3188, Actions line 3245.

37. Ambient Sounds - 082C788C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082C470C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 44 (cell 64, 23).
2. Play sound _Amb_UrbanMurmur1 at waypoint 45 (cell 100, 58).
3. Play sound _Amb_UrbanMurmur2 at waypoint 46 (cell 50, 88).
4. Play sound _Amb_Traffic at waypoint 47 (cell 23, 63).
5. Play sound _Amb_Traffic at waypoint 28 (cell 56, 48).
6. Play sound _Amb_UrbanMurmur2 at waypoint 68 (cell 26, 53).
7. Play sound _Amb_UrbanMurmur2 at waypoint 18 (cell 52, 39).
8. Play sound _Amb_UrbanMurmur2 at waypoint 12 (cell 77, 25).
9. Play sound _Amb_UrbanMurmur2 at waypoint 17 (cell 90, 59).
10. Play sound _Amb_UrbanMurmur2 at waypoint 16 (cell 78, 76).
11. Play sound _Amb_UrbanMurmur1 at waypoint 69 (cell 26, 77).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3132, Events line 3189, Actions line 3246.

38. President Movie - 0A3CCF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A3CC3BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play in-game movie 115.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3133, Events line 3190, Actions line 3247.

39. Create IFV Free Teams - 09E41DCC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E4173C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team IFV Is Un-Mind Controled (0C0F3A9C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3134, Events line 3191, Actions line 3248.

40. Easy - Extra Engineer - 0839FF3C

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0839FA6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team 1 Extra Engineer (0839CA9C) at waypoint 53 (cell 31, 46).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3135, Events line 3192, Actions line 3249.

41. Yuri Drop - Easy - 0A41304C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Yuri Drop (07C7BADC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Yuri Drop Easy (0A4751FC) at waypoint 37 (cell 35, 70).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3136, Events line 3193, Actions line 3250.

42. Yuri Drop Hard - 0A41405C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri Drop - Easy (0A41304C).

Attached scope: tag definitions 07C7CD2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri Drop Hard (0A474DEC) at waypoint 37 (cell 35, 70).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3137, Events line 3194, Actions line 3251.

43. Crate BD - 0417477C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (101, 66), tag 0417469C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 55 (cell 102, 66).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3138, Events line 3195, Actions line 3252.

44. Crate BE - 041745AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (101, 67), tag 041743CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 56 (cell 102, 67).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3139, Events line 3196, Actions line 3253.

45. Crate BF - 041742DC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (101, 68), tag 0416735C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 57 (cell 102, 68).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3140, Events line 3197, Actions line 3254.

46. Crate BG - 04164C1C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (96, 66), tag 041654BC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 9 at waypoint 58 (cell 95, 66).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3141, Events line 3198, Actions line 3255.

47. Crate BH - 04162F3C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (96, 67), tag 041620AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 11 at waypoint 59 (cell 95, 67).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3142, Events line 3199, Actions line 3256.

48. Crate BI - 041636AC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Truck (loaded) (TRUCKB), owner Neutral, cell (96, 68), tag 041635CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 14 at waypoint 60 (cell 95, 68).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3143, Events line 3200, Actions line 3257.

49. create Pres Guards - 083BA9CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 083BA30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Presidente Guards (0ABE496C) at waypoint 61 (cell 61, 65).
2. Supply reinforcement team Presidente (0AD0F7DC) at waypoint 61 (cell 61, 65).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3144, Events line 3201, Actions line 3258.

50. Ambient Birds - 08C7D24C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A5A99CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 26 (cell 57, 73).
2. Play sound _Amb_BirdsTemperate1 at waypoint 63 (cell 68, 98).
3. Play sound _Amb_BirdsPark at waypoint 64 (cell 67, 88).
4. Play sound _Amb_BirdsTemperate1 at waypoint 65 (cell 58, 35).
5. Play sound _Amb_BirdsPark at waypoint 66 (cell 101, 51).
6. Play sound _Amb_BirdsPark at waypoint 67 (cell 84, 82).
7. Play sound _Amb_BirdsTemperate1 at waypoint 70 (cell 11, 64).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3145, Events line 3202, Actions line 3259.

51. text hint - 2 - 0A27F75C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A27F2EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 6 (global list position: Allied Battle Lab (GATECH)). A map-local type-list change can affect index interpretation.
2. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Display message “Order spies to enter power plants to sabotage base power” (MISSION:SOV09d).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3146, Events line 3203, Actions line 3260.

52. Alamo Destroyed - 0C1C9D8C

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Alamo (CATEXS02), owner Neutral, cell (62, 64), tag 0C1C933C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. All to Hunt: owner selector 3 (country/type GERMANS; placed owner Germans).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3147, Events line 3204, Actions line 3261.

53. Airport Captured - 084FFC6C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 084FF70C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification EVA_NewConstructionOptions.

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3148, Events line 3205, Actions line 3262.

54. Create Civies - 0ABBE1DC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AD2A04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team Civilian 1 (0ABB535C).
2. Create/recruit team Civilian 2 (0ABBFEFC).
3. Create/recruit team Civilian 3 (0AF4D6CC).
4. Create/recruit team Civilian 4 (0AF51EFC).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3149, Events line 3206, Actions line 3263.

55. SEALs Killed - 0D36A0FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D37006C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. First damaged (any source). See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 6 SEALs (0D37AD0C).

Source locator: MAPS02.MIX/sov09u.map; Triggers line 3150, Events line 3207, Actions line 3264.

All team rosters and ordered plans | All mission overrides

Operation: The Fox and the Hound - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov09u.map; each team/script ID identifies its section.

Northern Car - 07A58AAC

Owner: Neutral. Roster: 1 × Automobile (CAR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Car Patrol - North (087144BC).

1. Move to waypoint: waypoint 18 (cell 52, 39).
2. Move to waypoint: waypoint 7 (cell 52, 55).
3. Move to waypoint: waypoint 20 (cell 44, 55).
4. Move to waypoint: waypoint 7 (cell 52, 55).
5. Move to waypoint: waypoint 8 (cell 52, 69).
6. Jump to script line; configured argument 1.

Southern Car - 08BA5A6C

Owner: Neutral. Roster: 1 × Automobile (CAR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Car Patrol - South (07A527BC).

1. Move to waypoint: waypoint 10 (cell 79, 92).
2. Move to waypoint: waypoint 11 (cell 79, 25).
3. Move to waypoint: waypoint 12 (cell 77, 25).
4. Move to waypoint: waypoint 13 (cell 77, 93).
5. Jump to script line; configured argument 1.

Northern Patrol - 0871BC9C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol - North (086EB23C).

1. Attack-move toward waypoint: waypoint 18 (cell 52, 39).
2. Attack-move toward waypoint: waypoint 7 (cell 52, 55).
3. Attack-move toward waypoint: waypoint 8 (cell 52, 69).
4. Attack-move toward waypoint: waypoint 7 (cell 52, 55).
5. Attack-move toward waypoint: waypoint 20 (cell 44, 55).
6. Attack-move toward waypoint: waypoint 7 (cell 52, 55).
7. Jump to script line; configured argument 1.

Southern Patrol - 08BA2CCC

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Patrol - South (08C7646C).

1. Attack-move toward waypoint: waypoint 14 (cell 78, 58).
2. Attack-move toward waypoint: waypoint 15 (cell 78, 52).
3. Attack-move toward waypoint: waypoint 14 (cell 78, 58).
4. Attack-move toward waypoint: waypoint 17 (cell 90, 59).
5. Attack-move toward waypoint: waypoint 14 (cell 78, 58).
6. Attack-move toward waypoint: waypoint 16 (cell 78, 76).
7. Jump to script line; configured argument 1.

Northern Defenders - 0872F6DC

Owner: Americans. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Northern Team moves south (0872F46C).

1. Attack-move toward waypoint: waypoint 14 (cell 78, 58).
2. Adopt object mission: area guard.

ifv patrol - 090B3A4C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Y.

Ordered plan: IFV Patrol (08E0931C).

1. Move to waypoint: waypoint 24 (cell 37, 52).
2. Move to waypoint: waypoint 25 (cell 37, 75).
3. Jump to script line; configured argument 1.

upper right patrol - 08D9846C

Owner: Americans. Roster: 2 × Attack Dog (DOG); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: upper right perimiter (0932C54C).

1. Attack-move toward waypoint: waypoint 28 (cell 56, 48).
2. Attack-move toward waypoint: waypoint 29 (cell 75, 48).
3. Jump to script line; configured argument 1.

lower left patrol - 0CBEFA4C

Owner: Americans. Roster: 2 × Attack Dog (DOG); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: lower left perimiter (0932C7BC).

1. Attack-move toward waypoint: waypoint 26 (cell 57, 73).
2. Attack-move toward waypoint: waypoint 27 (cell 75, 73).
3. Jump to script line; configured argument 1.

Seal Power Plant - 08F03B4C

Owner: Americans. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Power Plant Patrol (08CB7DBC).

1. Attack-move toward waypoint: waypoint 30 (cell 62, 50).
2. Attack-move toward waypoint: waypoint 31 (cell 68, 50).
3. Jump to script line; configured argument 1.

Drop Group 1 - 08F74C8C

Owner: Russians. Roster: 15 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI; Transport Waypoint: AN.

Ordered plan: patrol to A (07BD691C).

1. Attack-move toward waypoint: waypoint 0 (cell 64, 59).
2. Adopt object mission: hunt.

Drop Group 2 - 0A41E93C

Owner: Russians. Roster: 5 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK; Transport Waypoint: AO.

Ordered plan: patrol to A (07BD691C).

1. Attack-move toward waypoint: waypoint 0 (cell 64, 59).
2. Adopt object mission: hunt.

Drop Group 3 - 08F7459C

Owner: Russians. Roster: 15 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ; Transport Waypoint: AP.

Ordered plan: patrol to A (07BD691C).

1. Attack-move toward waypoint: waypoint 0 (cell 64, 59).
2. Adopt object mission: hunt.

spy team - 0AC22EFC

Owner: Germans. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: spy behavior (07B08DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.

Yuri Drop - 0A4656DC

Owner: Africans. Roster: 2 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL; Transport Waypoint: AQ.

Ordered plan: vehicle attack (0A76F5EC).

1. Seek/attack target category; configured argument 5.

Spot Radar Team (hack) - 07F36D6C

Owner: Confederation. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Delete Yourself (07F36AFC).

1. Guard for interval; configured argument 2.
2. Delete team objects.

Presidente - 0AD0F7DC

Owner: French. Roster: 1 × President (PRES)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: President Script (0AD0F48C).

1. Move to waypoint: waypoint 62 (cell 63, 60).
2. Flash team; configured argument 20.
3. Guard for interval; configured argument 30.
4. Move to waypoint: waypoint 71 (cell 64, 61).
5. Guard for interval; configured argument 30.
6. Move to waypoint: waypoint 62 (cell 63, 60).
7. Guard for interval; configured argument 30.
8. Jump to script line; configured argument 4.

IFV Is Un-Mind Controled - 0C0F3A9C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 1; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: 2nd Patrol (0C0F382C).

1. Unload with continuation mode: transport continues; passengers leave team.
2. Move to waypoint: waypoint 49 (cell 53, 74).
3. Guard for interval; configured argument 15.
4. Move to waypoint: waypoint 50 (cell 53, 47).
5. Guard for interval; configured argument 15.
6. Move to waypoint: waypoint 51 (cell 78, 48).
7. Guard for interval; configured argument 15.
8. Move to waypoint: waypoint 52 (cell 77, 74).
9. Guard for interval; configured argument 15.
10. Jump to script line; configured argument 1.

1 Extra Engineer - 0839CA9C

Owner: British. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Wait (0839ED4C).

1. Adopt object mission: wait.

Yuri Drop Easy - 0A4751FC

Owner: Africans. Roster: 3 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 2; Technology level: 0; Waypoint: AL; Transport Waypoint: AQ.

Ordered plan: vehicle attack (0A76F5EC).

1. Seek/attack target category; configured argument 5.

Yuri Drop Hard - 0A474DEC

Owner: Africans. Roster: 1 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL; Transport Waypoint: AQ.

Ordered plan: vehicle attack (0A76F5EC).

1. Seek/attack target category; configured argument 5.

Presidente Guards - 0ABE496C

Owner: GDI. Roster: 2 × Secret Service (SSRV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Secret Service Move (083B4DBC).

1. Move to waypoint: waypoint 62 (cell 63, 60).
2. Adopt object mission: guard.

Civilian 1 - 0ABB535C

Owner: Germans. Roster: 1 × Civilian (CIVA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BU.

Ordered plan: Civilian Patrol 1 (0ABBD03C).

1. Move to waypoint: waypoint 74 (cell 49, 39).
2. Guard for interval; configured argument 5.
3. Move to waypoint: waypoint 75 (cell 76, 40).
4. Guard for interval; configured argument 5.
5. Jump to script line; configured argument 1.

Civilian 2 - 0ABBFEFC

Owner: Germans. Roster: 1 × Civilian (CIVB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Civilian 2 (0ABBFA0C).

1. Move to waypoint: waypoint 74 (cell 49, 39).
2. Guard for interval; configured argument 5.
3. Move to waypoint: waypoint 75 (cell 76, 40).
4. Guard for interval; configured argument 5.
5. Jump to script line; configured argument 1.

Civilian 3 - 0AF4D6CC

Owner: Germans. Roster: 1 × Civilian (CIVC); 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: Civilian 3 (0ABBF34C).

1. Move to waypoint: waypoint 50 (cell 53, 47).
2. Guard for interval; configured argument 4.
3. Move to waypoint: waypoint 76 (cell 44, 50).
4. Guard for interval; configured argument 6.
5. Move to waypoint: waypoint 77 (cell 44, 67).
6. Guard for interval; configured argument 6.
7. Jump to script line; configured argument 1.

Civilian 4 - 0AF51EFC

Owner: Germans. Roster: 1 × Civilian (CIVA); 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Civilian 4 (083EF96C).

1. Move to waypoint: waypoint 78 (cell 28, 75).
2. Guard for interval; configured argument 2.
3. Move to waypoint: waypoint 19 (cell 50, 76).
4. Guard for interval; configured argument 2.
5. Jump to script line; configured argument 1.

6 SEALs - 0D37AD0C

Owner: Americans. Roster: 6 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Attack Infantry (0D37E98C).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 1.

Operation: The Fox and the Hound - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov09u.map.

Object/system	Property	Mission value	Source line
HOVERMISSILE (HOVERMISSILE)	Damage	50	2
HOVERMISSILE (HOVERMISSILE)	ROF	50	3
HOVERMISSILE (HOVERMISSILE)	Range	6	4
HOVERMISSILE (HOVERMISSILE)	Burst	1	5
HOVERMISSILE (HOVERMISSILE)	Projectile	AAHeatSeeker2	6
HOVERMISSILE (HOVERMISSILE)	Movement rating	40	7
HOVERMISSILE (HOVERMISSILE)	Warhead	HE	8
HOVERMISSILE (HOVERMISSILE)	Report	SeawolfAttack	9
HOVERMISSILE (HOVERMISSILE)	Minimum Range	1	10
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	2000	13
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-2000	14
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Parachute Max Fall Rate	-6	15
Civilian (CIVA)	Insignificant-object flag	no	18
Civilian (CIVB)	Insignificant-object flag	no	21
Civilian (CIVC)	Insignificant-object flag	no	24
Truck (loaded) (TRUCKB)	Immune to ordinary psychic control	yes	36
Truck (loaded) (TRUCKB)	Insignificant-object flag	yes	37
Pickup Truck (PTRUCK)	Immune to ordinary psychic control	yes	40
Pickup Truck (PTRUCK)	Insignificant-object flag	yes	41
Taxi (TAXI)	Immune to ordinary psychic control	yes	44
Taxi (TAXI)	Insignificant-object flag	yes	45
Automobile (SUVW)	Immune to ordinary psychic control	yes	48
Automobile (SUVW)	Insignificant-object flag	yes	49
Automobile (SUVB)	Immune to ordinary psychic control	yes	52
Automobile (SUVB)	Insignificant-object flag	yes	53
Automobile (STANG)	Immune to ordinary psychic control	yes	56
Automobile (STANG)	Insignificant-object flag	yes	57
Automobile (EUROC)	Immune to ordinary psychic control	yes	60
Automobile (EUROC)	Insignificant-object flag	yes	61
Excavator (CONA)	Immune to ordinary psychic control	yes	64
Excavator (CONA)	Insignificant-object flag	yes	65
Automobile (CAR)	Immune to ordinary psychic control	yes	68

Object/system	Property	Mission value	Source line
Automobile (CAR)	Insignificant-object flag	yes	69
President (PRES)	Can be crushed	no	72
President (PRES)	Starting health capacity	10	73
President (PRES)	Fraidycat	no	74
President (PRES)	Civilian	no	75
Rocketeer (JUMPJET)	Technology level	-1	78
Radar Tower (NARADR)	Signed power contribution	1	81
Radar Tower (NARADR)	Insignificant-object flag	yes	82
Chrono Ivan (CIVAN)	UI Name	Name:CIVAN	85
Chrono Ivan (CIVAN)	Name	Chrono Ivan	86
Chrono Ivan (CIVAN)	Category	Soldier	87
Chrono Ivan (CIVAN)	Required structures/groups	GAPILE	88
Chrono Ivan (CIVAN)	Needs stolen Allied technology	yes	89
Chrono Ivan (CIVAN)	Primary	IvanBomber	90
Chrono Ivan (CIVAN)	Technology level	1	91
Chrono Ivan (CIVAN)	Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	92
Chrono Ivan (CIVAN)	Allowed To Start In Multiplayer	no	93
Chrono Ivan (CIVAN)	Price in credits	1000	94
Civilian (CIV3)	Ammo	0	97
BLACKHAWKCANNON (BLACKHAWKCANNON)	Damage	75	100
MINDCONTROL (MINDCONTROL)	Damage	10	103
MINDCONTROL (MINDCONTROL)	ROF	200	104
MINDCONTROL (MINDCONTROL)	Range	8	105
MINDCONTROL (MINDCONTROL)	Projectile	PsychicControl	106
MINDCONTROL (MINDCONTROL)	Movement rating	100	107
MINDCONTROL (MINDCONTROL)	Warhead	Controller	108
MINDCONTROL (MINDCONTROL)	Report	YuriMindControl	109
MINDCONTROL (MINDCONTROL)	Anim	YURICNTL	110
MINDCONTROL (MINDCONTROL)	Fire Once	yes	111
Allied Battle Lab (GATECH)	Signed power contribution	0	114
Invisible Light Post (INGALITE)	Name	Invisible Light Post	117
Invisible Light Post (INGALITE)	Image	GALITE	118
Invisible Light Post (INGALITE)	Invisible In Game	yes	119
Invisible Light Post (INGALITE)	Insignificant-object flag	yes	120
Invisible Light Post (INGALITE)	Selectable	no	121
Invisible Light Post (INGALITE)	Starting health capacity	6000	122
Invisible Light Post (INGALITE)	Armor class	wood	123
Invisible Light Post (INGALITE)	Technology level	-1	124
Invisible Light Post (INGALITE)	Nominal	yes	125
Invisible Light Post (INGALITE)	Sight radius setting	0	126

Object/system	Property	Mission value	Source line
Invisible Light Post (INGALITE)	Points	30	127
Invisible Light Post (INGALITE)	Signed power contribution	0	128
Invisible Light Post (INGALITE)	Crewed	yes	129
Invisible Light Post (INGALITE)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	130
Invisible Light Post (INGALITE)	Max Debris	1	131
Invisible Light Post (INGALITE)	Local light reach	4000	132
Invisible Light Post (INGALITE)	Local light intensity	0.4	133
Invisible Light Post (INGALITE)	Light Red Tint	0.05	134
Invisible Light Post (INGALITE)	Light Green Tint	0.05	135
Invisible Light Post (INGALITE)	Light Blue Tint	0.01	136
Invisible Light Post (INGALITE)	Threat contribution	0	137
Invisible Light Post (INGALITE)	Damage Particle Systems	SparkSys,LGSparkSys	138
Invisible Light Post (INGALITE)	Depends on power	true	139
Yuri (YURI)	UI Name	Name:PTROOP	142
Yuri (YURI)	Starting health capacity	100	143
Black Eagle (BEAG)	Technology level	-1	146
Harrier (ORCA)	Required structures/groups	TECH	149
Harrier (ORCA)	Tech	12	150
Air Force Command Headquarters (GAAIRC)	Signed power contribution	0	153
Air Force Command Headquarters (GAAIRC)	Spy-infiltration permission	no	154
Attack Dog (DOG)	Permitted country list	Russians,Confederation,Africans,Arabs,British,French,Germans,Americans,Alliance	157
Attack Dog (DOG)	Immune to ordinary psychic control	yes	158
Water Tower (CAWT01)	Construction category	Combat	161
Water Tower (CAWT01)	Required structures/groups	NAPOWR,NARADR	162
Water Tower (CAWT01)	Starting health capacity	400	163
Water Tower (CAWT01)	Armor class	wood	164
Water Tower (CAWT01)	Technology level	5	165
Water Tower (CAWT01)	Placement adjacency setting	2	166
Water Tower (CAWT01)	Sight radius setting	8	167
Water Tower (CAWT01)	Permitted country list	Russians,Confederation,Africans,Arabs	168
Water Tower (CAWT01)	Price in credits	1500	169
Water Tower (CAWT01)	Points	30	170
Water Tower (CAWT01)	Signed power contribution	0	171
Water Tower (CAWT01)	Crewed	no	172
Water Tower (CAWT01)	Engineer-capture permission	false	173
Water Tower (CAWT01)	Overpowerable	true	174
Water Tower (CAWT01)	Destroy Anim	NATSLADM	175
Water Tower (CAWT01)	Primary	CoilBolt	176
Water Tower (CAWT01)	Secondary	OPCoilBolt	177

Object/system	Property	Mission value	Source line
Water Tower (CAWT01)	Turret	no	178
Water Tower (CAWT01)	Turret Anim Z Adjust	-100	179
Water Tower (CAWT01)	Max Debris	3	180
Water Tower (CAWT01)	Threat contribution	40	181
Water Tower (CAWT01)	Damage Particle Systems	SparkSys,SmallGreySSys,BigGreySmokeSys	182
Water Tower (CAWT01)	Damage Smoke Offset	96, 64, 112	183
Water Tower (CAWT01)	Base-defense role	yes	184
Water Tower (CAWT01)	Normal base-adjacency role	no	185
Water Tower (CAWT01)	Depends on power	yes	186
Water Tower (CAWT01)	Has Stupid Guard Mode	false	187
Allied Barracks (GAPILE)	Signed power contribution	0	190
Allied Repair Depot (GADEPT)	Signed power contribution	0	193
SPECIALFLAGS	Tiberium Grows	no	196
SPECIALFLAGS	Tiberium Spreads	yes	197
SPECIALFLAGS	Tiberium Explosive	no	198
SPECIALFLAGS	Destroyable Bridges	no	199
SPECIALFLAGS	MCV Deploy	no	200
SPECIALFLAGS	Initial Veteran	no	201
SPECIALFLAGS	Fixed Alliance	no	202
SPECIALFLAGS	Harvester Immune	no	203
SPECIALFLAGS	Fog Of War	no	204
SPECIALFLAGS	Inert	no	205
SPECIALFLAGS	Ion Storms	no	206
SPECIALFLAGS	Meteorites	no	207
SPECIALFLAGS	Visceroids	no	208
America (AMERICANS)	Country	Americans	278
America (AMERICANS)	Technology level	8	279
America (AMERICANS)	Credits	0	280
America (AMERICANS)	IQ	0	281
America (AMERICANS)	Edge	North	282
America (AMERICANS)	Player Control	no	283
America (AMERICANS)	Color	DarkBlue	284
America (AMERICANS)	Allies	Americans,Alliance,French,Germans,British,GDI,Nod,Neutral	285
America (AMERICANS)	Percent Built	0	286
America (AMERICANS)	Node Count	0	287
Korea (ALLIANCE)	Country	Alliance	290
Korea (ALLIANCE)	Technology level	8	291
Korea (ALLIANCE)	Credits	0	292
Korea (ALLIANCE)	IQ	0	293
Korea (ALLIANCE)	Edge	North	294
Korea (ALLIANCE)	Player Control	no	295

Object/system	Property	Mission value	Source line
Korea (ALLIANCE)	Color	LightBlue	296
Korea (ALLIANCE)	Allies	Americans,Alliance,French,Germans,British,Russians,Nod,Neutral	297
Korea (ALLIANCE)	Percent Built	0	298
Korea (ALLIANCE)	Node Count	0	299
France (FRENCH)	Country	French	302
France (FRENCH)	Technology level	1	303
France (FRENCH)	Credits	0	304
France (FRENCH)	IQ	0	305
France (FRENCH)	Edge	North	306
France (FRENCH)	Player Control	no	307
France (FRENCH)	Color	DarkBlue	308
France (FRENCH)	Allies	Americans,Alliance,French,Germans,British,GDI,Nod,Neutral	309
France (FRENCH)	Percent Built	0	310
France (FRENCH)	Node Count	0	311
Germany (GERMANS)	Country	Germans	314
Germany (GERMANS)	Technology level	1	315
Germany (GERMANS)	Credits	0	316
Germany (GERMANS)	IQ	0	317
Germany (GERMANS)	Edge	North	318
Germany (GERMANS)	Player Control	no	319
Germany (GERMANS)	Color	DarkBlue	320
Germany (GERMANS)	Allies	Americans,Alliance,French,Germans,British,GDI,Nod,Neutral	321
Germany (GERMANS)	Percent Built	0	322
Germany (GERMANS)	Node Count	0	323
Great Britain (BRITISH)	Country	British	326
Great Britain (BRITISH)	Technology level	1	327
Great Britain (BRITISH)	Credits	0	328
Great Britain (BRITISH)	IQ	0	329
Great Britain (BRITISH)	Edge	North	330
Great Britain (BRITISH)	Player Control	no	331
Great Britain (BRITISH)	Color	DarkBlue	332
Great Britain (BRITISH)	Allies	Americans,Alliance,French,Germans,British,Nod,Neutral	333
Great Britain (BRITISH)	Percent Built	0	334
Great Britain (BRITISH)	Node Count	0	335
Libya (AFRICANS)	Country	Africans	338
Libya (AFRICANS)	Technology level	8	339
Libya (AFRICANS)	Credits	100	340
Libya (AFRICANS)	IQ	0	341
Libya (AFRICANS)	Edge	North	342

Object/system	Property	Mission value	Source line
Libya (AFRICANS)	Player Control	yes	343
Libya (AFRICANS)	Color	DarkRed	344
Libya (AFRICANS)	Allies	Africans,Arabs,Confederation	345
Libya (AFRICANS)	Percent Built	0	346
Libya (AFRICANS)	Node Count	0	347
Iraq (ARABS)	Country	Arabs	350
Iraq (ARABS)	Technology level	8	351
Iraq (ARABS)	Credits	0	352
Iraq (ARABS)	IQ	0	353
Iraq (ARABS)	Edge	North	354
Iraq (ARABS)	Player Control	yes	355
Iraq (ARABS)	Color	DarkRed	356
Iraq (ARABS)	Allies	Africans,Arabs,Neutral	357
Iraq (ARABS)	Percent Built	0	358
Iraq (ARABS)	Node Count	0	359
Cuba (CONFEDERATION)	Country	Confederation	362
Cuba (CONFEDERATION)	Technology level	8	363
Cuba (CONFEDERATION)	Credits	40	364
Cuba (CONFEDERATION)	IQ	0	365
Cuba (CONFEDERATION)	Edge	North	366
Cuba (CONFEDERATION)	Player Control	yes	367
Cuba (CONFEDERATION)	Color	DarkRed	368
Cuba (CONFEDERATION)	Allies	Africans,Arabs,Confederation	369
Cuba (CONFEDERATION)	Percent Built	0	370
Cuba (CONFEDERATION)	Node Count	0	371
Russia (RUSSIANS)	Country	Russians	374
Russia (RUSSIANS)	Technology level	8	375
Russia (RUSSIANS)	Credits	0	376
Russia (RUSSIANS)	IQ	0	377
Russia (RUSSIANS)	Edge	North	378
Russia (RUSSIANS)	Player Control	no	379
Russia (RUSSIANS)	Color	DarkRed	380
Russia (RUSSIANS)	Allies	Alliance,Russians,Neutral	381
Russia (RUSSIANS)	Percent Built	0	382
Russia (RUSSIANS)	Node Count	0	383
GDI (GDI)	Country	GDI	386
GDI (GDI)	Technology level	1	387
GDI (GDI)	Credits	0	388
GDI (GDI)	IQ	0	389
GDI (GDI)	Edge	North	390
GDI (GDI)	Player Control	no	391

Object/system	Property	Mission value	Source line
GDI (GDI)	Color	DarkBlue	392
GDI (GDI)	Allies	Americans,Alliance,French,Germans,British,GDI,Nod,Neutral	393
GDI (GDI)	Percent Built	0	394
GDI (GDI)	Node Count	0	395
Nod (NOD)	Country	Nod	398
Nod (NOD)	Technology level	1	399
Nod (NOD)	Credits	0	400
Nod (NOD)	IQ	0	401
Nod (NOD)	Edge	North	402
Nod (NOD)	Player Control	no	403
Nod (NOD)	Color	Gold	404
Nod (NOD)	Allies	Americans,Alliance,French,Germans,British,Nod,Neutral	405
Nod (NOD)	Percent Built	0	406
Nod (NOD)	Node Count	0	407
Civilian (NEUTRAL)	Country	Neutral	410
Civilian (NEUTRAL)	Technology level	1	411
Civilian (NEUTRAL)	Credits	0	412
Civilian (NEUTRAL)	IQ	0	413
Civilian (NEUTRAL)	Edge	North	414
Civilian (NEUTRAL)	Player Control	no	415
Civilian (NEUTRAL)	Color	Grey	416
Civilian (NEUTRAL)	Allies	Americans,Alliance,British,Arabs,Nod,Neutral	417
Civilian (NEUTRAL)	Percent Built	0	418
Civilian (NEUTRAL)	Node Count	0	419
JP (SPECIAL)	Country	Special	422
JP (SPECIAL)	Technology level	1	423
JP (SPECIAL)	Credits	0	424
JP (SPECIAL)	IQ	0	425
JP (SPECIAL)	Edge	North	426
JP (SPECIAL)	Player Control	no	427
JP (SPECIAL)	Color	Grey	428
JP (SPECIAL)	Allies	Special	429
JP (SPECIAL)	Percent Built	0	430
JP (SPECIAL)	Node Count	0	431

Operation: Weathered Alliance

Campaign reading guide | Engine

Operation: Weathered Alliance

sov10t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy3 House (94)
- BadGuy1 House (64)
- BadGuy2 House (55)
- Civie1 House (42)
- Player House (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov10t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov10t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov10t.map. **Effective extracted member:** MAPS02.MIX/sov10t.map. **Trigger definitions:** 59.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,87,144
Visible local rectangle	10,41,75,97
Placed vehicles	26
Placed infantry	35
Placed structures	200
Placed aircraft	0
Team templates	35

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	150	Player
1	BadGuy1 House	1000	BadGuy1
2	BadGuy2 House	1000	BadGuy2
3	BadGuy3 House	1000	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Gen1 Destroyed,0
1	Gen2 Destroyed,0
2	Gen3 Destroyed,0
3	Generator Advice,0
4	WCD Power On,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Winner (09AB6CC0)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
Loser (09AB6F60)	3 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. West Trans Arrives - 07FACF60

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FAFB50 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team West Trans (0AF67A4C).
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5639, Events line 5700, Actions line 5761.

2. East Trans Arrives - 07B72CC0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B72C10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team East Trans (09ED3A4C).
2. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Reveal terrain around waypoint 36 (cell 179, 176).
4. Reveal terrain around waypoint 37 (cell 141, 170).
5. Reveal terrain around waypoint 18 (cell 140, 123).
6. Reveal terrain around waypoint 17 (cell 157, 123).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5640, Events line 5701, Actions line 5762.

3. Unlock Input - 07237530

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07237270 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Disable Unlock Input (07237530).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5641, Events line 5702, Actions line 5763.

4. Lock Input - 07237120

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07231C50 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Disable Lock Input (07237120).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5642, Events line 5703, Actions line 5764.

5. Allied 1 Counter Attack - 09F40250

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Attacked (09DE1140).

Attached scope: Aegis Cruiser (AEGIS), owner BadGuy1 House, cell (153, 130), tag 09F42D90, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (155, 131), tag 09F42D90, persistence mode 0; Dolphin (DLPH), owner BadGuy1 House, cell (150, 127), tag 09F42D90, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (158, 132), tag 09F42D90, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (156, 116), tag 09F42D90, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (154, 116), tag 09F42D90, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (154, 117), tag 09F42D90, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1 House, cell (153, 118), tag 09F42D90, persistence mode 0; Aircraft Carrier (CARRIER), owner BadGuy1 House, cell (160, 130), tag 09F42D90, persistence mode 0; Chrono Miner (CMIN), owner BadGuy1 House, cell (161, 121), tag 09F42D90, persistence mode 0; GI (E1), owner BadGuy1 House, cell (145, 121), tag 09F42D90, persistence mode 0; GI (E1), owner BadGuy1 House, cell (147, 122), tag 09F42D90, persistence mode 0; GI (E1), owner BadGuy1 House, cell (147, 124), tag 09F42D90, persistence mode 0; GI (E1), owner BadGuy1 House, cell (146, 122), tag 09F42D90, persistence mode 0; GI (E1), owner BadGuy1 House, cell (153, 122), tag 09F42D90, persistence mode 0; Allied Ore Refinery (GAREFN), owner BadGuy1 House, cell (160, 118), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (184, 111), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (188, 116), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (182, 107), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (178, 112), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (178, 108), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (173, 123), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (176, 123), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (177, 110), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (188, 112), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (175, 139), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (179, 127), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (176, 103), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (167, 97), tag 09F42D90, persistence mode 0;

Patriot Missile (NASAM), owner BadGuy1 House, cell (161, 97), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (167, 129), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (140, 124), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (151, 101), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (142, 120), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (156, 122), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (160, 111), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (163, 111), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (160, 115), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (163, 115), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (170, 109), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (170, 113), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (167, 101), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (167, 104), tag 09F42D90, persistence mode 0; Allied Barracks (GAPILE), owner BadGuy1 House, cell (159, 107), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (159, 105), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (163, 101), tag 09F42D90, persistence mode 0; Prism Tower (ATESLA), owner BadGuy1 House, cell (178, 119), tag 09F42D90, persistence mode 0; Patriot Missile (NASAM), owner BadGuy1 House, cell (175, 115), tag 09F42D90, persistence mode 0; Allied Construction Yard (GACNST), owner BadGuy1 House, cell (171, 116), tag 09F42D90, persistence mode 0; Allied Barracks (GAPILE), owner BadGuy1 House, cell (172, 102), tag 09F42D90, persistence mode 0; Allied Shipyard (GAYARD), owner BadGuy1 House, cell (156, 127), tag 09F42D90, persistence mode 0; Allied Shipyard (GAYARD), owner BadGuy1 House, cell (183, 127), tag 09F42D90, persistence mode 0; Air Force Command Headquarters (GAAIRC), owner BadGuy1 House, cell (160, 102), tag 09F42D90, persistence mode 0; Allied War Factory (GAWEAP), owner BadGuy1 House, cell (146, 104), tag 09F42D90, persistence mode 0; Power Plant (GAPOWR), owner BadGuy1 House, cell (155, 106), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (158, 112), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (157, 107), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (164, 107), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (170, 104), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (168, 114), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (145, 123), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (149, 123), tag 09F42D90, persistence mode 0; Pill Box (GAPILL), owner BadGuy1 House, cell (151, 122), tag 09F42D90, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. Create/recruit team Grizzly 4 Tank Defense (07A6EF0C).
3. Create/recruit team BG 1 Naval Team (07A6EA6C).
4. Ratio of team infantry; main setting 50.
5. Enable and reset applicable timers for BG2 Delayed Startup (04371B8C).
6. Create/recruit team BG 1 Naval Team (07A6EA6C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5643, Events line 5704, Actions line 5765.

6. BG2 Delayed Startup - 04371B8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allied 1 Counter Attack (09F40250).

Attached scope: tag definitions 043713BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5644, Events line 5705, Actions line 5766.

7. Allied 2 Counter Attack - 08970880

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Attacked (09DE1140).

Attached scope: Chrono Miner (CMIN), owner BadGuy2 House, cell (94, 145), tag 08970390, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy2 House, cell (95, 129), tag 08970390, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy2 House, cell (99, 131), tag 08970390, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy2 House, cell (96, 127), tag 08970390, persistence mode 0; GI (E1), owner BadGuy2 House, cell (101, 137), tag 08970390, persistence mode 0; GI (E1), owner BadGuy2 House, cell (101, 136), tag 08970390, persistence mode 0; GI (E1), owner BadGuy2 House, cell (102, 137), tag 08970390, persistence mode 0; GI (E1), owner BadGuy2 House, cell (92, 137), tag 08970390, persistence mode 0; Allied Construction Yard (GACNST), owner BadGuy2 House, cell (87, 135), tag 08970390, persistence

mode 0; Allied Barracks (GAPILE), owner BadGuy2 House, cell (96, 136), tag 08970390, persistence mode 0; Allied Ore Refinery (GAREFN), owner BadGuy2 House, cell (91, 144), tag 08970390, persistence mode 0; Allied War Factory (GAWEAP), owner BadGuy2 House, cell (87, 129), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (106, 154), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (104, 158), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (100, 159), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (96, 161), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (105, 140), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (104, 144), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (88, 151), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (92, 151), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (81, 140), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (85, 132), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (94, 123), tag 08970390, persistence mode 0; Patriot Missile (NASAM), owner BadGuy2 House, cell (110, 119), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (92, 140), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (86, 140), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (92, 134), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (92, 126), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (99, 136), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (104, 136), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (98, 121), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (106, 121), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (81, 136), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (125, 136), tag 08970390, persistence mode 0; Prism Tower (ATESLA), owner BadGuy2 House, cell (100, 147), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (104, 155), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (107, 152), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (103, 146), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (103, 141), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (101, 157), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (97, 159), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (89, 150), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (89, 143), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (83, 141), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (83, 132), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (89, 146), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (94, 162), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (93, 158), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (104, 149), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (91, 124), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (85, 130), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (104, 137), tag 08970390, persistence mode 0; Power Plant (GAPOWR), owner BadGuy2 House, cell (91, 154), tag 08970390, persistence mode 0; Air Force Command Headquarters (GAAIRC), owner BadGuy2 House, cell (82, 135), tag 08970390, persistence mode 0; Air Force Command Headquarters (GAAIRC), owner BadGuy2 House, cell (80, 137), tag 08970390, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
3. Ratio of team aircraft; main setting 50.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5645, Events line 5706, Actions line 5767.

8. Zofia 5 - 0B7BEA70

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD_Attack_fake (0B16B91C).

Attached scope: tag definitions 0B7BE890 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. AI triggers begin: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
2. Production Begins: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
3. Set local flag 4 (WCD Power On).
4. Create/recruit team BG3 Aegis Attack Team (09E8068C).
5. Create/recruit team BG3 Carrier Attack Team (09E80B5C).
6. Create/recruit team BG3 Destroyer Attack Team (09914EFC).
7. Create/recruit team BG3 Dolphin Attack Team (0AF0DC8C).
8. Create/recruit team BG3 Intruder Defense (0A93F57C).

9. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5646, Events line 5707, Actions line 5768.

9. Zofia 4 - 0B7BD050

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BL Captured (07C0419C).

Attached scope: tag definitions 0B7BEB30 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S10_Sofia4.
2. Enable and reset applicable timers for Camera to WCD (0C6043EC).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5647, Events line 5708, Actions line 5769.

10. Camera to WCD - 0C6043EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 4 (0B7BD050); enable from BL Captured (07C0419C).

Attached scope: tag definitions 0C604F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 15 (cell 18, 96).
2. Play sound CameraSwitch.
3. Enable and reset applicable timers for WCD_Timer_fake (0B16933C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5648, Events line 5709, Actions line 5770.

11. WCD_Timer_fake - 0B16933C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera to WCD (0C6043EC).

Attached scope: tag definitions 0B16BA0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 300 configured time units.
2. Use countdown label “Weather Storm” (Name:Storm).
3. Enable and reset applicable timers for Weather Control Device (087F44BC).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5649, Events line 5710, Actions line 5771.

12. Weather Control Device - 087F44BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD_Timer_fake (0B16933C).

Attached scope: tag definitions 087F799C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 275 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 117.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5650, Events line 5711, Actions line 5772.

13. Zofia 3 - 0B7BD7A0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 2 (089668E0).

Attached scope: tag definitions 0B7BD110 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S10_Sofia3.
2. Enable and reset applicable timers for Zofia 3 Online (081FCDBC).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5651, Events line 5712, Actions line 5773.

14. Zofia 3 Online - 081FCDBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 3 (0B7BD7A0).

Attached scope: tag definitions 081F9F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5652, Events line 5713, Actions line 5774.

15. 1 Landing Craft_5 GIs - 0AB36980

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AB37BD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harassment Team (0AA33A3C).
2. Enable and reset applicable timers for Landing Craft_5 GIs Again (0A7961EC).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5653, Events line 5714, Actions line 5775.

16. Landing Craft_5 GIs Again - 0A7961EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1 Landing Craft_5 GIs (0AB36980).

Attached scope: tag definitions 0A791BFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harassment Team_2 (0DCFF25C).
2. Enable and reset applicable timers for 2 Landing Craft_2 Tanks (0A791B0C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5654, Events line 5715, Actions line 5776.

17. 2 Landing Craft_2 Tanks - 0A791B0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Landing Craft_5 GIs Again (0A7961EC).

Attached scope: tag definitions 0A791A2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harassment Team_3 (0CEEC74C).
2. Supply reinforcement team Harassment Team_3a (0CEEC29C).
3. Enable and reset applicable timers for 4 Rocketeers (0A79193C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5655, Events line 5716, Actions line 5777.

18. 4 Rocketeers - 0A79193C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2 Landing Craft_2 Tanks (0A791B0C).

Attached scope: tag definitions 0A79185C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harassment Team_4 (0863D33C).
2. Enable and reset applicable timers for 4 Intruders (0A79163C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5656, Events line 5717, Actions line 5778.

19. 4 Intruders - 0A79163C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 4 Rocketeers (0A79193C).

Attached scope: tag definitions 0A79155C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Harassment Team_5 (0A796E3C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5657, Events line 5718, Actions line 5779.

20. Bonus Ship - 0961D700

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Dreadnought (DRED), owner Civie1 House, cell (150, 205), tag 0961D290, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Reveal terrain around waypoint 11 (cell 149, 205).
3. Play sound Bonus.
4. Create radar-event marker type 0 at waypoint 11 (cell 149, 205).
5. Play sound GenSovWaterSelect.
6. Create/recruit team Beach Panic People (0B7CA57C).
7. Play sound CivAllFear.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5658, Events line 5719, Actions line 5780.

21. WCD Destroyed - 09AB4D30

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: WCD Captured (09AB47E0).

Attached scope: Weather Controller (GAWEAT), owner Other3 House, cell (17, 95), tag 09030F4C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Winner (09AB6CC0).
2. Disable Reminder2_Nuke BL (0A9F7180).
3. Display message “Objective 2 Complete” (MISSION:Objective2).
4. Disable WCD Destroyed (09AB4D30).
5. Enable and reset applicable timers for Cheer (0A5DD21C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5659, Events line 5720, Actions line 5781.

22. WCD Captured - 09AB47E0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Turn On (07537BBC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Winner Bonus (09B23E90).
2. Disable Reminder2_Nuke BL (0A9F7180).
3. Display message “Objective 2 Complete” (MISSION:Objective2).
4. Disable WCD Captured (09AB47E0).
5. Enable and reset applicable timers for Cheer (0A5DD21C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5660, Events line 5721, Actions line 5782.

23. Winner - 09AB6CC0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD Destroyed (09AB4D30); enable from Winner Bonus (09B23E90).

Attached scope: tag definitions 09B21420 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5661, Events line 5722, Actions line 5783.

24. Reminder2_Nuke BL - 0A9F7180

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BL Captured (07C0419C).

Attached scope: tag definitions 0AA060D0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Weather Control Device” (MISSION:Sov10c).
2. Create radar-event marker type 5 at waypoint 15 (cell 18, 96).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5662, Events line 5723, Actions line 5784.

25. Cheer - 0A5DD21C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD Destroyed (09AB4D30); enable from WCD Captured (09AB47E0).

Attached scope: tag definitions 0A5DD13C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5663, Events line 5724, Actions line 5785.

26. Turn On - 07537BBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (WCD Power On) is set.

Flag writers in this mission: set local flag 4 (WCD Power On) at Zofia 5 (0B7BEA70); set local flag 4 (WCD Power On) at WCD_Enabled_real (0B17417C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
2. Disable Turn On (07537BBC).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5664, Events line 5725, Actions line 5786.

27. Winner Bonus - 09B23E90

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD Captured (09AB47E0).

Attached scope: tag definitions 09B211A0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set global flag 7.
2. Enable and reset applicable timers for Winner (09AB6CC0).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5665, Events line 5726, Actions line 5787.

28. Player Dead - 09AB41E0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AB4050 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Loser (09AB6F60).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5666, Events line 5727, Actions line 5788.

29. Loser - 09AB6F60

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Dead (09AB41E0); enable from BL Destroyed (07C053EC); enable from _Lose Condition (0B3FB3FC).

Attached scope: tag definitions 09AB6D80 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5667, Events line 5728, Actions line 5789.

30. Bad Guy 3 Startup - 08991690

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089900C0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. House Discovered; configured argument 16.

Then perform these actions in order:

1. Production Begins: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
2. AI triggers begin: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
3. Create/recruit team BG3 Aegis Attack Team (09E8068C).
4. Create/recruit team BG3 Carrier Attack Team (09E80B5C).
5. Create/recruit team BG3 Destroyer Attack Team (09914EFC).
6. Create/recruit team BG3 Dolphin Attack Team (0AF0DC8C).
7. Create/recruit team BG3 GI Defense (08E366DC).
8. Create/recruit team BG3 Grizzly Tank Def (08E367FC).
9. Create/recruit team BG3 Intruder Defense (0A93F57C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5668, Events line 5729, Actions line 5790.

31. Reveal LZ - 07EF4200

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07EF57D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 155, 161).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5669, Events line 5730, Actions line 5791.

32. Faster Unlock Input - 07490670

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Landed (09CC8F3C).

Attached scope: tag definitions 074951F0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Disable Faster Unlock Input (07490670).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5670, Events line 5731, Actions line 5792.

33. BG3 Attacked - 09DE1140

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09DE2D70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Allied 1 Counter Attack (09F40250).
2. Enable and reset applicable timers for Allied 2 Counter Attack (08970880).
3. AI triggers begin: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
4. Production Begins: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5671, Events line 5732, Actions line 5793.

34. Zofia 1 - 08964A60

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089669A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play voice notification Mis_S10_Sofia1.
2. Enable and reset applicable timers for Zofia 2 (089668E0).
3. Enable and reset applicable timers for Zofia 1 Map (0AFE7F3C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5672, Events line 5733, Actions line 5794.

35. Zofia 2 - 089668E0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 1 (08964A60).

Attached scope: tag definitions 089667A0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S10_Sofia2.
2. Create radar-event marker type 5 at waypoint 2 (cell 148, 128).
3. Reveal terrain around waypoint 2 (cell 148, 128).
4. Enable and reset applicable timers for Zofia 3 (0B7BD7A0).
5. Enable and reset applicable timers for Zofia 2 Map (0AFE751C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5673, Events line 5734, Actions line 5795.

36. Zofia 1 Map - 0AFE7F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 1 (08964A60).

Attached scope: tag definitions 0AFE7E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Zofia 1 Map Return (0AFE734C).
2. Jump the camera to waypoint 40 (cell 164, 98).
3. Reveal terrain around waypoint 40 (cell 164, 98).
4. Create radar-event marker type 5 at waypoint 40 (cell 164, 98).
5. Play sound CameraSwitch.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5674, Events line 5735, Actions line 5796.

37. Zofia 2 Map - 0AFE751C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 2 (089668E0).

Attached scope: tag definitions 0AFE743C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Zofia 2 Map Return (0AFE717C).
2. Jump the camera to waypoint 2 (cell 148, 128).
3. Play sound CameraSwitch.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5675, Events line 5736, Actions line 5797.

38. Zofia 1 Map Return - 0AFE734C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 1 Map (0AFE7F3C).

Attached scope: tag definitions 0AFE726C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 42 (cell 158, 175).
2. Play sound CameraSwitch.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5676, Events line 5737, Actions line 5798.

39. Zofia 2 Map Return - 0AFE717C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Zofia 2 Map (0AFE751C).

Attached scope: tag definitions 0AFE709C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 4 (cell 148, 176).
2. Play sound CameraSwitch.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5677, Events line 5738, Actions line 5799.

40. BL Damaged - 07C0471C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “MISSION CRITICAL STRUCTURE - Do not destroy!” (MISSION:Sov10d).
2. Disable BL Damaged (07C0471C).
3. Play sound NukeSiren.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5678, Events line 5739, Actions line 5800.

41. BL Destroyed - 07C053EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BL Damaged (07C0471C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable BL Destroyed (07C053EC).

2. Enable and reset applicable timers for Loser (09AB6F60).
3. Disable BL Captured (07C0419C).
4. Disable BL Damaged (07C0471C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5679, Events line 5740, Actions line 5801.

42. BL Captured - 07C0419C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BL Destroyed (07C053EC).

Attached scope: Allied Battle Lab (GATECH), owner BadGuy1 House, cell (163, 97), tag 07C0463C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 15 (cell 18, 96).
2. Enable and reset applicable timers for Zofia 4 (0B7BD050).
3. Resize Player View; main setting 0; parameter 1: 1, parameter 2: 7, parameter 3: 84, parameter 4: 131.
4. Reveal terrain around waypoint 15 (cell 18, 96).
5. Disable BL Captured (07C0419C).
6. Disable BL Destroyed (07C053EC).
7. Disable BL Damaged (07C0471C).
8. Disable Reminder1_Capture BL (0B58F3DC).
9. Display message “Objective 1 Complete” (MISSION:Objective1).
10. Enable and reset applicable timers for Camera to WCD (0C6043EC).
11. Enable and reset applicable timers for Reminder2_Nuke BL (0A9F7180).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5680, Events line 5741, Actions line 5802.

43. Reminder1_Capture BL - 0B58F3DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Landed (09CC8F3C).

Attached scope: tag definitions 0A66455C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Capture the BATTLE LAB with an ENGINEER” (MISSION:Sov10a).
2. Create radar-event marker type 5 at waypoint 40 (cell 164, 98).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5681, Events line 5742, Actions line 5803.

44. Landed - 09CC8F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 13 tagged map cells: (144, 174), (145, 174), (146, 174), (144, 175), (145, 175), (146, 175), (147, 175), (144, 176), (145, 176), (146, 176), (147, 176), (145, 177), (146, 177); tag 09CC83EC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Faster Unlock Input (07490670).
2. Enable and reset applicable timers for Reminder1_Capture BL (0B58F3DC).
3. Enable and reset applicable timers for Objective 1 (0830720C).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5682, Events line 5743, Actions line 5804.

45. Objective 1 - 0830720C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Landed (09CC8F3C).

Attached scope: tag definitions 0830F05C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Capture the BATTLE LAB with an ENGINEER” (MISSION:Sov10a).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5683, Events line 5744, Actions line 5805.

46. BG1 Delayed Startup - 07D50BCC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07D5060C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5684, Events line 5745, Actions line 5806.

47. Camera Move 1 - 098B815C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 098BCCFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Move the camera to waypoint 41 (cell 172, 179) with speed setting 2.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5685, Events line 5746, Actions line 5807.

48. Ocean Heavy - 0BCE5AAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 51 (cell 137, 202).
2. Play sound _Amb_OceanHeavy at waypoint 11 (cell 149, 205).
3. Play sound _Amb_OceanHeavy at waypoint 44 (cell 125, 177).
4. Play sound _Amb_OceanHeavy at waypoint 43 (cell 148, 183).
5. Play sound _Amb_OceanHeavy at waypoint 42 (cell 158, 175).
6. Play sound _Amb_OceanHeavy at waypoint 29 (cell 165, 180).
7. Play sound _Amb_OceanHeavy at waypoint 36 (cell 179, 176).
8. Play sound _Amb_OceanHeavy at waypoint 45 (cell 121, 160).
9. Play sound _Amb_OceanHeavy at waypoint 46 (cell 128, 151).
10. Play sound _Amb_OceanHeavy at waypoint 35 (cell 136, 159).
11. Play sound _Amb_OceanHeavy at waypoint 62 (cell 184, 154).
12. Play sound _Amb_OceanHeavy at waypoint 61 (cell 198, 159).

13. Play sound _Amb_OceanHeavy at waypoint 60 (cell 201, 145).
14. Play sound _Amb_OceanHeavy at waypoint 10 (cell 149, 131).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5686, Events line 5747, Actions line 5808.

49. Ambient Birds - 0BCE57AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ocean Heavy (0BCE5AAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 11 (cell 149, 205).
2. Play sound _Amb_BirdsBeach at waypoint 43 (cell 148, 183).
3. Play sound _Amb_BirdsBeach at waypoint 42 (cell 158, 175).
4. Play sound _Amb_BirdsBeach at waypoint 29 (cell 165, 180).
5. Play sound _Amb_BirdsBeach at waypoint 36 (cell 179, 176).
6. Play sound _Amb_BirdsBeach at waypoint 62 (cell 184, 154).
7. Play sound _Amb_BirdsBeach at waypoint 61 (cell 198, 159).
8. Play sound _Amb_BirdsBeach at waypoint 60 (cell 201, 145).
9. Play sound _Amb_BirdsBeach at waypoint 59 (cell 201, 126).
10. Play sound _Amb_BirdsBeach at waypoint 76 (cell 181, 108).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5687, Events line 5748, Actions line 5809.

50. Ambient Birds 2 - 0B7B8C9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Birds (0BCE57AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 73 (cell 153, 89).
2. Play sound _Amb_BirdsBeach at waypoint 77 (cell 152, 71).
3. Play sound _Amb_BirdsBeach at waypoint 79 (cell 109, 61).
4. Play sound _Amb_BirdsBeach at waypoint 81 (cell 113, 88).
5. Play sound _Amb_BirdsBeach at waypoint 71 (cell 120, 109).
6. Play sound _Amb_BirdsBeach at waypoint 69 (cell 97, 114).
7. Play sound _Amb_BirdsBeach at waypoint 86 (cell 53, 109).
8. Play sound _Amb_BirdsBeach at waypoint 84 (cell 69, 86).
9. Play sound _Amb_BirdsBeach at waypoint 83 (cell 64, 68).
10. Play sound _Amb_BirdsBeach at waypoint 82 (cell 64, 54).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5688, Events line 5749, Actions line 5810.

51. Ocean Lite - 0B79972C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Birds 2 (0B7B8C9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 50 (cell 178, 164).
2. Play sound _Amb_OceanLight at waypoint 14 (cell 131, 48).
3. Play sound _Amb_OceanLight at waypoint 49 (cell 166, 150).
4. Play sound _Amb_OceanLight at waypoint 48 (cell 154, 145).
5. Play sound _Amb_OceanLight at waypoint 47 (cell 144, 149).
6. Play sound _Amb_OceanLight at waypoint 56 (cell 177, 144).
7. Play sound _Amb_OceanLight at waypoint 57 (cell 185, 135).
8. Play sound _Amb_OceanLight at waypoint 58 (cell 185, 123).
9. Play sound _Amb_OceanLight at waypoint 55 (cell 163, 132).
10. Play sound _Amb_OceanLight at waypoint 54 (cell 134, 135).
11. Play sound _Amb_OceanLight at waypoint 53 (cell 120, 138).
12. Play sound _Amb_OceanLight at waypoint 52 (cell 109, 145).
13. Play sound _Amb_OceanLight at waypoint 63 (cell 110, 157).
14. Play sound _Amb_OceanLight at waypoint 65 (cell 81, 153).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5689, Events line 5750, Actions line 5811.

52. Ocean Lite 2 - 0B7D827C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ocean Lite (0B79972C).

Attached scope: tag definitions 0BCE589C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 67 (cell 77, 127).
2. Play sound _Amb_OceanLight at waypoint 68 (cell 85, 119).
3. Play sound _Amb_OceanLight at waypoint 70 (cell 111, 114).
4. Play sound _Amb_OceanLight at waypoint 72 (cell 136, 95).
5. Play sound _Amb_OceanLight at waypoint 75 (cell 171, 94).
6. Play sound _Amb_OceanLight at waypoint 74 (cell 162, 85).
7. Play sound _Amb_OceanLight at waypoint 78 (cell 121, 55).
8. Play sound _Amb_OceanLight at waypoint 80 (cell 106, 79).
9. Play sound _Amb_OceanLight at waypoint 89 (cell 42, 117).
10. Play sound _Amb_OceanLight at waypoint 87 (cell 39, 99).
11. Play sound _Amb_OceanLight at waypoint 85 (cell 63, 101).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5690, Events line 5751, Actions line 5812.

53. Squid Intro - 087F2C4C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087F2B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 24 (global list position: Giant Squid (SQD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 118.
2. Switch the sidebar to tab 3.
3. Flash cameo/type 324; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5691, Events line 5752, Actions line 5813.

54. WCD_Attack_fake - 0B16B91C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B1712DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Lightning Storm strike at waypoint 93 (cell 167, 172).
2. Enable and reset applicable timers for WCD_Enabled_real (0B17417C).
3. Enable and reset applicable timers for Zofia 5 (0B7BEA70).
4. Lightning strike at; main setting 32; location/duration field AG.
5. Lightning strike at; main setting 16; location/duration field Q.
6. Lightning strike at; main setting 60; location/duration field BI.
7. Lightning strike at; main setting 81; location/duration field CD.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5692, Events line 5753, Actions line 5814.

55. WCD_Enabled_real - 0B17417C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WCD_Attack_fake (0B16B91C).

Attached scope: tag definitions 0B1771AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 4 (WCD Power On).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5693, Events line 5754, Actions line 5815.

56. Kill the Nuke! - 08C8503C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF2878C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nuke Buster Team (08CC8B0C) at waypoint 95 (cell 34, 109).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5694, Events line 5755, Actions line 5816.

57. Beach Hotel Bonus - 0847C3EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM06), owner Civie1 House, cell (140, 215), tag 0847DD2C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create crate type 0 at waypoint 96 (cell 144, 217).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5695, Events line 5756, Actions line 5817.

58. Bonus Psy Corps - 0CC538AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psi Commando (PTROOP), owner Civie1 House, cell (125, 68), tag 0CC54A8C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Reveal terrain around waypoint 97 (cell 124, 69).
3. Create radar-event marker type 1 at waypoint 97 (cell 124, 69).
4. Play sound Bonus.
5. Play voice notification Mis_S10_Yuri.

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5696, Events line 5757, Actions line 5818.

59. _Lose Condition - 0B3FB3FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B3F87FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Loser (09AB6F60).

Source locator: MAPS02.MIX/sov10t.map; Triggers line 5697, Events line 5758, Actions line 5819.

All team rosters and ordered plans | All mission overrides

Operation: Weathered Alliance - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov10t.map; each team/script ID identifies its section.

West Trans - 0AF67A4C

Owner: Player. Roster: 1 × Amphibious Transport (SAPC); 1 × Soviet Construction Vehicle (SMCV); 4 × Conscript (E2); 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 7; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: West Trans Lands (0C1CAA1C).

1. Move to waypoint: waypoint 1 (cell 163, 181).
2. Move to waypoint: waypoint 24 (cell 158, 178).
3. Move to waypoint: waypoint 25 (cell 154, 177).
4. Move to waypoint: waypoint 26 (cell 149, 179).
5. Move to waypoint: waypoint 5 (cell 145, 176).
6. Unload with continuation mode: passengers continue; transport leaves team.

East Trans - 09ED3A4C

Owner: Player. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: East Trans Lands (09ED37DC).

1. Move to waypoint: waypoint 23 (cell 175, 180).
2. Move to waypoint: waypoint 27 (cell 173, 180).
3. Move to waypoint: waypoint 28 (cell 171, 180).
4. Move to waypoint: waypoint 29 (cell 165, 180).
5. Move to waypoint: waypoint 8 (cell 147, 174).
6. Unload with continuation mode: passengers continue; transport leaves team.

Team Ivan - 08E2A39C

Owner: Player. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Ivan Moves (08E2A12C).

1. Move to waypoint: waypoint 4 (cell 148, 176).

One Intruder - 08E2924C

Owner: BadGuy2. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Intruder Attack (099096CC).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Base Team - 093881CC

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (08E28C9C).

1. Adopt object mission: area guard.
2. Report team success.

Beach Team - 0938D1CC

Owner: BadGuy1. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Beach Defense (07A6B7FC).

1. Attack-move toward waypoint: waypoint 32 (cell 148, 117).
2. Report team success.

Seal Team - 07A6B5CC

Owner: BadGuy1. Roster: 2 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Seal Attack (092A549C).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Rocket Team - 07A6B12C

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle and Building Attack (09E8445C).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Seek/attack target category; configured argument 2.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Timer Team - 07F9D710

Owner: <none>. Roster: 1 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: no script reference.

No local script steps recovered for this reference; it may be supplied by another loaded source.

Grizzly Tank Team - 08E3782C

Owner: BadGuy2. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (08E28C9C).

1. Adopt object mission: area guard.
2. Report team success.

Mirage Tank Team - 08E375FC

Owner: BadGuy2. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (08E28C9C).

1. Adopt object mission: area guard.
2. Report team success.

Base Defense BG2 - 08E373CC

Owner: BadGuy2. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (08E28C9C).

1. Adopt object mission: area guard.
2. Report team success.

Grizzly 4 Tank Defense - 07A6EF0C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Beach Tank Defense (09BE6CF0).

1. Attack-move toward waypoint: waypoint 33 (cell 148, 120).
2. Seek/attack target category; configured argument 1.

BG 1 Naval Team - 07A6EA6C

Owner: BadGuy1. Roster: 1 × Dolphin (DLPH); 1 × Aegis Cruiser (AEGIS); 2 × Destroyer (DEST); 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Naval Attack (07A757FC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 Grizzly Tank Def - 08E367FC

Owner: BadGuy3. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Base Defense (07C3E95C).

1. Adopt object mission: area guard.
2. Report team success.

BG3 GI Defense - 08E366DC

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Base Defense (07C3E95C).

1. Adopt object mission: area guard.
2. Report team success.

BG3 Intruder Defense - 0A93F57C

Owner: BadGuy3. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Intruder Attack (099096CC).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Yuri - 07055D80

Owner: Player. Roster: 1 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Do Nothing (07055B40).

1. Play idle behavior.

BG1 Carrier Team - 07A7503C

Owner: BadGuy1. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Naval Attack (07A757FC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG1 Destroyer Team - 09E83DEC

Owner: BadGuy1. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Naval Attack (0AF0EDBC).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Seek/attack target category; configured argument 1.
3. Report team success.

BG1 Aegis Team - 07A7195C

Owner: BadGuy1. Roster: 1 × Aegis Cruiser (AEGIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Aegis Script (09E836CC).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Follow friendly objects.
3. Report team success.

BG1 Dolphin Team - 07A6D28C

Owner: BadGuy1. Roster: 1 × Dolphin (DLPH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Naval Attack (07A757FC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 Destroyer Attack Team - 09914EFC

Owner: BadGuy3. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Naval Attack (0AF0EDBC).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Seek/attack target category; configured argument 1.
3. Report team success.

BG3 Carrier Attack Team - 09E80B5C

Owner: BadGuy3. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle and Building Attack (09E8445C).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Seek/attack target category; configured argument 2.
3. Report team success.
4. Seek/attack target category; configured argument 1.

BG3 Dolphin Attack Team - 0AF0DC8C

Owner: BadGuy3. Roster: 1 × Dolphin (DLPH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: BG3 Naval Attack (0AF0EDBC).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Seek/attack target category; configured argument 1.
3. Report team success.

BG3 Aegis Attack Team - 09E8068C

Owner: BadGuy3. Roster: 1 × Aegis Cruiser (AEGIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Aegis Script (09E836CC).

1. Move to waypoint: waypoint 39 (cell 110, 168).
2. Follow friendly objects.
3. Report team success.

Harassment Team - 0AA33A3C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Harass Player (0AA337CC).

1. Move to waypoint: waypoint 35 (cell 136, 159).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

BG3 Rocketeer Attack - 0B5E773C

Owner: BadGuy3. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 Intruder Attack (099096CC).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Harassment Team_2 - 0DCFF25C

Owner: BadGuy1. Roster: 1 × Amphibious Transport (LCRF); 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Back-of-Base Attack (084A651C).

1. Move to waypoint: waypoint 90 (cell 170, 175).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

Harassment Team_3 - 0CEEC74C

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: CN Attack (0A7944CC).

1. Move to waypoint: waypoint 91 (cell 145, 174).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Seek/attack target category; configured argument 1.

Harassment Team_3a - 0CEEC29C

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: CN Attack (0A7944CC).

1. Move to waypoint: waypoint 91 (cell 145, 174).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Seek/attack target category; configured argument 1.

Harassment Team_4 - 0863D33C

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: CQ.

Ordered plan: Any Attack (0A7901DC).

1. Seek/attack target category; configured argument 1.

Harassment Team_5 - 0A796E3C

Owner: BadGuy2. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: BG2 Intruder Attack (099096CC).

1. Seek/attack target category; configured argument 2.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Beach Panic People - 0B7CA57C

Owner: Civilian1. Roster: 2 × Civilian (CIVBFM); 2 × Civilian (CIVBF); 1 × Civilian (CIVBTM); 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Beach Panic (0B7CA30C).

1. Panic.
2. Jump to script line; configured argument 1.

Nuke Buster Team - 08CC8B0C

Owner: BadGuy3. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 4; Veteran Level: 2; Technology level: 0.

Ordered plan: Kill Nuke (0AF1F63C).

1. Attack selected enemy-building category; configured argument 65590.
2. Report team success.
3. Attack selected enemy-building category; configured argument 65601.
4. Seek/attack target category; configured argument 2.

Operation: Weathered Alliance - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov10t.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	2
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	3
War Miner (HARV)	Resource cargo capacity	20	15
Chrono Miner (CMIN)	Resource cargo capacity	10	18
TIBERIUMS (TIBERIUMS)	0	Riparius	21
TIBERIUMS (TIBERIUMS)	1	Cruentus	22
TIBERIUMS (TIBERIUMS)	2	Vinifera	23
TIBERIUMS (TIBERIUMS)	3	Aboreus	24
Tiberium Riparius (RIPARIUS)	Value	50	27
Tiberium Cruentus (CRUENTUS)	Value	100	30
Tiberium Vinifera (VINIFERA)	Value	50	33
Tiberium Aboreus (ABOREUS)	Value	50	36
Yuri (YURI)	Technology level	-1	39
Iron Curtain Device (NAIRON)	Technology level	-1	42
Psychic Sensor (NAPSIS)	Technology level	-1	45
Cloning Vats (NACLON)	Technology level	-1	48
Kirov Airship (ZEP)	Technology level	-1	51
Engineer (ENGINEER)	Name	Engineer	54
Engineer (ENGINEER)	Technology level	-1	55
Attack Dog (ADOG)	Name	Allied Attack Dog	58
Attack Dog (ADOG)	Technology level	-1	59
SEAL (GHOST)	Name	SEAL	62
SEAL (GHOST)	Technology level	9	63
Tanya (TANY)	Name	Tanya	66
Tanya (TANY)	Technology level	-1	67
Spy (SPY)	Name	Spy	70
Spy (SPY)	Technology level	-1	71
Giant Squid (SQD)	UI Name	Name:SQD	74
Giant Squid (SQD)	Name	Giant Squid	75
Giant Squid (SQD)	No Shadow	yes	76
Giant Squid (SQD)	Category	AFV	77
Giant Squid (SQD)	Required structures/groups	NAYARD,NATECH	78

Object/system	Property	Mission value	Source line
Giant Squid (SQD)	Primary	SquidGrab	79
Giant Squid (SQD)	Secondary	SquidPunch	80
Giant Squid (SQD)	Naval-target selection mode	3	81
Giant Squid (SQD)	Ground-target selection mode	1	82
Giant Squid (SQD)	Walk Rate	2	83
Giant Squid (SQD)	Idle Rate	4	84
Giant Squid (SQD)	Starting health capacity	200	85
Giant Squid (SQD)	Suppression Threshold	250	86
Giant Squid (SQD)	Organic	yes	87
Giant Squid (SQD)	Armor class	light	88
Giant Squid (SQD)	Technology level	8	89
Giant Squid (SQD)	Underwater	yes	90
Giant Squid (SQD)	Naval role	yes	91
Giant Squid (SQD)	Turret	no	92
Giant Squid (SQD)	Is Tilter	no	93
Giant Squid (SQD)	Self-healing	yes	94
Giant Squid (SQD)	Crate Goodie	no	95
Giant Squid (SQD)	Sight radius setting	5	96
Giant Squid (SQD)	Detector service	yes	97
Giant Squid (SQD)	Detection range setting	4	98
Giant Squid (SQD)	Guard Range	5	99
Giant Squid (SQD)	Movement rating	8	100
Giant Squid (SQD)	Permitted country list	Russians,Confederation,Africans,Arabs	101
Giant Squid (SQD)	Price in credits	1000	102
Giant Squid (SQD)	Points	20	103
Giant Squid (SQD)	ROT	40	104
Giant Squid (SQD)	Allowed To Start In Multiplayer	no	105
Giant Squid (SQD)	Can crush through ordinary crushing logic	no	106
Giant Squid (SQD)	Crewed	no	107
Giant Squid (SQD)	Is Selectable Combatant	yes	108
Giant Squid (SQD)	Voice Select	SquidSelect	109
Giant Squid (SQD)	Voice Move	SquidMove	110
Giant Squid (SQD)	Voice Attack	SquidAttackCommand	111
Giant Squid (SQD)	Voice Feedback	SquidFear	112
Giant Squid (SQD)	Die Sound	SquidDie	113
Giant Squid (SQD)	Locomotor	{2BEA74E1-7CCA-11d3-BE14-00104B62A16C}	114
Giant Squid (SQD)	Movement speed category	Float	115
Giant Squid (SQD)	Permitted movement zone	Water	116
Giant Squid (SQD)	Threat contribution	25	117
Giant Squid (SQD)	Weight	.5	118
Giant Squid (SQD)	Immune to ordinary psychic control	yes	119

Object/system	Property	Mission value	Source line
Giant Squid (SQD)	Parasiteable	no	120
Giant Squid (SQD)	Can gain rank	yes	121
Giant Squid (SQD)	Explosive destruction flag	no	122
Giant Squid (SQD)	Acceleration Factor	0.01	123
Giant Squid (SQD)	Z Fudge Column	8	124
Giant Squid (SQD)	Z Fudge Tunnel	13	125
Giant Squid (SQD)	Attached bombs permitted	yes	126
Giant Squid (SQD)	Transport size usage	30	127
Giant Squid (SQD)	Can cloak	yes	128
Giant Squid (SQD)	Cloaking Speed	5	129
Giant Squid (SQD)	Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	130
Giant Squid (SQD)	Elite improvements	STRONGER,FIREPOWER,ROF	131
Giant Squid (SQD)	Movement Restricted To	Water	132
Giant Squid (SQD)	Elite Primary	SquidGrabE	133
Giant Squid (SQD)	Elite Secondary	SquidPunchE	134
Giant Squid (SQD)	Too Big To Fit Under Bridge	true	135
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	138
Soviet Construction Vehicle (SMCV)	Technology level	8	139
Nuclear Missile Silo (NAMISL)	Name	Nuclear Missile Silo	142
Nuclear Missile Silo (NAMISL)	Technology level	8	143
Weather Controller (GAWEAT)	Name	Weather Controller	146
Weather Controller (GAWEAT)	Starting health capacity	200	147
Weather Controller (GAWEAT)	Armor class	wood	148
Allied Battle Lab (GATECH)	Name	Allied Battle Lab	151
Allied Battle Lab (GATECH)	Signed power contribution	0	152
SPECIALFLAGS	Tiberium Grows	yes	155
SPECIALFLAGS	Tiberium Spreads	yes	156
SPECIALFLAGS	Tiberium Explosive	no	157
SPECIALFLAGS	Destroyable Bridges	no	158
SPECIALFLAGS	MCV Deploy	no	159
SPECIALFLAGS	Initial Veteran	no	160
SPECIALFLAGS	Fixed Alliance	no	161
SPECIALFLAGS	Harvester Immune	no	162
SPECIALFLAGS	Fog Of War	no	163
SPECIALFLAGS	Inert	no	164
SPECIALFLAGS	Ion Storms	no	165
SPECIALFLAGS	Meteorites	no	166
SPECIALFLAGS	Visceroids	no	167
COUNTRIES (COUNTRIES)	0	Player	170
COUNTRIES (COUNTRIES)	1	BadGuy1	171
COUNTRIES (COUNTRIES)	2	BadGuy2	172

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	3	BadGuy3	173
COUNTRIES (COUNTRIES)	4	Civilian1	174
COUNTRIES (COUNTRIES)	5	Other1	175
COUNTRIES (COUNTRIES)	6	Other2	176
COUNTRIES (COUNTRIES)	7	Other3	177
VARIABLENAMES (VARIABLENAMES)	0	Gen1 Destroyed,0	295
VARIABLENAMES (VARIABLENAMES)	1	Gen2 Destroyed,0	296
VARIABLENAMES (VARIABLENAMES)	2	Gen3 Destroyed,0	297
VARIABLENAMES (VARIABLENAMES)	3	Generator Advice,0	298
VARIABLENAMES (VARIABLENAMES)	4	WCD Power On,0	299

Operation: Red Revolution

Campaign reading guide | Engine

Operation: Red Revolution

sov11s.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civie1 House (116)
- BadGuy1 House (65)
- BadGuy3 House (57)
- BadGuy2 House (37)
- Player House (34)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov11s.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CARUS03

Initial placement schematic for sov11s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov11s.map. **Effective extracted member:** MAPS02.MIX/sov11s.map. **Trigger definitions:** 46.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,60,115
Visible local rectangle	2,7,56,102
Placed vehicles	25
Placed infantry	61
Placed structures	223
Placed aircraft	0
Team templates	32

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	2000	BadGuy1
2	BadGuy2 House	2000	BadGuy2
3	BadGuy3 House	200	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Play IC Movie,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
MISSION FAIL (092D76FC)	4 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
MISSION VICTORY (092D6E5C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Enable Production: BadGuy1 - 08FDB280

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08FE2CB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4602, Events line 4650, Actions line 4698.

2. Enable Production: Bad2 - 091D1710

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091DFD60 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 280 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).

3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4603, Events line 4651, Actions line 4699.

3. MISSION FAIL - 092D76FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lose Condition 1 (092D6BDC).

Attached scope: tag definitions 092D6F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4604, Events line 4652, Actions line 4700.

4. MISSION VICTORY - 092D6E5C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Defeated (089FDF3C).

Attached scope: tag definitions 092D6CCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4605, Events line 4653, Actions line 4701.

5. Lose Condition 1 - 092D6BDC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092D673C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for MISSION FAIL (092D76FC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4606, Events line 4654, Actions line 4702.

6. Base Attack 1 - 073837CC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 073831AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team Conscripts6 (0A669CBC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4607, Events line 4655, Actions line 4703.

7. Yuri Defeated - 089FDF3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Kremlin (CARUS03), owner BadGuy3 House, cell (46, 43), tag 089FA21C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for MISSION VICTORY (092D6E5C).
2. Enable and reset applicable timers for Cheer (0CEDB2BC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4608, Events line 4656, Actions line 4704.

8. Cheer - 0CEDB2BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Defeated (089FDF3C).

Attached scope: tag definitions 0CEDE1CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4609, Events line 4657, Actions line 4705.

9. Reinforcements Arrive - 07924BEC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0792438C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 450 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 6 (cell 113, 161).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Supply reinforcement team Reinforcements (0AB8657C) at waypoint 5 (cell 113, 166).
4. Enable and reset applicable timers for Ping2 (0B75A2FC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4610, Events line 4658, Actions line 4706.

10. Ping2 - 0B75A2FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforcements Arrive (07924BEC).

Attached scope: tag definitions 0B75BADC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 6 (cell 113, 161).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4611, Events line 4659, Actions line 4707.

11. Mission Start - 0ADEF33C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADF0A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “Objective 1: Destroy the KREMLIN, where YURI is cowering” (MISSION:Sov11a).
3. Play voice notification Mis_S11_SofiaStopYuri.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4612, Events line 4660, Actions line 4708.

12. Mission Start 2 - 0ADF094C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADF041C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 98 (cell 49, 47).
2. Reveal terrain around waypoint 7 (cell 44, 45).
3. Reveal terrain around waypoint 8 (cell 47, 48).
4. Reveal terrain around waypoint 9 (cell 50, 45).
5. Reveal terrain around waypoint 10 (cell 47, 42).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4613, Events line 4661, Actions line 4709.

13. Ping Yuri's Base - 0ADF032C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ADF1DFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 98 (cell 49, 47).
2. Play sound MessageText.
3. Display message “Objective 1: Destroy the KREMLIN, where YURI is cowering” (MISSION:Sov11a).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4614, Events line 4662, Actions line 4710.

14. Disable Ping2 - 0B75B6FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B75B4FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Ping2 (0B75A2FC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4615, Events line 4663, Actions line 4711.

15. Create Crates - 080A2D3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080A69DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 0 at waypoint 11 (cell 140, 111).
2. Create crate type 11 at waypoint 12 (cell 101, 103).
3. Create crate type 2 at waypoint 13 (cell 56, 106).
4. Create crate type 0 at waypoint 14 (cell 66, 119).
5. Create crate type 2 at waypoint 15 (cell 95, 51).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4616, Events line 4664, Actions line 4712.

16. Start Ambient Sounds 1 - 080A6E9C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080AAE1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 6 (cell 113, 161).
2. Play sound _Amb_BirdsNightOwl at waypoint 16 (cell 95, 133).
3. Play sound _Amb_WindPlains at waypoint 4 (cell 91, 118).
4. Play sound _Amb_CricketBed at waypoint 17 (cell 107, 124).
5. Play sound _Amb_WindCold at waypoint 18 (cell 124, 141).
6. Play sound _Amb_BirdsNightOwl at waypoint 0 (cell 129, 127).
7. Play sound _Amb_WindCold at waypoint 3 (cell 115, 104).
8. Play sound _Amb_WindPlains at waypoint 19 (cell 94, 96).
9. Play sound _Amb_CricketChirps at waypoint 20 (cell 72, 111).
10. Play sound _Amb_BirdsNightOwl at waypoint 38 (cell 76, 101).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4617, Events line 4665, Actions line 4713.

17. Start Ambient Sounds 2 - 080AA86C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080A8A7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 21 (cell 32, 78).
2. Play sound _Amb_UrbanMurmur2 at waypoint 22 (cell 56, 54).
3. Play sound _Amb_UrbanMurmur1 at waypoint 23 (cell 79, 33).
4. Play sound _Amb_BirdsNightOwl at waypoint 15 (cell 95, 51).
5. Play sound _Amb_WindCold at waypoint 24 (cell 93, 74).
6. Play sound _Amb_WindPlains at waypoint 25 (cell 115, 84).
7. Play sound _Amb_WindCold at waypoint 26 (cell 78, 76).
8. Play sound _Amb_WindCold at waypoint 27 (cell 32, 57).
9. Play sound _Amb_WindPlains at waypoint 28 (cell 59, 28).
10. Play sound _Amb_CricketBed at waypoint 39 (cell 145, 101).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4618, Events line 4666, Actions line 4714.

18. Start Ambient Sounds 3 - 0808A73C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080AABBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 29 (cell 65, 63).
2. Play sound _Amb_WavesLake at waypoint 30 (cell 47, 86).
3. Play sound _Amb_WavesLake at waypoint 31 (cell 84, 62).
4. Play sound _Amb_WavesLake at waypoint 32 (cell 126, 76).
5. Play sound _Amb_WavesLake at waypoint 33 (cell 164, 112).

6. Play sound _Amb_WavesLake at waypoint 34 (cell 153, 124).
7. Play sound _Amb_WavesLake at waypoint 35 (cell 137, 143).
8. Play sound _Amb_WavesLake at waypoint 36 (cell 125, 151).
9. Play sound _Amb_WavesLake at waypoint 37 (cell 86, 140).
10. Play sound _Amb_WindCold at waypoint 11 (cell 140, 111).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4619, Events line 4667, Actions line 4715.

19. Bad Guy 3 - 080D491C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080DFB2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
3. AI triggers begin: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4620, Events line 4668, Actions line 4716.

20. Create Kirovs Easy a - 0B81C44C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kirov Timer (0B34751C); enable from Start Nuke Attacks 4 (078C31CC).

Attached scope: tag definitions 0B83B06C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 42 (cell 51, 108).
2. Create radar-event marker type 5 at waypoint 42 (cell 51, 108).
3. Disable Create Kirovs Easy a (0B81C44C).
4. Enable and reset applicable timers for Kirov Timer (0B34751C).
5. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 49 (cell 127, 69).
6. Create radar-event marker type 5 at waypoint 49 (cell 127, 69).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4621, Events line 4669, Actions line 4717.

21. Kirov Timer - 0B34751C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create Kirovs Easy a (0B81C44C); enable from Create Kirovs Hard a (0B83E7FC); enable from Create Kirovs Medium a (0B83EE5C); enable from Start Nuke Attacks 4 (078C31CC).

Attached scope: tag definitions 0B347D3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create Kirovs Easy a (0B81C44C).
2. Enable and reset applicable timers for Create Kirovs Hard a (0B83E7FC).
3. Enable and reset applicable timers for Create Kirovs Medium a (0B83EE5C).
4. Disable Kirov Timer (0B34751C).
5. Play voice notification EVA_EnemyAirArmadaDetected.
6. Play sound MessageText.
7. Display message “WARNING: Enemy air armada detected” (MISSION:Sov11b).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4622, Events line 4670, Actions line 4718.

22. Create Kirovs Hard a - 0B83E7FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kirov Timer (0B34751C); enable from Start Nuke Attacks 4 (078C31CC).

Attached scope: tag definitions 0B83E1DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 42 (cell 51, 108).
2. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 41 (cell 56, 113).
3. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 40 (cell 64, 121).
4. Create radar-event marker type 5 at waypoint 40 (cell 64, 121).
5. Disable Create Kirovs Hard a (0B83E7FC).
6. Enable and reset applicable timers for Kirov Timer (0B34751C).
7. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 49 (cell 127, 69).
8. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 48 (cell 132, 74).
9. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 49 (cell 127, 69).
10. Create radar-event marker type 5 at waypoint 48 (cell 132, 74).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4623, Events line 4671, Actions line 4719.

23. Create Kirovs Medium a - 0B83EE5C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kirov Timer (0B34751C); enable from Start Nuke Attacks 4 (078C31CC).

Attached scope: tag definitions 0B83E8EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 42 (cell 51, 108).
2. Supply reinforcement team BG3 - Kirovs2 (Left) (0A52E3DC) at waypoint 41 (cell 56, 113).
3. Create radar-event marker type 5 at waypoint 41 (cell 56, 113).
4. Disable Create Kirovs Medium a (0B83EE5C).
5. Enable and reset applicable timers for Kirov Timer (0B34751C).
6. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 49 (cell 127, 69).
7. Supply reinforcement team BG3 - Kirovs 1 (07A4966C) at waypoint 48 (cell 132, 74).
8. Create radar-event marker type 5 at waypoint 48 (cell 132, 74).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4624, Events line 4672, Actions line 4720.

24. Start Nuke Attacks - 078C3D3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke Destroyed (0C46503C).

Attached scope: tag definitions 078C397C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Start Nuke Attacks 2 (078C388C).
2. Disable Start Nuke Attacks (078C3D3C).

3. Enable and reset applicable timers for Nuke Destroyed (0C46503C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4625, Events line 4673, Actions line 4721.

25. Start Nuke Attacks 2 - 078C388C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Nuke Attacks (078C3D3C).

Attached scope: tag definitions 078C35AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_YuriTaunt4.
2. Enable and reset applicable timers for Start Nuke Attacks 3 (078C34BC).
3. Disable Start Nuke Attacks 2 (078C388C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4626, Events line 4674, Actions line 4722.

26. Nuke Destroyed - 0C46503C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Nuke Attacks (078C3D3C).

Attached scope: tag definitions 0C45FE0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Start Nuke Attacks (078C3D3C).
2. Disable Kirov Timer (0B34751C).
3. Disable Nuke Destroyed (0C46503C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4627, Events line 4675, Actions line 4723.

27. Start Nuke Attacks 3 - 078C34BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Nuke Attacks 2 (078C388C).

Attached scope: tag definitions 078C32BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound NukeSiren.
2. Enable and reset applicable timers for Start Nuke Attacks 4 (078C31CC).
3. Disable Start Nuke Attacks 3 (078C34BC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4628, Events line 4676, Actions line 4724.

28. Start Nuke Attacks 4 - 078C31CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Nuke Attacks 3 (078C34BC).

Attached scope: tag definitions 078CC31C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_SofiaKirovWarning.
2. Enable and reset applicable timers for Create Kirovs Easy a (0B81C44C).
3. Enable and reset applicable timers for Create Kirovs Hard a (0B83E7FC).
4. Enable and reset applicable timers for Create Kirovs Medium a (0B83EE5C).
5. Enable and reset applicable timers for Start Nuke Attacks 5 (078C44DC).
6. Disable Start Nuke Attacks 4 (078C31CC).
7. Enable and reset applicable timers for Kirov Timer (0B34751C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4629, Events line 4677, Actions line 4725.

29. Start Nuke Attacks 5 - 078C44DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start Nuke Attacks 4 (078C31CC).

Attached scope: tag definitions 078C064C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 11 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_SofiaBuildFlakCannons.
2. Display message “HINT: To stop Kirov Airships, build lots of Flak Cannons” (MISSION:Sov11d).
3. Play sound MessageText.
4. Disable Start Nuke Attacks 5 (078C44DC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4630, Events line 4678, Actions line 4726.

30. Secret - 0807066C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (140, 103), (141, 103), (142, 103), (140, 104), (141, 104), (142, 104), (141, 105), (142, 105); tag 08075C0C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound MessageText.
2. Display message “TSC&ACC” (MISSION:Sov11k).
3. Play sound HealCrate.
4. Enable and reset applicable timers for Secret 2 (0D117D9C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4631, Events line 4679, Actions line 4727.

31. Secret 2 - 0D117D9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Secret (0807066C).

Attached scope: tag definitions 0D11791C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “11/21/98” (MISSION:Sov11f).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4632, Events line 4680, Actions line 4728.

32. Psychic Sensor Movie - 08065B0C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0806A99C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 10 (global list position: Soviet Battle Lab (NATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play in-game movie 120.
2. Switch the sidebar to tab 1.
3. Flash cameo/type 18; additional configured duration/location argument 120.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4633, Events line 4681, Actions line 4729.

33. Starting Forces - 096AA3EC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096AF7FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Player Kirov 1 (096ACEFC).
2. Create/recruit team Player Kirov 2 (096A857C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4634, Events line 4682, Actions line 4730.

34. Yuri Taunt Movie - 0AC3F51C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC3839C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Play in-game movie 80.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4635, Events line 4683, Actions line 4731.

35. Play IC Movie - 082AA26C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082AB97C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 119.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4636, Events line 4684, Actions line 4732.

36. Lock Input - 084B533C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 084B6A5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Enable and reset applicable timers for Start Scroll (084B696C).
3. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4637, Events line 4685, Actions line 4733.

37. Start Scroll - 084B696C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lock Input (084B533C).

Attached scope: tag definitions 084B668C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 99 (cell 111, 152) with speed setting 4.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4638, Events line 4686, Actions line 4734.

38. Unlock Input - 0C3A654C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C3A61AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Unlock Input 2 (0C3A60BC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4639, Events line 4687, Actions line 4735.

39. Unlock Input 2 - 0C3A60BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Unlock Input (0C3A654C).

Attached scope: tag definitions 0C3A751C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.
2. Display message “--Battle Control Online--” (MISSION:All01q).
3. Play sound MessageText.
4. Enable player input.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4640, Events line 4688, Actions line 4736.

40. Yuri Audio 1 - 0769050C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0769FEDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri Audio 1b (0769FDEC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4641, Events line 4689, Actions line 4737.

41. Yuri Audio 1b - 0769FDEC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Audio 1 (0769050C).

Attached scope: tag definitions 0769B88C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_YuriTaunt1.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4642, Events line 4690, Actions line 4738.

42. Yuri Audio 2b - 0AE8909C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Audio 2 (0AE930AC).

Attached scope: tag definitions 0AE9319C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_YuriTaunt2.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4643, Events line 4691, Actions line 4739.

43. Yuri Audio 2 - 0AE930AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE960EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 15 (global list position: Kirov Airship (ZEP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri Audio 2b (0AE8909C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4644, Events line 4692, Actions line 4740.

44. Yuri Audio 3b - 0AE911BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Audio 3 (0AE951BC).

Attached scope: tag definitions 0AE9207C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S11_YuriTaunt5.

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4645, Events line 4693, Actions line 4741.

45. Yuri Audio 3 - 0AE951BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AE941CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 16 (global list position: Terror Drone (DRON)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri Audio 3b (0AE911BC).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4646, Events line 4694, Actions line 4742.

46. Starting Forces 2 - 064BA67C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 064BA19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Player MCV (096A167C).

Source locator: MAPS02.MIX/sov11s.map; Triggers line 4647, Events line 4695, Actions line 4743.

All team rosters and ordered plans | All mission overrides

Operation: Red Revolution - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov11s.map; each team/script ID identifies its section.

Reinforcements - 0AB8657C

Owner: Player. Roster: 2 × V3 Launcher (V3); 1 × Apocalypse (APOC); 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Reinforce Base (07855DBC).

1. Move to waypoint: waypoint 6 (cell 113, 161).

BG2 - Yuri1 - 08FD5B7C

Owner: BadGuy2. Roster: 2 × Yuri (YURI); 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri 1 (083F8DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

BG1 - Tank1D - 08FD56CC

Owner: BadGuy1. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC3756C).

1. Report team success.
2. Adopt object mission: area guard.

BG1 - Drones1D - 0A481B5C

Owner: BadGuy1. Roster: 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC3756C).

1. Report team success.
2. Adopt object mission: area guard.

BG1 - Conscripts1D - 0927095C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Test3 (08AE27FC).

1. Adopt object mission: area guard.
2. Report team success.

BG1 - Drones3 - 0A48146C

Owner: BadGuy1. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Vehicles (08FDA56C).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.
6. Jump to script line; configured argument 4.

BG1 - Conscripts4 - 07A0B91C

Owner: BadGuy1. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Occupy Structures (078CB7DC).

1. Move to waypoint: waypoint 0 (cell 129, 127).
2. Attack selected enemy-building category; configured argument 131158.
3. Attack selected enemy-building category; configured argument 131178.

BG1 - Conscripts8 - 08FD82DC

Owner: BadGuy1. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0ADB403C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.
5. Report team success.
6. Jump to script line; configured argument 4.

BG1 - Engineer Rush - 0A668A0C

Owner: BadGuy1. Roster: 1 × Flak Track (HTK); 4 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Engineer Rush (0A66BDBC).

1. Load transport.
2. Gather near enemy base; configured argument 0.
3. Request special-weapon support; configured argument 0.
4. Approach selected enemy-building category; configured argument 131097.
5. Unload with continuation mode: transport and passengers continue.
6. Scatter.
7. Seek/attack target category; configured argument 2.
8. Report team success.
9. Seek/attack target category; configured argument 1.
10. Jump to script line; configured argument 8.

BG1 - FlakTrack3 - 0A66C8AC

Owner: BadGuy1. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Infantry (0A66CBEC).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 5.

BG1 - V32 - 0A66BB7C

Owner: BadGuy1. Roster: 2 × V3 Launcher (V3); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Buildings (0A66B90C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 5.

BG1 - MixedInfanty6 - 0A66B6CC

Owner: BadGuy1. Roster: 2 × Tesla Trooper (SHK); 4 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0ADB403C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.
5. Report team success.
6. Jump to script line; configured argument 4.

BG1 - MixedInfantry4 - 0A66ADEC

Owner: BadGuy1. Roster: 3 × Tesla Trooper (SHK); 1 × Yuri (YURI); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Vehicles (0ADB603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.
5. Report team success.
6. Jump to script line; configured argument 4.

BG2 - Yuris4D - 0A66ABAC

Owner: BadGuy2. Roster: 4 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC3756C).

1. Report team success.
2. Adopt object mission: area guard.

BG2 - ShockTroopers5D - 0791D75C

Owner: BadGuy2. Roster: 5 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC3756C).

1. Report team success.
2. Adopt object mission: area guard.

BG2 - Yuris3 - 0A669EFC

Owner: BadGuy2. Roster: 3 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri 1 (083F8DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

Conscripts6 - 0A669CBC

Owner: BadGuy1. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0ADB403C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.
5. Report team success.
6. Jump to script line; configured argument 4.

BG2 - Tanks3 - 0796857C

Owner: BadGuy2. Roster: 1 × Apocalypse (APOC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: ARMOR - Attack Buildings (0A66B90C).

1. Gather near own base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 1.

7. Report team success.
8. Jump to script line; configured argument 5.

BG2 - Conscripts14 - 0A66983C

Owner: BadGuy2. Roster: 20 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (0ADB403C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.
5. Report team success.
6. Jump to script line; configured argument 4.

BG2 - Drones 3 - 0A486DEC

Owner: BadGuy2. Roster: 3 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Backdoor IC 1 (0A66D67C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 2 (cell 114, 89).
3. Move to waypoint: waypoint 3 (cell 115, 104).
4. Move to waypoint: waypoint 4 (cell 91, 118).
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 5.

BG2 - Conscripts20 - 0A66DC8C

Owner: BadGuy2. Roster: 2 × Tesla Trooper (SHK); 4 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Backdoor Attack 2 (0A66DA1C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 2 (cell 114, 89).
3. Move to waypoint: waypoint 3 (cell 115, 104).
4. Move to waypoint: waypoint 4 (cell 91, 118).
5. Seek/attack target category; configured argument 1.
6. Report team success.
7. Seek/attack target category; configured argument 1.

BG2 - 3Tanks - 0A66D8EC

Owner: BadGuy2. Roster: 1 × V3 Launcher (V3); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Backdoor IC 1 (0A66D67C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 2 (cell 114, 89).

3. Move to waypoint: waypoint 3 (cell 115, 104).
4. Move to waypoint: waypoint 4 (cell 91, 118).
5. Request special-weapon support; configured argument 0.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 5.

BG3 - Yuri 1 - 0AC0A57C

Owner: BadGuy3. Roster: 1 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 8; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri 1 (083F8DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

BG3 - Kirovs 1 - 07A4966C

Owner: BadGuy3. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Kirov (07A4BDBC).

1. Attack selected enemy-building category; configured argument 131126.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Report team success.
5. Seek/attack target category; configured argument 1.
6. Report team success.
7. Jump to script line; configured argument 3.

Player Kirov 1 - 096ACEFC

Owner: Player. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: Player Kirov 1 (096AC9FC).

1. Move to waypoint: waypoint 45 (cell 107, 152).

Player Kirov 2 - 096A857C

Owner: Player. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Player Kirov 2 (096A830C).

1. Move to waypoint: waypoint 44 (cell 115, 152).

Player MCV - 096A167C

Owner: Player. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Player MCV (096A9DBC).

1. Move to waypoint: waypoint 46 (cell 111, 153).
2. Deploy.

Iron Curtain 1e - 0AD1D90C

Owner: BadGuy2. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Iron Curtain Buildings (0A5797DC).

1. Report team success.
2. Gather near own base; configured argument 0.
3. Request special-weapon support; configured argument 0.
4. Seek/attack target category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 3.

Iron Curtain 1m - 0CA97EFC

Owner: BadGuy2. Roster: 1 × Apocalypse (APOC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Iron Curtain Buildings (0A5797DC).

1. Report team success.
2. Gather near own base; configured argument 0.
3. Request special-weapon support; configured argument 0.
4. Seek/attack target category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 3.

Iron Curtain 1h - 0CA97CBC

Owner: BadGuy2. Roster: 3 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Iron Curtain Buildings (0A5797DC).

1. Report team success.
2. Gather near own base; configured argument 0.
3. Request special-weapon support; configured argument 0.
4. Seek/attack target category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 3.

BG3 - Yuri 1d - 0AD6396C

Owner: BadGuy3. Roster: 10 × Yuri (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 30; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (0AC3756C).

1. Report team success.
2. Adopt object mission: area guard.

BG3 - Kirovs2 (Left) - 0A52E3DC

Owner: BadGuy3. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Kirov (Left) (0B1076BC).

1. Move to waypoint: waypoint 20 (cell 72, 111).
2. Attack selected enemy-building category; configured argument 131126.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 1.
7. Report team success.
8. Jump to script line; configured argument 4.

Operation: Red Revolution - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov11s.map.

Object/system	Property	Mission value	Source line
Soviet Construction Vehicle (SMCV)	Technology level	9	2
Psychic Sensor (NAPSIS)	Technology level	9	5
Kirov Airship (ZEP)	Technology level	9	8
War Miner (HARV)	Resource cargo capacity	20	11
Chrono Miner (CMIN)	Resource cargo capacity	10	14
TIBERIUMS (TIBERIUMS)	0	Riparius	17
TIBERIUMS (TIBERIUMS)	1	Cruentus	18
TIBERIUMS (TIBERIUMS)	2	Vinifera	19
TIBERIUMS (TIBERIUMS)	3	Aboreus	20
Tiberium Riparius (RIPARIUS)	Value	50	23
Tiberium Cruentus (CRUENTUS)	Value	100	26
Tiberium Vinifera (VINIFERA)	Value	50	29
Tiberium Aboreus (ABOREUS)	Value	50	32
NUKEPAYLOAD (NUKEPAYLOAD)	Damage	600	35
Kremlin (CARUS03)	Starting health capacity	800	38
Kremlin (CARUS03)	Infantry garrison permitted	no	39
Kremlin (CARUS03)	Garrison capacity	0	40
Nuclear Missile Silo (NAMISL)	Technology level	9	43
Iron Curtain (IRONCURTAINSPECIAL)	Recharge Time	10	46
Engineer (ENGINEER)	Technology level	-1	49
Attack Dog (ADOG)	Technology level	-1	52
BARRELEXPLOSION (BARRELEXPLOSION)	Damage	200	55
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	2	58
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.25	59
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	Yes	60
Yuri (YURI)	UI Name	Name:PTROOP	63
Yuri (YURI)	Name	Yuri	64
Yuri (YURI)	Technology level	10	65
Cloning Vats (NACLON)	UI Name	Name:NACLON	77
Cloning Vats (NACLON)	Name	Cloning Vats	78
Cloning Vats (NACLON)	Technology level	-1	79

Object/system	Property	Mission value	Source line
Soviet Shipyard (NAYARD)	UI Name	Name:NAYARD	82
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	83
Soviet Shipyard (NAYARD)	Technology level	-1	84
Iron Curtain Device (NAIRON)	UI Name	Name:NAIRON	87
Iron Curtain Device (NAIRON)	Name	Iron Curtain Device	88
Iron Curtain Device (NAIRON)	Technology level	-1	89
AI (AI)	Attack Interval	0.40	92
AI (AI)	Attack Delay	0.40	93
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Team Delays	1000,750,500	96
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	2500	97
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-2000	98
Red Alert 2 -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	60,45,30	99
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	102
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	103
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	104
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	105
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	106
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0	107
Negative Light Post (NEGLAMP)	Name	Negative Light Post	110
Negative Light Post (NEGLAMP)	Image	GALITE	111
Negative Light Post (NEGLAMP)	Local light reach	5000	112
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	113
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	114
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	115
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	116
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	119
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	120
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	121
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.67059	122
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.19608	123
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.67059	124
SPECIALFLAGS	Tiberium Grows	no	127

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Tiberium Spreads	yes	128
SPECIALFLAGS	Tiberium Explosive	no	129
SPECIALFLAGS	Destroyable Bridges	yes	130
SPECIALFLAGS	MCV Deploy	no	131
SPECIALFLAGS	Initial Veteran	no	132
SPECIALFLAGS	Fixed Alliance	no	133
SPECIALFLAGS	Harvester Immune	no	134
SPECIALFLAGS	Fog Of War	no	135
SPECIALFLAGS	Inert	no	136
SPECIALFLAGS	Ion Storms	no	137
SPECIALFLAGS	Meteorites	no	138
SPECIALFLAGS	Visceroids	no	139
COUNTRIES (COUNTRIES)	0	Player	142
COUNTRIES (COUNTRIES)	1	BadGuy1	143
COUNTRIES (COUNTRIES)	2	BadGuy2	144
COUNTRIES (COUNTRIES)	3	BadGuy3	145
COUNTRIES (COUNTRIES)	4	Civilian1	146
COUNTRIES (COUNTRIES)	5	Other1	147
COUNTRIES (COUNTRIES)	6	Other2	148
COUNTRIES (COUNTRIES)	7	Other3	149
VARIABLENAMES (VARIABLENAMES)	0	Play IC Movie,0	267

Operation: Polar Storm

Campaign reading guide | Engine

Operation: Polar Storm

sov12s.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- BadGuy3 House (135)
- BadGuy1 House (71)
- BadGuy2 House (18)
- Civie1 House (8)
- Player House (4)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. GACSPH

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov12s.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov12s.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov12s.map. **Effective extracted member:** MAPS02.MIX/sov12s.map. **Trigger definitions:** 54.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,78,120
Visible local rectangle	2,5,74,109
Placed vehicles	21
Placed infantry	23
Placed structures	192
Placed aircraft	0
Team templates	37

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	500	BadGuy1
2	BadGuy2 House	150	BadGuy2
3	BadGuy3 House	600	BadGuy3
4	Civie1 House	0	Civilian1
5	BG_Naval House	200	BG_Naval
6	Other2 House	20	Other2
7	Other3 House	20	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	BG1 Chrono,0
1	BG2 Chrono,0
2	BG3 Chrono,0
3	BG1 Entered,0
4	BG2 Entered,0
5	BG3 Entered,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Win (0CDA750C)	7 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
Lose Condition (0AC7BD50)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. First Contact - 08A01B20

Owner reference: BG_Naval. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Aegis Cruiser (AEGIS), owner BadGuy1 House, cell (136, 149), tag 08A014E0, persistence mode 0; Aegis Cruiser (AEGIS), owner BadGuy1 House, cell (135, 130), tag 08A014E0, persistence mode 0; Aegis Cruiser (AEGIS), owner BadGuy1 House, cell (135, 138), tag 08A014E0, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (130, 122), tag 08A014E0, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (130, 116), tag 08A014E0, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (133, 125), tag 08A014E0, persistence mode 0; Destroyer (DEST), owner BadGuy1 House, cell (134, 141), tag 08A014E0, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound NukeSiren.
2. Reveal terrain around waypoint 0 (cell 136, 153).
3. Reveal terrain around waypoint 1 (cell 135, 149).
4. Reveal terrain around waypoint 2 (cell 132, 144).

5. Reveal terrain around waypoint 3 (cell 133, 140).
6. Reveal terrain around waypoint 4 (cell 134, 137).
7. Reveal terrain around waypoint 5 (cell 134, 129).
8. Reveal terrain around waypoint 6 (cell 133, 126).
9. Reveal terrain around waypoint 7 (cell 129, 123).
10. Reveal terrain around waypoint 8 (cell 131, 120).
11. Reveal terrain around waypoint 9 (cell 130, 116).
12. Reveal terrain around waypoint 10 (cell 128, 108).
13. Create/recruit team Destroyer (1) Team (087D680C).
14. Production Begins: owner selector 18 (country/type BG_NAVAL; placed owner BG_Naval House).
15. AI triggers begin: owner selector 18 (country/type BG_NAVAL; placed owner BG_Naval House).
16. Enable and reset applicable timers for Ship_Radar_Event (0D0203D0).
17. Enable and reset applicable timers for BG1 Startup (09FA8F40).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5385, Events line 5441, Actions line 5497.

2. Ship_Radar_Event - 0D0203D0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from First Contact (08A01B20).

Attached scope: tag definitions 0D025DC0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Carrier (1) Team (087D6EFC) at waypoint 12 (cell 132, 112).
2. Supply reinforcement team Destroyer (1) Team (087D680C) at waypoint 13 (cell 132, 150).
3. Create radar-event marker type 5 at waypoint 0 (cell 136, 153).
4. Create radar-event marker type 5 at waypoint 1 (cell 135, 149).
5. Create radar-event marker type 5 at waypoint 2 (cell 132, 144).
6. Create radar-event marker type 5 at waypoint 3 (cell 133, 140).
7. Create radar-event marker type 5 at waypoint 4 (cell 134, 137).
8. Create radar-event marker type 5 at waypoint 5 (cell 134, 129).
9. Create radar-event marker type 5 at waypoint 6 (cell 133, 126).
10. Create radar-event marker type 5 at waypoint 7 (cell 129, 123).
11. Create radar-event marker type 5 at waypoint 8 (cell 131, 120).
12. Create radar-event marker type 5 at waypoint 9 (cell 130, 116).
13. Create radar-event marker type 5 at waypoint 10 (cell 128, 108).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5386, Events line 5442, Actions line 5498.

3. BG1 Startup - 09FA8F40

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from First Contact (08A01B20); enable from Default Enable BG1 (0812ADBC).

Attached scope: tag definitions 09FA8E70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 14 (country/type BADGUY1; placed owner BadGuy1 House).
3. Create/recruit team Rocketeer (4) Team (0AD57F10).
4. Enable and reset applicable timers for BG2 Startup (09F06970).

5. Enable and reset applicable timers for Chrono at Island Gold (07F510FC).
6. Enable and reset applicable timers for Sofia Re Chrono (08F6D0C0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5387, Events line 5443, Actions line 5499.

4. BG2 Startup - 09F06970

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Startup (09FA8F40).

Attached scope: tag definitions 00000008 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. AI triggers begin: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
2. Production Begins: owner selector 15 (country/type BADGUY2; placed owner BadGuy2 House).
3. Enable and reset applicable timers for BG3 Startup (0B6558A0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5388, Events line 5444, Actions line 5500.

5. Chrono at Island Gold - 07F510FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Startup (09FA8F40); enable from Harass Enable (0805556C).

Attached scope: tag definitions 0BC6694C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Harass 6 IFV (0D1F022C) at waypoint 29 (cell 170, 100).
2. Enable and reset applicable timers for Chrono at Island Front (08055CBC).
3. Play sound ChronosphereMove at waypoint 29 (cell 170, 100).
4. Play Anim At; main setting 253; location/duration field CI.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5389, Events line 5445, Actions line 5501.

6. Sofia Re Chrono - 08F6D0C0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Startup (09FA8F40).

Attached scope: tag definitions 08F68190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_S12_Sofia2.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5390, Events line 5446, Actions line 5502.

7. BG3 Startup - 0B6558A0

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Startup (09F06970).

Attached scope: tag definitions 0B655470 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

2. AI triggers begin: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5391, Events line 5447, Actions line 5503.

8. Chrono at Island Front - 08055CBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono at Island Gold (07F510FC).

Attached scope: tag definitions 0BC6686C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Harass 6 Grizzly (0D1F1EFC) at waypoint 17 (cell 168, 112).
2. Enable and reset applicable timers for Chrono Seals (0BC66A2C).
3. Play sound ChronosphereMove at waypoint 17 (cell 168, 112).
4. Play Anim At; main setting 253; location/duration field CK.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5392, Events line 5448, Actions line 5504.

9. Chrono Seals - 0BC66A2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono at Island Front (08055CBC).

Attached scope: tag definitions 0BC6678C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Seals (0BB03DEC) at waypoint 34 (cell 174, 133).
2. Enable and reset applicable timers for Chrono Carriers Attack (0BC380EC).
3. Reveal terrain around waypoint 34 (cell 174, 133).
4. Create radar-event marker type 5 at waypoint 34 (cell 174, 133).
5. Play voice notification EVA_EnemyFleetDetected.
6. Play sound ChronosphereMove at waypoint 34 (cell 174, 133).
7. Play Anim At; main setting 253; location/duration field CM.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5393, Events line 5449, Actions line 5505.

10. Chrono Carriers Attack - 0BC380EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono Seals (0BC66A2C).

Attached scope: tag definitions 0BC3B1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Carriers (0CFB393C) at waypoint 36 (cell 150, 93).
2. Enable and reset applicable timers for Chrono Tank Attack (0BC3E10C).
3. Reveal terrain around waypoint 36 (cell 150, 93).
4. Create radar-event marker type 5 at waypoint 36 (cell 150, 93).
5. Play voice notification EVA_EnemyFleetDetected.
6. Play sound ChronosphereMove at waypoint 36 (cell 150, 93).
7. Play Anim At; main setting 253; location/duration field CJ.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5394, Events line 5450, Actions line 5506.

11. Chrono Tank Attack - 0BC3E10C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono Carriers Attack (0BC380EC).

Attached scope: tag definitions 0BC3D1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Harass 6 Grizzly (0D1F1EFC) at waypoint 37 (cell 176, 120).
2. Reveal terrain around waypoint 37 (cell 176, 120).
3. Create radar-event marker type 5 at waypoint 37 (cell 176, 120).
4. Play voice notification EVA_ArmorBattallianDetected.
5. Play sound ChronosphereMove at waypoint 37 (cell 176, 120).
6. Play Anim At; main setting 253; location/duration field CL.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5395, Events line 5451, Actions line 5507.

12. Create Team - 093C78B0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093C73D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team (2)Destroyer Team (087D44BC).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5396, Events line 5452, Actions line 5508.

13. Win Condition_Timer - 0AC68F60

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Chrono Sphere (GACSPH), owner BadGuy3 House, cell (68, 129), tag 0AC689E0, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Enable and reset applicable timers for Ending Movie 1 (0D10EF3C).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5397, Events line 5453, Actions line 5509.

14. Ending Movie 1 - 0D10EF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win Condition_Timer (0AC68F60).

Attached scope: tag definitions 0D10EE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play full-screen movie 141.
2. Enable and reset applicable timers for Cheer (0CDA6F3C).
3. Enable and reset applicable timers for Win (0CDA750C).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5398, Events line 5454, Actions line 5510.

15. Cheer - 0CDA6F3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ending Movie 1 (0D10EF3C).

Attached scope: tag definitions 0CDA6E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5399, Events line 5455, Actions line 5511.

16. Win - 0CDA750C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ending Movie 1 (0D10EF3C).

Attached scope: tag definitions 0CDA742C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5400, Events line 5456, Actions line 5512.

17. Kirovs Gained - 0AC77DA0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Kirov Airship (ZEP), owner Civie1 House, cell (73, 38), tag 083A1D3C, persistence mode 0; Kirov Airship (ZEP), owner Civie1 House, cell (77, 33), tag 083A1D3C, persistence mode 0; Kirov Airship (ZEP), owner Civie1 House, cell (81, 35), tag 083A1D3C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Reveal terrain around waypoint 14 (cell 77, 36).
3. Play sound Bonus.
4. Display message “Objective 2 Complete” (MISSION:Objective2).
5. Display message “Objective 1: Destroy the Allied CHRONOSPHERE” (MISSION:Sov12c).
6. Create/recruit team Kirovs Rise (088F5CEC).
7. Disable Text Trigger 2 (0805B27C).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5401, Events line 5457, Actions line 5513.

18. Text Trigger 2 - 0805B27C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 69 tagged map cells: (106, 106), (107, 106), (108, 106), (106, 107), (107, 107), (108, 107), (109, 107), (105, 108), (106, 108), (107, 108), (108, 108), (109, 108), (110, 108), (105, 109), (106, 109), (107, 109), (108, 109), (109, 109), (110, 109), (111, 109), (105, 110), (106, 110), (107, 110), (108, 110), (109, 110), (110, 110), (111, 110), (112, 110), (105, 111), (106, 111), (107, 111), (108, 111), (109, 111), (110, 111), (111, 111), (112, 111), (113, 111), (106, 112), (107, 112), (108, 112), (109, 112), (110, 112), (111, 112), (112, 112), (113, 112), (114, 112), (108, 113), (109, 113), (110, 113), (111, 113), (112, 113), (113, 113), (114, 113), (109, 114), (110, 114), (111, 114), (112, 114), (113, 114), (114, 114), (110, 115), (111, 115), (112, 115), (113, 115), (111, 116), (112, 116), (113, 116), (112, 117), (113, 117), (113, 118); tag 0805CC2C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).

2. Play voice notification Mis_S12_Sofia1.
3. Display message “Move north and reclaim our captured Kirov airships” (MISSION:Sov12b).
4. Enable and reset applicable timers for Disable Chrono at BG1 (07F5230C).
5. Enable and reset applicable timers for Disable Chrono Harass (07F528CC).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5402, Events line 5458, Actions line 5514.

19. Disable Chrono at BG1 - 07F5230C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text Trigger 2 (0805B27C); enable from Chrono Attack at BG2 (080DE8EC).

Attached scope: tag definitions 07F5210C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Chrono Attack at BG1 (08066F3C).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5403, Events line 5459, Actions line 5515.

20. Disable Chrono Harass - 07F528CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text Trigger 2 (0805B27C); enable from Chrono Attack at BG1 (08066F3C).

Attached scope: tag definitions 07F524AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Chrono at Island Gold (07F510FC).
2. Disable Chrono at Island Front (08055CBC).
3. Disable 0 (not a defined local trigger).
4. Disable 0 (not a defined local trigger).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5404, Events line 5460, Actions line 5516.

21. Chrono Attack at BG1 - 08066F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player at BG1 Gold (08062BFC); enable from Start BG1 BG2 (07AAAF40); enable from Start BG1 BG2 BG3 (07AAACA0); enable from Start BG1 BG3 (07AAAE60); enable from Start BG1 Chrono (07AA9450).

Attached scope: tag definitions 08066A0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Attack 6 IFV (07BC9F00) at waypoint 28 (cell 98, 125).
2. Enable and reset applicable timers for Disable Chrono Harass (07F528CC).
3. Enable and reset applicable timers for Stop Mainland Chrono (07AA99E0).
4. Disable Chrono Attack at BG1 (08066F3C).
5. Play sound ChronosphereMove at waypoint 28 (cell 98, 125).
6. Play Anim At; main setting 253; location/duration field CN.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5405, Events line 5461, Actions line 5517.

22. Stop Mainland Chrono - 07AA99E0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono Attack at BG1 (08066F3C); enable from Chrono Attack at BG2 (080DE8EC); enable from Chrono Attack at BG3 (080EE57C).

Attached scope: tag definitions 07AA9530 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Stop Mainland Chrono (07AA99E0).
2. Enable and reset applicable timers for Check Mainland Chrono (07A95EA0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5406, Events line 5462, Actions line 5518.

23. Check Mainland Chrono - 07A95EA0

Owner reference: Other3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Stop Mainland Chrono (07AA99E0).

Attached scope: tag definitions 07A95CD0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 20 (country/type OTHER3; placed owner Other3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Start BG1 BG2 (07AAAF40).
2. Enable and reset applicable timers for Start BG1 BG2 BG3 (07AAACA0).
3. Enable and reset applicable timers for Start BG1 BG3 (07AAAE60).
4. Enable and reset applicable timers for Start BG2 BG3 (07AAAD80).
5. Enable and reset applicable timers for Start BG1 Chrono (07AA9450).
6. Enable and reset applicable timers for Start BG2 Chrono (07AA91A0).
7. Enable and reset applicable timers for Start BG3 Chrono (07AA90C0).
8. Disable Check Mainland Chrono (07A95EA0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5407, Events line 5463, Actions line 5519.

24. Lose Condition - 0AC7BD50

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AC7B760 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5408, Events line 5464, Actions line 5520.

25. Reveal StartPoint - 096740F0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09674620 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 98 (cell 176, 114).
2. Reveal terrain around waypoint 15 (cell 171, 119).
3. Reveal terrain around waypoint 16 (cell 166, 122).
4. Reveal terrain around waypoint 17 (cell 168, 112).
5. Reveal terrain around waypoint 18 (cell 158, 102).

6. Reveal terrain around waypoint 19 (cell 159, 93).
7. Reveal terrain around waypoint 20 (cell 168, 105).
8. Reveal terrain around waypoint 46 (cell 150, 104).
9. Reveal terrain around waypoint 29 (cell 170, 100).
10. Reveal terrain around waypoint 34 (cell 174, 133).
11. Reveal terrain around waypoint 89 (cell 177, 122).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5409, Events line 5465, Actions line 5521.

26. Reveal BG3 Gold - 0967DD00

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 32 tagged map cells: (95, 159), (95, 160), (96, 160), (97, 160), (96, 161), (97, 161), (98, 161), (99, 161), (97, 162), (98, 162), (99, 162), (100, 162), (99, 163), (100, 163), (101, 163), (100, 164), (101, 164), (102, 164), (101, 165), (102, 165), (103, 165), (102, 166), (103, 166), (103, 167), (104, 167), (104, 168), (105, 168), (106, 168), (106, 169), (107, 169), (108, 169), (108, 170); tag 0967CE20, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 23 (cell 110, 166).
2. Reveal terrain around waypoint 24 (cell 103, 160).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5410, Events line 5466, Actions line 5522.

27. Reveal BG3 Base - 096783F0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0967FD10 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 25 (cell 89, 150).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5411, Events line 5467, Actions line 5523.

28. Reveal BG_Naval - 0D1019E0

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 33 tagged map cells: (127, 101), (128, 101), (128, 102), (129, 102), (128, 103), (129, 103), (130, 103), (127, 104), (128, 104), (129, 104), (130, 104), (131, 104), (130, 105), (131, 105), (126, 106), (127, 106), (128, 106), (129, 106), (130, 106), (131, 106), (126, 107), (127, 107), (128, 107), (129, 107), (130, 107), (131, 107), (125, 108), (126, 108), (126, 109), (126, 110), (127, 110), (126, 111), (127, 111); tag 0D104420, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 22 (cell 125, 104).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5412, Events line 5468, Actions line 5524.

29. Reveal BG1 - 0D104340

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 50 tagged map cells: (116, 70), (117, 70), (118, 70), (116, 71), (117, 71), (118, 71), (119, 71), (116, 72), (117, 72), (118, 72), (119, 72), (120, 72), (116, 73), (117, 73), (118, 73), (119, 73), (120, 73), (121, 73), (116, 74), (117, 74), (118, 74), (119, 74), (120, 74), (121, 74), (122, 74), (116, 75), (117, 75), (118, 75), (119, 75), (120, 75), (121, 75), (122, 75), (117, 76), (118, 76), (119, 76), (120, 76), (121, 76), (122, 76), (119, 77), (120, 77), (121, 77), (122, 77), (120, 78), (121, 78), (122, 78), (120, 79), (121, 79), (122, 79), (121, 80), (122, 80); tag 0D104230, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 21 (cell 116, 77).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5413, Events line 5469, Actions line 5525.

30. Player at BG1 Gold - 08062BFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 50 tagged map cells: (97, 117), (96, 118), (98, 118), (96, 119), (97, 119), (99, 119), (100, 119), (95, 120), (96, 120), (100, 120), (94, 121), (95, 121), (99, 121), (100, 121), (94, 122), (100, 122), (102, 122), (94, 123), (100, 123), (102, 123), (94, 124), (101, 124), (103, 124), (94, 125), (102, 125), (103, 125), (94, 126), (95, 126), (102, 126), (95, 127), (102, 127), (95, 128), (102, 128), (95, 129), (96, 129), (101, 129), (102, 129), (96, 130), (101, 130), (96, 131), (100, 131), (101, 131), (95, 132), (96, 132), (99, 132), (100, 132), (96, 133), (97, 133), (98, 133), (99, 133); tag 080650FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG1 (08066F3C).
2. Set local flag 3 (BG1 Entered).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5414, Events line 5470, Actions line 5526.

31. Start BG1 BG2 - 07AAAF40

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG3 Chrono (07AA90C0).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (BG1 Entered) is set.
2. local flag 4 (BG2 Entered) is set.

Flag writers in this mission: set local flag 3 (BG1 Entered) at Player at BG1 Gold (08062BFC); set local flag 4 (BG2 Entered) at Player at BG2 Gold (080DE0EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG1 (08066F3C).
2. Enable and reset applicable timers for Chrono Attack at BG2 (080DE8EC).
3. Disable Start BG1 BG2 (07AAAF40).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5415, Events line 5471, Actions line 5527.

32. Start BG1 BG2 BG3 - 07AAACA0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG2 BG3 (07AAAD80).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: tag definitions 07AA9280 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (BG1 Entered) is set.
2. local flag 4 (BG2 Entered) is set.
3. local flag 5 (BG3 Entered) is set.

Flag writers in this mission: set local flag 3 (BG1 Entered) at Player at BG1 Gold (08062BFC); set local flag 4 (BG2 Entered) at Player at BG2 Gold (080DE0EC); set local flag 5 (BG3 Entered) at Player at BG3 Gold (080EFD2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG1 (08066F3C).
2. Enable and reset applicable timers for Chrono Attack at BG2 (080DE8EC).
3. Enable and reset applicable timers for Chrono Attack at BG3 (080EE57C).

4. Disable Start BG1 BG2 BG3 (07AAACA0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5416, Events line 5472, Actions line 5528.

33. Start BG1 BG3 - 07AAAE60

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG1 BG2 (07AAAF40).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (BG1 Entered) is set.
2. local flag 5 (BG3 Entered) is clear.

Flag writers in this mission: set local flag 3 (BG1 Entered) at Player at BG1 Gold (08062BFC); set local flag 5 (BG3 Entered) at Player at BG3 Gold (080EFD2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG1 (08066F3C).
2. Enable and reset applicable timers for Chrono Attack at BG3 (080EE57C).
3. Disable Start BG1 BG3 (07AAAE60).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5417, Events line 5473, Actions line 5529.

34. Start BG2 BG3 - 07AAAD80

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG1 BG3 (07AAAE60).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (BG2 Entered) is set.
2. local flag 5 (BG3 Entered) is set.

Flag writers in this mission: set local flag 4 (BG2 Entered) at Player at BG2 Gold (080DE0EC); set local flag 5 (BG3 Entered) at Player at BG3 Gold (080EFD2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG2 (080DE8EC).
2. Enable and reset applicable timers for Chrono Attack at BG3 (080EE57C).
3. Disable Start BG2 BG3 (07AAAD80).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5418, Events line 5474, Actions line 5530.

35. Start BG1 Chrono - 07AA9450

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (BG1 Entered) is set.

Flag writers in this mission: set local flag 3 (BG1 Entered) at Player at BG1 Gold (08062BFC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG1 (08066F3C).
2. Disable Start BG1 Chrono (07AA9450).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5419, Events line 5475, Actions line 5531.

36. Start BG2 Chrono - 07AA91A0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG1 Chrono (07AA9450).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (BG2 Entered) is set.

Flag writers in this mission: set local flag 4 (BG2 Entered) at Player at BG2 Gold (080DE0EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG2 (080DE8EC).
2. Disable Start BG2 Chrono (07AA91A0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5420, Events line 5476, Actions line 5532.

37. Start BG3 Chrono - 07AA90C0

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start BG2 Chrono (07AA91A0).

Incoming activation links: enable from Check Mainland Chrono (07A95EA0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (BG3 Entered) is set.

Flag writers in this mission: set local flag 5 (BG3 Entered) at Player at BG3 Gold (080EFD2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG3 (080EE57C).
2. Disable Start BG3 Chrono (07AA90C0).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5421, Events line 5477, Actions line 5533.

38. Chrono Attack at BG2 - 080DE8EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start BG1 BG2 (07AAAF40); enable from Start BG1 BG2 BG3 (07AAACA0); enable from Start BG2 BG3 (07AAAD80); enable from Start BG2 Chrono (07AA91A0); enable from Player at BG2 Gold (080DE0EC).

Attached scope: tag definitions 080DE2BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Attack 6 Grizzly (07BC8130) at waypoint 26 (cell 72, 29).
2. Enable and reset applicable timers for Disable Chrono at BG1 (07F5230C).
3. Enable and reset applicable timers for Stop Mainland Chrono (07AA99E0).
4. Disable Chrono Attack at BG2 (080DE8EC).
5. Play sound ChronosphereMove at waypoint 26 (cell 72, 29).
6. Play Anim At; main setting 253; location/duration field CO.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5422, Events line 5478, Actions line 5534.

39. Chrono Attack at BG3 - 080EE57C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start BG1 BG2 BG3 (07AAACA0); enable from Start BG1 BG3 (07AAAE60); enable from Start BG2 BG3 (07AAAD80); enable from Start BG3 Chrono (07AA90C0); enable from Player at BG3 Gold (080EFD2C).

Attached scope: tag definitions 080EFE1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team Chrono Attack 4 Prism (07BC9DE0) at waypoint 27 (cell 40, 87).
2. Enable and reset applicable timers for Stop Mainland Chrono (07AA99E0).
3. Disable Chrono Attack at BG3 (080EE57C).
4. Play sound ChronosphereMove at waypoint 27 (cell 40, 87).
5. Play Anim At; main setting 253; location/duration field CP.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5423, Events line 5479, Actions line 5535.

40. Disable Start Mainland - 07AB4B20

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07AB37F0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Start BG1 BG2 (07AAAF40).
2. Disable Start BG1 BG2 BG3 (07AAACA0).
3. Disable Start BG1 BG3 (07AAAE60).
4. Disable Start BG2 BG3 (07AAAD80).
5. Disable Start BG1 Chrono (07AA9450).
6. Disable Start BG2 Chrono (07AA91A0).
7. Disable Start BG3 Chrono (07AA90C0).
8. Disable Disable Start Mainland (07AB4B20).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5424, Events line 5480, Actions line 5536.

41. Player at BG2 Gold - 080DE0EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 41 tagged map cells: (71, 23), (72, 23), (72, 24), (72, 25), (73, 25), (74, 25), (74, 26), (75, 26), (75, 27), (75, 28), (76, 28), (77, 28), (77, 29), (77, 30), (76, 31), (77, 31), (61, 32), (62, 32), (75, 32), (76, 32), (61, 33), (62, 33), (63, 33), (64, 33), (65, 33), (66, 33), (73, 33), (74, 33), (75, 33), (60, 34), (61, 34), (66, 34), (67, 34), (68, 34), (69, 34), (72, 34), (73, 34), (69, 35), (70, 35), (71, 35), (72, 35); tag 080DFF4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG2 (080DE8EC).
2. Set local flag 4 (BG2 Entered).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5425, Events line 5481, Actions line 5537.

42. Player at BG3 Gold - 080EFD2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 92 tagged map cells: (31, 75), (32, 75), (33, 75), (34, 75), (35, 75), (30, 76), (31, 76), (35, 76), (36, 76), (37, 76), (29, 77), (30, 77), (37, 77), (38, 77), (29, 78), (38, 78), (29, 79), (38, 79), (29, 80), (38, 80), (39, 80), (29, 81), (39, 81), (40, 81), (29, 82), (30, 82), (40, 82), (30, 83), (40, 83), (41, 83), (30, 84), (31, 84), (41, 84), (42, 84), (31, 85), (42, 85), (43, 85), (31, 86), (32, 86), (43, 86), (44, 86), (32, 87), (44, 87), (32, 88), (44, 88), (45, 88), (46, 88), (32, 89), (33, 89), (46, 89), (47, 89), (48, 89), (33, 90), (34, 90), (48, 90), (49, 90), (50, 90), (34, 91), (35, 91), (50, 91), (51, 91), (52, 91), (35, 92), (36, 92), (52, 92), (36, 93), (37, 93), (38, 93), (39, 93), (40, 93), (41, 93), (52, 93), (41, 94), (42, 94), (52, 94), (42, 95), (43, 95), (52, 95), (43, 96), (48, 96), (49, 96), (50, 96), (51, 96), (52, 96), (43, 97), (44, 97), (45, 97), (46, 97), (48, 97), (46, 98), (47, 98), (48, 98); tag 080EFA7C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono Attack at BG3 (080EE57C).

2. Set local flag 5 (BG3 Entered).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5426, Events line 5482, Actions line 5538.

43. Harass Enable - 0805556C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0805447C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Chrono at Island Gold (07F510FC).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5427, Events line 5483, Actions line 5539.

44. Text Trigger 1 - 0805BC6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0805B77C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Display message “Build naval forces and invade the Allied base” (MISSION:Sov12a).
2. Play in-game movie 121.

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5428, Events line 5484, Actions line 5540.

45. Default Enable BG1 - 0812ADBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0812A78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Startup (09FA8F40).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5429, Events line 5485, Actions line 5541.

46. Nuke Buster Jump Start - 07FF3F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FF45FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Nuke Breaker Team (0B3B15FC).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5430, Events line 5486, Actions line 5542.

47. Kirov Breaker - 07FF31CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FF7E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Unit Type: type index 15 (global list position: Kirov Airship (ZEP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Kirov Breaker Team (0886890C).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5431, Events line 5487, Actions line 5543.

48. Ambient Ocean 1 - 0C111E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 38 (cell 90, 159).
2. Play sound _Amb_OceanHeavy at waypoint 39 (cell 100, 168).
3. Play sound _Amb_OceanHeavy at waypoint 40 (cell 111, 178).
4. Play sound _Amb_OceanHeavy at waypoint 41 (cell 124, 177).
5. Play sound _Amb_OceanHeavy at waypoint 42 (cell 134, 170).
6. Play sound _Amb_OceanHeavy at waypoint 43 (cell 148, 153).
7. Play sound _Amb_OceanHeavy at waypoint 44 (cell 150, 139).
8. Play sound _Amb_OceanHeavy at waypoint 45 (cell 162, 135).
9. Play sound _Amb_OceanHeavy at waypoint 46 (cell 150, 104).
10. Play sound _Amb_OceanHeavy at waypoint 47 (cell 150, 80).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5432, Events line 5488, Actions line 5544.

49. Ambient Ocean 2 - 0C11131C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Ocean 1 (0C111E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 48 (cell 158, 86).
2. Play sound _Amb_OceanHeavy at waypoint 36 (cell 150, 93).
3. Play sound _Amb_OceanHeavy at waypoint 49 (cell 156, 117).
4. Play sound _Amb_OceanHeavy at waypoint 50 (cell 147, 123).
5. Play sound _Amb_OceanHeavy at waypoint 51 (cell 142, 107).
6. Play sound _Amb_OceanHeavy at waypoint 52 (cell 137, 92).
7. Play sound _Amb_OceanHeavy at waypoint 53 (cell 143, 82).
8. Play sound _Amb_OceanHeavy at waypoint 54 (cell 125, 73).
9. Play sound _Amb_OceanHeavy at waypoint 55 (cell 133, 66).
10. Play sound _Amb_OceanHeavy at waypoint 56 (cell 113, 60).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5433, Events line 5489, Actions line 5545.

50. Ambient Ocean 3 - 0C11469C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Ocean 2 (0C11131C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 56 (cell 113, 60).
2. Play sound _Amb_OceanHeavy at waypoint 57 (cell 106, 44).
3. Play sound _Amb_OceanHeavy at waypoint 58 (cell 93, 29).
4. Play sound _Amb_OceanHeavy at waypoint 59 (cell 82, 17).

5. Play sound _Amb_OceanHeavy at waypoint 0 (cell 136, 153).
6. Play sound _Amb_OceanHeavy at waypoint 3 (cell 133, 140).
7. Play sound _Amb_OceanHeavy at waypoint 5 (cell 134, 129).
8. Play sound _Amb_OceanHeavy at waypoint 12 (cell 132, 112).
9. Play sound _Amb_OceanHeavy at waypoint 8 (cell 131, 120).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5434, Events line 5490, Actions line 5546.

51. Ambient Wind 1 - 0A2AAA7C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Ocean 3 (0C11469C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 11 (cell 128, 132).
2. Play sound _Amb_WindCold at waypoint 98 (cell 176, 114).
3. Play sound _Amb_WindCold at waypoint 16 (cell 166, 122).
4. Play sound _Amb_WindCold at waypoint 17 (cell 168, 112).
5. Play sound _Amb_WindCold at waypoint 29 (cell 170, 100).
6. Play sound _Amb_WindCold at waypoint 60 (cell 115, 131).
7. Play sound _Amb_WindCold at waypoint 28 (cell 98, 125).
8. Play sound _Amb_WindCold at waypoint 61 (cell 107, 121).
9. Play sound _Amb_WindCold at waypoint 62 (cell 112, 106).
10. Play sound _Amb_WindCold at waypoint 63 (cell 114, 96).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5435, Events line 5491, Actions line 5547.

52. Ambient Wind 2 - 0644420C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Wind 1 (0A2AAA7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 64 (cell 113, 82).
2. Play sound _Amb_WindCold at waypoint 65 (cell 106, 69).
3. Play sound _Amb_WindCold at waypoint 66 (cell 96, 56).
4. Play sound _Amb_WindCold at waypoint 67 (cell 82, 43).
5. Play sound _Amb_WindCold at waypoint 26 (cell 72, 29).
6. Play sound _Amb_WindCold at waypoint 68 (cell 71, 43).
7. Play sound _Amb_WindCold at waypoint 69 (cell 61, 43).
8. Play sound _Amb_WindCold at waypoint 70 (cell 55, 49).
9. Play sound _Amb_WindCold at waypoint 71 (cell 60, 59).
10. Play sound _Amb_WindCold at waypoint 72 (cell 47, 54).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5436, Events line 5492, Actions line 5548.

53. Ambient Wind 3 - 064454FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Wind 2 (0644420C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 30 (cell 67, 68).
2. Play sound _Amb_WindCold at waypoint 73 (cell 79, 67).
3. Play sound _Amb_WindCold at waypoint 74 (cell 63, 82).
4. Play sound _Amb_WindCold at waypoint 75 (cell 38, 60).
5. Play sound _Amb_WindCold at waypoint 76 (cell 30, 69).
6. Play sound _Amb_WindCold at waypoint 77 (cell 26, 83).
7. Play sound _Amb_WindCold at waypoint 27 (cell 40, 87).
8. Play sound _Amb_WindCold at waypoint 78 (cell 39, 106).
9. Play sound _Amb_WindCold at waypoint 31 (cell 60, 121).
10. Play sound _Amb_WindCold at waypoint 79 (cell 123, 163).
11. Play sound _Amb_WindCold at waypoint 24 (cell 103, 160).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5437, Events line 5493, Actions line 5549.

54. Ambient Wind 4 - 064466BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ambient Wind 3 (064454FC).

Attached scope: tag definitions 0C11140C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 25 (cell 89, 150).
2. Play sound _Amb_WindCold at waypoint 32 (cell 84, 139).
3. Play sound _Amb_WindCold at waypoint 99 (cell 77, 122).
4. Play sound _Amb_WindCold at waypoint 80 (cell 76, 108).
5. Play sound _Amb_WindCold at waypoint 81 (cell 74, 91).
6. Play sound _Amb_WindCold at waypoint 82 (cell 84, 83).
7. Play sound _Amb_WindCold at waypoint 83 (cell 45, 73).
8. Play sound _Amb_WindCold at waypoint 84 (cell 98, 75).
9. Play sound _Amb_WindCold at waypoint 85 (cell 97, 92).

Source locator: MAPS02.MIX/sov12s.map; Triggers line 5438, Events line 5494, Actions line 5550.

All team rosters and ordered plans | All mission overrides

Operation: Polar Storm - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov12s.map; each team/script ID identifies its section.

Aegis (1) Team - 087D041C

Owner: BadGuy1. Roster: 1 × Aegis Cruiser (AEGIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Carrier (1) Team - 087D6EFC

Owner: BadGuy1. Roster: No roster entries recovered in the linked task-force section.

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Chrono (1) Team - 0CFA9CBC

Owner: BadGuy3. Roster: 1 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Attack (0CFA9A4C).

1. Attack selected enemy-building category; configured argument 65551.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Destroyer (1) Team - 087D680C

Owner: BadGuy1. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Dolphin (1) Team - 087D65CC

Owner: BadGuy1. Roster: 1 × Dolphin (DLPH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

GrizzlyBT (1) Team - 0996CA7C

Owner: BadGuy1. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Intruder (1) Team - 0996C83C

Owner: BadGuy2. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Attack (0A0440EC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Mirage (1) Team - 0996C5FC

Owner: BadGuy3. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 7; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (0A9D681C).

1. Move to waypoint: waypoint 30 (cell 67, 68).
2. Adopt object mission: area guard.
3. Report team success.

Solar Tank (1) Team - 0996C3BC

Owner: BadGuy3. Roster: 1 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Spy (1) Team - 0996C17C

Owner: BadGuy3. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Seal Attack (0A02606C).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

Seal (2) Team - 0B1ED21C

Owner: BadGuy1. Roster: 2 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Con Yard Attack (0B1ECDBC).

1. Attack selected enemy-building category; configured argument 65561.
2. Report team success.

3. Seek/attack target category; configured argument 1.

Rocketeer (4) Team - 0AD57F10

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

GI (5) Team - 0996B6FC

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

GI (4) - 0996B4BC

Owner: BadGuy2. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (0A9D681C).

1. Move to waypoint: waypoint 30 (cell 67, 68).
2. Adopt object mission: area guard.
3. Report team success.

(2)Destroyer Team - 087D44BC

Owner: BadGuy1. Roster: 2 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 10 GI Team - 098BECDC

Owner: BadGuy3. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 10 GI 4 Grizzly Team - 0A02720C

Owner: BadGuy3. Roster: 4 × Grizzly Battle Tank (MTNK); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle Attack (0A026DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.

3. Seek/attack target category; configured argument 1.

BG3 10 GI 8 Dog - 0970395C

Owner: BadGuy3. Roster: 8 × Attack Dog (DOG); 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Infantry Attack (0A0268DC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

BG3 20 GI Team - 0A0266FC

Owner: BadGuy3. Roster: 20 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle Attack (0A026DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

BG3 20 GI 5 IFV Team - 0970324C

Owner: BadGuy3. Roster: 20 × GI (E1); 5 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Defense (0A9D681C).

1. Move to waypoint: waypoint 30 (cell 67, 68).
2. Adopt object mission: area guard.
3. Report team success.

BG3 4 Prism Tank Team - 0A0263FC

Owner: BadGuy3. Roster: 4 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle Attack (0A026DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

BG3 5 Seal Team - 0A0262DC

Owner: BadGuy3. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Seal Attack (0A02606C).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.

BG3 6 Grizzly - 0A024E0C

Owner: BadGuy3. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 6 IFV Team - 0A024CEC

Owner: BadGuy3. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Vehicle Attack (0A026DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

BG3 8 Rocketeer - 0A024BCC

Owner: BadGuy3. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Attack (0A0440EC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Nuke Breaker Team - 0B3B15FC

Owner: BadGuy3. Roster: 4 × Harrier (ORCA); 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 4; Veteran Level: 3; Technology level: 0.

Ordered plan: Break Nuke (0B1E5DBC).

1. Attack selected enemy-building category; configured argument 65590.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 8.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Harassment Team - 08038F0C

Owner: BadGuy1. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

BG3 20 GI 5 IFV base defense - 0A9D65AC

Owner: BadGuy3. Roster: 20 × GI (E1); 5 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 2; Technology level: 0.

Ordered plan: Inner Base Defense (0A9C0DBC).

1. Adopt object mission: area guard.
2. Report team success.

Chrono Harass 6 IFV - 0D1F022C

Owner: BadGuy1. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Chrono Harass 6 Grizzly - 0D1F1EFC

Owner: BadGuy1. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Chrono Attack 6 Grizzly - 07BC8130

Owner: Other3. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Chrono Attack 6 IFV - 07BC9F00

Owner: Other3. Roster: 6 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Chrono Attack 4 Prism - 07BC9DE0

Owner: Other3. Roster: 4 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Any Attack (09730C9C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

Kirov Breaker Team - 0886890C

Owner: BadGuy3. Roster: 10 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: ChronoSphere Defense (Air) (07FF6B1C).

1. Move to waypoint: waypoint 31 (cell 60, 121).
2. Move to waypoint: waypoint 99 (cell 77, 122).

3. Move to waypoint: waypoint 32 (cell 84, 139).
4. Move to waypoint: waypoint 33 (cell 66, 137).
5. Jump to script line; configured argument 1.

Chrono Seals - 0BB03DEC

Owner: BadGuy1. Roster: 4 × SEAL (GHOST); 1 × Amphibious Transport (LCRF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono Seal Attack (0BB03B7C).

1. Move to waypoint: waypoint 35 (cell 178, 129).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Chrono Carriers - 0CFB393C

Owner: BadGuy1. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Chrono Carrier Attack (0CFB36CC).

1. Attack selected enemy-building category; configured argument 131087.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Kirovs Rise - 088F5CEC

Owner: Player. Roster: 3 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Rise! (088F5A7C).

1. Set facing; configured argument 3.

Operation: Polar Storm - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov12s.map.

Object/system	Property	Mission value	Source line
War Miner (HARV)	Resource cargo capacity	20	11
Chrono Miner (CMIN)	Resource cargo capacity	10	14
TIBERIUMS (TIBERIUMS)	0	Riparius	17
TIBERIUMS (TIBERIUMS)	1	Cruentus	18
TIBERIUMS (TIBERIUMS)	2	Vinifera	19
TIBERIUMS (TIBERIUMS)	3	Aboreus	20
Tiberium Riparius (RIPARIUS)	Value	50	23
Tiberium Cruentus (CRUENTUS)	Value	100	26
Tiberium Vinifera (VINIFERA)	Value	50	29
Tiberium Aboreus (ABOREUS)	Value	50	32
Chrono Sphere (GACSPH)	UI Name	Name:GACSPH	35
Chrono Sphere (GACSPH)	Name	Chrono Sphere	36
Chrono Sphere (GACSPH)	Reveal To All	no	37
Chrono Sphere (GACSPH)	Technology level	-1	38
Chronosphere (CHRONOSPHERESPECIAL)	Name	Chrono Sphere	41
Chronosphere (CHRONOSPHERESPECIAL)	Show Timer	no	42
Engineer (ENGINEER)	Name	Engineer	45
Engineer (ENGINEER)	Technology level	-1	46
Attack Dog (ADOG)	Name	Allied Attack Dog	49
Attack Dog (ADOG)	Technology level	-1	50
Chrono Legionnaire (CLEG)	Name	Chrono Legionnaire	53
Chrono Legionnaire (CLEG)	Technology level	-1	54
Spy (SPY)	Name	Spy	57
Spy (SPY)	Technology level	-1	58
Tanya (TANY)	Name	Tanya	61
Tanya (TANY)	Technology level	-1	62
Negative Light Post (NEGLAMP)	Name	Negative Light Post	65
Negative Light Post (NEGLAMP)	Image	GALITE	66
Negative Light Post (NEGLAMP)	Local light reach	5000	67
Negative Light Post (NEGLAMP)	Local light intensity	-0.15	68
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	69
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	70

Object/system	Property	Mission value	Source line
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	71
Invisible Purple Light Post (INPURPLAMP)	Name	Invisible Purple Light Post	74
Invisible Purple Light Post (INPURPLAMP)	Local light reach	4000	75
Invisible Purple Light Post (INPURPLAMP)	Local light intensity	0.01	76
Invisible Purple Light Post (INPURPLAMP)	Light Red Tint	0.67059	77
Invisible Purple Light Post (INPURPLAMP)	Light Green Tint	0.19608	78
Invisible Purple Light Post (INPURPLAMP)	Light Blue Tint	0.67059	79
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	82
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	4000	83
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	84
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.2	85
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.2	86
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.0	87
SPECIALFLAGS	Tiberium Grows	no	90
SPECIALFLAGS	Tiberium Spreads	yes	91
SPECIALFLAGS	Tiberium Explosive	no	92
SPECIALFLAGS	Destroyable Bridges	yes	93
SPECIALFLAGS	MCV Deploy	no	94
SPECIALFLAGS	Initial Veteran	no	95
SPECIALFLAGS	Fixed Alliance	no	96
SPECIALFLAGS	Harvester Immune	no	97
SPECIALFLAGS	Fog Of War	no	98
SPECIALFLAGS	Inert	no	99
SPECIALFLAGS	Ion Storms	no	100
SPECIALFLAGS	Meteorites	no	101
SPECIALFLAGS	Visceroids	no	102
COUNTRIES (COUNTRIES)	0	Player	105
COUNTRIES (COUNTRIES)	1	BadGuy1	106
COUNTRIES (COUNTRIES)	2	BadGuy2	107
COUNTRIES (COUNTRIES)	3	BadGuy3	108
COUNTRIES (COUNTRIES)	4	Civilian1	109
COUNTRIES (COUNTRIES)	5	BG_Naval	110
COUNTRIES (COUNTRIES)	6	Other2	111
COUNTRIES (COUNTRIES)	7	Other3	112
VARIABLENAMES (VARIABLENAMES)	0	BG1 Chrono,0	231

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	1	BG2 Chrono,0	232
VARIABLENAMES (VARIABLENAMES)	2	BG3 Chrono,0	233
VARIABLENAMES (VARIABLENAMES)	3	BG1 Entered,0	234
VARIABLENAMES (VARIABLENAMES)	4	BG2 Entered,0	235
VARIABLENAMES (VARIABLENAMES)	5	BG3 Entered,0	236

Operation: Time Lapse

Campaign reading guide | Engine

Yuri Allied opening: Time Lapse. The starting base contains multiple building roles and a visible Dominator countdown. Historical local Android-emulator campaign-start capture; not a completed campaign.

Operation: Time Lapse

all01umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (120)
- Americans (58)
- YuriCountry (41)
- PowerHouse (24)
- Arabs (10)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CALAB
2. YAPPET
3. CATIME01

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all01umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all01umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all01umd.map. **Effective extracted member:** mapsmd03.mix/all01umd.map. **Trigger definitions:** 334.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	NEWURBAN
Map size	0,0,65,120
Visible local rectangle	12,5,47,100
Placed vehicles	18
Placed infantry	56
Placed structures	189
Placed aircraft	0
Team templates	102

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	100	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	600	Confederation
8	Russians	0	Russians
9	YuriCountry	0	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	PowerHouse	0	PowerHouse Country
15	Soviet2House	0	Soviet2 Country
16	BridgeHouse	0	Bridge Country

Local state flags at initialization

Flag	Meaning label and initial value
0	Hover1_Unloaded,0
1	Hover_2_Unloaded,0
2	Hover_3_Unloaded,0
3	Time_Warp,0
4	Tanya_Dead,0
5	Gave_PP_Brief,0
6	PP1_Entered,0
7	PP2_Entered,0
8	PP3_Entered,0
9	PP4_Entered,0
10	PP5_Entered,0
11	PP6_Entered,0
12	PP7_Entered,0
13	PP8_Entered,0
14	PP1_Group_Revealed,0
15	PP2_Group_Revealed,0
16	PP3_Group_Revealed,0
17	PP4_Group_Revealed,0
18	PP1_Gone,0
19	PP2_Gone,0
20	PP3_Gone,0
21	PP4_Gone,0
22	PP5_Gone,0
23	PP6_Gone,0
24	PP7_Gone,0
25	PP8_Gone,1
26	Lost_1_Power,0
27	Lost_2_Power,0
28	Lost_3_Power,0
29	Lost_4_Power,0
30	Lost_5_Power,0
31	Lost_Tech01_USA,0
32	Lost_Tech_01_Neu,0
33	Lost_Tech02_USA,0
34	Lost_Tech02_Neut,0
35	Lost_Tech03_USA,0
36	Lost_Tech04_USA,0
37	Lost_Tech05_USA,0
38	Lost_Tech06_USA,0
39	Lost_Tech07_USA,0

Flag	Meaning label and initial value
40	Lost_Tech08_USA,0
41	Lost_Tech03_Neut,0
42	Lost_Tech04_Neut,0
43	Lost_Tech05_Neut,0
44	Lost_Tech06_Neut,0
45	Lost_Tech07_Neut,0
46	Lost_Tech08_Neut,0
47	Power_Online,0
48	Nuke_Destroyed,0
49	Player_Has_Plant,0
50	Cannon1_Gone,0
51	Cannon2_Gone,0
52	Cannon3_Gone,0
53	Cannon4_Gone,0
54	Engineers_Landed,0
55	LostPP1_Easy,0
56	LostPP2_Easy,0
57	LostPP3_Easy,0
58	LostPP4_Easy,0
59	LostPP5_Easy,0
60	LostPP6_Easy,0
61	LostPP7_Easy,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Time_Machine_Boom (08A3E03C)	local flag 3 (Time_Warp) is clear. Destroyed by anything. See attached-object/cell scope below.	Announce defeat.
Time_Machine_Boom2 (08707A2C)	local flag 3 (Time_Warp) is set. No instances of Tanya (TANY) exist on the map, under this event's ownership scope. Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
WeWin (089EC79C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
Player_Lost (06178D0C)	0 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Every trigger, in file order

1. Start_I_Drop - 08134E0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final_Camera_Set (068F215C).

Attached scope: tag definitions 0B850BDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Drop_I_Team (0813427C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8571, Events line 8907, Actions line 9243.

2. Drop_I_Team - 0813427C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_I_Drop (08134E0C); enable from RA_Team_Death (0BB74AFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_NW_Attack (089B3A4C) at waypoint 12 (cell 80, 128).
2. Enable and reset applicable timers for Delay_ITeam_Check (08136ABC).
3. Disable Drop_I_Team (0813427C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8572, Events line 8908, Actions line 9244.

3. Delay_ITeam_Check - 08136ABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drop_I_Team (0813427C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Paradrop_I_Death (08135C1C).
2. Disable Delay_ITeam_Check (08136ABC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8573, Events line 8909, Actions line 9245.

4. Paradrop_I_Death - 08135C1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Delay_ITeam_Check (08136ABC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_RM_RN_Team (06A0A20C).
2. Disable Paradrop_I_Death (08135C1C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8574, Events line 8910, Actions line 9246.

5. Create_RM_RN_Team - 06A0A20C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Create_RA_Team (0BB731DC).

Incoming activation links: enable from Paradrop_I_Death (08135C1C).

Attached scope: tag definitions 08135D0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_RM_RN_Attack (0C36E6AC).
2. Enable and reset applicable timers for Delay_RMRN_Check (06A0A03C).
3. Disable Create_RM_RN_Team (06A0A20C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8575, Events line 8911, Actions line 9247.

6. Create_RA_Team - 0BB731DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Hover_3 (0B16029C).

Incoming activation links: enable from RMRN_Team_Death (06A0CC6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_RA_Tanks (0AA2AEFC).
2. Enable and reset applicable timers for Delay_RA_Check (0BB74DFC).
3. Disable Create_RA_Team (0BB731DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8576, Events line 8912, Actions line 9248.

7. Delay_RMRN_Check - 06A0A03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Delay_RA_Check (0BB74DFC).

Incoming activation links: enable from Create_RM_RN_Team (06A0A20C).

Attached scope: tag definitions 0813683C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for RMRN_Team_Death (06A0CC6C).
2. Disable Delay_RMRN_Check (06A0A03C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8577, Events line 8913, Actions line 9249.

8. Create_Hover_3 - 0B16029C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Hover_2 (0895C19C).

Incoming activation links: enable from Check_Hover3 (0B1613DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Water3 (0A7F16AC) at waypoint 37 (cell 42, 29).
2. Enable and reset applicable timers for Hover3_Death (0B160E5C).
3. Disable Create_Hover_3 (0B16029C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8578, Events line 8914, Actions line 9250.

9. Delay_RA_Check - 0BB74DFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ping4_delay (08B5892C).

Incoming activation links: enable from Create_RA_Team (0BB731DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for RA_Team_Death (0BB74AFC).
2. Disable Delay_RA_Check (0BB74DFC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8579, Events line 8915, Actions line 9251.

10. RMRN_Team_Death - 06A0CC6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: RA_Team_Death (0BB74AFC).

Incoming activation links: enable from Delay_RMRN_Check (06A0A03C).

Attached scope: tag definitions 0813589C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_RA_Team (0BB731DC).
2. Disable RMRN_Team_Death (06A0CC6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8580, Events line 8916, Actions line 9252.

11. Create_Hover_2 - 0895C19C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Hover_One (0B7D4BCC).

Incoming activation links: enable from Check_Hover2 (089FC3DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Water_Two (0A80332C) at waypoint 24 (cell 56, 14).
2. Enable and reset applicable timers for Hover2_Death (0895D88C).
3. Disable Create_Hover_2 (0895C19C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8581, Events line 8917, Actions line 9253.

12. Hover3_Death - 0B160E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Hover2_Death (0895D88C).

Incoming activation links: enable from Create_Hover_3 (0B16029C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, Units, All: owner selector 3 (country/type GERMANS; placed owner Germans).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Check_Hover1 (089FC90C).
2. Disable Hover3_Death (0B160E5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8582, Events line 8918, Actions line 9254.

13. Ping4_delay - 08B5892C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_Hover3 (0B1613DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Ping_PP_Four (08B4D3BC).
2. Disable Ping4_delay (08B5892C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8583, Events line 8919, Actions line 9255.

14. RA_Team_Death - 0BB74AFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Tanya_Death (089B82BC).

Incoming activation links: enable from Delay_RA_Check (0BB74DFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Drop_I_Team (0813427C).
2. Disable RA_Team_Death (0BB74AFC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8584, Events line 8920, Actions line 9256.

15. Create_Hover_One - 0B7D4BCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Drop_I_Team (0813427C).

Incoming activation links: enable from Check_Hover1 (089FC90C); enable from Start_Hover_One (0B7D315C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Hover_Team_1 (0A2BD90C) at waypoint 10 (cell 50, 21).
2. Enable and reset applicable timers for Hover1_Death (0B7D615C).
3. Disable Create_Hover_One (0B7D4BCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8585, Events line 8921, Actions line 9257.

16. Hover2_Death - 0895D88C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Hover1_Death (0B7D615C).

Incoming activation links: enable from Create_Hover_2 (0895C19C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, Units, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Check_Hover3 (0B1613DC).
2. Disable Hover2_Death (0895D88C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8586, Events line 8922, Actions line 9258.

17. Check_Hover1 - 089FC90C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ping2_to_Ping3 (089D698C).

Incoming activation links: enable from Hover3_Death (0B160E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, All: owner selector 11 (country/type NOD; placed owner Nod).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Hover_One (0B7D4BCC).
2. Disable Check_Hover1 (089FC90C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8587, Events line 8923, Actions line 9259.

18. Check_Hover3 - 0B1613DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_Hover2 (089FC3DC).

Incoming activation links: enable from Hover2_Death (0895D88C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, Units, All: owner selector 3 (country/type GERMANS; placed owner Germans).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Hover_3 (0B16029C).
2. Disable Check_Hover3 (0B1613DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8588, Events line 8924, Actions line 9260.

19. Ping_PP_Four - 08B4D3BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping4_delay (08B5892C); enable from Check_PP3_False (0BFCC50C).

Attached scope: tag definitions 08B4D2DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 47 (Power_Online) is clear.

Flag writers in this mission: set local flag 47 (Power_Online) at Power_Online (0691357C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound BeaconPlaced.
2. Create radar-event marker type 11 at waypoint 43 (cell 154, 107).
3. Disable Ping_PP_Four (08B4D3BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8589, Events line 8925, Actions line 9261.

20. Tanya_Death - 089B82BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: AP_Paradrop_Death (0BDF7BBC).

Incoming activation links: enable from Enter_Tanya (0AC85F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Tanya (TANY) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 4 (Tanya_Dead).
2. Play full-screen movie 5.
3. Enable and reset applicable timers for Death_Reinforce (0BA104BC).
4. Disable Mission2_Text (046358AC).
5. Disable Tanya_Death (089B82BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8590, Events line 8926, Actions line 9262.

21. Hover1_Death - 0B7D615C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_I_Death (08135C1C).

Incoming activation links: enable from Create_Hover_One (0B7D4BCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 0 (Hover1_Unloaded) is clear.
2. Destroyed, All: owner selector 11 (country/type NOD; placed owner Nod).

Flag writers in this mission: clear local flag 0 (Hover1_Unloaded) at Hover1_Go_Home (0B7D6AAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Check_Hover2 (089FC3DC).
2. Disable Hover1_Death (0B7D615C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8591, Events line 8927, Actions line 9263.

22. Ping2_to_Ping3 - 089D698C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: GGI_Flash_to_Final (0A81149C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Ping_PP_Three (089D668C).
2. Disable Ping2_to_Ping3 (089D698C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8592, Events line 8928, Actions line 9264.

23. Check_Hover2 - 089FC3DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_Hover1 (089FC90C).

Incoming activation links: enable from Hover1_Death (0B7D615C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, Units, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Hover_2 (0895C19C).
2. Disable Check_Hover2 (089FC3DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8593, Events line 8929, Actions line 9265.

24. AP_Paradrop_Death - 0BDF7BBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Hover3_Death (0B160E5C).

Incoming activation links: enable from AP_Paradrop (069B22FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed, All: owner selector 5 (country/type AFRICANS; placed owner Africans).

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for AP_Paradrop (069B22FC).
2. Disable AP_Paradrop_Death (0BDF7BBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8594, Events line 8930, Actions line 9266.

25. Death_Reinforce - 0BA104BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ping_Carriers (0898812C).

Incoming activation links: enable from Tanya_Death (089B82BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (Tanya_Dead) is set.
2. local flag 3 (Time_Warp) is set.

Flag writers in this mission: set local flag 4 (Tanya_Dead) at Tanya_Death (089B82BC); set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Carriers (08071C8C).
2. Enable and reset applicable timers for Send_Carriers (089B1CCC).
3. Disable Death_Reinforce (0BA104BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8595, Events line 8931, Actions line 9267.

26. Mission2_Text - 046358AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enter_Tanya (0AC85F3C).

Attached scope: tag definitions 046353EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Swim Tanya to Alcatraz Island and destroy the Psychic Dominator” (MISSION:Alcatraz).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8596, Events line 8932, Actions line 9268.

27. GGI_Flash_to_Final - 0A81149C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: GGI_to_GGI_Flash (0A81491C).

Incoming activation links: enable from Flash_GGI (0A815AFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Final_Camera_Set (068F215C).
2. Disable GGI_Flash_to_Final (0A81149C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8597, Events line 8933, Actions line 9269.

28. Ping_PP_Three - 089D668C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping2_to_Ping3 (089D698C); enable from Check_PP4_False (0BFE471C).

Attached scope: tag definitions 089D65AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 47 (Power_Online) is clear.

Flag writers in this mission: set local flag 47 (Power_Online) at Power_Online (0691357C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound BeaconPlaced.
2. Create radar-event marker type 11 at waypoint 18 (cell 126, 83).
3. Disable Ping_PP_Three (089D668C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8598, Events line 8934, Actions line 9270.

29. AP_Paradrop - 069B22FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from AP_Paradrop_Death (0BDF7BBC); enable from Return_Control (089627FC).

Attached scope: tag definitions 069B3D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 135 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 3 (Time_Warp) is clear.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AP_Paradrop (0D2AF91C) at waypoint 41 (cell 117, 112).
2. Enable and reset applicable timers for AP_Paradrop_Death (0BDF7BBC).
3. Disable AP_Paradrop (069B22FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8599, Events line 8935, Actions line 9271.

30. Ping_Carriers - 0898812C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Send_Carriers (089B1CCC).

Incoming activation links: enable from Send_Carriers (089B1CCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 0 at waypoint 417 (cell 56, 89).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for Carriers_Killed (0792B79C).
4. Disable Ping_Carriers (0898812C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8600, Events line 8936, Actions line 9272.

31. Send_Carriers - 089B1CCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Death_Reinforce (0BA104BC); enable from Carriers_Killed (0792B79C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Carriers (08071C8C).
2. Enable and reset applicable timers for Ping_Carriers (0898812C).
3. Disable Send_Carriers (089B1CCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8601, Events line 8937, Actions line 9273.

32. GGI_to_GGI_Flash - 0A81491C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ping3_to_GGI (08A868EC).

Incoming activation links: enable from Camera_GGI (0A81253C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Flash_GGI (0A815AFC).
2. Disable GGI_to_GGI_Flash (0A81491C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8602, Events line 8938, Actions line 9274.

33. Final_Camera_Set - 068F215C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from GGI_Flash_to_Final (0A81149C).

Attached scope: tag definitions 068E136C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 14 (cell 100, 110) with speed setting 3.
2. Enable and reset applicable timers for Start_I_Drop (08134E0C).
3. Enable and reset applicable timers for Return_Control (089627FC).
4. Enable and reset applicable timers for Power_Online (0691357C).
5. Disable Final_Camera_Set (068F215C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8603, Events line 8939, Actions line 9275.

34. Carriers_Killed - 0792B79C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Death_Reinforce (0BA104BC).

Incoming activation links: enable from Ping_Carriers (0898812C).

Attached scope: tag definitions 04382B0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Aircraft Carrier (CARRIER) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Send_Carriers (089B1CCC).
2. Disable Carriers_Killed (0792B79C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8604, Events line 8940, Actions line 9276.

35. Ping3_to_GGI - 08A868EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Ping1_to_Ping2 (08A8953C).

Incoming activation links: enable from Ping_PP_Two (08A8E55C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Camera_GGI (0A81253C).
2. Enable and reset applicable timers for GGI_GuineaPig_Start (0AB41D9C).
3. Disable Ping3_to_GGI (08A868EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8605, Events line 8941, Actions line 9277.

36. Flash_GGI - 0A815AFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from GGI_to_GGI_Flash (0A81491C).

Attached scope: tag definitions 0A815A1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_GGI_Flash (08B066CC).
2. Enable and reset applicable timers for GGI_Flash_to_Final (0A81149C).
3. Enable and reset applicable timers for Attack_Tanya (089F2AAC).
4. Disable Flash_GGI (0A815AFC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8606, Events line 8942, Actions line 9278.

37. Return_Control - 089627FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final_Camera_Set (068F215C).

Attached scope: tag definitions 08963C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Enable and reset applicable timers for AP_Paradrop (069B22FC).
4. Enable and reset applicable timers for Mission1_Text (06CBE3FC).
5. Enable and reset applicable timers for Time_Machine_Hit (097D15DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8607, Events line 8943, Actions line 9279.

38. Power_Online - 0691357C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Final_Camera_Set (068F215C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (Player_Has_Plant) is set.
2. Power Full: owner selector 0 (country/type AMERICANS; placed owner Americans).

Flag writers in this mission: set local flag 49 (Player_Has_Plant) at Player_Has_Plant1 (096E1F3C); set local flag 49 (Player_Has_Plant) at Player_Has_Plant2 (096E125C); set local flag 49 (Player_Has_Plant) at Player_Has_Plant3 (096E0D8C); set local flag 49 (Player_Has_Plant) at Player_Has_Plant4 (096E0AAC); set local flag 49 (Player_Has_Plant) at Player_Has_Plant5 (096E07CC); set local flag 49 (Player_Has_Plant) at Player_Has_Plant6 (096E04EC); set local flag 49 (Player_Has_Plant) at Player_Has_Plant7 (096E020C); set local flag 49 (Player_Has_Plant) at Player_Has_Plant8 (096E2DDC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Nuke_Repair (0DC53EFC).
2. Enable and reset applicable timers for Change_Radar_House (0BE0B26C).
3. Enable and reset applicable timers for Start_Timer (0A8E573C).
4. Disable Find_Hospital (0462B74C).
5. Play sound SpyUplinkOn.
6. Reveal the whole map.
7. Set local flag 47 (Power_Online).
8. Enable and reset applicable timers for Obj01_Complete_Text (09515B9C).
9. Disable Power_Online (0691357C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8608, Events line 8944, Actions line 9280.

39. Ping1_to_Ping2 - 08A8953C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TM_to_Radar_Ping (08A8FBCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Ping_PP_Two (08A8E55C).
2. Disable Ping1_to_Ping2 (08A8953C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8609, Events line 8945, Actions line 9281.

40. Camera_GGI - 0A81253C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping3_to_GGI (08A868EC).

Attached scope: tag definitions 0A81245C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 13 (cell 88, 100) with speed setting 3.
2. Play voice notification Unit_Eva_GuardianGI.
3. Enable and reset applicable timers for GGI_to_GGI_Flash (0A81491C).
4. Disable Camera_GGI (0A81253C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8610, Events line 8946, Actions line 9282.

41. GGI_GuineaPig_Start - 0AB41D9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping3_to_GGI (08A868EC).

Attached scope: tag definitions 0AB41CBC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_GGI_GuineaPig (0BF1048C).
2. Disable GGI_GuineaPig_Start (0AB41D9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8611, Events line 8947, Actions line 9283.

42. Attack_Tanya - 089F2AAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Flash_GGI (0A815AFC).

Attached scope: tag definitions 089F79FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Attack_Tanya (09F3BC1C) at waypoint 41 (cell 117, 112).
2. Disable Attack_Tanya (089F2AAC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8612, Events line 8948, Actions line 9284.

43. Mission1_Text - 06CBE3FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_Control (089627FC).

Attached scope: tag definitions 0E0AA3CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 3 (Time_Warp) is clear.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective: Capture Power Plants to bring the Time Machine online” (MISSION:GetPower).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8613, Events line 8949, Actions line 9285.

44. Time_Machine_Hit - 097D15DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Time_Machine_Boom (08A3E03C).

Incoming activation links: enable from Return_Control (089627FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Tanya (TANY) exist on the map, under this event's ownership scope.
2. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Time_Machine_Attacked (097D02CC).
2. Disable Time_Machine_Hit (097D15DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8614, Events line 8950, Actions line 9286.

45. Change_Radar_House - 0BE0B26C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Power_Online (0691357C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Change_Radar_House (0BE0B26C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8615, Events line 8951, Actions line 9287.

46. Start_Timer - 0A8E573C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Power_Online (0691357C).

Incoming activation links: enable from Power_Online (0691357C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie with game pause 3.
2. Enable and reset applicable timers for Timer_Movie (0A8EA21C).
3. Disable Start_Timer (0A8E573C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8616, Events line 8952, Actions line 9288.

47. Find_Hospital - 0462B74C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian Hospital (CATHOSP), owner PowerHouse, cell (104, 79), tag 0462CD1C, persistence mode 0; 28 tagged map cells: (102, 78), (103, 78), (104, 78), (105, 78), (106, 78), (107, 78), (108, 78), (109, 78), (110, 78), (111, 78), (102, 79), (111, 79), (102, 80), (111, 80), (102, 81), (111, 81), (102, 82), (111, 82), (102, 83), (103, 83), (104, 83), (105, 83), (106, 83), (107, 83), (108, 83), (109, 83), (110, 83), (111, 83); tag 0462CD1C, persistence mode 0.

Wait for the recorded events:

1. global flag 13 is clear.
2. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 194 (cell 104, 78).
2. Flash buildings of type CATHOSP; duration argument 40.
3. Create radar-event marker type 12 at waypoint 56 (cell 110, 82).
4. Set global flag 13.
5. Play voice notification Unit_Eva_TechHospital.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8617, Events line 8953, Actions line 9289.

48. Obj01_Complete_Text - 09515B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Power_Online (0691357C).

Attached scope: tag definitions 095159BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8618, Events line 8954, Actions line 9290.

49. TM_to_Radar_Ping - 08A8FBCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Camera_Base_to_TM (0B025F3C).

Incoming activation links: enable from Camera_Time_Machine (0B022DEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Ping_PP_Two (08A8E55C).
2. Disable TM_to_Radar_Ping (08A8FBCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8619, Events line 8955, Actions line 9291.

50. Ping_PP_Two - 08A8E55C

Owner reference: PowerHouse Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping1_to_Ping2 (08A8953C); enable from TM_to_Radar_Ping (08A8FBCC).

Attached scope: tag definitions 08A7737C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 47 (Power_Online) is clear.

Flag writers in this mission: set local flag 47 (Power_Online) at Power_Online (0691357C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound CameraSwitch.
2. Jump the camera to waypoint 17 (cell 130, 130).
3. Perform no action.
4. Flash buildings of type CAPOWR01; duration argument 60.
5. Flash buildings of type CAPOWR02; duration argument 60.
6. Enable and reset applicable timers for Start_Pointing (087F3E6C).
7. Create radar-event marker type 0 at waypoint 17 (cell 130, 130).
8. Enable and reset applicable timers for Ping3_to_GGI (08A868EC).
9. Disable Ping_PP_Two (08A8E55C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8620, Events line 8956, Actions line 9292.

51. Time_Machine_Boom - 08A3E03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Destroyed by anything. See attached-object/cell scope below.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Announce defeat.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8621, Events line 8957, Actions line 9293.

52. Time_Machine_Attacked - 097D02CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Time_Machine_Hit (097D15DC).

Attached scope: tag definitions 097D16CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA1_EvaProtectTimeMach.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8622, Events line 8958, Actions line 9294.

53. Timer_Movie - 0A8EA21C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Timer_Done (0A8E0E9C).

Incoming activation links: enable from Start_Timer (0A8E573C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Timer_Done (0A8E0E9C).
2. Enable and reset applicable timers for Center_On_TimeMachine (0C6F847C).
3. Disable Timer_Movie (0A8EA21C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8623, Events line 8959, Actions line 9295.

54. Camera_Base_to_TM - 0B025F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Delay_ITeam_Check (08136ABC).

Incoming activation links: enable from Camera_Base02 (0885DE3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Camera_Time_Machine (0B022DEC).
2. Disable Camera_Base_to_TM (0B025F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8624, Events line 8960, Actions line 9296.

55. Start_Pointing - 087F3E6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Stop_Pointing (087F124C).

Incoming activation links: enable from Ping_PP_Two (08A8E55C).

Attached scope: tag definitions 087F133C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Point_At_Power (087F198C).
2. Enable and reset applicable timers for Stop_Pointing (087F124C).
3. Disable Start_Pointing (087F3E6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8625, Events line 8961, Actions line 9297.

56. Timer_Done - 0A8E0E9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start_Timer (0A8E573C).

Incoming activation links: enable from Timer_Movie (0A8EA21C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Chrono Screen Effect for; main setting 40.
3. Black out the trigger owner's radar for 40 configured frames.
4. Enable and reset applicable timers for Evict_AJAK_Gar (089AE11C).
5. Enable and reset applicable timers for Rebuild_Nuke (0930470C).
6. Disable Timer_Done (0A8E0E9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8626, Events line 8962, Actions line 9298.

57. Center_On_TimeMachine - 0C6F847C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Timer_Movie (0A8EA21C).

Incoming activation links: enable from Timer_Movie (0A8EA21C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Move the camera to waypoint 57 (cell 91, 105) with speed setting 3.
3. Disable Mission1_Text (06CBE3FC).
4. Disable Center_On_TimeMachine (0C6F847C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8627, Events line 8963, Actions line 9299.

58. Camera_Time_Machine - 0B022DEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Base_to_TM (0B025F3C).

Attached scope: tag definitions 0B022D0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 15 (cell 93, 106) with speed setting 3.
2. Perform no action.
3. Enable and reset applicable timers for TM_to_Radar_Ping (08A8FBCC).
4. Flash buildings of type CATIME01; duration argument 75.
5. Disable Camera_Time_Machine (0B022DEC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8628, Events line 8964, Actions line 9300.

59. Stop_Pointing - 087F124C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Point_At_Power (087F198C).

Incoming activation links: enable from Start_Pointing (087F3E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Point_At_Power (087F198C).
2. Disable Stop_Pointing (087F124C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8629, Events line 8965, Actions line 9301.

60. Point_At_Power - 087F198C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Pointing (087F3E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field CR.
2. Play Anim At; main setting 483; location/duration field CS.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8630, Events line 8966, Actions line 9302.

61. Evict_AJAK_Gar - 089AE11C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Timer_Done (0A8E0E9C).

Attached scope: Gas Station (CAGAS01), owner Neutral, cell (144, 97), tag 089AFD2C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.
2. Enable and reset applicable timers for Evict_UT_Gar (089AE71C).
3. Disable Evict_AJAK_Gar (089AE11C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8631, Events line 8967, Actions line 9303.

62. Rebuild_Nuke - 0930470C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Timer_Done (0A8E0E9C).

Attached scope: tag definitions 093044CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 48 (Nuke_Destroyed) is set.

Flag writers in this mission: set local flag 48 (Nuke_Destroyed) at Nuke_Plant_Gone (0930139C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building NANRCT at waypoint 364 (cell 55, 72).
2. Disable Rebuild_Nuke (0930470C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8632, Events line 8968, Actions line 9304.

63. Evict_UT_Gar - 089AE71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evict_AJAK_Gar (089AE11C).

Attached scope: Building (CASANF01), owner Neutral, cell (127, 96), tag 089AE20C, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.
2. Enable and reset applicable timers for Evict_ZAI_Gar (089AFC3C).
3. Disable Evict_UT_Gar (089AE71C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8633, Events line 8969, Actions line 9305.

64. Evict_ZAI_Gar - 089AFC3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evict_UT_Gar (089AE71C).

Attached scope: Building (CASANF02), owner Neutral, cell (118, 122), tag 089AFA8C, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.
2. Enable and reset applicable timers for Evict_All (0D87303C).
3. Enable and reset applicable timers for Kill_Triggers1 (067DD4BC).
4. Disable Evict_ZAI_Gar (089AFC3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8634, Events line 8970, Actions line 9306.

65. Evict_All - 0D87303C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evict_ZAI_Gar (089AFC3C).

Attached scope: Building (CANEWY18), owner Neutral, cell (112, 64), tag 0D86A04C, persistence mode 0; Building (CANEWY12), owner Neutral, cell (103, 133), tag 0D86A04C, persistence mode 0; Building (CASTL02), owner Neutral, cell (108, 141), tag 0D86A04C, persistence mode 0; Building (CAPARS04), owner Neutral, cell (104, 141), tag 0D86A04C, persistence mode 0; Building (CARUS05), owner Neutral, cell (114, 138), tag 0D86A04C, persistence mode 0; McBurger Kong (CAMSC10), owner Neutral, cell (104, 89), tag 0D86A04C, persistence mode 0; Warehouse (CANEWY21), owner Neutral, cell (97, 64), tag 0D86A04C, persistence mode 0; Building (CARUS05), owner Neutral, cell (131, 137), tag 0D86A04C, persistence mode 0; Building (CAPARS04), owner Neutral, cell (145, 143), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (109, 147), tag 0D86A04C, persistence mode 0; House (CAHSE07), owner Neutral, cell (131, 96), tag 0D86A04C, persistence mode 0; Building (CARUS06), owner Neutral, cell (131, 89), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (123, 96), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (116, 122), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (127, 92), tag 0D86A04C, persistence mode 0; Office Building (CATEXS07), owner Neutral, cell (123, 75), tag 0D86A04C, persistence mode 0; Building (CANEWY12), owner Neutral, cell (114, 133), tag 0D86A04C, persistence mode 0; Building (CACHIG03), owner Neutral, cell (143, 103), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (150, 115), tag 0D86A04C, persistence mode 0; Office Building (CATEXS08), owner Neutral, cell (158, 109), tag 0D86A04C, persistence mode 0; Warehouse (CANEWY21), owner Neutral, cell (158, 113), tag 0D86A04C, persistence mode 0; Mailbox (CAMISC04), owner Neutral, cell (148, 103), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (132, 121), tag 0D86A04C, persistence mode 0; Building (CAWASH10), owner Neutral, cell (137, 137), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (112, 96), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (112, 93), tag 0D86A04C, persistence mode 0; Building (CASTL02), owner Neutral, cell (110, 89), tag 0D86A04C, persistence mode 0; Building (CACHIG01), owner Neutral, cell (111, 80), tag 0D86A04C, persistence mode 0; Gas Station (CAGAS01), owner Neutral, cell (106, 97), tag 0D86A04C, persistence mode 0; Building (CAPARS04), owner Neutral, cell (107, 74), tag 0D86A04C, persistence mode 0; Building (CAWASH07), owner Neutral, cell (104, 128), tag 0D86A04C, persistence mode 0; Building (CAWASH05), owner Neutral, cell (108, 128), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (162, 121), tag 0D86A04C, persistence mode 0; Office Building (CATEXS08), owner Neutral, cell (100, 81), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (104, 122), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (108, 122), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (110, 122), tag 0D86A04C, persistence mode 0; Building (CAWASH05), owner Neutral, cell (162, 127), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (159, 132), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (159, 128), tag 0D86A04C, persistence mode 0; Building (CANEWY12), owner Neutral, cell (150, 118), tag 0D86A04C, persistence mode 0; Building (CAWASH08), owner Neutral, cell (155, 120), tag 0D86A04C, persistence mode 0; Hotel (CAMIAM03), owner Neutral, cell (77, 84), tag 0D86A04C, persistence mode 0; Building (CANEWY11), owner Neutral, cell (82, 82), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (87, 89), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (91, 89), tag 0D86A04C, persistence mode 0; Building (CAPARS14), owner Neutral, cell (79, 115), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (89, 122), tag 0D86A04C, persistence mode 0; Building (CAWASH03), owner Neutral, cell (110, 113), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (103, 137), tag 0D86A04C, persistence mode 0; Building (CAWASH05), owner Neutral, cell (106, 104), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (114, 128), tag 0D86A04C, persistence mode 0; Warehouse (CANEWY21), owner Neutral, cell (158, 116), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (170, 121), tag 0D86A04C, persistence mode 0; Building (CASANF02), owner Neutral, cell (91, 122), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (94, 122), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (96, 122), tag 0D86A04C, persistence mode 0; Building (CASANF02), owner Neutral, cell (98, 122), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (106, 122), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (125, 96), tag 0D86A04C, persistence mode 0; Building (CASANF02), owner Neutral, cell (149, 121), tag 0D86A04C, persistence mode 0; Building (CASANF02), owner Neutral, cell (164, 121), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (160, 121), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (154, 137), tag 0D86A04C, persistence mode 0; Water Tower (CAWT01), owner Neutral, cell (147, 124), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (89, 89), tag 0D86A04C, persistence mode 0; Hotel (CAMIAM03), owner Neutral, cell (115, 153), tag 0D86A04C, persistence mode 0; Building (CAWASH08), owner Neutral, cell (119, 154), tag 0D86A04C, persistence mode 0; Building (CAWASH07), owner Neutral, cell (124, 154), tag 0D86A04C, persistence mode 0; Building (CANEWY12), owner Neutral, cell (125, 158), tag 0D86A04C, persistence mode 0; Building (CANWY23), owner Neutral, cell (121, 161), tag 0D86A04C, persistence mode 0; Building (CACHIG01), owner Neutral, cell (149, 128), tag 0D86A04C, persistence mode 0; Building (CAWASH07), owner Neutral, cell (153, 128), tag 0D86A04C, persistence mode 0; Building (CASTL02), owner Neutral, cell (153, 132), tag 0D86A04C, persistence mode 0; Building (CACHIG03), owner Neutral, cell (150, 133), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (130, 121), tag 0D86A04C, persistence mode 0; Building (CASANF01), owner Neutral, cell (128, 121), tag 0D86A04C, persistence mode 0; Building (CACHIG01), owner Neutral, cell (118, 128), tag 0D86A04C, persistence mode 0; Gas Station (CAGAS01), owner Neutral, cell (118, 107), tag 0D86A04C, persistence mode 0; Office Building (CATEXS06), owner Neutral, cell (119, 113), tag 0D86A04C, persistence mode 0; Water Tower (CAWT01), owner Neutral, cell (123, 118), tag 0D86A04C, persistence mode 0; Water Tower (CAWT01), owner Neutral, cell (120, 85), tag 0D86A04C, persistence mode 0; Office Building (CATEXS08), owner Neutral, cell (122, 90), tag 0D86A04C, persistence mode 0; Dumpster (CAMISC03), owner Neutral, cell (128, 90), tag 0D86A04C, persistence mode 0; Office Building (CATEXS08), owner Neutral, cell (142, 113), tag 0D86A04C, persistence mode 0; Building (CAPARS04), owner Neutral, cell (135, 116), tag 0D86A04C, persistence mode 0; Building (CASANF03), owner Neutral, cell (133, 107), tag 0D86A04C, persistence mode 0; Building (CASANF02), owner Neutral, cell (140, 107), tag 0D86A04C, persistence mode 0; Dumpster (CAMISC03), owner Neutral, cell (153, 111), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (146, 103), tag 0D86A04C, persistence mode 0; Building (CACHIG02), owner Neutral, cell (147, 107), tag 0D86A04C, persistence mode 0; Building (CASANF08), owner Neutral, cell (129, 116), tag 0D86A04C, persistence mode 0; Building (CASANF06), owner Neutral, cell (128, 113), tag 0D86A04C, persistence mode 0; Building (CASANF07), owner Neutral, cell (127, 108), tag 0D86A04C, persistence mode 0; Building (CASANF06), owner Neutral, cell (126, 106), tag 0D86A04C, persistence mode 0; Building (CASANF07), owner Neutral, cell (126, 104), tag 0D86A04C, persistence mode 0; Building (CASTL01), owner Neutral, cell (85, 79), tag 0D86A04C, persistence mode 0; Office Building (CATEXS07), owner Neutral, cell (101, 72), tag 0D86A04C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8635, Events line 8971, Actions line 9307.

66. Kill_Triggers1 - 067DD4BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Stuff (067DD9FC).

Incoming activation links: enable from Evict_ZAI_Gar (089AFC3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Delay_ITeam_Check (08136ABC).
2. Disable Create_Hover_One (0B7D4BCC).
3. Disable Drop_I_Team (0813427C).
4. Disable Hover1_Death (0B7D615C).
5. Disable Hover1_Go_Home (0B7D6AAC).
6. Disable Paradrop_I_Death (08135C1C).
7. Enable and reset applicable timers for Kill_Triggers2 (0CF0864C).
8. Disable AP_Paradrop_Death (0BDF7BBC).
9. Disable Kill_Triggers1 (067DD4BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8636, Events line 8972, Actions line 9308.

67. Create_Stuff - 067DD9FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Fix_Buildings (085159EC).

Incoming activation links: enable from Fix_Buildings (085159EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Clear all smudges; main setting 0.
2. Enable and reset applicable timers for Create_Apocs(Easy) (05EE7C8C).
3. Enable and reset applicable timers for Create_Apocs(MedHard) (05EE7B9C).
4. Supply reinforcement team TEAM_Dred1 (0955BB7C) at waypoint 127 (cell 64, 90).
5. Supply reinforcement team TEAM_Dred2 (0955B6CC) at waypoint 128 (cell 68, 87).
6. Perform no action.
7. Enable and reset applicable timers for Create_Stuff2 (089D5A8C).
8. Disable Create_Stuff (067DD9FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8637, Events line 8973, Actions line 9309.

68. Hover1_Go_Home - 0B7D6AAC

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 0 (Hover1_Unloaded) is set.

Flag writers in this mission: clear local flag 0 (Hover1_Unloaded) at Hover1_Go_Home (0B7D6AAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 0 (Hover1_Unloaded).
2. Create/recruit team Hover1_Home_Team (0B7D664C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8638, Events line 8974, Actions line 9310.

69. Kill_Triggers2 - 0CF0864C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Triggers1 (067DD4BC).

Incoming activation links: enable from Kill_Triggers1 (067DD4BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Check_Hover2 (089FC3DC).
2. Disable Check_Hover3 (0B1613DC).
3. Disable Create_Hover_2 (0895C19C).
4. Disable Create_Hover_3 (0B16029C).
5. Disable Hover2_Death (0895D88C).
6. Disable Hover2_Go_Home (08A2318C).
7. Disable Hover3_Death (0B160E5C).
8. Disable Hover3_Go_Home (0B1612EC).
9. Enable and reset applicable timers for Kill_Units (0693BF3C).
10. Disable Kill_Triggers2 (0CF0864C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8639, Events line 8975, Actions line 9311.

70. Fix_Buildings - 085159EC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kill_Units2 (08AE3E3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Restore Starting Buildings of: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Restore Starting Buildings of: owner selector 4 (country/type BRITISH; placed owner British).
3. Supply reinforcement team TEAM_Dred4 (09569A4C).
4. Supply reinforcement team TEAM_Dred5 (0956959C).
5. Supply reinforcement team TEAM_Dred6 (0956AEFC).
6. Supply reinforcement team TEAM_Dred7 (0B4FFC8C).
7. Restore Starting Buildings of: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
8. Enable and reset applicable timers for Create_Stuff (067DD9FC).
9. Disable Fix_Buildings (085159EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8640, Events line 8976, Actions line 9312.

71. Create_Apocs(Easy) - 05EE7C8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Send_Armor(Hard) (087C0D5C).

Incoming activation links: enable from Create_Stuff (067DD9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Apoc1 (093DDC8C) at waypoint 82 (cell 80, 100).
2. Supply reinforcement team TEAM_Apoc2 (093DD7DC) at waypoint 83 (cell 80, 102).
3. Disable Create_Apocs(Easy) (05EE7C8C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8641, Events line 8977, Actions line 9313.

72. Create_Apocs(MedHard) - 05EE7B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Apocs(Easy) (05EE7C8C).

Incoming activation links: enable from Create_Stuff (067DD9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Apoc1 (093DDC8C) at waypoint 82 (cell 80, 100).
2. Supply reinforcement team TEAM_Apoc2 (093DD7DC) at waypoint 83 (cell 80, 102).
3. Supply reinforcement team TEAM_Apoc3 (093DD32C) at waypoint 84 (cell 82, 103).
4. Supply reinforcement team TEAM_Apoc4 (093DFDEC) at waypoint 85 (cell 82, 100).
5. Disable Create_Apocs(MedHard) (05EE7B9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8642, Events line 8978, Actions line 9314.

73. Create_Stuff2 - 089D5A8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Units2 (08AE3E3C).

Incoming activation links: enable from Create_Stuff (067DD9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Dred3 (0955B21C) at waypoint 129 (cell 86, 65).
2. Supply reinforcement team TEAM_Scorp1 (09645EFC) at waypoint 513 (cell 69, 79).
3. Supply reinforcement team TEAM_Scorp2 (09645A4C) at waypoint 514 (cell 77, 71).
4. Supply reinforcement team TEAM_Scorp3 (0964580C) at waypoint 515 (cell 81, 62).
5. Supply reinforcement team TEAM_Scorp4 (096455CC) at waypoint 516 (cell 73, 50).
6. Enable and reset applicable timers for Play_Movies (0899832C).
7. Disable Create_Stuff2 (089D5A8C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8643, Events line 8979, Actions line 9315.

74. Hover2_Go_Home - 08A2318C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Hover1_Go_Home (0B7D6AAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 1 (Hover_2_Unloaded) is set.

Flag writers in this mission: clear local flag 1 (Hover_2_Unloaded) at Hover2_Go_Home (08A2318C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 1 (Hover_2_Unloaded).
2. Create/recruit team Hover2_Home_Team (0AB4AB7C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8644, Events line 8980, Actions line 9316.

75. Hover3_Go_Home - 0B1612EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Hover2_Go_Home (08A2318C).

Attached scope: tag definitions 0B7D688C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Hover_3_Unloaded) is set.

Flag writers in this mission: clear local flag 2 (Hover_3_Unloaded) at Hover3_Go_Home (0B1612EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 2 (Hover_3_Unloaded).
2. Create/recruit team Hover3_Home_Team (0B16493C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8645, Events line 8981, Actions line 9317.

76. Kill_Units - 0693BF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Triggers2 (0CF0864C).

Incoming activation links: enable from Kill_Triggers2 (0CF0864C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all Land Units of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Destroy all Land Units of: owner selector 8 (country/type RUSSIANS; placed owner Russians).
3. Destroy all Land Units of: owner selector 11 (country/type NOD; placed owner Nod).
4. Destroy all Naval Units of: owner selector 11 (country/type NOD; placed owner Nod).
5. Destroy all Buildings of: owner selector 6 (country/type ARABS; placed owner Arabs).
6. Destroy all Land Units of: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
7. Destroy all Naval Units of: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
8. Restore Starting Buildings of: owner selector 16 (country/type BRIDGE COUNTRY; placed owner BridgeHouse).
9. Enable and reset applicable timers for Kill_Units2 (08AE3E3C).
10. Disable Kill_Units (0693BF3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8646, Events line 8982, Actions line 9318.

77. Send_Armor(Hard) - 087C0D5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Send_Armor(Easy) (087C0E4C).

Incoming activation links: enable from Start_Sounds2 (04C19E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_SovArmor1 (0925E45C).
2. Supply reinforcement team TEAM_SovArmor2 (0925FDEC).
3. Enable and reset applicable timers for Apocs_Gone (0AC8355C).
4. Disable Send_Armor(Hard) (087C0D5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8647, Events line 8983, Actions line 9319.

78. Kill_Units2 - 08AE3E3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Units (0693BF3C).

Incoming activation links: enable from Kill_Units (0693BF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all Land Units of: owner selector 3 (country/type GERMANS; placed owner Germans).
2. Destroy all Naval Units of: owner selector 3 (country/type GERMANS; placed owner Germans).
3. Destroy all Land Units of: owner selector 5 (country/type AFRICANS; placed owner Africans).
4. Destroy all of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
5. Enable and reset applicable timers for Fix_Buildings (085159EC).
6. Enable and reset applicable timers for Kill_Triggers_3 (0BBC1E3C).
7. Disable Kill_Units2 (08AE3E3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8648, Events line 8984, Actions line 9320.

79. Play_Movies - 0899832C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Stuff2 (089D5A8C).

Incoming activation links: enable from Create_Stuff2 (089D5A8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (Tanya_Dead) is clear.

Flag writers in this mission: set local flag 4 (Tanya_Dead) at Tanya_Death (089B82BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 3 (Time_Warp).
2. Enable and reset applicable timers for Make_Civ_Cars1 (0B3778EC).
3. Disable Play_Movies (0899832C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8649, Events line 8985, Actions line 9321.

80. Send_Armor(Easy) - 087C0E4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Send_Armor(Med) (087C0F3C).

Incoming activation links: enable from Start_Sounds2 (04C19E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_SovArmor1 (0925E45C).
2. Supply reinforcement team TEAM_SovArmor2 (0925FDEC).
3. Enable and reset applicable timers for Apocs_Gone (0AC8355C).

4. Disable Send_Armor(Easy) (087C0E4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8650, Events line 8986, Actions line 9322.

81. Apocs_Gone - 0AC8355C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Send_Armor(Hard) (087C0D5C); enable from Send_Armor(Easy) (087C0E4C); enable from Send_Armor(Med) (087C0F3C).

Attached scope: tag definitions 0AC86E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type SPECIAL; placed owner Special).
2. Destroyed, All: owner selector 15 (country/type SOVIET2 COUNTRY; placed owner Soviet2House).

Then perform these actions in order:

1. Disable player input.
2. Move the camera to waypoint 420 (cell 95, 106) with speed setting 4.
3. Enable and reset applicable timers for Enter_Tanya (0AC85F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8651, Events line 8987, Actions line 9323.

82. Kill_Triggers_3 - 0BBC1E3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start_Sounds2 (04C19E5C).

Incoming activation links: enable from Kill_Units2 (08AE3E3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reveal_Gatt1 (0B94716C).
2. Disable Reveal_Gatt2 (095259AC).
3. Disable Reveal_Gatt3 (0B94432C).
4. Disable Reveal_Gatt4 (0B945A6C).
5. Disable TurnOff_Gatt1 (096109AC).
6. Disable TurnOff_Gatt2 (0D38F4CC).
7. Disable TurnOff_Gatt4 (097303DC).
8. Disable TurnOn_Gatt1 (09610F3C).
9. Enable and reset applicable timers for Kill_Triggers_4 (0BBCED7C).
10. Disable Kill_Triggers_3 (0BBC1E3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8652, Events line 8988, Actions line 9324.

83. Make_Civ_Cars1 - 0B3778EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Play_Movies (0899832C).

Incoming activation links: enable from Play_Movies (0899832C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Kirov (0921804C).
2. Supply reinforcement team TEAM_Truck1 (0A7AB0CC).
3. Supply reinforcement team TEAM_Cop1 (0A7ACC6C).

4. Supply reinforcement team TEAM_ConVehicle1 (0A7AC7BC).
5. Supply reinforcement team TEAM_ConVehicle2 (0A7AC30C).
6. Supply reinforcement team TEAM_Cop2 (0A7ADDEC).
7. Supply reinforcement team TEAM_Stat_Stang (068FC13C) at waypoint 182 (cell 156, 117).
8. Supply reinforcement team TEAM_Stat_SUVW (068FDEFC) at waypoint 183 (cell 155, 113).
9. Enable and reset applicable timers for Make_Civ_Cars2 (0692A65C).
10. Disable Make_Civ_Cars1 (0B3778EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8653, Events line 8989, Actions line 9325.

84. Send_Armor(Med) - 087C0F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Kill_Triggers_4 (0BBCED7C).

Incoming activation links: enable from Start_Sounds2 (04C19E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_SovArmor1 (0925E45C).
2. Supply reinforcement team TEAM_SovArmor2 (0925FDEC).
3. Enable and reset applicable timers for Apocs_Gone (0AC8355C).
4. Disable Send_Armor(Med) (087C0F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8654, Events line 8990, Actions line 9326.

85. Enter_Tanya - 0AC85F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Apocs_Gone (0AC8355C).

Attached scope: tag definitions 0AC8581C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Tanya (088C1A4C).
2. Flash team TEAM_Tanya (088C1A4C) with duration setting 40.
3. Enable player input.
4. Enable and reset applicable timers for Tanya_Death (089B82BC).
5. Play voice notification Mis_xA1_TanyaSwimHint.
6. Enable and reset applicable timers for Mission2_Text (046358AC).
7. Disable Time_Machine_Boom2 (08707A2C).
8. Disable Enter_Tanya (0AC85F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8655, Events line 8991, Actions line 9327.

86. Start_Sounds2 - 04C19E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start_New_Sounds (04C2263C).

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Send_Armor(Easy) (087C0E4C).
2. Enable and reset applicable timers for Send_Armor(Med) (087C0F3C).
3. Enable and reset applicable timers for Sell_Psychic (0951879C).
4. Supply reinforcement team TEAM_CableCar2 (060FB74C).
5. Enable and reset applicable timers for Send_Armor(Hard) (087C0D5C).
6. Enable and reset applicable timers for Check_BridgePiece02 (092AF4AC).
7. Perform no action.
8. Disable Start_Sounds2 (04C19E5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8656, Events line 8992, Actions line 9328.

87. Reveal_Gatt1 - 0B94716C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 62 (cell 120, 77).
2. Play sound WarningAlarm.
3. Create radar-event marker type 5 at waypoint 62 (cell 120, 77).
4. Enable and reset applicable timers for Gatt_Brief (045A11CC).
5. Enable and reset applicable timers for TurnOn_Gatt1 (09610F3C).
6. Enable and reset applicable timers for TurnOff_Gatt1 (096109AC).
7. Disable Reveal_Gatt1 (0B94716C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8657, Events line 8993, Actions line 9329.

88. Reveal_Gatt2 - 095259AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 61 (cell 139, 103).
2. Play sound WarningAlarm.
3. Create radar-event marker type 5 at waypoint 61 (cell 139, 103).
4. Enable and reset applicable timers for Gatt_Brief (045A11CC).
5. Enable and reset applicable timers for TurnOn_Gatt2 (0D39599C).
6. Enable and reset applicable timers for TurnOff_Gatt2 (0D38F4CC).
7. Disable Reveal_Gatt2 (095259AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8658, Events line 8994, Actions line 9330.

89. Reveal_Gatt3 - 0B94432C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 63 tagged map cells: (124, 119), (125, 119), (126, 119), (118, 120), (119, 120), (120, 120), (121, 120), (122, 120), (123, 120), (124, 120), (125, 120), (128, 120), (129, 120), (130, 120), (131, 120), (132, 120), (133, 120), (134, 120), (135, 120), (118, 121), (135, 121), (118, 122), (135, 122), (118, 123), (135, 123), (118, 124), (135, 124), (118, 125), (118, 126), (118, 127), (135, 127), (118, 128), (135, 128), (118, 129), (135, 129), (118, 130), (135, 130), (118, 131), (135, 131), (118, 132), (135, 132), (118, 133), (119, 133), (126, 133), (135, 133), (119, 134), (120, 134), (121, 134), (122, 134), (123, 134), (124, 134), (125, 134), (126, 134), (127, 134), (128, 134), (129, 134), (130, 134), (131, 134), (132, 134), (133, 134), (134, 134), (135, 134), (121, 135); tag 0B945CDC, persistence mode 2.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 314 (cell 127, 127).
2. Play sound WarningAlarm.
3. Create radar-event marker type 5 at waypoint 314 (cell 127, 127).
4. Enable and reset applicable timers for Gatt_Brief (045A11CC).
5. Disable Reveal_Gatt3 (0B94432C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8659, Events line 8995, Actions line 9331.

90. Reveal_Gatt4 - 0B945A6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 315 (cell 123, 146).
2. Play sound WarningAlarm.
3. Create radar-event marker type 5 at waypoint 315 (cell 123, 146).
4. Enable and reset applicable timers for Gatt_Brief (045A11CC).
5. Enable and reset applicable timers for TurnOn_Gatt4 (0973096C).
6. Enable and reset applicable timers for TurnOff_Gatt4 (097303DC).
7. Disable Reveal_Gatt4 (0B945A6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8660, Events line 8996, Actions line 9332.

91. TurnOff_Gatt1 - 096109AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TurnOn_Gatt1 (09610F3C).

Incoming activation links: enable from Reveal_Gatt1 (0B94716C).

Attached scope: 59 tagged map cells: (112, 70), (113, 70), (114, 70), (115, 70), (116, 70), (117, 70), (118, 70), (119, 70), (120, 70), (121, 70), (122, 70), (112, 71), (123, 71), (112, 72), (123, 72), (124, 72), (112, 73), (124, 73), (125, 73), (112, 74), (125, 74), (126, 74), (112, 75), (126, 75), (127, 75), (112, 76), (127, 76), (112, 77), (127, 77), (112, 78), (127, 78), (112, 79), (127, 79), (112, 80), (127, 80), (112, 81), (127, 81), (112, 82), (127, 82), (112, 83), (113, 83), (127, 83), (115, 84), (116, 84), (117, 84), (118, 84), (119, 84), (120, 84), (121, 84), (127, 84), (121, 85), (125, 85), (126, 85), (127, 85), (121, 86), (122, 86), (123, 86), (124, 86), (125, 86); tag 0B94708C, persistence mode 2.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable TurnOn_Gatt1 (09610F3C).
2. Disable TurnOff_Gatt1 (096109AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8661, Events line 8997, Actions line 9333.

92. TurnOff_Gatt2 - 0D38F4CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reveal_Gatt2 (095259AC).

Incoming activation links: enable from Reveal_Gatt2 (095259AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable TurnOn_Gatt2 (0D39599C).

2. Disable TurnOff_Gatt2 (0D38F4CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8662, Events line 8998, Actions line 9334.

93. TurnOff_Gatt4 - 097303DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TurnOn_Gatt4 (0973096C).

Incoming activation links: enable from Reveal_Gatt4 (0B945A6C).

Attached scope: 63 tagged map cells: (118, 141), (119, 141), (120, 141), (121, 141), (122, 141), (123, 141), (124, 141), (125, 141), (126, 141), (127, 141), (128, 141), (129, 141), (130, 141), (131, 141), (116, 142), (117, 142), (118, 142), (131, 142), (116, 143), (131, 143), (116, 144), (131, 144), (116, 145), (131, 145), (116, 146), (131, 146), (116, 147), (130, 147), (131, 147), (116, 148), (130, 148), (116, 149), (130, 149), (116, 150), (130, 150), (116, 151), (117, 151), (129, 151), (130, 151), (117, 152), (128, 152), (129, 152), (117, 153), (127, 153), (128, 153), (117, 154), (127, 154), (117, 155), (127, 155), (117, 156), (118, 156), (126, 156), (127, 156), (118, 157), (119, 157), (120, 157), (121, 157), (122, 157), (123, 157), (124, 157), (125, 157), (126, 157), (127, 157); tag 0B94598C, persistence mode 2.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable TurnOn_Gatt4 (0973096C).
2. Disable TurnOff_Gatt4 (097303DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8663, Events line 8999, Actions line 9335.

94. TurnOn_Gatt1 - 09610F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reveal_Gatt1 (0B94716C).

Incoming activation links: enable from Reveal_Gatt1 (0B94716C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field LA.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8664, Events line 9000, Actions line 9336.

95. Kill_Triggers_4 - 0BBCED7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Triggers_3 (0BBC1E3C).

Incoming activation links: enable from Kill_Triggers_3 (0BBC1E3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Connector_Gone (07A8917C).
2. Enable and reset applicable timers for CenterPiece_Gone01 (0835813C).
3. Enable and reset applicable timers for Stop_Rebuild (0993F7BC).
4. Enable and reset applicable timers for Really_Play_Movie (05E9106C).
5. Disable TurnOn_Gatt2 (0D39599C).
6. Disable TurnOn_Gatt4 (0973096C).
7. Disable Kill_Triggers_4 (0BBCED7C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8665, Events line 9001, Actions line 9337.

96. Create_Kirov - 0921804C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Make_Civ_Cars1 (0B3778EC).

Attached scope: tag definitions 092187BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Kirov_HT (0941632C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8666, Events line 9002, Actions line 9338.

97. Make_Civ_Cars2 - 0692A65C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_People (06A1D17C).

Incoming activation links: enable from Make_Civ_Cars1 (0B3778EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_SUVW1 (0692D74C).
2. Supply reinforcement team TEAM_Cop3 (0692AB8C).
3. Supply reinforcement team TEAM_Cop4 (069226CC).
4. Supply reinforcement team TEAM_SUVB_LL (0C39AEFC) at waypoint 189 (cell 83, 93).
5. Supply reinforcement team TEAM_WINI_UR (0C39803C) at waypoint 190 (cell 82, 94).
6. Supply reinforcement team TEAM_Stang2 (0C8992CC) at waypoint 113 (cell 84, 102).
7. Supply reinforcement team TEAM_Bus1 (08BF127C) at waypoint 55 (cell 127, 100).
8. Supply reinforcement team TEAM_SUVB_2 (0A7C0A8C) at waypoint 28 (cell 135, 126).
9. Enable and reset applicable timers for Make_People (06A1D17C).
10. Disable Make_Civ_Cars2 (0692A65C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8667, Events line 9003, Actions line 9339.

98. Time_Machine_Boom2 - 08707A2C

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Time_Machine_Hit (097D15DC).

Attached scope: Time Machine (CATIME01), owner Americans, cell (91, 105), tag 08A4004C, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is set.
2. No instances of Tanya (TANY) exist on the map, under this event's ownership scope.
3. Destroyed by anything. See attached-object/cell scope below.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8668, Events line 9004, Actions line 9340.

99. Start_New_Sounds - 04C2263C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Sounds3 (04C24A8C).

Incoming activation links: enable from Kill_Sounds3 (04C24A8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Traffic_Sounds1 (04C2410C).
2. Enable and reset applicable timers for Traffic_Sounds2 (04C2D1DC).
3. Enable and reset applicable timers for Traffic_Sounds3 (089A6BAC).
4. Enable and reset applicable timers for Traffic_Sounds4 (04BF608C).
5. Enable and reset applicable timers for Traffic_Sounds5 (04C0776C).
6. Enable and reset applicable timers for Bird_Sounds1 (089B776C).
7. Enable and reset applicable timers for Bird_Sounds2 (04BF8F3C).
8. Enable and reset applicable timers for Bird_Sounds3 (04C3064C).
9. Enable and reset applicable timers for Start_Sounds2 (04C19E5C).
10. Disable Start_New_Sounds (04C2263C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8669, Events line 9005, Actions line 9341.

100. Sell_Psychic - 0951879C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PsychicDead (089EC19C).

Incoming activation links: enable from Start_Sounds2 (04C19E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Enable and reset applicable timers for Build_Dom (0B8A090C).
3. Disable Sell_Psychic (0951879C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8670, Events line 9006, Actions line 9342.

101. Check_BridgePiece02 - 092AF4AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Sounds2 (04C19E5C).

Attached scope: tag definitions 092AF1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF10) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Apply 100 damage at; main setting 78; location/duration field CA.
2. Apply 100 damage at; main setting 59; location/duration field BH.
3. Apply 100 damage at; main setting 59; location/duration field BH.
4. Apply 100 damage at; main setting 60; location/duration field BI.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8671, Events line 9007, Actions line 9343.

102. Gatt_Brief - 045A11CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reveal_Gatt1 (0B94716C); enable from Reveal_Gatt2 (095259AC); enable from Reveal_Gatt3 (0B94432C); enable from Reveal_Gatt4 (0B945A6C).

Attached scope: tag definitions 045AECDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_GatCannon.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8672, Events line 9008, Actions line 9344.

103. TurnOn_Gatt2 - 0D39599C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TurnOff_Gatt2 (0D38F4CC).

Incoming activation links: enable from Reveal_Gatt2 (095259AC).

Attached scope: 64 tagged map cells: (138, 93), (140, 93), (132, 94), (133, 94), (134, 94), (135, 94), (136, 94), (137, 94), (138, 94), (139, 94), (140, 94), (141, 94), (142, 94), (130, 95), (131, 95), (132, 95), (142, 95), (130, 96), (142, 96), (143, 96), (144, 96), (145, 96), (146, 96), (130, 97), (130, 98), (130, 99), (130, 100), (146, 100), (130, 101), (146, 101), (130, 102), (146, 102), (130, 103), (146, 103), (130, 104), (146, 104), (130, 105), (146, 105), (130, 106), (131, 106), (132, 106), (146, 106), (132, 107), (146, 107), (132, 108), (135, 108), (136, 108), (146, 108), (132, 109), (133, 109), (134, 109), (135, 109), (137, 109), (146, 109), (137, 110), (138, 110), (139, 110), (140, 110), (141, 110), (142, 110), (143, 110), (144, 110), (145, 110), (146, 110); tag 0B94441C, persistence mode 2.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field LB.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8673, Events line 9009, Actions line 9345.

104. TurnOn_Gatt4 - 0973096C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reveal_Gatt4 (0B945A6C).

Incoming activation links: enable from Reveal_Gatt4 (0B945A6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field LD.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8674, Events line 9010, Actions line 9346.

105. Connector_Gone - 07A8917C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kill_Triggers_4 (0BBCED7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF09) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Connector_Step2 (07A8CCBC).
2. Apply 100 damage at; main setting 70; location/duration field BS.
3. Disable Connector_Gone (07A8917C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8675, Events line 9011, Actions line 9347.

106. CenterPiece_Gone01 - 0835813C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kill_Triggers_4 (0BBCED7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF04) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Apply 100 damage at; main setting 97; location/duration field CT.

2. Apply 100 damage at; main setting 97; location/duration field CT.
3. Apply 100 damage at; main setting 97; location/duration field CT.
4. Apply 100 damage at; main setting 97; location/duration field CT.
5. Apply 100 damage at; main setting 144; location/duration field EO.
6. Apply 100 damage at; main setting 144; location/duration field EO.
7. Apply 100 damage at; main setting 144; location/duration field EO.
8. Apply 100 damage at; main setting 144; location/duration field EO.
9. Enable and reset applicable timers for CenterPiece_Gone02 (0935A09C).
10. Disable CenterPiece_Gone01 (0835813C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8676, Events line 9012, Actions line 9348.

107. Stop_Rebuild - 0993F7BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Create_Apocs(MedHard) (05EE7B9C).

Incoming activation links: enable from Kill_Triggers_4 (0BBCED7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Rebuild_Cannon1 (08D5D50C).
2. Disable Rebuild_Cannon2 (08D5D1EC).
3. Disable Rebuild_Cannon3 (08D5BD9C).
4. Disable Rebuild_Cannon4 (08D5BA7C).
5. Disable Stop_Rebuild (0993F7BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8677, Events line 9013, Actions line 9349.

108. Really_Play_Movie - 05E9106C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Stop_Rebuild (0993F7BC).

Incoming activation links: enable from Kill_Triggers_4 (0BBCED7C).

Attached scope: tag definitions 0851548C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 4.
2. Enable and reset applicable timers for Kirov_Reporting (0790DF3C).
3. Disable Really_Play_Movie (05E9106C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8678, Events line 9014, Actions line 9350.

109. Make_People - 06A1D17C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_Civ_Cars1 (0B3778EC).

Incoming activation links: enable from Make_Civ_Cars2 (0692A65C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Calm_Civ1 (068FE26C) at waypoint 156 (cell 87, 95).

2. Supply reinforcement team TEAM_Calm_Civ2 (068FFC5C) at waypoint 157 (cell 90, 95).
3. Supply reinforcement team TEAM_Calm_Civ3 (068FFB2C) at waypoint 158 (cell 91, 97).
4. Supply reinforcement team TEAM_Calm_Civ2 (068FFC5C) at waypoint 159 (cell 88, 93).
5. Supply reinforcement team TEAM_Calm_Civ1 (068FE26C) at waypoint 160 (cell 83, 121).
6. Supply reinforcement team TEAM_Calm_Civ3 (068FFB2C) at waypoint 161 (cell 84, 123).
7. Supply reinforcement team TEAM_Calm_Civ1 (068FE26C) at waypoint 162 (cell 115, 108).
8. Supply reinforcement team TEAM_Civ3 (06A1DEBC) at waypoint 163 (cell 148, 104).
9. Enable and reset applicable timers for Make_People2 (08A6340C).
10. Disable Make_People (06A1D17C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8679, Events line 9015, Actions line 9351.

110. Kill_Sounds3 - 04C24A8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Sounds2 (04C230EC).

Incoming activation links: enable from Kill_Sounds2 (04C230EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Stop location sound 686 at waypoint 686 (cell 124, 134).
2. Stop location sound 687 at waypoint 687 (cell 94, 129).
3. Stop location sound 688 at waypoint 688 (cell 134, 144).
4. Supply reinforcement team TEAM_CruiseShip1 (0973710C).
5. Supply reinforcement team TEAM_CruiseShip2 (0973241C).
6. Supply reinforcement team TEAM_ScorpPatrol1 (09339C8C).
7. Supply reinforcement team TEAM_TugBoat2 (09735B1C).
8. Supply reinforcement team ScorpPatrol2 (0796497C).
9. Enable and reset applicable timers for Start_New_Sounds (04C2263C).
10. Disable Kill_Sounds3 (04C24A8C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8680, Events line 9016, Actions line 9352.

111. Traffic_Sounds1 - 04C2410C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BBF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 470 (cell 88, 118).
2. Play sound _Amb_Traffic at waypoint 469 (cell 101, 119).
3. Play sound _Amb_UrbanMurmur2 at waypoint 676 (cell 98, 126).
4. Play sound _Amb_Traffic at waypoint 137 (cell 111, 110).
5. Play sound _Amb_UrbanMurmur1 at waypoint 14 (cell 100, 110).
6. Play sound _Amb_UrbanMurmur2 at waypoint 187 (cell 87, 102).
7. Play sound _Amb_Traffic at waypoint 481 (cell 102, 100).
8. Play sound _Amb_Traffic at waypoint 157 (cell 90, 95).
9. Play sound _Amb_UrbanMurmur2 at waypoint 685 (cell 107, 131).
10. Play sound _Amb_UrbanMurmur1 at waypoint 138 (cell 111, 100).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8681, Events line 9017, Actions line 9353.

112. Traffic_Sounds2 - 04C2D1DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BBE6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 479 (cell 112, 142).
2. Play sound _Amb_UrbanMurmur1 at waypoint 25 (cell 117, 125).
3. Play sound _Amb_UrbanMurmur2 at waypoint 477 (cell 117, 150).
4. Play sound _Amb_UrbanMurmur1 at waypoint 476 (cell 128, 150).
5. Play sound _Amb_UrbanMurmur2 at waypoint 30 (cell 129, 135).
6. Play sound _Amb_Traffic at waypoint 135 (cell 115, 118).
7. Play sound _Amb_Traffic at waypoint 28 (cell 135, 126).
8. Play sound _Amb_UrbanMurmur1 at waypoint 217 (cell 142, 135).
9. Play sound _Amb_UrbanMurmur2 at waypoint 202 (cell 132, 114).
10. Play sound _Amb_Traffic at waypoint 677 (cell 122, 110).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8682, Events line 9018, Actions line 9354.

113. Traffic_Sounds3 - 089A6BAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BBD8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 204 (cell 130, 106).
2. Play sound _Amb_Traffic at waypoint 19 (cell 128, 97).
3. Play sound _Amb_UrbanMurmur2 at waypoint 45 (cell 110, 101).
4. Play sound _Amb_UrbanMurmur1 at waypoint 53 (cell 114, 89).
5. Play sound _Amb_Traffic at waypoint 481 (cell 102, 100).
6. Play sound _Amb_UrbanMurmur2 at waypoint 46 (cell 85, 101).
7. Play sound _Amb_UrbanMurmur1 at waypoint 38 (cell 81, 86).
8. Play sound _Amb_Traffic at waypoint 108 (cell 87, 83).
9. Play sound _Amb_UrbanMurmur2 at waypoint 21 (cell 81, 84).
10. Play sound _Amb_UrbanMurmur1 at waypoint 49 (cell 96, 83).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8683, Events line 9019, Actions line 9355.

114. Traffic_Sounds4 - 04BF608C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BBCAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 50 (cell 101, 79).
2. Play sound _Amb_UrbanMurmur1 at waypoint 56 (cell 110, 82).
3. Play sound _Amb_UrbanMurmur2 at waypoint 23 (cell 104, 65).
4. Play sound _Amb_UrbanMurmur1 at waypoint 105 (cell 112, 72).
5. Play sound _Amb_Traffic at waypoint 118 (cell 115, 79).
6. Play sound _Amb_UrbanMurmur2 at waypoint 472 (cell 128, 79).
7. Play sound _Amb_UrbanMurmur1 at waypoint 474 (cell 129, 91).
8. Play sound _Amb_Traffic at waypoint 20 (cell 129, 101).
9. Play sound _Amb_Traffic at waypoint 35 (cell 150, 102).
10. Play sound _Amb_UrbanMurmur1 at waypoint 121 (cell 152, 112).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8684, Events line 9020, Actions line 9356.

115. Traffic_Sounds5 - 04C0776C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 04C2272C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 205 (cell 152, 125).
2. Play sound _Amb_UrbanMurmur2 at waypoint 86 (cell 167, 114).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8685, Events line 9021, Actions line 9357.

116. Bird_Sounds1 - 089B776C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BA29C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 218 (cell 84, 113).
2. Play sound _Amb_BirdsPark at waypoint 687 (cell 94, 129).
3. Play sound _Amb_BirdsTemperate2 at waypoint 678 (cell 112, 135).
4. Play sound _Amb_BirdsMorning at waypoint 686 (cell 124, 134).
5. Play sound _Amb_BirdsTemperate1 at waypoint 133 (cell 113, 149).
6. Play sound _Amb_BirdsTemperate2 at waypoint 688 (cell 134, 144).
7. Play sound _Amb_BirdsPark at waypoint 135 (cell 115, 118).
8. Play sound _Amb_BirdsMorning at waypoint 39 (cell 98, 87).
9. Play sound _Amb_BirdsTemperate1 at waypoint 52 (cell 114, 84).
10. Play sound _Amb_BirdsTemperate2 at waypoint 117 (cell 105, 77).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8686, Events line 9022, Actions line 9358.

117. Bird_Sounds2 - 04BF8F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BA1BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsPark at waypoint 104 (cell 114, 68).
2. Play sound _Amb_BirdsTemperate1 at waypoint 473 (cell 130, 81).
3. Play sound _Amb_BirdsTemperate2 at waypoint 219 (cell 139, 93).
4. Play sound _Amb_BirdsMorning at waypoint 203 (cell 131, 106).
5. Play sound _Amb_BirdsTemperate1 at waypoint 220 (cell 141, 120).
6. Play sound _Amb_BirdsPark at waypoint 221 (cell 141, 108).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8687, Events line 9023, Actions line 9359.

118. Bird_Sounds3 - 04C3064C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_New_Sounds (04C2263C).

Attached scope: tag definitions 089BA0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 11 (cell 89, 79).
2. Play sound _Amb_BirdsBeach at waypoint 124 (cell 75, 84).
3. Play sound _Amb_BirdsHarbor at waypoint 223 (cell 94, 63).
4. Play sound _Amb_BirdsHarbor at waypoint 224 (cell 102, 57).
5. Play sound _Amb_BirdsBeach at waypoint 123 (cell 76, 92).
6. Play sound _Amb_BirdsHarbor at waypoint 225 (cell 58, 43).
7. Play sound _Amb_BirdsBeach at waypoint 226 (cell 48, 45).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8688, Events line 9024, Actions line 9360.

119. PsychicDead - 089EC19C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Psychic Dominator (YAPPPT) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Cheer (089ECDEC).
2. Enable and reset applicable timers for WeWin (089EC79C).
3. Disable PsychicDead (089EC19C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8689, Events line 9025, Actions line 9361.

120. Build_Dom - 0B8A090C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sell_Psychic (0951879C).

Attached scope: tag definitions 0B8A056C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for New_Dom_Up (0BD650AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8690, Events line 9026, Actions line 9362.

121. Connector_Step2 - 07A8CCBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Connector_Gone (07A8917C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 70; location/duration field BS.
2. Apply 100 damage at; main setting 70; location/duration field BS.
3. Apply 100 damage at; main setting 70; location/duration field BS.
4. Apply 100 damage at; main setting 70; location/duration field BS.
5. Apply 100 damage at; main setting 70; location/duration field BS.
6. Enable and reset applicable timers for Connector_Step3 (07A8D3EC).
7. Disable Connector_Step2 (07A8CCBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8691, Events line 9027, Actions line 9363.

122. CenterPiece_Gone02 - 0935A09C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: CenterPiece_Gone01 (0835813C).

Incoming activation links: enable from CenterPiece_Gone01 (0835813C).

Attached scope: tag definitions 0835A4DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 145; location/duration field EP.
2. Apply 100 damage at; main setting 145; location/duration field EP.
3. Apply 100 damage at; main setting 145; location/duration field EP.
4. Apply 100 damage at; main setting 145; location/duration field EP.
5. Apply 100 damage at; main setting 59; location/duration field BH.
6. Apply 100 damage at; main setting 59; location/duration field BH.
7. Apply 100 damage at; main setting 59; location/duration field BH.
8. Apply 100 damage at; main setting 59; location/duration field BH.
9. Disable CenterPiece_Gone02 (0935A09C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8692, Events line 9028, Actions line 9364.

123. Rebuild_Cannon1 - 08D5D50C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Center_On_TimeMachine (0C6F847C).

Incoming activation links: enable from Clean_Map (06A4918C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 50 (Cannon1_Gone) is set.

Flag writers in this mission: set local flag 50 (Cannon1_Gone) at Cannon1_Gone (08D5F24C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GTGCAN at waypoint 139 (cell 80, 105).
2. Disable Rebuild_Cannon1 (08D5D50C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8693, Events line 9029, Actions line 9365.

124. Rebuild_Cannon2 - 08D5D1EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Rebuild_Cannon1 (08D5D50C).

Incoming activation links: enable from Clean_Map (06A4918C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 51 (Cannon2_Gone) is set.

Flag writers in this mission: set local flag 51 (Cannon2_Gone) at Cannon2_Gone (08D5DE6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GTGCAN at waypoint 140 (cell 83, 105).
2. Disable Rebuild_Cannon2 (08D5D1EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8694, Events line 9030, Actions line 9366.

125. Rebuild_Cannon3 - 08D5BD9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Rebuild_Cannon2 (08D5D1EC).

Incoming activation links: enable from Clean_Map (06A4918C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 52 (Cannon3_Gone) is set.

Flag writers in this mission: set local flag 52 (Cannon3_Gone) at Cannon3_Gone (08D5DB4C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GTGCAN at waypoint 98 (cell 77, 93).
2. Disable Rebuild_Cannon3 (08D5BD9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8695, Events line 9031, Actions line 9367.

126. Rebuild_Cannon4 - 08D5BA7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Rebuild_Cannon3 (08D5BD9C).

Incoming activation links: enable from Clean_Map (06A4918C).

Attached scope: tag definitions 08A8361C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 53 (Cannon4_Gone) is set.

Flag writers in this mission: set local flag 53 (Cannon4_Gone) at Cannon4_Gone (08D5D82C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GTGCAN at waypoint 99 (cell 81, 97).
2. Disable Rebuild_Cannon4 (08D5BA7C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8696, Events line 9032, Actions line 9368.

127. Kirov_Reporting - 0790DF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Really_Play_Movie (05E9106C).

Attached scope: tag definitions 0790D37C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.
2. No instances of Apocalypse (APOC) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Play sound KirovCreated.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8697, Events line 9033, Actions line 9369.

128. Make_People2 - 08A6340C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_Alcatraz_Men (0692C4AC).

Incoming activation links: enable from Make_People (06A1D17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Calm_Civ2 (068FFC5C) at waypoint 44 (cell 111, 99).
2. Supply reinforcement team TEAM_Calm_Civ2 (068FFC5C) at waypoint 56 (cell 110, 82).
3. Supply reinforcement team SovGar_BV (0788E0EC).
4. Supply reinforcement team SovGarrision_BW (0788F21C).
5. Supply reinforcement team SovGarrision_BX (0788BC4C).
6. Supply reinforcement team SovGar_CK (077D3BAC).
7. Supply reinforcement team SovGarr_CL (077D3A7C).
8. Supply reinforcement team SovGarr_CM (077D394C).
9. Enable and reset applicable timers for Make_Alcatraz_Men (0692C4AC).
10. Disable Make_People2 (08A6340C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8698, Events line 9034, Actions line 9370.

129. Kill_Sounds2 - 04C230EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Kill_Sounds1 (04C23C0C).

Incoming activation links: enable from Kill_Sounds1 (04C23C0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Stop location sound 680 at waypoint 680 (cell 134, 110).
2. Stop location sound 28 at waypoint 28 (cell 135, 126).
3. Stop location sound 32 at waypoint 32 (cell 138, 101).
4. Stop location sound 681 at waypoint 681 (cell 153, 114).
5. Stop location sound 682 at waypoint 682 (cell 150, 125).
6. Stop location sound 683 at waypoint 683 (cell 114, 87).
7. Stop location sound 684 at waypoint 684 (cell 84, 108).
8. Stop location sound 685 at waypoint 685 (cell 107, 131).
9. Enable and reset applicable timers for Kill_Sounds3 (04C24A8C).
10. Disable Kill_Sounds2 (04C230EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8699, Events line 9035, Actions line 9371.

130. Cheer - 089ECDEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsychicDead (089EC19C); enable from Check_New_Dom (0BD6117C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8700, Events line 9036, Actions line 9372.

131. WeWin - 089EC79C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Cheer (089ECDEC).

Incoming activation links: enable from PsychicDead (089EC19C); enable from Check_New_Dom (0BD6117C).

Attached scope: tag definitions 089EC88C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
2. Disable WeWin (089EC79C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8701, Events line 9037, Actions line 9373.

132. New_Dom_Up - 0BD650AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Build_Dom (0B8A090C).

Attached scope: tag definitions 0BD630BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Check_New_Dom (0BD6117C).
2. Enable and reset applicable timers for Kill_ConYard (045CEF3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8702, Events line 9038, Actions line 9374.

133. Connector_Step3 - 07A8D3EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Connector_Step2 (07A8CCBC).

Attached scope: tag definitions 07A8839C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 59; location/duration field BH.
2. Apply 100 damage at; main setting 59; location/duration field BH.
3. Apply 100 damage at; main setting 59; location/duration field BH.
4. Disable Connector_Step3 (07A8D3EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8703, Events line 9039, Actions line 9375.

134. Make_Alcatraz_Men - 0692C4AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Clean_Map (06A4918C).

Incoming activation links: enable from Make_People2 (08A6340C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team SovGarr_CN (077D381C).
2. Supply reinforcement team SovGar_CO (077D36EC).
3. Supply reinforcement team Alcatraz_Patrol (098A9B5C).
4. Perform no action.
5. Perform no action.
6. Perform no action.
7. Perform no action.
8. Perform no action.
9. Enable and reset applicable timers for Clean_Map (06A4918C).
10. Disable Make_Alcatraz_Men (0692C4AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8704, Events line 9040, Actions line 9376.

135. Kill_Sounds1 - 04C23C0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_People2 (08A6340C).

Incoming activation links: enable from Clean_Map (06A4918C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Stop location sound 14 at waypoint 14 (cell 100, 110).
2. Stop location sound 676 at waypoint 676 (cell 98, 126).
3. Stop location sound 677 at waypoint 677 (cell 122, 110).
4. Stop location sound 40 at waypoint 40 (cell 92, 93).
5. Stop location sound 21 at waypoint 21 (cell 81, 84).
6. Stop location sound 678 at waypoint 678 (cell 112, 135).
7. Stop location sound 679 at waypoint 679 (cell 109, 77).
8. Stop location sound 474 at waypoint 474 (cell 129, 91).
9. Enable and reset applicable timers for Kill_Sounds2 (04C230EC).
10. Disable Kill_Sounds1 (04C23C0C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8705, Events line 9041, Actions line 9377.

136. Check_New_Dom - 0BD6117C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from New_Dom_Up (0BD650AC).

Attached scope: tag definitions 0BD6008C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Psychic Dominator (YAPPPT) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Cheer (089ECDEC).
2. Enable and reset applicable timers for WeWin (089EC79C).
3. Disable Check_New_Dom (0BD6117C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8706, Events line 9042, Actions line 9378.

137. Kill_ConYard - 045CEF3C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from New_Dom_Up (0BD650AC).

Attached scope: Yuri Construction Yard (YACNST), owner Confederation, cell (103, 158), tag 045CE63C, persistence mode 0.

Wait for the recorded events:

1. Building exists: type index 355 (global list position: Yuri´s Command Center (YACOMD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 16 (country/type BRIDGE COUNTRY; placed owner BridgeHouse).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8707, Events line 9043, Actions line 9379.

138. Clean_Map - 06A4918C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_Civ_Cars2 (0692A65C).

Incoming activation links: enable from Make_Alcatraz_Men (0692C4AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Clear all smudges; main setting 0.
2. Create building GAPOWR at waypoint 302 (cell 92, 95).
3. Create building GAPOWR at waypoint 303 (cell 92, 97).
4. Enable and reset applicable timers for Kill_Sounds1 (04C23C0C).
5. Enable and reset applicable timers for Rebuild_Cannon1 (08D5D50C).
6. Enable and reset applicable timers for Rebuild_Cannon2 (08D5D1EC).
7. Enable and reset applicable timers for Rebuild_Cannon3 (08D5BD9C).
8. Enable and reset applicable timers for Rebuild_Cannon4 (08D5BA7C).
9. Disable Clean_Map (06A4918C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8708, Events line 9044, Actions line 9380.

139. Ping_PP_One - 08A71F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PP2_False (0BFCC6EC).

Attached scope: tag definitions 08A842AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 47 (Power_Online) is clear.

Flag writers in this mission: set local flag 47 (Power_Online) at Power_Online (0691357C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound BeaconPlaced.
2. Create radar-event marker type 11 at waypoint 87 (cell 120, 148).
3. Disable Ping_PP_One (08A71F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8709, Events line 9045, Actions line 9381.

140. Start_Hover_One - 0B7D315C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 081343CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Hover_One (0B7D4BCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8710, Events line 9046, Actions line 9382.

141. Uncover_Stuff - 080E410C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 080E5B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal the zone associated with waypoint 495 (cell 57, 75).
2. Reveal terrain around waypoint 496 (cell 53, 69).
3. Reveal terrain around waypoint 141 (cell 133, 130).
4. Reveal terrain around waypoint 60 (cell 67, 101).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8711, Events line 9047, Actions line 9383.

142. Return_Cannons1 - 043808CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for Return_Cannons2 (043772BC).
3. Disable Return_Cannons1 (043808CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8712, Events line 9048, Actions line 9384.

143. Return_Cannons2 - 043772BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_Cannons1 (043808CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for Return_Cannons3 (04378F3C).
3. Disable Return_Cannons2 (043772BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8713, Events line 9049, Actions line 9385.

144. Return_Cannons3 - 04378F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_Cannons2 (043772BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for Return_Cannons4 (0438076C).

3. Disable Return_Cannons3 (04378F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8714, Events line 9050, Actions line 9386.

145. Return_Cannons4 - 0438076C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_Cannons3 (04378F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Return_Cannons4 (0438076C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8715, Events line 9051, Actions line 9387.

146. Deploy_Start_GI - 0B03A5BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B03A39C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Starting_GI (0B03E84C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8716, Events line 9052, Actions line 9388.

147. Deploy_Start_GGI - 068F288C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 068F232C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Starting_GGI (08B03A4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8717, Events line 9053, Actions line 9389.

148. Start_Briefing - 0B024E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0247BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Camera_Player_Base (0B0246CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8718, Events line 9054, Actions line 9390.

149. Camera_Player_Base - 0B0246CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Briefing (0B024E1C); enable from Camera_Harriers (0C077BCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 14 (cell 100, 110) with speed setting 3.
2. Play in-game movie 2.
3. Enable and reset applicable timers for Camera_Base02 (0885DE3C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_Starting_GGI (08B03A4C).
5. Enable and reset applicable timers for Load_Engineer (06C7108C).
6. Disable Camera_Player_Base (0B0246CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8719, Events line 9055, Actions line 9391.

150. Camera_Base02 - 0885DE3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Camera_Player_Base (0B0246CC).

Incoming activation links: enable from Camera_Player_Base (0B0246CC).

Attached scope: tag definitions 0B02421C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A01_p01.
2. Enable and reset applicable timers for Camera_Base_to_TM (0B025F3C).
3. Disable Camera_Base02 (0885DE3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8720, Events line 9056, Actions line 9392.

151. Load_Engineer - 06C7108C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Player_Base (0B0246CC).

Attached scope: tag definitions 06C728DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Start_Engineer (0D3FA93C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8721, Events line 9057, Actions line 9393.

152. Camera_Start - 08A77A5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A7B6AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 14 (cell 100, 110).
2. Disable player input.
3. Play voice notification EVA_EstablishBattlefieldControl.
4. Center Base Cell Set; main setting 15; location/duration field P.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8722, Events line 9058, Actions line 9394.

153. Garrison_UT - 0437E7EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0437E5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_UT_Garrison (043998EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8723, Events line 9059, Actions line 9395.

154. Start_AA_AB_Patrol - 0B12EAFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0B393C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_PP1_Group_PatrolA (0C8E7A8C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8724, Events line 9060, Actions line 9396.

155. Garrison_ZAI - 0437C23C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0437FB2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_ZAI_Garrison (0437F1EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8725, Events line 9061, Actions line 9397.

156. Garrison_AJAK - 089CF54C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089AD81C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AJ_AK_Garrison (089CE49C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8726, Events line 9062, Actions line 9398.

157. Start_AF_AH_Patrol - 08A0367C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08A01EEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AF_AG_Patrol (08A006AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8727, Events line 9063, Actions line 9399.

158. Change_Einstein - 043BB08C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043BCA5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Change_Einstein (043BB08C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8728, Events line 9064, Actions line 9400.

159. Change_House_PP1 - 043A703C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Enable and reset applicable timers for PP1_Entered (108EA04C).
3. Enable and reset applicable timers for PP1_Destroyed (108ECA9C).
4. Disable Change_House_PP1 (043A703C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8729, Events line 9065, Actions line 9401.

160. PP1_Entered - 108EA04C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change_House_PP1 (043A703C).

Incoming activation links: enable from Change_House_PP1 (043A703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 31 (Lost_Tech01_USA).
2. Enable and reset applicable timers for PP1_Group_Done_True (0BADE68C).
3. Enable and reset applicable timers for PP1_Group_Done_FalseA (0BADE25C).
4. Enable and reset applicable timers for PP1_Group_Done_FalseB (0C18404C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 6 (PP1_Entered).
7. Disable PP1_Entered (108EA04C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8730, Events line 9066, Actions line 9402.

161. PP1_Destroyed - 108ECA9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Entered (108EA04C).

Incoming activation links: enable from Change_House_PP1 (043A703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR01 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Play voice notification EVA_CriticalStrucureLost.
2. Set local flag 18 (PP1_Gone).
3. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
4. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
5. Enable and reset applicable timers for PP1_Group_Done_True (0BADE68C).
6. Enable and reset applicable timers for PP1_Group_Done_FalseA (0BADE25C).
7. Enable and reset applicable timers for PP1_Group_Done_FalseB (0C18404C).

8. Set local flag 6 (PP1_Entered).
9. Disable PP1_Entered (108EA04C).
10. Disable PP1_Destroyed (108ECA9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8731, Events line 9067, Actions line 9403.

162. PP1_Group_Done_True - 0BADE68C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP1_Entered (108EA04C); enable from PP1_Destroyed (108ECA9C); enable from PP2_Entered (095AE59C); enable from PP2_Destroyed (095AE4AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 7 (PP2_Entered) is set.
2. local flag 6 (PP1_Entered) is set.

Flag writers in this mission: set local flag 7 (PP2_Entered) at PP2_Entered (095AE59C); set local flag 7 (PP2_Entered) at PP2_Destroyed (095AE4AC); set local flag 6 (PP1_Entered) at PP1_Entered (108EA04C); set local flag 6 (PP1_Entered) at PP1_Destroyed (108ECA9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP1_Group_Done_FalseA (0BADE25C).
2. Disable PP1_Group_Done_FalseB (0C18404C).
3. Enable and reset applicable timers for Check_PP2_True (0BFCC7DC).
4. Enable and reset applicable timers for Check_PP2_False (0BFCC6EC).
5. Disable PP1_Group_Done_True (0BADE68C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8732, Events line 9068, Actions line 9404.

163. PP1_Group_Done_FalseA - 0BADE25C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Group_Done_True (0BADE68C).

Incoming activation links: enable from PP1_Entered (108EA04C); enable from PP1_Destroyed (108ECA9C); enable from PP2_Entered (095AE59C); enable from PP2_Destroyed (095AE4AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 7 (PP2_Entered) is clear.
2. local flag 6 (PP1_Entered) is set.

Flag writers in this mission: set local flag 7 (PP2_Entered) at PP2_Entered (095AE59C); set local flag 7 (PP2_Entered) at PP2_Destroyed (095AE4AC); set local flag 6 (PP1_Entered) at PP1_Entered (108EA04C); set local flag 6 (PP1_Entered) at PP1_Destroyed (108ECA9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP1_Group_Done_True (0BADE68C).
2. Disable PP1_Group_Done_FalseB (0C18404C).
3. Disable PP1_Group_Done_FalseA (0BADE25C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8733, Events line 9069, Actions line 9405.

164. PP1_Group_Done_FalseB - 0C18404C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Group_Done_FalseA (0BADE25C).

Incoming activation links: enable from PP1_Entered (108EA04C); enable from PP1_Destroyed (108ECA9C); enable from PP2_Entered (095AE59C); enable from PP2_Destroyed (095AE4AC).

Attached scope: tag definitions 0BADE34C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (PP1_Entered) is clear.

2. local flag 7 (PP2_Entered) is set.

Flag writers in this mission: set local flag 6 (PP1_Entered) at PP1_Entered (108EA04C); set local flag 6 (PP1_Entered) at PP1_Destroyed (108ECA9C); set local flag 7 (PP2_Entered) at PP2_Entered (095AE59C); set local flag 7 (PP2_Entered) at PP2_Destroyed (095AE4AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP1_Group_Done_True (0BADE68C).
2. Disable PP1_Group_Done_FalseA (0BADE25C).
3. Disable PP1_Group_Done_FalseB (0C18404C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8734, Events line 9070, Actions line 9406.

165. Good_Job_1 - 0C9733CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP1_Entered (108EA04C); enable from PP2_Entered (095AE59C); enable from PP3_Entered (0BAAD3FC); enable from PP4_Entered (0BAAD22C); enable from PP5_Entered (0BAAE54C); enable from PP6_Entered (0BAAE37C); enable from PP7_Entered (0BFCA59C); enable from PP8_Entered (0BFCDC7C).

Attached scope: tag definitions 0C9779FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA1_EvaMorePower.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8735, Events line 9071, Actions line 9407.

166. Losing_Power_1 - 0617F12C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP1_Destroyed (108ECA9C); enable from PP2_Destroyed (095AE4AC); enable from PP3_Destroyed (0BABB5DC); enable from PP4_Destroyed (0BAC2A9C); enable from PP5_Destroyed (0BAB8ACC); enable from PP6_Destroyed (0BAB89DC); enable from PP7_Destroyed (0BAAC68C); enable from PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 26 (Lost_1_Power) is clear.

Flag writers in this mission: set local flag 26 (Lost_1_Power) at Losing_Power_1 (0617F12C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Lost_Power_1 (0617A39C).
2. Set local flag 26 (Lost_1_Power).
3. Disable Losing_Power_1 (0617F12C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8736, Events line 9072, Actions line 9408.

167. Lost_Power_1 - 0617A39C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Losing_Power_4 (0617A79C).

Incoming activation links: enable from PP1_Destroyed (108ECA9C); enable from PP2_Destroyed (095AE4AC); enable from PP3_Destroyed (0BABB5DC); enable from PP4_Destroyed (0BAC2A9C); enable from PP5_Destroyed (0BAB8ACC); enable from PP6_Destroyed (0BAB89DC); enable from PP7_Destroyed (0BAAC68C); enable from PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 26 (Lost_1_Power) is set.

Flag writers in this mission: set local flag 26 (Lost_1_Power) at Losing_Power_1 (0617F12C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Losing_Power_1 (0617F12C).

2. Enable and reset applicable timers for Losing_Power_2 (0617F7AC).
3. Enable and reset applicable timers for Lost_Power_2 (06187F3C).
4. Disable Lost_Power_1 (0617A39C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8737, Events line 9073, Actions line 9409.

168. Check_PP2_True - 0BFCC7DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Group_Done_FalseB (0BAC19BC).

Incoming activation links: enable from PP1_Group_Done_True (0BADE68C); enable from PP4_Group_Done_True (0BFCDAAC); enable from PP2_Group_Done_True (0BABA08C); enable from PP3_Group_Done_True (0BAAE1AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 15 (PP2_Group_Revealed) is set.

Flag writers in this mission: set local flag 15 (PP2_Group_Revealed) at Check_PP2_False (0BFCC6EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP2_False (0BFCC6EC).
2. Enable and reset applicable timers for Check_PP3_True (0BFCC5FC).
3. Enable and reset applicable timers for Check_PP3_False (0BFCC50C).
4. Disable Check_PP2_True (0BFCC7DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8738, Events line 9074, Actions line 9410.

169. Check_PP2_False - 0BFCC6EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PP2_True (0BFCC7DC).

Incoming activation links: enable from PP1_Group_Done_True (0BADE68C); enable from PP4_Group_Done_True (0BFCDAAC); enable from PP2_Group_Done_True (0BABA08C); enable from PP3_Group_Done_True (0BAAE1AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 15 (PP2_Group_Revealed) is clear.

Flag writers in this mission: set local flag 15 (PP2_Group_Revealed) at Check_PP2_False (0BFCC6EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP2_True (0BFCC7DC).
2. Reveal terrain around waypoint 87 (cell 120, 148).
3. Enable and reset applicable timers for Ping_PP_One (08A71F3C).
4. Set local flag 15 (PP2_Group_Revealed).
5. Disable Check_PP2_False (0BFCC6EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8739, Events line 9075, Actions line 9411.

170. Losing_Power_4 - 0617A79C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Losing_Power_3 (0617AB0C).

Incoming activation links: enable from Lost_Power_3 (06187C1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Lost_4_Power) is clear.
2. local flag 28 (Lost_3_Power) is set.
3. local flag 27 (Lost_2_Power) is set.

4. local flag 26 (Lost_1_Power) is set.

Flag writers in this mission: set local flag 29 (Lost_4_Power) at Losing_Power_4 (0617A79C); set local flag 28 (Lost_3_Power) at Losing_Power_3 (0617AB0C); set local flag 27 (Lost_2_Power) at Losing_Power_2 (0617F7AC); set local flag 26 (Lost_1_Power) at Losing_Power_1 (0617F12C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Lost_Power_4 (06187A9C).
2. Set local flag 29 (Lost_4_Power).
3. Disable Losing_Power_4 (0617A79C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8740, Events line 9076, Actions line 9412.

171. Losing_Power_2 - 0617F7AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Losing_Power_1 (0617F12C).

Incoming activation links: enable from Lost_Power_1 (0617A39C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 27 (Lost_2_Power) is clear.
2. local flag 26 (Lost_1_Power) is set.

Flag writers in this mission: set local flag 27 (Lost_2_Power) at Losing_Power_2 (0617F7AC); set local flag 26 (Lost_1_Power) at Losing_Power_1 (0617F12C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Lost_Power_2 (06187F3C).
2. Set local flag 27 (Lost_2_Power).
3. Disable Losing_Power_2 (0617F7AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8741, Events line 9077, Actions line 9413.

172. Lost_Power_2 - 06187F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Lost_Power_1 (0617A39C).

Incoming activation links: enable from Lost_Power_1 (0617A39C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 27 (Lost_2_Power) is set.

Flag writers in this mission: set local flag 27 (Lost_2_Power) at Losing_Power_2 (0617F7AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Losing_Power_2 (0617F7AC).
2. Enable and reset applicable timers for Losing_Power_3 (0617AB0C).
3. Enable and reset applicable timers for Lost_Power_3 (06187C1C).
4. Disable Lost_Power_2 (06187F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8742, Events line 9078, Actions line 9414.

173. PP4_Group_Done_FalseB - 0BAC19BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Group_Done_FalseA (0BAC1AAC).

Incoming activation links: enable from PP7_Entered (0BFCA59C); enable from PP7_Destroyed (0BAAC68C); enable from PP8_Entered (0BFCDC7C); enable from PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (PP8_Entered) is set.

2. local flag 12 (PP7_Entered) is clear.

Flag writers in this mission: set local flag 13 (PP8_Entered) at PP8_Entered (0BFCDC7C); set local flag 13 (PP8_Entered) at PP8_Destroyed (0BAAC59C); set local flag 12 (PP7_Entered) at PP7_Entered (0BFCA59C); set local flag 12 (PP7_Entered) at PP7_Destroyed (0BAAC68C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP4_Group_Done_True (0BFCDAAC).
2. Disable PP4_Group_Done_FalseA (0BAC1AAC).
3. Disable PP4_Group_Done_FalseB (0BAC19BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8743, Events line 9079, Actions line 9415.

174. Check_PP3_True - 0BFCC5FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PP2_False (0BFCC6EC).

Incoming activation links: enable from Check_PP2_True (0BFCC7DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 16 (PP3_Group_Revealed) is set.

Flag writers in this mission: set local flag 16 (PP3_Group_Revealed) at Check_PP3_False (0BFCC50C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP3_False (0BFCC50C).
2. Enable and reset applicable timers for Check_PP4_True (0BFE577C).
3. Enable and reset applicable timers for Check_PP4_False (0BFE471C).
4. Disable Check_PP3_True (0BFCC5FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8744, Events line 9080, Actions line 9416.

175. Check_PP3_False - 0BFCC50C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PP3_True (0BFCC5FC).

Incoming activation links: enable from Check_PP2_True (0BFCC7DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 16 (PP3_Group_Revealed) is clear.

Flag writers in this mission: set local flag 16 (PP3_Group_Revealed) at Check_PP3_False (0BFCC50C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP3_True (0BFCC5FC).
2. Reveal terrain around waypoint 43 (cell 154, 107).
3. Enable and reset applicable timers for Ping_PP_Four (08B4D3BC).
4. Set local flag 16 (PP3_Group_Revealed).
5. Disable Check_PP3_False (0BFCC50C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8745, Events line 9081, Actions line 9417.

176. Losing_Power_3 - 0617AB0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Losing_Power_2 (0617F7AC).

Incoming activation links: enable from Lost_Power_2 (06187F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Lost_3_Power) is clear.
2. local flag 27 (Lost_2_Power) is set.
3. local flag 26 (Lost_1_Power) is set.

Flag writers in this mission: set local flag 28 (Lost_3_Power) at Losing_Power_3 (0617AB0C); set local flag 27 (Lost_2_Power) at Losing_Power_2 (0617F7AC); set local flag 26 (Lost_1_Power) at Losing_Power_1 (0617F12C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Lost_Power_3 (06187C1C).
2. Set local flag 28 (Lost_3_Power).
3. Disable Losing_Power_3 (0617AB0C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8746, Events line 9082, Actions line 9418.

177. Lost_Power_4 - 06187A9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Lost_Power_3 (06187C1C).

Incoming activation links: enable from Lost_Power_3 (06187C1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Lost_4_Power) is set.

Flag writers in this mission: set local flag 29 (Lost_4_Power) at Losing_Power_4 (0617A79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Losing_Power_4 (0617A79C).
2. Enable and reset applicable timers for Losing_Power_5 (06179F3C).
3. Enable and reset applicable timers for Lost_Power_5 (06179A4C).
4. Disable Lost_Power_4 (06187A9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8747, Events line 9083, Actions line 9419.

178. Lost_Power_3 - 06187C1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Lost_Power_2 (06187F3C).

Incoming activation links: enable from Lost_Power_2 (06187F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Lost_3_Power) is set.

Flag writers in this mission: set local flag 28 (Lost_3_Power) at Losing_Power_3 (0617AB0C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Losing_Power_3 (0617AB0C).
2. Enable and reset applicable timers for Losing_Power_4 (0617A79C).
3. Enable and reset applicable timers for Lost_Power_4 (06187A9C).
4. Disable Lost_Power_3 (06187C1C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8748, Events line 9084, Actions line 9420.

179. PP4_Group_Done_FalseA - 0BAC1AAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Group_Done_True (0BFCDAAC).

Incoming activation links: enable from PP7_Entered (0BFCA59C); enable from PP7_Destroyed (0BAAC68C); enable from PP8_Entered (0BFCDC7C); enable from PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (PP7_Entered) is set.
2. local flag 13 (PP8_Entered) is clear.

Flag writers in this mission: set local flag 12 (PP7_Entered) at PP7_Entered (0BFCA59C); set local flag 12 (PP7_Entered) at PP7_Destroyed (0BAAC68C); set local flag 13 (PP8_Entered) at PP8_Entered (0BFCDC7C); set local flag 13 (PP8_Entered) at PP8_Destroyed (0BAAC59C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP4_Group_Done_True (0BFCDAAC).
2. Disable PP4_Group_Done_FalseB (0BAC19BC).
3. Disable PP4_Group_Done_FalseA (0BAC1AAC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8749, Events line 9085, Actions line 9421.

180. PP4_Group_Done_True - 0BFCDAAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP7_Entered (0BFCA59C); enable from PP7_Destroyed (0BAAC68C); enable from PP8_Entered (0BFCDC7C); enable from PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (PP7_Entered) is set.
2. local flag 13 (PP8_Entered) is set.

Flag writers in this mission: set local flag 12 (PP7_Entered) at PP7_Entered (0BFCA59C); set local flag 12 (PP7_Entered) at PP7_Destroyed (0BAAC68C); set local flag 13 (PP8_Entered) at PP8_Entered (0BFCDC7C); set local flag 13 (PP8_Entered) at PP8_Destroyed (0BAAC59C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP4_Group_Done_FalseA (0BAC1AAC).
2. Disable PP4_Group_Done_FalseB (0BAC19BC).
3. Enable and reset applicable timers for Check_PP2_True (0BFCC7DC).
4. Enable and reset applicable timers for Check_PP2_False (0BFCC6EC).
5. Disable PP4_Group_Done_True (0BFCDAAC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8750, Events line 9086, Actions line 9422.

181. Check_PP4_True - 0BFE577C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PP3_False (0BFCC50C).

Incoming activation links: enable from Check_PP3_True (0BFCC5FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 17 (PP4_Group_Revealed) is set.

Flag writers in this mission: set local flag 17 (PP4_Group_Revealed) at Check_PP4_False (0BFE471C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP4_False (0BFE471C).
2. Disable Check_PP4_True (0BFE577C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8751, Events line 9087, Actions line 9423.

182. Check_PP4_False - 0BFE471C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PP4_True (0BFE577C).

Incoming activation links: enable from Check_PP3_True (0BFCC5FC).

Attached scope: tag definitions 0BFCD9CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 17 (PP4_Group_Revealed) is clear.

Flag writers in this mission: set local flag 17 (PP4_Group_Revealed) at Check_PP4_False (0BFE471C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PP4_True (0BFE577C).
2. Reveal terrain around waypoint 18 (cell 126, 83).
3. Enable and reset applicable timers for Ping_PP_Three (089D668C).
4. Set local flag 17 (PP4_Group_Revealed).
5. Disable Check_PP4_False (0BFE471C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8752, Events line 9088, Actions line 9424.

183. Losing_Power_5 - 06179F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Lost_Power_4 (06187A9C).

Incoming activation links: enable from Lost_Power_4 (06187A9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Lost_5_Power) is clear.
2. local flag 29 (Lost_4_Power) is set.

Flag writers in this mission: set local flag 30 (Lost_5_Power) at Losing_Power_5 (06179F3C); set local flag 29 (Lost_4_Power) at Losing_Power_4 (0617A79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Lost_Power_5 (06179A4C).
2. Set local flag 30 (Lost_5_Power).
3. Enable and reset applicable timers for Player_Lost (06178D0C).
4. Disable Losing_Power_5 (06179F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8753, Events line 9089, Actions line 9425.

184. Lost_Power_5 - 06179A4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Losing_Power_5 (06179F3C).

Incoming activation links: enable from Lost_Power_4 (06187A9C).

Attached scope: tag definitions 0617ACCC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 30 (Lost_5_Power) is set.

Flag writers in this mission: set local flag 30 (Lost_5_Power) at Losing_Power_5 (06179F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Losing_Power_5 (06179F3C).
2. Disable Lost_Power_5 (06179A4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8754, Events line 9090, Actions line 9426.

185. Player_Lost - 06178D0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Losing_Power_5 (06179F3C); enable from LosingPP7_Easy (04EB9CCC).

Attached scope: tag definitions 06178ACC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8755, Events line 9091, Actions line 9427.

186. Start_RD_U_Patrol - 0BB6491C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB73D5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_RDU_Patrol (0BB37C5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8756, Events line 9092, Actions line 9428.

187. Start_RHRL_Patrol - 0BB37F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BB363BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_RHRL_Patrol (0BB4625C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8757, Events line 9093, Actions line 9429.

188. WindSounds1_Pre - 08AD89AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08AD86BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 14 (cell 100, 110).
2. Play sound _Amb_WindCold at waypoint 676 (cell 98, 126).
3. Play sound _Amb_WindPlains at waypoint 677 (cell 122, 110).
4. Play sound _Amb_WindPlains at waypoint 40 (cell 92, 93).
5. Play sound _Amb_WindCold at waypoint 21 (cell 81, 84).
6. Play sound _Amb_WindPlains at waypoint 678 (cell 112, 135).
7. Play sound _Amb_WindCold at waypoint 679 (cell 109, 77).
8. Play sound _Amb_WindPlains at waypoint 474 (cell 129, 91).
9. Play sound _Amb_WindPlains at waypoint 680 (cell 134, 110).
10. Play sound _Amb_WindCold at waypoint 28 (cell 135, 126).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8758, Events line 9094, Actions line 9430.

189. WindSounds2_Pre - 08ADC8DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F7B4BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 32 (cell 138, 101).

2. Play sound _Amb_WindPlains at waypoint 681 (cell 153, 114).
3. Play sound _Amb_WindCold at waypoint 682 (cell 150, 125).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8759, Events line 9095, Actions line 9431.

190. Crickets1 - 08ADAE2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F7B20C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_CricketChirps at waypoint 683 (cell 114, 87).
2. Play sound _Amb_CricketChirps at waypoint 684 (cell 84, 108).
3. Play sound _Amb_CricketChirps at waypoint 685 (cell 107, 131).
4. Play sound _Amb_CricketChirps at waypoint 686 (cell 124, 134).
5. Play sound _Amb_CricketChirps at waypoint 687 (cell 94, 129).
6. Play sound _Amb_CricketChirps at waypoint 688 (cell 134, 144).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8760, Events line 9096, Actions line 9432.

191. Kill_Pipes - 08A00F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pipes (CAMISC05), owner Neutral, cell (45, 72), tag 08A0080C, persistence mode 0; Pipes (CAMISC05), owner Neutral, cell (49, 68), tag 08A0080C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8761, Events line 9097, Actions line 9433.

192. Water_Sounds1 - 04C199BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04C1986C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 227 (cell 62, 105).
2. Play sound _Amb_OceanLight at waypoint 78 (cell 75, 100).
3. Play sound _Amb_OceanHeavy at waypoint 228 (cell 72, 84).
4. Play sound _Amb_OceanLight at waypoint 229 (cell 77, 77).
5. Play sound _Amb_OceanHeavy at waypoint 230 (cell 84, 71).
6. Play sound _Amb_OceanLight at waypoint 231 (cell 92, 68).
7. Play sound _Amb_OceanHeavy at waypoint 232 (cell 93, 57).
8. Play sound _Amb_OceanLight at waypoint 233 (cell 105, 55).
9. Play sound _Amb_OceanHeavy at waypoint 127 (cell 64, 90).
10. Play sound _Amb_OceanLight at waypoint 234 (cell 70, 70).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8762, Events line 9098, Actions line 9434.

193. Wind3 - 09F7B59C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F7B3DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 46 (cell 85, 101).
2. Play sound _Amb_WindPlains at waypoint 470 (cell 88, 118).
3. Play sound _Amb_WindCold at waypoint 137 (cell 111, 110).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8763, Events line 9099, Actions line 9435.

194. Camera_Harriers - 0C077BCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Bridge (0972981C); enable from Camera_HarrierStart (0972907C).

Attached scope: tag definitions 0C0778DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Harriers (0780F21C).
2. Supply reinforcement team TEAM_Harrier2 (0780BC8C).
3. Move the camera to waypoint 364 (cell 55, 72) with speed setting 1.
4. Enable and reset applicable timers for Camera_Player_Base (0B0246CC).
5. Disable Camera_Harriers (0C077BCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8764, Events line 9100, Actions line 9436.

195. Change_House_Yuri - 0A992F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A992A9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8765, Events line 9101, Actions line 9437.

196. Start_CityP - 096C466C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096C783C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_City2 (089305FC).
2. Create/recruit team TEAM_CityP3 (0AEB68DC).
3. Create/recruit team TEAM_CityP4 (08934B5C).
4. Create/recruit team TEAM_CityP6 (096C680C).
5. Create/recruit team TEAM_CityP7 (096FCB5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8766, Events line 9102, Actions line 9438.

197. Camera_Bridge - 0972981C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0972916C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 126 (cell 45, 85) with speed setting 2.
2. Enable and reset applicable timers for Camera_Harriers (0C077BCC).
3. Disable Camera_Bridge (0972981C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8767, Events line 9103, Actions line 9439.

198. Camera_HarrierStart - 0972907C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0972ADFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 417 (cell 56, 89) with speed setting 1.
2. Enable and reset applicable timers for Camera_Harriers (0C077BCC).
3. Disable Camera_HarrierStart (0972907C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8768, Events line 9104, Actions line 9440.

199. Set_PsyDom_Time - 0B7C0AEC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B7C03FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set Superweapon Charge; main setting 7; location/duration field 90.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8769, Events line 9105, Actions line 9441.

200. Change_House_PP2 - 0C44064C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Enable and reset applicable timers for PP2_Entered (095AE59C).
3. Enable and reset applicable timers for PP2_Destroyed (095AE4AC).
4. Disable Change_House_PP2 (0C44064C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8770, Events line 9106, Actions line 9442.

201. PP2_Entered - 095AE59C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change_House_PP2 (0C44064C).

Incoming activation links: enable from Change_House_PP2 (0C44064C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 33 (Lost_Tech02_USA).
2. Enable and reset applicable timers for PP1_Group_Done_True (0BADE68C).
3. Enable and reset applicable timers for PP1_Group_Done_FalseA (0BADE25C).
4. Enable and reset applicable timers for PP1_Group_Done_FalseB (0C18404C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 7 (PP2_Entered).
7. Disable PP2_Entered (095AE59C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8771, Events line 9107, Actions line 9443.

202. PP2_Destroyed - 095AE4AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Entered (095AE59C).

Incoming activation links: enable from Change_House_PP2 (0C44064C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR02 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 19 (PP2_Gone).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP1_Group_Done_True (0BADE68C).
5. Enable and reset applicable timers for PP1_Group_Done_FalseA (0BADE25C).
6. Enable and reset applicable timers for PP1_Group_Done_FalseB (0C18404C).
7. Set local flag 7 (PP2_Entered).
8. Disable PP2_Entered (095AE59C).
9. Disable PP2_Destroyed (095AE4AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8772, Events line 9108, Actions line 9444.

203. PP3_Entered - 0BAAD3FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP3_Checks (09178C4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 35 (Lost_Tech03_USA).
2. Enable and reset applicable timers for PP2_Group_Done_True (0BABA08C).
3. Enable and reset applicable timers for PP2_Group_Done_FalseA (0BABF84C).
4. Enable and reset applicable timers for PP2_Group_Done_FalseB (0BABF75C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 8 (PP3_Entered).
7. Disable PP3_Entered (0BAAD3FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8773, Events line 9109, Actions line 9445.

204. PP2_Group_Done_True - 0BABA08C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP3_Entered (0BAAD3FC); enable from PP3_Destroyed (0BABB5DC); enable from PP4_Entered (0BAAD22C); enable from PP4_Destroyed (0BAC2A9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 8 (PP3_Entered) is set.
2. local flag 9 (PP4_Entered) is set.

Flag writers in this mission: set local flag 8 (PP3_Entered) at PP3_Entered (0BAAD3FC); set local flag 8 (PP3_Entered) at PP3_Destroyed (0BABB5DC); set local flag 9 (PP4_Entered) at PP4_Entered (0BAAD22C); set local flag 9 (PP4_Entered) at PP4_Destroyed (0BAC2A9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP2_Group_Done_FalseA (0BABF84C).
2. Disable PP2_Group_Done_FalseB (0BABF75C).
3. Enable and reset applicable timers for Check_PP2_True (0BFCC7DC).
4. Enable and reset applicable timers for Check_PP2_False (0BFCC6EC).
5. Disable PP2_Group_Done_True (0BABA08C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8774, Events line 9110, Actions line 9446.

205. PP2_Group_Done_FalseA - 0BABF84C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Group_Done_True (0BABA08C).

Incoming activation links: enable from PP3_Entered (0BAAD3FC); enable from PP3_Destroyed (0BABB5DC); enable from PP4_Entered (0BAAD22C); enable from PP4_Destroyed (0BAC2A9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 8 (PP3_Entered) is set.
2. local flag 9 (PP4_Entered) is clear.

Flag writers in this mission: set local flag 8 (PP3_Entered) at PP3_Entered (0BAAD3FC); set local flag 8 (PP3_Entered) at PP3_Destroyed (0BABB5DC); set local flag 9 (PP4_Entered) at PP4_Entered (0BAAD22C); set local flag 9 (PP4_Entered) at PP4_Destroyed (0BAC2A9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP2_Group_Done_True (0BABA08C).
2. Disable PP2_Group_Done_FalseB (0BABF75C).
3. Disable PP2_Group_Done_FalseA (0BABF84C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8775, Events line 9111, Actions line 9447.

206. PP2_Group_Done_FalseB - 0BABF75C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Group_Done_FalseA (0BABF84C).

Incoming activation links: enable from PP3_Entered (0BAAD3FC); enable from PP3_Destroyed (0BABB5DC); enable from PP4_Entered (0BAAD22C); enable from PP4_Destroyed (0BAC2A9C).

Attached scope: tag definitions 0BABFBDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (PP4_Entered) is set.
2. local flag 8 (PP3_Entered) is clear.

Flag writers in this mission: set local flag 9 (PP4_Entered) at PP4_Entered (0BAAD22C); set local flag 9 (PP4_Entered) at PP4_Destroyed (0BAC2A9C); set local flag 8 (PP3_Entered) at PP3_Entered (0BAAD3FC); set local flag 8 (PP3_Entered) at PP3_Destroyed (0BABB5DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP2_Group_Done_True (0BABA08C).
2. Disable PP2_Group_Done_FalseA (0BABF84C).

3. Disable PP2_Group_Done_FalseB (0BABF75C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8776, Events line 9112, Actions line 9448.

207. PP3_Destroyed - 0BABB5DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Entered (0BAAD3FC).

Incoming activation links: enable from Start_PP3_Checks (09178C4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR03 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 20 (PP3_Gone).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP2_Group_Done_True (0BABA08C).
5. Enable and reset applicable timers for PP2_Group_Done_FalseA (0BABF84C).
6. Enable and reset applicable timers for PP2_Group_Done_FalseB (0BABF75C).
7. Set local flag 8 (PP3_Entered).
8. Disable PP3_Entered (0BAAD3FC).
9. Disable PP3_Destroyed (0BABB5DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8777, Events line 9113, Actions line 9449.

208. PP4_Entered - 0BAAD22C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP4_Check (091786BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 36 (Lost_Tech04_USA).
2. Enable and reset applicable timers for PP2_Group_Done_True (0BABA08C).
3. Enable and reset applicable timers for PP2_Group_Done_FalseA (0BABF84C).
4. Enable and reset applicable timers for PP2_Group_Done_FalseB (0BABF75C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 9 (PP4_Entered).
7. Disable PP4_Entered (0BAAD22C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8778, Events line 9114, Actions line 9450.

209. PP4_Destroyed - 0BAC2A9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Entered (0BAAD22C).

Incoming activation links: enable from Start_PP4_Check (091786BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR04 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 21 (PP4_Gone).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).

3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP2_Group_Done_True (0BABA08C).
5. Enable and reset applicable timers for PP2_Group_Done_FalseA (0BABF84C).
6. Enable and reset applicable timers for PP2_Group_Done_FalseB (0BABF75C).
7. Set local flag 9 (PP4_Entered).
8. Disable PP4_Entered (0BAAD22C).
9. Disable PP4_Destroyed (0BAC2A9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8779, Events line 9115, Actions line 9451.

210. PP5_Entered - 0BAAE54C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP5_Check (091782CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 37 (Lost_Tech05_USA).
2. Enable and reset applicable timers for PP3_Group_Done_True (0BAAE1AC).
3. Enable and reset applicable timers for PP3_Group_Done_FalseA (0BAB88EC).
4. Enable and reset applicable timers for PP3_Group_Done_FalseB (0BAB851C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 10 (PP5_Entered).
7. Disable PP5_Entered (0BAAE54C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8780, Events line 9116, Actions line 9452.

211. PP3_Group_Done_True - 0BAAE1AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP5_Entered (0BAAE54C); enable from PP5_Destroyed (0BAB8ACC); enable from PP6_Entered (0BAAE37C); enable from PP6_Destroyed (0BAB89DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 10 (PP5_Entered) is set.
2. local flag 11 (PP6_Entered) is set.

Flag writers in this mission: set local flag 10 (PP5_Entered) at PP5_Entered (0BAAE54C); set local flag 10 (PP5_Entered) at PP5_Destroyed (0BAB8ACC); set local flag 11 (PP6_Entered) at PP6_Entered (0BAAE37C); set local flag 11 (PP6_Entered) at PP6_Destroyed (0BAB89DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP3_Group_Done_FalseA (0BAB88EC).
2. Disable PP3_Group_Done_FalseB (0BAB851C).
3. Enable and reset applicable timers for Check_PP2_True (0BFCC7DC).
4. Enable and reset applicable timers for Check_PP2_False (0BFCC6EC).
5. Disable PP3_Group_Done_True (0BAAE1AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8781, Events line 9117, Actions line 9453.

212. PP3_Group_Done_FalseA - 0BAB88EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Group_Done_True (0BAAE1AC).

Incoming activation links: enable from PP5_Entered (0BAAE54C); enable from PP5_Destroyed (0BAB8ACC); enable from PP6_Entered (0BAAE37C); enable from PP6_Destroyed (0BAB89DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 10 (PP5_Entered) is set.
2. local flag 11 (PP6_Entered) is clear.

Flag writers in this mission: set local flag 10 (PP5_Entered) at PP5_Entered (0BAAE54C); set local flag 10 (PP5_Entered) at PP5_Destroyed (0BAB8ACC); set local flag 11 (PP6_Entered) at PP6_Entered (0BAAE37C); set local flag 11 (PP6_Entered) at PP6_Destroyed (0BAB89DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP3_Group_Done_True (0BAAE1AC).
2. Disable PP3_Group_Done_FalseB (0BAB851C).
3. Disable PP3_Group_Done_FalseA (0BAB88EC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8782, Events line 9118, Actions line 9454.

213. PP3_Group_Done_FalseB - 0BAB851C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Group_Done_FalseA (0BAB88EC).

Incoming activation links: enable from PP5_Entered (0BAAE54C); enable from PP5_Destroyed (0BAB8ACC); enable from PP6_Entered (0BAAE37C); enable from PP6_Destroyed (0BAB89DC).

Attached scope: tag definitions 0BAAE0CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (PP6_Entered) is set.
2. local flag 10 (PP5_Entered) is clear.

Flag writers in this mission: set local flag 11 (PP6_Entered) at PP6_Entered (0BAAE37C); set local flag 11 (PP6_Entered) at PP6_Destroyed (0BAB89DC); set local flag 10 (PP5_Entered) at PP5_Entered (0BAAE54C); set local flag 10 (PP5_Entered) at PP5_Destroyed (0BAB8ACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable PP3_Group_Done_True (0BAAE1AC).
2. Disable PP3_Group_Done_FalseA (0BAB88EC).
3. Disable PP3_Group_Done_FalseB (0BAB851C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8783, Events line 9119, Actions line 9455.

214. PP5_Destroyed - 0BAB8ACC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Entered (0BAAE54C).

Incoming activation links: enable from Start_PP5_Check (091782CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR05 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 22 (PP5_Gone).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP3_Group_Done_True (0BAAE1AC).
5. Enable and reset applicable timers for PP3_Group_Done_FalseA (0BAB88EC).
6. Enable and reset applicable timers for PP3_Group_Done_FalseB (0BAB851C).
7. Set local flag 10 (PP5_Entered).
8. Disable PP5_Entered (0BAAE54C).
9. Disable PP5_Destroyed (0BAB8ACC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8784, Events line 9120, Actions line 9456.

215. PP6_Entered - 0BAAE37C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 38 (Lost_Tech06_USA).
2. Enable and reset applicable timers for PP3_Group_Done_True (0BAAE1AC).
3. Enable and reset applicable timers for PP3_Group_Done_FalseA (0BAB88EC).
4. Enable and reset applicable timers for PP3_Group_Done_FalseB (0BAB851C).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 11 (PP6_Entered).
7. Disable PP6_Entered (0BAAE37C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8785, Events line 9121, Actions line 9457.

216. PP6_Destroyed - 0BAB89DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Entered (0BAAE37C).

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR06 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 23 (PP6_Gone).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP3_Group_Done_True (0BAAE1AC).
5. Enable and reset applicable timers for PP3_Group_Done_FalseA (0BAB88EC).
6. Enable and reset applicable timers for PP3_Group_Done_FalseB (0BAB851C).
7. Set local flag 11 (PP6_Entered).
8. Disable PP6_Entered (0BAAE37C).
9. Disable PP6_Destroyed (0BAB89DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8786, Events line 9122, Actions line 9458.

217. PP7_Entered - 0BFCA59C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 39 (Lost_Tech07_USA).
2. Enable and reset applicable timers for PP4_Group_Done_True (0BFCDAAC).
3. Enable and reset applicable timers for PP4_Group_Done_FalseA (0BAC1AAC).
4. Enable and reset applicable timers for PP4_Group_Done_FalseB (0BAC19BC).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).

6. Set local flag 12 (PP7_Entered).
7. Disable PP7_Entered (0BFCA59C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8787, Events line 9123, Actions line 9459.

218. PP7_Destroyed - 0BAAC68C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_Entered (0BFCA59C).

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR07 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 12 (PP7_Entered).
2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP4_Group_Done_True (0BFCDAAC).
5. Enable and reset applicable timers for PP4_Group_Done_FalseA (0BAC1AAC).
6. Enable and reset applicable timers for PP4_Group_Done_FalseB (0BAC19BC).
7. Set local flag 24 (PP7_Gone).
8. Disable PP7_Entered (0BFCA59C).
9. Disable PP7_Destroyed (0BAAC68C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8788, Events line 9124, Actions line 9460.

219. PP8_Entered - 0BFCDC7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 40 (Lost_Tech08_USA).
2. Enable and reset applicable timers for PP4_Group_Done_True (0BFCDAAC).
3. Enable and reset applicable timers for PP4_Group_Done_FalseA (0BAC1AAC).
4. Enable and reset applicable timers for PP4_Group_Done_FalseB (0BAC19BC).
5. Enable and reset applicable timers for Good_Job_1 (0C9733CC).
6. Set local flag 13 (PP8_Entered).
7. Disable PP8_Entered (0BFCDC7C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8789, Events line 9125, Actions line 9461.

220. PP8_Destroyed - 0BAAC59C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_Entered (0BFCDC7C).

Incoming activation links: enable from Start_PP6_Check (09179E6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR08 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 25 (PP8_Gone).

2. Enable and reset applicable timers for Losing_Power_1 (0617F12C).
3. Enable and reset applicable timers for Lost_Power_1 (0617A39C).
4. Enable and reset applicable timers for PP4_Group_Done_True (0BFCDAAC).
5. Enable and reset applicable timers for PP4_Group_Done_FalseA (0BAC1AAC).
6. Enable and reset applicable timers for PP4_Group_Done_FalseB (0BAC19BC).
7. Set local flag 13 (PP8_Entered).
8. Disable PP8_Entered (0BFCDC7C).
9. Disable PP8_Destroyed (0BAAC59C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8790, Events line 9126, Actions line 9462.

221. Deploy_GGI_Group2 - 0E0F4DCC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E0F227C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_GGI_Group2 (0E0F469C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8791, Events line 9127, Actions line 9463.

222. Start_AD_GD_Patrol - 06B9C76C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B9C1EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_PP1_Group_PatrolB (06B9CD4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8792, Events line 9128, Actions line 9464.

223. Select_Dominator - 0E0EA53C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Sell_Psychic (0951879C).

Attached scope: Psychic Dominator (YAPPET), owner Confederation, cell (46, 69), tag 089ED98C, persistence mode 2.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Unit_Eva_PsychicDomin.
2. Disable Select_Dominator (0E0EA53C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8793, Events line 9129, Actions line 9465.

224. GivePower1 - 097D8CFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (PP1_Entered) is set.

Flag writers in this mission: set local flag 6 (PP1_Entered) at PP1_Entered (108EA04C); set local flag 6 (PP1_Entered) at PP1_Destroyed (108ECA9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

2. Enable and reset applicable timers for TakePower1 (097D840C).
3. Disable GivePower1 (097D8CFC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8794, Events line 9130, Actions line 9466.

225. TakePower1 - 097D840C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower1 (097D8CFC).

Incoming activation links: enable from GivePower1 (097D8CFC).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (42, 91), tag 097D8C1C, persistence mode 2.

Wait for the recorded events:

1. local flag 18 (PP1_Gone) is set.

Flag writers in this mission: set local flag 18 (PP1_Gone) at PP1_Destroyed (108ECA9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower1 (097D840C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8795, Events line 9131, Actions line 9467.

226. GivePower2 - 097DEF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 7 (PP2_Entered) is set.

Flag writers in this mission: set local flag 7 (PP2_Entered) at PP2_Entered (095AE59C); set local flag 7 (PP2_Entered) at PP2_Destroyed (095AE4AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower2 (097DEA0C).
3. Disable GivePower2 (097DEF3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8796, Events line 9132, Actions line 9468.

227. TakePower2 - 097DEA0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower2 (097DEF3C).

Incoming activation links: enable from GivePower2 (097DEF3C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (44, 91), tag 097DEAFC, persistence mode 2.

Wait for the recorded events:

1. local flag 19 (PP2_Gone) is set.

Flag writers in this mission: set local flag 19 (PP2_Gone) at PP2_Destroyed (095AE4AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower2 (097DEA0C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8797, Events line 9133, Actions line 9469.

228. GivePower3 - 0BC3224C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 8 (PP3_Entered) is set.

Flag writers in this mission: set local flag 8 (PP3_Entered) at PP3_Entered (0BAAD3FC); set local flag 8 (PP3_Entered) at PP3_Destroyed (0BABB5DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower3 (0BC3207C).
3. Disable GivePower3 (0BC3224C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8798, Events line 9134, Actions line 9470.

229. TakePower3 - 0BC3207C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower3 (0BC3224C).

Incoming activation links: enable from GivePower3 (0BC3224C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (46, 91), tag 0BC3216C, persistence mode 2.

Wait for the recorded events:

1. local flag 20 (PP3_Gone) is set.

Flag writers in this mission: set local flag 20 (PP3_Gone) at PP3_Destroyed (0BABB5DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower3 (0BC3207C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8799, Events line 9135, Actions line 9471.

230. GivePower4 - 0BC33E9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 9 (PP4_Entered) is set.

Flag writers in this mission: set local flag 9 (PP4_Entered) at PP4_Entered (0BAAD22C); set local flag 9 (PP4_Entered) at PP4_Destroyed (0BAC2A9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower4 (0BC33CCC).
3. Disable GivePower4 (0BC33E9C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8800, Events line 9136, Actions line 9472.

231. TakePower4 - 0BC33CCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower4 (0BC33E9C).

Incoming activation links: enable from GivePower4 (0BC33E9C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (46, 93), tag 0BC33DBC, persistence mode 2.

Wait for the recorded events:

1. local flag 21 (PP4_Gone) is set.

Flag writers in this mission: set local flag 21 (PP4_Gone) at PP4_Destroyed (0BAC2A9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower4 (0BC33CCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8801, Events line 9137, Actions line 9473.

232. GivePower5 - 09148A0C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 10 (PP5_Entered) is set.

Flag writers in this mission: set local flag 10 (PP5_Entered) at PP5_Entered (0BAAE54C); set local flag 10 (PP5_Entered) at PP5_Destroyed (0BAB8ACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower5 (0914866C).
3. Disable GivePower5 (09148A0C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8802, Events line 9138, Actions line 9474.

233. TakePower5 - 0914866C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower5 (09148A0C).

Incoming activation links: enable from GivePower5 (09148A0C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (48, 93), tag 0914892C, persistence mode 2.

Wait for the recorded events:

1. local flag 22 (PP5_Gone) is set.

Flag writers in this mission: set local flag 22 (PP5_Gone) at PP5_Destroyed (0BAB8ACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower5 (0914866C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8803, Events line 9139, Actions line 9475.

234. GivePower6 - 0914883C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (PP6_Entered) is set.

Flag writers in this mission: set local flag 11 (PP6_Entered) at PP6_Entered (0BAAE37C); set local flag 11 (PP6_Entered) at PP6_Destroyed (0BAB89DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower6 (091578AC).
3. Disable GivePower6 (0914883C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8804, Events line 9140, Actions line 9476.

235. TakePower6 - 091578AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower6 (0914883C).

Incoming activation links: enable from GivePower6 (0914883C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (44, 93), tag 0914875C, persistence mode 2.

Wait for the recorded events:

1. local flag 23 (PP6_Gone) is set.

Flag writers in this mission: set local flag 23 (PP6_Gone) at PP6_Destroyed (0BAB89DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower6 (091578AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8805, Events line 9141, Actions line 9477.

236. GivePower7 - 09B7ECEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (PP7_Entered) is set.

Flag writers in this mission: set local flag 12 (PP7_Entered) at PP7_Entered (0BFCA59C); set local flag 12 (PP7_Entered) at PP7_Destroyed (0BAAC68C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower7 (09B7E5CC).
3. Disable GivePower7 (09B7ECEC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8806, Events line 9142, Actions line 9478.

237. TakePower7 - 09B7E5CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower7 (09B7ECEC).

Incoming activation links: enable from GivePower7 (09B7ECEC).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (44, 89), tag 09B7EC0C, persistence mode 2.

Wait for the recorded events:

1. local flag 24 (PP7_Gone) is set.

Flag writers in this mission: set local flag 24 (PP7_Gone) at PP7_Destroyed (0BAAC68C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower7 (09B7E5CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8807, Events line 9143, Actions line 9479.

238. GivePower8 - 09B7EB1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (PP8_Entered) is set.

Flag writers in this mission: set local flag 13 (PP8_Entered) at PP8_Entered (0BFCDC7C); set local flag 13 (PP8_Entered) at PP8_Destroyed (0BAAC59C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for TakePower8 (09B7E4DC).
3. Disable GivePower8 (09B7EB1C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8808, Events line 9144, Actions line 9480.

239. TakePower8 - 09B7E4DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: GivePower8 (09B7EB1C).

Incoming activation links: enable from GivePower8 (09B7EB1C).

Attached scope: Power Plant (GAPOWR), owner PowerHouse, cell (42, 89), tag 09B7E6BC, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 409. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).
2. Disable TakePower8 (09B7E4DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8809, Events line 9145, Actions line 9481.

240. BackBridge_Gone - 07A89E6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Kill_AllBackBridge (07A89C0C).
2. Enable and reset applicable timers for Destroy_Me (079B8BBC).
3. Enable and reset applicable timers for Damage_Me (079BAE6C).
4. Disable BackBridge_Gone (07A89E6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8810, Events line 9146, Actions line 9482.

241. Kill_AllBackBridge - 07A89C0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BackBridge_Gone (07A89E6C).

Incoming activation links: enable from BackBridge_Gone (07A89E6C).

Attached scope: tag definitions 07A89CFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Disable Kill_AllBackBridge (07A89C0C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8811, Events line 9147, Actions line 9483.

242. Destroy_Me - 079B8BBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Connector_Step2 (07A8CCBC).

Incoming activation links: enable from BackBridge_Gone (07A89E6C).

Attached scope: tag definitions 07A8CBDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Disable Destroy_Me (079B8BBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8812, Events line 9148, Actions line 9484.

243. Damage_Me - 079BAE6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Connector_Gone (07A8917C).

Incoming activation links: enable from BackBridge_Gone (07A89E6C).

Attached scope: tag definitions 07A8CDAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 78; location/duration field CA.
2. Disable Damage_Me (079BAE6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8813, Events line 9149, Actions line 9485.

244. Kill_Harriers - 0611BABC

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (56, 77); tag 0611EEAC, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Then perform these actions in order:

1. Destroy all of: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8814, Events line 9150, Actions line 9486.

245. PP1_PlayerAttack - 098E903C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Destroyed (108ECA9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP1_PlayerAttack (098E903C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8815, Events line 9151, Actions line 9487.

246. PowerAttacked - 0617D71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP1_PlayerAttack (098E903C); enable from PP2_PlayerAttack (099A7ACC); enable from PP3_PlayerAttack (099A753C); enable from PP4_PlayerAttack (099A714C); enable from PP5_PlayerAttack (099A436C); enable from PP6_PlayerAttack (099A0F3C); enable from PP7_PlayerAttack (099A0A6C); enable from PP8_PlayerAttack (099A067C).

Attached scope: tag definitions 0617AF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA1_EvaPowerAttkWarn.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8816, Events line 9152, Actions line 9488.

247. PP2_PlayerAttack - 099A7ACC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Destroyed (095AE4AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP2_PlayerAttack (099A7ACC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8817, Events line 9153, Actions line 9489.

248. PP3_PlayerAttack - 099A753C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Destroyed (0BABB5DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP3_PlayerAttack (099A753C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8818, Events line 9154, Actions line 9490.

249. PP4_PlayerAttack - 099A714C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Destroyed (0BAC2A9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP4_PlayerAttack (099A714C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8819, Events line 9155, Actions line 9491.

250. PP5_PlayerAttack - 099A436C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Destroyed (0BAB8ACC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP5_PlayerAttack (099A436C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8820, Events line 9156, Actions line 9492.

251. PP6_PlayerAttack - 099A0F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Destroyed (0BAB89DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).

2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP6_PlayerAttack (099A0F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8821, Events line 9157, Actions line 9493.

252. PP7_PlayerAttack - 099A0A6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_Destroyed (0BAAC68C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP7_PlayerAttack (099A0A6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8822, Events line 9158, Actions line 9494.

253. PP8_PlayerAttack - 099A067C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_Destroyed (0BAAC59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for PowerAttacked (0617D71C).
2. Display message “WARNING - Do not attack Power Plants!” (MISSION:Attack3).
3. Disable PP8_PlayerAttack (099A067C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8823, Events line 9159, Actions line 9495.

254. Garrison_BY - 096D092C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096D019C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_BYgarrison (096D287C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8824, Events line 9160, Actions line 9496.

255. Damage_Reactor - 087857CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0878524C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 364; location/duration field NA.

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8825, Events line 9161, Actions line 9497.

256. SpySat_Boom - 061FF03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change_Radar_House (0BE0B26C).

Attached scope: SpySat Uplink (GASPYSAT), owner Americans, cell (85, 110), tag 0BE0AB4C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Reshroud Map; main setting 0.
2. Reveal the zone associated with waypoint 496 (cell 53, 69).
3. Disable SpySat_Boom (061FF03C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8826, Events line 9162, Actions line 9498.

257. Power_Back_Down - 07EC78AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07EC725C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Stop the visible mission timer.
2. Disable Power_Back_Down (07EC78AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8827, Events line 9163, Actions line 9499.

258. PP1_Is_America - 07A67D1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_PlayerAttack (098E903C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 393 (global list position: Hollywood Sign (CALA13)). A map-local type-list change can affect index interpretation.
2. local flag 31 (Lost_Tech01_USA) is set.

Flag writers in this mission: clear local flag 31 (Lost_Tech01_USA) at PP1_Entered (108EA04C); clear local flag 31 (Lost_Tech01_USA) at PP1_Is_America (07A67D1C); set local flag 31 (Lost_Tech01_USA) at PP1_Not_America (07A6737C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 31 (Lost_Tech01_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8828, Events line 9164, Actions line 9500.

259. PP1_Is_Neutral - 07A677BC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Is_America (07A67D1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 393 (global list position: Hollywood Sign (CALA13)). A map-local type-list change can affect index interpretation.
2. local flag 32 (Lost_Tech_01_Neu) is set.

Flag writers in this mission: clear local flag 32 (Lost_Tech_01_Neu) at PP1_Is_Neutral (07A677BC); set local flag 32 (Lost_Tech_01_Neu) at PP1_Not_Neutral (07A671FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 32 (Lost_Tech_01_Neu).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8829, Events line 9165, Actions line 9501.

260. PP1_Not_America - 07A6737C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Is_Neutral (07A677BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 393 (global list position: Hollywood Sign (CALA13)). A map-local type-list change can affect index interpretation.
2. local flag 31 (Lost_Tech01_USA) is clear.

Flag writers in this mission: clear local flag 31 (Lost_Tech01_USA) at PP1_Entered (108EA04C); clear local flag 31 (Lost_Tech01_USA) at PP1_Is_America (07A67D1C); set local flag 31 (Lost_Tech01_USA) at PP1_Not_America (07A6737C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 31 (Lost_Tech01_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8830, Events line 9166, Actions line 9502.

261. PP1_Not_Neutral - 07A671FC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP1_Not_America (07A6737C).

Attached scope: CAPOWR01, owner PowerHouse, cell (130, 129), tag 043A29AC, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 393 (global list position: Hollywood Sign (CALA13)). A map-local type-list change can affect index interpretation.
2. local flag 32 (Lost_Tech_01_Neu) is clear.

Flag writers in this mission: clear local flag 32 (Lost_Tech_01_Neu) at PP1_Is_Neutral (07A677BC); set local flag 32 (Lost_Tech_01_Neu) at PP1_Not_Neutral (07A671FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 32 (Lost_Tech_01_Neu).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8831, Events line 9167, Actions line 9503.

262. PP2_Is_America - 095A8C3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_PlayerAttack (099A7ACC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 394 (global list position: Park Bench (CAPARK04)). A map-local type-list change can affect index interpretation.
2. local flag 33 (Lost_Tech02_USA) is set.

Flag writers in this mission: clear local flag 33 (Lost_Tech02_USA) at PP2_Entered (095AE59C); clear local flag 33 (Lost_Tech02_USA) at PP2_Is_America (095A8C3C); set local flag 33 (Lost_Tech02_USA) at PP2_Not_America (095A828C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 33 (Lost_Tech02_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8832, Events line 9168, Actions line 9504.

263. PP2_Is_Neutral - 095A856C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Is_America (095A8C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 394 (global list position: Park Bench (CAPARK04)). A map-local type-list change can affect index interpretation.
2. local flag 34 (Lost_Tech02_Neut) is set.

Flag writers in this mission: clear local flag 34 (Lost_Tech02_Neut) at PP2_Is_Neutral (095A856C); set local flag 34 (Lost_Tech02_Neut) at PP2_Not_Neutral (095ABC2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 34 (Lost_Tech02_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8833, Events line 9169, Actions line 9505.

264. PP2_Not_America - 095A828C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Is_Neutral (095A856C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 394 (global list position: Park Bench (CAPARK04)). A map-local type-list change can affect index interpretation.
2. local flag 33 (Lost_Tech02_USA) is clear.

Flag writers in this mission: clear local flag 33 (Lost_Tech02_USA) at PP2_Entered (095AE59C); clear local flag 33 (Lost_Tech02_USA) at PP2_Is_America (095A8C3C); set local flag 33 (Lost_Tech02_USA) at PP2_Not_America (095A828C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 33 (Lost_Tech02_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8834, Events line 9170, Actions line 9506.

265. PP2_Not_Neutral - 095ABC2C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP2_Not_America (095A828C).

Attached scope: CAPOWR02, owner PowerHouse, cell (130, 131), tag 0C446E7C, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 394 (global list position: Park Bench (CAPARK04)). A map-local type-list change can affect index interpretation.
2. local flag 34 (Lost_Tech02_Neut) is clear.

Flag writers in this mission: clear local flag 34 (Lost_Tech02_Neut) at PP2_Is_Neutral (095A856C); set local flag 34 (Lost_Tech02_Neut) at PP2_Not_Neutral (095ABC2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 34 (Lost_Tech02_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8835, Events line 9171, Actions line 9507.

266. PP3_Is_America - 095AB94C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_PlayerAttack (099A753C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 395 (global list position: Park Bench (CAPARK05)). A map-local type-list change can affect index interpretation.
2. local flag 35 (Lost_Tech03_USA) is set.

Flag writers in this mission: clear local flag 35 (Lost_Tech03_USA) at PP3_Entered (0BAAD3FC); clear local flag 35 (Lost_Tech03_USA) at PP3_Is_America (095AB94C); set local flag 35 (Lost_Tech03_USA) at PP3_Not_America (095AB38C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 35 (Lost_Tech03_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8836, Events line 9172, Actions line 9508.

267. PP3_Is_Neutral - 095AB66C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Is_America (095AB94C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 395 (global list position: Park Bench (CAPARK05)). A map-local type-list change can affect index interpretation.
2. local flag 41 (Lost_Tech03_Neut) is set.

Flag writers in this mission: clear local flag 41 (Lost_Tech03_Neut) at PP3_Is_Neutral (095AB66C); set local flag 41 (Lost_Tech03_Neut) at PP3_Not_Neutral (095AAC9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 41 (Lost_Tech03_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8837, Events line 9173, Actions line 9509.

268. PP3_Not_America - 095AB38C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Is_Neutral (095AB66C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 395 (global list position: Park Bench (CAPARK05)). A map-local type-list change can affect index interpretation.
2. local flag 35 (Lost_Tech03_USA) is clear.

Flag writers in this mission: clear local flag 35 (Lost_Tech03_USA) at PP3_Entered (0BAAD3FC); clear local flag 35 (Lost_Tech03_USA) at PP3_Is_America (095AB94C); set local flag 35 (Lost_Tech03_USA) at PP3_Not_America (095AB38C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 35 (Lost_Tech03_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8838, Events line 9174, Actions line 9510.

269. PP3_Not_Neutral - 095AAC9C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Not_America (095AB38C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 395 (global list position: Park Bench (CAPARK05)). A map-local type-list change can affect index interpretation.
2. local flag 41 (Lost_Tech03_Neut) is clear.

Flag writers in this mission: clear local flag 41 (Lost_Tech03_Neut) at PP3_Is_Neutral (095AB66C); set local flag 41 (Lost_Tech03_Neut) at PP3_Not_Neutral (095AAC9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 41 (Lost_Tech03_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8839, Events line 9175, Actions line 9511.

270. PP4_Is_America - 095AA92C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_PlayerAttack (099A714C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 396 (global list position: Park Bench (CAPARK06)). A map-local type-list change can affect index interpretation.
2. local flag 36 (Lost_Tech04_USA) is set.

Flag writers in this mission: clear local flag 36 (Lost_Tech04_USA) at PP4_Entered (0BAAD22C); clear local flag 36 (Lost_Tech04_USA) at PP4_Is_America (095AA92C); set local flag 36 (Lost_Tech04_USA) at PP4_Not_America (095AA36C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 36 (Lost_Tech04_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8840, Events line 9176, Actions line 9512.

271. PP4_Is_Neutral - 095AA64C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Is_America (095AA92C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 396 (global list position: Park Bench (CAPARK06)). A map-local type-list change can affect index interpretation.
2. local flag 42 (Lost_Tech04_Neut) is set.

Flag writers in this mission: clear local flag 42 (Lost_Tech04_Neut) at PP4_Is_Neutral (095AA64C); set local flag 42 (Lost_Tech04_Neut) at PP4_Not_Neutral (095A9CFC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 42 (Lost_Tech04_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8841, Events line 9177, Actions line 9513.

272. PP4_Not_America - 095AA36C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Is_Neutral (095AA64C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 396 (global list position: Park Bench (CAPARK06)). A map-local type-list change can affect index interpretation.
2. local flag 36 (Lost_Tech04_USA) is clear.

Flag writers in this mission: clear local flag 36 (Lost_Tech04_USA) at PP4_Entered (0BAAD22C); clear local flag 36 (Lost_Tech04_USA) at PP4_Is_America (095AA92C); set local flag 36 (Lost_Tech04_USA) at PP4_Not_America (095AA36C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 36 (Lost_Tech04_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8842, Events line 9178, Actions line 9514.

273. PP4_Not_Neutral - 095A9CFC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Not_America (095AA36C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 396 (global list position: Park Bench (CAPARK06)). A map-local type-list change can affect index interpretation.
2. local flag 42 (Lost_Tech04_Neut) is clear.

Flag writers in this mission: clear local flag 42 (Lost_Tech04_Neut) at PP4_Is_Neutral (095AA64C); set local flag 42 (Lost_Tech04_Neut) at PP4_Not_Neutral (095A9CFC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 42 (Lost_Tech04_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8843, Events line 9179, Actions line 9515.

274. PP5_Is_America - 095A998C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_PlayerAttack (099A436C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 397 (global list position: Mini Mall (CALA14)). A map-local type-list change can affect index interpretation.

2. local flag 37 (Lost_Tech05_USA) is set.

Flag writers in this mission: clear local flag 37 (Lost_Tech05_USA) at PP5_Entered (0BAAE54C); clear local flag 37 (Lost_Tech05_USA) at PP5_Is_America (095A998C); set local flag 37 (Lost_Tech05_USA) at PP5_Not_America (095A93CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 37 (Lost_Tech05_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8844, Events line 9180, Actions line 9516.

275. PP5_Is_Neutral - 095A96AC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Is_America (095A998C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 397 (global list position: Mini Mall (CALA14)). A map-local type-list change can affect index interpretation.
2. local flag 43 (Lost_Tech05_Neut) is set.

Flag writers in this mission: clear local flag 43 (Lost_Tech05_Neut) at PP5_Is_Neutral (095A96AC); set local flag 43 (Lost_Tech05_Neut) at PP5_Not_Neutral (095B6F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 43 (Lost_Tech05_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8845, Events line 9181, Actions line 9517.

276. PP5_Not_America - 095A93CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Is_Neutral (095A96AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 397 (global list position: Mini Mall (CALA14)). A map-local type-list change can affect index interpretation.
2. local flag 37 (Lost_Tech05_USA) is clear.

Flag writers in this mission: clear local flag 37 (Lost_Tech05_USA) at PP5_Entered (0BAAE54C); clear local flag 37 (Lost_Tech05_USA) at PP5_Is_America (095A998C); set local flag 37 (Lost_Tech05_USA) at PP5_Not_America (095A93CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 37 (Lost_Tech05_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8846, Events line 9182, Actions line 9518.

277. PP5_Not_Neutral - 095B6F3C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Not_America (095A93CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 397 (global list position: Mini Mall (CALA14)). A map-local type-list change can affect index interpretation.
2. local flag 43 (Lost_Tech05_Neut) is clear.

Flag writers in this mission: clear local flag 43 (Lost_Tech05_Neut) at PP5_Is_Neutral (095A96AC); set local flag 43 (Lost_Tech05_Neut) at PP5_Not_Neutral (095B6F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 43 (Lost_Tech05_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8847, Events line 9183, Actions line 9519.

278. PP6_Is_America - 095B688C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_PlayerAttack (099A0F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 398 (global list position: Mini Mall (CALA15)). A map-local type-list change can affect index interpretation.
2. local flag 38 (Lost_Tech06_USA) is set.

Flag writers in this mission: clear local flag 38 (Lost_Tech06_USA) at PP6_Entered (0BAAE37C); clear local flag 38 (Lost_Tech06_USA) at PP6_Is_America (095B688C); set local flag 38 (Lost_Tech06_USA) at PP6_Not_America (095B62CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 38 (Lost_Tech06_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8848, Events line 9184, Actions line 9520.

279. PP6_Is_Neutral - 095B65AC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Is_America (095B688C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 398 (global list position: Mini Mall (CALA15)). A map-local type-list change can affect index interpretation.
2. local flag 44 (Lost_Tech06_Neut) is set.

Flag writers in this mission: clear local flag 44 (Lost_Tech06_Neut) at PP6_Is_Neutral (095B65AC); set local flag 44 (Lost_Tech06_Neut) at PP6_Not_Neutral (095B2E6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 44 (Lost_Tech06_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8849, Events line 9185, Actions line 9521.

280. PP6_Not_America - 095B62CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Is_Neutral (095B65AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 398 (global list position: Mini Mall (CALA15)). A map-local type-list change can affect index interpretation.
2. local flag 38 (Lost_Tech06_USA) is clear.

Flag writers in this mission: clear local flag 38 (Lost_Tech06_USA) at PP6_Entered (0BAAE37C); clear local flag 38 (Lost_Tech06_USA) at PP6_Is_America (095B688C); set local flag 38 (Lost_Tech06_USA) at PP6_Not_America (095B62CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 38 (Lost_Tech06_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8850, Events line 9186, Actions line 9522.

281. PP6_Not_Neutral - 095B2E6C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Not_America (095B62CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 398 (global list position: Mini Mall (CALA15)). A map-local type-list change can affect index interpretation.
2. local flag 44 (Lost_Tech06_Neut) is clear.

Flag writers in this mission: clear local flag 44 (Lost_Tech06_Neut) at PP6_Is_Neutral (095B65AC); set local flag 44 (Lost_Tech06_Neut) at PP6_Not_Neutral (095B2E6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 44 (Lost_Tech06_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8851, Events line 9187, Actions line 9523.

282. PP7_Is_America - 095B2A5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_PlayerAttack (099A0A6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 399 (global list position: Bunker (CABUNK03)). A map-local type-list change can affect index interpretation.
2. local flag 39 (Lost_Tech07_USA) is set.

Flag writers in this mission: clear local flag 39 (Lost_Tech07_USA) at PP7_Entered (0BFCA59C); clear local flag 39 (Lost_Tech07_USA) at PP7_Is_America (095B2A5C); set local flag 39 (Lost_Tech07_USA) at PP7_Not_America (095B249C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 39 (Lost_Tech07_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8852, Events line 9188, Actions line 9524.

283. PP7_Is_Neutral - 095B277C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_Is_America (095B2A5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 399 (global list position: Bunker (CABUNK03)). A map-local type-list change can affect index interpretation.
2. local flag 45 (Lost_Tech07_Neut) is set.

Flag writers in this mission: clear local flag 45 (Lost_Tech07_Neut) at PP7_Is_Neutral (095B277C); set local flag 45 (Lost_Tech07_Neut) at PP7_Not_Neutral (095B21BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 45 (Lost_Tech07_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8853, Events line 9189, Actions line 9525.

284. PP7_Not_America - 095B249C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_Is_Neutral (095B277C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 399 (global list position: Bunker (CABUNK03)). A map-local type-list change can affect index interpretation.
2. local flag 39 (Lost_Tech07_USA) is clear.

Flag writers in this mission: clear local flag 39 (Lost_Tech07_USA) at PP7_Entered (0BFCA59C); clear local flag 39 (Lost_Tech07_USA) at PP7_Is_America (095B2A5C); set local flag 39 (Lost_Tech07_USA) at PP7_Not_America (095B249C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 39 (Lost_Tech07_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8854, Events line 9190, Actions line 9526.

285. PP7_Not_Neutral - 095B21BC

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP7_Not_America (095B249C).

Attached scope: CAPOWR07, owner PowerHouse, cell (125, 83), tag 0BFCA4BC, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 399 (global list position: Bunker (CABUNK03)). A map-local type-list change can affect index interpretation.
2. local flag 45 (Lost_Tech07_Neut) is clear.

Flag writers in this mission: clear local flag 45 (Lost_Tech07_Neut) at PP7_Is_Neutral (095B277C); set local flag 45 (Lost_Tech07_Neut) at PP7_Not_Neutral (095B21BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 45 (Lost_Tech07_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8855, Events line 9191, Actions line 9527.

286. PP8_Is_America - 095B0D4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_PlayerAttack (099A067C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 409. A map-local type-list change can affect index interpretation.
2. local flag 40 (Lost_Tech08_USA) is set.

Flag writers in this mission: clear local flag 40 (Lost_Tech08_USA) at PP8_Entered (0BFCDC7C); clear local flag 40 (Lost_Tech08_USA) at PP8_Is_America (095B0D4C); set local flag 40 (Lost_Tech08_USA) at PP8_Not_America (095B5C5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 40 (Lost_Tech08_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8856, Events line 9192, Actions line 9528.

287. PP8_Is_Neutral - 095B5F3C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_Is_America (095B0D4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 400 (global list position: Bunker (CABUNK04)). A map-local type-list change can affect index interpretation.
2. local flag 46 (Lost_Tech08_Neut) is set.

Flag writers in this mission: clear local flag 46 (Lost_Tech08_Neut) at PP8_Is_Neutral (095B5F3C); set local flag 46 (Lost_Tech08_Neut) at PP8_Not_Neutral (095B597C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 46 (Lost_Tech08_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8857, Events line 9193, Actions line 9529.

288. PP8_Not_America - 095B5C5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_Is_Neutral (095B5F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 400 (global list position: Bunker (CABUNK04)). A map-local type-list change can affect index interpretation.
2. local flag 40 (Lost_Tech08_USA) is clear.

Flag writers in this mission: clear local flag 40 (Lost_Tech08_USA) at PP8_Entered (0BFCDC7C); clear local flag 40 (Lost_Tech08_USA) at PP8_Is_America (095B0D4C); set local flag 40 (Lost_Tech08_USA) at PP8_Not_America (095B5C5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 40 (Lost_Tech08_USA).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8858, Events line 9194, Actions line 9530.

289. PP8_Not_Neutral - 095B597C

Owner reference: PowerHouse Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP8_Not_America (095B5C5C).

Attached scope: CAPOWR08, owner PowerHouse, cell (125, 81), tag 0BFCDB9C, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 409. A map-local type-list change can affect index interpretation.
2. local flag 46 (Lost_Tech08_Neut) is clear.

Flag writers in this mission: clear local flag 46 (Lost_Tech08_Neut) at PP8_Is_Neutral (095B5F3C); set local flag 46 (Lost_Tech08_Neut) at PP8_Not_Neutral (095B597C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 46 (Lost_Tech08_Neut).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8859, Events line 9195, Actions line 9531.

290. Nuke_Plant_Gone - 0930139C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Nuclear Reactor (NANRCT), owner Confederation, cell (55, 72), tag 09304F4C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.
2. Destroyed by anything. See attached-object/cell scope below.
3. local flag 3 (Time_Warp) is clear.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 48 (Nuke_Destroyed).
2. Disable Nuke_Plant_Gone (0930139C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8860, Events line 9196, Actions line 9532.

291. Player_Has_Plant1 - 096E1F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 402 (global list position: US Flag (CALUNR02)). A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8861, Events line 9197, Actions line 9533.

292. Player_Has_Plant2 - 096E125C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant1 (096E1F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 403. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8862, Events line 9198, Actions line 9534.

293. Player_Has_Plant3 - 096E0D8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant2 (096E125C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 404. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8863, Events line 9199, Actions line 9535.

294. Player_Has_Plant4 - 096E0AAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant3 (096E0D8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 405. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8864, Events line 9200, Actions line 9536.

295. Player_Has_Plant5 - 096E07CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant4 (096E0AAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 406. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8865, Events line 9201, Actions line 9537.

296. Player_Has_Plant6 - 096E04EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant5 (096E07CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 407. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8866, Events line 9202, Actions line 9538.

297. Player_Has_Plant7 - 096E020C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant6 (096E04EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 408. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8867, Events line 9203, Actions line 9539.

298. Player_Has_Plant8 - 096E2DDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Has_Plant7 (096E020C).

Attached scope: tag definitions 096E134C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 409. A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 49 (Player_Has_Plant).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8868, Events line 9204, Actions line 9540.

299. Cannon1_Gone - 08D5F24C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Return_Cannons1 (043808CC).

Attached scope: Grand Cannon (GTGCAN), owner Americans, cell (80, 105), tag 08A9AACC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 50 (Cannon1_Gone).
2. Disable Cannon1_Gone (08D5F24C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8869, Events line 9205, Actions line 9541.

300. Cannon2_Gone - 08D5DE6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Return_Cannons2 (043772BC).

Attached scope: Grand Cannon (GTGCAN), owner Americans, cell (83, 105), tag 08A9A9EC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 51 (Cannon2_Gone).
2. Disable Cannon2_Gone (08D5DE6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8870, Events line 9206, Actions line 9542.

301. Cannon3_Gone - 08D5DB4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Return_Cannons3 (04378F3C).

Attached scope: Grand Cannon (GTGCAN), owner Americans, cell (77, 93), tag 08A9A90C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 52 (Cannon3_Gone).

2. Disable Cannon3_Gone (08D5DB4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8871, Events line 9207, Actions line 9543.

302. Cannon4_Gone - 08D5D82C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Return_Cannons4 (0438076C).

Attached scope: Grand Cannon (GTGCAN), owner Americans, cell (81, 97), tag 08A9A82C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 53 (Cannon4_Gone).
2. Disable Cannon4_Gone (08D5D82C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8872, Events line 9208, Actions line 9544.

303. Barracks_Gone - 08E56B3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Engineer_Check (08E568DC).
2. Disable Barracks_Gone (08E56B3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8873, Events line 9209, Actions line 9545.

304. Engineer_Check - 08E568DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Barracks_Gone (08E56B3C).

Incoming activation links: enable from Barracks_Gone (08E56B3C); enable from Engineers_Arrived (090AB04C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Time_Warp) is clear.
2. Low Power: owner selector 0 (country/type AMERICANS; placed owner Americans).
3. No instances of Engineer (ENGINEER) exist on the map, under this event's ownership scope.

Flag writers in this mission: set local flag 3 (Time_Warp) at Play_Movies (0899832C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Engineers (0908B07C).
2. Enable and reset applicable timers for Engineers_Arrived (090AB04C).
3. Disable Engineer_Check (08E568DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8874, Events line 9210, Actions line 9546.

305. Engineers_Arrived - 090AB04C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Engineer_Check (08E568DC).

Incoming activation links: enable from Engineer_Check (08E568DC).

Attached scope: Allied Barracks (GAPILE), owner Americans, cell (97, 105), tag 08E569CC, persistence mode 2.

Wait for the recorded events:

1. local flag 54 (Engineers_Landed) is set.

Flag writers in this mission: clear local flag 54 (Engineers_Landed) at Engineers_Arrived (090AB04C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 54 (Engineers_Landed).
2. Create radar-event marker type 2 at waypoint 142 (cell 88, 105).
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Enable and reset applicable timers for Engineer_Check (08E568DC).
5. Disable Engineers_Arrived (090AB04C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8875, Events line 9211, Actions line 9547.

306. Start_ZC_EE_Patrol - 07ADF47C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07AD8ADC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CityP1 (0AEB2EFC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8876, Events line 9212, Actions line 9548.

307. Start_AB_GX_Patrol - 05EFF13C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05EF8A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CityP5 (0AEB564C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8877, Events line 9213, Actions line 9549.

308. LosingPP1_Easy - 04EBCACC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from PP1_Check_Easy (04EBA4DC); enable from PP2_Check_Easy (04EBBCBC); enable from PP3_Check_Easy (04EBBBCC); enable from PP4_Check_Easy (04E95DAC); enable from PP5_Check_Easy (04E95CBC); enable from PP6_Check_Easy (04EC0C5C); enable from PP7_Check_Easy (04EC0F3C); enable from PP8_Check_Easy (04EC63AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 55 (LostPP1_Easy) is clear.

Flag writers in this mission: set local flag 55 (LostPP1_Easy) at LosingPP1_Easy (04EBCACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP1_Easy (04EBC8FC).
2. Set local flag 55 (LostPP1_Easy).
3. Disable LosingPP1_Easy (04EBCACC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8878, Events line 9214, Actions line 9550.

309. LostPP1_Easy - 04EBC8FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: LosingPP1_Easy (04EBCACC).

Incoming activation links: enable from PP1_Check_Easy (04EBA4DC); enable from PP2_Check_Easy (04EBBCBC); enable from PP3_Check_Easy (04EBBBCC); enable from PP4_Check_Easy (04E95DAC); enable from PP5_Check_Easy (04E95CBC); enable from PP6_Check_Easy (04EC0C5C); enable from PP7_Check_Easy (04EC0F3C); enable from PP8_Check_Easy (04EC63AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 55 (LostPP1_Easy) is set.

Flag writers in this mission: set local flag 55 (LostPP1_Easy) at LosingPP1_Easy (04EBCACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP2_Easy (04EBB62C).
2. Enable and reset applicable timers for LostPP2_Easy (04EB9BDC).
3. Disable LostPP1_Easy (04EBC8FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8879, Events line 9215, Actions line 9551.

310. LosingPP2_Easy - 04EBB62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: LostPP1_Easy (04EBC8FC).

Incoming activation links: enable from LostPP1_Easy (04EBC8FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 56 (LostPP2_Easy) is clear.
2. local flag 55 (LostPP1_Easy) is set.

Flag writers in this mission: set local flag 56 (LostPP2_Easy) at LosingPP2_Easy (04EBB62C); set local flag 55 (LostPP1_Easy) at LosingPP1_Easy (04EBCACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP2_Easy (04EB9BDC).
2. Set local flag 56 (LostPP2_Easy).
3. Disable LosingPP2_Easy (04EBB62C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8880, Events line 9216, Actions line 9552.

311. LostPP2_Easy - 04EB9BDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP7_Easy (04EB9CCC).

Incoming activation links: enable from LostPP1_Easy (04EBC8FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 56 (LostPP2_Easy) is set.

Flag writers in this mission: set local flag 56 (LostPP2_Easy) at LosingPP2_Easy (04EBB62C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP3_Easy (04EBB53C).
2. Enable and reset applicable timers for LostPP3_Easy (04EB9AEC).
3. Disable LostPP2_Easy (04EB9BDC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8881, Events line 9217, Actions line 9553.

312. LosingPP7_Easy - 04EB9CCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP6_Easy (04EB9DBC).

Incoming activation links: enable from LostPP6_Easy (04EB981C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 61 (LostPP7_Easy) is clear.
2. local flag 60 (LostPP6_Easy) is set.

Flag writers in this mission: set local flag 61 (LostPP7_Easy) at LosingPP7_Easy (04EB9CCC); set local flag 60 (LostPP6_Easy) at LosingPP6_Easy (04EB9DBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP7_Easy (04EB972C).
2. Set local flag 61 (LostPP7_Easy).
3. Enable and reset applicable timers for Player_Lost (06178D0C).
4. Disable LosingPP7_Easy (04EB9CCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8882, Events line 9218, Actions line 9554.

313. LosingPP3_Easy - 04EBB53C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP2_Easy (04EBB62C).

Incoming activation links: enable from LostPP2_Easy (04EB9BDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 57 (LostPP3_Easy) is clear.
2. local flag 56 (LostPP2_Easy) is set.

Flag writers in this mission: set local flag 57 (LostPP3_Easy) at LosingPP3_Easy (04EBB53C); set local flag 56 (LostPP2_Easy) at LosingPP2_Easy (04EBB62C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP3_Easy (04EB9AEC).
2. Set local flag 57 (LostPP3_Easy).
3. Disable LosingPP3_Easy (04EBB53C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8883, Events line 9219, Actions line 9555.

314. LostPP3_Easy - 04EB9AEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LostPP2_Easy (04EB9BDC).

Incoming activation links: enable from LostPP2_Easy (04EB9BDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 57 (LostPP3_Easy) is set.

Flag writers in this mission: set local flag 57 (LostPP3_Easy) at LosingPP3_Easy (04EBB53C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP4_Easy (04EBB44C).
2. Enable and reset applicable timers for LostPP4_Easy (04EB99FC).
3. Disable LostPP3_Easy (04EB9AEC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8884, Events line 9220, Actions line 9556.

315. LosingPP6_Easy - 04EB9DBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP5_Easy (04EBB35C).

Incoming activation links: enable from LostPP5_Easy (04EB990C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 60 (LostPP6_Easy) is clear.
2. local flag 59 (LostPP5_Easy) is set.

Flag writers in this mission: set local flag 60 (LostPP6_Easy) at LosingPP6_Easy (04EB9DBC); set local flag 59 (LostPP5_Easy) at LosingPP5_Easy (04EBB35C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP6_Easy (04EB981C).
2. Set local flag 60 (LostPP6_Easy).
3. Disable LosingPP6_Easy (04EB9DBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8885, Events line 9221, Actions line 9557.

316. LostPP7_Easy - 04EB972C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LostPP6_Easy (04EB981C).

Incoming activation links: enable from LostPP6_Easy (04EB981C).

Attached scope: tag definitions 04EBC9EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 61 (LostPP7_Easy) is set.

Flag writers in this mission: set local flag 61 (LostPP7_Easy) at LosingPP7_Easy (04EB9CCC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LosingPP7_Easy (04EB9CCC).
2. Disable LostPP7_Easy (04EB972C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8886, Events line 9222, Actions line 9558.

317. LosingPP4_Easy - 04EBB44C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP3_Easy (04EBB53C).

Incoming activation links: enable from LostPP3_Easy (04EB9AEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 58 (LostPP4_Easy) is clear.
2. local flag 57 (LostPP3_Easy) is set.

Flag writers in this mission: set local flag 58 (LostPP4_Easy) at LosingPP4_Easy (04EBB44C); set local flag 57 (LostPP3_Easy) at LosingPP3_Easy (04EBB53C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP4_Easy (04EB99FC).
2. Set local flag 58 (LostPP4_Easy).
3. Disable LosingPP4_Easy (04EBB44C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8887, Events line 9223, Actions line 9559.

318. LostPP4_Easy - 04EB99FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LostPP3_Easy (04EB9AEC).

Incoming activation links: enable from LostPP3_Easy (04EB9AEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 58 (LostPP4_Easy) is set.

Flag writers in this mission: set local flag 58 (LostPP4_Easy) at LosingPP4_Easy (04EBB44C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP5_Easy (04EBB35C).
2. Enable and reset applicable timers for LostPP5_Easy (04EB990C).
3. Disable LostPP4_Easy (04EB99FC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8888, Events line 9224, Actions line 9560.

319. LosingPP5_Easy - 04EBB35C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LosingPP4_Easy (04EBB44C).

Incoming activation links: enable from LostPP4_Easy (04EB99FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 59 (LostPP5_Easy) is clear.
2. local flag 58 (LostPP4_Easy) is set.

Flag writers in this mission: set local flag 59 (LostPP5_Easy) at LosingPP5_Easy (04EBB35C); set local flag 58 (LostPP4_Easy) at LosingPP4_Easy (04EBB44C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable LostPP5_Easy (04EB990C).
2. Set local flag 59 (LostPP5_Easy).
3. Disable LosingPP5_Easy (04EBB35C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8889, Events line 9225, Actions line 9561.

320. LostPP6_Easy - 04EB981C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LostPP5_Easy (04EB990C).

Incoming activation links: enable from LostPP5_Easy (04EB990C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 60 (LostPP6_Easy) is set.

Flag writers in this mission: set local flag 60 (LostPP6_Easy) at LosingPP6_Easy (04EB9DBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP7_Easy (04EB9CCC).
2. Enable and reset applicable timers for LostPP7_Easy (04EB972C).
3. Disable LostPP6_Easy (04EB981C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8890, Events line 9226, Actions line 9562.

321. LostPP5_Easy - 04EB990C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: LostPP4_Easy (04EB99FC).

Incoming activation links: enable from LostPP4_Easy (04EB99FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 59 (LostPP5_Easy) is set.

Flag writers in this mission: set local flag 59 (LostPP5_Easy) at LosingPP5_Easy (04EBB35C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP6_Easy (04EB9DBC).
2. Enable and reset applicable timers for LostPP6_Easy (04EB981C).
3. Disable LostPP5_Easy (04EB990C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8891, Events line 9227, Actions line 9563.

322. PP1_Check_Easy - 04EBA4DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR01 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP1_Check_Easy (04EBA4DC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8892, Events line 9228, Actions line 9564.

323. PP2_Check_Easy - 04EBBCBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP1_Check_Easy (04EBA4DC).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR02 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP2_Check_Easy (04EBBCBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8893, Events line 9229, Actions line 9565.

324. PP3_Check_Easy - 04EBBBCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP2_Check_Easy (04EBBCBC).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR03 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP3_Check_Easy (04EBBBCC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8894, Events line 9230, Actions line 9566.

325. PP4_Check_Easy - 04E95DAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP3_Check_Easy (04EBBBCC).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR04 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP4_Check_Easy (04E95DAC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8895, Events line 9231, Actions line 9567.

326. PP5_Check_Easy - 04E95CBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP4_Check_Easy (04E95DAC).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR05 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP5_Check_Easy (04E95CBC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8896, Events line 9232, Actions line 9568.

327. PP6_Check_Easy - 04EC0C5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP5_Check_Easy (04E95CBC).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR06 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP6_Check_Easy (04EC0C5C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8897, Events line 9233, Actions line 9569.

328. PP7_Check_Easy - 04EC0F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP6_Check_Easy (04EC0C5C).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWR07 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).
2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP7_Check_Easy (04EC0F3C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8898, Events line 9234, Actions line 9570.

329. PP8_Check_Easy - 04EC63AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: PP7_Check_Easy (04EC0F3C).

Incoming activation links: enable from Enable_EasyPP_Check (04EC206C).

Attached scope: tag definitions 04EBA3FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of CAPOWR08 exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for LosingPP1_Easy (04EBCACC).

2. Enable and reset applicable timers for LostPP1_Easy (04EBC8FC).
3. Disable PP8_Check_Easy (04EC63AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8899, Events line 9235, Actions line 9571.

330. Enable_EasyPP_Check - 04EC206C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04EC569C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PP1_Check_Easy (04EBA4DC).
2. Enable and reset applicable timers for PP2_Check_Easy (04EBBCBC).
3. Enable and reset applicable timers for PP3_Check_Easy (04EBBBCC).
4. Enable and reset applicable timers for PP4_Check_Easy (04E95DAC).
5. Enable and reset applicable timers for PP5_Check_Easy (04E95CBC).
6. Enable and reset applicable timers for PP6_Check_Easy (04EC0C5C).
7. Enable and reset applicable timers for PP7_Check_Easy (04EC0F3C).
8. Enable and reset applicable timers for PP8_Check_Easy (04EC63AC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8900, Events line 9236, Actions line 9572.

331. Start_PP3_Checks - 09178C4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP3_Not_Neutral (095AAC9C).

Attached scope: CAPOWR03, owner PowerHouse, cell (119, 146), tag 0BAAD31C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PP3_Destroyed (0BABB5DC).
2. Enable and reset applicable timers for PP3_Entered (0BAAD3FC).
3. Disable Start_PP3_Checks (09178C4C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8901, Events line 9237, Actions line 9573.

332. Start_PP4_Check - 091786BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP4_Not_Neutral (095A9CFC).

Attached scope: CAPOWR04, owner PowerHouse, cell (121, 146), tag 0BAAD14C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PP4_Destroyed (0BAC2A9C).
2. Enable and reset applicable timers for PP4_Entered (0BAAD22C).
3. Disable Start_PP4_Check (091786BC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8902, Events line 9238, Actions line 9574.

333. Start_PP5_Check - 091782CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP5_Not_Neutral (095B6F3C).

Attached scope: CAPOWR05, owner PowerHouse, cell (153, 108), tag 0BAAE46C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PP5_Destroyed (0BAB8ACC).
2. Enable and reset applicable timers for PP5_Entered (0BAAE54C).
3. Disable Start_PP5_Check (091782CC).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8903, Events line 9239, Actions line 9575.

334. Start_PP6_Check - 09179E6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PP6_Not_Neutral (095B2E6C).

Attached scope: CAPOWR06, owner PowerHouse, cell (153, 106), tag 0BAAE29C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PP6_Destroyed (0BAB89DC).
2. Enable and reset applicable timers for PP6_Entered (0BAAE37C).
3. Enable and reset applicable timers for PP7_Destroyed (0BAAC68C).
4. Enable and reset applicable timers for PP7_Entered (0BFCA59C).
5. Enable and reset applicable timers for PP8_Destroyed (0BAAC59C).
6. Enable and reset applicable timers for PP8_Entered (0BFCDC7C).
7. Disable Start_PP6_Check (09179E6C).

Source locator: mapsmd03.mix/all01umd.map; Triggers line 8904, Events line 9240, Actions line 9576.

All team rosters and ordered plans | All mission overrides

Operation: Time Lapse - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all01umd.map; each team/script ID identifies its section.

Paradrop@I - 0A2BC12C

Owner: Russians. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Transport Waypoint: J.

Ordered plan: Paradrop@I_AttackBase (08133DBC).

1. Seek/attack target category; configured argument 2.
2. Seek/attack target category; configured argument 1.
3. Report team success.

Hover_Team_1 - 0A2BD90C

Owner: Nod. Roster: 1 × Lasher Light Tank (LTNK); 3 × Initiate (INIT); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Hover_One_Attack (0A9F8B7C).

1. Move to waypoint: waypoint 11 (cell 89, 79).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 0 (Hover1_Unloaded).
4. Move to waypoint: waypoint 39 (cell 98, 87).
5. Move to waypoint: waypoint 40 (cell 92, 93).
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.
10. Report team success.

Hover1_Home_Team - 0B7D664C

Owner: Nod. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Hover1_Home_Script (0B7D63DC).

1. Move to waypoint: waypoint 10 (cell 50, 21).
2. Delete team objects.

TEAM_NW_Attack - 089B3A4C

Owner: Russians. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: NW_Team_Script (0A9F821C).

1. Move to waypoint: waypoint 80 (cell 76, 124).
2. Move to waypoint: waypoint 81 (cell 80, 120).
3. Move to waypoint: waypoint 8 (cell 84, 119).
4. Seek/attack target category; configured argument 4.

5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.
10. Report team success.

TEAM_Starting_GI - 0B03E84C

Owner: Americans. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Deploy_Starting_GI (0B03E5DC).

1. Deploy.

TEAM_Starting_GGI - 08B03A4C

Owner: Americans. Roster: 5 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Deploy_Starting_GGI (0A2BFB7C).

1. Deploy.

TEAM_UT_Garrison - 043998EC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Garrsion_UT (0A797DBC).

1. Attack waypoint: waypoint 19 (cell 128, 97).

AA_AB_Patrol - 0AA79A4C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: AA_AB_Patrol (0BB87DBC).

1. Attack-move toward waypoint: waypoint 27 (cell 139, 125).
2. Attack-move toward waypoint: waypoint 28 (cell 135, 126).
3. Attack-move toward waypoint: waypoint 29 (cell 134, 134).
4. Attack-move toward waypoint: waypoint 30 (cell 129, 135).
5. Attack-move toward waypoint: waypoint 29 (cell 134, 134).
6. Attack-move toward waypoint: waypoint 28 (cell 135, 126).
7. Attack-move toward waypoint: waypoint 26 (cell 127, 125).
8. Jump to script line; configured argument 1.

TEAM_GGI_GuineaPig - 0BF1048C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: V.

Ordered plan: GGI_GuineaPig (0AB470CC).

1. Move to waypoint: waypoint 22 (cell 89, 97).

TEAM_GGI_Flash - 08B066CC

Owner: Americans. Roster: 5 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Flash_GGI (08B0645C).

1. Flash team; configured argument 120.

TEAM_ZAI_Garrison - 0437F1EC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Garrison_AI_Building (0437FCDC).

1. Attack waypoint: waypoint 34 (cell 118, 122).

TEAM_AJ_AK_Garrison - 089CE49C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: AJ_AK_Garrison (089CE22C).

1. Attack waypoint: waypoint 36 (cell 145, 98).

TEAM_Water_Two - 0A80332C

Owner: Confederation. Roster: 4 × Lasher Light Tank (LTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: Y.

Ordered plan: Water_Two_Unload (0AA0521C).

1. Move to waypoint: waypoint 23 (cell 104, 65).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 1 (Hover_2_Unloaded).
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.
8. Report team success.

Hover2_Home_Team - 0AB4AB7C

Owner: Confederation. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: Hover2_Home_Script (0AB4A90C).

1. Move to waypoint: waypoint 24 (cell 56, 14).
2. Delete team objects.

TEAM_AF_AG_Patrol - 08A006AC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: AF_AH_Patrol (08A0043C).

1. Attack-move toward waypoint: waypoint 31 (cell 150, 101).

2. Attack-move toward waypoint: waypoint 33 (cell 150, 111).
3. Attack-move toward waypoint: waypoint 31 (cell 150, 101).
4. Attack-move toward waypoint: waypoint 32 (cell 138, 101).
5. Jump to script line; configured argument 1.

TEAM_Water3 - 0A7F16AC

Owner: Germans. Roster: 3 × Lasher Light Tank (LTNK); 2 × Initiate (INIT); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Water3_Land (0AA0421C).

1. Move to waypoint: waypoint 38 (cell 81, 86).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 2 (Hover_3_Unloaded).
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.
8. Report team success.

Hover3_Home_Team - 0B16493C

Owner: Germans. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: Hover3_Go_Home (0B1646CC).

1. Move to waypoint: waypoint 37 (cell 42, 29).
2. Delete team objects.

TEAM_Attack_Tanya - 09F3BC1C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Attack_Tanya (09F3B76C).

1. Move to waypoint: waypoint 14 (cell 100, 110).
2. Seek/attack target category; configured argument 4.
3. Report team success.

TEAM_Apocs - 09F3A3CC

Owner: Russians. Roster: 4 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Apoc_Attack (0927132C).

1. Attack/garrison waypoint building: waypoint 78 (cell 75, 100).
2. Seek/attack target category; configured argument 1.

TEAM_Apoc1 - 093DDC8C

Owner: Special. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CE.

Ordered plan: Apoc1_Script (09270C8C).

1. Set facing; configured argument 6.
2. Attack/garrison waypoint building: waypoint 78 (cell 75, 100).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 10.

TEAM_Apoc2 - 093DD7DC

Owner: Special. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CF.

Ordered plan: Apoc2_Script (092707DC).

1. Set facing; configured argument 6.
2. Attack/garrison waypoint building: waypoint 78 (cell 75, 100).
3. Seek/attack target category; configured argument 1.

TEAM_Apoc3 - 093DD32C

Owner: Special. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CG.

Ordered plan: Apoc3_Script (0927032C).

1. Set facing; configured argument 6.
2. Attack/garrison waypoint building: waypoint 78 (cell 75, 100).
3. Seek/attack target category; configured argument 1.

TEAM_Apoc4 - 093DFDEC

Owner: Special. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CH.

Ordered plan: Apoc4_Script (0930529C).

1. Set facing; configured argument 6.
2. Attack/garrison waypoint building: waypoint 78 (cell 75, 100).
3. Seek/attack target category; configured argument 1.

TEAM_AP_Paradrop - 0D2AF91C

Owner: Africans. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AP; Transport Waypoint: CI.

Ordered plan: AP_Paradrop_Script (0D2AF6AC).

1. Move to waypoint: waypoint 42 (cell 101, 111).
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.
4. Report team success.

TEAM_Dred1 - 0955BB7C

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DX.

Ordered plan: Dred1_Script (0C32290C).

1. Set facing; configured argument 2.
2. Attack selected enemy-building category; configured argument 131138.

TEAM_Dred2 - 0955B6CC

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DY.

Ordered plan: Dred2_Script (0B4F0DBC).

1. Set facing; configured argument 2.
2. Attack/garrison waypoint building: waypoint 70 (cell 73, 102).
3. Attack waypoint: waypoint 286 (cell 78, 85).
4. Attack waypoint: waypoint 441 (cell 87, 90).

TEAM_Dred3 - 0955B21C

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DZ.

Ordered plan: Dred3_Script (0C360A1C).

1. Set facing; configured argument 3.
2. Attack waypoint: waypoint 291 (cell 99, 65).
3. Attack waypoint: waypoint 125 (cell 102, 72).
4. Attack waypoint: waypoint 440 (cell 108, 75).

TEAM_Scorp1 - 09645EFC

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: ST.

Ordered plan: Scorp1_Script (09645C8C).

1. Move to waypoint: waypoint 63 (cell 66, 64).
2. Move to waypoint: waypoint 64 (cell 61, 50).
3. Move to waypoint: waypoint 65 (cell 46, 45).
4. Move to waypoint: waypoint 66 (cell 35, 53).
5. Move to waypoint: waypoint 67 (cell 31, 70).
6. Move to waypoint: waypoint 68 (cell 49, 88).
7. Move to waypoint: waypoint 69 (cell 62, 85).
8. Move to waypoint: waypoint 513 (cell 69, 79).
9. Jump to script line; configured argument 1.

TEAM_Scorp2 - 09645A4C

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Scorp2_Script (091F7C8C).

1. Move to waypoint: waypoint 67 (cell 31, 70).
2. Move to waypoint: waypoint 68 (cell 49, 88).
3. Move to waypoint: waypoint 69 (cell 62, 85).
4. Move to waypoint: waypoint 513 (cell 69, 79).
5. Move to waypoint: waypoint 63 (cell 66, 64).
6. Move to waypoint: waypoint 64 (cell 61, 50).
7. Move to waypoint: waypoint 65 (cell 46, 45).
8. Move to waypoint: waypoint 66 (cell 35, 53).
9. Jump to script line; configured argument 1.

TEAM_Scorp3 - 0964580C

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: Scorp3_Script (091F730C).

1. Move to waypoint: waypoint 65 (cell 46, 45).
2. Move to waypoint: waypoint 66 (cell 35, 53).
3. Move to waypoint: waypoint 67 (cell 31, 70).
4. Move to waypoint: waypoint 68 (cell 49, 88).
5. Move to waypoint: waypoint 69 (cell 62, 85).
6. Move to waypoint: waypoint 513 (cell 69, 79).
7. Move to waypoint: waypoint 63 (cell 66, 64).
8. Move to waypoint: waypoint 64 (cell 61, 50).
9. Jump to script line; configured argument 1.

TEAM_Scorp4 - 096455CC

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: Scorp4_Script (091F5ABC).

1. Move to waypoint: waypoint 69 (cell 62, 85).
2. Move to waypoint: waypoint 513 (cell 69, 79).
3. Move to waypoint: waypoint 63 (cell 66, 64).
4. Move to waypoint: waypoint 64 (cell 61, 50).
5. Move to waypoint: waypoint 65 (cell 46, 45).
6. Move to waypoint: waypoint 66 (cell 35, 53).
7. Move to waypoint: waypoint 67 (cell 31, 70).
8. Move to waypoint: waypoint 68 (cell 49, 88).
9. Jump to script line; configured argument 1.

TEAM_Carriers - 08071C8C

Owner: Americans. Roster: 3 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CQ.

Ordered plan: Carrier_Script (089B0DBC).

1. Move to waypoint: waypoint 417 (cell 56, 89).

TEAM_RA_Tanks - 0AA2AEFC

Owner: Russians. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: RA.

Ordered plan: RA_Tanks_Script (0E5B3A1C).

1. Move to waypoint: waypoint 469 (cell 101, 119).
2. Move to waypoint: waypoint 470 (cell 88, 118).
3. Seek/attack target category; configured argument 1.

TEAM_RDU_Patrol - 0BB37C5C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: RD.

Ordered plan: RDU_Patrol_Script (0BB379EC).

1. Attack-move toward waypoint: waypoint 472 (cell 128, 79).
2. Attack-move toward waypoint: waypoint 473 (cell 130, 81).
3. Attack-move toward waypoint: waypoint 474 (cell 129, 91).
4. Attack-move toward waypoint: waypoint 20 (cell 129, 101).
5. Attack-move toward waypoint: waypoint 474 (cell 129, 91).
6. Attack-move toward waypoint: waypoint 473 (cell 130, 81).
7. Attack-move toward waypoint: waypoint 472 (cell 128, 79).
8. Attack-move toward waypoint: waypoint 471 (cell 120, 79).
9. Jump to script line; configured argument 1.

TEAM_RHRL_Patrol - 0BB4625C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: RH.

Ordered plan: RHRL_Patrol_Script (0BB47DBC).

1. Attack-move toward waypoint: waypoint 476 (cell 128, 150).
2. Attack-move toward waypoint: waypoint 477 (cell 117, 150).
3. Attack-move toward waypoint: waypoint 478 (cell 117, 143).
4. Attack-move toward waypoint: waypoint 479 (cell 112, 142).
5. Attack-move toward waypoint: waypoint 478 (cell 117, 143).
6. Attack-move toward waypoint: waypoint 477 (cell 117, 150).
7. Attack-move toward waypoint: waypoint 476 (cell 128, 150).
8. Attack-move toward waypoint: waypoint 475 (cell 128, 141).
9. Jump to script line; configured argument 1.

TEAM_RM_RN_Attack - 0C36E6AC

Owner: Russians. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: RM.

Ordered plan: RM_RN_Script (0C36E43C).

1. Move to waypoint: waypoint 481 (cell 102, 100).
2. Attack selected enemy-building category; configured argument 314.
3. Seek/attack target category; configured argument 2.
4. Seek/attack target category; configured argument 1.
5. Report team success.

TEAM_Taxi1 - 0A7AB79C

Owner: Neutral. Roster: 1 × Taxi (TAXI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Taxi1_Script (0A9467DC).

1. Move to waypoint: waypoint 679 (cell 109, 77).
2. Move to waypoint: waypoint 108 (cell 87, 83).
3. Move to waypoint: waypoint 111 (cell 80, 95).
4. Move to waypoint: waypoint 112 (cell 84, 96).
5. Move to waypoint: waypoint 111 (cell 80, 95).

6. Move to waypoint: waypoint 108 (cell 87, 83).
7. Move to waypoint: waypoint 679 (cell 109, 77).
8. Move to waypoint: waypoint 104 (cell 114, 68).
9. Jump to script line; configured argument 1.

TEAM_Truck1 - 0A7AB0CC

Owner: Neutral. Roster: 1 × Pickup Truck (PTRUCK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DL.

Ordered plan: Truck1_Script (0A91721C).

1. Move to waypoint: waypoint 116 (cell 105, 65).
2. Move to waypoint: waypoint 117 (cell 105, 77).
3. Move to waypoint: waypoint 118 (cell 115, 79).
4. Move to waypoint: waypoint 119 (cell 129, 79).
5. Move to waypoint: waypoint 20 (cell 129, 101).
6. Move to waypoint: waypoint 35 (cell 150, 102).
7. Move to waypoint: waypoint 120 (cell 149, 112).
8. Move to waypoint: waypoint 121 (cell 152, 112).
9. Move to waypoint: waypoint 122 (cell 152, 115).
10. Move to waypoint: waypoint 130 (cell 156, 115).
11. Move to waypoint: waypoint 122 (cell 152, 115).
12. Move to waypoint: waypoint 121 (cell 152, 112).
13. Move to waypoint: waypoint 120 (cell 149, 112).
14. Move to waypoint: waypoint 35 (cell 150, 102).
15. Move to waypoint: waypoint 20 (cell 129, 101).
16. Move to waypoint: waypoint 119 (cell 129, 79).
17. Move to waypoint: waypoint 118 (cell 115, 79).
18. Move to waypoint: waypoint 117 (cell 105, 77).
19. Move to waypoint: waypoint 116 (cell 105, 65).
20. Move to waypoint: waypoint 115 (cell 103, 65).
21. Jump to script line; configured argument 1.

TEAM_Cop1 - 0A7ACC6C

Owner: Neutral. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Cop1_Script (0A90532C).

1. Move to waypoint: waypoint 481 (cell 102, 100).
2. Move to waypoint: waypoint 13 (cell 88, 100).
3. Move to waypoint: waypoint 481 (cell 102, 100).
4. Move to waypoint: waypoint 20 (cell 129, 101).
5. Jump to script line; configured argument 1.

TEAM_ConVehicle1 - 0A7AC7BC

Owner: Neutral. Roster: 1 × Excavator (CONA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: EB.

Ordered plan: ConVehicle1_Script (08A06C2C).

1. Guard for interval; configured argument 120.

2. Jump to script line; configured argument 1.

TEAM_ConVehicle2 - 0A7AC30C

Owner: Neutral. Roster: 1 × Excavator (CONA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: EC.

Ordered plan: ConVehicle2_Script (08A0664C).

1. Guard for interval; configured argument 120.
2. Jump to script line; configured argument 1.

TEAM_Cop2 - 0A7ADDEC

Owner: Neutral. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Cop2_Script (0A90632C).

1. Move to waypoint: waypoint 134 (cell 113, 118).
2. Move to waypoint: waypoint 135 (cell 115, 118).
3. Move to waypoint: waypoint 136 (cell 115, 110).
4. Move to waypoint: waypoint 137 (cell 111, 110).
5. Move to waypoint: waypoint 138 (cell 111, 100).
6. Move to waypoint: waypoint 13 (cell 88, 100).
7. Move to waypoint: waypoint 138 (cell 111, 100).
8. Move to waypoint: waypoint 137 (cell 111, 110).
9. Move to waypoint: waypoint 136 (cell 115, 110).
10. Move to waypoint: waypoint 135 (cell 115, 118).
11. Move to waypoint: waypoint 134 (cell 113, 118).
12. Move to waypoint: waypoint 133 (cell 113, 149).
13. Jump to script line; configured argument 1.

TEAM_Civ1 - 06A1C95C

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ1_Script (06A1C6EC).

1. Panic.
2. Jump to script line; configured argument 1.

TEAM_Civ2 - 06A1C37C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ2_Script (06A1C10C).

1. Panic.
2. Jump to script line; configured argument 1.

TEAM_Civ3 - 06A1DEBC

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ3_Script (06A1DC4C).

1. Panic.
2. Jump to script line; configured argument 1.

TEAM_Calm_Civ1 - 068FE26C

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Calm_Civ1_Script (068FFDBC).

1. Guard for interval; configured argument 120.
2. Jump to script line; configured argument 1.

TEAM_Calm_Civ2 - 068FFC5C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Calm_Civ1_Script (068FFDBC).

1. Guard for interval; configured argument 120.
2. Jump to script line; configured argument 1.

TEAM_Calm_Civ3 - 068FFB2C

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Calm_Civ1_Script (068FFDBC).

1. Guard for interval; configured argument 120.
2. Jump to script line; configured argument 1.

TEAM_Stat_Stang - 068FC13C

Owner: Neutral. Roster: 1 × Automobile (STANG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Stat_Stang_UL_Script (0A91BC8C).

1. Set facing; configured argument 6.

TEAM_Stat_SUVW - 068FDEFC

Owner: Neutral. Roster: 1 × Automobile (SUVW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Stat_SUVW_LR_Script (0A91B7DC).

1. Set facing; configured argument 2.

TEAM_SUVW1 - 0692D74C

Owner: Neutral. Roster: 1 × Automobile (SUVW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: GC.

Ordered plan: SUVW1_Script (0692D4DC).

1. Move to waypoint: waypoint 28 (cell 135, 126).
2. Move to waypoint: waypoint 185 (cell 135, 125).
3. Move to waypoint: waypoint 186 (cell 86, 125).
4. Move to waypoint: waypoint 184 (cell 86, 126).

5. Jump to script line; configured argument 1.

TEAM_Cop3 - 0692AB8C

Owner: Neutral. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: GD.

Ordered plan: Cop3_Script (0692A91C).

1. Move to waypoint: waypoint 186 (cell 86, 125).
2. Move to waypoint: waypoint 184 (cell 86, 126).
3. Move to waypoint: waypoint 28 (cell 135, 126).
4. Move to waypoint: waypoint 185 (cell 135, 125).
5. Jump to script line; configured argument 1.

TEAM_Cop4 - 069226CC

Owner: Neutral. Roster: 1 × Police Car (COP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: GF.

Ordered plan: Cop4_Script (0692245C).

1. Move to waypoint: waypoint 114 (cell 153, 102).
2. Move to waypoint: waypoint 187 (cell 87, 102).
3. Move to waypoint: waypoint 188 (cell 151, 100).
4. Move to waypoint: waypoint 13 (cell 88, 100).
5. Move to waypoint: waypoint 187 (cell 87, 102).
6. Jump to script line; configured argument 1.

TEAM_Alcatraz1 - 0C92859C

Owner: French. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0.

Ordered plan: Alcatraz_1_Script (0692849C).

1. Set facing; configured argument 6.
2. Guard for interval; configured argument 120.
3. Jump to script line; configured argument 2.

TEAM_Alcatraz_2 - 0C95AA7C

Owner: French. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0.

Ordered plan: Alcatraz_2_Script (0692C79C).

1. Set facing; configured argument 1.
2. Guard for interval; configured argument 120.
3. Jump to script line; configured argument 2.

TEAM_SUVB_LL - 0C39AEFC

Owner: Neutral. Roster: 1 × Automobile (SUVB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Stat_SUVB_LL (0C39AC8C).

1. Set facing; configured argument 4.

2. Guard for interval; configured argument 120.
3. Jump to script line; configured argument 2.

TEAM_WINI_UR - 0C39803C

Owner: Neutral. Roster: 1 × Recreational Vehicle (WINI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Wini_UR_Script (0C39879C).

1. Set facing; configured argument 1.
2. Guard for interval; configured argument 120.
3. Jump to script line; configured argument 2.

TEAM_Stang2 - 0C8992CC

Owner: Neutral. Roster: 1 × Automobile (STANG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Stang2_Script (0C89905C).

1. Move to waypoint: waypoint 191 (cell 115, 102).
2. Move to waypoint: waypoint 192 (cell 114, 83).
3. Move to waypoint: waypoint 193 (cell 103, 83).
4. Move to waypoint: waypoint 194 (cell 104, 78).
5. Move to waypoint: waypoint 107 (cell 101, 78).
6. Move to waypoint: waypoint 195 (cell 96, 82).
7. Move to waypoint: waypoint 196 (cell 86, 82).
8. Move to waypoint: waypoint 197 (cell 86, 84).
9. Move to waypoint: waypoint 198 (cell 80, 84).
10. Move to waypoint: waypoint 111 (cell 80, 95).
11. Move to waypoint: waypoint 112 (cell 84, 96).
12. Move to waypoint: waypoint 114 (cell 153, 102).
13. Jump to script line; configured argument 1.

TEAM_Bus1 - 08BF127C

Owner: Neutral. Roster: 1 × Cable Car (CBLC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Bus1_Script (08BF2DBC).

1. Move to waypoint: waypoint 46 (cell 85, 101).
2. Move to waypoint: waypoint 55 (cell 127, 100).
3. Jump to script line; configured argument 1.

TEAM_SUVB_2 - 0A7C0A8C

Owner: Neutral. Roster: 1 × Automobile (SUVB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: SUVB2_Script (0A7C081C).

1. Move to waypoint: waypoint 199 (cell 135, 119).
2. Move to waypoint: waypoint 200 (cell 134, 119).
3. Move to waypoint: waypoint 201 (cell 133, 114).
4. Move to waypoint: waypoint 202 (cell 132, 114).

5. Move to waypoint: waypoint 203 (cell 131, 106).
6. Move to waypoint: waypoint 204 (cell 130, 106).
7. Move to waypoint: waypoint 20 (cell 129, 101).
8. Move to waypoint: waypoint 35 (cell 150, 102).
9. Move to waypoint: waypoint 120 (cell 149, 112).
10. Move to waypoint: waypoint 121 (cell 152, 112).
11. Move to waypoint: waypoint 122 (cell 152, 115).
12. Move to waypoint: waypoint 205 (cell 152, 125).
13. Move to waypoint: waypoint 27 (cell 139, 125).
14. Move to waypoint: waypoint 28 (cell 135, 126).
15. Jump to script line; configured argument 1.

TEAM_Harriers - 0780F21C

Owner: Alliance. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: PG.

Ordered plan: Harrier1_Script (0C69990C).

1. Move to waypoint: waypoint 214 (cell 60, 69).

TEAM_Harrier2 - 0780BC8C

Owner: Alliance. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: PC.

Ordered plan: Harrier2_Script (0C69945C).

1. Move to waypoint: waypoint 214 (cell 60, 69).

TEAM_Tanya - 088C1A4C

Owner: Americans. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 3; Technology level: 0; Waypoint: PE.

Ordered plan: TEAM_Tanya (0926745C).

1. Move to waypoint: waypoint 93 (cell 96, 106).
2. Adopt object mission: area guard.

TEAM_CityP1 - 0AEB2EFC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ZC.

Ordered plan: CityP1_Script (0AEB2C8C).

1. Move to waypoint: waypoint 134 (cell 113, 118).
2. Move to waypoint: waypoint 678 (cell 112, 135).
3. Jump to script line; configured argument 1.

TEAM_City2 - 089305FC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: GJ.

Ordered plan: CityP2_Script (0893038C).

1. Move to waypoint: waypoint 313 (cell 137, 101).

2. Move to waypoint: waypoint 191 (cell 115, 102).
3. Jump to script line; configured argument 1.

TEAM_CityP3 - 0AEB68DC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: CityP3_Script (0AEB666C).

1. Move to waypoint: waypoint 54 (cell 129, 89).
2. Move to waypoint: waypoint 53 (cell 114, 89).
3. Jump to script line; configured argument 1.

TEAM_CityP4 - 08934B5C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: CityP4_Script (089348EC).

1. Move to waypoint: waypoint 204 (cell 130, 106).
2. Move to waypoint: waypoint 54 (cell 129, 89).
3. Jump to script line; configured argument 1.

TEAM_CityP5 - 0AEB564C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: CityP5_Script (0AEB50CC).

1. Move to waypoint: waypoint 205 (cell 152, 125).
2. Move to waypoint: waypoint 27 (cell 139, 125).
3. Jump to script line; configured argument 1.

TEAM_CityP6 - 096C680C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ZF.

Ordered plan: CityP6_Script (096C659C).

1. Move to waypoint: waypoint 205 (cell 152, 125).
2. Move to waypoint: waypoint 681 (cell 153, 114).
3. Jump to script line; configured argument 1.

TEAM_Dred4 - 09569A4C

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KC.

Ordered plan: DredKC_Script (0C372DBC).

1. Set facing; configured argument 2.
2. Attack waypoint: waypoint 287 (cell 83, 83).
3. Attack waypoint: waypoint 294 (cell 86, 80).
4. Attack waypoint: waypoint 109 (cell 88, 87).

TEAM_Dred5 - 0956959C

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KD.

Ordered plan: DredKD_Script (094DB7DC).

1. Set facing; configured argument 2.
2. Attack/garrison waypoint building: waypoint 194 (cell 104, 78).
3. Move to waypoint: waypoint 127 (cell 64, 90).
4. Move to waypoint: waypoint 289 (cell 90, 52).
5. Jump to script line; configured argument 3.

TEAM_Dred6 - 0956AEFC

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KE.

Ordered plan: DredKE_Script (0956AC8C).

1. Set facing; configured argument 2.
2. Attack/garrison waypoint building: waypoint 292 (cell 112, 64).
3. Move to waypoint: waypoint 127 (cell 64, 90).
4. Move to waypoint: waypoint 290 (cell 98, 51).
5. Jump to script line; configured argument 3.

TEAM_Dred7 - 0B4FFC8C

Owner: French. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KH.

Ordered plan: DredKH_Script (0956A7DC).

1. Set facing; configured argument 2.
2. Attack waypoint: waypoint 109 (cell 88, 87).
3. Move to waypoint: waypoint 513 (cell 69, 79).
4. Move to waypoint: waypoint 127 (cell 64, 90).
5. Jump to script line; configured argument 3.

TEAM_CruiseShip1 - 0973710C

Owner: Neutral. Roster: 1 × Cruise Ship (CRUISE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KJ.

Ordered plan: CruiseShip1_Script (06B482DC).

1. Set facing; configured argument 0.
2. Adopt object mission: sleep.

TEAM_CruiseShip2 - 0973241C

Owner: Neutral. Roster: 1 × Cruise Ship (CRUISE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KK.

Ordered plan: CruiseShip2_Script (06B4AC8C).

1. Set facing; configured argument 6.
2. Adopt object mission: sleep.

TEAM_ScorpPatrol1 - 09339C8C

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KL.

Ordered plan: ScorpPatrol1 (0798D54C).

1. Move to waypoint: waypoint 299 (cell 61, 65).
2. Move to waypoint: waypoint 297 (cell 61, 58).
3. Jump to script line; configured argument 1.

TEAM_TugBoat2 - 09735B1C

Owner: Neutral. Roster: 1 × Tug Boat (TUG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KM.

Ordered plan: TugBoat2_Script (06B4A43C).

1. Set facing; configured argument 6.
2. Adopt object mission: sleep.

TEAM_SovArmor1 - 0925E45C

Owner: Soviet2 Country. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RM.

Ordered plan: SovArmor1_Script (0973352C).

1. Move to waypoint: waypoint 14 (cell 100, 110).
2. Seek/attack target category; configured argument 1.

TEAM_SovArmor2 - 0925FDEC

Owner: Soviet2 Country. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RM.

Ordered plan: SovArmor2_Script (0973D72C).

1. Move to waypoint: waypoint 421 (cell 98, 101).
2. Seek/attack target category; configured argument 1.

TEAM_CityP7 - 096FCB5C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ZB.

Ordered plan: CityP7_Script (096FC8EC).

1. Move to waypoint: waypoint 680 (cell 134, 110).
2. Move to waypoint: waypoint 677 (cell 122, 110).
3. Jump to script line; configured argument 1.

TEAM_CW_Garrison - 0C96FB7C

Owner: French. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CX.

Ordered plan: NA_Garrison_Script (0C819ABC).

1. Attack waypoint: waypoint 100 (cell 41, 71).

TEAM_Lame_Tanks - 0B7FEECC

Owner: French. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: NC.

Ordered plan: LameTank_Script (0B7FEC5C).

1. Move to waypoint: waypoint 367 (cell 42, 59).
2. Move to waypoint: waypoint 366 (cell 46, 54).
3. Jump to script line; configured argument 1.

TEAM_Kirov_HT - 0941632C

Owner: Soviet2 Country. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HT.

Ordered plan: Kirov_Script (0962056C).

1. Move to waypoint: waypoint 304 (cell 70, 106).
2. Attack selected enemy-building category; configured argument 131136.
3. Move to waypoint: waypoint 146 (cell 107, 80).
4. Attack/garrison waypoint building: waypoint 146 (cell 107, 80).
5. Move to waypoint: waypoint 147 (cell 124, 76).
6. Attack/garrison waypoint building: waypoint 147 (cell 124, 76).
7. Move to waypoint: waypoint 148 (cell 126, 71).
8. Delete team objects.

TEAM_GGI_Group2 - 0E0F469C

Owner: Americans. Roster: 5 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RN.

Ordered plan: GGI_Group2_Script (0E0F442C).

1. Deploy.

TEAM_Start_Engineer - 0D3FA93C

Owner: Americans. Roster: 1 × Engineer (ENGINEER); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Start_Engineer_Script (06C9B07C).

1. Load transport.

TEAM_PP1_Group_PatrolA - 0C8E7A8C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: PP1_Group_Patrol_Script (0C8E8DBC).

1. Move to waypoint: waypoint 27 (cell 139, 125).
2. Move to waypoint: waypoint 26 (cell 127, 125).
3. Jump to script line; configured argument 1.

TEAM_PP1_Group_PatrolB - 06B9CD4C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: PP1_Group_PatrolB (06B9CADC).

1. Move to waypoint: waypoint 185 (cell 135, 125).
2. Move to waypoint: waypoint 29 (cell 134, 134).
3. Jump to script line; configured argument 1.

TEAM_Nuke_Repair - 0DC53EFC

Owner: Confederation. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Nuke_Repair (0DCD703C).

1. Attack waypoint: waypoint 364 (cell 55, 72).

TEAM_CableCar2 - 060FB74C

Owner: Neutral. Roster: 1 × Cable Car (CBLC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: CableCar_Script (060FDC5C).

1. Move to waypoint: waypoint 137 (cell 111, 110).
2. Move to waypoint: waypoint 33 (cell 150, 111).
3. Jump to script line; configured argument 1.

TEAM_BYgarrison - 096D287C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: BY_Garrision (096D260C).

1. Attack/garrison waypoint building: waypoint 77 (cell 119, 124).

ScorpPatrol2 - 0796497C

Owner: French. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KO.

Ordered plan: ScorpPatrol2 (0796470C).

1. Move to waypoint: waypoint 301 (cell 63, 58).
2. Move to waypoint: waypoint 300 (cell 63, 65).
3. Jump to script line; configured argument 1.

Alcatraz_Patrol - 098A9B5C

Owner: Confederation. Roster: 4 × Conscript (E2); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BT.

Ordered plan: Alcatraz_Patrol (098A833C).

1. Move to waypoint: waypoint 72 (cell 53, 61).
2. Move to waypoint: waypoint 71 (cell 52, 73).
3. Jump to script line; configured argument 1.

SovGar_BV - 0788E0EC

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGarrision_BW - 0788F21C

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGarrision_BX - 0788BC4C

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGar_CK - 077D3BAC

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGarr_CL - 077D3A7C

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGarr_CM - 077D394C

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGarr_CN - 077D381C

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

SovGar_CO - 077D36EC

Owner: French. Roster: 4 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CO.

Ordered plan: Sov_Garrison (0788BDBC).

1. Enter neutral occupiable building.

Engineers - 0908B07C

Owner: Americans. Roster: 4 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: EM; Transport Waypoint: EN.

Ordered plan: Engineers (0AE30DBC).

1. Set local flag: local flag 54 (Engineers_Landed).
2. Adopt object mission: area guard.

Leftover_Guy - 0915293C

Owner: Confederation. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HA.

Ordered plan: Leftover_Guy (091526CC).

1. Delete team objects.

Operation: Time Lapse - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all01umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Multiple Factory	0.8	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Min Low Power Production Speed	1.0	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Max Low Power Production Speed	1.0	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Low Power Penalty Modifier	1	5
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	6
NUKEPAYLOAD (NUKEPAYLOAD)	Rad Level	100	9
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	12
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	15
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	18
CAPOWR01	UI Name	Name:GAPOWR	31
CAPOWR01	Name	Tech01	32
CAPOWR01	Image	CAPOWR	33
CAPOWR01	Technology level	-1	34
CAPOWR01	Starting health capacity	800	35
CAPOWR01	Insignificant-object flag	yes	36
CAPOWR01	Nominal	yes	37
CAPOWR01	Sight radius setting	6	38
CAPOWR01	Points	5	39
CAPOWR01	Armor class	concrete	40
CAPOWR01	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	41
CAPOWR01	Max Debris	15	42
CAPOWR01	Min Debris	5	43
CAPOWR01	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	44
CAPOWR01	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	45
CAPOWR01	Engineer-capture permission	yes	46
CAPOWR01	Needs Engineer	yes	47
CAPOWR01	Selling forbidden	yes	48
CAPOWR01	Ammo	5	49
CAPOWR01	Leaves rubble	yes	50
CAPOWR01	Signed power contribution	200	51

Object/system	Property	Mission value	Source line
CAPOWR02	UI Name	Name:GAPOWR	54
CAPOWR02	Name	Tech02	55
CAPOWR02	Image	CAPOWR	56
CAPOWR02	Technology level	-1	57
CAPOWR02	Starting health capacity	800	58
CAPOWR02	Insignificant-object flag	yes	59
CAPOWR02	Nominal	yes	60
CAPOWR02	Sight radius setting	6	61
CAPOWR02	Points	5	62
CAPOWR02	Armor class	concrete	63
CAPOWR02	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	64
CAPOWR02	Max Debris	15	65
CAPOWR02	Min Debris	5	66
CAPOWR02	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	67
CAPOWR02	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	68
CAPOWR02	Engineer-capture permission	yes	69
CAPOWR02	Needs Engineer	yes	70
CAPOWR02	Selling forbidden	yes	71
CAPOWR02	Ammo	5	72
CAPOWR02	Leaves rubble	yes	73
CAPOWR02	Signed power contribution	200	74
CAPOWR03	UI Name	Name:GAPOWR	77
CAPOWR03	Name	Tech03	78
CAPOWR03	Image	CAPOWR	79
CAPOWR03	Technology level	-1	80
CAPOWR03	Starting health capacity	800	81
CAPOWR03	Insignificant-object flag	yes	82
CAPOWR03	Nominal	yes	83
CAPOWR03	Sight radius setting	6	84
CAPOWR03	Points	5	85
CAPOWR03	Armor class	concrete	86
CAPOWR03	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	87
CAPOWR03	Max Debris	15	88
CAPOWR03	Min Debris	5	89
CAPOWR03	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	90
CAPOWR03	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	91
CAPOWR03	Engineer-capture permission	yes	92
CAPOWR03	Needs Engineer	yes	93
CAPOWR03	Selling forbidden	yes	94
CAPOWR03	Ammo	5	95

Object/system	Property	Mission value	Source line
CAPOWR03	Leaves rubble	yes	96
CAPOWR03	Signed power contribution	200	97
CAPOWR04	UI Name	Name:GAPOWR	100
CAPOWR04	Name	Tech04	101
CAPOWR04	Image	CAPOWR	102
CAPOWR04	Technology level	-1	103
CAPOWR04	Starting health capacity	800	104
CAPOWR04	Insignificant-object flag	yes	105
CAPOWR04	Nominal	yes	106
CAPOWR04	Sight radius setting	6	107
CAPOWR04	Points	5	108
CAPOWR04	Armor class	concrete	109
CAPOWR04	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	110
CAPOWR04	Max Debris	15	111
CAPOWR04	Min Debris	5	112
CAPOWR04	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	113
CAPOWR04	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	114
CAPOWR04	Engineer-capture permission	yes	115
CAPOWR04	Needs Engineer	yes	116
CAPOWR04	Selling forbidden	yes	117
CAPOWR04	Ammo	5	118
CAPOWR04	Leaves rubble	yes	119
CAPOWR04	Signed power contribution	200	120
CAPOWR05	UI Name	Name:GAPOWR	123
CAPOWR05	Name	Tech05	124
CAPOWR05	Image	CAPOWR	125
CAPOWR05	Technology level	-1	126
CAPOWR05	Starting health capacity	800	127
CAPOWR05	Insignificant-object flag	yes	128
CAPOWR05	Nominal	yes	129
CAPOWR05	Sight radius setting	6	130
CAPOWR05	Points	5	131
CAPOWR05	Armor class	concrete	132
CAPOWR05	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	133
CAPOWR05	Max Debris	15	134
CAPOWR05	Min Debris	5	135
CAPOWR05	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	136
CAPOWR05	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	137
CAPOWR05	Engineer-capture permission	yes	138
CAPOWR05	Needs Engineer	yes	139

Object/system	Property	Mission value	Source line
CAPOWR05	Selling forbidden	yes	140
CAPOWR05	Ammo	5	141
CAPOWR05	Leaves rubble	yes	142
CAPOWR05	Signed power contribution	200	143
CAPOWR06	UI Name	Name:GAPOWR	146
CAPOWR06	Name	Tech06	147
CAPOWR06	Image	CAPOWR	148
CAPOWR06	Technology level	-1	149
CAPOWR06	Starting health capacity	800	150
CAPOWR06	Insignificant-object flag	yes	151
CAPOWR06	Nominal	yes	152
CAPOWR06	Sight radius setting	6	153
CAPOWR06	Points	5	154
CAPOWR06	Armor class	concrete	155
CAPOWR06	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	156
CAPOWR06	Max Debris	15	157
CAPOWR06	Min Debris	5	158
CAPOWR06	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	159
CAPOWR06	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	160
CAPOWR06	Engineer-capture permission	yes	161
CAPOWR06	Needs Engineer	yes	162
CAPOWR06	Selling forbidden	yes	163
CAPOWR06	Ammo	5	164
CAPOWR06	Leaves rubble	yes	165
CAPOWR06	Signed power contribution	200	166
CAPOWR07	UI Name	Name:GAPOWR	169
CAPOWR07	Name	Tech07	170
CAPOWR07	Image	CAPOWR	171
CAPOWR07	Technology level	-1	172
CAPOWR07	Starting health capacity	800	173
CAPOWR07	Insignificant-object flag	yes	174
CAPOWR07	Nominal	yes	175
CAPOWR07	Sight radius setting	6	176
CAPOWR07	Points	5	177
CAPOWR07	Armor class	concrete	178
CAPOWR07	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	179
CAPOWR07	Max Debris	15	180
CAPOWR07	Min Debris	5	181
CAPOWR07	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	182
CAPOWR07	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	183

Object/system	Property	Mission value	Source line
CAPOWR07	Engineer-capture permission	yes	184
CAPOWR07	Needs Engineer	yes	185
CAPOWR07	Selling forbidden	yes	186
CAPOWR07	Ammo	5	187
CAPOWR07	Leaves rubble	yes	188
CAPOWR07	Signed power contribution	200	189
CAPOWR08	UI Name	Name:GAPOWR	192
CAPOWR08	Name	Tech08	193
CAPOWR08	Image	CAPOWR	194
CAPOWR08	Technology level	-1	195
CAPOWR08	Starting health capacity	800	196
CAPOWR08	Insignificant-object flag	yes	197
CAPOWR08	Nominal	yes	198
CAPOWR08	Sight radius setting	6	199
CAPOWR08	Points	5	200
CAPOWR08	Armor class	concrete	201
CAPOWR08	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	202
CAPOWR08	Max Debris	15	203
CAPOWR08	Min Debris	5	204
CAPOWR08	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	205
CAPOWR08	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	206
CAPOWR08	Engineer-capture permission	yes	207
CAPOWR08	Needs Engineer	yes	208
CAPOWR08	Selling forbidden	yes	209
CAPOWR08	Ammo	5	210
CAPOWR08	Leaves rubble	yes	211
CAPOWR08	Signed power contribution	200	212
Golden Gate Bridge (CASANF11)	Starting health capacity	2000	215
Golden Gate Bridge (CASANF11)	Hidden from radar	no	216
Golden Gate Bridge (CASANF04)	Starting health capacity	1000	219
Golden Gate Bridge (CASANF04)	Hidden from radar	no	220
Alcatraz (CASANF05)	Hidden from radar	no	223
Building (CASANF06)	Hidden from radar	no	226
Building (CASANF07)	Hidden from radar	no	229
Building (CASANF08)	Hidden from radar	no	232
Golden Gate Bridge (CASANF09)	Hidden from radar	no	235
Golden Gate Bridge (CASANF10)	Hidden from radar	no	238
Psychic Dominator (YAPPPT)	Repair-tool permission	no	241
Psychic Dominator (YAPPPT)	Infantry garrison permitted	no	242
Psychic Dominator (YAPPPT)	Garrison capacity	0	243
Psychic Dominator (YAPPPT)	Leaves rubble	true	244

Object/system	Property	Mission value	Source line
Psychic Dominator (YAPPPT)	Die Sound	MonumentCrumble	245
Psychic Dominator (YAPPPT)	Occupants can fire	no	246
Psychic Dominator (YAPPPT)	Death Weapon	BlimpBombEffect	247
Psychic Dominator (YAPPPT)	Death Weapon Damage Modifier	.01	248
CATIME	Repair-tool permission	no	251
CATIME	Infantry garrison permitted	no	252
CATIME	Garrison capacity	0	253
CATIME	Occupants can fire	no	254
CATIME	Leaves rubble	yes	255
SpySat Uplink (GASPYSAT)	Starting health capacity	1000	258
SpySat Uplink (GASPYSAT)	Radar service	yes	259
SpySat Uplink (GASPYSAT)	Whole-map reveal service	no	260
SpySat Uplink (GASPYSAT)	Armor class	wood	261
SpySat Uplink (GASPYSAT)	Technology level	9	262
SpySat Uplink (GASPYSAT)	Placement adjacency setting	2	263
SpySat Uplink (GASPYSAT)	Sight radius setting	5	264
SpySat Uplink (GASPYSAT)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	265
SpySat Uplink (GASPYSAT)	AI Base Planning Side	0	266
SpySat Uplink (GASPYSAT)	Price in credits	1500	267
SpySat Uplink (GASPYSAT)	Points	0	268
SpySat Uplink (GASPYSAT)	Signed power contribution	-1	269
SpySat Uplink (GASPYSAT)	Depends on power	true	270
SpySat Uplink (GASPYSAT)	Engineer-capture permission	true	271
Einstein's Laboratory (CALAB)	Repair-tool permission	no	274
Einstein's Laboratory (CALAB)	Infantry garrison permitted	no	275
Einstein's Laboratory (CALAB)	Garrison capacity	0	276
Einstein's Laboratory (CALAB)	Primary	none	277
Einstein's Laboratory (CALAB)	Secondary	none	278
Einstein's Laboratory (CALAB)	Leaves rubble	yes	279
Cable Car (CBLC)	Movement rating	4	282
Grand Cannon (GTGCAN)	Starting health capacity	2000	285
Grand Cannon (GTGCAN)	Armor class	steel	286
Grand Cannon (GTGCAN)	Technology level	7	287
Grand Cannon (GTGCAN)	Required structures/groups	RADAR,GACNST	288
Grand Cannon (GTGCAN)	Placement adjacency setting	2	289
Grand Cannon (GTGCAN)	Sight radius setting	100	290
Grand Cannon (GTGCAN)	Permitted country list	British,French,Germans,Americans,Alliance	291
Grand Cannon (GTGCAN)	Price in credits	2000	292
Grand Cannon (GTGCAN)	Signed power contribution	-100	293
Grand Cannon (GTGCAN)	Crewed	no	294
Grand Cannon (GTGCAN)	ROT	1	295

Object/system	Property	Mission value	Source line
Grand Cannon (GTGCAN)	Primary	GrandCannonWeapon	296
Grand Cannon (GTGCAN)	Engineer-capture permission	false	297
120MMX (120MMX)	Damage	50	300
120MMX (120MMX)	ROF	80	301
120MMX (120MMX)	Range	10.00	302
120MMX (120MMX)	Projectile	Cannon	303
120MMX (120MMX)	Movement rating	40	304
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Damage	150	307
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	ROF	120	308
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Range	30	309
GRANDCANNONWEAPON (GRANDCANNONWEAPON)	Minimum Range	3	310
Psychic Dominator (YAPPET)	Technology level	10	313
Psychic Dominator (YAPPET)	Starting health capacity	1000	314
Psychic Dominator (YAPPET)	Depends on power	true	315
Psychic Dominator (YAPPET)	Placement adjacency setting	2	316
Psychic Dominator (YAPPET)	Armor class	concrete	317
Psychic Dominator (YAPPET)	Sight radius setting	5	318
Psychic Dominator (YAPPET)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	319
Psychic Dominator (YAPPET)	AI Base Planning Side	2	320
Psychic Dominator (YAPPET)	Price in credits	0	321
Psychic Dominator (YAPPET)	Points	30	322
Psychic Dominator (YAPPET)	Signed power contribution	-1000	323
Harrier (ORCA)	UI Name	Name:ORCA	326
Harrier (ORCA)	Name	Intruder	327
Harrier (ORCA)	Image	FALC	328
Harrier (ORCA)	Required structures/groups	RADAR	329
Harrier (ORCA)	Primary	Maverick	330
Harrier (ORCA)	Can Passive Aquire	no	331
Harrier (ORCA)	Can Retaliate	no	332
Harrier (ORCA)	Starting health capacity	175	333
Harrier (ORCA)	Category	AirPower	334
Harrier (ORCA)	Armor class	light	335
Harrier (ORCA)	Technology level	3	336
Harrier (ORCA)	Sight radius setting	8	337
Harrier (ORCA)	Hidden from radar	no	338
Harrier (ORCA)	Landable	yes	339
Harrier (ORCA)	Move To Shroud	yes	340
Harrier (ORCA)	Compatible aircraft docks	GAAIRC,AMRADR	341

Object/system	Property	Mission value	Source line
Harrier (ORCA)	Pip Scale	Ammo	342
Harrier (ORCA)	Movement rating	14	343
GATTLING (GATTLING)	Damage	30	346
GATTLING (GATTLING)	ROF	5	347
GATTLING (GATTLING)	Range	7	348
GATTLING (GATTLING)	Projectile	Invisible3	349
GATTLING (GATTLING)	Movement rating	100	350
GATTLING (GATTLING)	Warhead	SA	351
GATTLING (GATTLING)	Report	SentryGunAttack	352
GATTLING (GATTLING)	Anim	MGUN-N,MGUN-NE,MGUN-E,MGUN-SE,MGUN-S,MGUN-SW,MGUN-W,MGUN-NW	353
Dreadnought (DRED)	Can Passive Aquire	yes	356
DREDLAUNCHER (DREDLAUNCHER)	Damage	20	359
COUNTRIES (COUNTRIES)	0	PowerHouse Country	362
COUNTRIES (COUNTRIES)	1	Soviet2 Country	363
COUNTRIES (COUNTRIES)	2	Bridge Country	364
SPECIALFLAGS	Tiberium Grows	yes	413
SPECIALFLAGS	Tiberium Spreads	yes	414
SPECIALFLAGS	Tiberium Explosive	no	415
SPECIALFLAGS	Destroyable Bridges	yes	416
SPECIALFLAGS	MCV Deploy	no	417
SPECIALFLAGS	Initial Veteran	no	418
SPECIALFLAGS	Fixed Alliance	no	419
SPECIALFLAGS	Harvester Immune	no	420
SPECIALFLAGS	Fog Of War	no	421
SPECIALFLAGS	Inert	no	422
SPECIALFLAGS	Ion Storms	no	423
SPECIALFLAGS	Meteorites	no	424
SPECIALFLAGS	Visceroids	no	425
VARIABLENAMES (VARIABLENAMES)	0	Hover1_Unloaded,0	474
VARIABLENAMES (VARIABLENAMES)	1	Hover_2_Unloaded,0	475
VARIABLENAMES (VARIABLENAMES)	2	Hover_3_Unloaded,0	476
VARIABLENAMES (VARIABLENAMES)	3	Time_Warp,0	477
VARIABLENAMES (VARIABLENAMES)	4	Tanya_Dead,0	478
VARIABLENAMES (VARIABLENAMES)	5	Gave_PP_Brief,0	479
VARIABLENAMES (VARIABLENAMES)	6	PP1_Entered,0	480
VARIABLENAMES (VARIABLENAMES)	7	PP2_Entered,0	481
VARIABLENAMES (VARIABLENAMES)	8	PP3_Entered,0	482
VARIABLENAMES (VARIABLENAMES)	9	PP4_Entered,0	483
VARIABLENAMES (VARIABLENAMES)	10	PP5_Entered,0	484
VARIABLENAMES (VARIABLENAMES)	11	PP6_Entered,0	485
VARIABLENAMES (VARIABLENAMES)	12	PP7_Entered,0	486

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	13	PP8_Entered,0	487
VARIABLENAMES (VARIABLENAMES)	14	PP1_Group_Revealed,0	488
VARIABLENAMES (VARIABLENAMES)	15	PP2_Group_Revealed,0	489
VARIABLENAMES (VARIABLENAMES)	16	PP3_Group_Revealed,0	490
VARIABLENAMES (VARIABLENAMES)	17	PP4_Group_Revealed,0	491
VARIABLENAMES (VARIABLENAMES)	18	PP1_Gone,0	492
VARIABLENAMES (VARIABLENAMES)	19	PP2_Gone,0	493
VARIABLENAMES (VARIABLENAMES)	20	PP3_Gone,0	494
VARIABLENAMES (VARIABLENAMES)	21	PP4_Gone,0	495
VARIABLENAMES (VARIABLENAMES)	22	PP5_Gone,0	496
VARIABLENAMES (VARIABLENAMES)	23	PP6_Gone,0	497
VARIABLENAMES (VARIABLENAMES)	24	PP7_Gone,0	498
VARIABLENAMES (VARIABLENAMES)	25	PP8_Gone,1	499
VARIABLENAMES (VARIABLENAMES)	26	Lost_1_Power,0	500
VARIABLENAMES (VARIABLENAMES)	27	Lost_2_Power,0	501
VARIABLENAMES (VARIABLENAMES)	28	Lost_3_Power,0	502
VARIABLENAMES (VARIABLENAMES)	29	Lost_4_Power,0	503
VARIABLENAMES (VARIABLENAMES)	30	Lost_5_Power,0	504
VARIABLENAMES (VARIABLENAMES)	31	Lost_Tech01_USA,0	505
VARIABLENAMES (VARIABLENAMES)	32	Lost_Tech_01_Neu,0	506
VARIABLENAMES (VARIABLENAMES)	33	Lost_Tech02_USA,0	507
VARIABLENAMES (VARIABLENAMES)	34	Lost_Tech02_Neut,0	508
VARIABLENAMES (VARIABLENAMES)	35	Lost_Tech03_USA,0	509
VARIABLENAMES (VARIABLENAMES)	36	Lost_Tech04_USA,0	510
VARIABLENAMES (VARIABLENAMES)	37	Lost_Tech05_USA,0	511
VARIABLENAMES (VARIABLENAMES)	38	Lost_Tech06_USA,0	512
VARIABLENAMES (VARIABLENAMES)	39	Lost_Tech07_USA,0	513
VARIABLENAMES (VARIABLENAMES)	40	Lost_Tech08_USA,0	514
VARIABLENAMES (VARIABLENAMES)	41	Lost_Tech03_Neut,0	515
VARIABLENAMES (VARIABLENAMES)	42	Lost_Tech04_Neut,0	516
VARIABLENAMES (VARIABLENAMES)	43	Lost_Tech05_Neut,0	517
VARIABLENAMES (VARIABLENAMES)	44	Lost_Tech06_Neut,0	518
VARIABLENAMES (VARIABLENAMES)	45	Lost_Tech07_Neut,0	519
VARIABLENAMES (VARIABLENAMES)	46	Lost_Tech08_Neut,0	520
VARIABLENAMES (VARIABLENAMES)	47	Power_Online,0	521
VARIABLENAMES (VARIABLENAMES)	48	Nuke_Destroyed,0	522
VARIABLENAMES (VARIABLENAMES)	49	Player_Has_Plant,0	523
VARIABLENAMES (VARIABLENAMES)	50	Cannon1_Gone,0	524
VARIABLENAMES (VARIABLENAMES)	51	Cannon2_Gone,0	525
VARIABLENAMES (VARIABLENAMES)	52	Cannon3_Gone,0	526
VARIABLENAMES (VARIABLENAMES)	53	Cannon4_Gone,0	527

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	54	Engineers_Landed,0	528
VARIABLENAMES (VARIABLENAMES)	55	LostPP1_Easy,0	529
VARIABLENAMES (VARIABLENAMES)	56	LostPP2_Easy,0	530
VARIABLENAMES (VARIABLENAMES)	57	LostPP3_Easy,0	531
VARIABLENAMES (VARIABLENAMES)	58	LostPP4_Easy,0	532
VARIABLENAMES (VARIABLENAMES)	59	LostPP5_Easy,0	533
VARIABLENAMES (VARIABLENAMES)	60	LostPP6_Easy,0	534
VARIABLENAMES (VARIABLENAMES)	61	LostPP7_Easy,0	535
America (AMERICANS)	Country	Americans	578
America (AMERICANS)	Technology level	3	579
America (AMERICANS)	Credits	100	580
America (AMERICANS)	IQ	0	581
America (AMERICANS)	Edge	North	582
America (AMERICANS)	Player Control	yes	583
America (AMERICANS)	Color	DarkBlue	584
America (AMERICANS)	Allies	Americans,Alliance,British,Neutral	585
America (AMERICANS)	Percent Built	0	586
America (AMERICANS)	Node Count	0	587
Korea (ALLIANCE)	Country	Alliance	590
Korea (ALLIANCE)	Technology level	2	591
Korea (ALLIANCE)	Credits	0	592
Korea (ALLIANCE)	IQ	0	593
Korea (ALLIANCE)	Edge	North	594
Korea (ALLIANCE)	Player Control	yes	595
Korea (ALLIANCE)	Color	DarkBlue	596
Korea (ALLIANCE)	Allies	Americans,Alliance,British,Neutral	597
Korea (ALLIANCE)	Percent Built	0	598
Korea (ALLIANCE)	Node Count	0	599
France (FRENCH)	Country	French	602
France (FRENCH)	Technology level	2	603
France (FRENCH)	Credits	0	604
France (FRENCH)	IQ	0	605
France (FRENCH)	Edge	North	606
France (FRENCH)	Player Control	no	607
France (FRENCH)	Color	DarkRed	608
France (FRENCH)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Special,PowerHouse,Soviet2House	609
France (FRENCH)	Percent Built	0	610
France (FRENCH)	Node Count	0	611
Germany (GERMANS)	Country	Germans	614
Germany (GERMANS)	Technology level	2	615
Germany (GERMANS)	Credits	0	616

Object/system	Property	Mission value	Source line
Germany (GERMANS)	IQ	0	617
Germany (GERMANS)	Edge	North	618
Germany (GERMANS)	Player Control	no	619
Germany (GERMANS)	Color	Purple	620
Germany (GERMANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	621
Germany (GERMANS)	Percent Built	0	622
Germany (GERMANS)	Node Count	0	623
Great Britain (BRITISH)	Country	British	626
Great Britain (BRITISH)	Technology level	2	627
Great Britain (BRITISH)	Credits	0	628
Great Britain (BRITISH)	IQ	0	629
Great Britain (BRITISH)	Edge	North	630
Great Britain (BRITISH)	Player Control	yes	631
Great Britain (BRITISH)	Color	DarkBlue	632
Great Britain (BRITISH)	Allies	Americans,Alliance,British,Neutral	633
Great Britain (BRITISH)	Percent Built	0	634
Great Britain (BRITISH)	Node Count	0	635
Libya (AFRICANS)	Country	Africans	638
Libya (AFRICANS)	Technology level	1	639
Libya (AFRICANS)	Credits	0	640
Libya (AFRICANS)	IQ	0	641
Libya (AFRICANS)	Edge	North	642
Libya (AFRICANS)	Player Control	no	643
Libya (AFRICANS)	Color	Purple	644
Libya (AFRICANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	645
Libya (AFRICANS)	Percent Built	0	646
Libya (AFRICANS)	Node Count	0	647
Iraq (ARABS)	Country	Arabs	650
Iraq (ARABS)	Technology level	1	651
Iraq (ARABS)	Credits	0	652
Iraq (ARABS)	IQ	0	653
Iraq (ARABS)	Edge	North	654
Iraq (ARABS)	Player Control	no	655
Iraq (ARABS)	Color	Purple	656
Iraq (ARABS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	657
Iraq (ARABS)	Percent Built	0	658
Iraq (ARABS)	Node Count	0	659
Cuba (CONFEDERATION)	Country	Confederation	662
Cuba (CONFEDERATION)	Technology level	2	663

Object/system	Property	Mission value	Source line
Cuba (CONFEDERATION)	Credits	600	664
Cuba (CONFEDERATION)	IQ	0	665
Cuba (CONFEDERATION)	Edge	North	666
Cuba (CONFEDERATION)	Player Control	no	667
Cuba (CONFEDERATION)	Color	Purple	668
Cuba (CONFEDERATION)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	669
Cuba (CONFEDERATION)	Percent Built	0	670
Cuba (CONFEDERATION)	Node Count	1	671
Cuba (CONFEDERATION)	000	YAPPPT,46,69	672
Russia (RUSSIANS)	Country	Russians	675
Russia (RUSSIANS)	Technology level	1	676
Russia (RUSSIANS)	Credits	0	677
Russia (RUSSIANS)	IQ	0	678
Russia (RUSSIANS)	Edge	North	679
Russia (RUSSIANS)	Player Control	no	680
Russia (RUSSIANS)	Color	Purple	681
Russia (RUSSIANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	682
Russia (RUSSIANS)	Percent Built	0	683
Russia (RUSSIANS)	Node Count	0	684
Yuri (YURICOUNTRY)	Country	YuriCountry	687
Yuri (YURICOUNTRY)	Technology level	1	688
Yuri (YURICOUNTRY)	Credits	0	689
Yuri (YURICOUNTRY)	IQ	0	690
Yuri (YURICOUNTRY)	Edge	North	691
Yuri (YURICOUNTRY)	Player Control	no	692
Yuri (YURICOUNTRY)	Color	Purple	693
Yuri (YURICOUNTRY)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	694
Yuri (YURICOUNTRY)	Percent Built	0	695
Yuri (YURICOUNTRY)	Node Count	0	696
GDI (GDI)	Country	GDI	699
GDI (GDI)	Technology level	1	700
GDI (GDI)	Credits	0	701
GDI (GDI)	IQ	0	702
GDI (GDI)	Edge	North	703
GDI (GDI)	Player Control	no	704
GDI (GDI)	Color	Purple	705
GDI (GDI)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	706
GDI (GDI)	Percent Built	0	707
GDI (GDI)	Node Count	0	708

Object/system	Property	Mission value	Source line
Nod (NOD)	Country	Nod	711
Nod (NOD)	Technology level	1	712
Nod (NOD)	Credits	0	713
Nod (NOD)	IQ	0	714
Nod (NOD)	Edge	North	715
Nod (NOD)	Player Control	no	716
Nod (NOD)	Color	Purple	717
Nod (NOD)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	718
Nod (NOD)	Percent Built	0	719
Nod (NOD)	Node Count	0	720
Civilian (NEUTRAL)	Country	Neutral	723
Civilian (NEUTRAL)	Technology level	1	724
Civilian (NEUTRAL)	Credits	0	725
Civilian (NEUTRAL)	IQ	0	726
Civilian (NEUTRAL)	Edge	North	727
Civilian (NEUTRAL)	Player Control	no	728
Civilian (NEUTRAL)	Color	Grey	729
Civilian (NEUTRAL)	Allies	Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	730
Civilian (NEUTRAL)	Percent Built	100	731
Civilian (NEUTRAL)	Node Count	0	732
JP (SPECIAL)	Country	Special	735
JP (SPECIAL)	Technology level	1	736
JP (SPECIAL)	Credits	0	737
JP (SPECIAL)	IQ	0	738
JP (SPECIAL)	Edge	North	739
JP (SPECIAL)	Player Control	no	740
JP (SPECIAL)	Color	DarkRed	741
JP (SPECIAL)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	742
JP (SPECIAL)	Percent Built	0	743
JP (SPECIAL)	Node Count	0	744

Operation: Hollywood and Vain

Campaign reading guide | Engine

Operation: Hollywood and Vain

all02umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (401)
- YuriCountry (127)
- Yuri2 (22)
- Nod (10)
- Russians (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: expandmd01.mix/all02umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all02umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all02umd.map. **Effective extracted member:** expandmd01.mix/all02umd.map. **Trigger definitions:** 253.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	NEWURBAN
Map size	0,0,113,108
Visible local rectangle	5,6,102,93
Placed vehicles	130
Placed infantry	98
Placed structures	375
Placed aircraft	0
Team templates	199

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	150	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	600	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	0	Russians
9	YuriCountry	600	YuriCountry
10	GDI	0	GDI
11	Nod	750	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	Yuri2	1000	Yuri2Country
15	Yuri3	1000	Yuri3Country
16	Yuri4	1000	Yuri4Country

Local state flags at initialization

Flag	Meaning label and initial value
0	Base_Gone,0
1	Grinders_Gone,0
2	Grinder1_Gone,0
3	Grinder2_Gone,0
4	Grinder3_Gone,0
5	Grinder4_Gone,0
6	Player_Has_AC,0
7	Player_Has_SpySat,0
8	Player_Has_Radar,0
9	Bridge1_Fixed,1
10	Bridge2_Fixed,1
11	Bridge3_Fixed,1
12	Bridge4_Fixed,1
13	Barrack1_Gone,0
14	CheeseFact_Gone,0
15	3L1G_Built,0
16	Grinder1_BF_Done,0
17	Grinder1_BM_Done,0
18	Grinder1_SF_Done,0
19	Grinder1_GM_Done,0
20	Grinder1_F_Done,0
21	Grinder1_TM_Done,0
22	IE_Building_Gone,0
23	Change_G1BeachF,0
24	IF_Building_Gone,0
25	Change_G1BeachM,0
26	Change_G1Female,0
27	IG_Building_Gone,0
28	IH_Building_Gone,0
29	Change_G1Green,0
30	II_Building_Gone,0
31	Change_G1SnowFat,0
32	IJ_Building_Gone,0
33	Change_G1ThinM,0
34	Change_G2BeachM,0
35	Change_G2Female,0
36	Change_G2ThinM,0
37	Change_G2SnowF,0
38	Change_G2SnowM,0
39	Change_G2BeachF,0

Flag	Meaning label and initial value
40	IK_Building_Gone,0
41	IL_Building_Gone,0
42	IM_Building_Gone,0
43	IN_Building_Gone,0
44	IO_Building_Gone,0
45	IP_Building_Gone,0
46	Change_G4SnowFat,0
47	Change_G4BeachF,0
48	Change_G4Female,0
49	Change_G4BeachM,0
50	Change_G4Green,0
51	Change_G4SnowF,0
52	Change_G4SnowM,0
53	Change_G4ThinM,0
54	Change_G4BeachFat,0
55	JA_Building_Gone,0
56	JB_Building_Gone,0
57	JC_Building_Gone,0
58	JD_Building_Gone,0
59	JE_Building_Gone,0
60	JF_Building_Gone,0
61	JG_Building_Gone,0
62	JH_Building_Gone,0
63	JI_Building_Gone,0
64	Flint_Found,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Mission_Over (0CDDC22C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
PlayerLose (0460D72C)	Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans). 5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Every trigger, in file order

1. Make_Cowboy - 0916B4CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0916B2AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Cowboy (0902E90C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14244, Events line 14499, Actions line 14754.

2. Discover_Cowboy - 0916204C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: force from Force_Fire_Flint (0926703C); enable from Cowboy_Backup (0464860C); enable from Select_Flint (07A40B2C); enable from Discover_Trigger (09D2968C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 64 (Flint_Found) is clear.

Flag writers in this mission: set local flag 64 (Flint_Found) at Discover_Cowboy (0916204C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Reveal terrain around waypoint 208 (cell 157, 123).
3. Set local flag 64 (Flint_Found).
4. Wakeup self; main setting 0.
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_Cowboy (0902E90C).
6. Create/recruit team TEAM_Flash_Cowboy (0903959C).
7. Enable and reset applicable timers for Wakeup_Cowboy_Victims (09164ACC).
8. Disable Discover_Cowboy (0916204C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14245, Events line 14500, Actions line 14755.

3. Wakeup_Cowboy_Victims - 09164ACC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Discover_Cowboy (0916204C).

Attached scope: tag definitions 0B90971C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Cowboy_Victims (0902D03C).
2. Play voice notification Mis_xA2_EvaFoundClint.
3. Enable and reset applicable timers for Activate_Cheese1 (045E609C).
4. Enable and reset applicable timers for Carville_Comment (05D9EE6C).
5. Disable Wakeup_Cowboy_Victims (09164ACC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14246, Events line 14501, Actions line 14756.

4. Activate_Cheese1 - 045E609C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Wakeup_Cowboy_Victims (09164ACC).

Attached scope: tag definitions 045E1B1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_2L1Y_Cheese1 (0EB3AB7C).

2. Enable and reset applicable timers for Activate_Cheese2 (045E003C).
3. Enable and reset applicable timers for Yuri2_Gone (09635F3C).
4. Enable and reset applicable timers for Main_Yuri_gone (0CEBD51C).
5. Enable and reset applicable timers for Grinder1_BeachFemale (0C745F3C).
6. Enable and reset applicable timers for Grinder2_ThinMale (0978639C).
7. Enable and reset applicable timers for Grinder4_SnowFat (097FD60C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14247, Events line 14502, Actions line 14757.

5. Carville_Comment - 05D9EE6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Wakeup_Cowboy_Victims (09164ACC).

Attached scope: tag definitions 05D9C5DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 9.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14248, Events line 14503, Actions line 14758.

6. Activate_Cheese2 - 045E003C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: tag definitions 045E43DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Cheese2 (0C5AADEC).
2. Enable and reset applicable timers for Tank_Cheese1 (09588C1C).
3. Enable and reset applicable timers for Lame_Cheese_Tank1 (10CF24FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14249, Events line 14504, Actions line 14759.

7. Yuri2_Gone - 09635F3C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: tag definitions 09635A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Grinders_Gone) is set.
2. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.

Flag writers in this mission: set local flag 1 (Grinders_Gone) at Check_Grinders (0C42981C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri2_SellOff (07A3955C).
2. All to Hunt: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14250, Events line 14505, Actions line 14760.

8. Main_Yuri_gone - 0CEBD51C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (92, 112), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (86, 113), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (59, 121), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (100, 108), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (107, 108), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (117, 93), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (119, 81), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (100, 78), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (99, 88), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (92, 97), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (83, 102), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (59, 129), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (47, 127), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (40, 127), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (55, 107), tag 0CEBD1DC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (49, 104), tag 0CEBD1DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed, Buildings, #: 24.
2. Building does not exist: type index 311 (global list position: Industrial Plant (NAINDP)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
4. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
5. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Main_Yuri_Hunt (0938862C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14251, Events line 14506, Actions line 14761.

9. Grinder1_BeachFemale - 0C745F3C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: Civilian (CIVBF), owner Neutral, cell (108, 124), tag 0C745A4C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_BeachFemale (0BA8977C).
4. Enable and reset applicable timers for Grinder1_SnowFat (0C73E69C).
5. Disable Grinder1_BeachFemale (0C745F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14252, Events line 14507, Actions line 14762.

10. Grinder2_ThinMale - 0978639C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: Civilian (CIV2), owner YuriCountry, cell (136, 78), tag 097BFEDC, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_ThinMale (0B1138FC).
4. Enable and reset applicable timers for Grinder2_Female (097BAF3C).
5. Disable Grinder2_ThinMale (0978639C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14253, Events line 14508, Actions line 14763.

11. Grinder4_SnowFat - 097FD60C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese1 (045E609C).

Attached scope: Civilian (CIVSFM), owner Neutral, cell (201, 106), tag 097FD2BC, persistence mode 2.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_SnowFat (0BA9783C).
4. Enable and reset applicable timers for Grinder4_BeachFemale (097EEE1C).
5. Disable Grinder4_SnowFat (097FD60C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14254, Events line 14509, Actions line 14764.

12. Tank_Cheese1 - 09588C1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese2 (045E003C); enable from Tank_Cheese6 (095A70EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese1 (0994A6FC).
2. Enable and reset applicable timers for Tank_Cheese2 (094DCE7C).
3. Disable Tank_Cheese1 (09588C1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14255, Events line 14510, Actions line 14765.

13. Lame_Cheese_Tank1 - 10CF24FC

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Activate_Cheese2 (045E003C); enable from Lame_Cheese_Tank5 (10D11F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Lame_Tank1 (09101DEC).

2. Enable and reset applicable timers for Lame_Cheese_Tank2 (10CF620C).
3. Disable Lame_Cheese_Tank1 (10CF24FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14256, Events line 14511, Actions line 14766.

14. Yuri2_SellOff - 07A3955C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri2_Gone (09635F3C).

Attached scope: Yuri War Factory (YAWEAP), owner Yuri2, cell (24, 120), tag 07A3AC3C, persistence mode 0; Yuri Barracks (YABRCK), owner Yuri2, cell (30, 125), tag 07A3AC3C, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri2, cell (20, 119), tag 07A3AC3C, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri2, cell (22, 117), tag 07A3AC3C, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri2, cell (20, 114), tag 07A3AC3C, persistence mode 0; Gattling Cannon (YAGGUN), owner Yuri2, cell (35, 131), tag 07A3AC3C, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri2, cell (104, 133), tag 07A3AC3C, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri2, cell (18, 116), tag 07A3AC3C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
2. Enable and reset applicable timers for Yuri2_Hunt_All (0B20458C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14257, Events line 14512, Actions line 14767.

15. Main_Yuri_Hunt - 0938862C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Main_Yuri_gone (0CEBD51C).

Attached scope: tag definitions 093880DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14258, Events line 14513, Actions line 14768.

16. Grinder1_SnowFat - 0C73E69C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_BeachFemale (0C745F3C).

Attached scope: Civilian (CIVSFM), owner Neutral, cell (109, 124), tag 0C73E38C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_SnowFat (0BA89A9C).
4. Enable and reset applicable timers for Grinder1_GreenMale (0C74595C).
5. Disable Grinder1_SnowFat (0C73E69C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14259, Events line 14514, Actions line 14769.

17. Grinder2_Female - 097BAF3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder2_ThinMale (0978639C).

Attached scope: Civilian (CIV1), owner YuriCountry, cell (136, 79), tag 097BAE5C, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_Female (0B11355C).
4. Enable and reset applicable timers for Grinder2_BeachMale (097BAABC).
5. Disable Grinder2_Female (097BAF3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14260, Events line 14515, Actions line 14770.

18. Grinder4_BeachFemale - 097EEE1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_SnowFat (097FD60C).

Attached scope: Civilian (CIVBF), owner Neutral, cell (199, 105), tag 097EED3C, persistence mode 2.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_BeachFemale (0BA90B5C).
4. Enable and reset applicable timers for Grinder4_Female (097FDF3C).
5. Disable Grinder4_BeachFemale (097EEE1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14261, Events line 14516, Actions line 14771.

19. Tank_Cheese2 - 094DCE7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Tank_Cheese1 (09588C1C).

Incoming activation links: enable from Tank_Cheese1 (09588C1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese2 (0910445C).
2. Enable and reset applicable timers for Tank_Cheese3 (094DBABC).
3. Disable Tank_Cheese2 (094DCE7C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14262, Events line 14517, Actions line 14772.

20. Lame_Cheese_Tank2 - 10CF620C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Lame_Cheese_Tank1 (10CF24FC).

Incoming activation links: enable from Lame_Cheese_Tank1 (10CF24FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Lame_Tank2 (09104DEC).
2. Enable and reset applicable timers for Lame_Cheese_Tank3 (10D0E54C).
3. Disable Lame_Cheese_Tank2 (10CF620C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14263, Events line 14518, Actions line 14773.

21. Yuri2_Hunt_All - 0B20458C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri2_SellOff (07A3955C).

Attached scope: tag definitions 0B2038BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14264, Events line 14519, Actions line 14774.

22. Grinder1_GreenMale - 0C74595C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_SnowFat (0C73E69C).

Attached scope: Civilian (CIV3), owner Neutral, cell (111, 124), tag 0C74557C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_GreenMale (0BA88BDC).
4. Enable and reset applicable timers for Grinder1_ThinMale (0C73DE4C).
5. Disable Grinder1_GreenMale (0C74595C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14265, Events line 14520, Actions line 14775.

23. Grinder2_BeachMale - 097BAABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder2_Female (097BAF3C).

Attached scope: Civilian (CIVBTM), owner YuriCountry, cell (136, 80), tag 097BA9DC, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.

2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_BeachMale (0B11342C).
4. Enable and reset applicable timers for Grinder2_BeachFemale (097BA8EC).
5. Disable Grinder2_BeachMale (097BAABC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14266, Events line 14521, Actions line 14776.

24. Grinder4_Female - 097FDF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_BeachFemale (097EEE1C).

Attached scope: Civilian (CIV1), owner Neutral, cell (200, 105), tag 097FDE5C, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_Female (0BA907EC).
4. Enable and reset applicable timers for Grinder4_BeachMale (097F14FC).
5. Disable Grinder4_Female (097FDF3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14267, Events line 14522, Actions line 14777.

25. Tank_Cheese3 - 094DBABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Tank_Cheese2 (094DCE7C).

Incoming activation links: enable from Tank_Cheese2 (094DCE7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese3 (09105EFC).
2. Enable and reset applicable timers for Tank_Cheese4 (095C203C).
3. Disable Tank_Cheese3 (094DBABC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14268, Events line 14523, Actions line 14778.

26. Lame_Cheese_Tank3 - 10D0E54C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Lame_Cheese_Tank2 (10CF620C).

Incoming activation links: enable from Lame_Cheese_Tank2 (10CF620C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Lame_Tank3 (0910059C).

2. Enable and reset applicable timers for Lame_Cheese_Tank4 (10D1255C).
3. Disable Lame_Cheese_Tank3 (10D0E54C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14269, Events line 14524, Actions line 14779.

27. Grinder1_ThinMale - 0C73DE4C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_GreenMale (0C74595C).

Attached scope: Civilian (CIV2), owner Neutral, cell (108, 123), tag 0C73DD6C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_ThinMale1 (0BA8A27C).
4. Enable and reset applicable timers for Grinder1_Female (0C7452EC).
5. Disable Grinder1_ThinMale (0C73DE4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14270, Events line 14525, Actions line 14780.

28. Grinder2_BeachFemale - 097BA8EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder2_BeachMale (097BAABC).

Attached scope: Civilian (CIVBF), owner YuriCountry, cell (137, 78), tag 097BA80C, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_BeachFemale (0B1132FC).
4. Enable and reset applicable timers for Grinder2_SnowMale (097BA71C).
5. Disable Grinder2_BeachFemale (097BA8EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14271, Events line 14526, Actions line 14781.

29. Grinder4_BeachMale - 097F14FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_Female (097FDF3C).

Attached scope: Civilian (CIVBTM), owner Neutral, cell (201, 105), tag 097F141C, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).

3. Create/recruit team Grinder4_BeachMale (0BA90C8C).
4. Enable and reset applicable timers for Grinder4_GreenMale (097FDD6C).
5. Disable Grinder4_BeachMale (097F14FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14272, Events line 14527, Actions line 14782.

30. Tank_Cheese4 - 095C203C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Tank_Cheese3 (094DBABC).

Incoming activation links: enable from Tank_Cheese3 (094DBABC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese4 (09105A4C).
2. Enable and reset applicable timers for Tank_Cheese5 (095A71DC).
3. Disable Tank_Cheese4 (095C203C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14273, Events line 14528, Actions line 14783.

31. Lame_Cheese_Tank4 - 10D1255C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Lame_Cheese_Tank3 (10D0E54C).

Incoming activation links: enable from Lame_Cheese_Tank3 (10D0E54C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Lame_Tank4 (0910035C).
2. Enable and reset applicable timers for Lame_Cheese_Tank5 (10D11F3C).
3. Disable Lame_Cheese_Tank4 (10D1255C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14274, Events line 14529, Actions line 14784.

32. Grinder1_Female - 0C7452EC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_ThinMale (0C73DE4C).

Attached scope: Civilian (CIV1), owner Neutral, cell (109, 123), tag 0C743E7C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_Female (0BA8945C).
4. Enable and reset applicable timers for Grinder1_BeachMale (0C7439EC).

5. Disable Grinder1_Female (0C7452EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14275, Events line 14530, Actions line 14785.

33. Grinder2_SnowMale - 097BA71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder2_BeachFemale (097BA8EC).

Attached scope: Civilian (CIVSTM), owner YuriCountry, cell (137, 79), tag 097BA3FC, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_SnowMale (0B1131CC).
4. Enable and reset applicable timers for Grinder2_SnowFemale (097BA30C).
5. Disable Grinder2_SnowMale (097BA71C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14276, Events line 14531, Actions line 14786.

34. Grinder4_GreenMale - 097FDD6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_BeachMale (097F14FC).

Attached scope: Civilian (CIV3), owner Neutral, cell (202, 105), tag 097FDC8C, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_GreenMale (0BA9058C).
4. Enable and reset applicable timers for Grinder4_SnowFemale (097FD7DC).
5. Disable Grinder4_GreenMale (097FDD6C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14277, Events line 14532, Actions line 14787.

35. Tank_Cheese5 - 095A71DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Tank_Cheese4 (095C203C).

Incoming activation links: enable from Tank_Cheese4 (095C203C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese5 (0910580C).
2. Enable and reset applicable timers for Tank_Cheese6 (095A70EC).
3. Disable Tank_Cheese5 (095A71DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14278, Events line 14533, Actions line 14788.

36. Lame_Cheese_Tank5 - 10D11F3C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Lame_Cheese_Tank4 (10D1255C).

Incoming activation links: enable from Lame_Cheese_Tank4 (10D1255C).

Attached scope: tag definitions 10CF62FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Lame_Tank5 (0910647C).
2. Enable and reset applicable timers for Lame_Cheese_Tank1 (10CF24FC).
3. Disable Lame_Cheese_Tank5 (10D11F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14279, Events line 14534, Actions line 14789.

37. Grinder1_BeachMale - 0C7439EC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_Female (0C7452EC).

Attached scope: Civilian (CIVBTM), owner Neutral, cell (110, 123), tag 0C74360C, persistence mode 2.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 9.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder1_BeachMale (0BA88EFC).
4. Disable Grinder1_BeachMale (0C7439EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14280, Events line 14535, Actions line 14790.

38. Grinder2_SnowFemale - 097BA30C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder2_SnowMale (097BA71C).

Attached scope: Civilian (CIVSF), owner YuriCountry, cell (137, 80), tag 097BA22C, persistence mode 2.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder2_SnowFemale (0B114EFC).
4. Disable Grinder2_SnowFemale (097BA30C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14281, Events line 14536, Actions line 14791.

39. Grinder4_SnowFemale - 097FD7DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_GreenMale (097FDD6C).

Attached scope: Civilian (CIVSF), owner Neutral, cell (199, 104), tag 097FD6FC, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_SnowFemale (0BA9045C).
4. Enable and reset applicable timers for Grinder4_SnowMale (097FD9AC).
5. Disable Grinder4_SnowFemale (097FD7DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14282, Events line 14537, Actions line 14792.

40. Tank_Cheese6 - 095A70EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Tank_Cheese5 (095A71DC).

Incoming activation links: enable from Tank_Cheese5 (095A71DC).

Attached scope: tag definitions 09590F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese6 (091055CC).
2. Enable and reset applicable timers for Tank_Cheese1 (09588C1C).
3. Disable Tank_Cheese6 (095A70EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14283, Events line 14538, Actions line 14793.

41. Grinder4_SnowMale - 097FD9AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_SnowFemale (097FD7DC).

Attached scope: Civilian (CIVSTM), owner Neutral, cell (200, 104), tag 097FD8CC, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_SnowMale (0BA9032C).
4. Enable and reset applicable timers for Grinder4_ThinMale (097FE29C).
5. Disable Grinder4_SnowMale (097FD9AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14284, Events line 14539, Actions line 14794.

42. Grinder4_ThinMale - 097FE29C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_SnowMale (097FD9AC).

Attached scope: Civilian (CIV2), owner Neutral, cell (201, 104), tag 097FE1BC, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_ThinMale (0BA906BC).
4. Enable and reset applicable timers for Grinder4_BeachFat (097EEC4C).
5. Disable Grinder4_ThinMale (097FE29C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14285, Events line 14540, Actions line 14795.

43. Grinder4_BeachFat - 097EEC4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder4_ThinMale (097FE29C).

Attached scope: Civilian (CIVBFM), owner Neutral, cell (202, 104), tag 097F9F4C, persistence mode 2.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Create/recruit team Grinder4_BeachFat (0BA90A2C).
4. Disable Grinder4_BeachFat (097EEC4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14286, Events line 14541, Actions line 14796.

44. Hard_Cheese1 - 0796E03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hard_Cheese6 (0798F60C); enable from Player_Builds_WF (04F2A9AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese1 (0994A6FC).
2. Enable and reset applicable timers for Hard_Cheese2 (0798F9CC).
3. Disable Hard_Cheese1 (0796E03C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14287, Events line 14542, Actions line 14797.

45. Hard_Cheese2 - 0798F9CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Hard_Cheese1 (0796E03C).

Incoming activation links: enable from Hard_Cheese1 (0796E03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese2 (0910445C).
2. Enable and reset applicable timers for Hard_Cheese3 (0798F8DC).
3. Disable Hard_Cheese2 (0798F9CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14288, Events line 14543, Actions line 14798.

46. Hard_Cheese3 - 0798F8DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Hard_Cheese2 (0798F9CC).

Incoming activation links: enable from Hard_Cheese2 (0798F9CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese3 (09105EFC).
2. Enable and reset applicable timers for Hard_Cheese4 (0798F7EC).
3. Disable Hard_Cheese3 (0798F8DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14289, Events line 14544, Actions line 14799.

47. Hard_Cheese4 - 0798F7EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Hard_Cheese3 (0798F8DC).

Incoming activation links: enable from Hard_Cheese3 (0798F8DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese4 (09105A4C).
2. Enable and reset applicable timers for Hard_Cheese5 (0798F6FC).
3. Disable Hard_Cheese4 (0798F7EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14290, Events line 14545, Actions line 14800.

48. Hard_Cheese5 - 0798F6FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Hard_Cheese4 (0798F7EC).

Incoming activation links: enable from Hard_Cheese4 (0798F7EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese5 (0910580C).
2. Enable and reset applicable timers for Hard_Cheese6 (0798F60C).
3. Disable Hard_Cheese5 (0798F6FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14291, Events line 14546, Actions line 14801.

49. Hard_Cheese6 - 0798F60C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Hard_Cheese5 (0798F6FC).

Incoming activation links: enable from Hard_Cheese5 (0798F6FC).

Attached scope: tag definitions 0796D04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Nod_Tank_Cheese6 (091055CC).
2. Enable and reset applicable timers for Hard_Cheese1 (0796E03C).
3. Disable Hard_Cheese6 (0798F60C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14292, Events line 14547, Actions line 14802.

50. Change_LAX_House - 0B975C7C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: LAX (CALA05), owner Special, cell (114, 178), tag 0B97578C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 11 (cell 116, 180).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14293, Events line 14548, Actions line 14803.

51. Camera_Start - 0B97536C

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B97514C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 8 (cell 167, 128).
2. Disable player input.
3. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
4. Enable and reset applicable timers for Start_Briefing (0930F29C).
5. Play voice notification EVA_EstablishBattlefieldControl.
6. Move the camera to waypoint 8 (cell 167, 128) with speed setting 2.
7. Enable and reset applicable timers for Garrison_Hard (093C2ADC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14294, Events line 14549, Actions line 14804.

52. Start_Briefing - 0930F29C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Start (0B97536C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 7.
2. Enable and reset applicable timers for Briefing_Followup (0895FDFC).
3. Disable Start_Briefing (0930F29C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14295, Events line 14550, Actions line 14805.

53. Garrison_Hard - 093C2ADC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Start (0B97536C).

Attached scope: tag definitions 093C248C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri_Gar_CS_CU (092C0B8C).
2. Supply reinforcement team Yuri_Gar_CT_CV (092C050C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14296, Events line 14551, Actions line 14806.

54. Briefing_Followup - 0895FDFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start_Briefing (0930F29C).

Incoming activation links: enable from Start_Briefing (0930F29C).

Attached scope: tag definitions 093095BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 27 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A02_p01.
2. Enable and reset applicable timers for Camera_to_LAX (093093FC).
3. Disable Briefing_Followup (0895FDFC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14297, Events line 14552, Actions line 14807.

55. Camera_to_LAX - 093093FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing_Followup (0895FDFC).

Attached scope: tag definitions 093090FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 11 (cell 116, 180) with speed setting 3.
2. Enable and reset applicable timers for LAX_Speech (0930CDEC).

3. Enable and reset applicable timers for Point_at_LAX (099AEA1C).
4. Enable and reset applicable timers for Pointer_Timer (099AFF3C).
5. Disable Camera_to_LAX (093093FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14298, Events line 14553, Actions line 14808.

56. LAX_Speech - 0930CDEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_to_LAX (093093FC).

Attached scope: tag definitions 0930CC3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA2_EvaBriefing01.
2. Enable and reset applicable timers for Camera_to_Grinder (0930C5CC).
3. Disable LAX_Speech (0930CDEC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14299, Events line 14554, Actions line 14809.

57. Point_at_LAX - 099AEA1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_to_LAX (093093FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field DK.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14300, Events line 14555, Actions line 14810.

58. Pointer_Timer - 099AFF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Point_at_LAX (099AEA1C).

Incoming activation links: enable from Camera_to_LAX (093093FC).

Attached scope: tag definitions 099AE55C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Point_at_LAX (099AEA1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14301, Events line 14556, Actions line 14811.

59. Camera_to_Grinder - 0930C5CC

Owner reference: Yuri3Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from LAX_Speech (0930CDEC).

Attached scope: tag definitions 0931F16C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 92 (cell 105, 128) with speed setting 3.
2. Enable and reset applicable timers for Grinder_Movie (0932705C).

3. Flash buildings of type YAGRND; duration argument 90.
4. Disable Camera_to_Grinder (0930C5CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14302, Events line 14557, Actions line 14812.

60. Grinder_Movie - 0932705C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_to_Grinder (0930C5CC).

Attached scope: tag definitions 0932007C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 8.
2. Enable and reset applicable timers for Briefing_Yuri (091B6F3C).
3. Enable and reset applicable timers for Civ_ThinMale1 (0462733C).
4. Disable Grinder_Movie (0932705C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14303, Events line 14558, Actions line 14813.

61. Briefing_Yuri - 091B6F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder_Movie (0932705C).

Attached scope: tag definitions 091B428C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 43 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 203 (cell 133, 79) with speed setting 4.
2. Create/recruit team Briefing_Clone (091C8E0C).
3. Enable and reset applicable timers for Briefing_Yuri2 (088509DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14304, Events line 14559, Actions line 14814.

62. Civ_ThinMale1 - 0462733C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder_Movie (0932705C).

Attached scope: Civilian (CIV2), owner Neutral, cell (109, 126), tag 04624AEC, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Wakeup self; main setting 0.
2. Change House: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).
3. Create/recruit team Grinder1_ThinMale1 (0BA8A27C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14305, Events line 14560, Actions line 14815.

63. Briefing_Yuri2 - 088509DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing_Yuri (091B6F3C).

Attached scope: tag definitions 0885047C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_YuriClone.
2. Enable and reset applicable timers for Camera_Return (04384E4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14306, Events line 14561, Actions line 14816.

64. Camera_Return - 04384E4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing_Yuri2 (088509DC).

Attached scope: tag definitions 043848EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 8 (cell 167, 128) with speed setting 3.
2. Enable and reset applicable timers for Return_Control (043842DC).
3. Disable Camera_Return (04384E4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14307, Events line 14562, Actions line 14817.

65. Return_Control - 043842DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Return (04384E4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
3. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
4. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
5. Enable and reset applicable timers for Make_CheatA_1 (045B1B5C).
6. Enable and reset applicable timers for Start_Yuri2 (0921C8DC).
7. Play voice notification EVA_BattlefieldControlOnline.
8. Disable Return_Control (043842DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14308, Events line 14563, Actions line 14818.

66. Make_CheatA_1 - 045B1B5C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_Control (043842DC); enable from Make_CheatB_Final (0B94417C); enable from Create_New_Team_B (0B81D85C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Cheat_Initiate (0981521C).
2. Enable and reset applicable timers for Make_CheatA_2 (045B127C).
3. Disable Make_CheatA_1 (045B1B5C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14309, Events line 14564, Actions line 14819.

67. Start_Yuri2 - 0921C8DC

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Return_Control (043842DC).

Incoming activation links: enable from Return_Control (043842DC).

Attached scope: tag definitions 04382C5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
2. AI triggers begin: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
4. Enable and reset applicable timers for _Ambient_SlavePens (0463917C).
5. Disable Start_Yuri2 (0921C8DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14310, Events line 14565, Actions line 14820.

68. Make_CheatA_2 - 045B127C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_1 (045B1B5C).

Incoming activation links: enable from Make_CheatA_1 (045B1B5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Cheat_Initiate (0981521C).
2. Enable and reset applicable timers for Make_CheatA_3 (045B103C).
3. Disable Make_CheatA_2 (045B127C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14311, Events line 14566, Actions line 14821.

69. _Ambient_SlavePens - 0463917C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Yuri2 (0921C8DC).

Attached scope: tag definitions 0463909C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 234 (cell 109, 124).
2. Play sound _Amb_LondonCivilians at waypoint 235 (cell 136, 79).
3. Play sound _Amb_LondonCivilians at waypoint 237 (cell 201, 105).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14312, Events line 14567, Actions line 14822.

70. Make_CheatA_3 - 045B103C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_2 (045B127C).

Incoming activation links: enable from Make_CheatA_2 (045B127C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Cheat_Initiate (0981521C).
2. Enable and reset applicable timers for Make_CheatA_4 (045B0DEC).
3. Disable Make_CheatA_3 (045B103C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14313, Events line 14568, Actions line 14823.

71. Make_CheatA_4 - 045B0DEC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_3 (045B103C).

Incoming activation links: enable from Make_CheatA_3 (045B103C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Cheat_Initiate (0981521C).
2. Enable and reset applicable timers for Make_CheatA_5 (045B0BAC).
3. Disable Make_CheatA_4 (045B0DEC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14314, Events line 14569, Actions line 14824.

72. Make_CheatA_5 - 045B0BAC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_4 (045B0DEC).

Incoming activation links: enable from Make_CheatA_4 (045B0DEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Cheat_Clone (09816B7C).
2. Enable and reset applicable timers for Destroy_Old_Team_A (0B81A8BC).
3. Disable Make_CheatA_5 (045B0BAC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14315, Events line 14570, Actions line 14825.

73. Destroy_Old_Team_A - 0B81A8BC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_Final (045B063C).

Incoming activation links: enable from Make_CheatA_5 (045B0BAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_Cheat_Initiate (0981521C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_Cheat_Clone (09816B7C).
3. Enable and reset applicable timers for Create_New_Team_A (0B81A7CC).
4. Disable Destroy_Old_Team_A (0B81A8BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14316, Events line 14571, Actions line 14826.

74. Make_CheatA_Final - 045B063C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatA_5 (045B0BAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_Cheat_Initiate (0981521C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_Cheat_Clone (09816B7C).
3. Create/recruit team TEAM_Cheat_A (098166CC).
4. Enable and reset applicable timers for Make_CheatB_1 (0B92F17C).
5. Disable Make_CheatA_Final (045B063C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14317, Events line 14572, Actions line 14827.

75. Create_New_Team_A - 0B81A7CC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroy_Old_Team_A (0B81A8BC).

Incoming activation links: enable from Destroy_Old_Team_A (0B81A8BC).

Attached scope: tag definitions 045B136C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Cheat_A (098166CC).
2. Enable and reset applicable timers for Make_CheatB_1 (0B92F17C).
3. Disable Create_New_Team_A (0B81A7CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14318, Events line 14573, Actions line 14828.

76. Make_CheatB_1 - 0B92F17C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Make_CheatA_Final (045B063C); enable from Create_New_Team_A (0B81A7CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Barrack1_Gone) is clear.
2. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CheatB_Initiate (09819B7C) at waypoint 104 (cell 158, 79).
2. Enable and reset applicable timers for Make_CheatB_2 (0C87AAFC).

3. Disable Make_CheatB_1 (0B92F17C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14319, Events line 14574, Actions line 14829.

77. Make_CheatB_2 - 0C87AAFC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_1 (0B92F17C).

Incoming activation links: enable from Make_CheatB_1 (0B92F17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Barrack1_Gone) is clear.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CheatB_Initiate (09819B7C) at waypoint 104 (cell 158, 79).
2. Enable and reset applicable timers for Make_CheatB_3 (0B93017C).
3. Disable Make_CheatB_2 (0C87AAFC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14320, Events line 14575, Actions line 14830.

78. Make_CheatB_3 - 0B93017C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_2 (0C87AAFC).

Incoming activation links: enable from Make_CheatB_2 (0C87AAFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Barrack1_Gone) is clear.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CheatB_Initiate (09819B7C) at waypoint 104 (cell 158, 79).
2. Enable and reset applicable timers for Make_CheatB_4 (0B93D17C).
3. Disable Make_CheatB_3 (0B93017C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14321, Events line 14576, Actions line 14831.

79. Make_CheatB_4 - 0B93D17C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_3 (0B93017C).

Incoming activation links: enable from Make_CheatB_3 (0B93017C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Barrack1_Gone) is clear.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CheatB_Engineer (0981821C) at waypoint 104 (cell 158, 79).
2. Enable and reset applicable timers for Make_CheatB_5 (0EE882DC).
3. Disable Make_CheatB_4 (0B93D17C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14322, Events line 14577, Actions line 14832.

80. Make_CheatB_5 - 0EE882DC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_Final (0B94417C).

Incoming activation links: enable from Make_CheatB_4 (0B93D17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (Barrack1_Gone) is clear.

Flag writers in this mission: set local flag 13 (Barrack1_Gone) at YuriBarrack_Gone (095FE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_CheatB_Engineer (0981821C) at waypoint 104 (cell 158, 79).
2. Enable and reset applicable timers for Destroy_Old_Team_B (0B81D9DC).
3. Disable Make_CheatB_5 (0EE882DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14323, Events line 14578, Actions line 14833.

81. Make_CheatB_Final - 0B94417C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_4 (0B93D17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_CheatB_Initiate (09819B7C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_CheatB_Engineer (0981821C).
3. Create/recruit team TEAM_Cheat_B (098186CC).
4. Enable and reset applicable timers for Make_CheatA_1 (045B1B5C).
5. Disable Make_CheatB_Final (0B94417C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14324, Events line 14579, Actions line 14834.

82. Destroy_Old_Team_B - 0B81D9DC

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Make_CheatB_5 (0EE882DC).

Incoming activation links: enable from Make_CheatB_5 (0EE882DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_CheatB_Initiate (09819B7C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_CheatB_Engineer (0981821C).
3. Enable and reset applicable timers for Create_New_Team_B (0B81D85C).
4. Disable Destroy_Old_Team_B (0B81D9DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14325, Events line 14580, Actions line 14835.

83. Create_New_Team_B - 0B81D85C

Owner reference: Yuri4Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroy_Old_Team_B (0B81D9DC).

Incoming activation links: enable from Destroy_Old_Team_B (0B81D9DC).

Attached scope: tag definitions 0B93618C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Cheat_B (098186CC).
2. Enable and reset applicable timers for Make_CheatA_1 (045B1B5C).
3. Disable Create_New_Team_B (0B81D85C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14326, Events line 14581, Actions line 14836.

84. Make_Patrols - 0B8E13AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8E68EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Patrol_A (0B9710EC).
2. Create/recruit team TEAM_Patrol_B (0B97441C).
3. Create/recruit team TEAM_Patrol_C (08D7197C).
4. Create/recruit team TEAM_Hero_Patrol_1 (090347DC).
5. Create/recruit team TEAM_Hero_Patrol_2 (0903432C).
6. Create/recruit team TEAM_Patrol_1 (0BC7E21C).
7. Create/recruit team TEAM_Patrol_2 (0961CCEC).
8. Create/recruit team TEAM_Patrol_3 (095FFDFC).
9. Create/recruit team TEAM_Patrol_4 (095FF47C).
10. Create/recruit team TEAM_Patrol_5 (095F8EFC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14327, Events line 14582, Actions line 14837.

85. Change_to_Yuri - 0930C39C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0931D05C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14328, Events line 14583, Actions line 14838.

86. Yuri_Base_Defenses - 0D0983FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D09CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Yuri_BD_2 Lasher, 1 Gatt (0D092D8C).
2. Create/recruit team Yuri_BD_3 Gatt (0C71EEFC).
3. Create/recruit team Yuri_BD_3 Lasher, 2 Gatt (0D09087C).
4. Create/recruit team Nod_BD_1 (091027DC).

5. Create/recruit team Nod_BD_2 (0910213C).
6. Create/recruit team Nod_BD_3 (09103DEC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14329, Events line 14584, Actions line 14839.

87. Change_Hero - 0ABAE7BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hero_Guns_Gone (0ABA8C5C); enable from Grinder1_Attacked (07F7DACC).

Attached scope: Hero (ARND), owner Neutral, cell (107, 131), tag 0ABAFD0C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Wakeup self; main setting 0.
3. Create radar-event marker type 11 at waypoint 468 (cell 107, 131).
4. Play voice notification Mis_xA2_GGIThankYou.
5. Create/recruit team TEAM_Hero (0904272C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14330, Events line 14585, Actions line 14840.

88. Hero_Guns_Gone - 0ABA8C5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Initiate (INIT), owner YuriCountry, cell (106, 132), tag 0ABA86FC, persistence mode 0; Initiate (INIT), owner YuriCountry, cell (107, 132), tag 0ABA86FC, persistence mode 0; Initiate (INIT), owner YuriCountry, cell (109, 131), tag 0ABA86FC, persistence mode 0; Initiate (INIT), owner YuriCountry, cell (109, 132), tag 0ABA86FC, persistence mode 0; Initiate (INIT), owner YuriCountry, cell (105, 131), tag 0ABA86FC, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Change_Hero (0ABAE7BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14331, Events line 14586, Actions line 14841.

89. Wakeup_Prisms - 0ACD381C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Arabs_Gone (08D5E88C).

Attached scope: tag definitions 0ACD0F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14332, Events line 14587, Actions line 14842.

90. Arabs_Gone - 08D5E88C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Initiate (INIT), owner Arabs, cell (197, 105), tag 08D5E26C, persistence mode 0; Initiate (INIT), owner Arabs, cell (195, 107), tag 08D5E26C, persistence mode 0; Initiate (INIT), owner Arabs, cell (197, 109), tag 08D5E26C, persistence mode 0; Initiate (INIT), owner Arabs, cell (199, 111), tag 08D5E26C, persistence mode 0; Initiate (INIT), owner Arabs, cell (191, 103), tag 08D5E26C, persistence mode 0.

Wait for the recorded events:

1. Destroyed, All: owner selector 6 (country/type ARABS; placed owner Arabs).

Then perform these actions in order:

1. Enable and reset applicable timers for Wakeup_Prisms (0ACD381C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14333, Events line 14588, Actions line 14843.

91. Reveal_Shroud - 0CDDB12C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CDDC93C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 469 (cell 131, 81).
2. Reveal terrain around waypoint 470 (cell 156, 73).
3. Reveal terrain around waypoint 471 (cell 197, 105).
4. Reveal terrain around waypoint 92 (cell 105, 128).
5. Reveal terrain around waypoint 115 (cell 118, 177).
6. Reveal terrain around waypoint 116 (cell 109, 177).
7. Reveal terrain around waypoint 117 (cell 115, 175).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14334, Events line 14589, Actions line 14844.

92. Grinders_Gone - 0CDDC84C

Owner reference: Yuri3Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_Grinders (0C42981C).

Attached scope: tag definitions 0CDDC62C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Grinders_Gone) is set.
2. local flag 0 (Base_Gone) is clear.

Flag writers in this mission: set local flag 1 (Grinders_Gone) at Check_Grinders (0C42981C); set local flag 0 (Base_Gone) at Base_Gone (0CDDD74C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xA2_EvaGrindersGone.
2. Enable and reset applicable timers for New_Mission (094D906C).
3. All change house: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
4. Create/recruit team Civ_Initiate_G1 (0913A8EC).
5. Create/recruit team Civ_Initiate_G2 (09138CBC).
6. Create/recruit team Civ_Initiate_G3 (0913BDCC).
7. Create/recruit team Civ_Initiate_G4 (0913AEFC).
8. Stop location sound 234 at waypoint 234 (cell 109, 124).
9. Stop location sound 235 at waypoint 235 (cell 136, 79).
10. Stop location sound 236 at waypoint 236 (no location in this map's waypoint table).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14335, Events line 14590, Actions line 14845.

93. New_Mission - 094D906C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinders_Gone (0CDDC84C).

Attached scope: tag definitions 094DDCAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_NewMissionObjective.
2. Display message “Objective: Destroy all enemy buildings” (MISSION:YuriBase).

3. Enable and reset applicable timers for NewMissionText (04627BCC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14336, Events line 14591, Actions line 14846.

94. NewMissionText - 04627BCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from New_Mission (094D906C).

Attached scope: tag definitions 0462658C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy all enemy buildings” (MISSION:YuriBase).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14337, Events line 14592, Actions line 14847.

95. Civ_CleanUp1A - 08FEB28C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachFemale (0BA8977C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachMale (0BA88EFC).
3. Remove instances of the team organization (not automatically its surviving objects) Grinder1_Female (0BA8945C).
4. Remove instances of the team organization (not automatically its surviving objects) Grinder1_GreenMale (0BA88BDC).
5. Remove instances of the team organization (not automatically its surviving objects) Grinder1_SnowFat (0BA89A9C).
6. Remove instances of the team organization (not automatically its surviving objects) Grinder1_ThinMale1 (0BA8A27C).
7. Enable and reset applicable timers for Civ_CleanUp1B (08FEA9EC).
8. Disable Civ_CleanUp1A (08FEB28C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14338, Events line 14593, Actions line 14848.

96. Civ_CleanUp1B - 08FEA9EC

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp1A (08FEB28C).

Incoming activation links: enable from Civ_CleanUp1A (08FEB28C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Civ_BeachFemale_Final (097451AC).
2. Create/recruit team Civ_BeachMale_Final (0974585C).
3. Create/recruit team Civ_Female_Final (09745ABC).
4. Create/recruit team Civ_GreenMale_Final (097455FC).
5. Create/recruit team Civ_SnowFat_Final (0974773C).
6. Create/recruit team Civ_ThinMale_Final (0974572C).
7. Enable and reset applicable timers for Civ_CleanUp2A (08FEA69C).
8. Disable Civ_CleanUp1B (08FEA9EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14339, Events line 14594, Actions line 14849.

97. Civ_CleanUp2A - 08FEA69C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp1B (08FEA9EC).

Incoming activation links: enable from Civ_CleanUp1B (08FEA9EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachFemale (0B1132FC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachMale (0B11342C).
3. Remove instances of the team organization (not automatically its surviving objects) Grinder2_Female (0B11355C).
4. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowFemale (0B114EFC).
5. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowMale (0B1131CC).
6. Remove instances of the team organization (not automatically its surviving objects) Grinder2_ThinMale (0B1138FC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14340, Events line 14595, Actions line 14850.

98. Cheer - 0CDDC53C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win_Check (0CDDECBC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14341, Events line 14596, Actions line 14851.

99. Mission_Over - 0CDDC22C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Cheer (0CDDC53C).

Incoming activation links: enable from Win_Check (0CDDECBC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14342, Events line 14597, Actions line 14852.

100. Base_Gone - 0CDDD74C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CDDD66C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
2. Destroyed, Buildings, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Set local flag 0 (Base_Gone).
2. Disable Base_Gone (0CDDD74C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14343, Events line 14598, Actions line 14853.

101. Win_Check - 0CDDECBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Mission_Over (0CDDC22C).

Attached scope: tag definitions 0CDDC31C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Grinders_Gone) is set.
2. local flag 0 (Base_Gone) is set.

Flag writers in this mission: set local flag 1 (Grinders_Gone) at Check_Grinders (0C42981C); set local flag 0 (Base_Gone) at Base_Gone (0CDDD74C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Cheer (0CDDC53C).
2. Enable and reset applicable timers for Mission_Over (0CDDC22C).
3. Disable Win_Check (0CDDECBC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14344, Events line 14599, Actions line 14854.

102. BodyBuilder_Discovered - 065C3EDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Stallone (08E32CFC); enable from Grinder3_Attacked (0464E91C).

Attached scope: Bodybuilder (STLN), owner Neutral, cell (156, 74), tag 065C688C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Create/recruit team TEAM_BodyBuilder (090311FC).
3. Play voice notification Mis_xA2_GGIThankYou.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14345, Events line 14600, Actions line 14855.

103. All_Russkies_Gone - 08E7FF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E7FC4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Enable and reset applicable timers for Wakeup_Tanks (08E7FB5C).
2. Disable All_Russkies_Gone (08E7FF3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14346, Events line 14601, Actions line 14856.

104. Wakeup_Tanks - 08E7FB5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from All_Russkies_Gone (08E7FF3C).

Attached scope: tag definitions 08E7F47C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14347, Events line 14602, Actions line 14857.

105. Start_Stallone - 08E32CFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Lasher Light Tank (LTNK), owner YuriCountry, cell (158, 81), tag 08E3237C, persistence mode 2; Lasher Light Tank (LTNK), owner YuriCountry, cell (161, 79), tag 08E3237C, persistence mode 2; Yuri Barracks (YABRCK), owner Yuri4, cell (157, 77), tag 08E3237C, persistence mode 2; Bio Reactor (YAPOWR), owner Yuri4, cell (159, 74), tag 08E3237C, persistence mode 2; Bio Reactor (YAPOWR), owner Yuri2, cell (164, 78), tag 08E3237C, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for BodyBuilder_Discovered (065C3EDC).
2. Disable Start_Stallone (08E32CFC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14348, Events line 14603, Actions line 14858.

106. Grinder1_Gone - 0439850C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 2 (Grinder1_Gone).
2. Create crate type 0 at waypoint 92 (cell 105, 128).
3. Disable G1_Make_BeachFem (09802F3C).
4. Disable G1_Make_BeachM (0CF2329C).
5. Disable G1_Make_Female (0BAD2BBC).
6. Disable G1_Make_Green (0CB5C4BC).
7. Disable G1_Make_SnowFat (0CB5B3AC).
8. Disable G1_Make_ThinM (098219BC).
9. Enable and reset applicable timers for Yuri_Taunt_2 (07F40CAC).
10. Disable Grinder1_Gone (0439850C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14349, Events line 14604, Actions line 14859.

107. G1_Make_BeachFem - 09802F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1BeachF_Change (0980941C).

Attached scope: tag definitions 09802CEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. local flag 22 (IE_Building_Gone) is clear.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C); set local flag 22 (IE_Building_Gone) at IE_Building_Gone (09801C3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_BeachFemaleGo (0B11159C).
2. Enable and reset applicable timers for G1BeachF_Change (0980941C).
3. Disable G1_Make_BeachFem (09802F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14350, Events line 14605, Actions line 14860.

108. G1_Make_BeachM - 0CF2329C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_BeachM_Change (0460404C).

Attached scope: tag definitions 0CF2543C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. local flag 24 (IF_Building_Gone) is clear.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C); set local flag 24 (IF_Building_Gone) at IF_Building_Gone (046049FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_BeachMaleGo (0B1111FC).
2. Enable and reset applicable timers for G1_BeachM_Change (0460404C).
3. Disable G1_Make_BeachM (0CF2329C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14351, Events line 14606, Actions line 14861.

109. G1_Make_Female - 0BAD2BBC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1Female_Change (0CB5B1DC).

Attached scope: tag definitions 0BAD26CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. local flag 27 (IG_Building_Gone) is clear.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C); set local flag 27 (IG_Building_Gone) at IG_Building_Gone (09D28AFC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_FemaleGo (0B1110CC).
2. Enable and reset applicable timers for G1Female_Change (0CB5B1DC).
3. Disable G1_Make_Female (0BAD2BBC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14352, Events line 14607, Actions line 14862.

110. G1_Make_Green - 0CB5C4BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1Green_Change (04E513AC).

Attached scope: tag definitions 0CB5C3DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 28 (IH_Building_Gone) is clear.
2. local flag 2 (Grinder1_Gone) is clear.

Flag writers in this mission: set local flag 28 (IH_Building_Gone) at IH_Building_Gone (09DE003C); set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_GreenMaleGo (0B112A1C).
2. Enable and reset applicable timers for G1Green_Change (04E513AC).
3. Disable G1_Make_Green (0CB5C4BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14353, Events line 14608, Actions line 14863.

111. G1_Make_SnowFat - 0CB5B3AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1SnowFat_Change (09826D7C).

Attached scope: tag definitions 0CB5B2CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 30 (II_Building_Gone) is clear.
2. local flag 2 (Grinder1_Gone) is clear.

Flag writers in this mission: set local flag 30 (II_Building_Gone) at II_Building_Gone (0982574C); set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_SnowFatGo (0B11267C).
2. Enable and reset applicable timers for G1SnowFat_Change (09826D7C).
3. Disable G1_Make_SnowFat (0CB5B3AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14354, Events line 14609, Actions line 14864.

112. G1_Make_ThinM - 098219BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1ThinM_Change (0CB5C2EC).

Attached scope: tag definitions 0982B5FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 32 (IJ_Building_Gone) is clear.
2. local flag 2 (Grinder1_Gone) is clear.

Flag writers in this mission: set local flag 32 (IJ_Building_Gone) at IJ_Building_Gone (04EB32BC); set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder1_ThinMaleGo (0B1122DC).
2. Enable and reset applicable timers for G1ThinM_Change (0CB5C2EC).
3. Disable G1_Make_ThinM (098219BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14355, Events line 14610, Actions line 14865.

113. Yuri_Taunt_2 - 07F40CAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder1_Gone (0439850C); enable from Grinder2_Gone (0439EDBC); enable from Grinder3_Gone (0439EAAC); enable from Grinder4_Gone (0439E79C).

Attached scope: tag definitions 07F4039C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriLeave.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14356, Events line 14611, Actions line 14866.

114. G1BeachF_Change - 0980941C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_BeachFem (09802F3C).

Attached scope: tag definitions 0980D67C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 23 (Change_G1BeachF) is set.

Flag writers in this mission: clear local flag 23 (Change_G1BeachF) at G1BeachF_Change (0980941C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachFemaleGo (0B11159C).

2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachF_Change (0CDC467C).
3. Create/recruit team Grinder1_BeachF_Change (0CDC467C).
4. Clear local flag 23 (Change_G1BeachF).
5. Enable and reset applicable timers for G1_Make_BeachFem (09802F3C).
6. Disable G1BeachF_Change (0980941C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14357, Events line 14612, Actions line 14867.

115. G1_BeachM_Change - 0460404C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_BeachM (0CF2329C).

Attached scope: tag definitions 04602B9C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 25 (Change_G1BeachM) is set.

Flag writers in this mission: clear local flag 25 (Change_G1BeachM) at G1_BeachM_Change (0460404C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachMaleGo (0B1111FC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_BeachM_Change (0974031C).
3. Create/recruit team Grinder1_BeachM_Change (0974031C).
4. Clear local flag 25 (Change_G1BeachM).
5. Enable and reset applicable timers for G1_Make_BeachM (0CF2329C).
6. Disable G1_BeachM_Change (0460404C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14358, Events line 14613, Actions line 14868.

116. G1Female_Change - 0CB5B1DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_Female (0BAD2BBC).

Attached scope: tag definitions 0CB5B0FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 26 (Change_G1Female) is set.

Flag writers in this mission: clear local flag 26 (Change_G1Female) at G1Female_Change (0CB5B1DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_FemaleGo (0B1110CC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_Female_Change (09D29EFC).
3. Create/recruit team Grinder1_Female_Change (09D29EFC).
4. Clear local flag 26 (Change_G1Female).
5. Enable and reset applicable timers for G1_Make_Female (0BAD2BBC).
6. Disable G1Female_Change (0CB5B1DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14359, Events line 14614, Actions line 14869.

117. G1Green_Change - 04E513AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_Green (0CB5C4BC).

Attached scope: tag definitions 04E5594C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 29 (Change_G1Green) is set.

Flag writers in this mission: clear local flag 29 (Change_G1Green) at G1Green_Change (04E513AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_GreenMaleGo (0B112A1C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_Green_Change (0CA5D54C).
3. Create/recruit team Grinder1_Green_Change (0CA5D54C).
4. Clear local flag 29 (Change_G1Green).
5. Enable and reset applicable timers for G1_Make_Green (0CB5C4BC).
6. Disable G1Green_Change (04E513AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14360, Events line 14615, Actions line 14870.

118. G1SnowFat_Change - 09826D7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_SnowFat (0CB5B3AC).

Attached scope: tag definitions 098259DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 31 (Change_G1SnowFat) is set.

Flag writers in this mission: clear local flag 31 (Change_G1SnowFat) at G1SnowFat_Change (09826D7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_SnowFatGo (0B11267C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_SnowFat_Change (0CA5D1AC).
3. Create/recruit team Grinder1_SnowFat_Change (0CA5D1AC).
4. Clear local flag 31 (Change_G1SnowFat).
5. Enable and reset applicable timers for G1_Make_SnowFat (0CB5B3AC).
6. Disable G1SnowFat_Change (09826D7C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14361, Events line 14616, Actions line 14871.

119. G1ThinM_Change - 0CB5C2EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G1_Make_ThinM (098219BC).

Attached scope: tag definitions 0CB5C20C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).
2. local flag 33 (Change_G1ThinM) is set.

Flag writers in this mission: clear local flag 33 (Change_G1ThinM) at G1ThinM_Change (0CB5C2EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder1_ThinMaleGo (0B1122DC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder1_ThinMale_Change (0CA5EC8C).
3. Create/recruit team Grinder1_ThinMale_Change (0CA5EC8C).
4. Clear local flag 33 (Change_G1ThinM).
5. Enable and reset applicable timers for G1_Make_ThinM (098219BC).
6. Disable G1ThinM_Change (0CB5C2EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14362, Events line 14617, Actions line 14872.

120. Grinder2_Gone - 0439EDBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grinder (YAGRND), owner Yuri3, cell (128, 78), tag 0439EB9C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (Grinder2_Gone).
2. Create crate type 0 at waypoint 91 (cell 129, 79).
3. Disable Grinder2_BeachFemale (097BA8EC).
4. Disable Grinder2_BeachMale (097BAABC).
5. Disable Grinder2_Female (097BAF3C).
6. Disable Grinder2_SnowFemale (097BA30C).
7. Disable Grinder2_SnowMale (097BA71C).
8. Disable Grinder2_ThinMale (0978639C).
9. Enable and reset applicable timers for Yuri_Taunt_2 (07F40CAC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14363, Events line 14618, Actions line 14873.

121. Grinder3_Gone - 0439EAAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 4 (Grinder3_Gone).
2. Create crate type 0 at waypoint 90 (cell 153, 71).
3. Enable and reset applicable timers for Yuri_Taunt_2 (07F40CAC).
4. Disable Grinder3_Gone (0439EAAC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14364, Events line 14619, Actions line 14874.

122. Grinder4_Gone - 0439E79C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grinder (YAGRND), owner Yuri3, cell (193, 102), tag 0439E57C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 5 (Grinder4_Gone).
2. Create crate type 0 at waypoint 89 (cell 194, 103).
3. Enable and reset applicable timers for Yuri_Taunt_2 (07F40CAC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14365, Events line 14620, Actions line 14875.

123. Start_Grinder_Pings - 0D20AA9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Stop_Grinder_Pings (0D1FE81C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 8 (Player_Has_Radar) is set.

Flag writers in this mission: set local flag 8 (Player_Has_Radar) at Player_Builds_AC (0C43BA4C); clear local flag 8 (Player_Has_Radar) at Player_Lost_AC (08D7DCCC); set local flag 8 (Player_Has_Radar) at Player_Builds_SpySat (0C43CF3C); clear local flag 8 (Player_Has_Radar) at Player_Lost_SpySat (08D7D2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Grinder_Text_WP (0C43032C).
2. Enable and reset applicable timers for Ping_Grinder1 (0D20A85C).
3. Enable and reset applicable timers for Ping_Grinder2 (08D7EBEC).
4. Enable and reset applicable timers for Ping_Grinder3 (08D7E3EC).
5. Enable and reset applicable timers for Ping_Grinder4 (08D7FF3C).
6. Enable and reset applicable timers for Stop_Grinder_Pings (0D1FE81C).
7. Disable Grinder_Text_WoP (0D18503C).
8. Disable Start_Grinder_Pings (0D20AA9C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14366, Events line 14621, Actions line 14876.

124. Grinder_Text_WP - 0C43032C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 0C431DAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Grinders_Gone) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Grinders_Gone) at Check_Grinders (0C42981C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective: Destroy all Grinders in the city” (MISSION:Grinders).
2. Enable and reset applicable timers for LAX_Hint (088703CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14367, Events line 14622, Actions line 14877.

125. Ping_Grinder1 - 0D20A85C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 0D20A12C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 468 (cell 107, 131).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14368, Events line 14623, Actions line 14878.

126. Ping_Grinder2 - 08D7EBEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 08D7E88C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 469 (cell 131, 81).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14369, Events line 14624, Actions line 14879.

127. Ping_Grinder3 - 08D7E3EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 08D7E08C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Grinder3_Gone) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 4 (Grinder3_Gone) at Grinder3_Gone (0439EAAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 470 (cell 156, 73).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14370, Events line 14625, Actions line 14880.

128. Ping_Grinder4 - 08D7FF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 08D7FBDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Grinder4_Gone) is clear.
2. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 471 (cell 197, 105).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14371, Events line 14626, Actions line 14881.

129. Stop_Grinder_Pings - 0D1FE81C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Start_Grinder_Pings (0D20AA9C).

Incoming activation links: enable from Start_Grinder_Pings (0D20AA9C).

Attached scope: tag definitions 0D20A94C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Player_Has_Radar) is clear.

Flag writers in this mission: set local flag 8 (Player_Has_Radar) at Player_Builds_AC (0C43BA4C); clear local flag 8 (Player_Has_Radar) at Player_Lost_AC (08D7DCCC); set local flag 8 (Player_Has_Radar) at Player_Builds_SpySat (0C43CF3C); clear local flag 8 (Player_Has_Radar) at Player_Lost_SpySat (08D7D2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Grinder_Text_WP (0C43032C).
2. Disable Ping_Grinder1 (0D20A85C).
3. Disable Ping_Grinder2 (08D7EBEC).
4. Disable Ping_Grinder3 (08D7E3EC).
5. Disable Ping_Grinder4 (08D7FF3C).
6. Enable and reset applicable timers for Start_Grinder_Pings (0D20AA9C).
7. Enable and reset applicable timers for Grinder_Text_WoP (0D18503C).
8. Disable Stop_Grinder_Pings (0D1FE81C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14372, Events line 14627, Actions line 14882.

130. Grinder_Text_WoP - 0D18503C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Stop_Grinder_Pings (0D1FE81C).

Attached scope: tag definitions 0D17A04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 1 (Grinders_Gone) is clear.

Flag writers in this mission: set local flag 1 (Grinders_Gone) at Check_Grinders (0C42981C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective: Destroy all Grinders in the city” (MISSION:Grinders).
2. Enable and reset applicable timers for LAX_Hint (088703CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14373, Events line 14628, Actions line 14883.

131. LAX_Hint - 088703CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Grinder_Text_WP (0C43032C); enable from Grinder_Text_WoP (0D18503C).

Attached scope: tag definitions 0887136C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building does not exist: type index 329 (global list position: Hollywood Bowl (CALA04)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Display message “Hint: Capture LAX to gain access to paratroopers” (MISSION:LAX).
2. Disable LAX_Hint (088703CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14374, Events line 14629, Actions line 14884.

132. Player_Builds_AC - 0C43BA4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Lost_AC (08D7DCCC).

Attached scope: tag definitions 0C43B75C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 135 (global list position: Air Force Command Headquarters (AMRADR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 6 (Player_Has_AC).
2. Set local flag 8 (Player_Has_Radar).
3. Enable and reset applicable timers for Player_Lost_AC (08D7DCCC).
4. Disable Player_Builds_AC (0C43BA4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14375, Events line 14630, Actions line 14885.

133. Player_Lost_AC - 08D7DCCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Builds_AC (0C43BA4C).

Attached scope: tag definitions 08D7D47C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 135 (global list position: Air Force Command Headquarters (AMRADR)). A map-local type-list change can affect index interpretation.

2. local flag 8 (Player_Has_Radar) is set.
3. local flag 7 (Player_Has_SpySat) is clear.

Flag writers in this mission: set local flag 8 (Player_Has_Radar) at Player_Builds_AC (0C43BA4C); clear local flag 8 (Player_Has_Radar) at Player_Lost_AC (08D7DCCC); set local flag 8 (Player_Has_Radar) at Player_Builds_SpySat (0C43CF3C); clear local flag 8 (Player_Has_Radar) at Player_Lost_SpySat (08D7D2BC); set local flag 7 (Player_Has_SpySat) at Player_Builds_SpySat (0C43CF3C); clear local flag 7 (Player_Has_SpySat) at Player_Lost_SpySat (08D7D2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 8 (Player_Has_Radar).
2. Clear local flag 6 (Player_Has_AC).
3. Enable and reset applicable timers for Player_Builds_AC (0C43BA4C).
4. Disable Player_Lost_AC (08D7DCCC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14376, Events line 14631, Actions line 14886.

134. Player_Builds_SpySat - 0C43CF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Lost_SpySat (08D7D2BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 7 (Player_Has_SpySat).
2. Set local flag 8 (Player_Has_Radar).
3. Enable and reset applicable timers for Force_Fire_Flint (0926703C).
4. Disable Player_Builds_SpySat (0C43CF3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14377, Events line 14632, Actions line 14887.

135. Force_Fire_Flint - 0926703C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Builds_SpySat (0C43CF3C).

Incoming activation links: enable from Player_Builds_SpySat (0C43CF3C).

Attached scope: tag definitions 0C43CBEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 64 (Flint_Found) is clear.

Flag writers in this mission: set local flag 64 (Flint_Found) at Discover_Cowboy (0916204C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Force Discover_Cowboy (0916204C).
2. Disable Force_Fire_Flint (0926703C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14378, Events line 14633, Actions line 14888.

136. Player_Lost_SpySat - 08D7D2BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D7ECDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 62 (global list position: SpySat Uplink (GASPYSAT)). A map-local type-list change can affect index interpretation.
2. local flag 8 (Player_Has_Radar) is set.
3. local flag 6 (Player_Has_AC) is clear.

Flag writers in this mission: set local flag 8 (Player_Has_Radar) at Player_Builds_AC (0C43BA4C); clear local flag 8 (Player_Has_Radar) at Player_Lost_AC (08D7DCCC); set local flag 8 (Player_Has_Radar) at Player_Builds_SpySat (0C43CF3C); clear local flag 8 (Player_Has_Radar) at Player_Lost_SpySat (08D7D2BC); set local flag 6 (Player_Has_AC) at Player_Builds_AC (0C43BA4C); clear local flag 6 (Player_Has_AC) at Player_Lost_AC (08D7DCCC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 8 (Player_Has_Radar).
2. Clear local flag 7 (Player_Has_SpySat).
3. Enable and reset applicable timers for Player_Builds_SpySat (0C43CF3C).
4. Disable Player_Lost_SpySat (08D7D2BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14379, Events line 14634, Actions line 14889.

137. Check_Grinders - 0C42981C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C42909C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Grinder1_Gone) is set.
2. local flag 3 (Grinder2_Gone) is set.
3. local flag 4 (Grinder3_Gone) is set.
4. local flag 5 (Grinder4_Gone) is set.

Flag writers in this mission: set local flag 2 (Grinder1_Gone) at Grinder1_Gone (0439850C); set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 4 (Grinder3_Gone) at Grinder3_Gone (0439EAAC); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 1 (Grinders_Gone).
2. Enable and reset applicable timers for Grinders_Gone (0CDDC84C).
3. Disable Check_Grinders (0C42981C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14380, Events line 14635, Actions line 14890.

138. Bridge1_Broke - 0E69E72C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge1_Fixed (0BC61C6C).

Attached scope: 1 tagged map cells: (112, 155); tag 0E69E38C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Clear local flag 9 (Bridge1_Fixed).
2. Enable and reset applicable timers for Bridge1_Fixed (0BC61C6C).
3. Enable and reset applicable timers for Bridge1_Fixer_Team (0D10FEDC).
4. Disable Bridge1_Broke (0E69E72C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14381, Events line 14636, Actions line 14891.

139. Bridge1_Fixed - 0BC61C6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge1_Broke (0E69E72C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (102, 157), tag 0BC6588C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Set local flag 9 (Bridge1_Fixed).
2. Enable and reset applicable timers for Bridge1_Broke (0E69E72C).
3. Disable Bridge1_Fixer_Team (0D10FEDC).
4. Disable Bridge1_Fixed (0BC61C6C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14382, Events line 14637, Actions line 14892.

140. Bridge1_Fixer_Team - 0D10FEDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge1_Broke (0E69E72C).

Attached scope: tag definitions 0D10F76C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 9 (Bridge1_Fixed) is clear.

Flag writers in this mission: clear local flag 9 (Bridge1_Fixed) at Bridge1_Broke (0E69E72C); set local flag 9 (Bridge1_Fixed) at Bridge1_Fixed (0BC61C6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Bridge1_Fixer (0D10EEFC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14383, Events line 14638, Actions line 14893.

141. Bridge2_Broke - 0E69DB4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge2_Fixed (0BC6785C).

Attached scope: 1 tagged map cells: (112, 150); tag 0E69D91C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Clear local flag 10 (Bridge2_Fixed).
2. Enable and reset applicable timers for Bridge2_Fixed (0BC6785C).
3. Enable and reset applicable timers for Bridge2_Fixer_Team (08E06BAC).
4. Disable Bridge2_Broke (0E69DB4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14384, Events line 14639, Actions line 14894.

142. Bridge2_Fixed - 0BC6785C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge2_Broke (0E69DB4C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (102, 148), tag 0437895C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Set local flag 10 (Bridge2_Fixed).
2. Enable and reset applicable timers for Bridge2_Broke (0E69DB4C).
3. Disable Bridge2_Fixer_Team (08E06BAC).
4. Disable Bridge2_Fixed (0BC6785C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14385, Events line 14640, Actions line 14895.

143. Bridge2_Fixer_Team - 08E06BAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge2_Broke (0E69DB4C).

Attached scope: tag definitions 08E065EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 10 (Bridge2_Fixed) is clear.

Flag writers in this mission: clear local flag 10 (Bridge2_Fixed) at Bridge2_Broke (0E69DB4C); set local flag 10 (Bridge2_Fixed) at Bridge2_Fixed (0BC6785C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Bridge2_Fixer (0D10D67C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14386, Events line 14641, Actions line 14896.

144. Bridge3_Broke - 0E69BF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge3_Fixed (0D15DE1C).

Attached scope: 1 tagged map cells: (130, 61); tag 0E69CDFC, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Clear local flag 11 (Bridge3_Fixed).
2. Enable and reset applicable timers for Bridge3_Fixer_Team (0D10E5CC).
3. Enable and reset applicable timers for Bridge3_Fixed (0D15DE1C).
4. Disable Bridge3_Broke (0E69BF3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14387, Events line 14642, Actions line 14897.

145. Bridge3_Fixer_Team - 0D10E5CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge3_Broke (0E69BF3C).

Attached scope: tag definitions 0D10E31C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 11 (Bridge3_Fixed) is clear.

Flag writers in this mission: clear local flag 11 (Bridge3_Fixed) at Bridge3_Broke (0E69BF3C); set local flag 11 (Bridge3_Fixed) at Bridge3_Fixed (0D15DE1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Bridge3_Fixer (0D0D66EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14388, Events line 14643, Actions line 14898.

146. Bridge3_Fixed - 0D15DE1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge3_Broke (0E69BF3C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (123, 63), tag 0D15D47C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Set local flag 11 (Bridge3_Fixed).
2. Enable and reset applicable timers for Bridge3_Broke (0E69BF3C).
3. Disable Bridge3_Fixer_Team (0D10E5CC).
4. Disable Bridge3_Fixed (0D15DE1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14389, Events line 14644, Actions line 14899.

147. Bridge4_Broke - 0E69CC1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge4_Fixed (0D10E9BC).

Attached scope: 1 tagged map cells: (131, 56); tag 0E69C9EC, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Clear local flag 12 (Bridge4_Fixed).
2. Enable and reset applicable timers for Bridge4_Fixer_Team (0D0D603C).
3. Enable and reset applicable timers for Bridge4_Fixed (0D10E9BC).
4. Disable Bridge4_Broke (0E69CC1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14390, Events line 14645, Actions line 14900.

148. Bridge4_Fixer_Team - 0D0D603C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge4_Broke (0E69CC1C).

Attached scope: tag definitions 08E10AEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 12 (Bridge4_Fixed) is clear.

Flag writers in this mission: clear local flag 12 (Bridge4_Fixed) at Bridge4_Broke (0E69CC1C); set local flag 12 (Bridge4_Fixed) at Bridge4_Fixed (0D10E9BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Bridge4_Fixer (0D0D777C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14391, Events line 14646, Actions line 14901.

149. Bridge4_Fixed - 0D10E9BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge4_Broke (0E69CC1C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (124, 52), tag 0D10E6BC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Set local flag 12 (Bridge4_Fixed).
2. Enable and reset applicable timers for Bridge4_Broke (0E69CC1C).
3. Disable Bridge4_Fixer_Team (0D0D603C).
4. Disable Bridge4_Fixed (0D10E9BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14392, Events line 14647, Actions line 14902.

150. Studio_Patrol - 06C3CCCC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06C3C75C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Studio_Patrol (06C394AC).
2. Create/recruit team TEAM_Patrol6 (0960071C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14393, Events line 14648, Actions line 14903.

151. Germans_Attacked - 095D099C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Initiate (INIT), owner Germans, cell (148, 94), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (146, 93), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (145, 92), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (145, 90), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (149, 94), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (150, 92), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (150, 93), tag 095D042C, persistence mode 0; Initiate (INIT), owner Germans, cell (150, 90), tag 095D042C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Wakeup_Prisoners (0958149C).
2. Enable and reset applicable timers for Prisoners_Panic (095D033C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14394, Events line 14649, Actions line 14904.

152. Wakeup_Prisoners - 0958149C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Germans_Attacked (095D099C).

Attached scope: Civilian (CIVBF), owner Neutral, cell (149, 91), tag 0958AF4C, persistence mode 0; Civilian (CIVBTM), owner Neutral, cell (146, 91), tag 0958AF4C, persistence mode 0; Civilian (CIVSTM), owner Neutral, cell (146, 90), tag 0958AF4C, persistence mode 0; Civilian (CIVSF), owner Neutral, cell (148, 93), tag 0958AF4C, persistence mode 0; Civilian (CIV2), owner Neutral, cell (148, 90), tag 0958AF4C, persistence mode 0; Civilian (CIV1), owner Neutral, cell (149, 92), tag 0958AF4C, persistence mode 0; Civilian (CIVSFM), owner Neutral, cell (147, 92), tag 0958AF4C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Wakeup self; main setting 0.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14395, Events line 14650, Actions line 14905.

153. Prisoners_Panic - 095D033C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Germans_Attacked (095D099C).

Attached scope: tag definitions 095D1E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Prisoners (096CEA1C).
2. Disable Prisoners_Panic (095D033C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14396, Events line 14651, Actions line 14906.

154. YuriBarrack_Gone - 095FE79C

Owner reference: Yuri4Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 095D885C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 13 (Barrack1_Gone).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14397, Events line 14652, Actions line 14907.

155. CheeseFactory_Gone - 0C89504C

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C8943FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 14 (CheeseFact_Gone).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14398, Events line 14653, Actions line 14908.

156. 3L1G_Built - 0963AA4C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0963A2BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (3L1G_Built) is set.

Flag writers in this mission: clear local flag 15 (3L1G_Built) at 3L1G_Built (0963AA4C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_Yuri_3I1G (0B9E4DEC).
2. Clear local flag 15 (3L1G_Built).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14399, Events line 14654, Actions line 14909.

157. PlayerLose - 0460D72C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0460D14C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14400, Events line 14655, Actions line 14910.

158. Player_Has_LAX - 097988CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0979ECDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 329 (global list position: Hollywood Bowl (CALA04)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Player_Has_LAX (097988CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14401, Events line 14656, Actions line 14911.

159. Yuri_Taunt - 094D821C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 094D929C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xA2_YuriTaunt.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14402, Events line 14657, Actions line 14912.

160. Easy_Money - 10A9144C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14403, Events line 14658, Actions line 14913.

161. Find_Dino - 096169CC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 58 tagged map cells: (128, 125), (129, 125), (130, 125), (131, 125), (132, 125), (133, 125), (134, 125), (135, 125), (136, 125), (137, 125), (138, 125), (139, 125), (140, 125), (141, 125), (142, 125), (143, 125), (144, 125), (128, 126), (144, 126), (128, 127), (144, 127), (128, 128), (144, 128), (128, 129), (144, 129), (128, 130), (144, 130), (128, 131), (144, 131), (128, 132), (144, 132), (128, 133), (144, 133), (128, 134), (144, 134), (128, 135), (144, 135), (128, 136), (144, 136), (128, 137), (144, 137), (128, 138), (129, 138), (130, 138), (131, 138), (132, 138), (133, 138), (134, 138), (135, 138), (136, 138), (137, 138), (138, 138), (139, 138), (140, 138), (141, 138), (142, 138), (143, 138), (144, 138); tag 09617E0C, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Play voice notification Mis_xA2_EvaDinoMovie.
2. Reveal terrain around waypoint 62 (cell 140, 134).
3. Create/recruit team Rexy (08E2D89C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14404, Events line 14659, Actions line 14914.

162. Easy_Money2 - 0EB68F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Easy_Money (10A9144C).

Attached scope: Flak Cannon (NAFLAK), owner Americans, cell (159, 165), tag 10A95F4C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 4 (country/type BRITISH; placed owner British).
2. Sell the attached building through the scripted sale action.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14405, Events line 14660, Actions line 14915.

163. Yuri2_Hate_Player - 0BCF2BEC

Owner reference: Yuri2Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BCF76DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14406, Events line 14661, Actions line 14916.

164. BringOn_MCV - 096947BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09693EEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Allied_MCV (06C6434C).
2. Supply reinforcement team GGI_KA_KH (0C720ABC).
3. Supply reinforcement team GGI_KB_KG (0C7217DC).
4. Supply reinforcement team GGI_KC_KF (0C72064C).
5. Supply reinforcement team GGI_KD_KI (0C72022C).
6. Supply reinforcement team GGI_KE_KJ (0C9CFA1C).
7. Reveal terrain around waypoint 302 (cell 176, 134).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14407, Events line 14662, Actions line 14917.

165. BringOn_GIs - 0967DE9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0967D60C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team GI_KP_KK (0C9593CC).
2. Supply reinforcement team GI_KP_KL (0C95CD8C).
3. Supply reinforcement team GI_KP_KM (0C95C51C).
4. Supply reinforcement team GI_KP_KN (0C809A1C).
5. Supply reinforcement team GI_KP_KO (0C80967C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14408, Events line 14663, Actions line 14918.

166. IE_Building_Gone - 09801C3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CASTL03), owner Neutral, cell (119, 121), tag 09801ACC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 22 (IE_Building_Gone).
2. Disable G1_Make_BeachFem (09802F3C).
3. Disable IE_Building_Gone (09801C3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14409, Events line 14664, Actions line 14919.

167. IF_Building_Gone - 046049FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY12), owner Neutral, cell (114, 116), tag 0460447C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 24 (IF_Building_Gone).
2. Disable G1_Make_BeachM (0CF2329C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14410, Events line 14665, Actions line 14920.

168. IG_Building_Gone - 09D28AFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CASTL01), owner Neutral, cell (109, 115), tag 09D2D1FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 27 (IG_Building_Gone).
2. Disable G1_Make_Female (0BAD2BBC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14411, Events line 14666, Actions line 14921.

169. IH_Building_Gone - 09DE003C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS13), owner Neutral, cell (88, 134), tag 04E5651C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 28 (IH_Building_Gone).
2. Disable G1_Make_Green (0CB5C4BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14412, Events line 14667, Actions line 14922.

170. II_Building_Gone - 0982574C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS06), owner Neutral, cell (114, 112), tag 098254CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 30 (II_Building_Gone).
2. Disable G1_Make_SnowFat (0CB5B3AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14413, Events line 14668, Actions line 14923.

171. IJ_Building_Gone - 04EB32BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Office Building (CATEXS07), owner Neutral, cell (122, 130), tag 04EAA3FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 32 (IJ_Building_Gone).
2. Disable G1_Make_ThinM (098219BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14414, Events line 14669, Actions line 14924.

172. IK_Building_Gone - 0C829E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CASTL03), owner Neutral, cell (141, 95), tag 0C829A1C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 40 (IK_Building_Gone).

2. Disable G2_Make_ThinM (04F34E4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14415, Events line 14670, Actions line 14925.

173. G2_Make_ThinM - 04F34E4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2ThinM_Change (04F35F3C).

Attached scope: tag definitions 04F34D6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 40 (IK_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 40 (IK_Building_Gone) at IK_Building_Gone (0C829E5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_ThinMaleGo (0B114CBC).
2. Enable and reset applicable timers for G2ThinM_Change (04F35F3C).
3. Disable G2_Make_ThinM (04F34E4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14416, Events line 14671, Actions line 14926.

174. G2ThinM_Change - 04F35F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_ThinM (04F34E4C).

Attached scope: tag definitions 04F35E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 36 (Change_G2ThinM) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 36 (Change_G2ThinM) at G2ThinM_Change (04F35F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_ThinMaleGo (0B114CBC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_ThinM_Change (0C82A68C).
3. Create/recruit team Grinder2_ThinM_Change (0C82A68C).
4. Clear local flag 36 (Change_G2ThinM).
5. Enable and reset applicable timers for G2_Make_ThinM (04F34E4C).
6. Disable G2ThinM_Change (04F35F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14417, Events line 14672, Actions line 14927.

175. G2_Make_BeachF - 04F2F1BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2BeachF_Change (04F2D2DC).

Attached scope: tag definitions 04F2B94C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 43 (IN_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 43 (IN_Building_Gone) at IN_Building_Gone (06C0D03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_BeachFemaleGo (0B1141DC).
2. Enable and reset applicable timers for G2BeachF_Change (04F2D2DC).

3. Disable G2_Make_BeachF (04F2F1BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14418, Events line 14673, Actions line 14928.

176. G2BeachF_Change - 04F2D2DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_BeachF (04F2F1BC).

Attached scope: tag definitions 04F2D1FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 39 (Change_G2BeachF) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 39 (Change_G2BeachF) at G2BeachF_Change (04F2D2DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachFemaleGo (0B1141DC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachF_Change (0CDC42EC).
3. Create/recruit team Grinder2_BeachF_Change (0CDC42EC).
4. Clear local flag 39 (Change_G2BeachF).
5. Enable and reset applicable timers for G2_Make_BeachF (04F2F1BC).
6. Disable G2BeachF_Change (04F2D2DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14419, Events line 14674, Actions line 14929.

177. G2_Make_BeachM - 04F2A42C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2BeachM_Change (04F2A25C).

Attached scope: tag definitions 04F2A34C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 42 (IM_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 42 (IM_Building_Gone) at IM_Building_Gone (06C0F03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_BeachMaleGo (0B11457C).
2. Enable and reset applicable timers for G2BeachM_Change (04F2A25C).
3. Disable G2_Make_BeachM (04F2A42C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14420, Events line 14675, Actions line 14930.

178. G2BeachM_Change - 04F2A25C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_BeachM (04F2A42C).

Attached scope: tag definitions 04F2A17C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 34 (Change_G2BeachM) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 34 (Change_G2BeachM) at G2BeachM_Change (04F2A25C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachMaleGo (0B11457C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_BeachM_Change (04EC545C).

3. Create/recruit team Grinder2_BeachM_Change (04EC545C).
4. Clear local flag 34 (Change_G2BeachM).
5. Enable and reset applicable timers for G2_Make_BeachM (04F2A42C).
6. Disable G2BeachM_Change (04F2A25C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14421, Events line 14676, Actions line 14931.

179. G2_Make_Female - 04F3232C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2Female_Change (04F34F3C).

Attached scope: tag definitions 04F3224C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 41 (IL_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 41 (IL_Building_Gone) at IL_Building_Gone (06C0703C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_FemaleGo (0B11491C).
2. Enable and reset applicable timers for G2Female_Change (04F34F3C).
3. Disable G2_Make_Female (04F3232C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14422, Events line 14677, Actions line 14932.

180. G2Female_Change - 04F34F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_Female (04F3232C).

Attached scope: tag definitions 04F3216C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 35 (Change_G2Female) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 35 (Change_G2Female) at G2Female_Change (04F34F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_FemaleGo (0B11491C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_Female_Change (0C82B77C).
3. Create/recruit team Grinder2_Female_Change (0C82B77C).
4. Clear local flag 35 (Change_G2Female).
5. Enable and reset applicable timers for G2_Make_Female (04F3232C).
6. Disable G2Female_Change (04F34F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14423, Events line 14678, Actions line 14933.

181. G2_Make_SnowF - 04F35D6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2SnowF_Change (04F35B9C).

Attached scope: tag definitions 04F35C8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 45 (IP_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 45 (IP_Building_Gone) at IP_Building_Gone (06C0803C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_SnowFemaleGo (0B115A1C).
2. Enable and reset applicable timers for G2SnowF_Change (04F35B9C).
3. Disable G2_Make_SnowF (04F35D6C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14424, Events line 14679, Actions line 14934.

182. G2SnowF_Change - 04F35B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_SnowF (04F35D6C).

Attached scope: tag definitions 04F35ABC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 37 (Change_G2SnowF) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 37 (Change_G2SnowF) at G2SnowF_Change (04F35B9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowFemaleGo (0B115A1C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowF_Change (0B11B2FC).
3. Create/recruit team Grinder2_SnowF_Change (0B11B2FC).
4. Clear local flag 37 (Change_G2SnowF).
5. Enable and reset applicable timers for G2_Make_SnowF (04F35D6C).
6. Disable G2SnowF_Change (04F35B9C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14425, Events line 14680, Actions line 14935.

183. G2_Make_SnowM - 04F359CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2SnowM_Change (04F3558C).

Attached scope: tag definitions 04F358EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Grinder2_Gone) is clear.
2. local flag 44 (IO_Building_Gone) is clear.

Flag writers in this mission: set local flag 3 (Grinder2_Gone) at Grinder2_Gone (0439EDBC); set local flag 44 (IO_Building_Gone) at IO_Building_Gone (06C0E03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder2_SnowMaleGo (0B1140AC).
2. Enable and reset applicable timers for G2SnowM_Change (04F3558C).
3. Disable G2_Make_SnowM (04F359CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14426, Events line 14681, Actions line 14936.

184. G2SnowM_Change - 04F3558C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G2_Make_SnowM (04F359CC).

Attached scope: tag definitions 04F354AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 38 (Change_G2SnowM) is set.
2. A random delay centered on 70 configured time units expires (the editor describes a 50%-150% range).

Flag writers in this mission: clear local flag 38 (Change_G2SnowM) at G2SnowM_Change (04F3558C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowMaleGo (0B1140AC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder2_SnowM_Change (0C82AAAC).
3. Create/recruit team Grinder2_SnowM_Change (0C82AAAC).
4. Clear local flag 38 (Change_G2SnowM).
5. Enable and reset applicable timers for G2_Make_SnowM (04F359CC).
6. Disable G2SnowM_Change (04F3558C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14427, Events line 14682, Actions line 14937.

185. IL_Building_Gone - 06C0703C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Mini Mall (CALA15), owner Neutral, cell (131, 73), tag 06BF804C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 41 (IL_Building_Gone).
2. Disable G2_Make_Female (04F3232C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14428, Events line 14683, Actions line 14938.

186. IM_Building_Gone - 06C0F03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Mini Mall (CALA14), owner Neutral, cell (135, 67), tag 06C0C04C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 42 (IM_Building_Gone).
2. Disable G2_Make_BeachM (04F2A42C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14429, Events line 14684, Actions line 14939.

187. IN_Building_Gone - 06C0D03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY08), owner Neutral, cell (146, 82), tag 06C0904C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 43 (IN_Building_Gone).
2. Disable G2_Make_BeachF (04F2F1BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14430, Events line 14685, Actions line 14940.

188. IO_Building_Gone - 06C0E03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY07), owner Neutral, cell (137, 94), tag 06C0B04C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 44 (IO_Building_Gone).
2. Disable G2_Make_SnowM (04F359CC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14431, Events line 14686, Actions line 14941.

189. IP_Building_Gone - 06C0803C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH06), owner Neutral, cell (137, 99), tag 06C0A04C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 45 (IP_Building_Gone).
2. Disable G2_Make_SnowF (04F35D6C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14432, Events line 14687, Actions line 14942.

190. G4_Make_BeachFat - 04E50E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4BeachFat_Change (04E5153C).

Attached scope: tag definitions 04E50D3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 57 (JC_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 57 (JC_Building_Gone) at JC_Building_Gone (0981D57C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_BeachFatGo (0CEC4B5C).
2. Enable and reset applicable timers for G4BeachFat_Change (04E5153C).
3. Disable G4_Make_BeachFat (04E50E1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14433, Events line 14688, Actions line 14943.

191. G4BeachFat_Change - 04E5153C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_BeachFat (04E50E1C).

Attached scope: tag definitions 04E5145C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 54 (Change_G4BeachFat) is set.

Flag writers in this mission: clear local flag 54 (Change_G4BeachFat) at G4BeachFat_Change (04E5153C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachFatGo (0CEC4B5C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachFat_Change (0C83311C).
3. Create/recruit team Grinder4_BeachFat_Change (0C83311C).
4. Clear local flag 54 (Change_G4BeachFat).
5. Enable and reset applicable timers for G4_Make_BeachFat (04E50E1C).
6. Disable G4BeachFat_Change (04E5153C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14434, Events line 14689, Actions line 14944.

192. G4_Make_BeachFem - 04E50C4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4BeachFem_Change (04E5136C).

Attached scope: tag definitions 04E50B6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 56 (JB_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 56 (JB_Building_Gone) at JB_Building_Gone (0981D97C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_BeachFemaleGo (0CEC4C8C).
2. Enable and reset applicable timers for G4BeachFem_Change (04E5136C).
3. Disable G4_Make_BeachFem (04E50C4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14435, Events line 14690, Actions line 14945.

193. G4BeachFem_Change - 04E5136C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_BeachFem (04E50C4C).

Attached scope: tag definitions 04E5128C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 47 (Change_G4BeachF) is set.

Flag writers in this mission: clear local flag 47 (Change_G4BeachF) at G4BeachFem_Change (04E5136C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachFemaleGo (0CEC4C8C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachF_Change (0C834EFC).
3. Create/recruit team Grinder4_BeachF_Change (0C834EFC).
4. Clear local flag 47 (Change_G4BeachF).
5. Enable and reset applicable timers for G4_Make_BeachFem (04E50C4C).
6. Disable G4BeachFem_Change (04E5136C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14436, Events line 14691, Actions line 14946.

194. G4_Make_BeachMale - 04E50A7C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4BeachMale_Change (04E57F3C).

Attached scope: tag definitions 04E5099C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 55 (JA_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 55 (JA_Building_Gone) at JA_Building_Gone (0981DF3C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_BeachMaleGo (0CEC51DC).
2. Enable and reset applicable timers for G4BeachMale_Change (04E57F3C).
3. Disable G4_Make_BeachMale (04E50A7C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14437, Events line 14692, Actions line 14947.

195. G4BeachMale_Change - 04E57F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_BeachMale (04E50A7C).

Attached scope: tag definitions 04E57E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 49 (Change_G4BeachM) is set.

Flag writers in this mission: clear local flag 49 (Change_G4BeachM) at G4BeachMale_Change (04E57F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachMaleGo (0CEC51DC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachMale_Change (0C834DCC).
3. Create/recruit team Grinder4_BeachMale_Change (0C834DCC).
4. Clear local flag 49 (Change_G4BeachM).
5. Enable and reset applicable timers for G4_Make_BeachMale (04E50A7C).
6. Disable G4BeachMale_Change (04E57F3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14438, Events line 14693, Actions line 14948.

196. G4_Make_Female - 04E508AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4Female_Change (04E57D6C).

Attached scope: tag definitions 04E507CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 59 (JE_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 59 (JE_Building_Gone) at JE_Building_Gone (0981FB3C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_FemaleGo (0CEC48FC).
2. Enable and reset applicable timers for G4Female_Change (04E57D6C).
3. Disable G4_Make_Female (04E508AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14439, Events line 14694, Actions line 14949.

197. G4Female_Change - 04E57D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_Female (04E508AC).

Attached scope: tag definitions 04E57C8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 48 (Change_G4Female) is set.

Flag writers in this mission: clear local flag 48 (Change_G4Female) at G4Female_Change (04E57D6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_FemaleGo (0CEC48FC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_Female_Change (0C834C9C).
3. Create/recruit team Grinder4_Female_Change (0C834C9C).
4. Clear local flag 48 (Change_G4Female).
5. Enable and reset applicable timers for G4_Make_Female (04E508AC).
6. Disable G4Female_Change (04E57D6C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14440, Events line 14695, Actions line 14950.

198. G4_Make_GreenMale - 04E5044C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4Green_Change (04E57B9C).

Attached scope: tag definitions 04E5036C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 60 (JF_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 60 (JF_Building_Gone) at JF_Building_Gone (0981F73C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_GreenMaleGo (0CEC47CC).
2. Enable and reset applicable timers for G4Green_Change (04E57B9C).
3. Disable G4_Make_GreenMale (04E5044C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14441, Events line 14696, Actions line 14951.

199. G4Green_Change - 04E57B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_GreenMale (04E5044C).

Attached scope: tag definitions 04E57ABC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 50 (Change_G4Green) is set.

Flag writers in this mission: clear local flag 50 (Change_G4Green) at G4Green_Change (04E57B9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_GreenMaleGo (0CEC47CC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_Green_Change (0C834B6C).
3. Create/recruit team Grinder4_Green_Change (0C834B6C).
4. Clear local flag 50 (Change_G4Green).
5. Enable and reset applicable timers for G4_Make_GreenMale (04E5044C).
6. Disable G4Green_Change (04E57B9C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14442, Events line 14697, Actions line 14952.

200. G4_Make_SnowFat - 04E5027C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4SnowFat_Change (04E506DC).

Attached scope: tag definitions 04E51F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 63 (JI_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 63 (JI_Building_Gone) at JI_Building_Gone (04E5256C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_SnowFatGo (0CEC443C).
2. Enable and reset applicable timers for G4SnowFat_Change (04E506DC).
3. Disable G4_Make_SnowFat (04E5027C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14443, Events line 14698, Actions line 14953.

201. G4SnowFat_Change - 04E506DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_SnowFat (04E5027C).

Attached scope: tag definitions 04E505FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 46 (Change_G4SnowFat) is set.

Flag writers in this mission: clear local flag 46 (Change_G4SnowFat) at G4SnowFat_Change (04E506DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowFatGo (0CEC443C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowFat_Change (0C834A3C).
3. Create/recruit team Grinder4_SnowFat_Change (0C834A3C).
4. Clear local flag 46 (Change_G4SnowFat).
5. Enable and reset applicable timers for G4_Make_SnowFat (04E5027C).
6. Disable G4SnowFat_Change (04E506DC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14444, Events line 14699, Actions line 14954.

202. G4_Make_SnowF - 04E51E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4SnowFem_Change (04E5770C).

Attached scope: tag definitions 04E51A6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 62 (JH_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 62 (JH_Building_Gone) at JH_Building_Gone (04E5781C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_SnowFemaleGo (0CEC456C).
2. Enable and reset applicable timers for G4SnowFem_Change (04E5770C).
3. Disable G4_Make_SnowF (04E51E5C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14445, Events line 14700, Actions line 14955.

203. G4SnowFem_Change - 04E5770C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_SnowF (04E51E5C).

Attached scope: tag definitions 04E5762C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 51 (Change_G4SnowF) is set.

Flag writers in this mission: clear local flag 51 (Change_G4SnowF) at G4SnowFem_Change (04E5770C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowFemaleGo (0CEC456C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowF_Change (0462C21C).
3. Create/recruit team Grinder4_SnowF_Change (0462C21C).
4. Clear local flag 51 (Change_G4SnowF).

5. Enable and reset applicable timers for G4_Make_SnowF (04E51E5C).
6. Disable G4SnowFem_Change (04E5770C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14446, Events line 14701, Actions line 14956.

204. G4_Make_SnowM - 04E5197C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4SnowMale_Change (04E5753C).

Attached scope: tag definitions 04E5189C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 61 (JG_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 61 (JG_Building_Gone) at JG_Building_Gone (04E50F3C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_SnowMaleGo (0CEC469C).
2. Enable and reset applicable timers for G4SnowMale_Change (04E5753C).
3. Disable G4_Make_SnowM (04E5197C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14447, Events line 14702, Actions line 14957.

205. G4SnowMale_Change - 04E5753C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_SnowM (04E5197C).

Attached scope: tag definitions 04E51D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 52 (Change_G4SnowM) is set.

Flag writers in this mission: clear local flag 52 (Change_G4SnowM) at G4SnowMale_Change (04E5753C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowMaleGo (0CEC469C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowM_Change (0462C0EC).
3. Create/recruit team Grinder4_SnowM_Change (0462C0EC).
4. Clear local flag 52 (Change_G4SnowM).
5. Enable and reset applicable timers for G4_Make_SnowM (04E5197C).
6. Disable G4SnowMale_Change (04E5753C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14448, Events line 14703, Actions line 14958.

206. G4_Make_ThinMale - 04E517AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4ThinMale_Change (04E51C8C).

Attached scope: tag definitions 04E516CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 58 (JD_Building_Gone) is clear.
2. local flag 5 (Grinder4_Gone) is clear.

Flag writers in this mission: set local flag 58 (JD_Building_Gone) at JD_Building_Gone (0981FF3C); set local flag 5 (Grinder4_Gone) at Grinder4_Gone (0439E79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team Grinder4_ThinMaleGo (0CEC4A2C).

2. Enable and reset applicable timers for G4ThinMale_Change (04E51C8C).
3. Disable G4_Make_ThinMale (04E517AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14449, Events line 14704, Actions line 14959.

207. G4ThinMale_Change - 04E51C8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from G4_Make_ThinMale (04E517AC).

Attached scope: tag definitions 04E51BAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 80 configured time units expires (the editor describes a 50%-150% range).
2. local flag 53 (Change_G4ThinM) is set.

Flag writers in this mission: clear local flag 53 (Change_G4ThinM) at G4ThinMale_Change (04E51C8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_ThinMaleGo (0CEC4A2C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_ThinMale_Change (0462E2FC).
3. Create/recruit team Grinder4_ThinMale_Change (0462E2FC).
4. Clear local flag 53 (Change_G4ThinM).
5. Enable and reset applicable timers for G4_Make_ThinMale (04E517AC).
6. Disable G4ThinMale_Change (04E51C8C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14450, Events line 14705, Actions line 14960.

208. JA_Building_Gone - 0981DF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY11), owner Neutral, cell (190, 109), tag 0981DA6C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 55 (JA_Building_Gone).
2. Disable G4_Make_BeachMale (04E50A7C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14451, Events line 14706, Actions line 14961.

209. JB_Building_Gone - 0981D97C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY12), owner Neutral, cell (188, 111), tag 0981D66C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 56 (JB_Building_Gone).
2. Disable G4_Make_BeachFem (04E50C4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14452, Events line 14707, Actions line 14962.

210. JC_Building_Gone - 0981D57C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH07), owner Neutral, cell (187, 115), tag 0981D26C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 57 (JC_Building_Gone).
2. Disable G4_Make_BeachFat (04E50E1C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14453, Events line 14708, Actions line 14963.

211. JD_Building_Gone - 0981FF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS06), owner Neutral, cell (176, 110), tag 0981FC2C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 58 (JD_Building_Gone).
2. Disable G4_Make_ThinMale (04E517AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14454, Events line 14709, Actions line 14964.

212. JE_Building_Gone - 0981FB3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS05), owner Neutral, cell (172, 112), tag 0981F82C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 59 (JE_Building_Gone).
2. Disable G4_Make_Female (04E508AC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14455, Events line 14710, Actions line 14965.

213. JF_Building_Gone - 0981F73C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY12), owner Neutral, cell (167, 105), tag 0981F42C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 60 (JF_Building_Gone).
2. Disable G4_Make_GreenMale (04E5044C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14456, Events line 14711, Actions line 14966.

214. JG_Building_Gone - 04E50F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY11), owner Neutral, cell (171, 101), tag 04E5790C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 61 (JG_Building_Gone).
2. Disable G4_Make_SnowM (04E5197C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14457, Events line 14712, Actions line 14967.

215. JH_Building_Gone - 04E5781C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Office Building (CATEXS07), owner Neutral, cell (177, 97), tag 04E5265C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 62 (JH_Building_Gone).
2. Disable G4_Make_SnowF (04E51E5C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14458, Events line 14713, Actions line 14968.

216. JI_Building_Gone - 04E5256C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS04), owner Neutral, cell (169, 112), tag 04E56D1C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 63 (JI_Building_Gone).
2. Disable G4_Make_SnowFat (04E5027C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14459, Events line 14714, Actions line 14969.

217. Enter_Bunkers - 0B0F83EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B0F968C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TankBunk1 (0793150C).
2. Supply reinforcement team TankBunk2 (0A0A42CC).
3. Supply reinforcement team TankBunk3 (060E1EFC).
4. Supply reinforcement team TankBunk4 (07ABF46C).
5. Supply reinforcement team TankBunk5 (07ABF33C).
6. Supply reinforcement team TankBunk6 (07ABF20C).
7. Supply reinforcement team TankBunk7 (07ABF0DC).
8. Supply reinforcement team TankBunk8 (08CC9E2C).
9. Supply reinforcement team TankBunk9 (060F620C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14460, Events line 14715, Actions line 14970.

218. Enter_Reactors1 - 04EF835C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04EFF78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team ReactorTeamBS (0915F83C).
2. Supply reinforcement team ReactorTeamBT (0915F2CC).
3. Supply reinforcement team ReactorTeamBU (0915F19C).
4. Supply reinforcement team ReactorTeamBV (0915DEFC).
5. Supply reinforcement team ReactorTeamBW (0915DDCC).
6. Supply reinforcement team ReactorTeamBX (0915DC9C).
7. Supply reinforcement team ReactorTeamBY (0915DB6C).
8. Supply reinforcement team ReactorTeamBZ (0915DA3C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14461, Events line 14716, Actions line 14971.

219. Explain_BattleFortress - 0618F5CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0618DC2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 6 (global list position: Allied Battle Lab (GATECH)). A map-local type-list change can affect index interpretation.
2. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.
2. Flash cameo/type BFRT; additional configured duration/location argument 120.
3. Play voice notification Unit_Eva_BattleFortress.
4. Enable and reset applicable timers for BF_Reinforcement (07AC738C).
5. Supply reinforcement team BattleFortress1 (07F0E85C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14462, Events line 14717, Actions line 14972.

220. BF_Reinforcement - 07AC738C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Explain_BattleFortress (0618F5CC).

Attached scope: tag definitions 07AC8F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 95 (cell 170, 132).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14463, Events line 14718, Actions line 14973.

221. Control_Bus - 07F39F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F39A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14464, Events line 14719, Actions line 14974.

222. Control_Bus2 - 07F31BAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F3162C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14465, Events line 14720, Actions line 14975.

223. Control_Bus3 - 07F3122C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07F32F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14466, Events line 14721, Actions line 14976.

224. Garrison_Medium - 092C9D5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092C9A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri_Gar_CW_CX (092BDBCC).
2. Supply reinforcement team Yuri_Gar_CY_CZ (092BD7CC).
3. Supply reinforcement team Yuri_Gar_DF (092B952C).
4. Supply reinforcement team Yuri_Gar_DG (092BFC8C).
5. Supply reinforcement team Yuri_Gar_DH (092BFB5C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14467, Events line 14722, Actions line 14977.

225. Amb_Traffic1 - 0976DF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0976DD1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 118 (cell 150, 128).
2. Play sound _Amb_UrbanMurmur2 at waypoint 119 (cell 164, 113).
3. Play sound _Amb_Traffic at waypoint 120 (cell 143, 101).
4. Play sound _Amb_UrbanMurmur1 at waypoint 121 (cell 138, 115).
5. Play sound _Amb_UrbanMurmur2 at waypoint 122 (cell 156, 92).
6. Play sound _Amb_Traffic at waypoint 123 (cell 174, 98).
7. Play sound _Amb_UrbanMurmur1 at waypoint 124 (cell 189, 103).
8. Play sound _Amb_UrbanMurmur2 at waypoint 125 (cell 151, 78).
9. Play sound _Amb_Traffic at waypoint 126 (cell 139, 88).
10. Play sound _Amb_UrbanMurmur1 at waypoint 127 (cell 125, 110).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14468, Events line 14723, Actions line 14978.

226. Amb_Traffic2 - 0799A05C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0799B5FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 128 (cell 143, 157).
2. Play sound _Amb_UrbanMurmur2 at waypoint 129 (cell 123, 151).
3. Play sound _Amb_Traffic at waypoint 133 (cell 110, 146).
4. Play sound _Amb_UrbanMurmur1 at waypoint 134 (cell 95, 151).
5. Play sound _Amb_UrbanMurmur2 at waypoint 135 (cell 119, 137).
6. Play sound _Amb_Traffic at waypoint 136 (cell 129, 120).

7. Play sound _Amb_UrbanMurmur1 at waypoint 137 (cell 171, 80).
8. Play sound _Amb_UrbanMurmur2 at waypoint 138 (cell 150, 58).
9. Play sound _Amb_Traffic at waypoint 127 (cell 125, 110).
10. Play sound _Amb_UrbanMurmur1 at waypoint 139 (cell 137, 59).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14469, Events line 14724, Actions line 14979.

227. Amb_Traffic3 - 079A7CCC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079A075C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 137 (cell 171, 80).
2. Play sound _Amb_UrbanMurmur1 at waypoint 138 (cell 150, 58).
3. Play sound _Amb_UrbanMurmur2 at waypoint 139 (cell 137, 59).
4. Play sound _Amb_Traffic at waypoint 140 (cell 120, 55).
5. Play sound _Amb_UrbanMurmur1 at waypoint 141 (cell 134, 102).
6. Play sound _Amb_UrbanMurmur2 at waypoint 142 (cell 113, 167).
7. Play sound _Amb_Traffic at waypoint 143 (cell 89, 149).
8. Play sound _Amb_UrbanMurmur1 at waypoint 144 (cell 70, 135).
9. Play sound _Amb_UrbanMurmur2 at waypoint 145 (cell 48, 119).
10. Play sound _Amb_Traffic at waypoint 146 (cell 90, 118).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14470, Events line 14725, Actions line 14980.

228. Amb_Beach1 - 0799254C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0799953C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 147 (cell 51, 139).
2. Play sound _Amb_BirdsHarbor at waypoint 148 (cell 68, 143).
3. Play sound _Amb_BirdsBeach at waypoint 149 (cell 81, 151).
4. Play sound _Amb_BirdsHarbor at waypoint 150 (cell 90, 166).
5. Play sound _Amb_BirdsBeach at waypoint 151 (cell 99, 182).
6. Play sound _Amb_BirdsHarbor at waypoint 152 (cell 107, 188).
7. Play sound _Amb_BirdsBeach at waypoint 153 (cell 117, 191).
8. Play sound _Amb_BirdsHarbor at waypoint 154 (cell 97, 174).
9. Play sound _Amb_BirdsBeach at waypoint 155 (cell 103, 192).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14471, Events line 14726, Actions line 14981.

229. Amb_Beach2 - 079A475C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079A57FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 160 (cell 111, 194).

2. Play sound _Amb_OceanLight at waypoint 161 (cell 100, 197).
3. Play sound _Amb_OceanHeavy at waypoint 162 (cell 93, 183).
4. Play sound _Amb_OceanLight at waypoint 163 (cell 81, 171).
5. Play sound _Amb_OceanHeavy at waypoint 164 (cell 81, 157).
6. Play sound _Amb_OceanLight at waypoint 165 (cell 70, 150).
7. Play sound _Amb_OceanHeavy at waypoint 166 (cell 51, 144).
8. Play sound _Amb_OceanLight at waypoint 167 (cell 59, 155).
9. Play sound _Amb_OceanHeavy at waypoint 168 (cell 73, 160).
10. Play sound _Amb_OceanLight at waypoint 169 (cell 83, 181).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14472, Events line 14727, Actions line 14982.

230. Amb_Birds1 - 079A506C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079A4C4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 170 (cell 71, 119).
2. Play sound _Amb_BirdsTemperate2 at waypoint 171 (cell 118, 99).
3. Play sound _Amb_BirdsPark at waypoint 172 (cell 125, 81).
4. Play sound _Amb_BirdsTemperate1 at waypoint 173 (cell 182, 103).
5. Play sound _Amb_BirdsTemperate2 at waypoint 174 (cell 124, 90).
6. Play sound _Amb_BirdsPark at waypoint 175 (cell 108, 94).
7. Play sound _Amb_BirdsTemperate1 at waypoint 176 (cell 111, 76).
8. Play sound _Amb_BirdsTemperate2 at waypoint 177 (cell 121, 71).
9. Play sound _Amb_BirdsPark at waypoint 178 (cell 123, 31).
10. Play sound _Amb_BirdsTemperate1 at waypoint 179 (cell 118, 42).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14473, Events line 14728, Actions line 14983.

231. Amb_Birds2 - 079966DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0799E68C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 180 (cell 101, 101).
2. Play sound _Amb_BirdsTemperate2 at waypoint 181 (cell 94, 108).
3. Play sound _Amb_BirdsPark at waypoint 183 (cell 78, 109).
4. Play sound _Amb_BirdsTemperate1 at waypoint 184 (cell 65, 110).
5. Play sound _Amb_BirdsTemperate2 at waypoint 185 (cell 35, 117).
6. Play sound _Amb_BirdsPark at waypoint 186 (cell 44, 106).
7. Play sound _Amb_BirdsTemperate1 at waypoint 187 (cell 57, 104).
8. Play sound _Amb_BirdsTemperate2 at waypoint 188 (cell 72, 102).
9. Play sound _Amb_BirdsPark at waypoint 189 (cell 87, 97).
10. Play sound _Amb_BirdsTemperate1 at waypoint 190 (cell 105, 85).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14474, Events line 14729, Actions line 14984.

232. Amb_Birds3 - 079A666C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079A13FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 191 (cell 115, 65).
2. Play sound _Amb_BirdsTemperate2 at waypoint 192 (cell 103, 46).
3. Play sound _Amb_BirdsPark at waypoint 193 (cell 90, 49).
4. Play sound _Amb_BirdsTemperate1 at waypoint 194 (cell 98, 68).
5. Play sound _Amb_BirdsTemperate2 at waypoint 195 (cell 95, 83).
6. Play sound _Amb_BirdsPark at waypoint 196 (cell 62, 96).
7. Play sound _Amb_BirdsTemperate1 at waypoint 197 (cell 64, 83).
8. Play sound _Amb_BirdsTemperate2 at waypoint 198 (cell 80, 82).
9. Play sound _Amb_BirdsPark at waypoint 199 (cell 77, 65).
10. Play sound _Amb_BirdsTemperate1 at waypoint 200 (cell 87, 69).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14475, Events line 14730, Actions line 14985.

233. Civ_CleanUp2B - 08FEDB2C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp2A (08FEA69C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Civ_BeachFemale_Final (097451AC).
2. Create/recruit team Civ_BeachMale_Final (0974585C).
3. Create/recruit team Civ_Female_Final (09745ABC).
4. Create/recruit team Civ_SnowFemale_Final (0974598C).
5. Create/recruit team Civ_ThinMale_Final (0974572C).
6. Create/recruit team Civ_SnowMale_Final (097454CC).
7. Enable and reset applicable timers for Civ_CleanUp4A (08FED55C).
8. Disable Civ_CleanUp2B (08FEDB2C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14476, Events line 14731, Actions line 14986.

234. Civ_CleanUp4A - 08FED55C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp2B (08FEDB2C).

Incoming activation links: enable from Civ_CleanUp2B (08FEDB2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachFat (0BA90A2C).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachFemale (0BA90B5C).
3. Remove instances of the team organization (not automatically its surviving objects) Grinder4_BeachMale (0BA90C8C).
4. Remove instances of the team organization (not automatically its surviving objects) Grinder4_Female (0BA907EC).
5. Remove instances of the team organization (not automatically its surviving objects) Grinder4_GreenMale (0BA9058C).

6. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowFat (0BA9783C).
7. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowFemale (0BA9045C).
8. Remove instances of the team organization (not automatically its surviving objects) Grinder4_SnowMale (0BA9032C).
9. Enable and reset applicable timers for Civ_CleanUp4B (08FEFB2C).
10. Disable Civ_CleanUp4A (08FED55C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14477, Events line 14732, Actions line 14987.

235. Civ_CleanUp4B - 08FEFB2C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp4A (08FED55C).

Incoming activation links: enable from Civ_CleanUp4A (08FED55C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder4_ThinMale (0BA906BC).
2. Create/recruit team Civ_BeachFat_Final (0BC6669C).
3. Create/recruit team Civ_BeachFemale_Final (097451AC).
4. Create/recruit team Civ_BeachMale_Final (0974585C).
5. Create/recruit team Civ_Female_Final (09745ABC).
6. Create/recruit team Civ_GreenMale_Final (097455FC).
7. Create/recruit team Civ_SnowFat_Final (0974773C).
8. Create/recruit team Civ_SnowFemale_Final (0974598C).
9. Enable and reset applicable timers for Civ_CleanUp4C (08FEC06C).
10. Disable Civ_CleanUp4B (08FEFB2C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14478, Events line 14733, Actions line 14988.

236. Civ_CleanUp4C - 08FEC06C

Owner reference: Yuri2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Civ_CleanUp4B (08FEFB2C).

Incoming activation links: enable from Civ_CleanUp4B (08FEFB2C).

Attached scope: tag definitions 08FE9F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Civ_SnowMale_Final (097454CC).
2. Create/recruit team Civ_ThinMale_Final (0974572C).
3. Disable Civ_CleanUp4C (08FEC06C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14479, Events line 14734, Actions line 14989.

237. Civ_Cheer - 088F344C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088FB07C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 12 (country/type NEUTRAL; placed owner Neutral).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14480, Events line 14735, Actions line 14990.

238. Generic_Male_Slave - 0926286C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Male_Slave_Delay (09261B4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound LCiv2Select.
2. Enable and reset applicable timers for Male_Slave_Delay (09261B4C).
3. Disable Generic_Male_Slave (0926286C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14481, Events line 14736, Actions line 14991.

239. Male_Slave_Delay - 09261B4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Generic_Male_Slave (0926286C).

Incoming activation links: enable from Generic_Male_Slave (0926286C).

Attached scope: tag definitions 0926160C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Generic_Male_Slave (0926286C).
2. Disable Male_Slave_Delay (09261B4C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14482, Events line 14737, Actions line 14992.

240. Generic_Female_Slave - 0926F53C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Female_Slave_Delay (0926F36C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound LCiv4Select.
2. Enable and reset applicable timers for Female_Slave_Delay (0926F36C).
3. Disable Generic_Female_Slave (0926F53C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14483, Events line 14738, Actions line 14993.

241. Female_Slave_Delay - 0926F36C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Generic_Female_Slave (0926F53C).

Incoming activation links: enable from Generic_Female_Slave (0926F53C).

Attached scope: tag definitions 0926F45C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Generic_Female_Slave (0926F53C).
2. Disable Female_Slave_Delay (0926F36C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14484, Events line 14739, Actions line 14994.

242. Generic_Female_2 - 07BC86EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Generic_Female_2D (07BC81BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound LCiv3Select.
2. Enable and reset applicable timers for Generic_Female_2D (07BC81BC).
3. Disable Generic_Female_2 (07BC86EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14485, Events line 14740, Actions line 14995.

243. Generic_Female_2D - 07BC81BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Generic_Female_2 (07BC86EC).

Incoming activation links: enable from Generic_Female_2 (07BC86EC).

Attached scope: tag definitions 07BC860C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Generic_Female_2 (07BC86EC).
2. Disable Generic_Female_2D (07BC81BC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14486, Events line 14741, Actions line 14996.

244. Generic_Male_2 - 07BCF5EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Generic_Male_2D (07BCF41C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play sound LCiv2Select.
2. Enable and reset applicable timers for Generic_Male_2D (07BCF41C).
3. Disable Generic_Male_2 (07BCF5EC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14487, Events line 14742, Actions line 14997.

245. Generic_Male_2D - 07BCF41C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Generic_Male_2 (07BCF5EC).

Incoming activation links: enable from Generic_Male_2 (07BCF5EC).

Attached scope: tag definitions 07BCF50C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Generic_Male_2 (07BCF5EC).
2. Disable Generic_Male_2D (07BCF41C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14488, Events line 14743, Actions line 14998.

246. Find_Hospital - 090A9F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Civilian Hospital (CATHOSP), owner Special, cell (64, 129), tag 090A9A7C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.
2. global flag 13 is clear.

Then perform these actions in order:

1. Reveal terrain around waypoint 201 (cell 67, 130).
2. Flash buildings of type CATHOSP; duration argument 40.
3. Create radar-event marker type 12 at waypoint 201 (cell 67, 130).
4. Play voice notification Unit_Eva_TechHospital.
5. Set global flag 13.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14489, Events line 14744, Actions line 14999.

247. Find_MachineShop - 0915431C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Machine Shop (CAMACH), owner Special, cell (171, 91), tag 09155EBC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.
2. global flag 12 is clear.

Then perform these actions in order:

1. Reveal terrain around waypoint 202 (cell 172, 92).
2. Flash buildings of type CAMACH; duration argument 40.
3. Create radar-event marker type 12 at waypoint 202 (cell 172, 92).
4. Play voice notification Unit_Eva_TechMachShop.
5. Set global flag 12.

Source locator: expandmd01.mix/all02umd.map; Triggers line 14490, Events line 14745, Actions line 15000.

248. Player_Builds_WF - 04F2A9AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04F2A21C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Allied War Factory (GAWEAP) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Hard_Cheese1 (0796E03C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14491, Events line 14746, Actions line 15001.

249. Grinder3_Attacked - 0464E91C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Grinder3_Gone (0439EAAC).

Attached scope: Grinder (YAGRND), owner Yuri3, cell (151, 69), tag 0439E88C, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for BodyBuilder_Discovered (065C3EDC).
2. Disable Grinder3_Attacked (0464E91C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14492, Events line 14747, Actions line 15002.

250. Grinder1_Attacked - 07F7DACC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Grinder1_Gone (0439850C).

Attached scope: Grinder (YAGRND), owner Yuri3, cell (104, 127), tag 0439817C, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Change_Hero (0ABAE7BC).
2. Disable Grinder1_Attacked (07F7DACC).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14493, Events line 14748, Actions line 15003.

251. Cowboy_Backup - 0464860C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 36 tagged map cells: (155, 119), (156, 119), (157, 119), (155, 120), (156, 120), (157, 120), (158, 120), (159, 120), (155, 121), (159, 121), (154, 122), (155, 122), (159, 122), (160, 122), (161, 122), (154, 123), (159, 123), (160, 123), (161, 123), (154, 124), (155, 124), (158, 124), (159, 124), (160, 124), (161, 124), (155, 125), (158, 125), (159, 125), (160, 125), (155, 126), (156, 126), (157, 126), (158, 126), (159, 126), (157, 127), (158, 127); tag 09D2AE5C, persistence mode 0.

Wait for the recorded events:

1. local flag 64 (Flint_Found) is clear.
2. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Flag writers in this mission: set local flag 64 (Flint_Found) at Discover_Cowboy (0916204C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Discover_Cowboy (0916204C).
2. Disable Select_Flint (07A40B2C).
3. Disable Discover_Trigger (09D2968C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14494, Events line 14749, Actions line 15004.

252. Select_Flint - 07A40B2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Discover_Cowboy (0916204C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.
2. local flag 64 (Flint_Found) is clear.

Flag writers in this mission: set local flag 64 (Flint_Found) at Discover_Cowboy (0916204C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Discover_Cowboy (0916204C).
2. Disable Cowboy_Backup (0464860C).
3. Disable Discover_Trigger (09D2968C).
4. Disable Select_Flint (07A40B2C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14495, Events line 14750, Actions line 15005.

253. Discover_Trigger - 09D2968C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Select_Flint (07A40B2C).

Attached scope: Cowboy (CLNT), owner Neutral, cell (157, 123), tag 09163AFC, persistence mode 2.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Discover_Cowboy (0916204C).
2. Disable Cowboy_Backup (0464860C).
3. Disable Select_Flint (07A40B2C).
4. Disable Discover_Trigger (09D2968C).

Source locator: expandmd01.mix/all02umd.map; Triggers line 14496, Events line 14751, Actions line 15006.

All team rosters and ordered plans | All mission overrides

Operation: Hollywood and Vain - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: expandmd01.mix/all02umd.map; each team/script ID identifies its section.

TEAM_Cowboy_Victims - 0902D03C

Owner: Nod. Roster: 7 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: SA.

Ordered plan: Cowboy_Victims_Script (0902EB4C).

1. Move to waypoint: waypoint 208 (cell 157, 123).
2. Seek/attack target category; configured argument 1.

TEAM_Cowboy - 0902E90C

Owner: Confederation. Roster: 1 × Cowboy (CLNT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: HA.

Ordered plan: Cowboy_Script (0902E69C).

1. Seek/attack target category; configured argument 4.

TEAM_Patrol_A - 0B9710EC

Owner: Confederation. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: PA.

Ordered plan: Patrol_A_Script (0B973DBC).

1. Attack-move toward waypoint: waypoint 598 (cell 124, 184).
2. Attack-move toward waypoint: waypoint 599 (cell 124, 182).
3. Attack-move toward waypoint: waypoint 600 (cell 134, 172).
4. Attack-move toward waypoint: waypoint 601 (cell 134, 166).
5. Attack-move toward waypoint: waypoint 602 (cell 126, 166).
6. Attack-move toward waypoint: waypoint 417 (cell 122, 166).
7. Attack-move toward waypoint: waypoint 603 (cell 114, 166).
8. Attack-move toward waypoint: waypoint 604 (cell 109, 166).
9. Attack-move toward waypoint: waypoint 605 (cell 109, 168).
10. Attack-move toward waypoint: waypoint 606 (cell 103, 174).
11. Attack-move toward waypoint: waypoint 607 (cell 101, 177).
12. Attack-move toward waypoint: waypoint 608 (cell 108, 184).
13. Attack-move toward waypoint: waypoint 416 (cell 114, 184).
14. Jump to script line; configured argument 1.

TEAM_Patrol_B - 0B97441C

Owner: Nod. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: PB.

Ordered plan: Patrol_B_Script (0B9741AC).

1. Attack-move toward waypoint: waypoint 603 (cell 114, 166).
2. Attack-move toward waypoint: waypoint 604 (cell 109, 166).

3. Attack-move toward waypoint: waypoint 605 (cell 109, 168).
4. Attack-move toward waypoint: waypoint 606 (cell 103, 174).
5. Attack-move toward waypoint: waypoint 607 (cell 101, 177).
6. Attack-move toward waypoint: waypoint 608 (cell 108, 184).
7. Attack-move toward waypoint: waypoint 416 (cell 114, 184).
8. Attack-move toward waypoint: waypoint 598 (cell 124, 184).
9. Attack-move toward waypoint: waypoint 599 (cell 124, 182).
10. Attack-move toward waypoint: waypoint 600 (cell 134, 172).
11. Attack-move toward waypoint: waypoint 601 (cell 134, 166).
12. Attack-move toward waypoint: waypoint 602 (cell 126, 166).
13. Attack-move toward waypoint: waypoint 417 (cell 122, 166).
14. Jump to script line; configured argument 1.

Yuri_BD_3 Lasher, 2 Gatt - 0D09087C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: YA.

Ordered plan: Yuri_BD_3 Lasher, 2 Gatt (0D09060C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BD_3 Gatt - 0C71EEFC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: YB.

Ordered plan: Yrui_BD_3 Gatt (0D09495C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BD_2 Lasher, 1 Gatt - 0D092D8C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: YC.

Ordered plan: Yuri_BD_2 Lasher, 1 Gatt (0D092B1C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_Base_Assault_1 - 08D1A80C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base_Assault_4 Gatt (0B02DDBC).

1. Attack-move toward waypoint: waypoint 50 (cell 88, 67).
2. Attack-move toward waypoint: waypoint 51 (cell 101, 57).
3. Attack-move toward waypoint: waypoint 52 (cell 118, 61).
4. Attack-move toward waypoint: waypoint 53 (cell 140, 62).
5. Attack-move toward waypoint: waypoint 54 (cell 140, 79).
6. Attack-move toward waypoint: waypoint 55 (cell 153, 78).
7. Attack-move toward waypoint: waypoint 56 (cell 175, 100).

8. Attack-move toward waypoint: waypoint 57 (cell 182, 114).
9. Attack-move toward waypoint: waypoint 58 (cell 174, 122).
10. Gather near enemy base; configured argument 0.
11. Report team success.
12. Seek/attack target category; configured argument 2.
13. Seek/attack target category; configured argument 1.

Yuri_Base_Assault_2 - 08D1BDEC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base_Assault_4 Lasher, 2 Gatt (0B9DB6CC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 41 (cell 57, 126).
3. Move to waypoint: waypoint 49 (cell 125, 155).
4. Gather near enemy base; configured argument 0.
5. Seek/attack target category; configured argument 1.
6. Report team success.

Yuri_Base_Assault_3 - 08D1B93C

Owner: YuriCountry. Roster: 6 × Initiate (INIT); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base_Assault_6 Initiate, 1 Virus (0D09F41C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

Yuri_BD_8 Initiate - 08E6FE8C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BD_8 Initiate (08E6B0FC).

1. Adopt object mission: area guard.
2. Report team success.

TEAM_Patrol_C - 08D7197C

Owner: Arabs. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: WL.

Ordered plan: Patrol_C_Script (08D7170C).

1. Attack-move toward waypoint: waypoint 610 (cell 187, 102).
2. Attack-move toward waypoint: waypoint 611 (cell 197, 112).
3. Attack-move toward waypoint: waypoint 610 (cell 187, 102).
4. Attack-move toward waypoint: waypoint 609 (cell 193, 96).
5. Jump to script line; configured argument 1.

TEAM_BodyBuilder - 090311FC

Owner: Americans. Roster: 1 × Bodybuilder (STLN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RC.

Ordered plan: BodyBuilder_Script (09032DBC).

1. Flash team; configured argument 120.
2. Attack waypoint: waypoint 9 (cell 157, 78).
3. Attack waypoint: waypoint 10 (cell 159, 74).
4. Move to waypoint: waypoint 470 (cell 156, 73).

Yuri_BD_3G - 0C68F48C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BD_3G_Script (043BBDBC).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BD_2L1G - 0C691EFC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BD_2L1G_Script (043BBB4C).

1. Adopt object mission: area guard.
2. Report team success.

TEAM_Yuri_1L2G - 0B8D132C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BD_3L2G_Script (043BB7AC).

1. Adopt object mission: area guard.
2. Report team success.

TEAM_Yuri_BA_Engineer - 08EC584C

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer_Script (08EC55DC).

1. Move to waypoint: waypoint 33 (cell 116, 87).
2. Move to waypoint: waypoint 34 (cell 134, 89).
3. Move to waypoint: waypoint 35 (cell 137, 86).
4. Move to waypoint: waypoint 36 (cell 167, 116).
5. Seek/attack target category; configured argument 9.
6. Report team success.
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 2.

Yuri_BA_Anti_D - 0897F32C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Anti_D (08E44DBC).

1. Attack-move toward waypoint: waypoint 33 (cell 116, 87).
2. Attack-move toward waypoint: waypoint 37 (cell 132, 100).
3. Attack-move toward waypoint: waypoint 494 (cell 153, 116).
4. Attack-move toward waypoint: waypoint 208 (cell 157, 123).
5. Attack-move toward waypoint: waypoint 39 (cell 160, 127).
6. Gather near enemy base; configured argument 0.
7. Seek/attack target category; configured argument 7.
8. Report team success.
9. Seek/attack target category; configured argument 1.

Yuri_TankHunter3 - 0993893C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: TankHunters3_Script (0C6907DC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

TEAM_Yuri_4I1Y - 08D1E7AC

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_8I_Script (0ADE7DBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.

TEAM_Hero_Patrol_1 - 090347DC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: PZ.

Ordered plan: Hero_Patrol_1 (0903456C).

1. Attack-move toward waypoint: waypoint 28 (cell 102, 138).
2. Attack-move toward waypoint: waypoint 441 (cell 113, 138).
3. Jump to script line; configured argument 1.

TEAM_Hero_Patrol_2 - 0903432C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: Hero_Patrol_2 (090340BC).

1. Attack-move toward waypoint: waypoint 61 (cell 114, 134).
2. Attack-move toward waypoint: waypoint 441 (cell 113, 138).
3. Attack-move toward waypoint: waypoint 61 (cell 114, 134).
4. Attack-move toward waypoint: waypoint 60 (cell 117, 131).
5. Attack-move toward waypoint: waypoint 59 (cell 114, 128).

6. Attack-move toward waypoint: waypoint 60 (cell 117, 131).
7. Jump to script line; configured argument 1.

TEAM_Fix_Bridge1 - 0651B3CC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Fix_Bridge1 (0651EDBC).

1. Attack waypoint: waypoint 156 (cell 102, 157).

Bridge1_Fixer - 0D10EEFC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XB; Transport Waypoint: XA.

Ordered plan: Bridge1_Fixer_Script (0D10EC8C).

1. Attack waypoint: waypoint 156 (cell 102, 157).

Bridge2_Fixer - 0D10D67C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XC; Transport Waypoint: XA.

Ordered plan: Bridge2_Fixer_Script (0D10D40C).

1. Attack waypoint: waypoint 157 (cell 102, 148).

Bridge3_Fixer - 0D0D66EC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XE; Transport Waypoint: XD.

Ordered plan: Bridge3_Fixer_Script (0D0D647C).

1. Attack waypoint: waypoint 158 (cell 123, 63).

Bridge4_Fixer - 0D0D777C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XF; Transport Waypoint: XD.

Ordered plan: Bridge4_Fixer_Script (0D0D729C).

1. Attack waypoint: waypoint 159 (cell 124, 52).

TEAM_Yuri_3I1G - 0B9E4DEC

Owner: YuriCountry. Roster: 3 × Initiate (INIT); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: 3I1G_Script (0B9E4B7C).

1. Set local flag: local flag 15 (3L1G_Built).
2. Seek/attack target category; configured argument 1.
3. Report team success.

Yuri_TankBusters - 0C69559C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: TankeBuster_Script (0966FB5C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 1.

TEAM_Studio_Patrol - 06C394AC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: StudioPatrol_Script (06C3BDBC).

1. Move to waypoint: waypoint 31 (cell 146, 141).
2. Move to waypoint: waypoint 30 (cell 126, 142).
3. Jump to script line; configured argument 1.

TEAM_Patrol_1 - 0BC7E21C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Patrol_1_Script (06C469EC).

1. Move to waypoint: waypoint 56 (cell 175, 100).
2. Move to waypoint: waypoint 55 (cell 153, 78).
3. Move to waypoint: waypoint 56 (cell 175, 100).
4. Move to waypoint: waypoint 57 (cell 182, 114).
5. Jump to script line; configured argument 1.

TEAM_Patrol_2 - 0961CCEC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Patrol2_Script (0961CA7C).

1. Move to waypoint: waypoint 79 (cell 160, 109).
2. Move to waypoint: waypoint 78 (cell 177, 92).
3. Jump to script line; configured argument 1.

TEAM_Patrol_3 - 095FFDFC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Patrol3_Script (095F969C).

1. Move to waypoint: waypoint 81 (cell 139, 120).
2. Move to waypoint: waypoint 80 (cell 118, 119).
3. Jump to script line; configured argument 1.

TEAM_Patrol_4 - 095FF47C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CD.

Ordered plan: Patrol4_Script (0960D26C).

1. Move to waypoint: waypoint 82 (cell 139, 110).
2. Move to waypoint: waypoint 83 (cell 143, 106).
3. Move to waypoint: waypoint 84 (cell 143, 102).
4. Move to waypoint: waypoint 85 (cell 118, 115).
5. Move to waypoint: waypoint 84 (cell 143, 102).
6. Move to waypoint: waypoint 83 (cell 143, 106).
7. Move to waypoint: waypoint 82 (cell 139, 110).
8. Move to waypoint: waypoint 81 (cell 139, 120).
9. Jump to script line; configured argument 1.

TEAM_Patrol_5 - 095F8EFC

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Patrol5_Script (095F99BC).

1. Move to waypoint: waypoint 85 (cell 118, 115).
2. Move to waypoint: waypoint 35 (cell 137, 86).
3. Jump to script line; configured argument 1.

TEAM_Patrol6 - 0960071C

Owner: YuriCountry. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Patrol6_Script (096062BC).

1. Move to waypoint: waypoint 85 (cell 118, 115).
2. Move to waypoint: waypoint 86 (cell 122, 111).
3. Move to waypoint: waypoint 87 (cell 127, 109).
4. Move to waypoint: waypoint 86 (cell 122, 111).
5. Move to waypoint: waypoint 85 (cell 118, 115).
6. Move to waypoint: waypoint 80 (cell 118, 119).
7. Jump to script line; configured argument 1.

TEAM_Prisoners - 096CEA1C

Owner: Neutral. Roster: 1 × Civilian (CIV1); 1 × Civilian (CIV2); 1 × Civilian (CIVBF); 1 × Civilian (CIVBTM); 1 × Civilian (CIVSFM); 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: Prisoner_Script (096CE51C).

1. Panic.

TEAM_Flash_Cowboy - 0903959C

Owner: Americans. Roster: 1 × Cowboy (CLNT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HA.

Ordered plan: Flash_Cowboy (0903ADBC).

1. Flash team; configured argument 120.

TEAM_Cheat_Initiate - 0981521C

Owner: Yuri4Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Cheat_Initiate_Wait (0BA17A1C).

1. Adopt object mission: area guard.

TEAM_Cheat_Clone - 09816B7C

Owner: Yuri4Country. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Cheat_Clone_Wait (045B4BBC).

1. Adopt object mission: area guard.

TEAM_Cheat_A - 098166CC

Owner: Yuri4Country. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 25; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Cheat_TeamA_Script (0957093C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 1.

TEAM_2L1Y_Cheese1 - 0EB3AB7C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DB.

Ordered plan: Cheese1_Script (045E6C8C).

1. Seek/attack target category; configured argument 1.

TEAM_Cheese2 - 0C5AADEC

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Cheese2_Script (045C829C).

1. Seek/attack target category; configured argument 1.

TEAM_CheeseTank2 - 0949EB9C

Owner: Nod. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DJ.

Ordered plan: CheeseTank2_Script (0949E92C).

1. Seek/attack target category; configured argument 1.

TEAM_CheatTA_Lasher - 0949E51C

Owner: Nod. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DJ.

Ordered plan: CheatLasher_Script (0C00245C).

1. Panic.
2. Adopt object mission: area guard.

TEAM_CheatTA_Gattling - 0949E0AC

Owner: Nod. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DJ.

Ordered plan: CheatGattling_Script (0949FBCC).

1. Adopt object mission: area guard.

TEAM_Cheat_B - 098186CC

Owner: Yuri4Country. Roster: 3 × Initiate (INIT); 2 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: CheatTeamB_Script (0957E63C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 2.

TEAM_CheatB_Engineer - 0981821C

Owner: Yuri4Country. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: CheatEngineer_Script (0C895DBC).

1. Adopt object mission: area guard.

TEAM_CheatB_Initiate - 09819B7C

Owner: Yuri4Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Cheat_Initiate_Wait (0BA17A1C).

1. Adopt object mission: area guard.

Yuri_TankHunter2 - 0972EB7C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_TankHunter2_Script (0972E90C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 1.

Yuri_Base_Assault_4 - 08D1EDEC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base_Assault_4 (09732DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.

3. Seek/attack target category; configured argument 1.
4. Report team success.

Yuri_Anti_Infantry1 - 0972BEFC

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Anti_Infantry1 (0972BC8C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Nod_BD_1 - 091027DC

Owner: Yuri2Country. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EA.

Ordered plan: Nod_BD_Script (09730DBC).

1. Adopt object mission: area guard.
2. Report team success.

Nod_BD_2 - 0910213C

Owner: Yuri2Country. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EB.

Ordered plan: Nod_BD_Script (09730DBC).

1. Adopt object mission: area guard.
2. Report team success.

Nod_BD_3 - 09103DEC

Owner: Yuri2Country. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EC.

Ordered plan: Nod_BD_Script (09730DBC).

1. Adopt object mission: area guard.
2. Report team success.

Nod_Base_Assault_1 - 08D2824C

Owner: Yuri2Country. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Nod_Base_Assault_1 (097293BC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Nod_Base_Assault_2 - 091036FC

Owner: Yuri2Country. Roster: 2 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Nod_Base_Assault_2 (09717B0C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

Nod_Base_Assault_3 - 08D297DC

Owner: Yuri2Country. Roster: 2 × Yuri Clone (YURI); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Nod_BackDoor (07F330BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Move to waypoint: waypoint 94 (cell 162, 152).
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Yuri_BD_3Lasher - 06CC89AC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yrui_BD_3 Gatt (0D09495C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BD_2Lasher - 06CC84CC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yrui_BD_3 Gatt (0D09495C).

1. Adopt object mission: area guard.
2. Report team success.

Nod_Tank_Cheese1 - 0994A6FC

Owner: Yuri2Country. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Nod_Tank_Cheese1 (0994A48C).

1. Move to waypoint: waypoint 626 (cell 94, 150).
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Nod_Tank_Cheese2 - 0910445C

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Nod_Tank_Cheese2 (094D6BEC).

1. Move to waypoint: waypoint 53 (cell 140, 62).
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

Nod_Tank_Cheese3 - 09105EFC

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DE.

Ordered plan: Nod_Tank_Cheese3 (095A8DBC).

1. Move to waypoint: waypoint 494 (cell 153, 116).
2. Seek/attack target category; configured argument 1.

Nod_Tank_Cheese4 - 09105A4C

Owner: Yuri2Country. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Nod_Tank_Cheese1 (0994A48C).

1. Move to waypoint: waypoint 626 (cell 94, 150).
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Nod_Tank_Cheese5 - 0910580C

Owner: Yuri2Country. Roster: 2 × Lasher Light Tank (LTNK); 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Nod_Tank_Cheese2 (094D6BEC).

1. Move to waypoint: waypoint 53 (cell 140, 62).
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

Nod_Tank_Cheese6 - 091055CC

Owner: Yuri2Country. Roster: 3 × Initiate (INIT); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DE.

Ordered plan: Nod_Tank_Cheese3 (095A8DBC).

1. Move to waypoint: waypoint 494 (cell 153, 116).
2. Seek/attack target category; configured argument 1.

TEAM_Hero - 0904272C

Owner: Americans. Roster: 1 × Hero (ARND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RA.

Ordered plan: Hero_Script (090424BC).

1. Flash team; configured argument 120.

Nod_Lame_Tank1 - 09101DEC

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Nod_Tank_Cheese1 (0994A48C).

1. Move to waypoint: waypoint 626 (cell 94, 150).
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Nod_Lame_Tank2 - 09104DEC

Owner: Yuri2Country. Roster: 1 × Gattling Tank (YTNK); 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Nod_Tank_Cheese2 (094D6BEC).

1. Move to waypoint: waypoint 53 (cell 140, 62).
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

Nod_Lame_Tank3 - 0910059C

Owner: Yuri2Country. Roster: 3 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DE.

Ordered plan: Nod_Tank_Cheese3 (095A8DBC).

1. Move to waypoint: waypoint 494 (cell 153, 116).
2. Seek/attack target category; configured argument 1.

Nod_Lame_Tank4 - 0910035C

Owner: Yuri2Country. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Nod_Tank_Cheese1 (0994A48C).

1. Move to waypoint: waypoint 626 (cell 94, 150).
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Nod_Lame_Tank5 - 0910647C

Owner: Yuri2Country. Roster: 1 × Lasher Light Tank (LTNK); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Nod_Tank_Cheese2 (094D6BEC).

1. Move to waypoint: waypoint 53 (cell 140, 62).
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

SnowFemale_Grinder4 - 0F4F35AC

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 50; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: SnowFemale_Grinder4 (0F4F333C).

1. Attack waypoint: waypoint 89 (cell 194, 103).

Grinder1_ThinMale1 - 0BA8A27C

Owner: Yuri3Country. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_SnowFat - 0BA89A9C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_BeachFemale - 0BA8977C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_Female - 0BA8945C

Owner: Yuri3Country. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_BeachMale - 0BA88EFC

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_GreenMale - 0BA88BDC

Owner: Yuri3Country. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder1_BeachFemaleGo - 0B11159C

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IE.

Ordered plan: To_Grinder1_Beach_Female (0CB0685C).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 23 (Change_G1BeachF).

Grinder1_BeachMaleGo - 0B1111FC

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IF.

Ordered plan: To_Grinder1_Beach_Male (0C85F4BC).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 25 (Change_G1BeachM).

Grinder1_FemaleGo - 0B1110CC

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IG.

Ordered plan: To_Grinder1_Female (0C860DBC).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 26 (Change_G1Female).

Grinder1_GreenMaleGo - 0B112A1C

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IH.

Ordered plan: To_Grinder1_Green_Male (0CA5DDBC).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 29 (Change_G1Green).

Grinder1_SnowFatGo - 0B11267C

Owner: Neutral. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: II.

Ordered plan: To_Grinder1_SnowFat (0CA5DA1C).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 31 (Change_G1SnowFat).

Grinder1_ThinMaleGo - 0B1122DC

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IJ.

Ordered plan: To_Grinder1_Thin_Male (0CA5D67C).

1. Move to waypoint: waypoint 234 (cell 109, 124).
2. Set local flag: local flag 33 (Change_G1ThinM).

Grinder1_Green_Change - 0CA5D54C

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder1_SnowFat_Change - 0CA5D1AC

Owner: Neutral. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder1_ThinMale_Change - 0CA5EC8C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_ThinMale - 0B1138FC

Owner: Yuri3Country. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_Female - 0B11355C

Owner: Yuri3Country. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_BeachMale - 0B11342C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_BeachFemale - 0B1132FC

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_SnowMale - 0B1131CC

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_SnowFemale - 0B114EFC

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: Grinder2_ThinMale (0BA4988C).

1. Enter Grinder.

Grinder2_ThinMaleGo - 0B114CBC

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IK.

Ordered plan: Grinder2_ThinMale (0C82A41C).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 36 (Change_G2ThinM).

Grinder2_FemaleGo - 0B11491C

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IL.

Ordered plan: Grinder2_Female (0C82B50C).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 35 (Change_G2Female).

Grinder2_BeachMaleGo - 0B11457C

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IM.

Ordered plan: Grinder2_BeachM (04EC29BC).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 34 (Change_G2BeachM).

Grinder2_BeachFemaleGo - 0B1141DC

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IN.

Ordered plan: Grinder2_BeachF (04EC2CEC).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 39 (Change_G2BeachF).

Grinder2_SnowMaleGo - 0B1140AC

Owner: Neutral. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IO.

Ordered plan: Grinder2_SnowMale (0C82A83C).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 38 (Change_G2SnowM).

Grinder2_SnowFemaleGo - 0B115A1C

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IP.

Ordered plan: Grinder2_SnowFemale (0C82AC1C).

1. Move to waypoint: waypoint 235 (cell 136, 79).
2. Set local flag: local flag 37 (Change_G2SnowF).

Grinder4_BeachMale - 0BA90C8C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_BeachFemale - 0BA90B5C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_BeachFat - 0BA90A2C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_Female - 0BA907EC

Owner: Yuri3Country. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_ThinMale - 0BA906BC

Owner: Yuri3Country. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_GreenMale - 0BA9058C

Owner: Yuri3Country. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_SnowFemale - 0BA9045C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_SnowMale - 0BA9032C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_SnowFat - 0BA9783C

Owner: Yuri3Country. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: Civ_ThinMale1 (0CF2EA1C).

1. Enter Grinder.

Grinder4_BeachMaleGo - 0CEC51DC

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JA.

Ordered plan: Grinder4_BeachMale (0C83BDBC).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 49 (Change_G4BeachM).

Grinder4_BeachFemaleGo - 0CEC4C8C

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JB.

Ordered plan: Grinder4_BeachFemale (0C83040C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 47 (Change_G4BeachF).

Grinder4_BeachFatGo - 0CEC4B5C

Owner: Neutral. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JC.

Ordered plan: Grinder4_SnowFat (0C83073C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 54 (Change_G4BeachFat).

Grinder4_ThinMaleGo - 0CEC4A2C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JD.

Ordered plan: Grinder4_ThinMale (0C8398DC).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 53 (Change_G4ThinM).

Grinder4_FemaleGo - 0CEC48FC

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JE.

Ordered plan: Grinder4_Female (0C83BB4C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 48 (Change_G4Female).

Grinder4_GreenMaleGo - 0CEC47CC

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JF.

Ordered plan: Grinder4_GreenMale (0C83B81C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 50 (Change_G4Green).

Grinder4_SnowMaleGo - 0CEC469C

Owner: Neutral. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JG.

Ordered plan: Grinder4_SnowMale (0C839B4C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 52 (Change_G4SnowM).

Grinder4_SnowFemaleGo - 0CEC456C

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JH.

Ordered plan: Grinder4_SnowFemale (0C839DBC).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 51 (Change_G4SnowF).

Grinder4_SnowFatGo - 0CEC443C

Owner: Neutral. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JI.

Ordered plan: Grinder4_SnowFat (0C83A25C).

1. Move to waypoint: waypoint 237 (cell 201, 105).
2. Set local flag: local flag 46 (Change_G4SnowFat).

Allied_MCV - 06C6434C

Owner: Americans. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: MCV_Script (06C640DC).

1. Move to waypoint: waypoint 8 (cell 167, 128).

GGI_KB_KG - 0C7217DC

Owner: Americans. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KB.

Ordered plan: GGI_One_Script (0C72156C).

1. Move to waypoint: waypoint 292 (cell 166, 132).

GGI_KA_KH - 0C720ABC

Owner: Americans. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KA.

Ordered plan: GGI_KA_KH_Script (0C72084C).

1. Move to waypoint: waypoint 293 (cell 166, 134).

GGI_KC_KF - 0C72064C

Owner: Americans. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KC.

Ordered plan: GGI_KC_KF (0C7203DC).

1. Move to waypoint: waypoint 291 (cell 167, 133).

GGI_KD_KI - 0C72022C

Owner: Americans. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KD.

Ordered plan: GGI_KD_KI (0C72FDBC).

1. Move to waypoint: waypoint 294 (cell 168, 134).

GGI_KE_KJ - 0C9CFA1C

Owner: Americans. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KE.

Ordered plan: GGI_KE_KJ (0C72F88C).

1. Move to waypoint: waypoint 295 (cell 168, 132).

GI_KP_KK - 0C9593CC

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KP.

Ordered plan: GI_KP_KK (0C95915C).

1. Move to waypoint: waypoint 296 (cell 166, 125).

GI_KP_KL - 0C95CD8C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KP.

Ordered plan: GI_KP_KL (0C95C71C).

1. Move to waypoint: waypoint 297 (cell 166, 124).

GI_KP_KM - 0C95C51C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KP.

Ordered plan: GI_KP_KM (0C95C2AC).

1. Move to waypoint: waypoint 298 (cell 167, 125).

GI_KP_KN - 0C809A1C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KP.

Ordered plan: GI_KP_KN (0C95B1EC).

1. Move to waypoint: waypoint 299 (cell 168, 126).

GI_KP_KO - 0C80967C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KP.

Ordered plan: GI_KP_KO (0C967C8C).

1. Move to waypoint: waypoint 300 (cell 168, 124).

Grinder1_BeachF_Change - 0CDC467C

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder1_BeachM_Change - 0974031C

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder1_Female_Change - 09D29EFC

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IA.

Ordered plan: G1_BeachF_Die (0BA918EC).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_BeachF_Change - 0CDC42EC

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_BeachM_Change - 04EC545C

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_Female_Change - 0C82B77C

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_SnowF_Change - 0B11B2FC

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_SnowM_Change - 0C82AAAC

Owner: Neutral. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder2_ThinM_Change - 0C82A68C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: IB.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Nod_AntiPrism1_TF - 09112EFC

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Nod_AntiPrism1 (0BC55DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Grinder4_BeachFat_Change - 0C83311C

Owner: Neutral. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_BeachF_Change - 0C834EFC

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_BeachMale_Change - 0C834DCC

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_Female_Change - 0C834C9C

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_Green_Change - 0C834B6C

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_SnowFat_Change - 0C834A3C

Owner: Neutral. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_SnowF_Change - 0462C21C

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_SnowM_Change - 0462C0EC

Owner: Neutral. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Grinder4_ThinMale_Change - 0462E2FC

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ID.

Ordered plan: G2_BeachF_Die (0BA98A2C).

1. Change country ownership; configured argument 15.
2. Enter Grinder.

Rexy - 08E2D89C

Owner: Neutral. Roster: 1 × T-Rex (DNOA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Rexy_Script (08E2D62C).

1. Change country ownership; configured argument 0.
2. Adopt object mission: area guard.

TankBunk1 - 0793150C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BL.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk2 - 0A0A42CC

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk3 - 060E1EFC

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk4 - 07ABF46C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk5 - 07ABF33C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk6 - 07ABF20C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk7 - 07ABF0DC

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

TankBunk8 - 08CC9E2C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

ReactorTeamBS - 0915F83C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBT - 0915F2CC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BT.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBU - 0915F19C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BU.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBV - 0915DEFC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBW - 0915DDCC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBX - 0915DC9C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBY - 0915DB6C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

ReactorTeamBZ - 0915DA3C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

GenericReactorTeam - 092A2EFC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: ReactorTeam_Script (0915F5CC).

1. Enter Bio Reactor.

TankBunk9 - 060F620C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CP.

Ordered plan: BL_Bunker (0793129C).

1. Enter Tank Bunker.

Yuri_BA_5 - 07F2E13C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base_Assault_4 (09732DBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.
4. Report team success.

Nod_Base_Assault_4 - 07F32C2C

Owner: Yuri2Country. Roster: 4 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Nod_BackDoor (07F330BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Move to waypoint: waypoint 94 (cell 162, 152).
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_1 - 0798852C

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_1 (079882BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_2 - 0920442C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_2 (0920FDBC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 9.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_3 - 07AA40BC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 4 × Gattling Tank (YTNK); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_1 (079882BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 105 (cell 125, 151).
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_4 - 086FC22C

Owner: YuriCountry. Roster: 4 × Yuri Clone (YURI); 2 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_2 (0920FDBC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 9.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_5 - 092017BC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 3 × Gattling Tank (YTNK); 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_1 (079882BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 105 (cell 125, 151).

3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri_Hard_BA_6 - 04F2F76C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Hard_BA_2 (0920FDBC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 57 (cell 182, 114).
3. Seek/attack target category; configured argument 9.
4. Report team success.
5. Seek/attack target category; configured argument 1.

BattleFortress1 - 07F0E85C

Owner: Americans. Roster: 1 × Battle Fortress (BFRT); 3 × Guardian GI (GGI); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KE.

Ordered plan: BattleFortress1 (07F0E5EC).

1. Move to waypoint: waypoint 95 (cell 170, 132).
2. Load transport.

Yuri_Gar_CS_CU - 092C0B8C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CS.

Ordered plan: Garrison_CU (092C091C).

1. Attack waypoint: waypoint 98 (cell 135, 108).

Yuri_Gar_CT_CV - 092C050C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Garrison_CV (092C029C).

1. Attack waypoint: waypoint 99 (cell 135, 116).

Yuri_Gar_CW_CX - 092BDBCC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CW.

Ordered plan: Garrison_CX (092BD95C).

1. Attack waypoint: waypoint 101 (cell 183, 93).

Yuri_Gar_CY_CZ - 092BD7CC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CY.

Ordered plan: Garrison_CZ (092BD55C).

1. Attack waypoint: waypoint 103 (cell 165, 95).

Yuri_Gar_DF - 092B952C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DF.

Ordered plan: Yuri_Garrison (092BFDBC).

1. Enter neutral occupiable building.

Yuri_Gar_DG - 092BFC8C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DG.

Ordered plan: Yuri_Garrison (092BFDBC).

1. Enter neutral occupiable building.

Yuri_Gar_DH - 092BFB5C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DH.

Ordered plan: Yuri_Garrison (092BFDBC).

1. Enter neutral occupiable building.

Garrison_Team - 0930C41C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Garrison (092BFDBC).

1. Enter neutral occupiable building.

Yuri2_Garrison - 07F6AEFC

Owner: Yuri2Country. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Garrison (092BFDBC).

1. Enter neutral occupiable building.

Civ_BeachFemale_Final - 097451AC

Owner: Yuri2Country. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_Female_Final - 09745ABC

Owner: Yuri2Country. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.

2. Adopt object mission: area guard.

Civ_SnowFemale_Final - 0974598C

Owner: Yuri2Country. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_BeachMale_Final - 0974585C

Owner: Yuri2Country. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_ThinMale_Final - 0974572C

Owner: Yuri2Country. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_GreenMale_Final - 097455FC

Owner: Yuri2Country. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_SnowMale_Final - 097454CC

Owner: Yuri2Country. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_BeachFat_Final - 0BC6669C

Owner: Yuri2Country. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_SnowFat_Final - 0974773C

Owner: Yuri2Country. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Civ_Done (09747DBC).

1. Change country ownership; configured argument 12.
2. Adopt object mission: area guard.

Civ_Initiate_G3 - 0913BDCC

Owner: Neutral. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: RB.

Ordered plan: Civ_Initiate_SCR (0913B15C).

1. Change country ownership; configured argument 9.
2. Seek/attack target category; configured argument 1.

Civ_Initiate_G1 - 0913A8EC

Owner: Neutral. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RA.

Ordered plan: Civ_Initiate_SCR (0913B15C).

1. Change country ownership; configured argument 9.
2. Seek/attack target category; configured argument 1.

Civ_Initiate_G2 - 09138CBC

Owner: Neutral. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: Civ_Initiate_SCR (0913B15C).

1. Change country ownership; configured argument 9.
2. Seek/attack target category; configured argument 1.

Civ_Initiate_G4 - 0913AEFC

Owner: Neutral. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: Civ_Initiate_SCR (0913B15C).

1. Change country ownership; configured argument 9.
2. Seek/attack target category; configured argument 1.

Briefing_Clone - 091C8E0C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: GV.

Ordered plan: Briefing_Yuri (0986244C).

1. Flash team; configured argument 120.
2. Adopt object mission: area guard.

Operation: Hollywood and Vain - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: expandmd01.mix/all02umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	40,40,40	4
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	7
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	10
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	13
Cowboy (CLNT)	Sight radius setting	6	16
Cowboy (CLNT)	Category	Soldier	17
Cowboy (CLNT)	Starting health capacity	300	18
Cowboy (CLNT)	Insignificant-object flag	no	19
Cowboy (CLNT)	Fraidycat	no	20
Cowboy (CLNT)	Can be crushed	no	21
Cowboy (CLNT)	Civilian	no	22
Cowboy (CLNT)	Self-healing	yes	23
Cowboy (CLNT)	Immune to ordinary psychic control	yes	24
Hero (ARND)	Sight radius setting	6	27
Hero (ARND)	Category	Soldier	28
Hero (ARND)	Starting health capacity	500	29
Hero (ARND)	Insignificant-object flag	no	30
Hero (ARND)	Fraidycat	no	31
Hero (ARND)	Can be crushed	no	32
Hero (ARND)	Civilian	no	33
Hero (ARND)	Self-healing	yes	34
Hero (ARND)	Immune to ordinary psychic control	yes	35
Bodybuilder (STLN)	Sight radius setting	6	38
Bodybuilder (STLN)	Category	Soldier	39
Bodybuilder (STLN)	Starting health capacity	300	40
Bodybuilder (STLN)	Insignificant-object flag	no	41
Bodybuilder (STLN)	Fraidycat	no	42
Bodybuilder (STLN)	Can be crushed	no	43
Bodybuilder (STLN)	Civilian	no	44
Bodybuilder (STLN)	Self-healing	yes	45

Object/system	Property	Mission value	Source line
Bodybuilder (STLN)	Immune to ordinary psychic control	yes	46
TERMIGUN (TERMIGUN)	Damage	75	49
TERMIGUN (TERMIGUN)	Warhead	SA	50
Smithsonian Natural History Museum (CAWASH17)	Name	Smithsonian Natural History Museum	53
Smithsonian Natural History Museum (CAWASH17)	UI Name	Name:CAPRS03	54
Yuri MCV (PCV)	Technology level	12	57
Flak Cannon (NAFLAK)	Price in credits	20000	60
Flak Cannon (NAFLAK)	Signed power contribution	-0	61
Robot Control Center (GAROBO)	Technology level	12	64
Allied Shipyard (GAYARD)	Technology level	12	67
Yuri Naval Yard (YAYARD)	Technology level	12	70
LAX (CALA05)	Is Base	yes	73
LAX (CALA05)	Repair-tool permission	yes	74
LAX (CALA05)	Engineer-capture permission	yes	75
LAX (CALA05)	Needs Engineer	yes	76
LAX (CALA05)	Selling forbidden	yes	77
LAX (CALA05)	Infantry garrison permitted	no	78
LAX (CALA05)	Garrison capacity	0	79
LAX (CALA05)	Occupants can fire	no	80
LAX (CALA05)	Primary granted special weapon	ParaDropSpecial	81
LAX (CALA05)	Normal base-adjacency role	yes	82
Tanya (TANY)	Technology level	12	85
Air Force Command Headquarters (AMRADR)	Primary granted special weapon	none	88
Russain Gum Corner (CARUS08)	Name	RA2 Russain Gum Corner	91
Russain Gum Corner (CARUS08)	Infantry garrison permitted	no	92
Russain Gum Corner (CARUS08)	Garrison capacity	0	93
Russain Gum Corner (CARUS08)	Occupants can fire	no	94
Russain Gum Corner (CARUS08)	Leaves rubble	Yes	95
Russian Gum Middle (CARUS09)	Infantry garrison permitted	no	98
Russian Gum Middle (CARUS09)	Garrison capacity	0	99
Russian Gum Middle (CARUS09)	Occupants can fire	no	100
Russian Gum Middle (CARUS09)	Leaves rubble	Yes	101
Russian Gum Wall N_S (CARUS10)	Infantry garrison permitted	no	104
Russian Gum Wall N_S (CARUS10)	Garrison capacity	0	105
Russian Gum Wall N_S (CARUS10)	Occupants can fire	no	106
Russian Gum Wall N_S (CARUS10)	Leaves rubble	Yes	107
Russian Gum Wall E_W (CARUS11)	Infantry garrison permitted	no	110
Russian Gum Wall E_W (CARUS11)	Garrison capacity	0	111
Russian Gum Wall E_W (CARUS11)	Occupants can fire	no	112

Object/system	Property	Mission value	Source line
Russian Gum Wall E_W (CARUS11)	Leaves rubble	Yes	113
Grand Cannon (GTGCAN)	UI Name	Name:GTGCAN	116
Grand Cannon (GTGCAN)	Name	Allied Grand Cannon	117
Grand Cannon (GTGCAN)	Construction category	Combat	118
Grand Cannon (GTGCAN)	Starting health capacity	900	119
Grand Cannon (GTGCAN)	Armor class	steel	120
Grand Cannon (GTGCAN)	Technology level	7	121
Grand Cannon (GTGCAN)	Required structures/groups	RADAR,GACNST	122
Grand Cannon (GTGCAN)	Placement adjacency setting	2	123
Grand Cannon (GTGCAN)	Sight radius setting	10	124
Grand Cannon (GTGCAN)	Permitted country list	British,French,Germans,Americans,Alliance	125
Grand Cannon (GTGCAN)	Price in credits	2000	126
Grand Cannon (GTGCAN)	Required countries	Americans	127
Grand Cannon (GTGCAN)	Points	30	128
Grand Cannon (GTGCAN)	Signed power contribution	-100	129
Grand Cannon (GTGCAN)	Crewed	no	130
Grand Cannon (GTGCAN)	ROT	1	131
Weather Controller (GAWEAT)	UI Name	Name:GAWEAT	134
Weather Controller (GAWEAT)	Name	Allied Weather Controller	135
Weather Controller (GAWEAT)	Image	GAWETH	136
Weather Controller (GAWEAT)	Construction category	Combat	137
Weather Controller (GAWEAT)	Required structures/groups	GATECH,GACNST	138
Weather Controller (GAWEAT)	Technology level	12	139
Yuri Clone (YURI)	UI Name	Name:YuriClone	142
Yuri Clone (YURI)	Name	Yuri Clone	143
Yuri Clone (YURI)	Technology level	4	144
Civilian (CIVA)	UI Name	Name:CIV1	147
Civilian (CIVA)	Name	Civilian Texan A	148
Civilian (CIVA)	Category	Civilian	149
Civilian (CIVA)	Starting health capacity	500	150
Civilian (CIVA)	Primary	DoublePistols	151
Civilian (CIVA)	Armor class	flak	152
Civilian (CIVA)	Technology level	-1	153
Civilian (CIVA)	Crush Sound	InfantrySquish	154
Civilian (CIVA)	Insignificant-object flag	yes	155
Civilian (CIVA)	Sight radius setting	8	156
Civilian (CIVA)	Movement rating	5	157
Civilian (CIVA)	Fraidycat	no	158
Bio Reactor (YAPOWR)	UI Name	Name:BioR	161
Bio Reactor (YAPOWR)	Name	Yuri Bio Reactor	162
Bio Reactor (YAPOWR)	Construction category	Power	163

Object/system	Property	Mission value	Source line
Bio Reactor (YAPOWR)	Required structures/groups	YACNST	164
Bio Reactor (YAPOWR)	Starting health capacity	700	165
Bio Reactor (YAPOWR)	Armor class	wood	166
Bio Reactor (YAPOWR)	Technology level	1	167
Bio Reactor (YAPOWR)	Placement adjacency setting	2	168
Bio Reactor (YAPOWR)	Sight radius setting	4	169
Bio Reactor (YAPOWR)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	170
Bio Reactor (YAPOWR)	AI Base Planning Side	2	171
Bio Reactor (YAPOWR)	Price in credits	600	172
Bio Reactor (YAPOWR)	Points	40	173
Bio Reactor (YAPOWR)	Signed power contribution	300	174
Bio Reactor (YAPOWR)	Engineer-capture permission	true	175
COUNTRIES (COUNTRIES)	0	Yuri2Country	178
COUNTRIES (COUNTRIES)	1	Yuri3Country	179
COUNTRIES (COUNTRIES)	2	Yuri4Country	180
SPECIALFLAGS	Tiberium Grows	no	229
SPECIALFLAGS	Tiberium Spreads	yes	230
SPECIALFLAGS	Tiberium Explosive	no	231
SPECIALFLAGS	Destroyable Bridges	yes	232
SPECIALFLAGS	MCV Deploy	no	233
SPECIALFLAGS	Initial Veteran	no	234
SPECIALFLAGS	Fixed Alliance	no	235
SPECIALFLAGS	Harvester Immune	no	236
SPECIALFLAGS	Fog Of War	no	237
SPECIALFLAGS	Inert	no	238
SPECIALFLAGS	Ion Storms	no	239
SPECIALFLAGS	Meteorites	no	240
SPECIALFLAGS	Visceroids	no	241
VARIABLENAMES (VARIABLENAMES)	0	Base_Gone,0	290
VARIABLENAMES (VARIABLENAMES)	1	Grinders_Gone,0	291
VARIABLENAMES (VARIABLENAMES)	2	Grinder1_Gone,0	292
VARIABLENAMES (VARIABLENAMES)	3	Grinder2_Gone,0	293
VARIABLENAMES (VARIABLENAMES)	4	Grinder3_Gone,0	294
VARIABLENAMES (VARIABLENAMES)	5	Grinder4_Gone,0	295
VARIABLENAMES (VARIABLENAMES)	6	Player_Has_AC,0	296
VARIABLENAMES (VARIABLENAMES)	7	Player_Has_SpySat,0	297
VARIABLENAMES (VARIABLENAMES)	8	Player_Has_Radar,0	298
VARIABLENAMES (VARIABLENAMES)	9	Bridge1_Fixed,1	299
VARIABLENAMES (VARIABLENAMES)	10	Bridge2_Fixed,1	300
VARIABLENAMES (VARIABLENAMES)	11	Bridge3_Fixed,1	301
VARIABLENAMES (VARIABLENAMES)	12	Bridge4_Fixed,1	302

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	13	Barrack1_Gone,0	303
VARIABLENAMES (VARIABLENAMES)	14	CheeseFact_Gone,0	304
VARIABLENAMES (VARIABLENAMES)	15	3L1G_Built,0	305
VARIABLENAMES (VARIABLENAMES)	16	Grinder1_BF_Done,0	306
VARIABLENAMES (VARIABLENAMES)	17	Grinder1_BM_Done,0	307
VARIABLENAMES (VARIABLENAMES)	18	Grinder1_SF_Done,0	308
VARIABLENAMES (VARIABLENAMES)	19	Grinder1_GM_Done,0	309
VARIABLENAMES (VARIABLENAMES)	20	Grinder1_F_Done,0	310
VARIABLENAMES (VARIABLENAMES)	21	Grinder1_TM_Done,0	311
VARIABLENAMES (VARIABLENAMES)	22	IE_Building_Gone,0	312
VARIABLENAMES (VARIABLENAMES)	23	Change_G1BeachF,0	313
VARIABLENAMES (VARIABLENAMES)	24	IF_Building_Gone,0	314
VARIABLENAMES (VARIABLENAMES)	25	Change_G1BeachM,0	315
VARIABLENAMES (VARIABLENAMES)	26	Change_G1Female,0	316
VARIABLENAMES (VARIABLENAMES)	27	IG_Building_Gone,0	317
VARIABLENAMES (VARIABLENAMES)	28	IH_Building_Gone,0	318
VARIABLENAMES (VARIABLENAMES)	29	Change_G1Green,0	319
VARIABLENAMES (VARIABLENAMES)	30	II_Building_Gone,0	320
VARIABLENAMES (VARIABLENAMES)	31	Change_G1SnowFat,0	321
VARIABLENAMES (VARIABLENAMES)	32	IJ_Building_Gone,0	322
VARIABLENAMES (VARIABLENAMES)	33	Change_G1ThinM,0	323
VARIABLENAMES (VARIABLENAMES)	34	Change_G2BeachM,0	324
VARIABLENAMES (VARIABLENAMES)	35	Change_G2Female,0	325
VARIABLENAMES (VARIABLENAMES)	36	Change_G2ThinM,0	326
VARIABLENAMES (VARIABLENAMES)	37	Change_G2SnowF,0	327
VARIABLENAMES (VARIABLENAMES)	38	Change_G2SnowM,0	328
VARIABLENAMES (VARIABLENAMES)	39	Change_G2BeachF,0	329
VARIABLENAMES (VARIABLENAMES)	40	IK_Building_Gone,0	330
VARIABLENAMES (VARIABLENAMES)	41	IL_Building_Gone,0	331
VARIABLENAMES (VARIABLENAMES)	42	IM_Building_Gone,0	332
VARIABLENAMES (VARIABLENAMES)	43	IN_Building_Gone,0	333
VARIABLENAMES (VARIABLENAMES)	44	IO_Building_Gone,0	334
VARIABLENAMES (VARIABLENAMES)	45	IP_Building_Gone,0	335
VARIABLENAMES (VARIABLENAMES)	46	Change_G4SnowFat,0	336
VARIABLENAMES (VARIABLENAMES)	47	Change_G4BeachF,0	337
VARIABLENAMES (VARIABLENAMES)	48	Change_G4Female,0	338
VARIABLENAMES (VARIABLENAMES)	49	Change_G4BeachM,0	339
VARIABLENAMES (VARIABLENAMES)	50	Change_G4Green,0	340
VARIABLENAMES (VARIABLENAMES)	51	Change_G4SnowF,0	341
VARIABLENAMES (VARIABLENAMES)	52	Change_G4SnowM,0	342
VARIABLENAMES (VARIABLENAMES)	53	Change_G4ThinM,0	343

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	54	Change_G4BeachFat,0	344
VARIABLENAMES (VARIABLENAMES)	55	JA_Building_Gone,0	345
VARIABLENAMES (VARIABLENAMES)	56	JB_Building_Gone,0	346
VARIABLENAMES (VARIABLENAMES)	57	JC_Building_Gone,0	347
VARIABLENAMES (VARIABLENAMES)	58	JD_Building_Gone,0	348
VARIABLENAMES (VARIABLENAMES)	59	JE_Building_Gone,0	349
VARIABLENAMES (VARIABLENAMES)	60	JF_Building_Gone,0	350
VARIABLENAMES (VARIABLENAMES)	61	JG_Building_Gone,0	351
VARIABLENAMES (VARIABLENAMES)	62	JH_Building_Gone,0	352
VARIABLENAMES (VARIABLENAMES)	63	JI_Building_Gone,0	353
VARIABLENAMES (VARIABLENAMES)	64	Flint_Found,0	354
America (AMERICANS)	Country	Americans	397
America (AMERICANS)	Technology level	10	398
America (AMERICANS)	Credits	150	399
America (AMERICANS)	IQ	0	400
America (AMERICANS)	Edge	South	401
America (AMERICANS)	Player Control	yes	402
America (AMERICANS)	Color	DarkBlue	403
America (AMERICANS)	Allies	Americans,Alliance,Neutral	404
America (AMERICANS)	Percent Built	0	405
America (AMERICANS)	Node Count	0	406
Korea (ALLIANCE)	Country	Alliance	409
Korea (ALLIANCE)	Technology level	1	410
Korea (ALLIANCE)	Credits	0	411
Korea (ALLIANCE)	IQ	0	412
Korea (ALLIANCE)	Edge	North	413
Korea (ALLIANCE)	Player Control	no	414
Korea (ALLIANCE)	Color	Grey	415
Korea (ALLIANCE)	Allies	Americans,Alliance	416
Korea (ALLIANCE)	Percent Built	0	417
Korea (ALLIANCE)	Node Count	0	418
France (FRENCH)	Country	French	421
France (FRENCH)	Technology level	1	422
France (FRENCH)	Credits	0	423
France (FRENCH)	IQ	0	424
France (FRENCH)	Edge	North	425
France (FRENCH)	Player Control	no	426
France (FRENCH)	Color	LightBlue	427
France (FRENCH)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	428
France (FRENCH)	Percent Built	0	429
France (FRENCH)	Node Count	0	430

Object/system	Property	Mission value	Source line
Germany (GERMANS)	Country	Germans	433
Germany (GERMANS)	Technology level	10	434
Germany (GERMANS)	Credits	600	435
Germany (GERMANS)	IQ	3	436
Germany (GERMANS)	Edge	North	437
Germany (GERMANS)	Player Control	no	438
Germany (GERMANS)	Color	Purple	439
Germany (GERMANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	440
Germany (GERMANS)	Percent Built	0	441
Germany (GERMANS)	Node Count	0	442
Great Britain (BRITISH)	Country	British	445
Great Britain (BRITISH)	Technology level	1	446
Great Britain (BRITISH)	Credits	0	447
Great Britain (BRITISH)	IQ	0	448
Great Britain (BRITISH)	Edge	North	449
Great Britain (BRITISH)	Player Control	no	450
Great Britain (BRITISH)	Color	Gold	451
Great Britain (BRITISH)	Allies	British	452
Great Britain (BRITISH)	Percent Built	0	453
Great Britain (BRITISH)	Node Count	0	454
Libya (AFRICANS)	Country	Africans	457
Libya (AFRICANS)	Technology level	1	458
Libya (AFRICANS)	Credits	0	459
Libya (AFRICANS)	IQ	0	460
Libya (AFRICANS)	Edge	North	461
Libya (AFRICANS)	Player Control	no	462
Libya (AFRICANS)	Color	Grey	463
Libya (AFRICANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	464
Libya (AFRICANS)	Percent Built	0	465
Libya (AFRICANS)	Node Count	0	466
Iraq (ARABS)	Country	Arabs	469
Iraq (ARABS)	Technology level	1	470
Iraq (ARABS)	Credits	0	471
Iraq (ARABS)	IQ	0	472
Iraq (ARABS)	Edge	North	473
Iraq (ARABS)	Player Control	no	474
Iraq (ARABS)	Color	Purple	475
Iraq (ARABS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	476
Iraq (ARABS)	Percent Built	0	477

Object/system	Property	Mission value	Source line
Iraq (ARABS)	Node Count	0	478
Cuba (CONFEDERATION)	Country	Confederation	481
Cuba (CONFEDERATION)	Technology level	1	482
Cuba (CONFEDERATION)	Credits	0	483
Cuba (CONFEDERATION)	IQ	0	484
Cuba (CONFEDERATION)	Edge	North	485
Cuba (CONFEDERATION)	Player Control	no	486
Cuba (CONFEDERATION)	Color	Purple	487
Cuba (CONFEDERATION)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	488
Cuba (CONFEDERATION)	Percent Built	0	489
Cuba (CONFEDERATION)	Node Count	0	490
Russia (RUSSIANS)	Country	Russians	493
Russia (RUSSIANS)	Technology level	1	494
Russia (RUSSIANS)	Credits	0	495
Russia (RUSSIANS)	IQ	0	496
Russia (RUSSIANS)	Edge	North	497
Russia (RUSSIANS)	Player Control	no	498
Russia (RUSSIANS)	Color	Purple	499
Russia (RUSSIANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	500
Russia (RUSSIANS)	Percent Built	0	501
Russia (RUSSIANS)	Node Count	0	502
Yuri (YURICOUNTRY)	Country	YuriCountry	505
Yuri (YURICOUNTRY)	Technology level	10	506
Yuri (YURICOUNTRY)	Credits	600	507
Yuri (YURICOUNTRY)	IQ	3	508
Yuri (YURICOUNTRY)	Edge	North	509
Yuri (YURICOUNTRY)	Player Control	no	510
Yuri (YURICOUNTRY)	Color	Purple	511
Yuri (YURICOUNTRY)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	512
Yuri (YURICOUNTRY)	Percent Built	100	513
Yuri (YURICOUNTRY)	Node Count	21	514
Yuri (YURICOUNTRY)	000	YABRCK,81,75	515
Yuri (YURICOUNTRY)	001	YAWEAP,72,83	516
Yuri (YURICOUNTRY)	002	NAPSIS,82,83	517
Yuri (YURICOUNTRY)	003	YAGGUN,74,93	518
Yuri (YURICOUNTRY)	004	YAGGUN,69,90	519
Yuri (YURICOUNTRY)	005	YAGGUN,91,71	520
Yuri (YURICOUNTRY)	006	YAGGUN,91,63	521
Yuri (YURICOUNTRY)	007	YAGGUN,90,82	522

Object/system	Property	Mission value	Source line
Yuri (YURICOUNTRY)	008	YAGGUN,87,77	523
Yuri (YURICOUNTRY)	009	YAGGUN,81,90	524
Yuri (YURICOUNTRY)	010	YAGGUN,65,93	525
Yuri (YURICOUNTRY)	011	YAGGUN,55,89	526
Yuri (YURICOUNTRY)	012	YAPOWR,68,79	527
Yuri (YURICOUNTRY)	013	YAPOWR,67,84	528
Yuri (YURICOUNTRY)	014	YAPOWR,73,89	529
Yuri (YURICOUNTRY)	015	YAPOWR,61,83	530
Yuri (YURICOUNTRY)	016	YAPOWR,75,70	531
Yuri (YURICOUNTRY)	017	YAPOWR,80,70	532
Yuri (YURICOUNTRY)	018	YAPOWR,80,64	533
Yuri (YURICOUNTRY)	019	YAPOWR,71,72	534
Yuri (YURICOUNTRY)	020	YAPOWR,85,61	535
GDI (GDI)	Country	GDI	538
GDI (GDI)	Technology level	1	539
GDI (GDI)	Credits	0	540
GDI (GDI)	IQ	0	541
GDI (GDI)	Edge	North	542
GDI (GDI)	Player Control	no	543
GDI (GDI)	Color	Purple	544
GDI (GDI)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	545
GDI (GDI)	Percent Built	0	546
GDI (GDI)	Node Count	0	547
Nod (NOD)	Country	Nod	550
Nod (NOD)	Technology level	4	551
Nod (NOD)	Credits	750	552
Nod (NOD)	IQ	3	553
Nod (NOD)	Edge	North	554
Nod (NOD)	Player Control	no	555
Nod (NOD)	Color	Purple	556
Nod (NOD)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	557
Nod (NOD)	Percent Built	0	558
Nod (NOD)	Node Count	0	559
Civilian (NEUTRAL)	Country	Neutral	562
Civilian (NEUTRAL)	Technology level	1	563
Civilian (NEUTRAL)	Credits	0	564
Civilian (NEUTRAL)	IQ	0	565
Civilian (NEUTRAL)	Edge	North	566
Civilian (NEUTRAL)	Player Control	no	567
Civilian (NEUTRAL)	Color	Grey	568

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Yuri2,Yuri3,Yuri4	569
Civilian (NEUTRAL)	Percent Built	0	570
Civilian (NEUTRAL)	Node Count	0	571
JP (SPECIAL)	Country	Special	574
JP (SPECIAL)	Technology level	1	575
JP (SPECIAL)	Credits	0	576
JP (SPECIAL)	IQ	0	577
JP (SPECIAL)	Edge	North	578
JP (SPECIAL)	Player Control	no	579
JP (SPECIAL)	Color	Grey	580
JP (SPECIAL)	Allies	Special,Yuri3	581
JP (SPECIAL)	Percent Built	0	582
JP (SPECIAL)	Node Count	0	583

Operation: Power Play

Campaign reading guide | Engine

Operation: Power Play

all03umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (170)
- Americans (49)
- YuriCountry (32)
- Russians (12)
- Nod (12)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. NAMISL

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all03umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all03umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all03umd.map. **Effective extracted member:** mapsmd03.mix/all03umd.map. **Trigger definitions:** 376.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	NEWURBAN
Map size	0,0,90,110
Visible local rectangle	15,13,60,80
Placed vehicles	80
Placed infantry	96
Placed structures	183
Placed aircraft	0
Team templates	204

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	100	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	0	Russians
9	YuriCountry	400	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	PPTFHouse	0	PPTF Country
15	Backup1House	0	Backup1 Country
16	PPADHouse	0	PPAD Country
17	MSGuardHouse	0	MSGuard Country

Local state flags at initialization

Flag	Meaning label and initial value
0	PlantAA_Gone,0
1	PlantAB_Gone,0
2	PlantAC_Gone,0
3	PlantAD_Gone,0
4	Nuked_PPAA,0
5	Player_Owns_AA,1
6	Nuked_PPAB,0
7	Engineer_AA,0
8	TA_Team_Gone,0
9	Nuked_MD,0
10	Nuked_PPTA,0
11	Backup1_Gone,0
12	Nuked_MC,0
13	Nuked_MA,0
14	TB_Team_Gone,0
15	TC_Team_Gone,0
16	Nuked_MB,0
17	TD_Team_Gone,0
18	Nuked_PPAC,0
19	Kill_GI,1
20	Kill_GI_HF,0
21	Kill_GI_HG,0
22	Kill_GI_HH,0
23	Kill_GI_HI,0
24	Kill_GI_HJ,0
25	Player_Owns_AB,1
26	Player_Owns_AC,0
27	Player_Owns_AD,1
28	Player_Owns_TA,0
29	Player_Owns_TB,0
30	Player_Owns_TC,0
31	Player_Owns_TD,0
32	PlantTA_Gone,0
33	PlantTB_Gone,0
34	PlantTC_Gone,0
35	PlantTD_Gone,0
36	PlantA1_Gone,0
37	PlantA2_Gone,0
38	PlantTE_Gone,0
39	PlantTF_Gone,0

Flag	Meaning label and initial value
40	Player_Owns_TE,0
41	Player_Owns_TF,0
42	Nuked_PPAD,0
43	PPTF_Gone,0
44	French_Gone,0
45	Nod_Gone,0
46	Russia_Gone,0
47	Arabs_Gone,0
48	Confed_Gone,0
49	GDI_Gone,0
50	Nuked_PPTB,0
51	Nuked_PPTC,0
52	Nuked_PPTD,0
53	Nuked_PPTE,0
54	Nuked_PPTF,0
55	Make_French_Hover,0
56	Clear_French_Force,0
57	Player_Power_Down,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
WeWin (0C61D87C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
PlayerLose (0BE20ACC)	Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans). 1 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Every trigger, in file order

1. Set_WC_Time - 0AFFC4FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AFF8E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set Superweapon Charge; main setting 2; location/duration field 95.
2. Enable and reset applicable timers for Player_Power_Back (0973308C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13930, Events line 14308, Actions line 14686.

2. Player_Power_Back - 0973308C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Set_WC_Time (0AFFC4FC); enable from Player_Power_Low (09704DDC).

Attached scope: tag definitions 0973520C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Weather Controller (GAWEAT) exist on the map, under this event's ownership scope.
2. local flag 57 (Player_Power_Down) is set.
3. Power Full: owner selector 0 (country/type AMERICANS; placed owner Americans).

Flag writers in this mission: clear local flag 57 (Player_Power_Down) at Player_Power_Back (0973308C); set local flag 57 (Player_Power_Down) at Player_Power_Low (09704DDC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xA3_EvaWeatherOnline.
2. Clear local flag 57 (Player_Power_Down).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13931, Events line 14309, Actions line 14687.

3. Set_Nuke_Time - 0AFF8D8C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AFF8B5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set Superweapon Charge; main setting 0; location/duration field 70.
2. Preferred Target Cell Set; main setting 364; location/duration field NA.
3. Superweapon Set Recharge Time; main setting 0; location/duration field 4500.
4. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13932, Events line 14310, Actions line 14688.

4. Camera_Start - 0918703C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0917A07C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 367 (cell 109, 123).
2. Disable player input.
3. Enable and reset applicable timers for Nuke_Briefing (091603CC).
4. Play voice notification EVA_EstablishBattlefieldControl.
5. Center Base Cell Set; main setting 389; location/duration field NZ.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13933, Events line 14311, Actions line 14689.

5. Nuke_Briefing - 091603CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Camera_Start (0918703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 365 (cell 49, 90) with speed setting 3.
2. Play in-game movie 11.

3. Enable and reset applicable timers for Nuke_Briefing02 (08ED86CC).
4. Set Superweapon Charge; main setting 2; location/duration field 85.
5. Disable Nuke_Briefing (091603CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13934, Events line 14312, Actions line 14690.

6. Nuke_Briefing02 - 08ED86CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Briefing (091603CC).

Incoming activation links: enable from Nuke_Briefing (091603CC).

Attached scope: tag definitions 09164D0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A03_p01.
2. Enable and reset applicable timers for WC_Briefing (09164A7C).
3. Disable Nuke_Briefing02 (08ED86CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13935, Events line 14313, Actions line 14691.

7. WC_Briefing - 09164A7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_Briefing02 (08ED86CC).

Attached scope: tag definitions 0916484C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 366 (cell 130, 136) with speed setting 3.
2. Perform no action.
3. Enable and reset applicable timers for Needle_Briefing (091645BC).
4. Disable WC_Briefing (09164A7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13936, Events line 14314, Actions line 14692.

8. Needle_Briefing - 091645BC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from WC_Briefing (09164A7C).

Attached scope: tag definitions 091644DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 19 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 367 (cell 109, 123) with speed setting 3.
2. Play voice notification Mis_xA3_EvaBriefing02.
3. Flash buildings of type CASEAT01; duration argument 90.
4. Enable and reset applicable timers for MS_Briefing (0916417C).
5. Enable and reset applicable timers for MSGuard_Gone (0C7B443C).
6. Disable Needle_Briefing (091645BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13937, Events line 14315, Actions line 14693.

9. MS_Briefing - 0916417C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Needle_Briefing (091645BC).

Attached scope: tag definitions 0916409C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 19 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 368 (cell 96, 92) with speed setting 3.
2. Play voice notification Mis_xA3_EvaBriefing01.
3. Flash buildings of type CASEAT02; duration argument 90.
4. Enable and reset applicable timers for Return_to_Base (091654CC).
5. Enable and reset applicable timers for Player_Power_Low (09704DDC).
6. Disable MS_Briefing (0916417C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13938, Events line 14316, Actions line 14694.

10. MSGuard_Gone - 0C7B443C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Needle_Briefing (091645BC).

Attached scope: tag definitions 0C7B5E1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of MassiveSoft Campus (CASEAT02) exist on the map, under this event's ownership scope.
2. Destroyed, All: owner selector 17 (country/type MSGUARD COUNTRY; placed owner MSGuardHouse).

Then perform these actions in order:

1. Play in-game movie 14.
2. Create crate type 0 at waypoint 312 (cell 98, 95).
3. Create crate type 0 at waypoint 313 (cell 99, 95).
4. Create crate type 0 at waypoint 314 (cell 100, 95).
5. Enable and reset applicable timers for Secondary_Objective (0CDC3F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13939, Events line 14317, Actions line 14695.

11. Return_to_Base - 091654CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MS_Briefing (0916417C).

Attached scope: tag definitions 09163F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 364 (cell 126, 140) with speed setting 3.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Superweapon Set Recharge Time; main setting 2; location/duration field 4500.
4. Enable and reset applicable timers for Reshroud (0BF2B82C).
5. Enable and reset applicable timers for Alliance_Reinforcements (06B87ACC).
6. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
7. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
8. Enable player input.
9. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
10. Disable Return_to_Base (091654CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13940, Events line 14318, Actions line 14696.

12. Player_Power_Low - 09704DDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MS_Briefing (0916417C).

Attached scope: tag definitions 0970489C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 57 (Player_Power_Down).
2. Enable and reset applicable timers for Player_Power_Back (0973308C).
3. Enable and reset applicable timers for Power_Low_Warning (0F76680C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13941, Events line 14319, Actions line 14697.

13. Secondary_Objective - 0CDC3F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MSGuard_Gone (0C7B443C).

Attached scope: tag definitions 0CDC3CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_SecondaryObjectiveAchieved.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13942, Events line 14320, Actions line 14698.

14. Reshroud - 0BF2B82C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_to_Base (091654CC).

Attached scope: tag definitions 0BF2B17C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reshroud Map; main setting 208; location/duration field HA.
2. Reveal terrain around waypoint 367 (cell 109, 123).
3. Reveal terrain around waypoint 368 (cell 96, 92).
4. Reveal terrain around waypoint 365 (cell 49, 90).
5. Reveal terrain around waypoint 32 (cell 120, 151).
6. Disable Reshroud (0BF2B82C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13943, Events line 14321, Actions line 14699.

15. Alliance_Reinforcements - 06B87ACC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_to_Base (091654CC).

Attached scope: tag definitions 06B8733C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 17.
2. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Alliance_Reinforce (08D650EC).

2. Create radar-event marker type 12 at waypoint 53 (cell 135, 136).
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Enable and reset applicable timers for Alliance_Reinforce2 (0460915C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13944, Events line 14322, Actions line 14700.

16. Yuri_Power_Low - 0BF257BC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Return_to_Base (091654CC); enable from PlantAA_Gone (093BEEDC); enable from Player_Takes_AA (0945ABBC); enable from Yuri_Takes_AA (0945934C); enable from PlantAB_Gone (093BE2FC); enable from Player_Takes_AB (0CF8179C); enable from Yuri_Takes_AB (0CF8110C); enable from PlantAC_Gone (093BFDDC); enable from Player_Takes_AC (06B5EC6C); enable from Yuri_Takes_AC (06B5D04C); enable from PlantAD_Gone (093BF8FC); enable from Player_Takes_AD (094D82BC); enable from Yuri_Takes_AD (094D9C5C); enable from PlantTA_Gone (094E203C); enable from Player_Takes_TA (094E3ACC); enable from Yuri_Takes_TA (094E3C3C); enable from PlantTB_Gone (06B3ED3C); enable from Player_Takes_TB (094D681C); enable from Yuri_Takes_TB (094D672C); enable from PlantTC_Gone (094F204C); enable from Player_Takes_TC (06BDA0EC); enable from Yuri_Takes_TC (06BDA1DC); enable from PlantTD_Gone (0B30790C); enable from Player_Takes_TD (0B30121C); enable from Yuri_Takes_TD (0B30112C); enable from PlantTE_Gone (045D673C); enable from Player_Takes_TE (045C109C); enable from Yuri_Takes_TE (045C3E3C); enable from Player_Takes_TF (0C13364C); enable from Yuri_Takes_TF (0C11F15C); enable from PlantTF_Gone (09881BAC).

Attached scope: tag definitions 0BF254AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Check_PPTF_True (0977807C).
2. Enable and reset applicable timers for Check_PPTF_False (0976132C).
3. Disable Yuri_Power_Low (0BF257BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13945, Events line 14323, Actions line 14701.

17. Power_Low_Warning - 0F76680C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Power_Low (09704DDC).

Attached scope: tag definitions 0F7642EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA3_EvaNeedPower.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13946, Events line 14324, Actions line 14702.

18. Alliance_Reinforce2 - 0460915C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Alliance_Reinforcements (06B87ACC).

Attached scope: tag definitions 0460907C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 25.
2. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Alliance_Reinforce (08D650EC).
2. Create radar-event marker type 12 at waypoint 0 (no location in this map's waypoint table).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13947, Events line 14325, Actions line 14703.

19. Check_PPTF_True - 0977807C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTE_False (0977816C).

Incoming activation links: enable from Yuri_Power_Low (0BF257BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 41 (Player_Owns_TF) is set.

Flag writers in this mission: set local flag 41 (Player_Owns_TF) at Player_Takes_TF (0C13364C); clear local flag 41 (Player_Owns_TF) at Yuri_Takes_TF (0C11F15C); clear local flag 41 (Player_Owns_TF) at PlantTF_Gone (09881BAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTF_False (0976132C).
2. Enable and reset applicable timers for TF_Group_Alive_TF (097F10FC).
3. Enable and reset applicable timers for TF_Group_Dead_TF (097F146C).
4. Disable Check_PPTF_True (0977807C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13948, Events line 14326, Actions line 14704.

20. Check_PPTF_False - 0976132C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTF_True (0977807C).

Incoming activation links: enable from Yuri_Power_Low (0BF257BC).

Attached scope: tag definitions 097AB10C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 41 (Player_Owns_TF) is clear.

Flag writers in this mission: set local flag 41 (Player_Owns_TF) at Player_Takes_TF (0C13364C); clear local flag 41 (Player_Owns_TF) at Yuri_Takes_TF (0C11F15C); clear local flag 41 (Player_Owns_TF) at PlantTF_Gone (09881BAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTF_True (0977807C).
2. Enable and reset applicable timers for Check_PPTE_True (0977825C).
3. Enable and reset applicable timers for Check_PPTE_False (0977816C).
4. Disable Check_PPTF_False (0976132C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13949, Events line 14327, Actions line 14705.

21. Check_PPTE_False - 0977816C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTE_True (0977825C).

Incoming activation links: enable from Check_PPTF_False (0976132C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 40 (Player_Owns_TE) is clear.

Flag writers in this mission: clear local flag 40 (Player_Owns_TE) at PlantTE_Gone (045D673C); set local flag 40 (Player_Owns_TE) at Player_Takes_TE (045C109C); clear local flag 40 (Player_Owns_TE) at Yuri_Takes_TE (045C3E3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTE_True (0977825C).
2. Enable and reset applicable timers for Check_PPTC_True (097AA17C).
3. Enable and reset applicable timers for Check_PPTC_False (097AA08C).
4. Disable Check_PPTE_False (0977816C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13950, Events line 14328, Actions line 14706.

22. TF_Group_Alive_TF - 097F10FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Dead_TF (097F146C).

Incoming activation links: enable from Check_PPTF_True (0977807C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is clear.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Dead_TF (097F146C).
2. Enable and reset applicable timers for Send_TF_Engineer (0BCB74FC).
3. Disable TF_Group_Alive_TF (097F10FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13951, Events line 14329, Actions line 14707.

23. TF_Group_Dead_TF - 097F146C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PPTF_True (0977807C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is set.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Alive_TF (097F10FC).
2. Enable and reset applicable timers for Backup1_Alive_TF (0985219C).
3. Enable and reset applicable timers for Backup1_Dead_TF (09856BDC).
4. Disable TF_Group_Dead_TF (097F146C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13952, Events line 14330, Actions line 14708.

24. Check_PPTE_True - 0977825C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTD_False (097ABBDC).

Incoming activation links: enable from Check_PPTF_False (0976132C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 40 (Player_Owns_TE) is set.

Flag writers in this mission: clear local flag 40 (Player_Owns_TE) at PlantTE_Gone (045D673C); set local flag 40 (Player_Owns_TE) at Player_Takes_TE (045C109C); clear local flag 40 (Player_Owns_TE) at Yuri_Takes_TE (045C3E3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTE_False (0977816C).
2. Enable and reset applicable timers for Backup1_Alive_TE (0947703C).
3. Enable and reset applicable timers for Backup1_Dead_TE (0946F03C).
4. Disable Check_PPTE_True (0977825C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13953, Events line 14331, Actions line 14709.

25. Check_PPTC_True - 097AA17C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTB_False (097AA26C).

Incoming activation links: enable from Check_PPTE_False (0977816C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Player_Owns_TC) is set.

Flag writers in this mission: clear local flag 30 (Player_Owns_TC) at PlantTC_Gone (094F204C); set local flag 30 (Player_Owns_TC) at Player_Takes_TC (06BDA0EC); clear local flag 30 (Player_Owns_TC) at Yuri_Takes_TC (06BDA1DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTC_False (097AA08C).
2. Enable and reset applicable timers for Backup1_Alive_TC (0C0DCF3C).
3. Enable and reset applicable timers for Backup1_Dead_TC (0C0D8A8C).
4. Disable Check_PPTC_True (097AA17C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13954, Events line 14332, Actions line 14710.

26. Check_PPTC_False - 097AA08C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTC_True (097AA17C).

Incoming activation links: enable from Check_PPTE_False (0977816C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Player_Owns_TC) is clear.

Flag writers in this mission: clear local flag 30 (Player_Owns_TC) at PlantTC_Gone (094F204C); set local flag 30 (Player_Owns_TC) at Player_Takes_TC (06BDA0EC); clear local flag 30 (Player_Owns_TC) at Yuri_Takes_TC (06BDA1DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTC_True (097AA17C).
2. Enable and reset applicable timers for Check_PPTD_True (097ABCCC).
3. Enable and reset applicable timers for Check_PPTD_False (097ABBDC).
4. Disable Check_PPTC_False (097AA08C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13955, Events line 14333, Actions line 14711.

27. Send_TF_Engineer - 0BCB74FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TF_Group_Alive_TF (097F10FC); enable from Backup1_Alive_TF (0985219C); enable from TE_Group_Alive_TF (0960116C); enable from TC_Group_Alive_TF (0B43344C); enable from TD_Group_Alive_TF (096DB61C).

Attached scope: tag definitions 0BCB71EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TF_Engineer (0C85E1FC).
2. Disable Send_TF_Engineer (0BCB74FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13956, Events line 14334, Actions line 14712.

28. Backup1_Alive_TF - 0985219C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Alive_TF (097F10FC).

Incoming activation links: enable from TF_Group_Dead_TF (097F146C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is clear.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Dead_TF (09856BDC).
2. Enable and reset applicable timers for Backup1_ChangeHouse (09565CCC).
3. Enable and reset applicable timers for Send_TF_Engineer (0BCB74FC).
4. Disable Backup1_Alive_TF (0985219C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13957, Events line 14335, Actions line 14713.

29. Backup1_Dead_TF - 09856BDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Alive_TF (0985219C).

Incoming activation links: enable from TF_Group_Dead_TF (097F146C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is set.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Alive_TF (0985219C).
2. Enable and reset applicable timers for TE_Group_Alive_TF (0960116C).
3. Enable and reset applicable timers for TE_Group_Dead_TF (09606A4C).
4. Disable Backup1_Dead_TF (09856BDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13958, Events line 14336, Actions line 14714.

30. Check_PPTD_False - 097ABBDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTD_True (097ABCCC).

Incoming activation links: enable from Check_PPTC_False (097AA08C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 31 (Player_Owns_TD) is clear.

Flag writers in this mission: clear local flag 31 (Player_Owns_TD) at PlantTD_Gone (0B30790C); set local flag 31 (Player_Owns_TD) at Player_Takes_TD (0B30121C); clear local flag 31 (Player_Owns_TD) at Yuri_Takes_TD (0B30112C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTD_True (097ABCCC).
2. Enable and reset applicable timers for Check_PPTB_True (097AA35C).
3. Enable and reset applicable timers for Check_PPTB_False (097AA26C).
4. Disable Check_PPTD_False (097ABBDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13959, Events line 14337, Actions line 14715.

31. Backup1_Alive_TE - 0947703C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Dead_TE (0946F03C).

Incoming activation links: enable from Check_PPTE_True (0977825C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Backup1_Dead_TE (0946F03C).
2. Enable and reset applicable timers for Backup1_TE_Change (096D196C).
3. Enable and reset applicable timers for Send_TE_Engineer (0BCB659C).
4. Disable Backup1_Alive_TE (0947703C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13960, Events line 14338, Actions line 14716.

32. Backup1_Dead_TE - 0946F03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PPTE_True (0977825C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is set.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Alive_TE (0947703C).
2. Enable and reset applicable timers for TF_Group_Alive_TE (0947203C).
3. Enable and reset applicable timers for TF_Group_Dead_TE (0947003C).
4. Disable Backup1_Dead_TE (0946F03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13961, Events line 14339, Actions line 14717.

33. Check_PPTB_False - 097AA26C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTB_True (097AA35C).

Incoming activation links: enable from Check_PPTD_False (097ABBDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Player_Owns_TB) is clear.

Flag writers in this mission: clear local flag 29 (Player_Owns_TB) at PlantTB_Gone (06B3ED3C); set local flag 29 (Player_Owns_TB) at Player_Takes_TB (094D681C); clear local flag 29 (Player_Owns_TB) at Yuri_Takes_TB (094D672C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTB_True (097AA35C).
2. Enable and reset applicable timers for Check_PPTA_True (097AB2DC).
3. Enable and reset applicable timers for Check_PPTA_False (097A821C).
4. Disable Check_PPTB_False (097AA26C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13962, Events line 14340, Actions line 14718.

34. Backup1_Alive_TC - 0C0DCF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PPTC_True (097AA17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is clear.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Dead_TC (0C0D8A8C).
2. Enable and reset applicable timers for Backup1_TC_Change (06C80D0C).
3. Enable and reset applicable timers for Send_TC_Engineer (0BC4E24C).
4. Disable Backup1_Alive_TC (0C0DCF3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13963, Events line 14341, Actions line 14719.

35. Backup1_Dead_TC - 0C0D8A8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Alive_TC (0C0DCF3C).

Incoming activation links: enable from Check_PPTC_True (097AA17C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is set.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Alive_TC (0C0DCF3C).
2. Enable and reset applicable timers for TF_Group_Alive_TC (0C0D899C).
3. Enable and reset applicable timers for TF_Group_Dead_TC (0C0D84FC).
4. Disable Backup1_Dead_TC (0C0D8A8C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13964, Events line 14342, Actions line 14720.

36. Check_PPTD_True - 097ABCCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTC_False (097AA08C).

Incoming activation links: enable from Check_PPTC_False (097AA08C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 31 (Player_Owns_TD) is set.

Flag writers in this mission: clear local flag 31 (Player_Owns_TD) at PlantTD_Gone (0B30790C); set local flag 31 (Player_Owns_TD) at Player_Takes_TD (0B30121C); clear local flag 31 (Player_Owns_TD) at Yuri_Takes_TD (0B30112C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTD_False (097ABBDC).
2. Enable and reset applicable timers for Backup1_Alive_TD (096E4F3C).
3. Enable and reset applicable timers for Backup1_Dead_TD (0C13403C).
4. Disable Check_PPTD_True (097ABCCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13965, Events line 14343, Actions line 14721.

37. Backup1_ChangeHouse - 09565CCC

Owner reference: Backup1 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TF (0985219C); enable from TF_Becomes_TC2 (0975C66C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is clear.

2. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 14 (country/type PPTF COUNTRY; placed owner PPTFHouse).
2. Enable and reset applicable timers for Backup1_Becomes_TF1 (095656BC).
3. Disable Backup1_ChangeHouse (09565CCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13966, Events line 14344, Actions line 14722.

38. TE_Group_Alive_TF - 0960116C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Dead_TF (09856BDC).

Incoming activation links: enable from Backup1_Dead_TF (09856BDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is clear.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Dead_TF (09606A4C).
2. Enable and reset applicable timers for TE_TF_ChangeHouse (097A178C).
3. Enable and reset applicable timers for Send_TF_Engineer (0BCB74FC).
4. Disable TE_Group_Alive_TF (0960116C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13967, Events line 14345, Actions line 14723.

39. TE_Group_Dead_TF - 09606A4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Alive_TF (0960116C).

Incoming activation links: enable from Backup1_Dead_TF (09856BDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is set.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Alive_TF (0960116C).
2. Enable and reset applicable timers for TC_Group_Alive_TF (0B43344C).
3. Enable and reset applicable timers for TC_Group_Dead_TF (0B43335C).
4. Disable TE_Group_Dead_TF (09606A4C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13968, Events line 14346, Actions line 14724.

40. Check_PPTB_True - 097AA35C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTA_False (097A821C).

Incoming activation links: enable from Check_PPTD_False (097ABBDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Player_Owns_TB) is set.

Flag writers in this mission: clear local flag 29 (Player_Owns_TB) at PlantTB_Gone (06B3ED3C); set local flag 29 (Player_Owns_TB) at Player_Takes_TB (094D681C); clear local flag 29 (Player_Owns_TB) at Yuri_Takes_TB (094D672C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTB_False (097AA26C).
2. Enable and reset applicable timers for TA_Group_Alive_TB (0970D15C).
3. Enable and reset applicable timers for TA_Group_Dead_TB (0970D06C).
4. Disable Check_PPTB_True (097AA35C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13969, Events line 14347, Actions line 14725.

41. Backup1_TE_Change - 096D196C

Owner reference: Backup1 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TE (0947703C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 10 (country/type GDI; placed owner GDI).
2. Enable and reset applicable timers for Backup1_Becomes_TE_1 (096D15BC).
3. Disable Backup1_TE_Change (096D196C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13970, Events line 14348, Actions line 14726.

42. Send_TE_Engineer - 0BCB659C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TE (0947703C); enable from TF_Group_Alive_TE (0947203C); enable from TC_Group_Alive_TE (096E07EC); enable from TD_Group_Alive_TE (06C7812C).

Attached scope: tag definitions 0BCB5E4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TE_Engineer (0C94F90C).
2. Disable Send_TE_Engineer (0BCB659C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13971, Events line 14349, Actions line 14727.

43. TF_Group_Alive_TE - 0947203C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Alive_TE (0947703C).

Incoming activation links: enable from Backup1_Dead_TE (0946F03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is clear.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Dead_TE (0947003C).
2. Enable and reset applicable timers for TF_TE_ChangeHouse (096E6E5C).
3. Enable and reset applicable timers for Send_TE_Engineer (0BCB659C).
4. Disable TF_Group_Alive_TE (0947203C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13972, Events line 14350, Actions line 14728.

44. TF_Group_Dead_TE - 0947003C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Alive_TE (0947203C).

Incoming activation links: enable from Backup1_Dead_TE (0946F03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is set.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Alive_TE (0947203C).
2. Enable and reset applicable timers for TC_Group_Alive_TE (096E07EC).
3. Enable and reset applicable timers for TC_Group_Dead_TE (096E06FC).
4. Disable TF_Group_Dead_TE (0947003C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13973, Events line 14351, Actions line 14729.

45. Check_PPTA_True - 097AB2DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PPTB_False (097AA26C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Player_Owns_TA) is set.

Flag writers in this mission: clear local flag 28 (Player_Owns_TA) at PlantTA_Gone (094E203C); set local flag 28 (Player_Owns_TA) at Player_Takes_TA (094E3ACC); clear local flag 28 (Player_Owns_TA) at Yuri_Takes_TA (094E3C3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTA_False (097A821C).
2. Enable and reset applicable timers for French_Alive_TA (098CC24C).
3. Enable and reset applicable timers for French_Dead_TA (098CC15C).
4. Disable Check_PPTA_True (097AB2DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13974, Events line 14352, Actions line 14730.

46. Check_PPTA_False - 097A821C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Check_PPTA_True (097AB2DC).

Incoming activation links: enable from Check_PPTB_False (097AA26C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Player_Owns_TA) is clear.

Flag writers in this mission: clear local flag 28 (Player_Owns_TA) at PlantTA_Gone (094E203C); set local flag 28 (Player_Owns_TA) at Player_Takes_TA (094E3ACC); clear local flag 28 (Player_Owns_TA) at Yuri_Takes_TA (094E3C3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Check_PPTA_True (097AB2DC).
2. Disable Check_PPTA_False (097A821C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13975, Events line 14353, Actions line 14731.

47. Backup1_TC_Change - 06C80D0C

Owner reference: Backup1 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TC (0C0DCF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for Backup1_Becomes_TC_1 (0975588C).
3. Disable Backup1_TC_Change (06C80D0C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13976, Events line 14354, Actions line 14732.

48. Send_TC_Engineer - 0BC4E24C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TC (0C0DCF3C); enable from TF_Group_Alive_TC (0C0D899C); enable from TE_Group_Alive_TC (0C0D840C); enable from TD_Group_Alive_TC (0C0D822C).

Attached scope: tag definitions 0BC4DBFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TC_Engineer (0C94E2DC).
2. Disable Send_TC_Engineer (0BC4E24C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13977, Events line 14355, Actions line 14733.

49. TF_Group_Alive_TC - 0C0D899C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Dead_TC (0C0D8A8C).

Incoming activation links: enable from Backup1_Dead_TC (0C0D8A8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is clear.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Dead_TC (0C0D84FC).
2. Enable and reset applicable timers for TF_Change_House (0975ABAC).
3. Enable and reset applicable timers for Send_TC_Engineer (0BC4E24C).
4. Disable TF_Group_Alive_TC (0C0D899C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13978, Events line 14356, Actions line 14734.

50. TF_Group_Dead_TC - 0C0D84FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Alive_TC (0C0D899C).

Incoming activation links: enable from Backup1_Dead_TC (0C0D8A8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is set.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Alive_TC (0C0D899C).
2. Enable and reset applicable timers for TE_Group_Alive_TC (0C0D840C).
3. Enable and reset applicable timers for TE_Group_Dead_TC (0C0D831C).
4. Disable TF_Group_Dead_TC (0C0D84FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13979, Events line 14357, Actions line 14735.

51. Backup1_Alive_TD - 096E4F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Check_PPTD_True (097ABCCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is clear.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Dead_TD (0C13403C).
2. Enable and reset applicable timers for Backup1_TD_Change (0C10304C).
3. Enable and reset applicable timers for Send_TD_Engineer (0BC6A69C).
4. Disable Backup1_Alive_TD (096E4F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13980, Events line 14358, Actions line 14736.

52. Backup1_Dead_TD - 0C13403C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Alive_TD (096E4F3C).

Incoming activation links: enable from Check_PPTD_True (097ABCCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 11 (Backup1_Gone) is set.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Backup1_Alive_TD (096E4F3C).
2. Enable and reset applicable timers for TF_Group_Alive_TD (0C4F7B6C).
3. Enable and reset applicable timers for TF_Group_Dead_TD (0C4F70CC).
4. Disable Backup1_Dead_TD (0C13403C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13981, Events line 14359, Actions line 14737.

53. Backup1_Becomes_TF1 - 095656BC

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_ChangeHouse (09565CCC).

Incoming activation links: enable from Backup1_ChangeHouse (09565CCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Gatt1 (095B536C).
2. Create/recruit team TEAM_TF_Gatt2 (095B6D7C).
3. Create/recruit team TEAM_TF_Init1 (095B68CC).

4. Create/recruit team TEAM_TF_Init2 (095B606C).
5. Create/recruit team TEAM_TF_Init3 (095B7C0C).
6. Create/recruit team TEAM_TF_Init4 (095B782C).
7. Create/recruit team TEAM_TF_Lasher1 (095B740C).
8. Create/recruit team TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for Backup1_Becomes_TF2 (09566E6C).
10. Disable Backup1_Becomes_TF1 (095656BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13982, Events line 14360, Actions line 14738.

54. TE_TF_ChangeHouse - 097A178C

Owner reference: GDI. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TE_Group_Alive_TF (0960116C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 14 (country/type PPTF COUNTRY; placed owner PPTFHouse).
2. Enable and reset applicable timers for TE_TF_DestroyTeam1 (097A4E2C).
3. Disable TE_TF_ChangeHouse (097A178C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13983, Events line 14361, Actions line 14739.

55. TC_Group_Alive_TF - 0B43344C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Dead_TF (09606A4C).

Incoming activation links: enable from TE_Group_Dead_TF (09606A4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is clear.

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TC_Group_Dead_TF (0B43335C).
2. Enable and reset applicable timers for TC_TF_ChangeHouse (0BD4750C).
3. Enable and reset applicable timers for Send_TF_Engineer (0BCB74FC).
4. Disable TC_Group_Alive_TF (0B43344C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13984, Events line 14362, Actions line 14740.

56. TC_Group_Dead_TF - 0B43335C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Group_Alive_TF (0B43344C).

Incoming activation links: enable from TE_Group_Dead_TF (09606A4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is set.

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TC_Group_Alive_TF (0B43344C).

2. Enable and reset applicable timers for TD_Group_Alive_TF (096DB61C).
3. Enable and reset applicable timers for TD_Group_Dead_TF (096D9F3C).
4. Disable TC_Group_Dead_TF (0B43335C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13985, Events line 14363, Actions line 14741.

57. TA_Group_Alive_TB - 0970D15C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_Dead_TB (0970D39C).

Incoming activation links: enable from Check_PPTB_True (097AA35C); enable from French_Dead_TB (0970D39C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 46 (Russia_Gone) is clear.

Flag writers in this mission: set local flag 46 (Russia_Gone) at Check_Russia_Status (0961FB5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TA_Group_Dead_TB (0970D06C).
2. Enable and reset applicable timers for TA_TB_ChangeHouse (0C53A03C).
3. Enable and reset applicable timers for Send_TB_Engineer (0BC4F34C).
4. Disable TA_Group_Alive_TB (0970D15C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13986, Events line 14364, Actions line 14742.

58. TA_Group_Dead_TB - 0970D06C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_Group_Alive_TB (0970D15C).

Incoming activation links: enable from Check_PPTB_True (097AA35C); enable from French_Dead_TB (0970D39C).

Attached scope: tag definitions 0970D48C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 46 (Russia_Gone) is set.

Flag writers in this mission: set local flag 46 (Russia_Gone) at Check_Russia_Status (0961FB5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TA_Group_Alive_TB (0970D15C).
2. Disable TA_Group_Dead_TB (0970D06C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13987, Events line 14365, Actions line 14743.

59. Backup1_Becomes_TE_1 - 096D15BC

Owner reference: GDI. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_TE_Change (096D196C).

Incoming activation links: enable from Backup1_TE_Change (096D196C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Gatt1 (0C0B821C).
2. Create/recruit team TEAM_TE_Gatt2 (09502E2C).
3. Create/recruit team TEAM_TE_Init1 (0950297C).
4. Create/recruit team TEAM_TE_Init2 (0950251C).
5. Create/recruit team TEAM_TE_Init3 (095020BC).

6. Create/recruit team TEAM_TE_Init4 (0950D50C).
7. Create/recruit team TEAM_TE_Lasher1 (0950D16C).
8. Create/recruit team TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for Backup1_Becomes_TE_2 (096D14CC).
10. Disable Backup1_Becomes_TE_1 (096D15BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13988, Events line 14366, Actions line 14744.

60. TF_TE_ChangeHouse - 096E6E5C

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TF_Group_Alive_TE (0947203C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 10 (country/type GDI; placed owner GDI).
2. Enable and reset applicable timers for TF_TE_DestroyTeam1 (096E6C8C).
3. Disable TF_TE_ChangeHouse (096E6E5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13989, Events line 14367, Actions line 14745.

61. TC_Group_Alive_TE - 096E07EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Dead_TE (0947003C).

Incoming activation links: enable from TF_Group_Dead_TE (0947003C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable TC_Group_Dead_TE (096E06FC).
2. Enable and reset applicable timers for TC_TE_ChangeHouse (0C0DE0DC).
3. Enable and reset applicable timers for Send_TE_Engineer (0BCB659C).
4. Disable TC_Group_Alive_TE (096E07EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13990, Events line 14368, Actions line 14746.

62. TC_Group_Dead_TE - 096E06FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Group_Alive_TE (096E07EC).

Incoming activation links: enable from TF_Group_Dead_TE (0947003C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is set.

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TC_Group_Alive_TE (096E07EC).
2. Enable and reset applicable timers for TD_Group_Alive_TE (06C7812C).
3. Enable and reset applicable timers for TD_Group_Dead_TE (06C7803C).
4. Disable TC_Group_Dead_TE (096E06FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13991, Events line 14369, Actions line 14747.

63. French_Alive_TA - 098CC24C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Group_Dead_TA (098C9A8C).

Incoming activation links: enable from Check_PPTA_True (097AB2DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 44 (French_Gone) is clear.

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable French_Dead_TA (098CC15C).
2. Enable and reset applicable timers for French_TA_Change (0B58A03C).
3. Enable and reset applicable timers for Send_TA_Engineer (096F185C).
4. Disable French_Alive_TA (098CC24C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13992, Events line 14370, Actions line 14748.

64. French_Dead_TA - 098CC15C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_Alive_TA (098CC24C).

Incoming activation links: enable from Check_PPTA_True (097AB2DC).

Attached scope: tag definitions 097A804C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 44 (French_Gone) is set.

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable French_Alive_TA (098CC24C).
2. Enable and reset applicable timers for TB_Group_Alive_TA (098C9B7C).
3. Enable and reset applicable timers for TB_Group_Dead_TA (098C9A8C).
4. Disable French_Dead_TA (098CC15C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13993, Events line 14371, Actions line 14749.

65. Backup1_Becomes_TC_1 - 0975588C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_TC_Change (06C80D0C).

Incoming activation links: enable from Backup1_TC_Change (06C80D0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Gatt1 (0967471C).
2. Create/recruit team TEAM_TC_Gatt2 (09675EFC).
3. Create/recruit team TEAM_TC_Init1 (09675B1C).
4. Create/recruit team TEAM_TC_Init2 (096756FC).
5. Create/recruit team TEAM_TC_Init3 (0BE0D2BC).
6. Create/recruit team TEAM_TC_Init4 (06C6FEFC).
7. Create/recruit team TEAM_TC_Lasher1 (06C6F82C).
8. Create/recruit team TEAM_TC_Lasher2 (06C6F21C).

9. Enable and reset applicable timers for Backup1_Becomes_TC_2 (0975579C).
10. Disable Backup1_Becomes_TC_1 (0975588C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13994, Events line 14372, Actions line 14750.

66. TF_Change_House - 0975ABAC

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TF_Group_Alive_TC (0C0D899C); enable from TC_Becomes_TD2 (095FDF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for TF_ChangeGuard1 (0975A12C).
3. Disable TF_Change_House (0975ABAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13995, Events line 14373, Actions line 14751.

67. TE_Group_Alive_TC - 0C0D840C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Dead_TC (0C0D84FC).

Incoming activation links: enable from TF_Group_Dead_TC (0C0D84FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is clear.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Dead_TC (0C0D831C).
2. Enable and reset applicable timers for TE_TC_ChangeHouse (06C87C7C).
3. Enable and reset applicable timers for Send_TC_Engineer (0BC4E24C).
4. Disable TE_Group_Alive_TC (0C0D840C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13996, Events line 14374, Actions line 14752.

68. TE_Group_Dead_TC - 0C0D831C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Alive_TC (0C0D840C).

Incoming activation links: enable from TF_Group_Dead_TC (0C0D84FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is set.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Alive_TC (0C0D840C).
2. Enable and reset applicable timers for TD_Group_Alive_TC (0C0D822C).
3. Enable and reset applicable timers for TD_Group_Dead_TC (0C0D813C).
4. Disable TE_Group_Dead_TC (0C0D831C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13997, Events line 14375, Actions line 14753.

69. Backup1_TD_Change - 0C10304C

Owner reference: Backup1 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TD (096E4F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Enable and reset applicable timers for Backup1_Becomes_TD_1 (0C10509C).
3. Disable Backup1_TD_Change (0C10304C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13998, Events line 14376, Actions line 14754.

70. Send_TD_Engineer - 0BC6A69C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backup1_Alive_TD (096E4F3C); enable from TF_Group_Alive_TD (0C4F7B6C); enable from TE_Group_Alive_TD (0C4F3F3C); enable from TC_Group_Alive_TD (0C4F3D5C).

Attached scope: tag definitions 0BC6EF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TD_Engineer (0C2E054C).
2. Disable Send_TD_Engineer (0BC6A69C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 13999, Events line 14377, Actions line 14755.

71. TF_Group_Alive_TD - 0C4F7B6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Dead_TD (0C13403C).

Incoming activation links: enable from Backup1_Dead_TD (0C13403C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is clear.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Dead_TD (0C4F70CC).
2. Enable and reset applicable timers for TF_TD_ChangeHouse (0960459C).
3. Enable and reset applicable timers for Send_TD_Engineer (0BC6A69C).
4. Disable TF_Group_Alive_TD (0C4F7B6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14000, Events line 14378, Actions line 14756.

72. TF_Group_Dead_TD - 0C4F70CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Alive_TD (0C4F7B6C).

Incoming activation links: enable from Backup1_Dead_TD (0C13403C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is set.

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TF_Group_Alive_TD (0C4F7B6C).
2. Enable and reset applicable timers for TE_Group_Alive_TD (0C4F3F3C).
3. Enable and reset applicable timers for TE_Group_Dead_TD (0C4F3E4C).
4. Disable TF_Group_Dead_TD (0C4F70CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14001, Events line 14379, Actions line 14757.

73. Backup1_Becomes_TF2 - 09566E6C

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Becomes_TF1 (095656BC).

Incoming activation links: enable from Backup1_Becomes_TF1 (095656BC).

Attached scope: tag definitions 09565BEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Lasher3 (095B706C).
2. Create/recruit team TEAM_TF_Virus (095B8A4C).
3. Create/recruit team TEAM_TF_Yuri1 (095B859C).
4. Create/recruit team TEAM_TF_Yuri2 (095B813C).
5. Disable Backup1_Becomes_TF2 (09566E6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14002, Events line 14380, Actions line 14758.

74. TE_TF_DestroyTeam1 - 097A4E2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TF_ChangeHouse (097A178C).

Incoming activation links: enable from TE_TF_ChangeHouse (097A178C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt1 (0C0B821C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt2 (09502E2C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init1 (0950297C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init2 (0950251C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init3 (095020BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init4 (0950D50C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher1 (0950D16C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for TE_TF_DestroyTeam2 (097A4D3C).
10. Disable TE_TF_DestroyTeam1 (097A4E2C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14003, Events line 14381, Actions line 14759.

75. TC_TF_ChangeHouse - 0BD4750C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TC_Group_Alive_TF (0B43344C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 14 (country/type PPTF COUNTRY; placed owner PPTFHouse).
2. Enable and reset applicable timers for TC_TF_DestroyTeam1 (0B42D7BC).
3. Disable TC_TF_ChangeHouse (0BD4750C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14004, Events line 14382, Actions line 14760.

76. TD_Group_Alive_TF - 096DB61C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Group_Dead_TF (0B43335C).

Incoming activation links: enable from TC_Group_Dead_TF (0B43335C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Dead_TF (096D9F3C).
2. Enable and reset applicable timers for TD_TF_ChangeHouse (0C08ECFC).
3. Enable and reset applicable timers for Send_TF_Engineer (0BCB74FC).
4. Disable TD_Group_Alive_TF (096DB61C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14005, Events line 14383, Actions line 14761.

77. TD_Group_Dead_TF - 096D9F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Group_Alive_TF (096DB61C).

Incoming activation links: enable from TC_Group_Dead_TF (0B43335C).

Attached scope: tag definitions 097F138C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is set.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Alive_TF (096DB61C).
2. Disable TD_Group_Dead_TF (096D9F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14006, Events line 14384, Actions line 14762.

78. French_Dead_TB - 0970D39C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_Alive_TB (0970D56C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 44 (French_Gone) is set.

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable French_Alive_TB (0970D56C).
2. Enable and reset applicable timers for TA_Group_Alive_TB (0970D15C).
3. Enable and reset applicable timers for TA_Group_Dead_TB (0970D06C).
4. Disable French_Dead_TB (0970D39C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14007, Events line 14385, Actions line 14763.

79. TA_TB_ChangeHouse - 0C53A03C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TA_Group_Alive_TB (0970D15C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 11 (country/type NOD; placed owner Nod).
2. Enable and reset applicable timers for TA_TB_DestroyTeam1 (0C770F3C).
3. Disable TA_TB_ChangeHouse (0C53A03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14008, Events line 14386, Actions line 14764.

80. Send_TB_Engineer - 0BC4F34C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TA_Group_Alive_TB (0970D15C); enable from French_Alive_TB (0970D56C).

Attached scope: tag definitions 0BC4DE7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TB_Engineer (0C886EFC).
2. Disable Send_TB_Engineer (0BC4F34C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14009, Events line 14387, Actions line 14765.

81. Backup1_Becomes_TE_2 - 096D14CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Becomes_TE_1 (096D15BC).

Incoming activation links: enable from Backup1_Becomes_TE_1 (096D15BC).

Attached scope: tag definitions 096D188C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Lasher3 (0950F66C).
2. Create/recruit team TEAM_TE_Virus (0950F20C).
3. Create/recruit team TEAM_TE_Yuri1 (0950EC8C).
4. Create/recruit team TEAM_TE_Yuri2 (0950E65C).
5. Disable Backup1_Becomes_TE_2 (096D14CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14010, Events line 14388, Actions line 14766.

82. TF_TE_DestroyTeam1 - 096E6C8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TE_ChangeHouse (096E6E5C).

Incoming activation links: enable from TF_TE_ChangeHouse (096E6E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt1 (095B536C).

2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt2 (095B6D7C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init1 (095B68CC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init2 (095B606C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init3 (095B7C0C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init4 (095B782C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher1 (095B740C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher2 (0BA5FC1C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14011, Events line 14389, Actions line 14767.

83. TC_TE_ChangeHouse - 0C0DE0DC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TC_Group_Alive_TE (096E07EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 10 (country/type GDI; placed owner GDI).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14012, Events line 14390, Actions line 14768.

84. TD_Group_Alive_TE - 06C7812C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Group_Dead_TE (096E06FC).

Incoming activation links: enable from TC_Group_Dead_TE (096E06FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Dead_TE (06C7803C).
2. Enable and reset applicable timers for TD_TE_ChangeHouse (0955BA5C).
3. Enable and reset applicable timers for Send_TE_Engineer (0BCB659C).
4. Disable TD_Group_Alive_TE (06C7812C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14013, Events line 14391, Actions line 14769.

85. TD_Group_Dead_TE - 06C7803C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Group_Alive_TE (06C7812C).

Incoming activation links: enable from TC_Group_Dead_TE (096E06FC).

Attached scope: tag definitions 0946804C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is set.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Alive_TE (06C7812C).
2. Disable TD_Group_Dead_TE (06C7803C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14014, Events line 14392, Actions line 14770.

86. TB_Group_Dead_TA - 098C9A8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Group_Alive_TA (098C9B7C).

Incoming activation links: enable from French_Dead_TA (098CC15C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 45 (Nod_Gone) is set.

Flag writers in this mission: set local flag 45 (Nod_Gone) at Check_Nod_Status (0961F45C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TB_Group_Alive_TA (098C9B7C).
2. Disable TB_Group_Dead_TA (098C9A8C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14015, Events line 14393, Actions line 14771.

87. French_TA_Change - 0B58A03C

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from French_Alive_TA (098CC24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Enable and reset applicable timers for French_Becomes_TA_1 (0C54603C).
3. Disable French_TA_Change (0B58A03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14016, Events line 14394, Actions line 14772.

88. Send_TA_Engineer - 096F185C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from French_Alive_TA (098CC24C); enable from TB_Group_Alive_TA (098C9B7C).

Attached scope: tag definitions 096ECB2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TA_Engineer (0C88543C).
2. Disable Send_TA_Engineer (096F185C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14017, Events line 14395, Actions line 14773.

89. TB_Group_Alive_TA - 098C9B7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from French_Dead_TA (098CC15C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 45 (Nod_Gone) is clear.

Flag writers in this mission: set local flag 45 (Nod_Gone) at Check_Nod_Status (0961F45C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TB_Group_Dead_TA (098C9A8C).
2. Enable and reset applicable timers for TB_Change_House (096AE6FC).
3. Enable and reset applicable timers for Send_TA_Engineer (096F185C).

4. Disable TB_Group_Alive_TA (098C9B7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14018, Events line 14396, Actions line 14774.

90. Backup1_Becomes_TC_2 - 0975579C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Becomes_TC_1 (0975588C).

Incoming activation links: enable from Backup1_Becomes_TC_1 (0975588C).

Attached scope: tag definitions 06C80C2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Lasher3 (06C6E0FC).
2. Create/recruit team TEAM_TC_Virus (06C6B95C).
3. Create/recruit team TEAM_TC_Yuri1 (06C6B53C).
4. Create/recruit team TEAM_TC_Yuri2 (06C6B11C).
5. Disable Backup1_Becomes_TC_2 (0975579C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14019, Events line 14397, Actions line 14775.

91. TF_ChangeGuard1 - 0975A12C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Change_House (0975ABAC).

Incoming activation links: enable from TF_Change_House (0975ABAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt1 (095B536C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt2 (095B6D7C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init1 (095B68CC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init2 (095B606C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init3 (095B7C0C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init4 (095B782C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher1 (095B740C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for TF_ChangeGuard2 (0975B8BC).
10. Disable TF_ChangeGuard1 (0975A12C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14020, Events line 14398, Actions line 14776.

92. TE_TC_ChangeHouse - 06C87C7C

Owner reference: GDI. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TE_Group_Alive_TC (0C0D840C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for TE_TC_DestroyTeam1 (06C87AAC).
3. Disable TE_TC_ChangeHouse (06C87C7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14021, Events line 14399, Actions line 14777.

93. TD_Group_Alive_TC - 0C0D822C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Dead_TC (0C0D831C).

Incoming activation links: enable from TE_Group_Dead_TC (0C0D831C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Dead_TC (0C0D813C).
2. Enable and reset applicable timers for TD_TC_ChangeHouse (09490F3C).
3. Enable and reset applicable timers for Send_TC_Engineer (0BC4E24C).
4. Disable TD_Group_Alive_TC (0C0D822C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14022, Events line 14400, Actions line 14778.

94. TD_Group_Dead_TC - 0C0D813C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Group_Alive_TC (0C0D822C).

Incoming activation links: enable from TE_Group_Dead_TC (0C0D831C).

Attached scope: tag definitions 0C0DCE5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is set.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TD_Group_Alive_TC (0C0D822C).
2. Disable TD_Group_Dead_TC (0C0D813C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14023, Events line 14401, Actions line 14779.

95. Backup1_Becomes_TD_1 - 0C10509C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_TD_Change (0C10304C).

Incoming activation links: enable from Backup1_TD_Change (0C10304C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Gatt1 (096586BC).
2. Create/recruit team TEAM_TD_Gatt2 (09650B4C).
3. Create/recruit team TEAM_TD_Init1 (0967732C).
4. Create/recruit team TEAM_TD_Init2 (0967092C).
5. Create/recruit team TEAM_TD_Init3 (0967047C).
6. Create/recruit team TEAM_TD_Init4 (0967028C).
7. Create/recruit team TEAM_TD_Lasher1 (09663E5C).
8. Create/recruit team TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for Backup1_Becomes_TD_2 (0C1076FC).
10. Disable Backup1_Becomes_TD_1 (0C10509C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14024, Events line 14402, Actions line 14780.

96. TF_TD_ChangeHouse - 0960459C

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TF_Group_Alive_TD (0C4F7B6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Enable and reset applicable timers for TF_TD_DestroyTeam1 (096044AC).
3. Disable TF_TD_ChangeHouse (0960459C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14025, Events line 14403, Actions line 14781.

97. TE_Group_Alive_TD - 0C4F3F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Group_Dead_TD (0C4F70CC).

Incoming activation links: enable from TF_Group_Dead_TD (0C4F70CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is clear.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Dead_TD (0C4F3E4C).
2. Enable and reset applicable timers for TE_TD_ChangeHouse (0B5B432C).
3. Enable and reset applicable timers for Send_TD_Engineer (0BC6A69C).
4. Disable TE_Group_Alive_TD (0C4F3F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14026, Events line 14404, Actions line 14782.

98. TE_Group_Dead_TD - 0C4F3E4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Alive_TD (0C4F3F3C).

Incoming activation links: enable from TF_Group_Dead_TD (0C4F70CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is set.

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TE_Group_Alive_TD (0C4F3F3C).
2. Enable and reset applicable timers for TC_Group_Alive_TD (0C4F3D5C).
3. Enable and reset applicable timers for TC_Group_Dead_TD (0C4F696C).
4. Disable TE_Group_Dead_TD (0C4F3E4C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14027, Events line 14405, Actions line 14783.

99. TE_TF_DestroyTeam2 - 097A4D3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TF_DestroyTeam1 (097A4E2C).

Incoming activation links: enable from TE_TF_DestroyTeam1 (097A4E2C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher3 (0950F66C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Virus (0950F20C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri1 (0950EC8C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri2 (0950E65C).
5. Enable and reset applicable timers for TE_Becomes_TF_1 (097A417C).
6. Disable TE_TF_DestroyTeam2 (097A4D3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14028, Events line 14406, Actions line 14784.

100. TC_TF_DestroyTeam1 - 0B42D7BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TF_ChangeHouse (0BD4750C).

Incoming activation links: enable from TC_TF_ChangeHouse (0BD4750C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt1 (0967471C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt2 (09675EFC).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init1 (09675B1C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init2 (096756FC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init3 (0BE0D2BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init4 (06C6FEFC).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher1 (06C6F82C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TC_TF_DestroyTeam2 (0B42D3BC).
10. Disable TC_TF_DestroyTeam1 (0B42D7BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14029, Events line 14407, Actions line 14785.

101. TD_TF_ChangeHouse - 0C08ECFC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TD_Group_Alive_TF (096DB61C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 14 (country/type PPTF COUNTRY; placed owner PPTFHouse).
2. Enable and reset applicable timers for TD_TF_DestroyTeam1 (0C08E68C).
3. Disable TD_TF_ChangeHouse (0C08ECFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14030, Events line 14408, Actions line 14786.

102. French_Alive_TB - 0970D56C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 44 (French_Gone) is clear.

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable French_Dead_TB (0970D39C).
2. Enable and reset applicable timers for French_Change_House (0BB3B28C).
3. Enable and reset applicable timers for Send_TB_Engineer (0BC4F34C).
4. Disable French_Alive_TB (0970D56C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14031, Events line 14409, Actions line 14787.

103. TA_TB_DestroyTeam1 - 0C770F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_TB_ChangeHouse (0C53A03C).

Incoming activation links: enable from TA_TB_ChangeHouse (0C53A03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Gatt1 (0DA10A7C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Gatt2 (0DA1083C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init1 (0DA105FC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init2 (0DA103BC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init3 (0DA1017C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_AB_Init4 (0966954C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher1 (0DA0F32C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher2 (0DA10EFC).
9. Enable and reset applicable timers for TA_TB_DestroyTeam2 (0C772F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14032, Events line 14410, Actions line 14788.

104. TD_TE_ChangeHouse - 0955BA5C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TD_Group_Alive_TE (06C7812C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 10 (country/type GDI; placed owner GDI).
2. Enable and reset applicable timers for TD_TE_DestroyTeam1 (0955B58C).
3. Disable TD_TE_ChangeHouse (0955BA5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14033, Events line 14411, Actions line 14789.

105. French_Becomes_TA_1 - 0C54603C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_TA_Change (0B58A03C).

Incoming activation links: enable from French_TA_Change (0B58A03C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Gatt1 (0DA10A7C).
2. Create/recruit team TEAM_TA_Gatt2 (0DA1083C).
3. Create/recruit team TEAM_TA_Init1 (0DA105FC).
4. Create/recruit team TEAM_TA_Init2 (0DA103BC).
5. Create/recruit team TEAM_TA_Init3 (0DA1017C).
6. Create/recruit team TEAM_TA_Init4 (0DA11DEC).
7. Create/recruit team TEAM_TA_Lasher1 (0DA0F32C).
8. Create/recruit team TEAM_TA_Lasher2 (0DA10EFC).
9. Enable and reset applicable timers for French_Becomes_TA_2 (0C54F03C).
10. Disable French_Becomes_TA_1 (0C54603C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14034, Events line 14412, Actions line 14790.

106. TB_Change_House - 096AE6FC

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Change_Guard2 (0952630C).

Incoming activation links: enable from TB_Group_Alive_TA (098C9B7C); enable from Yuri_Attack_AA_2 (094BCBFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Enable and reset applicable timers for TB_Change_Guard1 (0D45247C).
3. Disable TB_Change_House (096AE6FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14035, Events line 14413, Actions line 14791.

107. TF_ChangeGuard2 - 0975B8BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_ChangeGuard1 (0975A12C).

Incoming activation links: enable from TF_ChangeGuard1 (0975A12C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher3 (095B706C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Virus (095B8A4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Yuri1 (095B859C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Yuri2 (095B813C).
5. Enable and reset applicable timers for TF_Becomes_TC1 (0975CE6C).
6. Disable TF_ChangeGuard2 (0975B8BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14036, Events line 14414, Actions line 14792.

108. TE_TC_DestroyTeam1 - 06C87AAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TC_ChangeHouse (06C87C7C).

Incoming activation links: enable from TE_TC_ChangeHouse (06C87C7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt1 (0C0B821C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt2 (09502E2C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init1 (0950297C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init2 (0950251C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init3 (095020BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init4 (0950D50C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher1 (0950D16C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for TE_TC_DestroyTeam2 (06C879BC).
10. Disable TE_TC_DestroyTeam1 (06C87AAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14037, Events line 14415, Actions line 14793.

109. TD_TC_ChangeHouse - 09490F3C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TD_Group_Alive_TC (0C0D822C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. Enable and reset applicable timers for TD_TC_DestroyTeam1 (09490D6C).
3. Disable TD_TC_ChangeHouse (09490F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14038, Events line 14416, Actions line 14794.

110. Backup1_Becomes_TD_2 - 0C1076FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backup1_Becomes_TD_1 (0C10509C).

Incoming activation links: enable from Backup1_Becomes_TD_1 (0C10509C).

Attached scope: tag definitions 0C10518C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Lasher3 (09661CDC).
2. Create/recruit team TEAM_TD_Virus (0967699C).
3. Create/recruit team TEAM_TD_Yuri1 (09668E2C).
4. Create/recruit team TEAM_TD_Yuri2 (0966897C).
5. Disable Backup1_Becomes_TD_2 (0C1076FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14039, Events line 14417, Actions line 14795.

111. TF_TD_DestroyTeam1 - 096044AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TD_ChangeHouse (0960459C).

Incoming activation links: enable from TF_TD_ChangeHouse (0960459C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt1 (095B536C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Gatt2 (095B6D7C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init1 (095B68CC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init2 (095B606C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init3 (095B7C0C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Init4 (095B782C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher1 (095B740C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for TF_TD_DestroyTeam2 (0960626C).
10. Disable TF_TD_DestroyTeam1 (096044AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14040, Events line 14418, Actions line 14796.

112. TE_TD_ChangeHouse - 0B5B432C

Owner reference: GDI. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TE_Group_Alive_TD (0C4F3F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Enable and reset applicable timers for TE_TD_DestroyTeam1 (0B5A1E5C).
3. Disable TE_TD_ChangeHouse (0B5B432C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14041, Events line 14419, Actions line 14797.

113. TC_Group_Alive_TD - 0C4F3D5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Group_Dead_TD (0C4F3E4C).

Incoming activation links: enable from TE_Group_Dead_TD (0C4F3E4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable TC_Group_Dead_TD (0C4F696C).
2. Enable and reset applicable timers for TC_ChangeHouse (095F27CC).
3. Enable and reset applicable timers for Send_TD_Engineer (0BC6A69C).
4. Disable TC_Group_Alive_TD (0C4F3D5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14042, Events line 14420, Actions line 14798.

114. TC_Group_Dead_TD - 0C4F696C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Group_Alive_TD (0C4F3D5C).

Incoming activation links: enable from TE_Group_Dead_TD (0C4F3E4C).

Attached scope: tag definitions 096E4E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is set.

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable TC_Group_Alive_TD (0C4F3D5C).
2. Disable TC_Group_Dead_TD (0C4F696C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14043, Events line 14421, Actions line 14799.

115. TE_Becomes_TF_1 - 097A417C

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TF_DestroyTeam2 (097A4D3C).

Incoming activation links: enable from TE_TF_DestroyTeam2 (097A4D3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Gatt1 (095B536C).
2. Create/recruit team TEAM_TF_Gatt2 (095B6D7C).
3. Create/recruit team TEAM_TF_Init1 (095B68CC).
4. Create/recruit team TEAM_TF_Init2 (095B606C).
5. Create/recruit team TEAM_TF_Init3 (095B7C0C).
6. Create/recruit team TEAM_TF_Init4 (095B782C).
7. Create/recruit team TEAM_TF_Lasher1 (095B740C).
8. Create/recruit team TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for TE_Becomes_TF_2 (097A408C).
10. Disable TE_Becomes_TF_1 (097A417C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14044, Events line 14422, Actions line 14800.

116. TC_TF_DestroyTeam2 - 0B42D3BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TF_DestroyTeam1 (0B42D7BC).

Incoming activation links: enable from TC_TF_DestroyTeam1 (0B42D7BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher3 (06C6E0FC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Virus (06C6B95C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri1 (06C6B53C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri2 (06C6B11C).
5. Enable and reset applicable timers for TC_Becomes_TF_1 (0B42CF3C).
6. Disable TC_TF_DestroyTeam2 (0B42D3BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14045, Events line 14423, Actions line 14801.

117. TD_TF_DestroyTeam1 - 0C08E68C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TF_ChangeHouse (0C08ECFC).

Incoming activation links: enable from TD_TF_ChangeHouse (0C08ECFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt1 (096586BC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt2 (09650B4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init1 (0967732C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init2 (0967092C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init3 (0967047C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init4 (0967028C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher1 (09663E5C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TD_TF_DestroyTeam2 (0C08E59C).
10. Disable TC_TF_DestroyTeam1 (0B42D7BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14046, Events line 14424, Actions line 14802.

118. French_Change_House - 0BB3B28C

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from French_Alive_TB (0970D56C); enable from TB_Becomes_TA_2 (096A2B2C); enable from TB_Becomes_AB_2 (09684AFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 44 (French_Gone) is clear.
2. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 11 (country/type NOD; placed owner Nod).
2. Enable and reset applicable timers for Frnch_Become_TB1 (0D5B5E5C).
3. Disable French_Change_House (0BB3B28C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14047, Events line 14425, Actions line 14803.

119. TA_TB_DestroyTeam2 - 0C772F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_TB_DestroyTeam1 (0C770F3C).

Incoming activation links: enable from TA_TB_DestroyTeam1 (0C770F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher3 (0DA10CBC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Virus1 (0DA1172C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Yuri1 (0DA11BAC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Yuri2 (0DA1196C).
5. Enable and reset applicable timers for TA_Becomes_TB_1 (0C776F3C).
6. Disable TA_TB_DestroyTeam2 (0C772F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14048, Events line 14426, Actions line 14804.

120. TD_TE_DestroyTeam1 - 0955B58C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TE_ChangeHouse (0955BA5C).

Incoming activation links: enable from TD_TE_ChangeHouse (0955BA5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt1 (096586BC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt2 (09650B4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init1 (0967732C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init2 (0967092C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init3 (0967047C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init4 (0967028C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher1 (09663E5C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TD_TE_DestroyTeam2 (0955B49C).
10. Disable TD_TE_DestroyTeam1 (0955B58C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14049, Events line 14427, Actions line 14805.

121. French_Becomes_TA_2 - 0C54F03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_Becomes_TA_1 (0C54603C).

Incoming activation links: enable from French_Becomes_TA_1 (0C54603C).

Attached scope: tag definitions 0B5A074C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Lasher3 (0DA10CBC).
2. Create/recruit team TEAM_TA_Virus1 (0DA1172C).
3. Create/recruit team TEAM_TA_Yuri1 (0DA11BAC).
4. Create/recruit team TEAM_TA_Yuri2 (0DA1196C).
5. Disable French_Becomes_TA_2 (0C54F03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14050, Events line 14428, Actions line 14806.

122. TB_Change_Guard2 - 0952630C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Change_Guard1 (0D45247C).

Incoming activation links: enable from TB_Change_Guard1 (0D45247C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher3 (0AFC417C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Virus (0AFC372C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Yuri1 (0AFC34EC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Yuri2 (0AFC59AC).
5. Enable and reset applicable timers for TB_Becomes_TA_1 (096A593C).

6. Disable TB_Change_Guard2 (0952630C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14051, Events line 14429, Actions line 14807.

123. TB_Change_Guard1 - 0D45247C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TB_Change_House (096AE6FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (Nuked_MC) is set.
2. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 12 (Nuked_MC) at Nuke_MC_True (094CE89C); clear local flag 12 (Nuked_MC) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Gatt1 (0AFC2DCC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Gatt2 (0AFC322C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init1 (0AFC4EFC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init2 (0AFC4CBC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init3 (0AFC4A7C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init4 (0AFC483C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher1 (0AFC45FC).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher2 (0AFC43BC).
9. Enable and reset applicable timers for TB_Change_Guard2 (0952630C).
10. Disable TB_Change_Guard1 (0D45247C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14052, Events line 14430, Actions line 14808.

124. TF_Becomes_TC1 - 0975CE6C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_ChangeGuard2 (0975B8BC).

Incoming activation links: enable from TF_ChangeGuard2 (0975B8BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Gatt1 (0967471C).
2. Create/recruit team TEAM_TC_Gatt2 (09675EFC).
3. Create/recruit team TEAM_TC_Init1 (09675B1C).
4. Create/recruit team TEAM_TC_Init2 (096756FC).
5. Create/recruit team TEAM_TC_Init3 (0BE0D2BC).
6. Create/recruit team TEAM_TC_Init4 (06C6FEFC).
7. Create/recruit team TEAM_TC_Lasher1 (06C6F82C).
8. Create/recruit team TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TF_Becomes_TC2 (0975C66C).
10. Disable TF_Becomes_TC1 (0975CE6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14053, Events line 14431, Actions line 14809.

125. TE_TC_DestroyTeam2 - 06C879BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TC_DestroyTeam1 (06C87AAC).

Incoming activation links: enable from TE_TC_DestroyTeam1 (06C87AAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher3 (0950F66C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Virus (0950F20C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri1 (0950EC8C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri2 (0950E65C).
5. Enable and reset applicable timers for TE_Becomes_TC_1 (06C878CC).
6. Disable TE_TC_DestroyTeam2 (06C879BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14054, Events line 14432, Actions line 14810.

126. TD_TC_DestroyTeam1 - 09490D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TC_ChangeHouse (09490F3C).

Incoming activation links: enable from TD_TC_ChangeHouse (09490F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt1 (096586BC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt2 (09650B4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init1 (0967732C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init2 (0967092C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init3 (0967047C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init4 (0967028C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher1 (09663E5C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TD_TC_DestroyTeam2 (09490C7C).
10. Disable TD_TC_DestroyTeam1 (09490D6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14055, Events line 14433, Actions line 14811.

127. TF_TD_DestroyTeam2 - 0960626C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TD_DestroyTeam1 (096044AC).

Incoming activation links: enable from TF_TD_DestroyTeam1 (096044AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Lasher3 (095B706C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Virus (095B8A4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Yuri1 (095B859C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TF_Yuri2 (095B813C).
5. Enable and reset applicable timers for TF_Becomes_TD_1 (0960617C).
6. Disable TF_TD_DestroyTeam2 (0960626C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14056, Events line 14434, Actions line 14812.

128. TE_TD_DestroyTeam1 - 0B5A1E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TD_ChangeHouse (0B5B432C).

Incoming activation links: enable from TE_TD_ChangeHouse (0B5B432C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt1 (0C0B821C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Gatt2 (09502E2C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init1 (0950297C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init2 (0950251C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init3 (095020BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Init4 (0950D50C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher1 (0950D16C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for TE_TD_DestroyTeam2 (0B5A1D6C).
10. Disable TE_TD_DestroyTeam1 (0B5A1E5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14057, Events line 14435, Actions line 14813.

129. TC_ChangeHouse - 095F27CC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TC_Group_Alive_TD (0C4F3D5C); enable from TD_Becomes_AD_2 (096BABFC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is clear.
2. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Enable and reset applicable timers for TC_ChangeGuard1 (095EA27C).
3. Disable TC_ChangeHouse (095F27CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14058, Events line 14436, Actions line 14814.

130. TE_Becomes_TF_2 - 097A408C

Owner reference: PPTF Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Becomes_TF_1 (097A417C).

Incoming activation links: enable from TE_Becomes_TF_1 (097A417C).

Attached scope: tag definitions 097A4F1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Lasher3 (095B706C).
2. Create/recruit team TEAM_TF_Virus (095B8A4C).
3. Create/recruit team TEAM_TF_Yuri1 (095B859C).
4. Create/recruit team TEAM_TF_Yuri2 (095B813C).

5. Disable TE_Becomes_TF_2 (097A408C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14059, Events line 14437, Actions line 14815.

131. TC_Becomes_TF_1 - 0B42CF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TF_DestroyTeam2 (0B42D3BC).

Incoming activation links: enable from TC_TF_DestroyTeam2 (0B42D3BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Gatt1 (095B536C).
2. Create/recruit team TEAM_TF_Gatt2 (095B6D7C).
3. Create/recruit team TEAM_TF_Init1 (095B68CC).
4. Create/recruit team TEAM_TF_Init2 (095B606C).
5. Create/recruit team TEAM_TF_Init3 (095B7C0C).
6. Create/recruit team TEAM_TF_Init4 (095B782C).
7. Create/recruit team TEAM_TF_Lasher1 (095B740C).
8. Create/recruit team TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for TC_Becomes_TF_2 (0B42CE4C).
10. Disable TC_Becomes_TF_1 (0B42CF3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14060, Events line 14438, Actions line 14816.

132. TD_TF_DestroyTeam2 - 0C08E59C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TF_DestroyTeam1 (0C08E68C).

Incoming activation links: enable from TD_TF_DestroyTeam1 (0C08E68C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher3 (09661CDC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Virus (0967699C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri1 (09668E2C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri2 (0966897C).
5. Enable and reset applicable timers for TD_Becomes_TF_1 (0C08E4AC).
6. Disable TD_TF_DestroyTeam2 (0C08E59C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14061, Events line 14439, Actions line 14817.

133. Frnch_Become_TB1 - 0D5B5E5C

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_ChangeGuard2 (0BB0037C).

Incoming activation links: enable from French_Change_House (0BB3B28C); enable from French_ChangeGuard2 (0BB0037C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Gatt1 (0AFC2DCC).

2. Create/recruit team TEAM_TB_Gatt2 (0AFC322C).
3. Create/recruit team TEAM_TB_Init1 (0AFC4EFC).
4. Create/recruit team TEAM_TB_Init2 (0AFC4CBC).
5. Create/recruit team TEAM_TB_Init3 (0AFC4A7C).
6. Create/recruit team TEAM_TB_Init4 (0AFC483C).
7. Create/recruit team TEAM_TB_Lasher1 (0AFC45FC).
8. Create/recruit team TEAM_TB_Lasher2 (0AFC43BC).
9. Enable and reset applicable timers for Frnch_Become_TB2 (0D5B6D9C).
10. Disable Frnch_Become_TB1 (0D5B5E5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14062, Events line 14440, Actions line 14818.

134. TA_Becomes_TB_1 - 0C776F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_TB_DestroyTeam2 (0C772F3C).

Incoming activation links: enable from TA_TB_DestroyTeam2 (0C772F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Gatt1 (0AFC2DCC).
2. Create/recruit team TEAM_TB_Gatt2 (0AFC322C).
3. Create/recruit team TEAM_TB_Init1 (0AFC4EFC).
4. Create/recruit team TEAM_TB_Init2 (0AFC4CBC).
5. Create/recruit team TEAM_TB_Init3 (0AFC4A7C).
6. Create/recruit team TEAM_TB_Init4 (0AFC483C).
7. Create/recruit team TEAM_TB_Lasher1 (0AFC45FC).
8. Create/recruit team TEAM_TB_Lasher2 (0AFC43BC).
9. Enable and reset applicable timers for TA_Becomes_TB_2 (0C77277C).
10. Disable TA_Becomes_TB_1 (0C776F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14063, Events line 14441, Actions line 14819.

135. TD_TE_DestroyTeam2 - 0955B49C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TE_DestroyTeam1 (0955B58C).

Incoming activation links: enable from TD_TE_DestroyTeam1 (0955B58C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher3 (09661CDC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Virus (0967699C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri1 (09668E2C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri2 (0966897C).
5. Enable and reset applicable timers for TD_Becomes_TE_1 (0955B3AC).
6. Disable TD_TE_DestroyTeam2 (0955B49C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14064, Events line 14442, Actions line 14820.

136. TB_Becomes_TA_1 - 096A593C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Change_House (096AE6FC).

Incoming activation links: enable from TB_Change_Guard2 (0952630C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Gatt1 (0DA10A7C).
2. Create/recruit team TEAM_TA_Gatt2 (0DA1083C).
3. Create/recruit team TEAM_TA_Init1 (0DA105FC).
4. Create/recruit team TEAM_TA_Init2 (0DA103BC).
5. Create/recruit team TEAM_TA_Init3 (0DA1017C).
6. Create/recruit team TEAM_TA_Init4 (0DA11DEC).
7. Create/recruit team TEAM_TA_Lasher1 (0DA0F32C).
8. Create/recruit team TEAM_TA_Lasher2 (0DA10EFC).
9. Enable and reset applicable timers for TB_Becomes_TA_2 (096A2B2C).
10. Disable TB_Becomes_TA_1 (096A593C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14065, Events line 14443, Actions line 14821.

137. TF_Becomes_TC2 - 0975C66C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Becomes_TC1 (0975CE6C).

Incoming activation links: enable from TF_Becomes_TC1 (0975CE6C).

Attached scope: tag definitions 0975A62C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Lasher3 (06C6E0FC).
2. Create/recruit team TEAM_TC_Virus (06C6B95C).
3. Create/recruit team TEAM_TC_Yuri1 (06C6B53C).
4. Create/recruit team TEAM_TC_Yuri2 (06C6B11C).
5. Enable and reset applicable timers for Backup1_ChangeHouse (09565CCC).
6. Disable TF_Becomes_TC2 (0975C66C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14066, Events line 14444, Actions line 14822.

138. TE_Becomes_TC_1 - 06C878CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TC_DestroyTeam2 (06C879BC).

Incoming activation links: enable from TE_TC_DestroyTeam2 (06C879BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Gatt1 (0967471C).
2. Create/recruit team TEAM_TC_Gatt2 (09675EFC).
3. Create/recruit team TEAM_TC_Init1 (09675B1C).
4. Create/recruit team TEAM_TC_Init2 (096756FC).

5. Create/recruit team TEAM_TC_Init3 (0BE0D2BC).
6. Create/recruit team TEAM_TC_Init4 (06C6FEFC).
7. Create/recruit team TEAM_TC_Lasher1 (06C6F82C).
8. Create/recruit team TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TE_Becomes_TC_2 (06C877DC).
10. Disable TE_Becomes_TC_1 (06C878CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14067, Events line 14445, Actions line 14823.

139. TD_TC_DestroyTeam2 - 09490C7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TC_DestroyTeam1 (09490D6C).

Incoming activation links: enable from TD_TC_DestroyTeam1 (09490D6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher3 (09661CDC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Virus (0967699C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri1 (09668E2C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri2 (0966897C).
5. Enable and reset applicable timers for TD_Becomes_TC_1 (09490B8C).
6. Disable TD_TC_DestroyTeam2 (09490C7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14068, Events line 14446, Actions line 14824.

140. TF_Becomes_TD_1 - 0960617C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TD_DestroyTeam2 (0960626C).

Incoming activation links: enable from TF_TD_DestroyTeam2 (0960626C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Gatt1 (096586BC).
2. Create/recruit team TEAM_TD_Gatt2 (09650B4C).
3. Create/recruit team TEAM_TD_Init1 (0967732C).
4. Create/recruit team TEAM_TD_Init2 (0967092C).
5. Create/recruit team TEAM_TD_Init3 (0967047C).
6. Create/recruit team TEAM_TD_Init4 (0967028C).
7. Create/recruit team TEAM_TD_Lasher1 (09663E5C).
8. Create/recruit team TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TF_Becomes_TD_2 (0960608C).
10. Disable TF_Becomes_TD_1 (0960617C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14069, Events line 14447, Actions line 14825.

141. TE_TD_DestroyTeam2 - 0B5A1D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TD_DestroyTeam1 (0B5A1E5C).

Incoming activation links: enable from TE_TD_DestroyTeam1 (0B5A1E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Lasher3 (0950F66C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Virus (0950F20C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri1 (0950EC8C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TE_Yuri2 (0950E65C).
5. Enable and reset applicable timers for TE_Becomes_TD_1 (0B5BE03C).
6. Disable TE_TD_DestroyTeam2 (0B5A1D6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14070, Events line 14448, Actions line 14826.

142. TC_ChangeGuard1 - 095EA27C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_ChangeHouse (095F27CC).

Incoming activation links: enable from TC_ChangeHouse (095F27CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt1 (0967471C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt2 (09675EFC).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init1 (09675B1C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init2 (096756FC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init3 (0BE0D2BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init4 (06C6FEFC).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher1 (06C6F82C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TC_ChangeGuard2 (095EB71C).
10. Disable TC_ChangeGuard1 (095EA27C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14071, Events line 14449, Actions line 14827.

143. TC_Becomes_TF_2 - 0B42CE4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Becomes_TF_1 (0B42CF3C).

Incoming activation links: enable from TC_Becomes_TF_1 (0B42CF3C).

Attached scope: tag definitions 0BD4483C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Lasher3 (095B706C).
2. Create/recruit team TEAM_TF_Virus (095B8A4C).
3. Create/recruit team TEAM_TF_Yuri1 (095B859C).
4. Create/recruit team TEAM_TF_Yuri2 (095B813C).
5. Disable TC_Becomes_TF_2 (0B42CE4C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14072, Events line 14450, Actions line 14828.

144. TD_Becomes_TF_1 - 0C08E4AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TF_DestroyTeam2 (0C08E59C).

Incoming activation links: enable from TD_TF_DestroyTeam2 (0C08E59C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Gatt1 (095B536C).
2. Create/recruit team TEAM_TF_Gatt2 (095B6D7C).
3. Create/recruit team TEAM_TF_Init1 (095B68CC).
4. Create/recruit team TEAM_TF_Init2 (095B606C).
5. Create/recruit team TEAM_TF_Init3 (095B7C0C).
6. Create/recruit team TEAM_TF_Init4 (095B782C).
7. Create/recruit team TEAM_TF_Lasher1 (095B740C).
8. Create/recruit team TEAM_TF_Lasher2 (0BA5FC1C).
9. Enable and reset applicable timers for TD_Becomes_TF_2 (0C08E3BC).
10. Disable TD_Becomes_TF_1 (0C08E4AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14073, Events line 14451, Actions line 14829.

145. French_ChangeGuard2 - 0BB0037C

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_ChangeGuard1 (0BB3DBEC).

Incoming activation links: enable from French_ChangeGuard1 (0BB3DBEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Lasher3 (095CB13C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Virus (095C813C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Yuri1 (095C913C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Yuri2 (095CA1AC).
5. Enable and reset applicable timers for Frnch_Become_TB1 (0D5B5E5C).
6. Disable French_ChangeGuard2 (0BB0037C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14074, Events line 14452, Actions line 14830.

146. Frnch_Become_TB2 - 0D5B6D9C

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Frnch_Become_TB1 (0D5B5E5C).

Incoming activation links: enable from Frnch_Become_TB1 (0D5B5E5C).

Attached scope: tag definitions 0BB3DCDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Lasher3 (0AFC417C).
2. Create/recruit team TEAM_TB_Virus (0AFC372C).
3. Create/recruit team TEAM_TB_Yuri1 (0AFC34EC).
4. Create/recruit team TEAM_TB_Yuri2 (0AFC59AC).
5. Set local flag 43 (PPTF_Gone).
6. Disable Frnch_Become_TB2 (0D5B6D9C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14075, Events line 14453, Actions line 14831.

147. TA_Becomes_TB_2 - 0C77277C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_Becomes_TB_1 (0C776F3C).

Incoming activation links: enable from TA_Becomes_TB_1 (0C776F3C).

Attached scope: tag definitions 0C53B04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Lasher3 (0AFC417C).
2. Create/recruit team TEAM_TB_Virus (0AFC372C).
3. Create/recruit team TEAM_TB_Yuri1 (0AFC34EC).
4. Create/recruit team TEAM_TB_Yuri2 (0AFC59AC).
5. Disable TA_Becomes_TB_2 (0C77277C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14076, Events line 14454, Actions line 14832.

148. TD_Becomes_TE_1 - 0955B3AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TE_DestroyTeam2 (0955B49C).

Incoming activation links: enable from TD_TE_DestroyTeam2 (0955B49C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Gatt1 (0C0B821C).
2. Create/recruit team TEAM_TE_Gatt2 (09502E2C).
3. Create/recruit team TEAM_TE_Init1 (0950297C).
4. Create/recruit team TEAM_TE_Init2 (0950251C).
5. Create/recruit team TEAM_TE_Init3 (095020BC).
6. Create/recruit team TEAM_TE_Init4 (0950D50C).
7. Create/recruit team TEAM_TE_Lasher1 (0950D16C).
8. Create/recruit team TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for TD_Becomes_TE_2 (0955B2BC).
10. Disable TD_Becomes_TE_1 (0955B3AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14077, Events line 14455, Actions line 14833.

149. TB_Becomes_TA_2 - 096A2B2C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Becomes_TA_1 (096A593C).

Incoming activation links: enable from TB_Becomes_TA_1 (096A593C).

Attached scope: tag definitions 0D4512BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Lasher3 (0DA10CBC).
2. Create/recruit team TEAM_TA_Virus1 (0DA1172C).
3. Create/recruit team TEAM_TA_Yuri1 (0DA11BAC).
4. Create/recruit team TEAM_TA_Yuri2 (0DA1196C).
5. Enable and reset applicable timers for French_Change_House (0BB3B28C).

6. Disable TB_Becomes_TA_2 (096A2B2C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14078, Events line 14456, Actions line 14834.

150. TE_Becomes_TC_2 - 06C877DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Becomes_TC_1 (06C878CC).

Incoming activation links: enable from TE_Becomes_TC_1 (06C878CC).

Attached scope: tag definitions 06C87B9C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Lasher3 (06C6E0FC).
2. Create/recruit team TEAM_TC_Virus (06C6B95C).
3. Create/recruit team TEAM_TC_Yuri1 (06C6B53C).
4. Create/recruit team TEAM_TC_Yuri2 (06C6B11C).
5. Disable TE_Becomes_TC_2 (06C877DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14079, Events line 14457, Actions line 14835.

151. TD_Becomes_TC_1 - 09490B8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_TC_DestroyTeam2 (09490C7C).

Incoming activation links: enable from TD_TC_DestroyTeam2 (09490C7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Gatt1 (0967471C).
2. Create/recruit team TEAM_TC_Gatt2 (09675EFC).
3. Create/recruit team TEAM_TC_Init1 (09675B1C).
4. Create/recruit team TEAM_TC_Init2 (096756FC).
5. Create/recruit team TEAM_TC_Init3 (0BE0D2BC).
6. Create/recruit team TEAM_TC_Init4 (06C6FEFC).
7. Create/recruit team TEAM_TC_Lasher1 (06C6F82C).
8. Create/recruit team TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TD_Becomes_TC_2 (09490A9C).
10. Disable TD_Becomes_TC_1 (09490B8C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14080, Events line 14458, Actions line 14836.

152. TF_Becomes_TD_2 - 0960608C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Becomes_TD_1 (0960617C).

Incoming activation links: enable from TF_Becomes_TD_1 (0960617C).

Attached scope: tag definitions 09604D1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Lasher3 (09661CDC).
2. Create/recruit team TEAM_TD_Virus (0967699C).

3. Create/recruit team TEAM_TD_Yuri1 (09668E2C).
4. Create/recruit team TEAM_TD_Yuri2 (0966897C).
5. Disable TF_Becomes_TD_2 (0960608C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14081, Events line 14459, Actions line 14837.

153. TE_Becomes_TD_1 - 0B5BE03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_TD_DestroyTeam2 (0B5A1D6C).

Incoming activation links: enable from TE_TD_DestroyTeam2 (0B5A1D6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Gatt1 (096586BC).
2. Create/recruit team TEAM_TD_Gatt2 (09650B4C).
3. Create/recruit team TEAM_TD_Init1 (0967732C).
4. Create/recruit team TEAM_TD_Init2 (0967092C).
5. Create/recruit team TEAM_TD_Init3 (0967047C).
6. Create/recruit team TEAM_TD_Init4 (0967028C).
7. Create/recruit team TEAM_TD_Lasher1 (09663E5C).
8. Create/recruit team TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TE_Becomes_TD_2 (0B5B803C).
10. Disable TE_Becomes_TD_1 (0B5BE03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14082, Events line 14460, Actions line 14838.

154. TC_ChangeGuard2 - 095EB71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_ChangeGuard1 (095EA27C).

Incoming activation links: enable from TC_ChangeGuard1 (095EA27C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher3 (06C6E0FC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Virus (06C6B95C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri1 (06C6B53C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri2 (06C6B11C).
5. Enable and reset applicable timers for TC_Becomes_TD1 (095FCA8C).
6. Disable TC_ChangeGuard2 (095EB71C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14083, Events line 14461, Actions line 14839.

155. TD_Becomes_TF_2 - 0C08E3BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Becomes_TF_1 (0C08E4AC).

Incoming activation links: enable from TD_Becomes_TF_1 (0C08E4AC).

Attached scope: tag definitions 0C08E77C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Lasher3 (095B706C).
2. Create/recruit team TEAM_TF_Virus (095B8A4C).
3. Create/recruit team TEAM_TF_Yuri1 (095B859C).
4. Create/recruit team TEAM_TF_Yuri2 (095B813C).
5. Disable TD_Becomes_TF_2 (0C08E3BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14084, Events line 14462, Actions line 14840.

156. French_ChangeGuard1 - 0BB3DBEC

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: French_Change_House (0BB3B28C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Gatt1 (0950E09C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Gatt2 (095A805C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Init1 (095AA06C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Init2 (095AD13C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Init3 (095AF13C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Init4 (095AB13C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Lasher1 (0951303C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_French_Lasher2 (095CF8EC).
9. Enable and reset applicable timers for French_ChangeGuard2 (0BB0037C).
10. Disable French_ChangeGuard1 (0BB3DBEC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14085, Events line 14463, Actions line 14841.

157. TD_Becomes_TE_2 - 0955B2BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Becomes_TE_1 (0955B3AC).

Incoming activation links: enable from TD_Becomes_TE_1 (0955B3AC).

Attached scope: tag definitions 0955B67C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Lasher3 (0950F66C).
2. Create/recruit team TEAM_TE_Virus (0950F20C).
3. Create/recruit team TEAM_TE_Yuri1 (0950EC8C).
4. Create/recruit team TEAM_TE_Yuri2 (0950E65C).
5. Disable TD_Becomes_TE_2 (0955B2BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14086, Events line 14464, Actions line 14842.

158. TD_Becomes_TC_2 - 09490A9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Becomes_TC_1 (09490B8C).

Incoming activation links: enable from TD_Becomes_TC_1 (09490B8C).

Attached scope: tag definitions 09490E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Lasher3 (06C6E0FC).
2. Create/recruit team TEAM_TC_Virus (06C6B95C).
3. Create/recruit team TEAM_TC_Yuri1 (06C6B53C).
4. Create/recruit team TEAM_TC_Yuri2 (06C6B11C).
5. Disable TD_Becomes_TC_2 (09490A9C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14087, Events line 14465, Actions line 14843.

159. TE_Becomes_TD_2 - 0B5B803C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TE_Becomes_TD_1 (0B5BE03C).

Incoming activation links: enable from TE_Becomes_TD_1 (0B5BE03C).

Attached scope: tag definitions 0B5B424C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Lasher3 (09661CDC).
2. Create/recruit team TEAM_TD_Virus (0967699C).
3. Create/recruit team TEAM_TD_Yuri1 (09668E2C).
4. Create/recruit team TEAM_TD_Yuri2 (0966897C).
5. Disable TE_Becomes_TD_2 (0B5B803C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14088, Events line 14466, Actions line 14844.

160. TC_Becomes_TD1 - 095FCA8C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_ChangeGuard2 (095EB71C).

Incoming activation links: enable from TC_ChangeGuard2 (095EB71C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Gatt1 (096586BC).
2. Create/recruit team TEAM_TD_Gatt2 (09650B4C).
3. Create/recruit team TEAM_TD_Init1 (0967732C).
4. Create/recruit team TEAM_TD_Init2 (0967092C).
5. Create/recruit team TEAM_TD_Init3 (0967047C).
6. Create/recruit team TEAM_TD_Init4 (0967028C).
7. Create/recruit team TEAM_TD_Lasher1 (09663E5C).
8. Create/recruit team TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TC_Becomes_TD2 (095FDF3C).
10. Disable TC_Becomes_TD1 (095FCA8C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14089, Events line 14467, Actions line 14845.

161. TC_Becomes_TD2 - 095FDF3C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Becomes_TD1 (095FCA8C).

Incoming activation links: enable from TC_Becomes_TD1 (095FCA8C).

Attached scope: tag definitions 0A9A518C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Lasher3 (09661CDC).
2. Create/recruit team TEAM_TD_Virus (0967699C).
3. Create/recruit team TEAM_TD_Yuri1 (09668E2C).
4. Create/recruit team TEAM_TD_Yuri2 (0966897C).
5. Enable and reset applicable timers for TF_Change_House (0975ABAC).
6. Disable TC_Becomes_TD2 (095FDF3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14090, Events line 14468, Actions line 14846.

162. Reveal_Yuri_Base - 093162BC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09314A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 365 (cell 49, 90).
2. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14091, Events line 14469, Actions line 14847.

163. Reveal_Other_Stuff - 09266C6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09261F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 367 (cell 109, 123).
2. Reveal terrain around waypoint 368 (cell 96, 92).
3. Reveal terrain around waypoint 309 (cell 124, 130).
4. Reveal terrain around waypoint 32 (cell 120, 151).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14092, Events line 14470, Actions line 14848.

164. Create_PP1_Team_A - 0951B56C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951BDDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Gatt1 (0DA10A7C).
2. Create/recruit team TEAM_TA_Gatt2 (0DA1083C).
3. Create/recruit team TEAM_TA_Init1 (0DA105FC).
4. Create/recruit team TEAM_TA_Init2 (0DA103BC).
5. Create/recruit team TEAM_TA_Init3 (0DA1017C).
6. Create/recruit team TEAM_TA_Init4 (0DA11DEC).
7. Create/recruit team TEAM_TA_Lasher1 (0DA0F32C).

8. Create/recruit team TEAM_TA_Lasher2 (0DA10EFC).
9. Create/recruit team TEAM_TA_Lasher3 (0DA10CBC).
10. Create/recruit team TEAM_TA_Virus1 (0DA1172C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14093, Events line 14471, Actions line 14849.

165. Create_PP2_Team_A - 0941226C

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09411B9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Gatt1 (0AFC2DCC).
2. Create/recruit team TEAM_TB_Gatt2 (0AFC322C).
3. Create/recruit team TEAM_TB_Init1 (0AFC4EFC).
4. Create/recruit team TEAM_TB_Init2 (0AFC4CBC).
5. Create/recruit team TEAM_TB_Init3 (0AFC4A7C).
6. Create/recruit team TEAM_TB_Init4 (0AFC483C).
7. Create/recruit team TEAM_TB_Lasher1 (0AFC45FC).
8. Create/recruit team TEAM_TB_Lasher2 (0AFC43BC).
9. Create/recruit team TEAM_TB_Lasher3 (0AFC417C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14094, Events line 14472, Actions line 14850.

166. Yuri_Attack_AA - 09406C5C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy_Old_Teams2 (095B721C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (Nuked_PPAA) is clear.

Flag writers in this mission: set local flag 4 (Nuked_PPAA) at Nuke_AA_True (094F5C2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_AA_Gatt1 (0BA253BC).
2. Create/recruit team TEAM_AA_Gatt2 (0BA2528C).
3. Create/recruit team TEAM_AA_Init1 (0BA2515C).
4. Create/recruit team TEAM_AA_Init2 (0BA26EFC).
5. Create/recruit team TEAM_AA_Init3 (0BA26DCC).
6. Create/recruit team TEAM_AA_Lasher1 (0BA26B6C).
7. Create/recruit team TEAM_AA_Lasher2 (0BA26A3C).
8. Enable and reset applicable timers for Yuri_Attack_AA_2 (094BCBFC).
9. Disable Yuri_Attack_AA (09406C5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14095, Events line 14473, Actions line 14851.

167. Yuri_Attack_AA_2 - 094BCBFC

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Attack_AA (09406C5C).

Incoming activation links: enable from Yuri_Attack_AA (09406C5C).

Attached scope: tag definitions 0940695C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AA_Virus (0BA2657C).
2. Create/recruit team TEAM_AA_Yuri1 (0BA267DC).
3. Create/recruit team TEAM_AA_Yuri2 (0BA266AC).
4. Create/recruit team TEAM_AA_Lasher3 (0BA2690C).
5. Create/recruit team TEAM_AA_Init4 (0BA26C9C).
6. Enable and reset applicable timers for TB_Change_House (096AE6FC).
7. Disable Yuri_Attack_AA_2 (094BCBFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14096, Events line 14474, Actions line 14852.

168. Send_AA_Engineer - 0A9A417C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TC (06BDA0EC).

Attached scope: tag definitions 0A97BA0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Engineer_AA) is set.
2. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AA_Engineer (0BA3C0EC) at waypoint 468 (cell 103, 61).
2. Disable Send_AA_Engineer (0A9A417C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14097, Events line 14475, Actions line 14853.

169. PlantAA_Gone - 093BEEDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_AA (0D663A4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRAA exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 0 (PlantAA_Gone).
2. Clear local flag 5 (Player_Owns_AA).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AA (0945ABBC).
5. Disable Yuri_Takes_AA (0945934C).
6. Disable PlantAA_Gone (093BEEDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14098, Events line 14476, Actions line 14854.

170. Player_Takes_AA - 0945ABBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Takes_AA (0945934C).

Incoming activation links: enable from Yuri_Takes_AA (0945934C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 5 (Player_Owns_AA).
2. Enable and reset applicable timers for Yuri_Takes_AA (0945934C).

3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AA (0945ABBC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14099, Events line 14477, Actions line 14855.

171. Yuri_Takes_AA - 0945934C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantAA_Gone (093BEEDC).

Incoming activation links: enable from Player_Takes_AA (0945ABBC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 5 (Player_Owns_AA).
2. Enable and reset applicable timers for Player_Takes_AA (0945ABBC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_AA (0945934C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14100, Events line 14478, Actions line 14856.

172. PlantAB_Gone - 093BE2FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_AB (0D664F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRAB exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 1 (PlantAB_Gone).
2. Clear local flag 25 (Player_Owns_AB).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AB (0CF8179C).
5. Disable Yuri_Takes_AB (0CF8110C).
6. Disable PlantAB_Gone (093BE2FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14101, Events line 14479, Actions line 14857.

173. Player_Takes_AB - 0CF8179C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantAB_Gone (093BE2FC).

Incoming activation links: enable from Yuri_Takes_AB (0CF8110C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 25 (Player_Owns_AB).
2. Enable and reset applicable timers for Yuri_Takes_AB (0CF8110C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AB (0CF8179C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14102, Events line 14480, Actions line 14858.

174. Yuri_Takes_AB - 0CF8110C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_AB (0CF8179C).

Incoming activation links: enable from Player_Takes_AB (0CF8179C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 25 (Player_Owns_AB).
2. Enable and reset applicable timers for Player_Takes_AB (0CF8179C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_AB (0CF8110C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14103, Events line 14481, Actions line 14859.

175. PlantAC_Gone - 093BFDDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_AC (0D664C0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRAC exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 2 (PlantAC_Gone).
2. Clear local flag 26 (Player_Owns_AC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AC (06B5EC6C).
5. Disable Yuri_Takes_AC (06B5D04C).
6. Disable PlantAC_Gone (093BFDDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14104, Events line 14482, Actions line 14860.

176. Player_Takes_AC - 06B5EC6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Takes_AC (06B5D04C).

Incoming activation links: enable from Yuri_Takes_AC (06B5D04C).

Attached scope: CAPOWRAC, owner Special, cell (158, 115), tag 093BFADC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 26 (Player_Owns_AC).
2. Enable and reset applicable timers for Yuri_Takes_AC (06B5D04C).
3. Enable and reset applicable timers for PlantAC_Reinforce (0B67F2DC).
4. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
5. Disable Player_Takes_AC (06B5EC6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14105, Events line 14483, Actions line 14861.

177. Yuri_Takes_AC - 06B5D04C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantAC_Gone (093BFDDC).

Incoming activation links: enable from Player_Takes_AC (06B5EC6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 26 (Player_Owns_AC).
2. Enable and reset applicable timers for Player_Takes_AC (06B5EC6C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_AC (06B5D04C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14106, Events line 14484, Actions line 14862.

178. PlantAC_Reinforce - 0B67F2DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_AC (06B5EC6C); enable from PlantAC_Reinforce (0B67F2DC).

Attached scope: tag definitions 0B67D92C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Grizzly_BD (0B6D745C).
2. Supply reinforcement team TEAM_Grizzly_BE (0B6D6B5C).
3. Supply reinforcement team TEAM_Grizzly_BF (0B6D66EC).
4. Supply reinforcement team TEAM_Mirage_BH (0B6D3EBC).
5. Supply reinforcement team TEAM_IFV_BG (04F3226C).
6. Supply reinforcement team TEAM_IFV_BI (04F33C8C).
7. Enable and reset applicable timers for PlantAC_Reinforce (0B67F2DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14107, Events line 14485, Actions line 14863.

179. PlantAD_Gone - 093BF8FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_AD (0D6648DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRAD exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 3 (PlantAD_Gone).
2. Clear local flag 27 (Player_Owns_AD).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AD (094D82BC).
5. Disable Yuri_Takes_AD (094D9C5C).
6. Disable PlantAD_Gone (093BF8FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14108, Events line 14486, Actions line 14864.

180. Player_Takes_AD - 094D82BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantAD_Gone (093BF8FC).

Incoming activation links: enable from Yuri_Takes_AD (094D9C5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 27 (Player_Owns_AD).
2. Enable and reset applicable timers for Yuri_Takes_AD (094D9C5C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_AD (094D82BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14109, Events line 14487, Actions line 14865.

181. Yuri_Takes_AD - 094D9C5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_AD (094D82BC).

Incoming activation links: enable from Player_Takes_AD (094D82BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 27 (Player_Owns_AD).
2. Enable and reset applicable timers for Player_Takes_AD (094D82BC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_AD (094D9C5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14110, Events line 14488, Actions line 14866.

182. Create_PP3_Team_A - 0BE5F3BC

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE5B8FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Gatt1 (0967471C).
2. Create/recruit team TEAM_TC_Gatt2 (09675EFC).
3. Create/recruit team TEAM_TC_Init1 (09675B1C).
4. Create/recruit team TEAM_TC_Init2 (096756FC).
5. Create/recruit team TEAM_TC_Init3 (0BE0D2BC).
6. Create/recruit team TEAM_TC_Init4 (06C6FEFC).
7. Create/recruit team TEAM_TC_Lasher1 (06C6F82C).
8. Create/recruit team TEAM_TC_Lasher2 (06C6F21C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14111, Events line 14489, Actions line 14867.

183. Deploy_AB_GI - 0BE7A4EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE85B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AB_GI (0BE791BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14112, Events line 14490, Actions line 14868.

184. TA_Change_House - 0DD2EADC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TC (06BDA0EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 5 (Player_Owns_AA) is set.

Flag writers in this mission: clear local flag 5 (Player_Owns_AA) at PlantAA_Gone (093BEEDC); set local flag 5 (Player_Owns_AA) at Player_Takes_AA (0945ABBC); clear local flag 5 (Player_Owns_AA) at Yuri_Takes_AA (0945934C); set local flag 5 (Player_Owns_AA) at Set_Locals (06B6627C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 5 (country/type AFRICANS; placed owner Africans).
2. Enable and reset applicable timers for Destroy_Old_Teams1 (095B18AC).
3. Disable TA_Change_House (0DD2EADC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14113, Events line 14491, Actions line 14869.

185. Destroy_Old_Teams1 - 095B18AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TA_Change_House (0DD2EADC).

Incoming activation links: enable from TA_Change_House (0DD2EADC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Gatt1 (0DA10A7C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Gatt2 (0DA1083C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init2 (0DA103BC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init3 (0DA1017C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init4 (0DA11DEC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher1 (0DA0F32C).
7. Enable and reset applicable timers for Destroy_Old_Teams2 (095B721C).
8. Disable Destroy_Old_Teams1 (095B18AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14114, Events line 14492, Actions line 14870.

186. Destroy_Old_Teams2 - 095B721C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroy_Old_Teams1 (095B18AC).

Incoming activation links: enable from Destroy_Old_Teams1 (095B18AC).

Attached scope: tag definitions 0D44DBEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Virus1 (0DA1172C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Yuri1 (0DA11BAC).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Yuri2 (0DA1196C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher3 (0DA10CBC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Init1 (0DA105FC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TA_Lasher2 (0DA10EFC).

7. Enable and reset applicable timers for Yuri_Attack_AA (09406C5C).
8. Disable Destroy_Old_Teams2 (095B721C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14115, Events line 14493, Actions line 14871.

187. Found_Reinforcements - 09519F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951961C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14116, Events line 14494, Actions line 14872.

188. Dog1 - 06AFBC7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06AFB70C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog1 (06AF927C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14117, Events line 14495, Actions line 14873.

189. Dog2 - 06AFA57C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B2C9EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog2 (0954011C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14118, Events line 14496, Actions line 14874.

190. Dog3 - 06AFA26C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B2C90C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog3 (06AFE7DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14119, Events line 14497, Actions line 14875.

191. Dog4 - 06AF289C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B2AE8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog4 (0B24C21C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14120, Events line 14498, Actions line 14876.

192. Kill_GI - 06B0990C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B0939C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 24 (Kill_GI_HJ) is set.
2. local flag 23 (Kill_GI_HI) is set.
3. local flag 22 (Kill_GI_HH) is set.
4. local flag 21 (Kill_GI_HG) is set.
5. local flag 20 (Kill_GI_HF) is set.
6. local flag 19 (Kill_GI) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Kill_GI_Again (06B0CCCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14121, Events line 14499, Actions line 14877.

193. Kill_GI_Again - 06B0CCCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Kill_GI (06B0990C).

Attached scope: tag definitions 06B0C8FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 4 (country/type BRITISH; placed owner British).
2. Destroy all of: owner selector 4 (country/type BRITISH; placed owner British).
3. Disable Kill_GI_Again (06B0CCCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14122, Events line 14500, Actions line 14878.

194. Dog5 - 04E56D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04E5785C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog5 (04E50EFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14123, Events line 14501, Actions line 14879.

195. Dog6 - 09492E0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0949289C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_Dog6 (0948FEFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14124, Events line 14502, Actions line 14880.

196. Create_PP1_Team_B - 0CF7B65C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CF7BCDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TA_Yuri1 (0DA11BAC).
2. Create/recruit team TEAM_TA_Yuri2 (0DA1196C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14125, Events line 14503, Actions line 14881.

197. Set_Locals - 06B6627C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B6766C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 5 (Player_Owns_AA).
2. Set local flag 25 (Player_Owns_AB).
3. Set local flag 27 (Player_Owns_AD).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14126, Events line 14504, Actions line 14882.

198. PlantTA_Gone - 094E203C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_TA (0D6645AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTA exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 32 (PlantTA_Gone).
2. Clear local flag 28 (Player_Owns_TA).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TA (094E3ACC).
5. Disable Yuri_Takes_TA (094E3C3C).
6. Disable PlantTA_Gone (094E203C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14127, Events line 14505, Actions line 14883.

199. Player_Takes_TA - 094E3ACC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TA (094E3C3C).

Incoming activation links: enable from Yuri_Takes_TA (094E3C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 28 (Player_Owns_TA).
2. Enable and reset applicable timers for Yuri_Takes_TA (094E3C3C).
3. Enable and reset applicable timers for TD_ChangeHouse (0BFE86FC).
4. Enable and reset applicable timers for TA_Snipers (0BC69E1C).
5. Enable and reset applicable timers for TA_Engineers (0BBFFDAC).
6. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).

7. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
8. Disable Player_Takes_TA (094E3ACC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14128, Events line 14506, Actions line 14884.

200. Yuri_Takes_TA - 094E3C3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantTA_Gone (094E203C).

Incoming activation links: enable from Player_Takes_TA (094E3ACC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 28 (Player_Owns_TA).
2. Enable and reset applicable timers for Player_Takes_TA (094E3ACC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TA (094E3C3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14129, Events line 14507, Actions line 14885.

201. TD_ChangeHouse - 0BFE86FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TA (094E3ACC); enable from Player_Takes_TF (0C13364C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.
2. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 16 (country/type PPAD COUNTRY; placed owner PPADHouse).
2. Enable and reset applicable timers for TD_Change_Guard1 (0BF5E44C).
3. Disable TD_ChangeHouse (0BFE86FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14130, Events line 14508, Actions line 14886.

202. TA_Snipers - 0BC69E1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TA (094E3ACC).

Attached scope: tag definitions 0BC69BDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TA_Snipers (0BC6D60C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14131, Events line 14509, Actions line 14887.

203. TA_Engineers - 0BBFFDAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TA (094E3ACC).

Attached scope: tag definitions 0BBFFCCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Yuri_TB_TA_Engineer (0B8E2DCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14132, Events line 14510, Actions line 14888.

204. Yuri_Taunt_1 - 0B2AF2FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TA (094E3ACC); enable from Player_Takes_TB (094D681C); enable from Player_Takes_TC (06BDA0EC); enable from Player_Takes_TD (0B30121C); enable from Player_Takes_TE (045C109C); enable from Player_Takes_TF (0C13364C).

Attached scope: tag definitions 0B2AB22C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA3_YuriTaunt.
2. Enable and reset applicable timers for Sniper_hint (0967142C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14133, Events line 14511, Actions line 14889.

205. TD_Change_Guard1 - 0BF5E44C

Owner reference: PPAD Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_ChangeHouse (0BFE86FC).

Incoming activation links: enable from TD_ChangeHouse (0BFE86FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt1 (096586BC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Gatt2 (09650B4C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init1 (0967732C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init2 (0967092C).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init3 (0967047C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Init4 (0967028C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher1 (09663E5C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher2 (096639AC).
9. Enable and reset applicable timers for TD_Change_Guard2 (0BF582FC).
10. Disable TD_Change_Guard1 (0BF5E44C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14134, Events line 14512, Actions line 14890.

206. Sniper_hint - 0967142C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Taunt_1 (0B2AF2FC).

Attached scope: tag definitions 09672F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA3_EvaSnipersComing.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14135, Events line 14513, Actions line 14891.

207. TD_Change_Guard2 - 0BF582FC

Owner reference: PPAD Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Change_Guard1 (0BF5E44C).

Incoming activation links: enable from TD_Change_Guard1 (0BF5E44C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Lasher3 (09661CDC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Virus (0967699C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri1 (09668E2C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TD_Yuri2 (0966897C).
5. Enable and reset applicable timers for TD_Becomes_AD_1 (096AB93C).
6. Disable TD_Change_Guard2 (0BF582FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14136, Events line 14514, Actions line 14892.

208. TD_Becomes_AD_1 - 096AB93C

Owner reference: PPAD Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Change_Guard2 (0BF582FC).

Incoming activation links: enable from TD_Change_Guard2 (0BF582FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AD_Gatt1 (096AAEFC).
2. Create/recruit team TEAM_AD_Gatt2 (096AA94C).
3. Create/recruit team TEAM_AD_Init1 (096AA3FC).
4. Create/recruit team TEAM_AD_Init2 (096AEC8C).
5. Create/recruit team TEAM_AD_Init3 (096AE8EC).
6. Create/recruit team TEAM_AD_Init4 (096A9BDC).
7. Create/recruit team TEAM_AD_Lasher1 (096A97BC).
8. Create/recruit team TEAM_AD_Lasher2 (096A939C).
9. Enable and reset applicable timers for TD_Becomes_AD_2 (096BABFC).
10. Disable TD_Becomes_AD_1 (096AB93C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14137, Events line 14515, Actions line 14893.

209. TD_Becomes_AD_2 - 096BABFC

Owner reference: PPAD Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TD_Becomes_AD_1 (096AB93C).

Incoming activation links: enable from TD_Becomes_AD_1 (096AB93C).

Attached scope: tag definitions 0967EAEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AD_Lasher3 (096A926C).
2. Create/recruit team TEAM_AD_Virus (096B678C).
3. Create/recruit team TEAM_AD_Yuri1 (096B1C0C).
4. Create/recruit team TEAM_AD_Yuri2 (096B62DC).

5. Enable and reset applicable timers for TC_ChangeHouse (095F27CC).
6. Disable TD_Becomes_AD_2 (096BABFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14138, Events line 14516, Actions line 14894.

210. PlantA1_Gone - 094FC1DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Power Plant (GAPOWR), owner Americans, cell (125, 138), tag 094FDEAC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 36 (PlantA1_Gone).
2. Disable PlantA1_Gone (094FC1DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14139, Events line 14517, Actions line 14895.

211. PlantA2_Gone - 045ED3AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Power Plant (GAPOWR), owner Americans, cell (123, 139), tag 045EEA4C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 37 (PlantA2_Gone).
2. Disable PlantA2_Gone (045ED3AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14140, Events line 14518, Actions line 14896.

212. PlantTB_Gone - 06B3ED3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_TB (0D66427C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTB exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 33 (PlantTB_Gone).
2. Clear local flag 29 (Player_Owns_TB).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TB (094D681C).
5. Disable Yuri_Takes_TB (094D672C).
6. Disable PlantTB_Gone (06B3ED3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14141, Events line 14519, Actions line 14897.

213. Player_Takes_TB - 094D681C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantTB_Gone (06B3ED3C).

Incoming activation links: enable from Yuri_Takes_TB (094D672C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 29 (Player_Owns_TB).

2. Enable and reset applicable timers for Yuri_Takes_TB (094D672C).
3. Enable and reset applicable timers for TB_Snipers (0BC6D8BC).
4. Enable and reset applicable timers for TB_Engineers (0BC5FF3C).
5. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).
6. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
7. Disable Player_Takes_TB (094D681C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14142, Events line 14520, Actions line 14898.

214. Yuri_Takes_TB - 094D672C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_TB (094D681C).

Incoming activation links: enable from Player_Takes_TB (094D681C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 29 (Player_Owns_TB).
2. Enable and reset applicable timers for Player_Takes_TB (094D681C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TB (094D672C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14143, Events line 14521, Actions line 14899.

215. TB_Snipers - 0BC6D8BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TB (094D681C).

Attached scope: tag definitions 0BC6BB9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TB_Snipers (0BC6AC4C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14144, Events line 14522, Actions line 14900.

216. TB_Engineers - 0BC5FF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TB (094D681C).

Attached scope: tag definitions 0BC5FA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Yuri_FA_TB_Engineer (0BBFB72C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14145, Events line 14523, Actions line 14901.

217. PlantTC_Gone - 094F204C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_TC (0D665F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTC exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 34 (PlantTC_Gone).
2. Clear local flag 30 (Player_Owns_TC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TC (06BDA0EC).
5. Disable Yuri_Takes_TC (06BDA1DC).
6. Disable PlantTC_Gone (094F204C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14146, Events line 14524, Actions line 14902.

218. Player_Takes_TC - 06BDA0EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TC (06BDA1DC).

Incoming activation links: enable from Yuri_Takes_TC (06BDA1DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 30 (Player_Owns_TC).
2. Enable and reset applicable timers for Yuri_Takes_TC (06BDA1DC).
3. Enable and reset applicable timers for TA_Change_House (0DD2EADC).
4. Enable and reset applicable timers for Send_AA_Engineer (0A9A417C).
5. Enable and reset applicable timers for TC_Snipers (095D49DC).
6. Enable and reset applicable timers for TC_Engineers (095D421C).
7. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).
8. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
9. Disable Player_Takes_TC (06BDA0EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14147, Events line 14525, Actions line 14903.

219. Yuri_Takes_TC - 06BDA1DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantTC_Gone (094F204C).

Incoming activation links: enable from Player_Takes_TC (06BDA0EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 30 (Player_Owns_TC).
2. Enable and reset applicable timers for Player_Takes_TC (06BDA0EC).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TC (06BDA1DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14148, Events line 14526, Actions line 14904.

220. TC_Snipers - 095D49DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TC (06BDA0EC).

Attached scope: tag definitions 095D448C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TC_Snipers (0954544C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14149, Events line 14527, Actions line 14905.

221. TC_Engineers - 095D421C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TC (06BDA0EC).

Attached scope: tag definitions 095D413C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TC_Engineer (0C94E2DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14150, Events line 14528, Actions line 14906.

222. PlantTD_Gone - 0B30790C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_TD (0D665C0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTD exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 35 (PlantTD_Gone).
2. Clear local flag 31 (Player_Owns_TD).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TD (0B30121C).
5. Disable Yuri_Takes_TD (0B30112C).
6. Disable PlantTD_Gone (0B30790C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14151, Events line 14529, Actions line 14907.

223. Player_Takes_TD - 0B30121C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantTD_Gone (0B30790C).

Incoming activation links: enable from Yuri_Takes_TD (0B30112C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 31 (Player_Owns_TD).
2. Enable and reset applicable timers for Yuri_Takes_TD (0B30112C).
3. Enable and reset applicable timers for TB_AB_ChangeHouse (0966845C).
4. Enable and reset applicable timers for TD_Snipers (0B6EAE0C).
5. Enable and reset applicable timers for TD_Engineers (0BF9F64C).
6. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).
7. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
8. Disable Player_Takes_TD (0B30121C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14152, Events line 14530, Actions line 14908.

224. Yuri_Takes_TD - 0B30112C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_TD (0B30121C).

Incoming activation links: enable from Player_Takes_TD (0B30121C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 31 (Player_Owns_TD).
2. Enable and reset applicable timers for Player_Takes_TD (0B30121C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TD (0B30112C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14153, Events line 14531, Actions line 14909.

225. TB_AB_ChangeHouse - 0966845C

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TD (0B30121C); enable from Player_Takes_TE (045C109C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 25 (Player_Owns_AB) is set.
2. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: clear local flag 25 (Player_Owns_AB) at PlantAB_Gone (093BE2FC); set local flag 25 (Player_Owns_AB) at Player_Takes_AB (0CF8179C); clear local flag 25 (Player_Owns_AB) at Yuri_Takes_AB (0CF8110C); set local flag 25 (Player_Owns_AB) at Set_Locals (06B6627C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. All change house: owner selector 3 (country/type GERMANS; placed owner Germans).
2. Enable and reset applicable timers for TB_Change_AB_1 (09681F3C).
3. Disable TB_AB_ChangeHouse (0966845C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14154, Events line 14532, Actions line 14910.

226. TD_Snipers - 0B6EAE0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TD (0B30121C).

Attached scope: tag definitions 0B6EAD2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TD_Snipers (0B6EF9BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14155, Events line 14533, Actions line 14911.

227. TD_Engineers - 0BF9F64C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TD (0B30121C).

Attached scope: tag definitions 0BF98E1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Yuri_TC_TD_Engineers (0B8DF08C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14156, Events line 14534, Actions line 14912.

228. TB_Change_AB_1 - 09681F3C

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_AB_ChangeHouse (0966845C).

Incoming activation links: enable from TB_AB_ChangeHouse (0966845C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Gatt1 (0AFC2DCC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Gatt2 (0AFC322C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init1 (0AFC4EFC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init2 (0AFC4CBC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init3 (0AFC4A7C).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Init4 (0AFC483C).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher1 (0AFC45FC).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher2 (0AFC43BC).
9. Enable and reset applicable timers for TB_Change_AB_2 (096813FC).
10. Disable TB_Change_AB_1 (09681F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14157, Events line 14535, Actions line 14913.

229. TB_Change_AB_2 - 096813FC

Owner reference: Nod. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Change_AB_1 (09681F3C).

Incoming activation links: enable from TB_Change_AB_1 (09681F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Lasher3 (0AFC417C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Virus (0AFC372C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Yuri1 (0AFC34EC).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TB_Yuri2 (0AFC59AC).
5. Enable and reset applicable timers for TB_Becomes_AB_1 (0967B85C).
6. Disable TB_Change_AB_2 (096813FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14158, Events line 14536, Actions line 14914.

230. TB_Becomes_AB_1 - 0967B85C

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Change_AB_2 (096813FC).

Incoming activation links: enable from TB_Change_AB_2 (096813FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AB_Gatt1 (0967B39C).

2. Create/recruit team TEAM_AB_Gatt2 (0967E61C).
3. Create/recruit team TEAM_AB_Init1 (0967FB7C).
4. Create/recruit team TEAM_AB_Init2 (0967F51C).
5. Create/recruit team TEAM_AB_Init3 (0966041C).
6. Create/recruit team TEAM_AB_Init4 (0966954C).
7. Create/recruit team TEAM_AB_Lasher1 (09683A4C).
8. Create/recruit team TEAM_AB_Lasher2 (0968359C).
9. Enable and reset applicable timers for TB_Becomes_AB_2 (09684AFC).
10. Disable TB_Becomes_AB_1 (0967B85C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14159, Events line 14537, Actions line 14915.

231. TB_Becomes_AB_2 - 09684AFC

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TB_Becomes_AB_1 (0967B85C).

Incoming activation links: enable from TB_Becomes_AB_1 (0967B85C).

Attached scope: tag definitions 09669F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_AB_Lasher3 (09685EFC).
2. Create/recruit team TEAM_AB_Virus (09685ADC).
3. Create/recruit team TEAM_AB_Yuri1 (096856BC).
4. Create/recruit team TEAM_AB_Yuri2 (0968529C).
5. Enable and reset applicable timers for French_Change_House (0BB3B28C).
6. Enable and reset applicable timers for Send_AB_Engineer (0963461C).
7. Disable TB_Becomes_AB_2 (09684AFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14160, Events line 14538, Actions line 14916.

232. Send_AB_Engineer - 0963461C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from TB_Becomes_AB_2 (09684AFC).

Attached scope: tag definitions 09635F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AB_Engineer (095C2E1C).
2. Disable Send_AB_Engineer (0963461C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14161, Events line 14539, Actions line 14917.

233. PlantTE_Gone - 045D673C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Plant_TE (0D6658DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTE exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 38 (PlantTE_Gone).
2. Clear local flag 40 (Player_Owns_TE).

3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TE (045C109C).
5. Disable Yuri_Takes_TE (045C3E3C).
6. Disable PlantTE_Gone (045D673C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14162, Events line 14540, Actions line 14918.

234. Player_Takes_TE - 045C109C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: PlantTE_Gone (045D673C).

Incoming activation links: enable from Yuri_Takes_TE (045C3E3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 40 (Player_Owns_TE).
2. Enable and reset applicable timers for Yuri_Takes_TE (045C3E3C).
3. Enable and reset applicable timers for TB_AB_ChangeHouse (0966845C).
4. Enable and reset applicable timers for TE_Snipers (0BCAB56C).
5. Enable and reset applicable timers for TE_Engineers (0BC627BC).
6. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).
7. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
8. Disable Player_Takes_TE (045C109C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14163, Events line 14541, Actions line 14919.

235. Yuri_Takes_TE - 045C3E3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_TE (045C109C).

Incoming activation links: enable from Player_Takes_TE (045C109C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 40 (Player_Owns_TE).
2. Enable and reset applicable timers for Player_Takes_TE (045C109C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TE (045C3E3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14164, Events line 14542, Actions line 14920.

236. TE_Snipers - 0BCAB56C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TE (045C109C).

Attached scope: tag definitions 0BCA354C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TE_Snipers (0BCB4A1C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14165, Events line 14543, Actions line 14921.

237. TE_Engineers - 0BC627BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TE (045C109C).

Attached scope: tag definitions 0BC6223C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Yuri_TF_TE_Engineer (0B8E268C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14166, Events line 14544, Actions line 14922.

238. Create_PP2_Team_B - 0C50D81C

Owner reference: Nod. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DD2785C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TB_Virus (0AFC372C).
2. Create/recruit team TEAM_TB_Yuri1 (0AFC34EC).
3. Create/recruit team TEAM_TB_Yuri2 (0AFC59AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14167, Events line 14545, Actions line 14923.

239. Create_PP3_Team_B - 0967D64C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0967CDAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TC_Lasher3 (06C6E0FC).
2. Create/recruit team TEAM_TC_Virus (06C6B95C).
3. Create/recruit team TEAM_TC_Yuri1 (06C6B53C).
4. Create/recruit team TEAM_TC_Yuri2 (06C6B11C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14168, Events line 14546, Actions line 14924.

240. Create_PP4_Team_A - 06AE771C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06AE72AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TD_Gatt1 (096586BC).
2. Create/recruit team TEAM_TD_Gatt2 (09650B4C).
3. Create/recruit team TEAM_TD_Lasher1 (09663E5C).
4. Create/recruit team TEAM_TD_Lasher2 (096639AC).
5. Create/recruit team TEAM_TD_Lasher3 (09661CDC).
6. Create/recruit team TEAM_TD_Yuri1 (09668E2C).
7. Create/recruit team TEAM_TD_Yuri2 (0966897C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14169, Events line 14547, Actions line 14925.

241. Create_PP5_Team_A - 096FCB2C

Owner reference: GDI. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096FDC0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Gatt1 (0C0B821C).
2. Create/recruit team TEAM_TE_Gatt2 (09502E2C).
3. Create/recruit team TEAM_TE_Init1 (0950297C).
4. Create/recruit team TEAM_TE_Init2 (0950251C).
5. Create/recruit team TEAM_TE_Init3 (095020BC).
6. Create/recruit team TEAM_TE_Init4 (0950D50C).
7. Create/recruit team TEAM_TE_Lasher1 (0950D16C).
8. Create/recruit team TEAM_TE_Lasher2 (0950D03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14170, Events line 14548, Actions line 14926.

242. Create_PP5_Team_B - 096FDB1C

Owner reference: GDI. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096F9B2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Lasher3 (0950F66C).
2. Create/recruit team TEAM_TE_Virus (0950F20C).
3. Create/recruit team TEAM_TE_Yuri1 (0950EC8C).
4. Create/recruit team TEAM_TE_Yuri2 (0950E65C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14171, Events line 14549, Actions line 14927.

243. Create_PP6_Team_A - 0978180C

Owner reference: PPTF Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09782C0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Gatt1 (095B536C).
2. Create/recruit team TEAM_TF_Gatt2 (095B6D7C).
3. Create/recruit team TEAM_TF_Init1 (095B68CC).
4. Create/recruit team TEAM_TF_Init2 (095B606C).
5. Create/recruit team TEAM_TF_Init3 (095B7C0C).
6. Create/recruit team TEAM_TF_Init4 (095B782C).
7. Create/recruit team TEAM_TE_Lasher1 (0950D16C).
8. Create/recruit team TEAM_TF_Lasher2 (0BA5FC1C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14172, Events line 14550, Actions line 14928.

244. Create_PP6_Team_B - 09782B1C

Owner reference: PPTF Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097824DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TF_Lasher3 (095B706C).
2. Create/recruit team TEAM_TF_Virus (095B8A4C).
3. Create/recruit team TEAM_TF_Yuri1 (095B859C).
4. Create/recruit team TEAM_TF_Yuri2 (095B813C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14173, Events line 14551, Actions line 14929.

245. Create_Yuri_BD - 0972627C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097278FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_YuriBD1 (04646B6C).
2. Create/recruit team TEAM_YuriBD2 (046465FC).
3. Create/recruit team TEAM_YuriBD3 (0464781C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14174, Events line 14552, Actions line 14930.

246. MakeCheer - 0C61DD8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_Gone (0C61D62C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14175, Events line 14553, Actions line 14931.

247. WeWin - 0C61D87C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: MakeCheer (0C61DD8C).

Incoming activation links: enable from Nuke_Gone (0C61D62C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14176, Events line 14554, Actions line 14932.

248. Nuke_Gone - 0C61D62C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: WeWin (0C61D87C).

Attached scope: Nuclear Missile Silo (NAMISL), owner YuriCountry, cell (48, 89), tag 0C61D96C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for MakeCheer (0C61DD8C).
2. Enable and reset applicable timers for WeWin (0C61D87C).
3. Disable Nuke_Gone (0C61D62C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14177, Events line 14555, Actions line 14933.

249. Player_Takes_TF - 0C13364C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Takes_TF (0C11F15C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 41 (Player_Owns_TF).
2. Enable and reset applicable timers for Yuri_Takes_TF (0C11F15C).
3. Enable and reset applicable timers for TD_ChangeHouse (0BFE86FC).
4. Enable and reset applicable timers for TF_Snipers (0BC6993C).
5. Enable and reset applicable timers for TF_Engineers (0929A19C).
6. Enable and reset applicable timers for Yuri_Taunt_1 (0B2AF2FC).
7. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
8. Disable Player_Takes_TF (0C13364C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14178, Events line 14556, Actions line 14934.

250. Yuri_Takes_TF - 0C11F15C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Player_Takes_TF (0C13364C).

Incoming activation links: enable from Player_Takes_TF (0C13364C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. local flag 41 (Player_Owns_TF) is set.

Flag writers in this mission: set local flag 41 (Player_Owns_TF) at Player_Takes_TF (0C13364C); clear local flag 41 (Player_Owns_TF) at Yuri_Takes_TF (0C11F15C); clear local flag 41 (Player_Owns_TF) at PlantTF_Gone (09881BAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 41 (Player_Owns_TF).
2. Enable and reset applicable timers for Player_Takes_TF (0C13364C).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Yuri_Takes_TF (0C11F15C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14179, Events line 14557, Actions line 14935.

251. TF_Snipers - 0BC6993C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TF (0C13364C).

Attached scope: tag definitions 0BC693BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TF_Snipers (0BC4EDAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14180, Events line 14558, Actions line 14936.

252. TF_Engineers - 0929A19C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Takes_TF (0C13364C).

Attached scope: tag definitions 0929BC0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Yuri_FB_TF_Engineer (0B8E22EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14181, Events line 14559, Actions line 14937.

253. PlantTF_Gone - 09881BAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TF (0C11F15C).

Incoming activation links: enable from Enable_Plant_TF (0D6655AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of CAPOWRTF exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 39 (PlantTF_Gone).
2. Clear local flag 41 (Player_Owns_TF).
3. Enable and reset applicable timers for Yuri_Power_Low (0BF257BC).
4. Disable Player_Takes_TF (0C13364C).
5. Disable Yuri_Takes_TF (0C11F15C).
6. Disable PlantTF_Gone (09881BAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14182, Events line 14560, Actions line 14938.

254. PlantAC_Notice - 0B67D83C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B67FEAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 59 (cell 155, 118).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14183, Events line 14561, Actions line 14939.

255. PlayerLose - 0BE20ACC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BE2051C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14184, Events line 14562, Actions line 14940.

256. Give_Player_Radar - 0BFA3F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enter_Needle (0BFA668C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Give_Player_Radar (0BFA3F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14185, Events line 14563, Actions line 14941.

257. Enter_Needle - 0BFA668C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Exit_Needle (0B7BAC0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Give_Player_Radar (0BFA3F3C).
2. Enable and reset applicable timers for Exit_Needle (0B7BAC0C).
3. Disable Enter_Needle (0BFA668C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14186, Events line 14564, Actions line 14942.

258. Exit_Needle - 0B7BAC0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Medium_Enter (092C7F3C).

Incoming activation links: enable from Enter_Needle (0BFA668C).

Attached scope: Seattle Space Needle (CASEAT01), owner Neutral, cell (109, 123), tag 0BFA637C, persistence mode 2.

Wait for the recorded events:

1. Building does not exist: type index 341 (global list position: Alcatraz (CASANF05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Take_Away_Radar (0B7BCAAC).
2. Enable and reset applicable timers for Enter_Needle (0BFA668C).
3. Disable Exit_Needle (0B7BAC0C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14187, Events line 14565, Actions line 14943.

259. Medium_Enter - 092C7F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Easy_Enter (092589AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 520 (cell 101, 58).
2. Reveal terrain around waypoint 521 (cell 90, 72).
3. Reveal terrain around waypoint 522 (cell 90, 107).
4. Reveal terrain around waypoint 523 (cell 109, 109).

5. Reveal terrain around waypoint 524 (cell 84, 134).
6. Reveal terrain around waypoint 525 (cell 65, 113).
7. Play sound RadarOn.
8. Disable Medium_Enter (092C7F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14188, Events line 14566, Actions line 14944.

260. Take_Away_Radar - 0B7BCAAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Give_Player_Radar (0BFA3F3C).

Incoming activation links: enable from Exit_Needle (0B7BAC0C).

Attached scope: Air Force Command Headquarters (GAAIRC), owner Neutral, cell (170, 108), tag 0BFA6C7C, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Take_Away_Radar (0B7BCAAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14189, Events line 14567, Actions line 14945.

261. Easy_Enter - 092589AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Enter_Needle (0BFA668C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal the whole map.
2. Play sound SpyUplinkOn.
3. Disable Easy_Enter (092589AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14190, Events line 14568, Actions line 14946.

262. Check_Russia_Status - 0961FB5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0961F54C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. local flag 46 (Russia_Gone) is clear.

Flag writers in this mission: set local flag 46 (Russia_Gone) at Check_Russia_Status (0961FB5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 46 (Russia_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14191, Events line 14569, Actions line 14947.

263. Check_Nod_Status - 0961F45C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096195EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 11 (country/type NOD; placed owner Nod).
2. local flag 45 (Nod_Gone) is clear.

Flag writers in this mission: set local flag 45 (Nod_Gone) at Check_Nod_Status (0961F45C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 45 (Nod_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14192, Events line 14570, Actions line 14948.

264. Check_Confed_Status - 097E4A8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097E44DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 48 (Confed_Gone) is clear.
2. Destroyed, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).

Flag writers in this mission: set local flag 48 (Confed_Gone) at Check_Confed_Status (097E4A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 48 (Confed_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14193, Events line 14571, Actions line 14949.

265. Check_Arab_Status - 097E43EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097E411C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 47 (Arabs_Gone) is clear.
2. Destroyed, All: owner selector 6 (country/type ARABS; placed owner Arabs).

Flag writers in this mission: set local flag 47 (Arabs_Gone) at Check_Arab_Status (097E43EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 47 (Arabs_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14194, Events line 14572, Actions line 14950.

266. Check_GDI_Status - 097C766C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097C2D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 49 (GDI_Gone) is clear.
2. Destroyed, All: owner selector 10 (country/type GDI; placed owner GDI).

Flag writers in this mission: set local flag 49 (GDI_Gone) at Check_GDI_Status (097C766C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 49 (GDI_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14195, Events line 14573, Actions line 14951.

267. Check_PPTF_Status - 09761A8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0976119C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 43 (PPTF_Gone) is clear.
2. Destroyed, All: owner selector 14 (country/type PPTF COUNTRY; placed owner PPTFHouse).

Flag writers in this mission: set local flag 43 (PPTF_Gone) at Frnch_Become_TB2 (0D5B6D9C); set local flag 43 (PPTF_Gone) at Check_PPTF_Status (09761A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 43 (PPTF_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14196, Events line 14574, Actions line 14952.

268. Check_Backup1_Stat - 0DADB03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DADDB0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type BACKUP1 COUNTRY; placed owner Backup1House).
2. local flag 11 (Backup1_Gone) is clear.

Flag writers in this mission: set local flag 11 (Backup1_Gone) at Check_Backup1_Stat (0DADB03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 11 (Backup1_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14197, Events line 14575, Actions line 14953.

269. TF_TE_DestroyTeam2 - 096E6B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TE_DestroyTeam1 (096E6C8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14198, Events line 14576, Actions line 14954.

270. TF_Becomes_TE_1 - 096E6AAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_TE_DestroyTeam2 (096E6B9C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14199, Events line 14577, Actions line 14955.

271. TF_Becomes_TE_2 - 096E69BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TF_Becomes_TE_1 (096E6AAC).

Attached scope: tag definitions 096E6D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14200, Events line 14578, Actions line 14956.

272. TC_TE_DestroyTeam1 - 096E75DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TE_ChangeHouse (0C0DE0DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt1 (0967471C).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Gatt2 (09675EFC).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init1 (09675B1C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init2 (096756FC).
5. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init3 (0BE0D2BC).
6. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Init4 (06C6FEFC).
7. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher1 (06C6F82C).
8. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher2 (06C6F21C).
9. Enable and reset applicable timers for TC_TE_DestroyTeam2 (096E74EC).
10. Disable TC_TE_DestroyTeam1 (096E75DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14201, Events line 14579, Actions line 14957.

273. TC_TE_DestroyTeam2 - 096E74EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TE_DestroyTeam1 (096E75DC).

Incoming activation links: enable from TC_TE_DestroyTeam1 (096E75DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Lasher3 (06C6E0FC).
2. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Virus (06C6B95C).
3. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri1 (06C6B53C).
4. Remove instances of the team organization (not automatically its surviving objects) TEAM_TC_Yuri2 (06C6B11C).
5. Enable and reset applicable timers for TC_Becomes_TE_1 (096E73FC).
6. Disable TC_TE_DestroyTeam2 (096E74EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14202, Events line 14580, Actions line 14958.

274. TC_Becomes_TE_1 - 096E73FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_TE_DestroyTeam2 (096E74EC).

Incoming activation links: enable from TC_TE_DestroyTeam2 (096E74EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Gatt1 (0C0B821C).
2. Create/recruit team TEAM_TE_Gatt2 (09502E2C).
3. Create/recruit team TEAM_TE_Init1 (0950297C).
4. Create/recruit team TEAM_TE_Init2 (0950251C).
5. Create/recruit team TEAM_TE_Init3 (095020BC).

6. Create/recruit team TEAM_TE_Init4 (0950D50C).
7. Create/recruit team TEAM_TE_Lasher1 (0950D16C).
8. Create/recruit team TEAM_TE_Lasher2 (0950D03C).
9. Enable and reset applicable timers for TC_Becomes_TE_2 (096E730C).
10. Disable TC_Becomes_TE_1 (096E73FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14203, Events line 14581, Actions line 14959.

275. TC_Becomes_TE_2 - 096E730C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: TC_Becomes_TE_1 (096E73FC).

Incoming activation links: enable from TC_Becomes_TE_1 (096E73FC).

Attached scope: tag definitions 0C0DF60C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TEAM_TE_Lasher3 (0950F66C).
2. Create/recruit team TEAM_TE_Virus (0950F20C).
3. Create/recruit team TEAM_TE_Yuri1 (0950EC8C).
4. Create/recruit team TEAM_TE_Yuri2 (0950E65C).
5. Disable TC_Becomes_TE_2 (096E730C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14204, Events line 14582, Actions line 14960.

276. Check_French_Status - 096C58BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096C533C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 44 (French_Gone) is clear.
2. Destroyed, All: owner selector 2 (country/type FRENCH; placed owner French).

Flag writers in this mission: set local flag 44 (French_Gone) at Check_French_Status (096C58BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 44 (French_Gone).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14205, Events line 14583, Actions line 14961.

277. Nuke_AA_True - 094F5C2C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_Timer_PP (094DE72C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Player_Owns_AA) is set.
2. local flag 4 (Nuked_PPAA) is clear.
3. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: clear local flag 5 (Player_Owns_AA) at PlantAA_Gone (093BEEDC); set local flag 5 (Player_Owns_AA) at Player_Takes_AA (0945ABBC); clear local flag 5 (Player_Owns_AA) at Yuri_Takes_AA (0945934C); set local flag 5 (Player_Owns_AA) at Set_Locals (06B6627C); set local flag 4 (Nuked_PPAA) at Nuke_AA_True (094F5C2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AA_False (094F5A5C).
2. Disable Nuke_AA_False2 (043A430C).

3. Preferred Target Cell Clear; main setting 26; location/duration field AA.
4. Preferred Target Cell Set; main setting 26; location/duration field AA.
5. Set local flag 4 (Nuked_PPAA).
6. Disable Nuke_AA_True (094F5C2C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14206, Events line 14584, Actions line 14962.

278. Nuke_AA_False - 094F5A5C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AA_True (094F5C2C).

Incoming activation links: enable from Nuke_Timer_PP (094DE72C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Player_Owns_AA) is clear.
2. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: clear local flag 5 (Player_Owns_AA) at PlantAA_Gone (093BEEDC); set local flag 5 (Player_Owns_AA) at Player_Takes_AA (0945ABBC); clear local flag 5 (Player_Owns_AA) at Yuri_Takes_AA (0945934C); set local flag 5 (Player_Owns_AA) at Set_Locals (06B6627C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AA_True (094F5C2C).
2. Enable and reset applicable timers for Nuke_AB_True (094F596C).
3. Enable and reset applicable timers for Nuke_AB_False (094F587C).
4. Enable and reset applicable timers for Nuke_AB_False2 (0D4FBBDC).
5. Disable Nuke_AA_False2 (043A430C).
6. Disable Nuke_AA_False (094F5A5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14207, Events line 14585, Actions line 14963.

279. Nuke_AA_False2 - 043A430C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TF_False (094F68AC).

Incoming activation links: enable from Nuke_Timer_PP (094DE72C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (Nuked_PPAA) is set.
2. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 4 (Nuked_PPAA) at Nuke_AA_True (094F5C2C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AA_True (094F5C2C).
2. Disable Nuke_AA_False (094F5A5C).
3. Enable and reset applicable timers for Nuke_AB_True (094F596C).
4. Enable and reset applicable timers for Nuke_AB_False (094F587C).
5. Enable and reset applicable timers for Nuke_AB_False2 (0D4FBBDC).
6. Disable Nuke_AA_False2 (043A430C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14208, Events line 14586, Actions line 14964.

280. Nuke_AB_True - 094F596C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AA_False (094F5A5C).

Incoming activation links: enable from Nuke_AA_False (094F5A5C); enable from Nuke_AA_False2 (043A430C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 25 (Player_Owns_AB) is set.
2. local flag 6 (Nuked_PPAB) is clear.

Flag writers in this mission: clear local flag 25 (Player_Owns_AB) at PlantAB_Gone (093BE2FC); set local flag 25 (Player_Owns_AB) at Player_Takes_AB (0CF8179C); clear local flag 25 (Player_Owns_AB) at Yuri_Takes_AB (0CF8110C); set local flag 25 (Player_Owns_AB) at Set_Locals (06B6627C); set local flag 6 (Nuked_PPAB) at Nuke_AB_True (094F596C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AB_False (094F587C).
2. Disable Nuke_AB_False2 (0D4FBBDC).
3. Preferred Target Cell Set; main setting 27; location/duration field AB.
4. Set local flag 6 (Nuked_PPAB).
5. Disable Nuke_AB_True (094F596C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14209, Events line 14587, Actions line 14965.

281. Nuke_AB_False - 094F587C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AB_True (094F596C).

Incoming activation links: enable from Nuke_AA_False (094F5A5C); enable from Nuke_AA_False2 (043A430C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 25 (Player_Owns_AB) is clear.

Flag writers in this mission: clear local flag 25 (Player_Owns_AB) at PlantAB_Gone (093BE2FC); set local flag 25 (Player_Owns_AB) at Player_Takes_AB (0CF8179C); clear local flag 25 (Player_Owns_AB) at Yuri_Takes_AB (0CF8110C); set local flag 25 (Player_Owns_AB) at Set_Locals (06B6627C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AB_True (094F596C).
2. Enable and reset applicable timers for Nuke_AC_True (094F578C).
3. Enable and reset applicable timers for Nuke_AC_False (094F569C).
4. Enable and reset applicable timers for Nuke_AC_False2 (0D4FBAEC).
5. Disable Nuke_AB_False2 (0D4FBBDC).
6. Disable Nuke_AB_False (094F587C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14210, Events line 14588, Actions line 14966.

282. Nuke_AB_False2 - 0D4FBBDC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AA_False2 (043A430C).

Incoming activation links: enable from Nuke_AA_False (094F5A5C); enable from Nuke_AA_False2 (043A430C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (Nuked_PPAB) is set.

Flag writers in this mission: set local flag 6 (Nuked_PPAB) at Nuke_AB_True (094F596C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AB_True (094F596C).
2. Disable Nuke_AB_False (094F587C).
3. Enable and reset applicable timers for Nuke_AC_True (094F578C).
4. Enable and reset applicable timers for Nuke_AC_False (094F569C).
5. Enable and reset applicable timers for Nuke_AC_False2 (0D4FBAEC).
6. Disable Nuke_AB_False2 (0D4FBBDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14211, Events line 14589, Actions line 14967.

283. Nuke_TF_False - 094F68AC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TF_True (094F699C).

Incoming activation links: enable from Nuke_TE_False (094F6A8C); enable from Nuke_TE_False2 (0D4FB54C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 41 (Player_Owns_TF) is clear.

Flag writers in this mission: set local flag 41 (Player_Owns_TF) at Player_Takes_TF (0C13364C); clear local flag 41 (Player_Owns_TF) at Yuri_Takes_TF (0C11F15C); clear local flag 41 (Player_Owns_TF) at PlantTF_Gone (09881BAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TF_True (094F699C).
2. Disable Nuke_TF_False2 (0D4FB45C).
3. Enable and reset applicable timers for Nuke_MA_True (094CED3C).
4. Enable and reset applicable timers for Nuke_MA_False (094CEB6C).
5. Disable Nuke_TF_True (094F699C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14212, Events line 14590, Actions line 14968.

284. Nuke_AC_True - 094F578C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AB_False (094F587C).

Incoming activation links: enable from Nuke_AB_False (094F587C); enable from Nuke_AB_False2 (0D4FBBDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 26 (Player_Owns_AC) is set.
2. local flag 18 (Nuked_PPAC) is clear.

Flag writers in this mission: clear local flag 26 (Player_Owns_AC) at PlantAC_Gone (093BFDDC); set local flag 26 (Player_Owns_AC) at Player_Takes_AC (06B5EC6C); clear local flag 26 (Player_Owns_AC) at Yuri_Takes_AC (06B5D04C); set local flag 18 (Nuked_PPAC) at Nuke_AC_True (094F578C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AC_False (094F569C).
2. Disable Nuke_AC_False2 (0D4FBAEC).
3. Preferred Target Cell Set; main setting 28; location/duration field AC.
4. Set local flag 18 (Nuked_PPAC).
5. Disable Nuke_AC_True (094F578C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14213, Events line 14591, Actions line 14969.

285. Nuke_AC_False - 094F569C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AC_True (094F578C).

Incoming activation links: enable from Nuke_AB_False (094F587C); enable from Nuke_AB_False2 (0D4FBBDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 26 (Player_Owns_AC) is clear.

Flag writers in this mission: clear local flag 26 (Player_Owns_AC) at PlantAC_Gone (093BFDDC); set local flag 26 (Player_Owns_AC) at Player_Takes_AC (06B5EC6C); clear local flag 26 (Player_Owns_AC) at Yuri_Takes_AC (06B5D04C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AC_True (094F578C).
2. Enable and reset applicable timers for Nuke_AD_True (094F55AC).
3. Enable and reset applicable timers for Nuke_AD_False (094F54BC).
4. Enable and reset applicable timers for Nuke_AD_False2 (0D4FB9FC).
5. Disable Nuke_AC_False2 (0D4FBAEC).
6. Disable Nuke_AC_False (094F569C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14214, Events line 14592, Actions line 14970.

286. Nuke_AC_False2 - 0D4FBAEC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AB_False2 (0D4FBBDC).

Incoming activation links: enable from Nuke_AB_False (094F587C); enable from Nuke_AB_False2 (0D4FBBDC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 18 (Nuked_PPAC) is set.

Flag writers in this mission: set local flag 18 (Nuked_PPAC) at Nuke_AC_True (094F578C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AC_True (094F578C).
2. Disable Nuke_AC_False (094F569C).
3. Enable and reset applicable timers for Nuke_AD_True (094F55AC).
4. Enable and reset applicable timers for Nuke_AD_False (094F54BC).
5. Enable and reset applicable timers for Nuke_AD_False2 (0D4FB9FC).
6. Disable Nuke_AC_False2 (0D4FBAEC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14215, Events line 14593, Actions line 14971.

287. Nuke_TF_True - 094F699C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TE_False (094F6A8C).

Incoming activation links: enable from Nuke_TE_False (094F6A8C); enable from Nuke_TE_False2 (0D4FB54C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 41 (Player_Owns_TF) is set.

Flag writers in this mission: set local flag 41 (Player_Owns_TF) at Player_Takes_TF (0C13364C); clear local flag 41 (Player_Owns_TF) at Yuri_Takes_TF (0C11F15C); clear local flag 41 (Player_Owns_TF) at PlantTF_Gone (09881BAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TF_False (094F68AC).
2. Disable Nuke_TF_False2 (0D4FB45C).
3. Preferred Target Cell Set; main setting 525; location/duration field TF.
4. Set local flag 54 (Nuked_PPTF).
5. Disable Nuke_TF_True (094F699C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14216, Events line 14594, Actions line 14972.

288. Nuke_TF_False2 - 0D4FB45C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TE_False2 (0D4FB54C).

Incoming activation links: enable from Nuke_TE_False (094F6A8C); enable from Nuke_TE_False2 (0D4FB54C).

Attached scope: tag definitions 094F5B4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 54 (Nuked_PPTF) is set.

Flag writers in this mission: set local flag 54 (Nuked_PPTF) at Nuke_TF_True (094F699C); set local flag 54 (Nuked_PPTF) at Nuke_TE_True (094F6B7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TF_True (094F699C).
2. Disable Nuke_TF_False (094F68AC).
3. Enable and reset applicable timers for Nuke_MA_True (094CED3C).
4. Enable and reset applicable timers for Nuke_MA_False (094CEB6C).
5. Disable Nuke_TF_False2 (0D4FB45C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14217, Events line 14595, Actions line 14973.

289. Nuke_MA_True - 094CED3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_TF_False (094F68AC); enable from Nuke_TF_False2 (0D4FB45C); enable from Nuke_Timer_Misc (094DE55C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Nuked_MA) is clear.

Flag writers in this mission: set local flag 13 (Nuked_MA) at Nuke_MA_True (094CED3C); clear local flag 13 (Nuked_MA) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MA_False (094CEB6C).
2. Preferred Target Cell Set; main setting 338; location/duration field MA.
3. Set local flag 13 (Nuked_MA).
4. Disable Nuke_MA_True (094CED3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14218, Events line 14596, Actions line 14974.

290. Nuke_MA_False - 094CEB6C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MA_True (094CED3C).

Incoming activation links: enable from Nuke_TF_False (094F68AC); enable from Nuke_TF_False2 (0D4FB45C); enable from Nuke_Timer_Misc (094DE55C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 13 (Nuked_MA) is set.

Flag writers in this mission: set local flag 13 (Nuked_MA) at Nuke_MA_True (094CED3C); clear local flag 13 (Nuked_MA) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MA_True (094CED3C).
2. Enable and reset applicable timers for Nuke_MB_True (094CEA7C).
3. Enable and reset applicable timers for Nuke_MB_False (094CE98C).
4. Disable Nuke_MA_False (094CEB6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14219, Events line 14597, Actions line 14975.

291. Nuke_AD_True - 094F55AC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AC_False (094F569C).

Incoming activation links: enable from Nuke_AC_False (094F569C); enable from Nuke_AC_False2 (0D4FBAEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 27 (Player_Owns_AD) is set.
2. local flag 42 (Nuked_PPAD) is clear.

Flag writers in this mission: clear local flag 27 (Player_Owns_AD) at PlantAD_Gone (093BF8FC); set local flag 27 (Player_Owns_AD) at Player_Takes_AD (094D82BC); clear local flag 27 (Player_Owns_AD) at Yuri_Takes_AD (094D9C5C); set local flag 27 (Player_Owns_AD) at Set_Locals (06B6627C); set local flag 42 (Nuked_PPAD) at Nuke_AD_True (094F55AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AD_False (094F54BC).
2. Disable Nuke_AD_False2 (0D4FB9FC).
3. Preferred Target Cell Set; main setting 29; location/duration field AD.
4. Set local flag 42 (Nuked_PPAD).
5. Disable Nuke_AD_True (094F55AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14220, Events line 14598, Actions line 14976.

292. Nuke_AD_False - 094F54BC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AD_True (094F55AC).

Incoming activation links: enable from Nuke_AC_False (094F569C); enable from Nuke_AC_False2 (0D4FBAEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 27 (Player_Owns_AD) is clear.

Flag writers in this mission: clear local flag 27 (Player_Owns_AD) at PlantAD_Gone (093BF8FC); set local flag 27 (Player_Owns_AD) at Player_Takes_AD (094D82BC); clear local flag 27 (Player_Owns_AD) at Yuri_Takes_AD (094D9C5C); set local flag 27 (Player_Owns_AD) at Set_Locals (06B6627C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AD_True (094F55AC).
2. Enable and reset applicable timers for Nuke_TA_True (094F53CC).
3. Enable and reset applicable timers for Nuke_TA_False (094F52DC).
4. Enable and reset applicable timers for Nuke_TA_False2 (0D4FB90C).
5. Disable Nuke_AD_False2 (0D4FB9FC).
6. Disable Nuke_AD_False (094F54BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14221, Events line 14599, Actions line 14977.

293. Nuke_AD_False2 - 0D4FB9FC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AC_False2 (0D4FBAEC).

Incoming activation links: enable from Nuke_AC_False (094F569C); enable from Nuke_AC_False2 (0D4FBAEC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 42 (Nuked_PPAD) is set.

Flag writers in this mission: set local flag 42 (Nuked_PPAD) at Nuke_AD_True (094F55AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_AD_True (094F55AC).
2. Disable Nuke_AD_False (094F54BC).
3. Enable and reset applicable timers for Nuke_TA_True (094F53CC).
4. Enable and reset applicable timers for Nuke_TA_False (094F52DC).
5. Enable and reset applicable timers for Nuke_TA_False2 (0D4FB90C).

6. Disable Nuke_AD_False2 (0D4FB9FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14222, Events line 14600, Actions line 14978.

294. Nuke_TE_False - 094F6A8C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TE_True (094F6B7C).

Incoming activation links: enable from Nuke_TD_False2 (0D4FB63C); enable from Nuke_TD_False (094F6C6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 40 (Player_Owns_TE) is clear.

Flag writers in this mission: clear local flag 40 (Player_Owns_TE) at PlantTE_Gone (045D673C); set local flag 40 (Player_Owns_TE) at Player_Takes_TE (045C109C); clear local flag 40 (Player_Owns_TE) at Yuri_Takes_TE (045C3E3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TE_True (094F6B7C).
2. Disable Nuke_TE_False2 (0D4FB54C).
3. Enable and reset applicable timers for Nuke_TF_True (094F699C).
4. Enable and reset applicable timers for Nuke_TF_False (094F68AC).
5. Enable and reset applicable timers for Nuke_TF_False2 (0D4FB45C).
6. Disable Nuke_TE_False (094F6A8C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14223, Events line 14601, Actions line 14979.

295. Nuke_TE_False2 - 0D4FB54C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TD_False2 (0D4FB63C).

Incoming activation links: enable from Nuke_TD_False2 (0D4FB63C); enable from Nuke_TD_False (094F6C6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 53 (Nuked_PPTE) is set.

Then perform these actions in order:

1. Disable Nuke_TE_True (094F6B7C).
2. Disable Nuke_TE_False (094F6A8C).
3. Enable and reset applicable timers for Nuke_TF_True (094F699C).
4. Enable and reset applicable timers for Nuke_TF_False (094F68AC).
5. Enable and reset applicable timers for Nuke_TF_False2 (0D4FB45C).
6. Disable Nuke_TE_False2 (0D4FB54C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14224, Events line 14602, Actions line 14980.

296. Nuke_MB_True - 094CEA7C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MA_False (094CEB6C).

Incoming activation links: enable from Nuke_MA_False (094CEB6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 16 (Nuked_MB) is clear.

Flag writers in this mission: set local flag 16 (Nuked_MB) at Nuke_MB_True (094CEA7C); clear local flag 16 (Nuked_MB) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MB_False (094CE98C).

2. Preferred Target Cell Set; main setting 339; location/duration field MB.
3. Set local flag 16 (Nuked_MB).
4. Disable Nuke_MB_True (094CEA7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14225, Events line 14603, Actions line 14981.

297. Nuke_MB_False - 094CE98C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MB_True (094CEA7C).

Incoming activation links: enable from Nuke_MA_False (094CEB6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 16 (Nuked_MB) is set.

Flag writers in this mission: set local flag 16 (Nuked_MB) at Nuke_MB_True (094CEA7C); clear local flag 16 (Nuked_MB) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MB_True (094CEA7C).
2. Enable and reset applicable timers for Nuke_MC_True (094CE89C).
3. Enable and reset applicable timers for Nuke_MC_False (094CE7AC).
4. Disable Nuke_MB_False (094CE98C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14226, Events line 14604, Actions line 14982.

298. Nuke_TA_True - 094F53CC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AD_False (094F54BC).

Incoming activation links: enable from Nuke_AD_False (094F54BC); enable from Nuke_AD_False2 (0D4FB9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Player_Owns_TA) is set.
2. local flag 10 (Nuked_PPTA) is clear.

Flag writers in this mission: clear local flag 28 (Player_Owns_TA) at PlantTA_Gone (094E203C); set local flag 28 (Player_Owns_TA) at Player_Takes_TA (094E3ACC); clear local flag 28 (Player_Owns_TA) at Yuri_Takes_TA (094E3C3C); set local flag 10 (Nuked_PPTA) at Nuke_TA_True (094F53CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TA_False (094F52DC).
2. Disable Nuke_TA_False2 (0D4FB90C).
3. Preferred Target Cell Set; main setting 520; location/duration field TA.
4. Set local flag 10 (Nuked_PPTA).
5. Disable Nuke_TA_True (094F53CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14227, Events line 14605, Actions line 14983.

299. Nuke_TA_False - 094F52DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TA_True (094F53CC).

Incoming activation links: enable from Nuke_AD_False (094F54BC); enable from Nuke_AD_False2 (0D4FB9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 28 (Player_Owns_TA) is clear.

Flag writers in this mission: clear local flag 28 (Player_Owns_TA) at PlantTA_Gone (094E203C); set local flag 28 (Player_Owns_TA) at Player_Takes_TA (094E3ACC); clear local flag 28 (Player_Owns_TA) at Yuri_Takes_TA (094E3C3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TA_True (094F53CC).
2. Enable and reset applicable timers for Nuke_TB_True (094F51EC).
3. Enable and reset applicable timers for Nuke_TB_False (094F50FC).
4. Enable and reset applicable timers for Nuke_TB_False2 (0D4FB81C).
5. Disable Nuke_TA_False2 (0D4FB90C).
6. Disable Nuke_TA_False (094F52DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14228, Events line 14606, Actions line 14984.

300. Nuke_TA_False2 - 0D4FB90C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_AD_False2 (0D4FB9FC).

Incoming activation links: enable from Nuke_AD_False (094F54BC); enable from Nuke_AD_False2 (0D4FB9FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 10 (Nuked_PPTA) is set.

Flag writers in this mission: set local flag 10 (Nuked_PPTA) at Nuke_TA_True (094F53CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TA_True (094F53CC).
2. Disable Nuke_TA_False (094F52DC).
3. Enable and reset applicable timers for Nuke_TB_True (094F51EC).
4. Enable and reset applicable timers for Nuke_TB_False (094F50FC).
5. Enable and reset applicable timers for Nuke_TB_False2 (0D4FB81C).
6. Disable Nuke_TA_False2 (0D4FB90C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14229, Events line 14607, Actions line 14985.

301. Nuke_TE_True - 094F6B7C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TD_False (094F6C6C).

Incoming activation links: enable from Nuke_TD_False2 (0D4FB63C); enable from Nuke_TD_False (094F6C6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 40 (Player_Owns_TE) is set.

Flag writers in this mission: clear local flag 40 (Player_Owns_TE) at PlantTE_Gone (045D673C); set local flag 40 (Player_Owns_TE) at Player_Takes_TE (045C109C); clear local flag 40 (Player_Owns_TE) at Yuri_Takes_TE (045C3E3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TE_False (094F6A8C).
2. Disable Nuke_TE_False2 (0D4FB54C).
3. Preferred Target Cell Set; main setting 524; location/duration field TE.
4. Set local flag 54 (Nuked_PPTF).
5. Disable Nuke_TE_True (094F6B7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14230, Events line 14608, Actions line 14986.

302. Nuke_TD_False2 - 0D4FB63C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TC_False2 (0D4FB72C).

Incoming activation links: enable from Nuke_TC_False2 (0D4FB72C); enable from Nuke_TC_False (094F6E4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 52 (Nuked_PPTD) is set.

Flag writers in this mission: set local flag 52 (Nuked_PPTD) at Nuke_TD_True (094F6D5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TD_True (094F6D5C).
2. Disable Nuke_TD_False (094F6C6C).
3. Enable and reset applicable timers for Nuke_TE_True (094F6B7C).
4. Enable and reset applicable timers for Nuke_TE_False (094F6A8C).
5. Enable and reset applicable timers for Nuke_TE_False2 (0D4FB54C).
6. Disable Nuke_TD_False2 (0D4FB63C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14231, Events line 14609, Actions line 14987.

303. Nuke_MC_True - 094CE89C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MB_False (094CE98C).

Incoming activation links: enable from Nuke_MB_False (094CE98C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (Nuked_MC) is clear.

Flag writers in this mission: set local flag 12 (Nuked_MC) at Nuke_MC_True (094CE89C); clear local flag 12 (Nuked_MC) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MC_False (094CE7AC).
2. Preferred Target Cell Set; main setting 340; location/duration field MC.
3. Set local flag 12 (Nuked_MC).
4. Disable Nuke_MC_True (094CE89C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14232, Events line 14610, Actions line 14988.

304. Nuke_MC_False - 094CE7AC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MC_True (094CE89C).

Incoming activation links: enable from Nuke_MB_False (094CE98C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 12 (Nuked_MC) is set.

Flag writers in this mission: set local flag 12 (Nuked_MC) at Nuke_MC_True (094CE89C); clear local flag 12 (Nuked_MC) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MC_True (094CE89C).
2. Enable and reset applicable timers for Nuke_MD_True (094CE6BC).
3. Enable and reset applicable timers for Nuke_MD_False (094CE5CC).
4. Disable Nuke_MC_False (094CE7AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14233, Events line 14611, Actions line 14989.

305. Nuke_TB_True - 094F51EC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TA_False (094F52DC).

Incoming activation links: enable from Nuke_TA_False (094F52DC); enable from Nuke_TA_False2 (0D4FB90C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Player_Owns_TB) is set.

Flag writers in this mission: clear local flag 29 (Player_Owns_TB) at PlantTB_Gone (06B3ED3C); set local flag 29 (Player_Owns_TB) at Player_Takes_TB (094D681C); clear local flag 29 (Player_Owns_TB) at Yuri_Takes_TB (094D672C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TB_False (094F50FC).
2. Disable Nuke_TB_False2 (0D4FB81C).
3. Preferred Target Cell Set; main setting 521; location/duration field TB.
4. Set local flag 50 (Nuked_PPTB).
5. Disable Nuke_TB_True (094F51EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14234, Events line 14612, Actions line 14990.

306. Nuke_TB_False - 094F50FC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TB_True (094F51EC).

Incoming activation links: enable from Nuke_TA_False (094F52DC); enable from Nuke_TA_False2 (0D4FB90C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Player_Owns_TB) is clear.

Flag writers in this mission: clear local flag 29 (Player_Owns_TB) at PlantTB_Gone (06B3ED3C); set local flag 29 (Player_Owns_TB) at Player_Takes_TB (094D681C); clear local flag 29 (Player_Owns_TB) at Yuri_Takes_TB (094D672C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TB_True (094F51EC).
2. Disable Nuke_TB_False2 (0D4FB81C).
3. Enable and reset applicable timers for Nuke_TC_True (094F6F3C).
4. Enable and reset applicable timers for Nuke_TC_False (094F6E4C).
5. Enable and reset applicable timers for Nuke_TC_False2 (0D4FB72C).
6. Disable Nuke_TB_False (094F50FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14235, Events line 14613, Actions line 14991.

307. Nuke_TB_False2 - 0D4FB81C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TA_False2 (0D4FB90C).

Incoming activation links: enable from Nuke_TA_False (094F52DC); enable from Nuke_TA_False2 (0D4FB90C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 50 (Nuked_PPTB) is set.

Flag writers in this mission: set local flag 50 (Nuked_PPTB) at Nuke_TB_True (094F51EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TB_True (094F51EC).
2. Disable Nuke_TB_False (094F50FC).

3. Enable and reset applicable timers for Nuke_TC_True (094F6F3C).
4. Enable and reset applicable timers for Nuke_TC_False (094F6E4C).
5. Enable and reset applicable timers for Nuke_TC_False2 (0D4FB72C).
6. Disable Nuke_TB_False2 (0D4FB81C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14236, Events line 14614, Actions line 14992.

308. Nuke_TD_False - 094F6C6C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TD_True (094F6D5C).

Incoming activation links: enable from Nuke_TC_False2 (0D4FB72C); enable from Nuke_TC_False (094F6E4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 31 (Player_Owns_TD) is clear.

Flag writers in this mission: clear local flag 31 (Player_Owns_TD) at PlantTD_Gone (0B30790C); set local flag 31 (Player_Owns_TD) at Player_Takes_TD (0B30121C); clear local flag 31 (Player_Owns_TD) at Yuri_Takes_TD (0B30112C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TD_True (094F6D5C).
2. Disable Nuke_TD_False2 (0D4FB63C).
3. Enable and reset applicable timers for Nuke_TE_True (094F6B7C).
4. Enable and reset applicable timers for Nuke_TE_False (094F6A8C).
5. Enable and reset applicable timers for Nuke_TE_False2 (0D4FB54C).
6. Disable Nuke_TD_False (094F6C6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14237, Events line 14615, Actions line 14993.

309. Nuke_TC_False2 - 0D4FB72C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TB_False2 (0D4FB81C).

Incoming activation links: enable from Nuke_TB_False (094F50FC); enable from Nuke_TB_False2 (0D4FB81C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 51 (Nuked_PPTC) is set.

Flag writers in this mission: set local flag 51 (Nuked_PPTC) at Nuke_TC_True (094F6F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TC_True (094F6F3C).
2. Disable Nuke_TC_False (094F6E4C).
3. Enable and reset applicable timers for Nuke_TD_True (094F6D5C).
4. Enable and reset applicable timers for Nuke_TD_False (094F6C6C).
5. Enable and reset applicable timers for Nuke_TD_False2 (0D4FB63C).
6. Disable Nuke_TC_False2 (0D4FB72C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14238, Events line 14616, Actions line 14994.

310. Nuke_TD_True - 094F6D5C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TC_False (094F6E4C).

Incoming activation links: enable from Nuke_TC_False2 (0D4FB72C); enable from Nuke_TC_False (094F6E4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 31 (Player_Owns_TD) is set.

Flag writers in this mission: clear local flag 31 (Player_Owns_TD) at PlantTD_Gone (0B30790C); set local flag 31 (Player_Owns_TD) at Player_Takes_TD (0B30121C); clear local flag 31 (Player_Owns_TD) at Yuri_Takes_TD (0B30112C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TD_False (094F6C6C).
2. Disable Nuke_TD_False2 (0D4FB63C).
3. Preferred Target Cell Set; main setting 523; location/duration field TD.
4. Set local flag 52 (Nuked_PPTD).
5. Disable Nuke_TD_True (094F6D5C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14239, Events line 14617, Actions line 14995.

311. Nuke_MD_True - 094CE6BC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MC_False (094CE7AC).

Incoming activation links: enable from Nuke_MC_False (094CE7AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 9 (Nuked_MD) is clear.

Flag writers in this mission: set local flag 9 (Nuked_MD) at Nuke_MD_True (094CE6BC); clear local flag 9 (Nuked_MD) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MD_False (094CE5CC).
2. Preferred Target Cell Set; main setting 341; location/duration field MD.
3. Set local flag 9 (Nuked_MD).
4. Disable Nuke_MD_True (094CE6BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14240, Events line 14618, Actions line 14996.

312. Nuke_MD_False - 094CE5CC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MD_True (094CE6BC).

Incoming activation links: enable from Nuke_MC_False (094CE7AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 9 (Nuked_MD) is set.

Flag writers in this mission: set local flag 9 (Nuked_MD) at Nuke_MD_True (094CE6BC); clear local flag 9 (Nuked_MD) at Nuke_ME_True (094CE4DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_MD_True (094CE6BC).
2. Enable and reset applicable timers for Nuke_ME_True (094CE4DC).
3. Disable Nuke_MD_False (094CE5CC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14241, Events line 14619, Actions line 14997.

313. Nuke_TC_True - 094F6F3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TB_False (094F50FC).

Incoming activation links: enable from Nuke_TB_False (094F50FC); enable from Nuke_TB_False2 (0D4FB81C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Player_Owns_TC) is set.

Flag writers in this mission: clear local flag 30 (Player_Owns_TC) at PlantTC_Gone (094F204C); set local flag 30 (Player_Owns_TC) at Player_Takes_TC (06BDA0EC); clear local flag 30 (Player_Owns_TC) at Yuri_Takes_TC (06BDA1DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TC_False (094F6E4C).
2. Disable Nuke_TC_False2 (0D4FB72C).
3. Preferred Target Cell Set; main setting 522; location/duration field TC.
4. Set local flag 51 (Nuked_PPTC).
5. Disable Nuke_TC_True (094F6F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14242, Events line 14620, Actions line 14998.

314. Nuke_TC_False - 094F6E4C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_TC_True (094F6F3C).

Incoming activation links: enable from Nuke_TB_False (094F50FC); enable from Nuke_TB_False2 (0D4FB81C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Player_Owns_TC) is clear.

Flag writers in this mission: clear local flag 30 (Player_Owns_TC) at PlantTC_Gone (094F204C); set local flag 30 (Player_Owns_TC) at Player_Takes_TC (06BDA0EC); clear local flag 30 (Player_Owns_TC) at Yuri_Takes_TC (06BDA1DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Nuke_TC_True (094F6F3C).
2. Disable Nuke_TC_False2 (0D4FB72C).
3. Enable and reset applicable timers for Nuke_TD_True (094F6D5C).
4. Enable and reset applicable timers for Nuke_TD_False (094F6C6C).
5. Enable and reset applicable timers for Nuke_TD_False2 (0D4FB63C).
6. Disable Nuke_TC_False (094F6E4C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14243, Events line 14621, Actions line 14999.

315. Nuke_ME_True - 094CE4DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_MD_False (094CE5CC).

Incoming activation links: enable from Nuke_MD_False (094CE5CC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Preferred Target Cell Set; main setting 342; location/duration field ME.
2. Clear local flag 13 (Nuked_MA).
3. Clear local flag 16 (Nuked_MB).
4. Clear local flag 12 (Nuked_MC).
5. Clear local flag 9 (Nuked_MD).
6. Disable Nuke_ME_True (094CE4DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14244, Events line 14622, Actions line 15000.

316. Nuke_Engineer_AA - 0964F7AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PlantAA_Nuked (097729DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AA_Engineer (0BA3C0EC).
2. Disable Nuke_Engineer_AA (0964F7AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14245, Events line 14623, Actions line 15001.

317. Nuke_Engineer_AB - 0964B7AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_AA (0964F7AC).

Incoming activation links: enable from PlantAB_Nuked (097725DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AB_Engineer (095C2E1C).
2. Disable Nuke_Engineer_AB (0964B7AC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14246, Events line 14624, Actions line 15002.

318. Nuke_Engineer_TF - 0976E03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_TE (0964B30C).

Incoming activation links: enable from PlantTF_Nuked (09777F3C).

Attached scope: tag definitions 0964F6CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TF_Engineer (0C85E1FC).
2. Disable Nuke_Engineer_TF (0976E03C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14247, Events line 14625, Actions line 15003.

319. Nuke_Engineer_TE - 0964B30C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_TD (0964B62C).

Incoming activation links: enable from PlantTE_Nuked (097732BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TE_Engineer (0C94F90C).
2. Disable Nuke_Engineer_TE (0964B30C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14248, Events line 14626, Actions line 15004.

320. Nuke_Engineer_TD - 0964B62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_TC (0964843C).

Incoming activation links: enable from PlantTD_Nuked (097735DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TD_Engineer (0C2E054C).
2. Disable Nuke_Engineer_TD (0964B62C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14249, Events line 14627, Actions line 15005.

321. Nuke_Engineer_TC - 0964843C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_TB (0964875C).

Incoming activation links: enable from PlantTC_Nuked (097738FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TC_Engineer (0C94E2DC).
2. Disable Nuke_Engineer_TC (0964843C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14250, Events line 14628, Actions line 15006.

322. Nuke_Engineer_TB - 0964875C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_TA (09648A7C).

Incoming activation links: enable from PlantTB_Nuked (09773C1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TB_Engineer (0C886EFC).
2. Disable Nuke_Engineer_TB (0964875C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14251, Events line 14629, Actions line 15007.

323. Nuke_Engineer_TA - 09648A7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_AD (09648D9C).

Incoming activation links: enable from PlantTA_Nuked (09773F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_TA_Engineer (0C88543C).
2. Disable Nuke_Engineer_TA (09648A7C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14252, Events line 14630, Actions line 15008.

324. Nuke_Engineer_AD - 09648D9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_Engineer_AB (0964B7AC).

Incoming activation links: enable from PlantAD_Nuked (097722BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_AD_Engineer (0C11C0EC).
2. Disable Nuke_Engineer_AD (09648D9C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14253, Events line 14631, Actions line 15009.

325. Nuke_ME_False - 094CE3EC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Nuke_ME_True (094CE4DC).

Attached scope: tag definitions 094CEC5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14254, Events line 14632, Actions line 15010.

326. Nuke_Timer_PP - 094DE72C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_Timer_Misc (094DE55C).

Attached scope: tag definitions 094DE64C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 333 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Preferred Target Cell Clear; main setting 0.
2. Enable and reset applicable timers for Nuke_AA_True (094F5C2C).
3. Enable and reset applicable timers for Nuke_AA_False (094F5A5C).
4. Enable and reset applicable timers for Nuke_AA_False2 (043A430C).
5. Enable and reset applicable timers for Nuke_Timer_Misc (094DE55C).
6. Disable Nuke_Timer_PP (094DE72C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14255, Events line 14633, Actions line 15011.

327. Nuke_Timer_Misc - 094DE55C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Nuke_Timer_PP (094DE72C).

Attached scope: tag definitions 094DE47C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 333 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_MA_True (094CED3C).
2. Enable and reset applicable timers for Nuke_MA_False (094CEB6C).
3. Enable and reset applicable timers for Nuke_Timer_PP (094DE72C).
4. Disable Nuke_Timer_Misc (094DE55C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14256, Events line 14634, Actions line 15012.

328. Enable_Plant_AA - 0D663A4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66328C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantAA_Gone (093BEEDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14257, Events line 14635, Actions line 15013.

329. Enable_Plant_AB - 0D664F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D664CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantAB_Gone (093BE2FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14258, Events line 14636, Actions line 15014.

330. Enable_Plant_AC - 0D664C0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D6649CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantAC_Gone (093BFDDC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14259, Events line 14637, Actions line 15015.

331. Enable_Plant_AD - 0D6648DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66469C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantAD_Gone (093BF8FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14260, Events line 14638, Actions line 15016.

332. Enable_Plant_TA - 0D6645AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66436C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTA_Gone (094E203C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14261, Events line 14639, Actions line 15017.

333. Enable_Plant_TB - 0D66427C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66403C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTB_Gone (06B3ED3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14262, Events line 14640, Actions line 15018.

334. Enable_Plant_TC - 0D665F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D665CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTC_Gone (094F204C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14263, Events line 14641, Actions line 15019.

335. Enable_Plant_TD - 0D665C0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D6659CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTD_Gone (0B30790C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14264, Events line 14642, Actions line 15020.

336. Enable_Plant_TE - 0D6658DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66569C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTE_Gone (045D673C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14265, Events line 14643, Actions line 15021.

337. Enable_Plant_TF - 0D6655AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D66536C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for PlantTF_Gone (09881BAC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14266, Events line 14644, Actions line 15022.

338. Bring_In_Nuke_Guard - 098610FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Base_Defense_Gone (0986428C).

Attached scope: tag definitions 0986451C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Nuke_Guard (0988192C).
2. Disable Bring_In_Nuke_Guard (098610FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14267, Events line 14645, Actions line 15023.

339. Base_Defense_Gone - 0986428C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Tank (YTNK), owner YuriCountry, cell (58, 96), tag 0986404C, persistence mode 1; Gattling Tank (YTNK), owner YuriCountry, cell (58, 90), tag 0986404C, persistence mode 1; Gattling Tank (YTNK), owner YuriCountry, cell (58, 93), tag 0986404C, persistence mode 1; Lasher Light Tank (LTNK), owner YuriCountry, cell (60, 95), tag 0986404C, persistence mode 1; Lasher Light Tank (LTNK), owner YuriCountry, cell (60, 92), tag 0986404C, persistence mode 1; Yuri Clone (YURI), owner YuriCountry, cell (56, 88), tag 0986404C, persistence mode 1; Yuri Clone (YURI), owner YuriCountry, cell (56, 86), tag 0986404C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Bring_In_Nuke_Guard (098610FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14268, Events line 14646, Actions line 15024.

340. PlantAA_Nuked - 097729DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Player_Takes_AA (0945ABBC).

Attached scope: CAPOWRAA, owner Americans, cell (115, 72), tag 093BE6AC, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_AA (0964F7AC).
2. Disable PlantAA_Nuked (097729DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14269, Events line 14647, Actions line 15025.

341. PlantAB_Nuked - 097725DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri_Takes_AB (0CF8110C).

Attached scope: CAPOWRAB, owner Americans, cell (127, 96), tag 093BFF4C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_AB (0964B7AC).
2. Disable PlantAB_Nuked (097725DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14270, Events line 14648, Actions line 15026.

342. PlantAD_Nuked - 097722BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri_Takes_AD (094D9C5C).

Attached scope: CAPOWRAD, owner Americans, cell (124, 123), tag 093BF54C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_AD (09648D9C).
2. Disable PlantAD_Nuked (097722BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14271, Events line 14649, Actions line 15027.

343. PlantTA_Nuked - 09773F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Player_Takes_TA (094E3ACC).

Attached scope: CAPOWRTA, owner YuriCountry, cell (101, 58), tag 094E3D2C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TA (09648A7C).
2. Disable PlantTA_Nuked (09773F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14272, Events line 14650, Actions line 15028.

344. PlantTB_Nuked - 09773C1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TB (094D672C).

Attached scope: CAPOWRTB, owner YuriCountry, cell (90, 72), tag 06B3EC5C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TB (0964875C).
2. Disable PlantTB_Nuked (09773C1C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14273, Events line 14651, Actions line 15029.

345. PlantTC_Nuked - 097738FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Player_Takes_TC (06BDA0EC).

Attached scope: CAPOWRTC, owner YuriCountry, cell (90, 107), tag 094F3A1C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TC (0964843C).
2. Disable PlantTC_Nuked (097738FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14274, Events line 14652, Actions line 15030.

346. PlantTD_Nuked - 097735DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TD (0B30112C).

Attached scope: CAPOWRTD, owner YuriCountry, cell (109, 109), tag 0B30732C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TD (0964B62C).
2. Disable PlantTD_Nuked (097735DC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14275, Events line 14653, Actions line 15031.

347. PlantTE_Nuked - 097732BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Yuri_Takes_TE (045C3E3C).

Attached scope: CAPOWRTE, owner YuriCountry, cell (84, 134), tag 045D5ABC, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TE (0964B30C).
2. Disable PlantTE_Nuked (097732BC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14276, Events line 14654, Actions line 15032.

348. PlantTF_Nuked - 09777F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: PlantTF_Gone (09881BAC).

Attached scope: CAPOWRTF, owner YuriCountry, cell (65, 113), tag 0C13356C, persistence mode 2.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Nuke_Engineer_TF (0976E03C).
2. Disable PlantTF_Nuked (09777F3C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14277, Events line 14655, Actions line 15033.

349. Water1 - 0B9C16CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B9C58CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 234 (cell 67, 83).
2. Play sound _Amb_OceanLight at waypoint 235 (cell 75, 88).
3. Play sound _Amb_WavesLake at waypoint 236 (cell 84, 84).
4. Play sound _Amb_OceanLight at waypoint 237 (cell 73, 73).
5. Play sound _Amb_WavesLake at waypoint 238 (cell 79, 67).
6. Play sound _Amb_OceanLight at waypoint 239 (cell 60, 69).
7. Play sound _Amb_WavesLake at waypoint 240 (cell 70, 56).
8. Play sound _Amb_OceanHeavy at waypoint 241 (cell 91, 140).
9. Play sound _Amb_OceanHeavy at waypoint 242 (cell 105, 143).
10. Play sound _Amb_OceanHeavy at waypoint 243 (cell 113, 154).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14278, Events line 14656, Actions line 15034.

350. Birds1 - 0B9B73DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 244 (cell 135, 146).
2. Play sound _Amb_BirdsTemperate2 at waypoint 245 (cell 128, 152).

3. Play sound _Amb_BirdsPark at waypoint 246 (cell 109, 117).
4. Play sound _Amb_BirdsTemperate1 at waypoint 247 (cell 101, 126).
5. Play sound _Amb_BirdsTemperate2 at waypoint 248 (cell 116, 146).
6. Play sound _Amb_BirdsPark at waypoint 249 (cell 108, 135).
7. Play sound _Amb_BirdsTemperate1 at waypoint 250 (cell 95, 116).
8. Play sound _Amb_BirdsTemperate2 at waypoint 251 (cell 87, 118).
9. Play sound _Amb_BirdsPark at waypoint 252 (cell 81, 133).
10. Play sound _Amb_BirdsTemperate1 at waypoint 253 (cell 143, 126).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14279, Events line 14657, Actions line 15035.

351. Birds2 - 0BA3772C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Birds1 (0B9B73DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate2 at waypoint 254 (cell 101, 106).
2. Play sound _Amb_BirdsPark at waypoint 255 (cell 103, 89).
3. Play sound _Amb_BirdsTemperate1 at waypoint 256 (cell 105, 68).
4. Play sound _Amb_BirdsTemperate2 at waypoint 257 (cell 88, 66).
5. Play sound _Amb_BirdsPark at waypoint 258 (cell 82, 52).
6. Play sound _Amb_BirdsTemperate1 at waypoint 259 (cell 103, 81).
7. Play sound _Amb_BirdsTemperate2 at waypoint 260 (cell 125, 103).
8. Play sound _Amb_BirdsPark at waypoint 261 (cell 89, 95).
9. Play sound _Amb_BirdsTemperate1 at waypoint 262 (cell 51, 105).
10. Play sound _Amb_BirdsTemperate2 at waypoint 263 (cell 60, 85).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14280, Events line 14658, Actions line 15036.

352. Birds3 - 0B9BF76C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Birds2 (0BA3772C).

Attached scope: tag definitions 0B9AF1EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_BirdsTemperate1 at waypoint 264 (cell 58, 103).
2. Play sound _Amb_BirdsTemperate2 at waypoint 265 (cell 62, 94).
3. Play sound _Amb_BirdsPark at waypoint 266 (cell 51, 74).
4. Play sound _Amb_BirdsTemperate1 at waypoint 267 (cell 98, 134).
5. Play sound _Amb_BirdsTemperate2 at waypoint 268 (cell 149, 111).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14281, Events line 14659, Actions line 15037.

353. Traffic1 - 0B9C321C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 269 (cell 111, 132).
2. Play sound _Amb_UrbanMurmur2 at waypoint 270 (cell 120, 124).
3. Play sound _Amb_Traffic at waypoint 271 (cell 115, 112).
4. Play sound _Amb_UrbanMurmur1 at waypoint 272 (cell 94, 130).
5. Play sound _Amb_UrbanMurmur2 at waypoint 273 (cell 80, 118).
6. Play sound _Amb_Traffic at waypoint 274 (cell 78, 131).
7. Play sound _Amb_UrbanMurmur1 at waypoint 275 (cell 70, 120).
8. Play sound _Amb_UrbanMurmur2 at waypoint 276 (cell 59, 109).
9. Play sound _Amb_Traffic at waypoint 277 (cell 64, 101).
10. Play sound _Amb_UrbanMurmur1 at waypoint 278 (cell 83, 102).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14282, Events line 14660, Actions line 15038.

354. Traffic2 - 0B9B78BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Traffic1 (0B9C321C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 279 (cell 99, 112).
2. Play sound _Amb_Traffic at waypoint 280 (cell 112, 104).
3. Play sound _Amb_UrbanMurmur1 at waypoint 281 (cell 138, 128).
4. Play sound _Amb_UrbanMurmur2 at waypoint 282 (cell 155, 122).
5. Play sound _Amb_Traffic at waypoint 283 (cell 140, 108).
6. Play sound _Amb_UrbanMurmur1 at waypoint 284 (cell 133, 92).
7. Play sound _Amb_UrbanMurmur2 at waypoint 285 (cell 118, 95).
8. Play sound _Amb_Traffic at waypoint 286 (cell 92, 78).
9. Play sound _Amb_UrbanMurmur1 at waypoint 287 (cell 106, 78).
10. Play sound _Amb_UrbanMurmur2 at waypoint 288 (cell 120, 78).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14283, Events line 14661, Actions line 15039.

355. Traffic3 - 0B9C220C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Traffic2 (0B9B78BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_Traffic at waypoint 289 (cell 133, 78).
2. Play sound _Amb_UrbanMurmur1 at waypoint 290 (cell 143, 92).
3. Play sound _Amb_UrbanMurmur2 at waypoint 291 (cell 148, 106).
4. Play sound _Amb_Traffic at waypoint 292 (cell 154, 97).
5. Play sound _Amb_UrbanMurmur1 at waypoint 293 (cell 155, 111).
6. Play sound _Amb_UrbanMurmur2 at waypoint 294 (cell 146, 122).
7. Play sound _Amb_Traffic at waypoint 295 (cell 127, 116).
8. Play sound _Amb_UrbanMurmur1 at waypoint 296 (cell 97, 66).
9. Play sound _Amb_UrbanMurmur2 at waypoint 297 (cell 86, 58).

10. Play sound _Amb_Traffic at waypoint 298 (cell 94, 52).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14284, Events line 14662, Actions line 15040.

356. Traffic4 - 0B9C34BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Traffic3 (0B9C220C).

Attached scope: tag definitions 0B9C244C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 299 (cell 106, 55).
2. Play sound _Amb_Traffic at waypoint 300 (cell 109, 64).
3. Play sound _Amb_UrbanMurmur1 at waypoint 301 (cell 121, 65).
4. Play sound _Amb_UrbanMurmur2 at waypoint 302 (cell 93, 103).
5. Play sound _Amb_Traffic at waypoint 303 (cell 86, 112).
6. Play sound _Amb_UrbanMurmur1 at waypoint 304 (cell 62, 120).
7. Play sound _Amb_UrbanMurmur2 at waypoint 305 (cell 121, 142).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14285, Events line 14663, Actions line 15041.

357. French_Gone1 - 09794DFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0979542C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 2 (country/type FRENCH; placed owner French).

Then perform these actions in order:

1. Supply reinforcement team 0 (template not recovered locally).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14286, Events line 14664, Actions line 15042.

358. Paradrop_WC1 - 06BB1C6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Paradrop_WC3 (06BB114C); enable from Start_Paradrop (096ED24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Paradrop_WC1 (045EA05C).
2. Enable and reset applicable timers for Paradrop_Infantry1 (06BB15FC).
3. Disable Paradrop_WC1 (06BB1C6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14287, Events line 14665, Actions line 15043.

359. Paradrop_Infantry1 - 06BB15FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_WC1 (06BB1C6C).

Incoming activation links: enable from Paradrop_WC1 (06BB1C6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Infantry_Hunter_1 (045E812C).
2. Enable and reset applicable timers for Paradrop_Vehicle1 (06BB150C).
3. Disable Paradrop_Infantry1 (06BB15FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14288, Events line 14666, Actions line 15044.

360. Paradrop_Vehicle1 - 06BB150C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_Infantry1 (06BB15FC).

Incoming activation links: enable from Paradrop_Infantry1 (06BB15FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Vehicle_Hunter1 (096F77AC).
2. Enable and reset applicable timers for Paradrop_WC2 (06BB141C).
3. Disable Paradrop_Vehicle1 (06BB150C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14289, Events line 14667, Actions line 15045.

361. Paradrop_WC2 - 06BB141C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_Vehicle1 (06BB150C).

Incoming activation links: enable from Paradrop_Vehicle1 (06BB150C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Paradrop_WC2 (0968684C).
2. Enable and reset applicable timers for Paradrop_Infantry2 (06BB132C).
3. Disable Paradrop_WC2 (06BB141C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14290, Events line 14668, Actions line 15046.

362. Paradrop_Infantry2 - 06BB132C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_WC2 (06BB141C).

Incoming activation links: enable from Paradrop_WC2 (06BB141C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Infantry_Hunter2 (045EA43C).
2. Enable and reset applicable timers for Paradrop_Vehicle2 (06BB123C).
3. Disable Paradrop_Infantry2 (06BB132C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14291, Events line 14669, Actions line 15047.

363. Paradrop_Vehicle2 - 06BB123C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_Infantry2 (06BB132C).

Incoming activation links: enable from Paradrop_Infantry2 (06BB132C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Vehicle_Hunter2 (09718EFC).
2. Enable and reset applicable timers for Paradrop_WC3 (06BB114C).
3. Disable Paradrop_Vehicle2 (06BB123C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14292, Events line 14670, Actions line 15048.

364. Paradrop_WC3 - 06BB114C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Paradrop_Vehicle2 (06BB123C).

Incoming activation links: enable from Paradrop_Vehicle2 (06BB123C).

Attached scope: tag definitions 06BB16EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Paradrop_WC3 (06BE73DC).
2. Enable and reset applicable timers for Paradrop_WC1 (06BB1C6C).
3. Disable Paradrop_WC3 (06BB114C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14293, Events line 14671, Actions line 15049.

365. Start_Paradrop - 096ED24C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096EC97C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Paradrop_WC1 (06BB1C6C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14294, Events line 14672, Actions line 15050.

366. Main_Objective - 0CDC177C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CDC11FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy Yuri's Nuclear Silo” (MISSION:KillNuke).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14295, Events line 14673, Actions line 15051.

367. Destroying_City - 0932BC0C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY16), owner Neutral, cell (131, 118), tag 0932B4FC, persistence mode 0; Building (CANEWY07), owner Neutral, cell (136, 120), tag 0932B4FC, persistence mode 0; Building (CATEXS04), owner Neutral, cell (135, 115), tag 0932B4FC, persistence mode 0; Office Building (CATEXS08), owner Neutral, cell (135, 124), tag 0932B4FC, persistence mode 0; Building (CAPARS04), owner Neutral, cell (131, 127), tag 0932B4FC, persistence mode 0; Building (CAPARS05), owner Neutral, cell (128, 127), tag 0932B4FC, persistence mode 0; Building (CAWASH08), owner Neutral, cell (129, 121), tag 0932B4FC, persistence mode 0.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Play voice notification Mis_xA3_EvaDestroyNuke.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14296, Events line 14674, Actions line 15052.

368. Easy_GiveOil - 08D63E4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: Tech Oil Derrick (CAOILD), owner Special, cell (118, 151), tag 08D6398C, persistence mode 0; Tech Oil Derrick (CAOILD), owner Special, cell (121, 151), tag 08D6398C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14297, Events line 14675, Actions line 15053.

369. EASY_Patrols - 089B3D3C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089B37BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Patrol_AH_JS (089B368C).
2. Supply reinforcement team Patrol_AI_AJ (089BEC9C).
3. Supply reinforcement team Patrol_AK_AL_AM (089B8A3C).
4. Supply reinforcement team Patrol_KK_KO (089B83EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14298, Events line 14676, Actions line 15054.

370. MEDIUM_Patrols - 0B005B6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B00D4AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Patrol_AO_AQ (0AFFD42C).
2. Supply reinforcement team Patrol_JT_AH (0B0061AC).
3. Supply reinforcement team Patrol_JN_AT (0B00159C).
4. Supply reinforcement team Patrol_KL_AO (0B007DBC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14299, Events line 14677, Actions line 15055.

371. MEDIUM_Garrison - 0462C35C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0462AAFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Garrision_AJ (0462B5AC).
2. Supply reinforcement team Garrison_AN (0462CEFC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14300, Events line 14678, Actions line 15056.

372. HARD_Garrison - 061A4B5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 061A443C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Garrison_AV (061A379C).
2. Supply reinforcement team Garrison_AW (061A366C).
3. Supply reinforcement team Garrison_EF (061A353C).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14301, Events line 14679, Actions line 15057.

373. Backdoor1 - 061E7DCC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Backdoor3 (0619F5FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Backdoor1 (061E6E5C).
2. Enable and reset applicable timers for Backdoor2 (0619F6EC).
3. Disable Backdoor1 (061E7DCC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14302, Events line 14680, Actions line 15058.

374. Backdoor2 - 0619F6EC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backdoor1 (061E7DCC).

Incoming activation links: enable from Backdoor1 (061E7DCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Backdoor2 (0619684C).
2. Enable and reset applicable timers for Backdoor3 (0619F5FC).
3. Disable Backdoor2 (0619F6EC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14303, Events line 14681, Actions line 15059.

375. Backdoor3 - 0619F5FC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Backdoor2 (0619F6EC).

Incoming activation links: enable from Backdoor2 (0619F6EC).

Attached scope: tag definitions 061E784C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Backdoor3 (0619E1BC).
2. Enable and reset applicable timers for Backdoor1 (061E7DCC).
3. Disable Backdoor3 (0619F5FC).

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14304, Events line 14682, Actions line 15060.

376. Find_MachineShop - 08F07E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Machine Shop (CAMACH), owner Special, cell (125, 109), tag 08F07B3C, persistence mode 0.

Wait for the recorded events:

1. global flag 12 is clear.
2. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 64 (cell 126, 110).
2. Flash buildings of type CAMACH; duration argument 40.
3. Create radar-event marker type 12 at waypoint 64 (cell 126, 110).
4. Play voice notification Unit_Eva_TechMachShop.
5. Set global flag 12.

Source locator: mapsmd03.mix/all03umd.map; Triggers line 14305, Events line 14683, Actions line 15061.

All team rosters and ordered plans | All mission overrides

Operation: Power Play - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all03umd.map; each team/script ID identifies its section.

TEAM_Yuri_PP1 - 0B50A68C

Owner: Russians. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: TA_Guard_Gatt1 (0C767DBC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 471 (cell 103, 57).
3. Adopt object mission: guard.

TEAM_Yuri_PP2 - 093C248C

Owner: Nod. Roster: 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TB.

Ordered plan: Yuri_PP2_Start (0BA1DDBC).

1. Adopt object mission: area guard.

TEAM_Yuri_PP3 - 093DF0BC

Owner: Confederation. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TC.

Ordered plan: Yuri_PP3_Start (09418DBC).

1. Adopt object mission: area guard.

TEAM_AB_GI - 0BE791BC

Owner: Americans. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_GI_Script (0BE79B7C).

1. Deploy.

TEAM_Yuri_TA_Attack - 0B3E926C

Owner: Russians. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Engineer - 0BA3C0EC

Owner: Russians. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EA; Transport Waypoint: PA.

Ordered plan: AA_Engineer_Script (0CCEB6CC).

1. Attack waypoint: waypoint 26 (cell 116, 73).
2. Seek/attack target category; configured argument 9.

TEAM_TB_Reinforce - 0B3736CC

Owner: Russians. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RB.

Ordered plan: TB_Reinforce_Script (06B3B36C).

1. Attack-move toward waypoint: waypoint 183 (cell 94, 73).
2. Adopt object mission: area guard.

TEAM_TB_Become_TA - 0D3C66FC

Owner: Russians. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: GB.

Ordered plan: TB_Become_TA_Script (06B3BDBC).

1. Attack-move toward waypoint: waypoint 182 (cell 103, 62).
2. Adopt object mission: area guard.
3. Set local flag: local flag 10 (Nuked_PPTA).

TEAM_Yuri_TC_Attack - 094C815C

Owner: Confederation. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TC.

Ordered plan: TB_Attack_Script (094C9DBC).

1. Seek/attack target category; configured argument 0.

TEAM_Yuri_TD_Attack - 094CAB1C

Owner: Arabs. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TD.

Ordered plan: Yuri_TD_Attack_Script (094CA8AC).

1. Attack-move toward waypoint: waypoint 133 (cell 120, 122).
2. Adopt object mission: area guard.
3. Clear local flag: local flag 13 (Nuked_MA).

TEAM_Yuri_PP4 - 094CB1AC

Owner: Arabs. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TD.

Ordered plan: Yuri_PP4_Defend (0B1F6B4C).

1. Adopt object mission: guard.

TEAM_Dog1 - 06AF927C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HE.

Ordered plan: Dog1_Script (0953956C).

1. Move to waypoint: waypoint 208 (cell 167, 110).
2. Set local flag: local flag 19 (Kill_GI).

TEAM_Dog2 - 0954011C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HF.

Ordered plan: Dog2_Script (0A95845C).

1. Move to waypoint: waypoint 209 (cell 164, 107).
2. Set local flag: local flag 20 (Kill_GI_HF).

TEAM_Dog3 - 06AFE7DC

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HG.

Ordered plan: Dog3_Script (0A959DBC).

1. Move to waypoint: waypoint 210 (cell 157, 101).
2. Set local flag: local flag 21 (Kill_GI_HG).

TEAM_Dog4 - 0B24C21C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HH.

Ordered plan: Dog4_Script (0A95990C).

1. Move to waypoint: waypoint 211 (cell 152, 96).
2. Set local flag: local flag 22 (Kill_GI_HH).

TEAM_Dog5 - 04E50EFC

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HI.

Ordered plan: Dog5_Script (04E5408C).

1. Move to waypoint: waypoint 218 (cell 147, 90).
2. Set local flag: local flag 23 (Kill_GI_HI).

TEAM_Dog6 - 0948FEFC

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: HJ.

Ordered plan: Dog6_Script (0949393C).

1. Move to waypoint: waypoint 219 (cell 140, 84).
2. Set local flag: local flag 24 (Kill_GI_HJ).

TEAM_TA_Lasher1 - 0DA0F32C

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RA.

Ordered plan: TA_Guard_Lasher1 (0C7600AC).

1. Clear local flag: local flag 46 (Russia_Gone).

2. Move to waypoint: waypoint 468 (cell 103, 61).
3. Adopt object mission: area guard.

TEAM_TA_Lasher2 - 0DA10EFC

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RC.

Ordered plan: TA_Guard_Lasher2 (0C77599C).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 470 (cell 104, 59).
3. Adopt object mission: area guard.

TEAM_TA_Lasher3 - 0DA10CBC

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RH.

Ordered plan: TA_Guard_Lasher3 (0C7754BC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 475 (cell 101, 61).
3. Adopt object mission: area guard.

TEAM_TA_Gatt1 - 0DA10A7C

Owner: Russians. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RD.

Ordered plan: TA_Guard_Gatt1 (0C767DBC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 471 (cell 103, 57).
3. Adopt object mission: guard.

TEAM_TA_Gatt2 - 0DA1083C

Owner: Russians. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RG.

Ordered plan: TA_Guard_Gatt2 (0C77315C).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 474 (cell 101, 56).
3. Adopt object mission: area guard.

TEAM_TA_Init1 - 0DA105FC

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RI.

Ordered plan: TA_Guard_Init1 (0C770DBC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 476 (cell 99, 61).
3. Adopt object mission: area guard.

TEAM_TA_Init2 - 0DA103BC

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RJ.

Ordered plan: TA_Guard_Init2 (0C770A1C).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 477 (cell 99, 60).
3. Adopt object mission: area guard.

TEAM_TA_Init3 - 0DA1017C

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RK.

Ordered plan: TA_Guard_Init3 (0C77067C).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 478 (cell 99, 59).
3. Adopt object mission: area guard.

TEAM_TA_Init4 - 0DA11DEC

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RL.

Ordered plan: TA_Guard_Init4 (0C7701CC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 479 (cell 99, 58).
3. Adopt object mission: area guard.

TEAM_TA_Yuri1 - 0DA11BAC

Owner: Russians. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RE.

Ordered plan: TA_Guard_Yuri1 (0C777C8C).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 472 (cell 102, 55).
3. Adopt object mission: area guard.

TEAM_TA_Yuri2 - 0DA1196C

Owner: Russians. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RF.

Ordered plan: TA_Guard_Yuri2 (0C7777DC).

1. Clear local flag: local flag 46 (Russia_Gone).
2. Move to waypoint: waypoint 473 (cell 100, 55).
3. Adopt object mission: area guard.

TEAM_TA_Virus1 - 0DA1172C

Owner: Russians. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RB.

Ordered plan: TA_Guard_Virus (0C77732C).

1. Clear local flag: local flag 46 (Russia_Gone).

2. Move to waypoint: waypoint 469 (cell 104, 60).
3. Adopt object mission: guard.

TEAM_AA_Gatt1 - 0BA253BC

Owner: Africans. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Gatt2 - 0BA2528C

Owner: Africans. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Init1 - 0BA2515C

Owner: Africans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Init2 - 0BA26EFC

Owner: Africans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Init3 - 0BA26DCC

Owner: Africans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Init4 - 0BA26C9C

Owner: Africans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Lasher1 - 0BA26B6C

Owner: Africans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Lasher2 - 0BA26A3C

Owner: Africans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Lasher3 - 0BA2690C

Owner: Africans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).

3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Yuri1 - 0BA267DC

Owner: Africans. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Yuri2 - 0BA266AC

Owner: Africans. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_AA_Virus - 0BA2657C

Owner: Africans. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: Yuri_TA_AA_Attack (0C1FB21C).

1. Set local flag: local flag 7 (Engineer_AA).
2. Move to waypoint: waypoint 130 (cell 112, 69).
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Adopt object mission: area guard.

TEAM_TB_Gatt1 - 0AFC2DCC

Owner: Nod. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SD.

Ordered plan: TB_Guard_Gatt1 (0C772DBC).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 497 (cell 93, 74).
3. Adopt object mission: area guard.

TEAM_TB_Gatt2 - 0AFC322C

Owner: Nod. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SE.

Ordered plan: TB_Guard_Gatt2 (0C772A1C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 498 (cell 93, 72).
3. Adopt object mission: area guard.

TEAM_TB_Init1 - 0AFC4EFC

Owner: Nod. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SI.

Ordered plan: TB_Guard_Init1 (0C77256C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 502 (cell 91, 70).
3. Adopt object mission: area guard.

TEAM_TB_Init2 - 0AFC4CBC

Owner: Nod. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: SJ.

Ordered plan: TB_Guard_Init2 (0C7720BC).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 503 (cell 91, 69).
3. Adopt object mission: area guard.

TEAM_TB_Init3 - 0AFC4A7C

Owner: Nod. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SK.

Ordered plan: TB_Guard_Init3 (0C78BC8C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 504 (cell 93, 71).
3. Adopt object mission: area guard.

TEAM_TB_Init4 - 0AFC483C

Owner: Nod. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SL.

Ordered plan: TB_Guard_Init4 (0C78B7DC).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 505 (cell 93, 68).
3. Adopt object mission: area guard.

TEAM_TB_Lasher1 - 0AFC45FC

Owner: Nod. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SA.

Ordered plan: TB_Guard_Lasher1 (0C78DC8C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 494 (cell 95, 75).
3. Adopt object mission: area guard.

TEAM_TB_Lasher2 - 0AFC43BC

Owner: Nod. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SB.

Ordered plan: TB_Guard_Lasher2 (0C78D7DC).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 495 (cell 95, 73).
3. Adopt object mission: area guard.

TEAM_TB_Lasher3 - 0AFC417C

Owner: Nod. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SC.

Ordered plan: TB_Guard_Lasher3 (0C78D32C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 496 (cell 95, 71).
3. Adopt object mission: area guard.

TEAM_TB_Virus - 0AFC372C

Owner: Nod. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SF.

Ordered plan: TB_Guard_Virus (0C78C93C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 499 (cell 89, 70).
3. Adopt object mission: area guard.

TEAM_TB_Yuri1 - 0AFC34EC

Owner: Nod. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SG.

Ordered plan: TB_Guard_Yuri1 (0C78C48C).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 500 (cell 89, 69).
3. Adopt object mission: area guard.

TEAM_TB_Yuri2 - 0AFC59AC

Owner: Nod. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SH.

Ordered plan: TB_Guard_Yuri2 (0C78EDBC).

1. Clear local flag: local flag 45 (Nod_Gone).
2. Move to waypoint: waypoint 501 (cell 89, 68).
3. Adopt object mission: area guard.

TEAM_French_Gatt1 - 0950E09C

Owner: French. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Gatt2 - 095A805C

Owner: French. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Init1 - 095AA06C

Owner: French. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Init2 - 095AD13C

Owner: French. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Init3 - 095AF13C

Owner: French. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Init4 - 095AB13C

Owner: French. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Lasher1 - 0951303C

Owner: French. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).

2. Adopt object mission: area guard.

TEAM_French_Lasher2 - 095CF8EC

Owner: French. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Lasher3 - 095CB13C

Owner: French. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Virus - 095C813C

Owner: French. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Yuri1 - 095C913C

Owner: French. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_French_Yuri2 - 095CA1AC

Owner: French. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: French_Guard (0CC4C90C).

1. Clear local flag: local flag 44 (French_Gone).
2. Adopt object mission: area guard.

TEAM_TC_Gatt1 - 0967471C

Owner: Confederation. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VD.

Ordered plan: TC_Guard_Gatt1 (0C789B7C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 575 (cell 88, 108).
3. Adopt object mission: area guard.

TEAM_TC_Gatt2 - 09675EFC

Owner: Confederation. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VE.

Ordered plan: TC_Guard_Gatt2 (0C7896CC).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 576 (cell 88, 106).
3. Adopt object mission: area guard.

TEAM_TC_Init1 - 09675B1C

Owner: Confederation. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VI.

Ordered plan: TC_Guard_Init1 (0C78921C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 580 (cell 88, 109).
3. Adopt object mission: area guard.

TEAM_TC_Init2 - 096756FC

Owner: Confederation. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VJ.

Ordered plan: TC_Guard_Init2 (0C788C8C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 581 (cell 88, 110).
3. Adopt object mission: area guard.

TEAM_TC_Init3 - 0BE0D2BC

Owner: Confederation. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VK.

Ordered plan: TC_Guard_Init3 (0C7887DC).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 582 (cell 91, 109).
3. Adopt object mission: area guard.

TEAM_TC_Init4 - 06C6FEFC

Owner: Confederation. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VL.

Ordered plan: TC_Guard_Init4 (0C78832C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 583 (cell 91, 110).
3. Adopt object mission: area guard.

TEAM_TC_Lasher1 - 06C6F82C

Owner: Confederation. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VA.

Ordered plan: TC_Guard_Lasher1 (0C78FDBC).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 572 (cell 86, 109).
3. Adopt object mission: area guard.

TEAM_TC_Lasher2 - 06C6F21C

Owner: Confederation. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VB.

Ordered plan: TC_Guard_Lasher2 (0C78F90C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 573 (cell 86, 107).
3. Adopt object mission: area guard.

TEAM_TC_Lasher3 - 06C6E0FC

Owner: Confederation. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VC.

Ordered plan: TC_Guard_Lasher3 (0C78F45C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 574 (cell 86, 105).
3. Adopt object mission: area guard.

TEAM_TC_Virus - 06C6B95C

Owner: Confederation. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VH.

Ordered plan: TC_Guard_Virus (0C7941AC).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 579 (cell 88, 104).
3. Adopt object mission: area guard.

TEAM_TC_Yuri1 - 06C6B53C

Owner: Confederation. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VF.

Ordered plan: TC_Guard_Yuri1 (0C794C8C).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 577 (cell 90, 105).
3. Adopt object mission: area guard.

TEAM_TC_Yuri2 - 06C6B11C

Owner: Confederation. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VG.

Ordered plan: TC_Guard_Yuri2 (0C7947DC).

1. Clear local flag: local flag 48 (Confed_Gone).
2. Move to waypoint: waypoint 578 (cell 90, 104).
3. Adopt object mission: area guard.

TEAM_TD_Gatt1 - 096586BC

Owner: Arabs. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UD.

Ordered plan: TD_Guard_Gatt1 (0E10CDBC).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 549 (cell 107, 109).
3. Adopt object mission: guard.

TEAM_TD_Gatt2 - 09650B4C

Owner: Arabs. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UE.

Ordered plan: TD_Guard_Gatt2 (0E10CA1C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 550 (cell 109, 107).
3. Adopt object mission: guard.

TEAM_TD_Lasher1 - 09663E5C

Owner: Arabs. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UA.

Ordered plan: TD_Guard_Lasher1 (0E10C56C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 546 (cell 110, 113).
3. Adopt object mission: guard.

TEAM_TD_Lasher2 - 096639AC

Owner: Arabs. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UB.

Ordered plan: TD_Guard_Lasher2 (0E10C0BC).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 547 (cell 111, 112).
3. Adopt object mission: guard.

TEAM_TD_Lasher3 - 09661CDC

Owner: Arabs. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UC.

Ordered plan: TD_Guard_Lasher3 (0E10D09C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 548 (cell 112, 111).
3. Adopt object mission: guard.

TEAM_TD_Yuri1 - 09668E2C

Owner: Arabs. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UF.

Ordered plan: TD_Guard_Yuri1 (0E10FB7C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 551 (cell 112, 109).
3. Adopt object mission: guard.

TEAM_TD_Yuri2 - 0966897C

Owner: Arabs. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UG.

Ordered plan: TD_Guard_Yuri2 (0E10F6CC).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 552 (cell 108, 111).
3. Adopt object mission: guard.

TEAM_TD_Init1 - 0967732C

Owner: Arabs. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UI.

Ordered plan: TD_Guard_Init1 (0E10F21C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 554 (cell 106, 107).
3. Adopt object mission: guard.

TEAM_TD_Init2 - 0967092C

Owner: Arabs. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UJ.

Ordered plan: TD_Guard_Init2 (0E10EC8C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 555 (cell 106, 106).
3. Adopt object mission: guard.

TEAM_TD_Init3 - 0967047C

Owner: Arabs. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UK.

Ordered plan: TD_Guard_Init3 (0E10E7DC).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 556 (cell 107, 105).
3. Adopt object mission: guard.

TEAM_TD_Init4 - 0967028C

Owner: Arabs. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UL.

Ordered plan: TD_Guard_Init4 (0E10E32C).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 557 (cell 108, 105).
3. Adopt object mission: guard.

TEAM_TD_Virus - 0967699C

Owner: Arabs. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: UH.

Ordered plan: TD_Guard_Virus (0E10ADBC).

1. Clear local flag: local flag 47 (Arabs_Gone).
2. Move to waypoint: waypoint 553 (cell 105, 109).
3. Adopt object mission: guard.

TEAM_AB_Gatt1 - 0967B39C

Owner: Germans. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Gatt1 (0967E87C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Gatt2 - 0967E61C

Owner: Germans. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Gatt2 (0967FDBC).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Init1 - 0967FB7C

Owner: Germans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Init1 (0967F90C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Init2 - 0967F51C

Owner: Germans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Init2 (0967F2AC).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Init3 - 0966041C

Owner: Germans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Init3 (09677DBC).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Init4 - 0966954C

Owner: Germans. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Init4 (09683DBC).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Lasher1 - 09683A4C

Owner: Germans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Lasher1 (096837DC).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Lasher2 - 0968359C

Owner: Germans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Lasher2 (0968332C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Lasher3 - 09685EFC

Owner: Germans. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Lasher3 (09685C8C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Virus - 09685ADC

Owner: Germans. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Virus (0968586C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Yuri1 - 096856BC

Owner: Germans. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Yuri1 (0968544C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_AB_Yuri2 - 0968529C

Owner: Germans. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: AB_Guard_Yuri2 (09686A0C).

1. Move to waypoint: waypoint 27 (cell 127, 96).
2. Adopt object mission: area guard.

TEAM_TE_Gatt1 - 0C0B821C

Owner: GDI. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WH.

Ordered plan: TE_Guard_Gatt1 (0E11F90C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 605 (cell 84, 132).
3. Adopt object mission: area guard.

TEAM_TE_Gatt2 - 09502E2C

Owner: GDI. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WI.

Ordered plan: TE_Guard_Gatt2 (0E11F45C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 606 (cell 84, 130).
3. Adopt object mission: area guard.

TEAM_TE_Init1 - 0950297C

Owner: GDI. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WA.

Ordered plan: TE_Guard_Init1 (0E11EDBC).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 598 (cell 89, 133).
3. Adopt object mission: area guard.

TEAM_TE_Init2 - 0950251C

Owner: GDI. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WB.

Ordered plan: TE_Guard_Init2 (0E11EA1C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 599 (cell 89, 132).
3. Adopt object mission: area guard.

TEAM_TE_Init3 - 095020BC

Owner: GDI. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WC.

Ordered plan: TE_Guard_Init3 (0E11E56C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 600 (cell 89, 131).

3. Adopt object mission: area guard.

TEAM_TE_Init4 - 0950D50C

Owner: GDI. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WD.

Ordered plan: TE_Guard_Init4 (0E11E0BC).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 601 (cell 89, 130).
3. Adopt object mission: area guard.

TEAM_TE_Lasher1 - 0950D16C

Owner: GDI. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WH.

Ordered plan: TE_Guard_Lasher1 (0E11DB7C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 602 (cell 86, 133).
3. Adopt object mission: area guard.

TEAM_TE_Lasher2 - 0950D03C

Owner: GDI. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WF.

Ordered plan: TE_Guard_Lasher2 (0E11D6CC).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 603 (cell 86, 131).
3. Adopt object mission: area guard.

TEAM_TE_Lasher3 - 0950F66C

Owner: GDI. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WG.

Ordered plan: TE_Guard_Lasher3 (0E11D21C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 604 (cell 86, 129).
3. Adopt object mission: area guard.

TEAM_TE_Virus - 0950F20C

Owner: GDI. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WJ.

Ordered plan: TE_Guard_Virus (0E11BC8C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 607 (cell 84, 129).
3. Adopt object mission: area guard.

TEAM_TE_Yuri1 - 0950EC8C

Owner: GDI. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WK.

Ordered plan: TE_Guard_Yuri1 (0E11B7DC).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 608 (cell 81, 130).
3. Adopt object mission: area guard.

TEAM_TE_Yuri2 - 0950E65C

Owner: GDI. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WL.

Ordered plan: TE_Guard_Yuri2 (0E11B32C).

1. Clear local flag: local flag 49 (GDI_Gone).
2. Move to waypoint: waypoint 609 (cell 81, 131).
3. Adopt object mission: area guard.

TEAM_AD_Gatt1 - 096AAEFC

Owner: PPAD Country. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Gatt1 (096AAC8C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Gatt2 - 096AA94C

Owner: PPAD Country. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Gatt2 (096AA6DC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Init1 - 096AA3FC

Owner: PPAD Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Init1 (096AEDBC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Init2 - 096AEC8C

Owner: PPAD Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Init2 (096AEA1C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Init3 - 096AE8EC

Owner: PPAD Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Init3 (096AE2AC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Init4 - 096A9BDC

Owner: PPAD Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Init4 (096A996C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Lasher1 - 096A97BC

Owner: PPAD Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Lasher1 (096A954C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Lasher2 - 096A939C

Owner: PPAD Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Lasher2 (096A5DBC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Lasher3 - 096A926C

Owner: PPAD Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Lasher3 (096B6DBC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Virus - 096B678C

Owner: PPAD Country. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Virus (096B651C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Yuri2 - 096B62DC

Owner: PPAD Country. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Yuri2 (096B1DBC).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_AD_Yuri1 - 096B1C0C

Owner: PPAD Country. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: AD_Guard_Yuri1 (096B199C).

1. Move to waypoint: waypoint 29 (cell 125, 124).
2. Adopt object mission: area guard.

TEAM_TF_Gatt1 - 095B536C

Owner: PPTF Country. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XD.

Ordered plan: TF_Guard_Gatt1 (0C3DCA1C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 627 (cell 66, 117).
3. Adopt object mission: area guard.

TEAM_TF_Gatt2 - 095B6D7C

Owner: PPTF Country. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XE.

Ordered plan: TF_Guard_Gatt2 (0C3DBDBC).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 628 (cell 64, 110).
3. Adopt object mission: area guard.

TEAM_TF_Init1 - 095B68CC

Owner: PPTF Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XI.

Ordered plan: TF_Guard_Init1 (0C3DBB4C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 632 (cell 70, 117).
3. Adopt object mission: area guard.

TEAM_TF_Init2 - 095B606C

Owner: PPTF Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XJ.

Ordered plan: TF_Guard_Init2 (0C3DB69C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 633 (cell 71, 116).
3. Adopt object mission: area guard.

TEAM_TF_Init3 - 095B7C0C

Owner: PPTF Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XK.

Ordered plan: TF_Guard_Init3 (0C3DB1EC).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 634 (cell 71, 115).
3. Adopt object mission: area guard.

TEAM_TF_Init4 - 095B782C

Owner: PPTF Country. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XL.

Ordered plan: TF_Guard_Init4 (0C3DAC8C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 635 (cell 71, 114).
3. Adopt object mission: area guard.

TEAM_TF_Lasher1 - 095B740C

Owner: PPTF Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XA.

Ordered plan: TF_Guard_Lasher1 (0C3DA7DC).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 624 (cell 68, 117).
3. Adopt object mission: area guard.

TEAM_TF_Lasher2 - 0BA5FC1C

Owner: PPTF Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XB.

Ordered plan: TF_Guard_Lasher2 (0C3DA32C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 625 (cell 68, 119).
3. Adopt object mission: area guard.

TEAM_TF_Lasher3 - 095B706C

Owner: PPTF Country. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XC.

Ordered plan: TF_Guard_Lasher3 (0C3D9DBC).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 626 (cell 69, 112).
3. Adopt object mission: area guard.

TEAM_TF_Virus - 095B8A4C

Owner: PPTF Country. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XH.

Ordered plan: TF_Guard_Virus (0C3D990C).

1. Clear local flag: local flag 43 (PPTF_Gone).

2. Move to waypoint: waypoint 631 (cell 67, 110).
3. Adopt object mission: area guard.

TEAM_TF_Yuri1 - 095B859C

Owner: PPTF Country. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XF.

Ordered plan: TF_Guard_Yuri1 (0C3D945C).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 629 (cell 65, 117).
3. Adopt object mission: area guard.

TEAM_TF_Yuri2 - 095B813C

Owner: PPTF Country. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XG.

Ordered plan: TF_Guard_Yuri2 (0C3D8DBC).

1. Clear local flag: local flag 43 (PPTF_Gone).
2. Move to waypoint: waypoint 630 (cell 66, 110).
3. Adopt object mission: area guard.

TEAM_AB_Engineer - 095C2E1C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EB; Transport Waypoint: PB.

Ordered plan: Engineer_AB_Script (095C2BAC).

1. Attack waypoint: waypoint 27 (cell 127, 96).

TEAM_YuriBD1 - 04646B6C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: YuriBD1_Script (046468FC).

1. Adopt object mission: area guard.

TEAM_YuriBD2 - 046465FC

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DB.

Ordered plan: YuriBD2_Script (0464638C).

1. Adopt object mission: area guard.

TEAM_YuriBD3 - 0464781C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: YuriBD_Script (046475AC).

1. Adopt object mission: area guard.

TEAM_Virus_Attack - 096173CC

Owner: YuriCountry. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Virus_Attack (0961715C).

1. Seek/attack target category; configured argument 4.
2. Report team success.

TEAM_Tank_Attack1 - 0961797C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Tank_Attack1_Script (0961770C).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 2.
4. Report team success.

TEAM_Tank_Attack2 - 096462EC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Tank_Attack2_Script (06BF73AC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 2.
3. Report team success.

Team_Clone_Attack - 0956F76C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Clone_World_Script (09578DBC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 5.
3. Report team success.

TEAM_BD_Clones - 095B932C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: BD_Clones_Script (0464AA3C).

1. Move to waypoint: waypoint 104 (cell 49, 87).
2. Adopt object mission: area guard.

TEAM_BD_Tanks - 0464A7DC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: DB.

Ordered plan: BD_Tanks_Script (0464A56C).

1. Move to waypoint: waypoint 105 (cell 56, 87).
2. Adopt object mission: area guard.

TEAM_BD_Virus - 095B87DC

Owner: YuriCountry. Roster: 2 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: BD_Virus_Script (0464A0BC).

1. Move to waypoint: waypoint 106 (cell 53, 91).
2. Adopt object mission: area guard.

TEAM_Gattling_Attack - 0D8A4BBC

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Gattling_Attack_Script (0D8A494C).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 2.
4. Report team success.

TEAM_Initiate_Attack - 0D8A455C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Initiate_Attack_Script (0D8A42EC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 2.
4. Report team success.

TEAM_VirusClone_Attack - 0D8A5EFC

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: VirusClone_Attack_Script (0D8A5C8C).

1. Seek/attack target category; configured argument 4.
2. Report team success.

TEAM_Alliance_Reinforce - 08D650EC

Owner: Americans. Roster: 3 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: British_Reinforce_Script (0EA2980C).

1. Move to waypoint: waypoint 341 (cell 131, 132).
2. Move to waypoint: waypoint 306 (cell 114, 132).

TEAM_AD_Engineer - 0C11C0EC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ED; Transport Waypoint: PD.

Ordered plan: AD_Engineer_Script (0C11123C).

1. Attack waypoint: waypoint 29 (cell 125, 124).

TEAM_Grizzly_BD - 0B6D745C

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: GrizzlyBD_Script (0B6D6DBC).

1. Move to waypoint: waypoint 55 (cell 153, 120).

TEAM_Grizzly_BE - 0B6D6B5C

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: GrizzlyBE_Script (0B6D68EC).

1. Move to waypoint: waypoint 56 (cell 153, 118).

TEAM_Grizzly_BF - 0B6D66EC

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: GrizzlyBF_Script (0B6D647C).

1. Move to waypoint: waypoint 57 (cell 153, 116).

TEAM_Mirage_BG - 0B6D62CC

Owner: Americans. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: MirageBG_Script (0B6D605C).

1. Move to waypoint: waypoint 58 (cell 155, 120).

TEAM_Mirage_BH - 0B6D3EBC

Owner: Americans. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: MirageBH_Script (0B6D3C4C).

1. Move to waypoint: waypoint 59 (cell 155, 118).

TEAM_Mirage_BI - 0B6D3ADC

Owner: Americans. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: MirageBI_Script (0B6D386C).

1. Move to waypoint: waypoint 60 (cell 155, 116).

TEAM_IFV_BG - 04F3226C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: IFVBJ_Script (04F33DBC).

1. Move to waypoint: waypoint 58 (cell 155, 120).

TEAM_IFV_BI - 04F33C8C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: IFVBK_Script (04F33A1C).

1. Move to waypoint: waypoint 60 (cell 155, 116).

TEAM_IFV_BL - 0B6D1EFC

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: IFVBL_Script (0B6D1C8C).

1. Move to waypoint: waypoint 63 (cell 157, 116).

TEAM_TD_Snipers - 0B6EF9BC

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 12; Veteran Level: 1; Technology level: 0; Waypoint: TD; Transport Waypoint: BA.

Ordered plan: TD_Snipers (0B6EF74C).

1. Adopt object mission: area guard.

TEAM_Yuri_TC_TD_Engineers - 0B8DF08C

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VB; Transport Waypoint: AC.

Ordered plan: TC_TD_Engineers (0B69439C).

1. Attack waypoint: waypoint 523 (cell 109, 109).

TEAM_TC_Snipers - 0954544C

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TC; Transport Waypoint: BA.

Ordered plan: TC_Snipers (095451DC).

1. Adopt object mission: area guard.

TEAM_Yuri_TF_TC_Engineer - 0B8D57DC

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XJ; Transport Waypoint: AF.

Ordered plan: TF_TC_Engineers (095D1DBC).

1. Attack waypoint: waypoint 522 (cell 90, 107).

TEAM_TA_Engineer - 0C88543C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RF; Transport Waypoint: PA.

Ordered plan: Yuri_TA_Engineer (0C775C0C).

1. Attack waypoint: waypoint 520 (cell 101, 58).

TEAM_TB_Engineer - 0C886EFC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SL; Transport Waypoint: PA.

Ordered plan: Yuri_TB_Engineer (0BCA56BC).

1. Attack waypoint: waypoint 521 (cell 90, 72).

TEAM_TC_Engineer - 0C94E2DC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: VC; Transport Waypoint: PZ.

Ordered plan: Yuri_TC_Engineer (0BCA663C).

1. Attack waypoint: waypoint 521 (cell 90, 72).

TEAM_TD_Engineer - 0C2E054C

Owner: YuriCountry. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EC; Transport Waypoint: KW.

Ordered plan: Yuri_TD_Engineer (0BCA61CC).

1. Attack waypoint: waypoint 523 (cell 109, 109).

TEAM_TE_Engineer - 0C94F90C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: WG; Transport Waypoint: PZ.

Ordered plan: Yuri_TE_Engineer (0BC41DBC).

1. Attack waypoint: waypoint 524 (cell 84, 134).

TEAM_TF_Engineer - 0C85E1FC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EF; Transport Waypoint: PZ.

Ordered plan: Yuri_TF_Engineer (0BC418DC).

1. Attack waypoint: waypoint 525 (cell 65, 113).

TEAM_TE_Snipers - 0BCB4A1C

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TE; Transport Waypoint: BA.

Ordered plan: TC_Snipers (095451DC).

1. Adopt object mission: area guard.

TEAM_TF_Snipers - 0BC4EDAC

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TF; Transport Waypoint: BA.

Ordered plan: TC_Snipers (095451DC).

1. Adopt object mission: area guard.

TEAM_TA_Snipers - 0BC6D60C

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TA; Transport Waypoint: PA.

Ordered plan: TC_Snipers (095451DC).

1. Adopt object mission: area guard.

TEAM_TB_Snipers - 0BC6AC4C

Owner: Americans. Roster: 3 × Sniper (SNIPE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TB; Transport Waypoint: PA.

Ordered plan: TC_Snipers (095451DC).

1. Adopt object mission: area guard.

TEAM_Yuri_TB_TA_Engineer - 0B8E2DCC

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: SC; Transport Waypoint: PA.

Ordered plan: Yuri_TB_TA_Engineers (0BC06BFC).

1. Attack waypoint: waypoint 520 (cell 101, 58).

TEAM_Yuri_FA_TB_Engineer - 0BBFB72C

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FA; Transport Waypoint: PZ.

Ordered plan: Yuri_FA_TB_Engineers (0BBFB4BC).

1. Attack waypoint: waypoint 521 (cell 90, 72).

TEAM_Yuri_TF_TE_Engineer - 0B8E268C

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: XJ; Transport Waypoint: PZ.

Ordered plan: Yuri_TF_TE_Engineers (0BC2216C).

1. Attack waypoint: waypoint 524 (cell 84, 134).

TEAM_Yuri_FB_TF_Engineer - 0B8E22EC

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: FB; Transport Waypoint: PZ.

Ordered plan: Yuri_FB_TF_Engineer (0929B86C).

1. Attack waypoint: waypoint 525 (cell 65, 113).

TEAM_Nuke_Guard - 0988192C

Owner: YuriCountry. Roster: 5 × Virus (VIRUS); 3 × Yuri Clone (YURI); 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: NY; Transport Waypoint: PZ.

Ordered plan: Nuke_Guard_Script (0988EDBC).

1. Scatter.
2. Adopt object mission: area guard.

TEAM_Paradrop_WC1 - 045EA05C

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: AC.

Ordered plan: Paradrop_WC1_Script (045EDDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131101.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 10.

TEAM_Paradrop_WC2 - 0968684C

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: AF.

Ordered plan: Paradrop_WC2_Script (096865DC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131101.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 10.

TEAM_Paradrop_WC3 - 06BE73DC

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: PZ.

Ordered plan: Paradrop_WC3_Script (06BE716C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131101.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 10.

TEAM_Infantry_Hunter_1 - 045E812C

Owner: YuriCountry. Roster: 2 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: AC.

Ordered plan: Infantry_Hunter1_Script (045EA66C).

1. Seek/attack target category; configured argument 4.
2. Attack selected enemy-building category; configured argument 131101.

TEAM_Infantry_Hunter2 - 045EA43C

Owner: YuriCountry. Roster: 1 × Virus (VIRUS); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: AF.

Ordered plan: Infantry_Hunter2_Script (045EA1CC).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 9.
3. Seek/attack target category; configured argument 10.
4. Attack selected enemy-building category; configured argument 131101.

TEAM_Vehicle_Hunter1 - 096F77AC

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: PZ.

Ordered plan: Vehicle_Hunter1 (096F753C).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 131101.

TEAM_Vehicle_Hunter2 - 09718EFC

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: AC.

Ordered plan: Vehicle_Hunter2_Script (09718C8C).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 4.
3. Attack selected enemy-building category; configured argument 131101.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 10.

Patrol_AH_JS - 089B368C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: AH_JS_Patrol (089B341C).

1. Move to waypoint: waypoint 278 (cell 83, 102).
2. Move to waypoint: waypoint 33 (cell 84, 112).
3. Jump to script line; configured argument 1.

Patrol_AI_AJ - 089BEC9C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: AI_AJ_Patrol (089BEA2C).

1. Move to waypoint: waypoint 35 (cell 79, 113).

2. Move to waypoint: waypoint 34 (cell 80, 130).
3. Jump to script line; configured argument 1.

Patrol_AK_AL_AM - 089B8A3C

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: AK_AL_AM_Patrol (089B87CC).

1. Move to waypoint: waypoint 37 (cell 64, 103).
2. Move to waypoint: waypoint 38 (cell 71, 110).
3. Move to waypoint: waypoint 37 (cell 64, 103).
4. Move to waypoint: waypoint 36 (cell 59, 108).
5. Jump to script line; configured argument 1.

Patrol_KK_KO - 089B83EC

Owner: YuriCountry. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KK.

Ordered plan: KK_KO_Patrol (089B817C).

1. Move to waypoint: waypoint 39 (cell 99, 64).
2. Move to waypoint: waypoint 300 (cell 109, 64).
3. Move to waypoint: waypoint 39 (cell 99, 64).
4. Move to waypoint: waypoint 296 (cell 97, 66).
5. Jump to script line; configured argument 1.

Patrol_AO_AQ - 0AFFD42C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 2 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: AO_AQ_Patrol (0B00193C).

1. Move to waypoint: waypoint 41 (cell 103, 82).
2. Move to waypoint: waypoint 42 (cell 115, 94).
3. Move to waypoint: waypoint 41 (cell 103, 82).
4. Move to waypoint: waypoint 40 (cell 102, 79).
5. Jump to script line; configured argument 1.

Patrol_JT_AH - 0B0061AC

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 2 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JT.

Ordered plan: JT_AH_Patrol (0B0016CC).

1. Move to waypoint: waypoint 33 (cell 84, 112).
2. Move to waypoint: waypoint 279 (cell 99, 112).
3. Jump to script line; configured argument 1.

Patrol_JN_AT - 0B00159C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 2 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: JN.

Ordered plan: JN_AT_Patrol (0B00132C).

1. Move to waypoint: waypoint 43 (cell 82, 118).
2. Move to waypoint: waypoint 44 (cell 92, 128).
3. Move to waypoint: waypoint 45 (cell 93, 131).
4. Move to waypoint: waypoint 44 (cell 92, 128).
5. Move to waypoint: waypoint 43 (cell 82, 118).
6. Move to waypoint: waypoint 273 (cell 80, 118).
7. Jump to script line; configured argument 1.

Patrol_KL_AO - 0B007DBC

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 2 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: KL.

Ordered plan: KL_AO_Patrol (0B007B4C).

1. Move to waypoint: waypoint 46 (cell 102, 74).
2. Move to waypoint: waypoint 40 (cell 102, 79).
3. Move to waypoint: waypoint 46 (cell 102, 74).
4. Move to waypoint: waypoint 297 (cell 86, 58).
5. Jump to script line; configured argument 1.

Garrision_AJ - 0462B5AC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Garrison_Script (0462B33C).

1. Enter neutral occupiable building.

Garrison_AN - 0462CEFC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Garrison_Script (0462B33C).

1. Enter neutral occupiable building.

Garrison_AV - 061A379C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: Garrison_Script (0462B33C).

1. Enter neutral occupiable building.

Garrison_AW - 061A366C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AW.

Ordered plan: Garrison_Script (0462B33C).

1. Enter neutral occupiable building.

Garrison_EF - 061A353C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EF.

Ordered plan: Garrison_Script (0462B33C).

1. Enter neutral occupiable building.

Backdoor1 - 061E6E5C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AX; Transport Waypoint: AC.

Ordered plan: Backdoor1_Script (061E6BEC).

1. Move to waypoint: waypoint 286 (cell 92, 78).
2. Move to waypoint: waypoint 41 (cell 103, 82).
3. Move to waypoint: waypoint 50 (cell 131, 110).
4. Move to waypoint: waypoint 309 (cell 124, 130).
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Backdoor2 - 0619684C

Owner: YuriCountry. Roster: 6 × Initiate (INIT); 1 × Virus (VIRUS); 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AX; Transport Waypoint: AC.

Ordered plan: Backdoor1_Script (061E6BEC).

1. Move to waypoint: waypoint 286 (cell 92, 78).
2. Move to waypoint: waypoint 41 (cell 103, 82).
3. Move to waypoint: waypoint 50 (cell 131, 110).
4. Move to waypoint: waypoint 309 (cell 124, 130).
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Backdoor3 - 0619E1BC

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Engineer (YENGINEER); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AX; Transport Waypoint: AC.

Ordered plan: Backdoor1_Script (061E6BEC).

1. Move to waypoint: waypoint 286 (cell 92, 78).
2. Move to waypoint: waypoint 41 (cell 103, 82).
3. Move to waypoint: waypoint 50 (cell 131, 110).
4. Move to waypoint: waypoint 309 (cell 124, 130).
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Operation: Power Play - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all03umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Slave Miner Number	0,0,0	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	3
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	6
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	9
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	12
CAPOWRAA	UI Name	Name:GAPOWR	27
CAPOWRAA	Name	TechAA	28
CAPOWRAA	Image	CAPOWR	29
CAPOWRAA	Technology level	-1	30
CAPOWRAA	Starting health capacity	1000	31
CAPOWRAA	Insignificant-object flag	yes	32
CAPOWRAA	Nominal	yes	33
CAPOWRAA	Sight radius setting	6	34
CAPOWRAA	Points	5	35
CAPOWRAA	Armor class	concrete	36
CAPOWRAA	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	37
CAPOWRAA	Max Debris	15	38
CAPOWRAA	Min Debris	5	39
CAPOWRAA	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	40
CAPOWRAA	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	41
CAPOWRAA	Engineer-capture permission	yes	42
CAPOWRAA	Needs Engineer	yes	43
CAPOWRAA	Selling forbidden	yes	44
CAPOWRAA	Ammo	5	45
CAPOWRAA	Leaves rubble	yes	46
CAPOWRAA	Signed power contribution	200	47
CAPOWRAB	UI Name	Name:GAPOWR	50
CAPOWRAB	Name	TechAB	51
CAPOWRAB	Image	CAPOWR	52
CAPOWRAB	Technology level	-1	53
CAPOWRAB	Starting health capacity	1000	54
CAPOWRAB	Insignificant-object flag	yes	55

Object/system	Property	Mission value	Source line
CAPOWRAB	Nominal	yes	56
CAPOWRAB	Sight radius setting	6	57
CAPOWRAB	Points	5	58
CAPOWRAB	Armor class	concrete	59
CAPOWRAB	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	60
CAPOWRAB	Max Debris	15	61
CAPOWRAB	Min Debris	5	62
CAPOWRAB	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	63
CAPOWRAB	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	64
CAPOWRAB	Engineer-capture permission	yes	65
CAPOWRAB	Needs Engineer	yes	66
CAPOWRAB	Selling forbidden	yes	67
CAPOWRAB	Ammo	5	68
CAPOWRAB	Leaves rubble	yes	69
CAPOWRAB	Signed power contribution	200	70
CAPOWRAC	UI Name	Name:GAPOWR	73
CAPOWRAC	Name	TechAC	74
CAPOWRAC	Image	CAPOWR	75
CAPOWRAC	Technology level	-1	76
CAPOWRAC	Starting health capacity	1000	77
CAPOWRAC	Insignificant-object flag	yes	78
CAPOWRAC	Nominal	yes	79
CAPOWRAC	Sight radius setting	6	80
CAPOWRAC	Points	5	81
CAPOWRAC	Armor class	concrete	82
CAPOWRAC	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	83
CAPOWRAC	Max Debris	15	84
CAPOWRAC	Min Debris	5	85
CAPOWRAC	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	86
CAPOWRAC	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	87
CAPOWRAC	Engineer-capture permission	yes	88
CAPOWRAC	Needs Engineer	yes	89
CAPOWRAC	Selling forbidden	yes	90
CAPOWRAC	Ammo	5	91
CAPOWRAC	Leaves rubble	yes	92
CAPOWRAC	Signed power contribution	200	93
CAPOWRAD	UI Name	Name:GAPOWR	96
CAPOWRAD	Name	TechAD	97
CAPOWRAD	Image	CAPOWR	98
CAPOWRAD	Technology level	-1	99

Object/system	Property	Mission value	Source line
CAPOWRAD	Starting health capacity	1000	100
CAPOWRAD	Insignificant-object flag	yes	101
CAPOWRAD	Nominal	yes	102
CAPOWRAD	Sight radius setting	6	103
CAPOWRAD	Points	5	104
CAPOWRAD	Armor class	concrete	105
CAPOWRAD	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	106
CAPOWRAD	Max Debris	15	107
CAPOWRAD	Min Debris	5	108
CAPOWRAD	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	109
CAPOWRAD	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	110
CAPOWRAD	Engineer-capture permission	yes	111
CAPOWRAD	Needs Engineer	yes	112
CAPOWRAD	Selling forbidden	yes	113
CAPOWRAD	Ammo	5	114
CAPOWRAD	Leaves rubble	yes	115
CAPOWRAD	Signed power contribution	200	116
CAPOWRTA	UI Name	Name:GAPOWR	119
CAPOWRTA	Name	TechTA	120
CAPOWRTA	Image	CAPOWR	121
CAPOWRTA	Technology level	-1	122
CAPOWRTA	Starting health capacity	1000	123
CAPOWRTA	Insignificant-object flag	yes	124
CAPOWRTA	Nominal	yes	125
CAPOWRTA	Sight radius setting	6	126
CAPOWRTA	Points	5	127
CAPOWRTA	Armor class	concrete	128
CAPOWRTA	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	129
CAPOWRTA	Max Debris	15	130
CAPOWRTA	Min Debris	5	131
CAPOWRTA	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	132
CAPOWRTA	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	133
CAPOWRTA	Engineer-capture permission	yes	134
CAPOWRTA	Needs Engineer	yes	135
CAPOWRTA	Selling forbidden	yes	136
CAPOWRTA	Ammo	5	137
CAPOWRTA	Leaves rubble	yes	138
CAPOWRTA	Signed power contribution	200	139
CAPOWRTB	UI Name	Name:GAPOWR	142
CAPOWRTB	Name	TechTB	143

Object/system	Property	Mission value	Source line
CAPOWRTB	Image	CAPOWR	144
CAPOWRTB	Technology level	-1	145
CAPOWRTB	Starting health capacity	1000	146
CAPOWRTB	Insignificant-object flag	yes	147
CAPOWRTB	Nominal	yes	148
CAPOWRTB	Sight radius setting	6	149
CAPOWRTB	Points	5	150
CAPOWRTB	Armor class	concrete	151
CAPOWRTB	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	152
CAPOWRTB	Max Debris	15	153
CAPOWRTB	Min Debris	5	154
CAPOWRTB	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	155
CAPOWRTB	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	156
CAPOWRTB	Engineer-capture permission	yes	157
CAPOWRTB	Needs Engineer	yes	158
CAPOWRTB	Selling forbidden	yes	159
CAPOWRTB	Ammo	5	160
CAPOWRTB	Leaves rubble	yes	161
CAPOWRTB	Signed power contribution	200	162
CAPOWRTC	UI Name	Name:GAPOWR	165
CAPOWRTC	Name	TechTC	166
CAPOWRTC	Image	CAPOWR	167
CAPOWRTC	Technology level	-1	168
CAPOWRTC	Starting health capacity	1000	169
CAPOWRTC	Insignificant-object flag	yes	170
CAPOWRTC	Nominal	yes	171
CAPOWRTC	Sight radius setting	6	172
CAPOWRTC	Points	5	173
CAPOWRTC	Armor class	concrete	174
CAPOWRTC	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	175
CAPOWRTC	Max Debris	15	176
CAPOWRTC	Min Debris	5	177
CAPOWRTC	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	178
CAPOWRTC	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	179
CAPOWRTC	Engineer-capture permission	yes	180
CAPOWRTC	Needs Engineer	yes	181
CAPOWRTC	Selling forbidden	yes	182
CAPOWRTC	Ammo	5	183
CAPOWRTC	Leaves rubble	yes	184
CAPOWRTC	Signed power contribution	200	185

Object/system	Property	Mission value	Source line
CAPOWRTD	UI Name	Name:GAPOWR	188
CAPOWRTD	Name	TechTD	189
CAPOWRTD	Image	CAPOWR	190
CAPOWRTD	Technology level	-1	191
CAPOWRTD	Starting health capacity	1000	192
CAPOWRTD	Insignificant-object flag	yes	193
CAPOWRTD	Nominal	yes	194
CAPOWRTD	Sight radius setting	6	195
CAPOWRTD	Points	5	196
CAPOWRTD	Armor class	concrete	197
CAPOWRTD	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	198
CAPOWRTD	Max Debris	15	199
CAPOWRTD	Min Debris	5	200
CAPOWRTD	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	201
CAPOWRTD	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	202
CAPOWRTD	Engineer-capture permission	yes	203
CAPOWRTD	Needs Engineer	yes	204
CAPOWRTD	Selling forbidden	yes	205
CAPOWRTD	Ammo	5	206
CAPOWRTD	Leaves rubble	yes	207
CAPOWRTD	Signed power contribution	200	208
CAPOWRTE	UI Name	Name:GAPOWR	211
CAPOWRTE	Name	TechTE	212
CAPOWRTE	Image	CAPOWR	213
CAPOWRTE	Technology level	-1	214
CAPOWRTE	Starting health capacity	1000	215
CAPOWRTE	Insignificant-object flag	yes	216
CAPOWRTE	Nominal	yes	217
CAPOWRTE	Sight radius setting	6	218
CAPOWRTE	Points	5	219
CAPOWRTE	Armor class	concrete	220
CAPOWRTE	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	221
CAPOWRTE	Max Debris	15	222
CAPOWRTE	Min Debris	5	223
CAPOWRTE	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	224
CAPOWRTE	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	225
CAPOWRTE	Engineer-capture permission	yes	226
CAPOWRTE	Needs Engineer	yes	227
CAPOWRTE	Selling forbidden	yes	228
CAPOWRTE	Ammo	5	229

Object/system	Property	Mission value	Source line
CAPOWRTE	Leaves rubble	yes	230
CAPOWRTE	Signed power contribution	200	231
CAPOWRTF	UI Name	Name:GAPOWR	234
CAPOWRTF	Name	TechTF	235
CAPOWRTF	Image	CAPOWR	236
CAPOWRTF	Technology level	-1	237
CAPOWRTF	Starting health capacity	1000	238
CAPOWRTF	Insignificant-object flag	yes	239
CAPOWRTF	Nominal	yes	240
CAPOWRTF	Sight radius setting	6	241
CAPOWRTF	Points	5	242
CAPOWRTF	Armor class	concrete	243
CAPOWRTF	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	244
CAPOWRTF	Max Debris	15	245
CAPOWRTF	Min Debris	5	246
CAPOWRTF	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	247
CAPOWRTF	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	248
CAPOWRTF	Engineer-capture permission	yes	249
CAPOWRTF	Needs Engineer	yes	250
CAPOWRTF	Selling forbidden	yes	251
CAPOWRTF	Ammo	5	252
CAPOWRTF	Leaves rubble	yes	253
CAPOWRTF	Signed power contribution	200	254
Nuclear Missile Silo (NAMISL)	UI Name	Name:NAMISL	257
Nuclear Missile Silo (NAMISL)	Name	Soviet Nuclear Missile Silo	258
Nuclear Missile Silo (NAMISL)	Construction category	Combat	259
Nuclear Missile Silo (NAMISL)	Primary granted special weapon	NukeSpecial	260
Nuclear Missile Silo (NAMISL)	Required structures/groups	NATECH,NACNST	261
Nuclear Missile Silo (NAMISL)	Starting health capacity	1000	262
Nuclear Missile Silo (NAMISL)	Armor class	concrete	263
Nuclear Missile Silo (NAMISL)	Technology level	10	264
Nuclear Missile Silo (NAMISL)	Placement adjacency setting	2	265
Nuclear Missile Silo (NAMISL)	Sight radius setting	4	266
Nuclear Missile Silo (NAMISL)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	267
Nuclear Missile Silo (NAMISL)	AI Base Planning Side	1	268
Nuclear Missile Silo (NAMISL)	Price in credits	5000	269
Nuclear Missile Silo (NAMISL)	Points	30	270
Nuclear Missile Silo (NAMISL)	Signed power contribution	-810	271
Sniper (SNIPE)	Required structures/groups	GAPILE	274
Sniper (SNIPE)	Required countries	Americans	275

Object/system	Property	Mission value	Source line
IFV (FV)	Technology level	2	278
Air Force Command Headquarters (GAAIRC)	Price in credits	1000	281
Air Force Command Headquarters (GAAIRC)	Points	70	282
Air Force Command Headquarters (GAAIRC)	Signed power contribution	-0	283
Air Force Command Headquarters (GAAIRC)	Production category	AircraftType	284
Air Force Command Headquarters (GAAIRC)	Engineer-capture permission	true	285
Air Force Command Headquarters (GAAIRC)	Crewed	yes	286
Power Plant (GAPOWR)	UI Name	Name:GAPOWR	289
Power Plant (GAPOWR)	Name	Allied Power Plant	290
Power Plant (GAPOWR)	Construction category	Power	291
Power Plant (GAPOWR)	Required structures/groups	GACNST	292
Power Plant (GAPOWR)	Starting health capacity	100	293
Power Plant (GAPOWR)	Insignificant-object flag	yes	294
Power Plant (GAPOWR)	Armor class	concrete	295
Power Plant (GAPOWR)	Technology level	1	296
Power Plant (GAPOWR)	Placement adjacency setting	2	297
Power Plant (GAPOWR)	Sight radius setting	4	298
Power Plant (GAPOWR)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	299
Power Plant (GAPOWR)	AI Base Planning Side	0	300
Power Plant (GAPOWR)	Price in credits	800	301
Power Plant (GAPOWR)	Points	40	302
Power Plant (GAPOWR)	Signed power contribution	200	303
Power Plant (GAPOWR)	Engineer-capture permission	true	304
Power Plant (GAPOWR)	Crewed	yes	305
Power Plant (GAPOWR)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60,gtpowexp	306
Power Plant (GAPOWR)	Upgrades	2	307
Power Plant (GAPOWR)	Debris Anims	DBRIS1LG,DBRIS1SM,DBRIS4LG,DBRIS4SM,DBRIS5LG,DBRIS5SM	308
Power Plant (GAPOWR)	Max Debris	6	309
Power Plant (GAPOWR)	Min Debris	4	310
Power Plant (GAPOWR)	Threat contribution	0	311
Power Plant (GAPOWR)	Damage Smoke Offset	300, 300, 450	312
Power Plant (GAPOWR)	Player power toggle allowed	no	313
Power Plant (GAPOWR)	Spy-infiltration permission	yes	314
Power Plant (GAPOWR)	Die Sound	PowerPlantDie	315
Power Plant (GAPOWR)	Immune to ordinary psychic control	no	316
Weather Controller (GAWEAT)	UI Name	Name:GAWEAT	319

Object/system	Property	Mission value	Source line
Weather Controller (GAWEAT)	Name	Allied Weather Controller	320
Weather Controller (GAWEAT)	Image	GAWETH	321
Weather Controller (GAWEAT)	Construction category	Combat	322
Weather Controller (GAWEAT)	Required structures/groups	GATECH,GACNST	323
Weather Controller (GAWEAT)	Technology level	10	324
Weather Controller (GAWEAT)	Starting health capacity	1000	325
Weather Controller (GAWEAT)	Depends on power	true	326
Weather Controller (GAWEAT)	Placement adjacency setting	2	327
Weather Controller (GAWEAT)	Armor class	concrete	328
Weather Controller (GAWEAT)	Sight radius setting	5	329
Weather Controller (GAWEAT)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	330
Weather Controller (GAWEAT)	AI Base Planning Side	0	331
Weather Controller (GAWEAT)	Price in credits	5000	332
Weather Controller (GAWEAT)	Points	30	333
Weather Controller (GAWEAT)	Signed power contribution	-710	334
Seattle Space Needle (CASEAT01)	Technology level	-1	337
Seattle Space Needle (CASEAT01)	Starting health capacity	1000	338
Seattle Space Needle (CASEAT01)	Insignificant-object flag	yes	339
Seattle Space Needle (CASEAT01)	Nominal	yes	340
Seattle Space Needle (CASEAT01)	Hidden from radar	yes	341
Seattle Space Needle (CASEAT01)	Points	5	342
Seattle Space Needle (CASEAT01)	Armor class	wood	343
Seattle Space Needle (CASEAT01)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	344
Seattle Space Needle (CASEAT01)	Debris Anims	DBRI-WM1,DBRI-WM2,DBRI-WM3,DBRI-WM4,DBRI-WM5,DBRI-WM6	345
Seattle Space Needle (CASEAT01)	Max Debris	15	346
Seattle Space Needle (CASEAT01)	Min Debris	5	347
Seattle Space Needle (CASEAT01)	Normal base-adjacency role	no	348
Seattle Space Needle (CASEAT01)	Sight radius setting	6	349
Seattle Space Needle (CASEAT01)	Repair-tool permission	no	350
Seattle Space Needle (CASEAT01)	Infantry garrison permitted	yes	351
Seattle Space Needle (CASEAT01)	Garrison capacity	10	352
Seattle Space Needle (CASEAT01)	Occupants can fire	yes	353
Seattle Space Needle (CASEAT01)	Leaves rubble	true	354
Seattle Space Needle (CASEAT01)	Die Sound	MonumentCrumble	355
Allied War Factory (GAWEAP)	Starting health capacity	1000	358
Allied War Factory (GAWEAP)	Armor class	wood	359
Allied War Factory (GAWEAP)	Technology level	2	360
Allied War Factory (GAWEAP)	Sight radius setting	4	361
Allied War Factory (GAWEAP)	Placement adjacency setting	2	362

Object/system	Property	Mission value	Source line
Allied War Factory (GAWEAP)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,YuriCountry	363
Allied War Factory (GAWEAP)	AI Base Planning Side	0	364
Allied War Factory (GAWEAP)	Price in credits	2000	365
Allied War Factory (GAWEAP)	Points	1000	366
Allied War Factory (GAWEAP)	Signed power contribution	-0	367
Virus (VIRUS)	Required structures/groups	YABRCK	370
Virus (VIRUS)	Technology level	1	371
Yuri Clone (YURI)	Required structures/groups	YABRCK	374
Yuri Clone (YURI)	Technology level	1	375
COUNTRIES (COUNTRIES)	0	PPTF Country	378
COUNTRIES (COUNTRIES)	1	Backup1 Country	379
COUNTRIES (COUNTRIES)	2	PPAD Country	380
COUNTRIES (COUNTRIES)	3	MSGuard Country	381
SPECIALFLAGS	Tiberium Grows	no	440
SPECIALFLAGS	Tiberium Spreads	yes	441
SPECIALFLAGS	Tiberium Explosive	no	442
SPECIALFLAGS	Destroyable Bridges	yes	443
SPECIALFLAGS	MCV Deploy	no	444
SPECIALFLAGS	Initial Veteran	no	445
SPECIALFLAGS	Fixed Alliance	no	446
SPECIALFLAGS	Harvester Immune	no	447
SPECIALFLAGS	Fog Of War	no	448
SPECIALFLAGS	Inert	no	449
SPECIALFLAGS	Ion Storms	no	450
SPECIALFLAGS	Meteorites	no	451
SPECIALFLAGS	Visceroids	no	452
VARIABLENAMES (VARIABLENAMES)	0	PlantAA_Gone,0	501
VARIABLENAMES (VARIABLENAMES)	1	PlantAB_Gone,0	502
VARIABLENAMES (VARIABLENAMES)	2	PlantAC_Gone,0	503
VARIABLENAMES (VARIABLENAMES)	3	PlantAD_Gone,0	504
VARIABLENAMES (VARIABLENAMES)	4	Nuked_PPAA,0	505
VARIABLENAMES (VARIABLENAMES)	5	Player_Owns_AA,1	506
VARIABLENAMES (VARIABLENAMES)	6	Nuked_PPAB,0	507
VARIABLENAMES (VARIABLENAMES)	7	Engineer_AA,0	508
VARIABLENAMES (VARIABLENAMES)	8	TA_Team_Gone,0	509
VARIABLENAMES (VARIABLENAMES)	9	Nuked_MD,0	510
VARIABLENAMES (VARIABLENAMES)	10	Nuked_PPTA,0	511
VARIABLENAMES (VARIABLENAMES)	11	Backup1_Gone,0	512
VARIABLENAMES (VARIABLENAMES)	12	Nuked_MC,0	513
VARIABLENAMES (VARIABLENAMES)	13	Nuked_MA,0	514
VARIABLENAMES (VARIABLENAMES)	14	TB_Team_Gone,0	515

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	15	TC_Team_Gone,0	516
VARIABLENAMES (VARIABLENAMES)	16	Nuked_MB,0	517
VARIABLENAMES (VARIABLENAMES)	17	TD_Team_Gone,0	518
VARIABLENAMES (VARIABLENAMES)	18	Nuked_PPAC,0	519
VARIABLENAMES (VARIABLENAMES)	19	Kill_GI,1	520
VARIABLENAMES (VARIABLENAMES)	20	Kill_GI_HF,0	521
VARIABLENAMES (VARIABLENAMES)	21	Kill_GI_HG,0	522
VARIABLENAMES (VARIABLENAMES)	22	Kill_GI_HH,0	523
VARIABLENAMES (VARIABLENAMES)	23	Kill_GI_HI,0	524
VARIABLENAMES (VARIABLENAMES)	24	Kill_GI_HJ,0	525
VARIABLENAMES (VARIABLENAMES)	25	Player_Owns_AB,1	526
VARIABLENAMES (VARIABLENAMES)	26	Player_Owns_AC,0	527
VARIABLENAMES (VARIABLENAMES)	27	Player_Owns_AD,1	528
VARIABLENAMES (VARIABLENAMES)	28	Player_Owns_TA,0	529
VARIABLENAMES (VARIABLENAMES)	29	Player_Owns_TB,0	530
VARIABLENAMES (VARIABLENAMES)	30	Player_Owns_TC,0	531
VARIABLENAMES (VARIABLENAMES)	31	Player_Owns_TD,0	532
VARIABLENAMES (VARIABLENAMES)	32	PlantTA_Gone,0	533
VARIABLENAMES (VARIABLENAMES)	33	PlantTB_Gone,0	534
VARIABLENAMES (VARIABLENAMES)	34	PlantTC_Gone,0	535
VARIABLENAMES (VARIABLENAMES)	35	PlantTD_Gone,0	536
VARIABLENAMES (VARIABLENAMES)	36	PlantA1_Gone,0	537
VARIABLENAMES (VARIABLENAMES)	37	PlantA2_Gone,0	538
VARIABLENAMES (VARIABLENAMES)	38	PlantTE_Gone,0	539
VARIABLENAMES (VARIABLENAMES)	39	PlantTF_Gone,0	540
VARIABLENAMES (VARIABLENAMES)	40	Player_Owns_TE,0	541
VARIABLENAMES (VARIABLENAMES)	41	Player_Owns_TF,0	542
VARIABLENAMES (VARIABLENAMES)	42	Nuked_PPAD,0	543
VARIABLENAMES (VARIABLENAMES)	43	PPTF_Gone,0	544
VARIABLENAMES (VARIABLENAMES)	44	French_Gone,0	545
VARIABLENAMES (VARIABLENAMES)	45	Nod_Gone,0	546
VARIABLENAMES (VARIABLENAMES)	46	Russia_Gone,0	547
VARIABLENAMES (VARIABLENAMES)	47	Arabs_Gone,0	548
VARIABLENAMES (VARIABLENAMES)	48	Confed_Gone,0	549
VARIABLENAMES (VARIABLENAMES)	49	GDI_Gone,0	550
VARIABLENAMES (VARIABLENAMES)	50	Nuked_PPTB,0	551
VARIABLENAMES (VARIABLENAMES)	51	Nuked_PPTC,0	552
VARIABLENAMES (VARIABLENAMES)	52	Nuked_PPTD,0	553
VARIABLENAMES (VARIABLENAMES)	53	Nuked_PPTE,0	554
VARIABLENAMES (VARIABLENAMES)	54	Nuked_PPTF,0	555
VARIABLENAMES (VARIABLENAMES)	55	Make_French_Hover,0	556

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	56	Clear_French_Force,0	557
VARIABLENAMES (VARIABLENAMES)	57	Player_Power_Down,0	558
America (AMERICANS)	Country	Americans	602
America (AMERICANS)	Technology level	2	603
America (AMERICANS)	Credits	100	604
America (AMERICANS)	IQ	0	605
America (AMERICANS)	Edge	East	606
America (AMERICANS)	Player Control	yes	607
America (AMERICANS)	Color	DarkBlue	608
America (AMERICANS)	Allies	Americans,Alliance,British,Neutral	609
America (AMERICANS)	Percent Built	0	610
America (AMERICANS)	Node Count	1	611
America (AMERICANS)	000	CAMISC01,106,46	612
Korea (ALLIANCE)	Country	Alliance	615
Korea (ALLIANCE)	Technology level	1	616
Korea (ALLIANCE)	Credits	0	617
Korea (ALLIANCE)	IQ	0	618
Korea (ALLIANCE)	Edge	North	619
Korea (ALLIANCE)	Player Control	yes	620
Korea (ALLIANCE)	Color	DarkBlue	621
Korea (ALLIANCE)	Allies	Americans,Alliance,British	622
Korea (ALLIANCE)	Percent Built	0	623
Korea (ALLIANCE)	Node Count	0	624
France (FRENCH)	Country	French	627
France (FRENCH)	Technology level	1	628
France (FRENCH)	Credits	0	629
France (FRENCH)	IQ	0	630
France (FRENCH)	Edge	North	631
France (FRENCH)	Player Control	no	632
France (FRENCH)	Color	Purple	633
France (FRENCH)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	634
France (FRENCH)	Percent Built	0	635
France (FRENCH)	Node Count	0	636
Germany (GERMANS)	Country	Germans	639
Germany (GERMANS)	Technology level	1	640
Germany (GERMANS)	Credits	0	641
Germany (GERMANS)	IQ	0	642
Germany (GERMANS)	Edge	North	643
Germany (GERMANS)	Player Control	no	644
Germany (GERMANS)	Color	Purple	645

Object/system	Property	Mission value	Source line
Germany (GERMANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	646
Germany (GERMANS)	Percent Built	0	647
Germany (GERMANS)	Node Count	0	648
Great Britain (BRITISH)	Country	British	651
Great Britain (BRITISH)	Technology level	1	652
Great Britain (BRITISH)	Credits	0	653
Great Britain (BRITISH)	IQ	0	654
Great Britain (BRITISH)	Edge	North	655
Great Britain (BRITISH)	Player Control	no	656
Great Britain (BRITISH)	Color	DarkBlue	657
Great Britain (BRITISH)	Allies	Americans,Alliance,British	658
Great Britain (BRITISH)	Percent Built	0	659
Great Britain (BRITISH)	Node Count	0	660
Libya (AFRICANS)	Country	Africans	663
Libya (AFRICANS)	Technology level	1	664
Libya (AFRICANS)	Credits	0	665
Libya (AFRICANS)	IQ	0	666
Libya (AFRICANS)	Edge	North	667
Libya (AFRICANS)	Player Control	no	668
Libya (AFRICANS)	Color	Purple	669
Libya (AFRICANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	670
Libya (AFRICANS)	Percent Built	0	671
Libya (AFRICANS)	Node Count	0	672
Iraq (ARABS)	Country	Arabs	675
Iraq (ARABS)	Technology level	1	676
Iraq (ARABS)	Credits	0	677
Iraq (ARABS)	IQ	0	678
Iraq (ARABS)	Edge	North	679
Iraq (ARABS)	Player Control	no	680
Iraq (ARABS)	Color	Purple	681
Iraq (ARABS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	682
Iraq (ARABS)	Percent Built	0	683
Iraq (ARABS)	Node Count	0	684
Cuba (CONFEDERATION)	Country	Confederation	687
Cuba (CONFEDERATION)	Technology level	1	688
Cuba (CONFEDERATION)	Credits	0	689
Cuba (CONFEDERATION)	IQ	0	690
Cuba (CONFEDERATION)	Edge	North	691

Object/system	Property	Mission value	Source line
Cuba (CONFEDERATION)	Player Control	no	692
Cuba (CONFEDERATION)	Color	Purple	693
Cuba (CONFEDERATION)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	694
Cuba (CONFEDERATION)	Percent Built	0	695
Cuba (CONFEDERATION)	Node Count	0	696
Russia (RUSSIANS)	Country	Russians	699
Russia (RUSSIANS)	Technology level	1	700
Russia (RUSSIANS)	Credits	0	701
Russia (RUSSIANS)	IQ	0	702
Russia (RUSSIANS)	Edge	North	703
Russia (RUSSIANS)	Player Control	no	704
Russia (RUSSIANS)	Color	Purple	705
Russia (RUSSIANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	706
Russia (RUSSIANS)	Percent Built	0	707
Russia (RUSSIANS)	Node Count	0	708
Yuri (YURICOUNTRY)	Country	YuriCountry	711
Yuri (YURICOUNTRY)	Technology level	4	712
Yuri (YURICOUNTRY)	Credits	400	713
Yuri (YURICOUNTRY)	IQ	5	714
Yuri (YURICOUNTRY)	Edge	North	715
Yuri (YURICOUNTRY)	Player Control	no	716
Yuri (YURICOUNTRY)	Color	Purple	717
Yuri (YURICOUNTRY)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	718
Yuri (YURICOUNTRY)	Percent Built	0	719
Yuri (YURICOUNTRY)	Node Count	0	720
GDI (GDI)	Country	GDI	723
GDI (GDI)	Technology level	1	724
GDI (GDI)	Credits	0	725
GDI (GDI)	IQ	0	726
GDI (GDI)	Edge	North	727
GDI (GDI)	Player Control	no	728
GDI (GDI)	Color	Purple	729
GDI (GDI)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	730
GDI (GDI)	Percent Built	0	731
GDI (GDI)	Node Count	0	732
Nod (NOD)	Country	Nod	735
Nod (NOD)	Technology level	1	736

Object/system	Property	Mission value	Source line
Nod (NOD)	Credits	0	737
Nod (NOD)	IQ	0	738
Nod (NOD)	Edge	North	739
Nod (NOD)	Player Control	no	740
Nod (NOD)	Color	Purple	741
Nod (NOD)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse,MSGuardHouse	742
Nod (NOD)	Percent Built	0	743
Nod (NOD)	Node Count	0	744
Civilian (NEUTRAL)	Country	Neutral	747
Civilian (NEUTRAL)	Technology level	1	748
Civilian (NEUTRAL)	Credits	0	749
Civilian (NEUTRAL)	IQ	0	750
Civilian (NEUTRAL)	Edge	North	751
Civilian (NEUTRAL)	Player Control	no	752
Civilian (NEUTRAL)	Color	Grey	753
Civilian (NEUTRAL)	Allies	French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,PPTFHouse,Backup1House,PPADHouse	754
Civilian (NEUTRAL)	Percent Built	0	755
Civilian (NEUTRAL)	Node Count	0	756
JP (SPECIAL)	Country	Special	759
JP (SPECIAL)	Technology level	1	760
JP (SPECIAL)	Credits	0	761
JP (SPECIAL)	IQ	0	762
JP (SPECIAL)	Edge	North	763
JP (SPECIAL)	Player Control	no	764
JP (SPECIAL)	Color	Grey	765
JP (SPECIAL)	Allies	Special	766
JP (SPECIAL)	Percent Built	0	767
JP (SPECIAL)	Node Count	0	768

Operation: Tomb Raided

Campaign reading guide | Engine

Operation: Tomb Raided

all04dmd.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- YuriCountry (63)
- Neutral (39)
- Arabs (24)
- Americans (11)
- French (9)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all04dmd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all04dmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all04dmd.map. **Effective extracted member:** mapsmd03.mix/all04dmd.map. **Trigger definitions:** 142.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	DESERT
Map size	0,0,119,82
Visible local rectangle	2,5,115,71
Placed vehicles	25
Placed infantry	38
Placed structures	85
Placed aircraft	0
Team templates	82

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	80	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	50	YuriCountry2
7	Confederation	0	Confederation
8	Russians	50	Russians
9	YuriCountry	480	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	HoverDeliver,0
1	PsychicDomKilled,0
2	Tanya Dead,0
3	Obj1Complete,0
4	HoverDeliver2,0
5	InPlace1,0
6	InPlace2,0
7	InPlace3,0
8	Tanya Crossed,0
9	TanyaOut,0
10	Obj2 Complete,0
11	Oil Derricks Taken,0
12	EinsteinIn,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
It's Over! 2 (0682668C)	2 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
We Won! (0A2F818C)	15 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
It's Over : ((09F7C5BC)	Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).	Announce defeat.

Every trigger, in file order

1. START! - 088E9F3C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088E969C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.
3. Create/recruit team _Tank Des 1 (0C1EAC8C).
4. Create/recruit team _Tank Des 2 (0C1EA7DC).
5. Create/recruit team _Tank Des 3 (0C1EA15C).
6. Create/recruit team _Tank Des 4 (0C1EBC8C).
7. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
8. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
9. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
10. Play in-game movie 16.
11. Enable and reset applicable timers for _Introduce Tank Destroyer (092600DC).
12. Move the camera to waypoint 0 (cell 82, 162) with speed setting 1.
13. Create/recruit team Engin1Move (0BA1E1AC).
14. Create/recruit team Engin2Move (0BA176CC).
15. Create/recruit team GI1Move (0BA260EC).
16. Create/recruit team GI2Move (0BA275EC).
17. Create/recruit team MVC Move (0933DB7C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8182, Events line 8326, Actions line 8470.

2. _Introduce Tank Destroyer - 092600DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from START! (088E9F3C).

Attached scope: tag definitions 09261D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 61 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_TankDestroyer.
2. Flash team _Tank Des 1 (0C1EAC8C) with duration setting 60.
3. Flash team _Tank Des 2 (0C1EA7DC) with duration setting 60.
4. Flash team _Tank Des 3 (0C1EA15C) with duration setting 60.
5. Flash team _Tank Des 4 (0C1EBC8C) with duration setting 60.
6. Enable and reset applicable timers for _Send DUMMY 1 (0BA91B3C).
7. Enable and reset applicable timers for _Send DUMMY 2 (0BA9151C).
8. Enable and reset applicable timers for _Resume Some Control (00000000).
9. Enable and reset applicable timers for Mission Obj 1 (0A6CFA2C).
10. Enable and reset applicable timers for Rescue Einstein! (0AB1EF3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8183, Events line 8327, Actions line 8471.

3. _Send DUMMY 1 - 0BA91B3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Tank Destroyer (092600DC).

Attached scope: tag definitions 0BA9160C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _Dummy Team 1 (0B3C604C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8184, Events line 8328, Actions line 8472.

4. _Send DUMMY 2 - 0BA9151C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Tank Destroyer (092600DC).

Attached scope: tag definitions 0BA912FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _Dummy Team 2 (0B3C129C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8185, Events line 8329, Actions line 8473.

5. _Resume Some Control - 00000000

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Tank Destroyer (092600DC).

Attached scope: tag definitions 0925DEDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 67 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8186, Events line 8330, Actions line 8474.

6. Mission Obj 1 - 0A6CFA2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Tank Destroyer (092600DC); enable from _Introduce Psychic Towers (0BDA918C).

Attached scope: tag definitions 0A6C8CEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Rescue Einstein from Yuri's secret base near the Great Pyramid” (MISSION:RescueEinstein).
2. Create radar-event marker type 1 at waypoint 29 (cell 90, 103).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8187, Events line 8331, Actions line 8475.

7. Rescue Einstein! - 0AB1EF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Tank Destroyer (092600DC).

Attached scope: tag definitions 0AB1FDCC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_EvaRescueEinstein.
2. Disable Rescue Einstein! (0AB1EF3C).
3. Enable and reset applicable timers for Mission Obj 1c (0DE1DF3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8188, Events line 8332, Actions line 8476.

8. Mission Obj 1c - 0DE1DF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rescue Einstein! (0AB1EF3C); enable from _Introduce Psychic Towers (0BDA918C).

Attached scope: tag definitions 0DE1D94C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_EinsteinSaveMe.
2. Disable Mission Obj 1c (0DE1DF3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8189, Events line 8333, Actions line 8477.

9. _START2 - 0440DD8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0440EC6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 26 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A04_p01.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8190, Events line 8334, Actions line 8478.

10. Immediate Rush - 067E815C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 067EBA3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Yuri Foot Attack (0BA0EA9C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8191, Events line 8335, Actions line 8479.

11. Yuri Hover Attack - 0C92903C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C92EF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 135 (global list position: Air Force Command Headquarters (AMRADR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team Yuri Hover Attack (0C1DD59C).
2. Disable Yuri Hover Attack (0C92903C).
3. Enable and reset applicable timers for Hover Return (0A6B4C6C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8192, Events line 8336, Actions line 8480.

12. Hover Return - 0A6B4C6C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Hover Attack (0C92903C).

Attached scope: tag definitions 0A6BCF1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (HoverDeliver) is set.

Flag writers in this mission: clear local flag 0 (HoverDeliver) at Y Auto Hover 1b (0AE4A3CC); clear local flag 0 (HoverDeliver) at Y Auto Hover 1b Alt (0687F03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Hover Return (0C1E1B7C).
2. Disable Hover Return (0A6B4C6C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8193, Events line 8337, Actions line 8481.

13. Bridge Detect - 0BB9207C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Restart Bridge Detect (0AEBE63C).

Attached scope: 1 tagged map cells: (161, 68); tag 0BB9410C, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Bridge Detect (0BB9207C).
2. Enable and reset applicable timers for Engineer Delay (0AEBEF3C).
3. Enable and reset applicable timers for Restart Bridge Detect (0AEBE63C).
4. Create/recruit team No Bridge Hover Attack (0C1E16CC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8194, Events line 8338, Actions line 8482.

14. Engineer Delay - 0AEBEF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Detect (0BB9207C); enable from Engineer Dead? (088801BC).

Attached scope: tag definitions 0AEBEA0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 13 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Engineer Delay (0AEBEF3C).
2. Supply reinforcement team Engineer Repair Task (0C1DD0EC) at waypoint 3 (cell 144, 32).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8195, Events line 8339, Actions line 8483.

15. Restart Bridge Detect - 0AEBE63C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Bridge Detect (0BB9207C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (154, 66), tag 0AEBE3FC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Bridge Detect (0BB9207C).
2. Disable Restart Bridge Detect (0AEBE63C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8196, Events line 8340, Actions line 8484.

16. End All - 089AC7FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Barracks (YABRCK), owner YuriCountry, cell (142, 30), tag 089AEAAC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Bridge Detect (0BB9207C).
2. Destroy current instances of Engineer Delay (0AEBEF3C).
3. Destroy current instances of Restart Bridge Detect (0AEBE63C).
4. Destroy current instances of 2nd Bridge Detect (0B24E20C).
5. Destroy current instances of 2nd Engineer Delay (0B24930C).
6. Destroy current instances of 2nd Restart Bridge Detect (0B2495EC).
7. Remove instances of the team organization (not automatically its surviving objects) Yuri Hover Attack (0C1DD59C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8197, Events line 8341, Actions line 8485.

17. 2nd Bridge Detect - 0B24E20C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2nd Restart Bridge Detect (0B2495EC).

Attached scope: 1 tagged map cells: (146, 110); tag 0B2493FC, persistence mode 2.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable 2nd Bridge Detect (0B24E20C).
2. Enable and reset applicable timers for 2nd Restart Bridge Detect (0B2495EC).
3. Enable and reset applicable timers for 2nd Engineer Delay (0B24930C).
4. Create/recruit team No Bridge Hover Attack 2 (0BCE121C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8198, Events line 8342, Actions line 8486.

18. 2nd Engineer Delay - 0B24930C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2nd Bridge Detect (0B24E20C); enable from 2nd Engineer Dead? (0888103C).

Attached scope: tag definitions 0B24915C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Engineer Unit 2 (0C1DEB7C) at waypoint 3 (cell 144, 32).
2. Disable 2nd Engineer Delay (0B24930C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8199, Events line 8343, Actions line 8487.

19. 2nd Restart Bridge Detect - 0B2495EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2nd Bridge Detect (0B24E20C).

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (154, 112), tag 0B25504C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for 2nd Bridge Detect (0B24E20C).

2. Disable 2nd Restart Bridge Detect (0B2495EC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8200, Events line 8344, Actions line 8488.

20. _START_Oil Guard - 0895F93C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0895F30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Oil Derreck 1 (0B3AAA4C).
2. Supply reinforcement team Oil Derreck 2 (0B3AA59C).
3. Supply reinforcement team Oil Derreck 3 (0B3AFEFC).
4. Supply reinforcement team Oil Derreck 4 (0B3AFA4C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8201, Events line 8345, Actions line 8489.

21. It's OVER! - 08877E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08875CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. local flag 3 (Obj1Complete) is set.

Flag writers in this mission: set local flag 3 (Obj1Complete) at EinsRescue1 (08A2A46C); set local flag 3 (Obj1Complete) at EinsRescue2 (09EFDF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for It's Over! 2 (0682668C).
2. Play sound Cheer.
3. Disable It's OVER! (08877E1C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8202, Events line 8346, Actions line 8490.

22. It's Over! 2 - 0682668C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from It's OVER! (08877E1C).

Attached scope: tag definitions 0682639C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound Cheer.
2. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8203, Events line 8347, Actions line 8491.

23. Engineer Dead? - 088801BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08875A7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Engineer Delay (0AEBEF3C).
2. Disable Engineer Dead? (088801BC).

3. Disable Engineer Dead? (088801BC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8204, Events line 8348, Actions line 8492.

24. 2nd Engineer Dead? - 0888103C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088804DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for 2nd Engineer Delay (0B24930C).
2. Disable 2nd Engineer Dead? (0888103C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8205, Events line 8349, Actions line 8493.

25. Y MB Guards - 0897DB9C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0897D2FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Y MB Guard 1 (089795DC) at waypoint 17 (cell 129, 46).
2. Supply reinforcement team Y MB Guard 2 (0897B4CC) at waypoint 19 (cell 135, 54).
3. Supply reinforcement team Y MB Guard 3 (0897CEFC) at waypoint 21 (cell 145, 54).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8206, Events line 8350, Actions line 8494.

26. EinsRescue1 - 08A2A46C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Rescued (O) (092711DC).

Attached scope: tag definitions 08A29E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Obj2 Complete) is clear.
2. local flag 1 (PsychicDomKilled) is clear.

Flag writers in this mission: set local flag 10 (Obj2 Complete) at Yuri's Gone (07C9797C); set local flag 1 (PsychicDomKilled) at Psychic Dominator KILLED (0A82A2EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for PsyDomiV0 (08E7DCFC).
2. Disable Mission Obj 1 (0A6CFA2C).
3. Enable and reset applicable timers for Mission Obj 2 (0B44B2CC).
4. Set local flag 3 (Obj1Complete).
5. Disable Rescue Einstein! (0AB1EF3C).
6. Disable EinsRescue2 (09EFDF3C).
7. Disable Mission Obj 1c (0DE1DF3C).
8. Disable player input.
9. Disable EinsRescue3 (07BC56CC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8207, Events line 8351, Actions line 8495.

27. PsyDomiV0 - 08E7DCFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from EinsRescue1 (08A2A46C).

Attached scope: tag definitions 08E7D9EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (PsychicDomKilled) is clear.

Flag writers in this mission: set local flag 1 (PsychicDomKilled) at Psychic Dominator KILLED (0A82A2EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Jump the camera to waypoint 29 (cell 90, 103).
2. Supply reinforcement team Einstein (0BB0D7DC).
3. Supply reinforcement team Einstein Helicopter Rescue (0BB0E7DC).
4. Enable and reset applicable timers for Einstein Timer 1 (079F1A6C).
5. Play voice notification Mis_xA4_EinsteinSaved.
6. Enable and reset applicable timers for Eva Well Done (068945AC).
7. Enable and reset applicable timers for PsyDomV1 (0C17497C).
8. Enable and reset applicable timers for PD Doesn't Exist (05ABD16C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8208, Events line 8352, Actions line 8496.

28. Mission Obj 2 - 0B44B2CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from EinsRescue1 (08A2A46C); enable from EinsRescue2 (09EFDF3C).

Attached scope: tag definitions 0B44F86C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy Yuri's main base in the East” (MISSION:DestroyYuri04A).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8209, Events line 8353, Actions line 8497.

29. EinsRescue2 - 09EFDF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Rescued (O) (092711DC).

Attached scope: tag definitions 09EFDDEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Obj2 Complete) is clear.
2. local flag 1 (PsychicDomKilled) is set.

Flag writers in this mission: set local flag 10 (Obj2 Complete) at Yuri's Gone (07C9797C); set local flag 1 (PsychicDomKilled) at Psychic Dominator KILLED (0A82A2EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for PsyDomV2 (09EFB69C).
2. Disable Mission Obj 1 (0A6CFA2C).
3. Enable and reset applicable timers for Mission Obj 2 (0B44B2CC).
4. Set local flag 3 (Obj1Complete).
5. Disable player input.
6. Disable Rescue Einstein! (0AB1EF3C).
7. Disable EinsRescue1 (08A2A46C).
8. Disable EinsRescue3 (07BC56CC).
9. Disable Mission Obj 1c (0DE1DF3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8210, Events line 8354, Actions line 8498.

30. EinsRescue3 - 07BC56CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Rescued (O) (092711DC).

Attached scope: tag definitions 07C9780C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Obj2 Complete) is set.

Flag writers in this mission: set local flag 10 (Obj2 Complete) at Yuri's Gone (07C9797C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable player input.
2. Jump the camera to waypoint 29 (cell 90, 103).
3. Supply reinforcement team Einstein (0BB0D7DC).
4. Supply reinforcement team Einstein Helicopter Rescue (0BB0E7DC).
5. Enable and reset applicable timers for Einstein Timer 3 (0A2FCF3C).
6. Play voice notification Mis_xA4_EinsteinSaved.
7. Enable and reset applicable timers for Eva Well Done (068945AC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8211, Events line 8355, Actions line 8499.

31. Einstein Timer 1 - 079F1A6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomiV0 (08E7DCFC).

Attached scope: tag definitions 079F198C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Einstein (0BB0D7DC).
2. Remove instances of the team organization (not automatically its surviving objects) Einstein Helicopter Rescue (0BB0E7DC).
3. Create/recruit team Einstein 3 (0B0637DC).
4. Enable and reset applicable timers for Control Back (092C67FC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8212, Events line 8356, Actions line 8500.

32. Eva Well Done - 068945AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomiV0 (08E7DCFC); enable from EinsRescue3 (07BC56CC); enable from PsyDomV2 (09EFB69C).

Attached scope: tag definitions 06894F0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_EvaEinstienRescued.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8213, Events line 8357, Actions line 8501.

33. PsyDomV1 - 0C17497C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomiV0 (08E7DCFC).

Attached scope: tag definitions 0C17509C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 12 (EinsteinIn) is set.

Then perform these actions in order:

1. Play full-screen movie 17.
2. Enable and reset applicable timers for PsyDomV1b (0B425AEC).
3. Disable PsyDomV2 (09EFB69C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8214, Events line 8358, Actions line 8502.

34. PD Doesn't Exist - 05ABD16C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomiV0 (08E7DCFC).

Attached scope: tag definitions 05ABFC2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 315 (global list position: CATIME). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Stop the visible mission timer.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8215, Events line 8359, Actions line 8503.

35. PsyDomV2 - 09EFB69C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from EinsRescue2 (09EFDF3C).

Attached scope: tag definitions 0B425F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (PsychicDomKilled) is set.

Flag writers in this mission: set local flag 1 (PsychicDomKilled) at Psychic Dominator KILLED (0A82A2EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Jump the camera to waypoint 29 (cell 90, 103).
2. Supply reinforcement team Einstein (0BB0D7DC).
3. Supply reinforcement team Einstein Helicopter Rescue (0BB0E7DC).
4. Disable PsyDomiV0 (08E7DCFC).
5. Enable and reset applicable timers for Einstein Timer 2 (0913B68C).
6. Play voice notification Mis_xA4_EinsteinSaved.
7. Enable and reset applicable timers for Eva Well Done (068945AC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8216, Events line 8360, Actions line 8504.

36. Einstein Timer 3 - 0A2FCF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from EinsRescue3 (07BC56CC).

Attached scope: tag definitions 0A2FBB8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Einstein (0BB0D7DC).
2. Remove instances of the team organization (not automatically its surviving objects) Einstein Helicopter Rescue (0BB0E7DC).
3. Create/recruit team Einstein 3a (0780644C).
4. Enable and reset applicable timers for We Won! (0A2F818C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8217, Events line 8361, Actions line 8505.

37. Control Back - 092C67FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Timer 1 (079F1A6C); enable from Einstein Timer 2 (0913B68C).

Attached scope: tag definitions 092C3C0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for Easy-Med Bonus (076EB1BC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8218, Events line 8362, Actions line 8506.

38. PsyDomV1b - 0B425AEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1 (0C17497C).

Attached scope: tag definitions 0B4257EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Reveal Yuri Base (07677F3C).
2. Jump the camera to waypoint 50 (cell 140, 42).
3. Play voice notification Mis_xA4_EvaDestroyYuriBase.
4. Create radar-event marker type 1 at waypoint 50 (cell 140, 42).
5. Enable and reset applicable timers for PsyDomV1c (0B425E5C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8219, Events line 8363, Actions line 8507.

39. Einstein Timer 2 - 0913B68C

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV2 (09EFB69C).

Attached scope: tag definitions 0914307C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Einstein (0BB0D7DC).
2. Remove instances of the team organization (not automatically its surviving objects) Einstein Helicopter Rescue (0BB0E7DC).
3. Create/recruit team Einstein 3a (0780644C).
4. Enable and reset applicable timers for Control Back (092C67FC).
5. Enable and reset applicable timers for PsyDomV2b (0BC5FB3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8220, Events line 8364, Actions line 8508.

40. We Won! - 0A2F818C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Timer 3 (0A2FCF3C).

Attached scope: tag definitions 0A2FA77C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.
2. Play sound Cheer.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8221, Events line 8365, Actions line 8509.

41. Easy-Med Bonus - 076EB1BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Control Back (092C67FC).

Attached scope: tag definitions 076ECC3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 0 at waypoint 29 (cell 90, 103).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8222, Events line 8366, Actions line 8510.

42. Reveal Yuri Base - 07677F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1b (0B425AEC); enable from PsyDomV2b (0BC5FB3C).

Attached scope: tag definitions 076748CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 52 (cell 144, 38).
2. Reveal terrain around waypoint 3 (cell 144, 32).
3. Reveal terrain around waypoint 50 (cell 140, 42).
4. Reveal terrain around waypoint 49 (cell 133, 36).
5. Reveal terrain around waypoint 51 (cell 155, 45).
6. Reveal terrain around waypoint 22 (cell 149, 54).
7. Reveal terrain around waypoint 21 (cell 145, 54).
8. Reveal terrain around waypoint 20 (cell 139, 54).
9. Reveal terrain around waypoint 19 (cell 135, 54).
10. Reveal terrain around waypoint 15 (cell 135, 50).
11. Reveal terrain around waypoint 17 (cell 129, 46).
12. Reveal terrain around waypoint 18 (cell 129, 42).
13. Reveal terrain around waypoint 53 (cell 130, 51).
14. Reveal terrain around waypoint 54 (cell 139, 28).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8223, Events line 8367, Actions line 8511.

43. PsyDomV1c - 0B425E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1b (0B425AEC).

Attached scope: tag definitions 0B425BDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 24 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_EvaDominatorDescribed.
2. Enable and reset applicable timers for _Yuri - Einstein Escapes (0933A38C).
3. Enable and reset applicable timers for New Timer for PD (0C154F3C).
4. Enable and reset applicable timers for Countdown to PD Gone (0934528C).
5. Enable and reset applicable timers for Countdown to PD Gone Easy (0C6AE29C).
6. Enable and reset applicable timers for Countdown to PD Gone Hard (0C6A87FC).
7. Switch the sidebar to tab 1.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8224, Events line 8368, Actions line 8512.

44. PsyDomV2b - 0BC5FB3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Timer 2 (0913B68C).

Attached scope: tag definitions 0BC5FA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Reveal Yuri Base (07677F3C).
2. Jump the camera to waypoint 50 (cell 140, 42).
3. Play voice notification Mis_xA4_EvaDestroyYuriBase.
4. Create radar-event marker type 1 at waypoint 50 (cell 140, 42).
5. Enable and reset applicable timers for _Yuri - Einstein Escapes (0933A38C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8225, Events line 8369, Actions line 8513.

45. _Yuri - Einstein Escapes - 0933A38C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1c (0B425E5C); enable from PsyDomV2b (0BC5FB3C).

Attached scope: tag definitions 09339E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_YuriTaunt.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8226, Events line 8370, Actions line 8514.

46. New Timer for PD - 0C154F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1c (0B425E5C).

Attached scope: tag definitions 0C15496C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Superweapon Set Recharge Time; main setting 7; location/duration field 9000.
2. Enable and reset applicable timers for Bye Bye PD (092CC78C).
3. Enable and reset applicable timers for Bye Bye PD Easy (0C6AE6CC).
4. Enable and reset applicable timers for Bye Bye PD Hard (0C6A8BFC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8227, Events line 8371, Actions line 8515.

47. Countdown to PD Gone - 0934528C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1c (0B425E5C).

Attached scope: tag definitions 09343A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 302 configured time units.

2. Use countdown label “Psychic Dominator Self Destruct” (MISSION:DominatorSelfDestruct).
3. Start the visible mission timer.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8228, Events line 8372, Actions line 8516.

48. Countdown to PD Gone Easy - 0C6AE29C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1c (0B425E5C).

Attached scope: tag definitions 0C6AE1BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 482 configured time units.
2. Use countdown label “Psychic Dominator Self Destruct” (MISSION:DominatorSelfDestruct).
3. Start the visible mission timer.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8229, Events line 8373, Actions line 8517.

49. Countdown to PD Gone Hard - 0C6A87FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from PsyDomV1c (0B425E5C).

Attached scope: tag definitions 0C6A85BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 122 configured time units.
2. Use countdown label “Psychic Dominator Self Destruct” (MISSION:DominatorSelfDestruct).
3. Start the visible mission timer.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8230, Events line 8374, Actions line 8518.

50. Bye Bye PD - 092CC78C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from New Timer for PD (0C154F3C).

Attached scope: tag definitions 092CC24C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Destroy This (0779A30C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8231, Events line 8375, Actions line 8519.

51. Bye Bye PD Easy - 0C6AE6CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from New Timer for PD (0C154F3C).

Attached scope: tag definitions 0C6AE55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 480 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Destroy This (0779A30C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8232, Events line 8376, Actions line 8520.

52. Bye Bye PD Hard - 0C6A8BFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from New Timer for PD (0C154F3C).

Attached scope: tag definitions 0C6A8A8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Destroy This (0779A30C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8233, Events line 8377, Actions line 8521.

53. Destroy This - 0779A30C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change House (0AA95F3C).

Incoming activation links: enable from Bye Bye PD (092CC78C); enable from Bye Bye PD Easy (0C6AE6CC); enable from Bye Bye PD Hard (0C6A8BFC).

Attached scope: Psychic Dominator (YAPPET), owner Arabs, cell (83, 93), tag 0A82822C, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8234, Events line 8378, Actions line 8522.

54. Change House - 0AA95F3C

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Psychic Dominator KILLED (0A82A2EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (Obj1Complete) is set.

Flag writers in this mission: set local flag 3 (Obj1Complete) at EinsRescue1 (08A2A46C); set local flag 3 (Obj1Complete) at EinsRescue2 (09EFDF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Psychic Dominator KILLED (0A82A2EC).
3. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 1 (0B25259C).
4. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 2 (0B253EFC).
5. Disable Change House (0AA95F3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8235, Events line 8379, Actions line 8523.

55. Psychic Dominator KILLED - 0A82A2EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 1 (PsychicDomKilled).
2. Disable Change House (0AA95F3C).
3. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 1 (0B25259C).
4. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 2 (0B253EFC).

5. Enable and reset applicable timers for Kill SB Front Guards (091D8F3C).
6. Disable Psychic Dominator KILLED (0A82A2EC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8236, Events line 8380, Actions line 8524.

56. Kill SB Front Guards - 091D8F3C

Owner reference: YuriCountry2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Psychic Dominator KILLED (0A82A2EC).

Attached scope: tag definitions 091D890C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 1 (0B25259C).
2. Remove instances of the team organization (not automatically its surviving objects) Y SB Guard 2 (0B253EFC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8237, Events line 8381, Actions line 8525.

57. Y SB Guards - 068EA7EC

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 068EA35C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Y SB Guard 1 (0B25259C) at waypoint 23 (cell 81, 90).
2. Supply reinforcement team Y SB Guard 2 (0B253EFC) at waypoint 24 (cell 86, 90).
3. Supply reinforcement team Y SB Back Guard (0B251DEC) at waypoint 30 (cell 73, 106).
4. Supply reinforcement team Y SB Top Left Guard (0B25412C) at waypoint 33 (cell 73, 88).
5. Supply reinforcement team Y SB Botm Rigt Guard (0B255B7C) at waypoint 31 (cell 94, 106).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8238, Events line 8382, Actions line 8526.

58. Y Hover Team - 068E27CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 068E247C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 500 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Y Hover Team (0C1E4B0C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8239, Events line 8383, Actions line 8527.

59. It's Over : (- 09F7C5BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F7ADAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Announce defeat.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8240, Events line 8384, Actions line 8528.

60. Oil Under Attack - 0B19949C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gate (GAGATE_A), owner Russians, cell (164, 100), tag 0B19B9BC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck 1 (0B3AAA4C).
2. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck 2 (0B3AA59C).
3. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 1 (0B3AF59C).
4. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 2 (0B3ADEFC).
5. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 3 (0B3ADA4C).
6. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 4 (0B3AD59C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8241, Events line 8385, Actions line 8529.

61. Oil Under Attack 2 - 0B19F0FC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gate (GAGATE_A), owner Russians, cell (174, 84), tag 0B18A37C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck 3 (0B3AFEFC).
2. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck 4 (0B3AFA4C).
3. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 1 (0B3AF59C).
4. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 2 (0B3ADEFC).
5. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 3 (0B3ADA4C).
6. Remove instances of the team organization (not automatically its surviving objects) Oil Derreck Tank 4 (0B3AD59C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8242, Events line 8386, Actions line 8530.

62. Y Auto Hover 1 - 0437EECC

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Y Auto Hover 1b Alt (0687F03C).

Attached scope: tag definitions 0437ECAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 300 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Y Auto Hover 1 (094146CC).
2. Disable Y Auto Hover 1 (0437EECC).
3. Enable and reset applicable timers for Y Auto Hover 1b (0AE4A3CC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8243, Events line 8387, Actions line 8531.

63. Y Auto Hover 1b - 0AE4A3CC

Owner reference: YuriCountry2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Y Auto Hover 1 (0437EECC).

Attached scope: tag definitions 0AE3904C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (HoverDeliver) is set.

Flag writers in this mission: clear local flag 0 (HoverDeliver) at Y Auto Hover 1b (0AE4A3CC); clear local flag 0 (HoverDeliver) at Y Auto Hover 1b Alt (0687F03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Y Auto Hover 1b (0C1E41AC).
2. Clear local flag 0 (HoverDeliver).
3. Disable Y Auto Hover 1b (0AE4A3CC).
4. Enable and reset applicable timers for Y Auto Hover 1 Alt (068B050C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8244, Events line 8388, Actions line 8532.

64. Y Auto Hover 1 Alt - 068B050C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Y Auto Hover 1b (0AE4A3CC).

Attached scope: tag definitions 0685E4CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 500 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Y Auto Hover 1 Alt (09417B7C).
2. Disable Y Auto Hover 1 Alt (068B050C).
3. Enable and reset applicable timers for Y Auto Hover 1b Alt (0687F03C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8245, Events line 8389, Actions line 8533.

65. Y Auto Hover 1b Alt - 0687F03C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Y Auto Hover 1 Alt (068B050C).

Attached scope: tag definitions 06897B0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (HoverDeliver) is set.

Flag writers in this mission: clear local flag 0 (HoverDeliver) at Y Auto Hover 1b (0AE4A3CC); clear local flag 0 (HoverDeliver) at Y Auto Hover 1b Alt (0687F03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Y Auto Hover 1b Alt (0C1E78AC).
2. Clear local flag 0 (HoverDeliver).
3. Disable Y Auto Hover 1b Alt (0687F03C).
4. Enable and reset applicable timers for Y Auto Hover 1 (0437EECC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8246, Events line 8390, Actions line 8534.

66. Destroy MB Guard 1 - 0A35F42C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (126, 46), tag 0A35ADDC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (126, 42), tag 0A35ADDC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y MB Guard 1 (089795DC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8247, Events line 8391, Actions line 8535.

67. Destroy MB Guard 2 - 0A35A47C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (135, 56), tag 0A35A25C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (139, 56), tag 0A35A25C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y MB Guard 2 (0897B4CC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8248, Events line 8392, Actions line 8536.

68. Destroy MB Guard 3 - 0A365F3C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (145, 56), tag 0A3656FC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (149, 56), tag 0A3656FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y MB Guard 3 (0897CEFC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8249, Events line 8393, Actions line 8537.

69. Y Auto Hover 2 - 0ACB6DBC

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0ACB685C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 500 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Y Auto Hover 2 (0C1E6C8C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8250, Events line 8394, Actions line 8538.

70. Y Auto Hover 2b - 068C2C0C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 068C233C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (HoverDeliver2) is set.

Flag writers in this mission: clear local flag 4 (HoverDeliver2) at Y Auto Hover 2b (068C2C0C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Y Auto Hover 2b (0C1E67DC).
2. Clear local flag 4 (HoverDeliver2).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8251, Events line 8395, Actions line 8539.

71. Oil Field Free - 068D21DC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Z_Trigger (0B99803C).

Attached scope: tag definitions 068D3F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xA4_EvaCaptureDerricks.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8252, Events line 8396, Actions line 8540.

72. Z_Trigger - 0B99803C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BA76B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Oil Field Free (068D21DC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8253, Events line 8397, Actions line 8541.

73. End Hovers - 091FF40C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri War Factory (YAWEAP), owner YuriCountry, cell (137, 36), tag 0920056C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Destroy current instances of Y Auto Hover 1 (0437EECC).
2. Destroy current instances of Y Auto Hover 1 Alt (068B050C).
3. Destroy current instances of Y Auto Hover 1b (0AE4A3CC).
4. Destroy current instances of Y Auto Hover 2 (0ACB6DBC).
5. Destroy current instances of Y Auto Hover 1b Alt (0687F03C).
6. Destroy current instances of Y Auto Hover 2b (068C2C0C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8254, Events line 8398, Actions line 8542.

74. Get The Derreck!! - 0AAC204C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reset Oil Hint (0778136C).

Attached scope: tag definitions 0AAC7B8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since the trigger timer was initialized/reset.
2. The trigger owner's credits are below 1500.

Then perform these actions in order:

1. Play voice notification Mis_xA4_EvaOilFieldsToEast.
2. Display message “Hint: Send engineers into the oil derricks in the East to increase cash flow” (MISSION:DerrickHint).
3. Create radar-event marker type 1 at waypoint 97 (cell 172, 93).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8255, Events line 8399, Actions line 8543.

75. Shut Up Eva! Oil - 0925E3EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (162, 83), tag 0925D83C, persistence mode 0; Tech Oil Derrick (CAOILD), owner Neutral, cell (161, 100), tag 0925D83C, persistence mode 0; Tech Oil Derrick (CAOILD), owner Neutral, cell (178, 83), tag 0925D83C, persistence mode 0; Tech Oil Derrick (CAOILD), owner Neutral, cell (169, 94), tag 0925D83C, persistence mode 0; Tech Oil Derrick (CAOILD), owner Neutral, cell (173, 89), tag 0925D83C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Destroy current instances of Get The Derreck!! (0AAC204C).
2. Destroy current instances of Oil Field Free (068D21DC).
3. Set local flag 11 (Oil Derricks Taken).
4. All to Hunt: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8256, Events line 8400, Actions line 8544.

76. Oil Explodes! - 0920DEDC

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Barrel (CAMISC02), owner Arabs, cell (84, 108), tag 0920D82C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y SB Back Guard (0B251DEC).
2. Enable and reset applicable timers for Miss Obj Einstein TXT (077BA89C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8257, Events line 8401, Actions line 8545.

77. Miss Obj Einstein TXT - 077BA89C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Oil Explodes! (0920DEDC).

Attached scope: tag definitions 077BA65C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Obj1Complete) is clear.

Flag writers in this mission: set local flag 3 (Obj1Complete) at EinsRescue1 (08A2A46C); set local flag 3 (Obj1Complete) at EinsRescue2 (09EFDF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective: Rescue Einstein from Yuri's secret base near the Great Pyramid” (MISSION:RescueEinstein).
2. Create radar-event marker type 1 at waypoint 29 (cell 90, 103).
3. Enable and reset applicable timers for Easy - Flash Bio Reactors (076BB86C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8258, Events line 8402, Actions line 8546.

78. Easy - Flash Bio Reactors - 076BB86C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Miss Obj Einstein TXT (077BA89C).

Attached scope: tag definitions 076BB78C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 121 (cell 76, 92).
2. Reveal terrain around waypoint 122 (cell 76, 100).
3. Reveal terrain around waypoint 123 (cell 94, 92).
4. Reveal terrain around waypoint 124 (cell 94, 101).
5. Flash buildings of type YAPOWR; duration argument 90.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8259, Events line 8403, Actions line 8547.

79. Kill SB Guard 1 - 0438464C

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Arabs, cell (80, 88), tag 043842BC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (70, 97), tag 043842BC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (71, 87), tag 043842BC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (71, 107), tag 043842BC, persistence mode 0; Psychic Tower (YAPSYT), owner Arabs, cell (72, 99), tag 043842BC, persistence mode 0; Psychic Tower (YAPSYT), owner Arabs, cell (78, 106), tag 043842BC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y SB Top Left Guard (0B25412C).

2. Disable PT Warning 4 (084C6F3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8260, Events line 8404, Actions line 8548.

80. PT Warning 4 - 084C6F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 15 tagged map cells: (80, 105), (80, 106), (73, 108), (80, 108), (73, 109), (80, 109), (74, 110), (80, 110), (75, 111), (76, 111), (80, 111), (77, 112), (78, 112), (79, 112), (80, 112); tag 084C66AC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 114 (cell 78, 106).
3. Display message “WARNING - Psychic Towers can mind control enemy units that get too close to them!” (MISSION:PsychicTowers).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8261, Events line 8405, Actions line 8549.

81. Kill SB Guard 2 - 0438407C

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Arabs, cell (87, 88), tag 043844FC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (97, 97), tag 043844FC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (96, 87), tag 043844FC, persistence mode 0; Gattling Cannon (YAGGUN), owner Arabs, cell (96, 107), tag 043844FC, persistence mode 0; Psychic Tower (YAPSYT), owner Arabs, cell (95, 99), tag 043844FC, persistence mode 0; Psychic Tower (YAPSYT), owner Arabs, cell (91, 106), tag 043844FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Y SB Botm Rigt Guard (0B255B7C).
2. Disable PT Warning 3 (084C7D2C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8262, Events line 8406, Actions line 8550.

82. PT Warning 3 - 084C7D2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 17 tagged map cells: (87, 105), (87, 106), (86, 107), (96, 108), (87, 109), (96, 109), (88, 110), (96, 110), (96, 111), (89, 112), (90, 112), (91, 112), (95, 112), (92, 113), (93, 113), (94, 113), (95, 113); tag 084C769C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 115 (cell 91, 106).
3. Display message “WARNING - Psychic Towers can mind control enemy units that get too close to them!” (MISSION:PsychicTowers).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8263, Events line 8407, Actions line 8551.

83. Einstein Rescued (O) - 092711DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bio Reactor (YAPOWR), owner Arabs, cell (92, 90), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (92, 94), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (74, 90), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (74, 94), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (74, 102), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (92, 102), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (92, 98), tag 09275E6C, persistence mode 1; Bio Reactor (YAPOWR), owner Arabs, cell (74, 98), tag 09275E6C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for EinsRescue1 (08A2A46C).
2. Enable and reset applicable timers for EinsRescue2 (09EFDF3C).
3. Enable and reset applicable timers for EinsRescue3 (07BC56CC).
4. Enable and reset applicable timers for Reset Oil Hint (0778136C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8264, Events line 8408, Actions line 8552.

84. Reset Oil Hint - 0778136C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Einstein Rescued (O) (092711DC).

Attached scope: tag definitions 0777FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Oil Derricks Taken) is clear.

Flag writers in this mission: set local flag 11 (Oil Derricks Taken) at Shut Up Eva! Oil (0925E3EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Get The Derreck!! (0AAC204C).
2. Enable and reset applicable timers for Get The Derreck!! (0AAC204C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8265, Events line 8409, Actions line 8553.

85. Flash Robot Control - 092A7BBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Flash Robot Control 1 (0A61B7EC).

Attached scope: tag definitions 092A721C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 0.
2. Flash cameo/type GAROBO; additional configured duration/location argument 120.
3. Play voice notification Unit_Eva_RobotControl.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8266, Events line 8410, Actions line 8554.

86. Tanya Die? - 067F21DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya's Coming! 3 (0958E03C).

Attached scope: tag definitions 067F5BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Tanya (TANY) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Play full-screen movie 5.
2. Set local flag 2 (Tanya Dead).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8267, Events line 8411, Actions line 8555.

87. Tanya Swim Hint Pt 2 - 0931847C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya Swim Hint Pt 1 (0D3A203C).

Attached scope: tag definitions 0931BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Tanya Crossed) is clear.
2. local flag 2 (Tanya Dead) is clear.

Flag writers in this mission: set local flag 8 (Tanya Crossed) at Tanya Crossed (0DF6503C); set local flag 2 (Tanya Dead) at Tanya Die? (067F21DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xA4_TanyaSwimHint.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8268, Events line 8412, Actions line 8556.

88. Tanya Swim Hint Pt 1 - 0D3A203C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (140, 108), (141, 108), (139, 109), (139, 110), (139, 111), (139, 112), (140, 112), (141, 112); tag 0D3AC4AC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Tanya Swim Hint Pt 2 (0931847C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8269, Events line 8413, Actions line 8557.

89. Tanya No Psychic Hint - 0BDABA2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Psychic Towers (0BDA918C).

Attached scope: tag definitions 0BDA97EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Tanya Dead) is clear.

Flag writers in this mission: set local flag 2 (Tanya Dead) at Tanya Die? (067F21DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Tanya No Psychic Hint 2 (0BDA96FC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8270, Events line 8414, Actions line 8558.

90. Tanya No Psychic Hint 2 - 0BDA96FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya No Psychic Hint (0BDABA2C).

Attached scope: tag definitions 0BDA94BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA4_TanyaResistHint.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8271, Events line 8415, Actions line 8559.

91. _Introduce Psychic Towers - 0BDA918C

Owner reference: YuriCountry2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya Crossed (0DF6503C).

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (155, 46), tag 0BDAC7DC, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_PsychicTower.

2. Enable and reset applicable timers for Tanya No Psychic Hint (0BDABA2C).
3. Disable Mission Obj 1 (0A6CFA2C).
4. Disable Rescue Einstein! (0AB1EF3C).
5. Disable Mission Obj 1c (0DE1DF3C).
6. Enable and reset applicable timers for Mission Obj 1 (0A6CFA2C).
7. Enable and reset applicable timers for Mission Obj 1c (0DE1DF3C).
8. Flash buildings of type YAPSYT; duration argument 90.
9. Enable and reset applicable timers for _Introduce Psychic T Y (084DE39C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8272, Events line 8416, Actions line 8560.

92. _Introduce Psychic T Y - 084DE39C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Psychic Towers (0BDA918C).

Attached scope: tag definitions 084DA52C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash buildings of type YAPSYT; duration argument 90.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8273, Events line 8417, Actions line 8561.

93. Friendly Dinos! - 0BBF6E9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BBF1E2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (InPlace1) is set.
2. local flag 6 (InPlace2) is set.
3. local flag 7 (InPlace3) is set.

Flag writers in this mission: set local flag 5 (InPlace1) at InPlace1 (0BBF269C); clear local flag 5 (InPlace1) at InPlace1Undo (0BB758CC); set local flag 6 (InPlace2) at InPlace2 (093E103C); clear local flag 6 (InPlace2) at InPlace2Undo (093E803C); set local flag 7 (InPlace3) at InPlace3 (0941A27C); clear local flag 7 (InPlace3) at InPlace3Undo (093E60DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play Anim At; main setting 254; location/duration field BV.
2. Supply chrono reinforcement team _FriendlyDinos (093A031C) at waypoint 73 (cell 19, 129).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8274, Events line 8418, Actions line 8562.

94. InPlace1 - 0BBF269C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (17, 126); tag 0BB71D6C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 5 (InPlace1).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8275, Events line 8419, Actions line 8563.

95. InPlace1Undo - 0BB758CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (16, 125), (17, 125), (18, 125), (16, 126), (18, 126), (16, 127), (17, 127), (18, 127); tag 0BB76A1C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 5 (InPlace1).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8276, Events line 8420, Actions line 8564.

96. InPlace2 - 093E103C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (22, 128); tag 093E904C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 6 (InPlace2).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8277, Events line 8421, Actions line 8565.

97. InPlace2Undo - 093E803C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (21, 127), (22, 127), (23, 127), (21, 128), (23, 128), (21, 129), (22, 129), (23, 129); tag 093E204C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 6 (InPlace2).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8278, Events line 8422, Actions line 8566.

98. InPlace3 - 0941A27C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (19, 133); tag 093E704C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 7 (InPlace3).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8279, Events line 8423, Actions line 8567.

99. InPlace3Undo - 093E60DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (18, 132), (19, 132), (20, 132), (18, 133), (20, 133), (18, 134), (19, 134), (20, 134); tag 09405C4C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Clear local flag 7 (InPlace3).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8280, Events line 8424, Actions line 8568.

100. Tanya Crossed - 0DF6503C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 220 tagged map cells: (156, 56), (156, 57), (156, 58), (156, 59), (156, 60), (156, 61), (156, 62), (156, 63), (156, 64), (156, 65), (156, 66), (157, 70), (157, 71), (157, 72), (148, 73), (149, 73), (150, 73), (151, 73), (152, 73), (153, 73), (154, 73), (155, 73), (156, 73), (157, 73), (148, 74), (149, 74), (148, 75), (147, 76), (148, 76), (147, 77), (147, 78), (147, 79), (147, 80), (147, 81), (147, 82), (147, 83), (147, 84), (147, 85), (147, 86),

(147, 87), (147, 88), (147, 89), (147, 90), (147, 91), (147, 92), (147, 93), (146, 94), (147, 94), (130, 95), (131, 95), (132, 95), (133, 95), (134, 95), (135, 95), (136, 95), (137, 95), (138, 95), (139, 95), (140, 95), (141, 95), (142, 95), (143, 95), (144, 95), (145, 95), (146, 95), (147, 95), (129, 96), (129, 97), (129, 98), (129, 99), (126, 100), (127, 100), (128, 100), (129, 100), (126, 101), (126, 102), (126, 103), (126, 104), (126, 105), (126, 106), (125, 107), (126, 107), (122, 108), (123, 108), (124, 108), (125, 108), (122, 109), (118, 110), (119, 110), (120, 110), (121, 110), (122, 110), (115, 111), (116, 111), (117, 111), (118, 111), (113, 112), (114, 112), (115, 112), (116, 112), (112, 113), (113, 113), (114, 113), (48, 114), (49, 114), (50, 114), (51, 114), (52, 114), (53, 114), (54, 114), (55, 114), (56, 114), (57, 114), (58, 114), (59, 114), (60, 114), (61, 114), (62, 114), (63, 114), (64, 114), (65, 114), (66, 114), (67, 114), (68, 114), (69, 114), (70, 114), (71, 114), (72, 114), (73, 114), (74, 114), (75, 114), (76, 114), (77, 114), (78, 114), (79, 114), (80, 114), (81, 114), (82, 114), (83, 114), (84, 114), (85, 114), (86, 114), (87, 114), (88, 114), (89, 114), (90, 114), (91, 114), (92, 114), (93, 114), (94, 114), (95, 114), (96, 114), (97, 114), (98, 114), (99, 114), (100, 114), (101, 114), (102, 114), (103, 114), (104, 114), (105, 114), (106, 114), (107, 114), (108, 114), (109, 114), (110, 114), (111, 114), (112, 114), (48, 115), (48, 116), (48, 117), (48, 118), (48, 119), (48, 120), (48, 121), (39, 122), (40, 122), (41, 122), (42, 122), (43, 122), (44, 122), (45, 122), (46, 122), (47, 122), (48, 122), (39, 123), (39, 124), (39, 125), (39, 126), (39, 127), (39, 128), (39, 129), (39, 130), (39, 131), (34, 132), (35, 132), (36, 132), (37, 132), (38, 132), (39, 132), (34, 133), (34, 134), (34, 135), (34, 136), (34, 137), (34, 138), (34, 139), (34, 140), (34, 141), (34, 142), (34, 143), (34, 144), (34, 145), (34, 146), (34, 147), (34, 148), (34, 149), (33, 150), (34, 150), (33, 151); tag 0DF5804C, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Set local flag 8 (Tanya Crossed).
2. Enable and reset applicable timers for _Introduce Psychic Towers (0BDA918C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8281, Events line 8425, Actions line 8569.

101. Create Tanks Guarding Oil - 094C7F3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 094C766C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Oil Derreck Tank 1 (0B3AF59C).
2. Supply reinforcement team Oil Derreck Tank 4 (0B3AD59C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8282, Events line 8426, Actions line 8570.

102. _Easy Reinforcement 1 - 093B41CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093B571C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 6.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcements (0997621C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for _Easy 1 (08AEAF3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8283, Events line 8427, Actions line 8571.

103. _Easy 1 - 08AEAF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Easy Reinforcement 1 (093B41CC).

Attached scope: tag definitions 08AEAE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound GuardianGIAttackCommand.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8284, Events line 8428, Actions line 8572.

104. _Easy Reinforcement 2 - 093B548C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093B531C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 30.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcment 2 (09975B7C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for _Easy 2 (08AEAAFC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8285, Events line 8429, Actions line 8573.

105. _Easy 2 - 08AEAAFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Easy Reinforcement 2 (093B548C).

Attached scope: tag definitions 08AEAA1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound SniperSelect.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8286, Events line 8430, Actions line 8574.

106. _Easy Reinforcement 3 - 093B522C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093B50BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 4.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcment 3 (08D1D32C).
2. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8287, Events line 8431, Actions line 8575.

107. _Medium Power - 0686B36C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0686A7CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Medium Power CF (086197DC).
2. Supply reinforcement team Medium Power CI (0861943C).
3. Supply reinforcement team Medium Power CL (0861A65C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8288, Events line 8432, Actions line 8576.

108. _Hard Power - 0686A6DC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0686A15C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Hard Power CG (0BA2423C).
2. Supply reinforcement team Hard Power CH (0BA245DC).
3. Supply reinforcement team Hard Power CK (0BA230CC).
4. Supply reinforcement team Hard Power CM (0BA2497C).
5. Supply reinforcement team Hard Power CP (0BA2410C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8289, Events line 8433, Actions line 8577.

109. Yuri's Harvesters - 097BA1CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097BBD0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri Harvester 1 (0D89C48C).
2. Supply reinforcement team Yuri Harvester 2 (0D8A3EBC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8290, Events line 8434, Actions line 8578.

110. Cam to Pyramid - 0CF472BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CF43C7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 37 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 29 (cell 90, 103).
2. Jump the camera to waypoint 29 (cell 90, 103).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8291, Events line 8435, Actions line 8579.

111. Cam to Oil Derricks 1 - 0CF43A2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CF437EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 11 (cell 171, 85).
2. Reveal terrain around waypoint 10 (cell 165, 86).
3. Reveal terrain around waypoint 14 (cell 180, 89).
4. Reveal terrain around waypoint 8 (cell 177, 85).
5. Reveal terrain around waypoint 12 (cell 173, 99).
6. Reveal terrain around waypoint 9 (cell 164, 95).
7. Reveal terrain around waypoint 5 (cell 163, 99).
8. Reveal terrain around waypoint 97 (cell 172, 93).
9. Jump the camera to waypoint 8 (cell 177, 85).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8292, Events line 8436, Actions line 8580.

112. Cam Back Home - 0CF4362C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CF44C1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 59 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 0 (cell 82, 162).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8293, Events line 8437, Actions line 8581.

113. Bonus Trigger - 0CB1224C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 18 tagged map cells: (14, 116), (15, 116), (16, 117), (17, 118), (17, 119), (16, 120), (17, 120), (17, 121), (17, 122), (16, 123), (17, 123), (10, 124), (11, 124), (12, 124), (13, 124), (14, 124), (15, 124), (16, 124); tag 0CB16E7C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Supply reinforcement team Bonus Team (0C8608EC).
2. Play sound SniperMove.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8294, Events line 8438, Actions line 8582.

114. Intro Robot Tank 1 - 0984D66C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0984D28C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 356 (global list position: Psychic Dominator (YAPPPT)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Intro Robot Tank 2 (0970928C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8295, Events line 8439, Actions line 8583.

115. Intro Robot Tank 2 - 0970928C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Intro Robot Tank 1 (0984D66C).

Attached scope: tag definitions 0970AAAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.
2. Flash cameo/type ROBO; additional configured duration/location argument 90.
3. Play voice notification Unit_Eva_RobotTank.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8296, Events line 8440, Actions line 8584.

116. Camels Are Fun - 079B254C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079B3E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 65 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A04_Camels AK (079AF23C).
2. Create/recruit team _A04_Camels CY (079B093C).
3. Create/recruit team _A04_Camels Z (092B87DC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8297, Events line 8441, Actions line 8585.

117. _Start Oil Tanks 2 - 07A5F86C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A5F27C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Oil Derreck Tank 2 (0B3ADEFC).
2. Supply reinforcement team Oil Derreck Tank 3 (0B3ADA4C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8298, Events line 8442, Actions line 8586.

118. Mummy1 - 07BA407C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pyramid (CAEGYP02), owner Neutral, cell (77, 139), tag 07BA5C0C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _A04_Mummy 1 (09070B7C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8299, Events line 8443, Actions line 8587.

119. New Mission Objective - 07C78B2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C7979C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_NewMissionObjective.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8300, Events line 8444, Actions line 8588.

120. Mummy 2 - 08FD26FC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pyramid (CAEGYP02), owner Neutral, cell (74, 61), tag 08FD034C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _A04_Mummy 2 (090706CC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8301, Events line 8445, Actions line 8589.

121. Mummy 3 - 08FD092C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pyramid (CAEGYP02), owner Neutral, cell (71, 77), tag 08FD06EC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _A04_Mummy 3 (0907032C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8302, Events line 8446, Actions line 8590.

122. Mummy 4 - 08FD7E0C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pyramid (CAEGYP02), owner Neutral, cell (93, 56), tag 08FD7BCC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _A04_Mummy 4 (090701FC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8303, Events line 8447, Actions line 8591.

123. Tanya's Coming! 1 - 07C383CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C3BC0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 18.
2. Enable and reset applicable timers for Tanya's Coming! 2 (08FF115C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8304, Events line 8448, Actions line 8592.

124. Tanya's Coming! 2 - 08FF115C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tanya's Coming! 1 (07C383CC).

Attached scope: tag definitions 08FF4BAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A04_Tanya Intro (094FE68C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8305, Events line 8449, Actions line 8593.

125. Tanya's Coming! 3 - 0958E03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0958004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (TanyaOut) is set.

Then perform these actions in order:

1. Play sound Tanya_NoFear.
2. Enable and reset applicable timers for Tanya Die? (067F21DC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8306, Events line 8450, Actions line 8594.

126. Yuri Force Sell - 0A2EF04C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A2EE1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.
2. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.

3. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
4. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri Force Sell 2 (0A2EB9BC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8307, Events line 8451, Actions line 8595.

127. Yuri Force Sell 2 - 0A2EB9BC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Force Sell (0A2EF04C).

Attached scope: tag definitions 0A2EF50C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Yuri Force Sell 3 (077DCABC).
3. Enable and reset applicable timers for Yuri Force Sell 3a (08FB958C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8308, Events line 8452, Actions line 8596.

128. Yuri Force Sell 3 - 077DCABC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Force Sell 2 (0A2EB9BC).

Attached scope: tag definitions 077DC5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8309, Events line 8453, Actions line 8597.

129. Yuri Force Sell 3a - 08FB958C

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Force Sell 2 (0A2EB9BC).

Attached scope: tag definitions 08FBCF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 2 (country/type FRENCH; placed owner French).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8310, Events line 8454, Actions line 8598.

130. Yuri's Gone - 07C9797C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C973FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Set local flag 10 (Obj2 Complete).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8311, Events line 8455, Actions line 8599.

131. SideChanger - 05FE018C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Psychic Dominator (YAPPET) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Change House: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8312, Events line 8456, Actions line 8600.

132. Destroyed - 0AC0983C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: SideChanger (05FE018C).

Attached scope: Gattling Tank (YTNK), owner French, cell (138, 45), tag 07BC6D9C, persistence mode 0; Gattling Tank (YTNK), owner French, cell (137, 45), tag 07BC6D9C, persistence mode 0; Gattling Tank (YTNK), owner French, cell (136, 45), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (136, 46), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (137, 46), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (138, 46), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (136, 44), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (137, 44), tag 07BC6D9C, persistence mode 0; Lasher Light Tank (LTNK), owner French, cell (138, 44), tag 07BC6D9C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SideChanger (05FE018C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8313, Events line 8457, Actions line 8601.

133. PT Warning 1 - 0A2BA33C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 11 tagged map cells: (148, 55), (148, 56), (148, 57), (148, 58), (149, 59), (150, 60), (151, 61), (152, 61), (153, 61), (154, 61), (155, 61); tag 0A2CE10C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Reveal terrain around waypoint 116 (cell 153, 55).
2. Play sound WarningAlarm.
3. Display message “WARNING - Psychic Towers can mind control enemy units that get too close to them!” (MISSION:PsychicTowers).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8314, Events line 8458, Actions line 8602.

134. PT Warning 2 - 0A2C9F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 20 tagged map cells: (136, 54), (136, 55), (136, 56), (147, 56), (136, 57), (147, 57), (137, 58), (147, 58), (138, 59), (146, 59), (147, 59), (139, 60), (145, 60), (146, 60), (140, 61), (141, 61), (142, 61), (143, 61), (144, 61), (145, 61); tag 0A2CE4BC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Reveal terrain around waypoint 117 (cell 142, 55).
3. Display message “WARNING - Psychic Towers can mind control enemy units that get too close to them!” (MISSION:PsychicTowers).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8315, Events line 8459, Actions line 8603.

135. Flash Robot Control 1 - 0A61B7EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A61B1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 7 (global list position: Allied War Factory (GAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Flash Robot Control (092A7BBC).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8316, Events line 8460, Actions line 8604.

136. Cam To River - 084FF22C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 084FE33C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 88 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 118 (cell 87, 117).
2. Jump the camera to waypoint 118 (cell 87, 117).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8317, Events line 8461, Actions line 8605.

137. Cam Home 4 Good - 084FE24C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 084FF59C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 0 (cell 82, 162) with speed setting 2.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8318, Events line 8462, Actions line 8606.

138. Cam to Oil Derricks 2 - 08B7415C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B7677C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 48 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 5 (cell 163, 99) with speed setting 2.

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8319, Events line 8463, Actions line 8607.

139. Kill PT Warning 2 - 084D7A2C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (142, 55), tag 084D73BC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable PT Warning 2 (0A2C9F3C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8320, Events line 8464, Actions line 8608.

140. Kill PT Warning 1 - 084D3C1C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (153, 55), tag 084D39DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable PT Warning 1 (0A2BA33C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8321, Events line 8465, Actions line 8609.

141. French Hate America - 08FBCD8C

Owner reference: French. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08FBC8BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8322, Events line 8466, Actions line 8610.

142. _Easy Power - 0865DCFC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 086584EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Medium Power CN (0861A9FC).
2. Supply reinforcement team Medium Power CR (08619C8C).

Source locator: mapsmd03.mix/all04dmd.map; Triggers line 8323, Events line 8467, Actions line 8611.

All team rosters and ordered plans | All mission overrides

Operation: Tomb Raided - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all04dmd.map; each team/script ID identifies its section.

Yuri Foot Attack - 0BA0EA9C

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Foot Attack (0C1DC82C).

1. Gather near own base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131072.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Yuri 2nd Foot Attack - 0C1DC5EC

Owner: YuriCountry. Roster: 3 × Initiate (INIT); 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Second Foot Attack (0C1DC37C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131075.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri Base Defense - 0B642A4C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Base Defense (0C8F390C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri Tank Attack - 0C1DDB7C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 120; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Tank Attack (0BCCF0BC).

1. Seek/attack target category; configured argument 5.
2. Report team success.

Yuri Hover Attack - 0C1DD59C

Owner: YuriCountry. Roster: 2 × Initiate (INIT); 1 × Yuri Clone (YURI); 2 × Lasher Light Tank (LTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Yuri Hover Attack (0C1DD32C).

1. Move to waypoint: waypoint 2 (cell 58, 133).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 0 (HoverDeliver).
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Engineer Repair Task - 0C1DD0EC

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer Repair Unit (0AFB790C).

1. Attack waypoint: waypoint 1 (cell 154, 66).

Engineer Unit 2 - 0C1DEB7C

Owner: YuriCountry. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Fixing Second Bridge (0B19F54C).

1. Attack waypoint: waypoint 4 (cell 154, 112).

Oil Derreck 1 - 0B3AAA4C

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Oil Derreck 1 (0B09990C).

1. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
2. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
3. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
4. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
5. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
6. Guard for interval; configured argument 5.
7. Jump to script line; configured argument 1.

Oil Derreck 2 - 0B3AA59C

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Oil Derreck 2 (0B09945C).

1. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
2. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
3. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
4. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
5. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
6. Attack-move toward waypoint: waypoint 6 (cell 167, 99).
7. Attack-move toward waypoint: waypoint 5 (cell 163, 99).
8. Guard for interval; configured argument 3.
9. Jump to script line; configured argument 1.

Oil Derreck 3 - 0B3AFEFC

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Oil Derreck 3 (0B5B7DBC).

1. Attack-move toward waypoint: waypoint 8 (cell 177, 85).
2. Attack-move toward waypoint: waypoint 7 (cell 173, 85).
3. Attack-move toward waypoint: waypoint 8 (cell 177, 85).
4. Attack-move toward waypoint: waypoint 7 (cell 173, 85).
5. Attack-move toward waypoint: waypoint 8 (cell 177, 85).
6. Attack-move toward waypoint: waypoint 7 (cell 173, 85).
7. Guard for interval; configured argument 4.
8. Jump to script line; configured argument 1.

Oil Derreck 4 - 0B3AFA4C

Owner: Russians. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Oil Derreck 4 (0B5B6DBC).

1. Attack-move toward waypoint: waypoint 7 (cell 173, 85).
2. Attack-move toward waypoint: waypoint 8 (cell 177, 85).
3. Attack-move toward waypoint: waypoint 7 (cell 173, 85).
4. Attack-move toward waypoint: waypoint 8 (cell 177, 85).
5. Guard for interval; configured argument 6.
6. Jump to script line; configured argument 1.

Oil Derreck Tank 1 - 0B3AF59C

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Oil Derreck Tank 1 (0B130DBC).

1. Attack-move toward waypoint: waypoint 10 (cell 165, 86).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 11 (cell 171, 85).
4. Guard for interval; configured argument 6.
5. Attack-move toward waypoint: waypoint 9 (cell 164, 95).
6. Guard for interval; configured argument 4.
7. Attack-move toward waypoint: waypoint 10 (cell 165, 86).
8. Guard for interval; configured argument 6.
9. Attack-move toward waypoint: waypoint 9 (cell 164, 95).
10. Guard for interval; configured argument 3.
11. Attack-move toward waypoint: waypoint 11 (cell 171, 85).
12. Guard for interval; configured argument 2.
13. Jump to script line; configured argument 1.

Oil Derreck Tank 2 - 0B3ADEFC

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Oil Derreck Tank 2 (0A31030C).

1. Attack-move toward waypoint: waypoint 9 (cell 164, 95).
2. Guard for interval; configured argument 2.
3. Attack-move toward waypoint: waypoint 11 (cell 171, 85).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 10 (cell 165, 86).
6. Guard for interval; configured argument 2.
7. Attack-move toward waypoint: waypoint 9 (cell 164, 95).
8. Guard for interval; configured argument 4.
9. Attack-move toward waypoint: waypoint 10 (cell 165, 86).
10. Guard for interval; configured argument 3.
11. Jump to script line; configured argument 1.

Oil Derreck Tank 3 - 0B3ADA4C

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Oil Derreck Tank 3 (0A311DBC).

1. Attack-move toward waypoint: waypoint 13 (cell 177, 96).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 14 (cell 180, 89).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 12 (cell 173, 99).
6. Guard for interval; configured argument 3.
7. Attack-move toward waypoint: waypoint 14 (cell 180, 89).
8. Guard for interval; configured argument 4.
9. Jump to script line; configured argument 1.

Oil Derreck Tank 4 - 0B3AD59C

Owner: Russians. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Oil Derreck Tank 4 (0A31190C).

1. Attack-move toward waypoint: waypoint 12 (cell 173, 99).
2. Guard for interval; configured argument 4.
3. Attack-move toward waypoint: waypoint 13 (cell 177, 96).
4. Guard for interval; configured argument 2.
5. Attack-move toward waypoint: waypoint 14 (cell 180, 89).
6. Guard for interval; configured argument 5.
7. Attack-move toward waypoint: waypoint 12 (cell 173, 99).
8. Guard for interval; configured argument 3.
9. Attack-move toward waypoint: waypoint 13 (cell 177, 96).
10. Guard for interval; configured argument 2.
11. Jump to script line; configured argument 1.

Hover Return - 0C1E1B7C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Hover Return (08EE1DBC).

1. Move to waypoint: waypoint 15 (cell 135, 50).
2. Clear local flag: local flag 0 (HoverDeliver).

No Bridge Hover Attack - 0C1E16CC

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 190; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: No Bridge Hover Attack (0AEAAB7C).

1. Move to waypoint: waypoint 15 (cell 135, 50).
2. Load transport.
3. Move to waypoint: waypoint 26 (cell 82, 135).
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.
8. Report team success.

Y Ground Attack - 0BA14EFC

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 75; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Y Ground Attack (0AFA690C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 2.

Y MB Guard 1 - 089795DC

Owner: YuriCountry. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y MB Guard 1 (0897BAEC).

1. Attack-move toward waypoint: waypoint 18 (cell 129, 42).
2. Attack-move toward waypoint: waypoint 17 (cell 129, 46).
3. Attack-move toward waypoint: waypoint 18 (cell 129, 42).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 17 (cell 129, 46).
6. Attack-move toward waypoint: waypoint 18 (cell 129, 42).
7. Attack-move toward waypoint: waypoint 17 (cell 129, 46).
8. Attack-move toward waypoint: waypoint 18 (cell 129, 42).
9. Attack-move toward waypoint: waypoint 17 (cell 129, 46).
10. Guard for interval; configured argument 5.
11. Jump to script line; configured argument 1.

Y MB Guard 2 - 0897B4CC

Owner: YuriCountry. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y MB Guard 2 (0897B14C).

1. Attack-move toward waypoint: waypoint 20 (cell 139, 54).
2. Attack-move toward waypoint: waypoint 19 (cell 135, 54).
3. Guard for interval; configured argument 3.
4. Attack-move toward waypoint: waypoint 20 (cell 139, 54).
5. Attack-move toward waypoint: waypoint 19 (cell 135, 54).
6. Attack-move toward waypoint: waypoint 20 (cell 139, 54).
7. Attack-move toward waypoint: waypoint 19 (cell 135, 54).
8. Attack-move toward waypoint: waypoint 20 (cell 139, 54).
9. Guard for interval; configured argument 5.
10. Attack-move toward waypoint: waypoint 19 (cell 135, 54).
11. Attack-move toward waypoint: waypoint 20 (cell 139, 54).
12. Attack-move toward waypoint: waypoint 19 (cell 135, 54).
13. Jump to script line; configured argument 1.

Y MB Guard 3 - 0897CEFC

Owner: YuriCountry. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y MB Guard 3 (0897CC8C).

1. Attack-move toward waypoint: waypoint 22 (cell 149, 54).
2. Attack-move toward waypoint: waypoint 21 (cell 145, 54).
3. Attack-move toward waypoint: waypoint 22 (cell 149, 54).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 21 (cell 145, 54).
6. Attack-move toward waypoint: waypoint 22 (cell 149, 54).
7. Attack-move toward waypoint: waypoint 21 (cell 145, 54).
8. Attack-move toward waypoint: waypoint 22 (cell 149, 54).
9. Attack-move toward waypoint: waypoint 21 (cell 145, 54).
10. Guard for interval; configured argument 6.
11. Attack-move toward waypoint: waypoint 22 (cell 149, 54).
12. Attack-move toward waypoint: waypoint 21 (cell 145, 54).
13. Jump to script line; configured argument 1.

Y SB Guard 1 - 0B25259C

Owner: YuriCountry2. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y SB Guard 1 (068ECAEC).

1. Attack-move toward waypoint: waypoint 24 (cell 86, 90).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 23 (cell 81, 90).
4. Guard for interval; configured argument 5.
5. Attack-move toward waypoint: waypoint 24 (cell 86, 90).
6. Attack-move toward waypoint: waypoint 23 (cell 81, 90).
7. Jump to script line; configured argument 1.

Y SB Guard 2 - 0B253EFC

Owner: YuriCountry2. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y SB Guard 2 (068EC3CC).

1. Attack-move toward waypoint: waypoint 23 (cell 81, 90).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 24 (cell 86, 90).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 23 (cell 81, 90).
6. Attack-move toward waypoint: waypoint 24 (cell 86, 90).
7. Guard for interval; configured argument 7.
8. Jump to script line; configured argument 1.

No Bridge Hover Attack 2 - 0BCE121C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 3 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: No Bridge Hover Attack 2 (0AEAC6CC).

1. Move to waypoint: waypoint 15 (cell 135, 50).
2. Load transport.
3. Move to waypoint: waypoint 26 (cell 82, 135).
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Y Hover Team - 0C1E4B0C

Owner: YuriCountry. Roster: 2 × Engineer (YENGINEER); 3 × Initiate (INIT); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 95; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Y Hover Team (0BADA90C).

1. Move to waypoint: waypoint 27 (cell 122, 46).
2. Load transport.
3. Move to waypoint: waypoint 26 (cell 82, 135).
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.

Y Auto Hover 1 - 094146CC

Owner: YuriCountry2. Roster: 2 × Engineer (YENGINEER); 2 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: Y Auto Hover 1 (0941445C).

1. Move to waypoint: waypoint 25 (cell 50, 153).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 0 (HoverDeliver).
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Y Auto Hover 1b - 0C1E41AC

Owner: YuriCountry2. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 85; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Y Auto Hover 1b (0A37B4AC).

1. Move to waypoint: waypoint 34 (cell 43, 160).
2. Delete team objects.

Y SB Back Guard - 0B251DEC

Owner: YuriCountry2. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y SB Back Guard (0AD46DBC).

1. Attack-move toward waypoint: waypoint 31 (cell 94, 106).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 30 (cell 73, 106).
4. Guard for interval; configured argument 8.
5. Attack-move toward waypoint: waypoint 31 (cell 94, 106).
6. Guard for interval; configured argument 4.
7. Attack-move toward waypoint: waypoint 30 (cell 73, 106).
8. Guard for interval; configured argument 7.
9. Jump to script line; configured argument 1.

Y SB Top Left Guard - 0B25412C

Owner: YuriCountry2. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y SB Top Left Guard (0B47EDBC).

1. Attack-move toward waypoint: waypoint 30 (cell 73, 106).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 33 (cell 73, 88).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 30 (cell 73, 106).
6. Guard for interval; configured argument 8.
7. Attack-move toward waypoint: waypoint 33 (cell 73, 88).
8. Guard for interval; configured argument 10.
9. Jump to script line; configured argument 1.

Y SB Botm Rigt Guard - 0B255B7C

Owner: YuriCountry2. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Y Botm Rigt Guard (0ACC590C).

1. Attack-move toward waypoint: waypoint 32 (cell 94, 88).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 31 (cell 94, 106).
4. Guard for interval; configured argument 8.
5. Attack-move toward waypoint: waypoint 32 (cell 94, 88).
6. Guard for interval; configured argument 7.

7. Attack-move toward waypoint: waypoint 31 (cell 94, 106).
8. Guard for interval; configured argument 11.
9. Jump to script line; configured argument 1.

Y Auto Hover 2 - 0C1E6C8C

Owner: Alliance. Roster: 2 × Initiate (INIT); 1 × Yuri Clone (YURI); 2 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Auto Hover 2 (0A37B21C).

1. Move to waypoint: waypoint 36 (cell 137, 107).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 4 (HoverDeliver2).
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

Y Auto Hover 2b - 0C1E67DC

Owner: Alliance. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 85; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Y Auto Hover 2b (0A37C74C).

1. Move to waypoint: waypoint 35 (cell 165, 48).
2. Delete team objects.

Einstein - 0BB0D7DC

Owner: Germans. Roster: 1 × Einstein (EINS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Einstein (0BB0D56C).

1. Move to waypoint: waypoint 29 (cell 90, 103).

Y Auto Hover 1 Alt - 09417B7C

Owner: Africans. Roster: 2 × Yuri Clone (YURI); 1 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: Y Auto Hover 1 Alt (0941790C).

1. Move to waypoint: waypoint 25 (cell 50, 153).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 0 (HoverDeliver).
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Y Auto Hover 1b Alt - 0C1E78AC

Owner: Africans. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Y Auto Hover 1b Alt (068B0DBC).

1. Move to waypoint: waypoint 38 (cell 34, 152).

2. Delete team objects.

Einstein Helicopter Rescue - 0BB0E7DC

Owner: Germans. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Einstein Helicopter Rescue (0BB0E56C).

1. Move to waypoint: waypoint 39 (cell 84, 106).

Einstein 3 - 0B0637DC

Owner: Germans. Roster: 1 × Einstein (EINS); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Einstein 3 (0B06356C).

1. Load transport.
2. Set local flag: local flag 12 (EinsteinIn).
3. Delete team objects.

Y Team Kick Ass - 08E77EFC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Y Team Kick Ass (08E77C8C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Y Team Kick Ass 2 - 08E77A4C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 125; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Y Team Kick Ass 2 (08E777DC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

_Dummy Team 1 - 0B3C604C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: Dummy Team 1 (0B3C15CC).

1. Move to waypoint: waypoint 41 (cell 82, 157).

_Dummy Team 2 - 0B3C129C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Dummy Team 2 (0B3C3DBC).

1. Move to waypoint: waypoint 41 (cell 82, 157).

_Tank Des 1 - 0C1EAC8C

Owner: Americans. Roster: 1 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Tank Des 1 (0BC5090C).

1. Move to waypoint: waypoint 44 (cell 78, 162).
2. Set facing; configured argument 0.
3. Guard for interval; configured argument 100.

_Tank Des 2 - 0C1EA7DC

Owner: Americans. Roster: 1 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: Tank Des 2 (0BCFF21C).

1. Move to waypoint: waypoint 45 (cell 79, 159).
2. Set facing; configured argument 0.
3. Guard for interval; configured argument 100.

_Tank Des 3 - 0C1EA15C

Owner: Americans. Roster: 1 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BT.

Ordered plan: Tank Des 3 (0BD5A42C).

1. Move to waypoint: waypoint 46 (cell 86, 162).
2. Set facing; configured argument 0.
3. Guard for interval; configured argument 100.

_Tank Des 4 - 0C1EBC8C

Owner: Americans. Roster: 1 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BU.

Ordered plan: Tank Des 4 (0BD5CC8C).

1. Move to waypoint: waypoint 47 (cell 85, 159).
2. Set facing; configured argument 0.
3. Guard for interval; configured argument 100.

Yuri Clone Fun - 0BA1DA4C

Owner: YuriCountry. Roster: 5 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 106; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Clone Fun (043836FC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.

4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Report team success.
7. Seek/attack target category; configured argument 1.

Even More Fun! - 0BA1D59C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 90; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Even More Fun! (0922ADBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Yuri Harvester 1 - 0D89C48C

Owner: YuriCountry. Roster: 1 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: -1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Yuri Harvester 1 (0D8A629C).

1. Deploy.

Yuri Harvester 2 - 0D8A3EBC

Owner: YuriCountry. Roster: 1 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Yuri Harvester 2 (0D8A781C).

1. Deploy.

MVC Move - 0933DB7C

Owner: Americans. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AW.

Ordered plan: MCV Move (0933D90C).

1. Move to waypoint: waypoint 0 (cell 82, 162).
2. Guard for interval; configured argument 55.
3. Deploy.

Engin1Move - 0BA1E1AC

Owner: Americans. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: Engin1Move (092835EC).

1. Move to waypoint: waypoint 59 (cell 78, 164).

GI1Move - 0BA260EC

Owner: Americans. Roster: 1 × GI (E1); 1 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: GI1Move (09284DBC).

1. Move to waypoint: waypoint 60 (cell 79, 166).

GI2Move - 0BA275EC

Owner: Americans. Roster: 1 × GI (E1); 1 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: GI2Move (0928412C).

1. Move to waypoint: waypoint 62 (cell 85, 166).

Engin2Move - 0BA176CC

Owner: Americans. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Engin2Move (0928589C).

1. Move to waypoint: waypoint 63 (cell 86, 164).

_FriendlyDinos - 093A031C

Owner: Americans. Roster: 3 × T-Rex (DNOA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: FriendlyDinos (093A507C).

1. Adopt object mission: area guard.

_New Gattling Team! - 08D12C8C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: New Gattling Tank Attack (08D12A1C).

1. Attack-move toward waypoint: waypoint 74 (cell 106, 170).
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Adopt object mission: hunt.
5. Report team success.
6. Seek/attack target category; configured argument 1.

_New Evil Lashers! - 08D127DC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Lasher Attack Harvesters (08D1256C).

1. Attack-move toward waypoint: waypoint 2 (cell 58, 133).
2. Attack-move toward waypoint: waypoint 25 (cell 50, 153).
3. Seek/attack target category; configured argument 3.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Report team success.
7. Seek/attack target category; configured argument 1.

_Oil Derrickers! - 0C1EF60C

Owner: YuriCountry. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 150; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Engineer Attack Tech (043E96CC).

1. Seek/attack target category; configured argument 11.
2. Report team success.

_Easy Reinforcements - 0997621C

Owner: Americans. Roster: 4 × Guardian GI (GGI); 2 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: _Easy Reinforcement 1 (09975DBC).

1. Scatter.
2. Move to waypoint: waypoint 108 (cell 93, 166).

_Easy Reinforcment 2 - 09975B7C

Owner: Americans. Roster: 2 × Sniper (SNIPE); 4 × Rocketeer (JUMPJET); 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: _Easy Reinforcement 2 (0997590C).

1. Scatter.
2. Move to waypoint: waypoint 109 (cell 70, 159).

_Easy Reinforcment 3 - 08D1D32C

Owner: Americans. Roster: 5 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: _Easy Reinforcement 3 (0997545C).

1. Scatter.
2. Move to waypoint: waypoint 108 (cell 93, 166).

Medium Power CR - 08619C8C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Power Building CR (0BA2221C).

1. Enter Bio Reactor.

Medium Power CF - 086197DC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Medium Power CF (0BA23A6C).

1. Enter Bio Reactor.

Medium Power CI - 0861943C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: Meduim Power CI (0BA236CC).

1. Enter Bio Reactor.

Medium Power CN - 0861A9FC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: V.

Ordered plan: Medium Power CN (0BA2332C).

1. Enter Bio Reactor.

Medium Power CL - 0861A65C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AZ.

Ordered plan: Medium Power CL (0BA24DBC).

1. Enter Bio Reactor.

Hard Power CK - 0BA230CC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hard Power CK (0BA21C8C).

1. Enter Bio Reactor.

Hard Power CM - 0BA2497C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hard Power CM (0BA2470C).

1. Enter Bio Reactor.

Hard Power CH - 0BA245DC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hard Power CH (0BA2436C).

1. Enter Bio Reactor.

Hard Power CG - 0BA2423C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hard Power CG (0BA25DBC).

1. Enter Bio Reactor.

Hard Power CP - 0BA2410C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Hard Power CP (0BA25B4C).

1. Enter Bio Reactor.

Bonus Team - 0C8608EC

Owner: Americans. Roster: 1 × Sniper (SNIPE); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CU.

Ordered plan: Bonus Team (0C86067C).

1. Move to waypoint: waypoint 73 (cell 19, 129).

_A04_Camels Z - 092B87DC

Owner: Neutral. Roster: 2 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 100; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Wander (07A33DBC).

1. Move to waypoint: waypoint 42 (cell 70, 148).
2. Guard for interval; configured argument 30.
3. Move to waypoint: waypoint 43 (cell 89, 149).
4. Guard for interval; configured argument 21.
5. Move to waypoint: waypoint 99 (cell 99, 132).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 25 (cell 50, 153).
8. Guard for interval; configured argument 23.
9. Jump to script line; configured argument 1.

_A04_Camels AK - 079AF23C

Owner: Neutral. Roster: 2 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Wanderers (079B0DBC).

1. Move to waypoint: waypoint 36 (cell 137, 107).
2. Guard for interval; configured argument 20.
3. Move to waypoint: waypoint 100 (cell 132, 141).
4. Guard for interval; configured argument 26.
5. Move to waypoint: waypoint 101 (cell 98, 153).
6. Guard for interval; configured argument 32.
7. Move to waypoint: waypoint 36 (cell 137, 107).
8. Guard for interval; configured argument 25.
9. Jump to script line; configured argument 1.

_A04_Camels CY - 079B093C

Owner: Neutral. Roster: 3 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CY.

Ordered plan: Wandering Camels 3 (079B2DBC).

1. Move to waypoint: waypoint 103 (cell 91, 47).
2. Guard for interval; configured argument 19.
3. Move to waypoint: waypoint 104 (cell 18, 117).
4. Guard for interval; configured argument 25.
5. Move to waypoint: waypoint 105 (cell 41, 118).
6. Guard for interval; configured argument 31.
7. Move to waypoint: waypoint 106 (cell 62, 77).

8. Guard for interval; configured argument 23.
9. Move to waypoint: waypoint 102 (cell 124, 13).
10. Guard for interval; configured argument 21.
11. Jump to script line; configured argument 1.

_A04_Mummy 1 - 09070B7C

Owner: Africans. Roster: 1 × Mummy (MUMY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Mummy Attacks! (0907090C).

1. Seek/attack target category; configured argument 1.

_A04_Mummy 2 - 090706CC

Owner: Africans. Roster: 1 × Mummy (MUMY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: Area Guard (0907045C).

1. Seek/attack target category; configured argument 1.

_A04_Mummy 3 - 0907032C

Owner: Africans. Roster: 1 × Mummy (MUMY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DG.

Ordered plan: Area Guard (0907045C).

1. Seek/attack target category; configured argument 1.

_A04_Mummy 4 - 090701FC

Owner: Africans. Roster: 1 × Mummy (MUMY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DH.

Ordered plan: Area Guard (0907045C).

1. Seek/attack target category; configured argument 1.

_A04_Tanya Intro - 094FE68C

Owner: British. Roster: 1 × NightHawk Transport (SHAD); 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: DJ.

Ordered plan: Fly in (094FE41C).

1. Move to waypoint: waypoint 41 (cell 82, 157).
2. Unload with continuation mode: transport and passengers continue.
3. Set local flag: local flag 9 (TanyaOut).
4. Change country ownership; configured argument 0.

Einstein 3a - 0780644C

Owner: Germans. Roster: 1 × NightHawk Transport (SHAD); 1 × Einstein (EINS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Fly Away! (078061DC).

1. Load transport.
2. Delete team objects.

_A04_Too Many Tanks - 0817F38C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Cut Down The Tanks (0817F11C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 5.
9. Seek/attack target category; configured argument 5.
10. Seek/attack target category; configured argument 1.
11. Adopt object mission: area guard.

Operation: Tomb Raided - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all04dmd.map.

Object/system	Property	Mission value	Source line
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	8
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	11
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	14
Gattling Tank (YTNK)	Production-time multiplier	1.0	17
IFV (FV)	Production-time multiplier	1.0	20
Mirage Tank (MGTK)	Production-time multiplier	1.0	23
Prism Tank (SREF)	Production-time multiplier	1.0	26
Robot Tank (ROBO)	Production-time multiplier	1.0	29
Pyramid (CAEGYP01)	Name	Egypt Great Pyramid 1	32
Pyramid (CAEGYP01)	General immunity flag	yes	33
Pyramid (CAEGYP01)	Legal Target	no	34
Pyramid (CAEGYP01)	Can C4	no	35
Pyramid (CAEGYP04)	Name	Egypt Great Pyramid 2	38
Pyramid (CAEGYP04)	General immunity flag	yes	39
Pyramid (CAEGYP04)	Legal Target	no	40
Pyramid (CAEGYP04)	Can C4	no	41
Pyramid (CAEGYP05)	Name	Egypt Great Pyramid 3	44
Pyramid (CAEGYP05)	General immunity flag	yes	45
Pyramid (CAEGYP05)	Legal Target	no	46
Pyramid (CAEGYP05)	Can C4	no	47
Pyramid (CAEGYP06)	Name	Egypt Great Pyramid 4 mound	50
Pyramid (CAEGYP06)	General immunity flag	yes	51
Pyramid (CAEGYP06)	Legal Target	no	52
Pyramid (CAEGYP06)	Can C4	no	53
Sniper (SNIPE)	Name	Sniper	56
Sniper (SNIPE)	Required countries	Americans	57
Invisible Light Post (INGALITE)	Name	Invisible Light Post	60
Invisible Light Post (INGALITE)	Local light reach	1500	61
Invisible Light Post (INGALITE)	Local light intensity	0.2	62
Invisible Light Post (INGALITE)	Light Red Tint	0.05	63
Invisible Light Post (INGALITE)	Light Green Tint	0.05	64
Invisible Light Post (INGALITE)	Light Blue Tint	0.01	65
COUNTRIES (COUNTRIES)	0	YuriCountry2	68

Object/system	Property	Mission value	Source line
Einstein (EINS)	General immunity flag	yes	81
Yuri MCV (PCV)	Name	Yuri Construction Vehicle	84
Yuri MCV (PCV)	Technology level	11	85
Brute (BRUTE)	Name	Yuri Brute	88
Brute (BRUTE)	Technology level	11	89
Genetic Mutator (YAGNTC)	Name	Yuri Genetic Mutator Device	92
Genetic Mutator (YAGNTC)	Technology level	11	93
Virus (VIRUS)	Name	Yuri Virus	96
Virus (VIRUS)	Technology level	11	97
Floating Disc (DISK)	Name	Floating Disk	100
Floating Disc (DISK)	Technology level	11	101
Magnetron (TELE)	Name	Magnetron	104
Magnetron (TELE)	Technology level	11	105
Chaos Drone (CAOS)	Name	Chaos Drone	108
Chaos Drone (CAOS)	Technology level	11	109
Camel (CAML)	Name	Animal Camel	112
Camel (CAML)	Primary	none	113
Camel (CAML)	Insignificant-object flag	yes	114
Yuri Naval Yard (YAYARD)	Name	Yuri Submarine Pen	117
Yuri Naval Yard (YAYARD)	Technology level	11	118
Yuri Prime (YURIPR)	Technology level	11	121
Master Mind (MIND)	Name	Master Mind	124
Master Mind (MIND)	Technology level	11	125
Air Force Command Headquarters (GAAIRC)	Excluded countries	French	128
Air Force Command Headquarters (AMRADR)	Technology level	11	131
Air Force Command Headquarters (AMRADR)	Required countries	French	132
Tank Destroyer (TNKD)	Name	Tank Destroyer	135
Tank Destroyer (TNKD)	Required countries	Americans	136
Allied Shipyard (GAYARD)	Name	Allied Shipyard	139
Allied Shipyard (GAYARD)	Technology level	12	140
SEAL (GHOST)	Name	SEAL	143
SEAL (GHOST)	Technology level	9	144
Tanya (TANY)	Name	Tanya	147
Tanya (TANY)	Technology level	11	148
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	151
Psychic Dominator (YAPPET)	Selectable	no	152
Psychic Dominator (YAPPET)	Signed power contribution	-0	153
Psychic Dominator (YAPPET)	Reveal To All	no	154
Psychic Dominator (YAPPET)	Starting health capacity	800	155

Object/system	Property	Mission value	Source line
Psychic Dominator (YAPPET)	Crewed	no	156
Psychic Dominator (YAPPET)	Technology level	11	157
Psychic Dominator (YAPPET)	Selling forbidden	yes	158
Psychic Dominator (PSYCHICDOMINATORSPECIAL)	Show Timer	no	161
Psychic Dominator (PSYCHICDOMINATORSPECIAL)	Recharge Time	1.2	162
Barrels (CAMISC01)	Name	RA2 Barrels	165
Barrels (CAMISC01)	Technology level	-1	166
Barrels (CAMISC01)	Starting health capacity	5	167
Barrels (CAMISC01)	Eligible For Delay Kill	yes	168
Barrels (CAMISC01)	Insignificant-object flag	yes	169
Barrels (CAMISC01)	Nominal	yes	170
Barrels (CAMISC01)	Hidden from radar	yes	171
Barrels (CAMISC01)	Points	5	172
Barrels (CAMISC01)	Armor class	concrete	173
Barrels (CAMISC01)	Explosion	BRRLEXP2	174
Barrels (CAMISC01)	Max Debris	0	175
Barrels (CAMISC01)	Selectable	no	176
Barrels (CAMISC01)	Normal base-adjacency role	no	177
Barrels (CAMISC01)	Explosive destruction flag	yes	178
Barrels (CAMISC01)	Death Weapon	BarrelExplosion	179
Barrels (CAMISC01)	Repairable	no	180
Barrels (CAMISC01)	Can C4	no	181
Barrels (CAMISC01)	Damage Sound	BuildingMetalDamaged	182
Barrel (CAMISC02)	Name	RA2 Barrel	185
Barrel (CAMISC02)	Starting health capacity	5	186
Barrel (CAMISC02)	Explosion	BRRLEXP1	187
Barrel (CAMISC02)	Explosive destruction flag	yes	188
Barrel (CAMISC02)	Death Weapon	BarrelExplosion	189
OILEXPLOSIONWH (OILEXPLOSIONWH)	Verses	150%,100%,100%,90%,70%,50%,200%,90%,50%,100%,100%	192
OILEXPLOSIONWH (OILEXPLOSIONWH)	Sparky	no	193
OILEXPLOSIONWH (OILEXPLOSIONWH)	Fire	yes	194
OILEXPLOSIONWH (OILEXPLOSIONWH)	Inf Death	4	195
OILEXPLOSIONWH (OILEXPLOSIONWH)	Cell Spread	1	196
OILEXPLOSIONWH (OILEXPLOSIONWH)	Percent At Max	.5	197
OILEXPLOSIONWH (OILEXPLOSIONWH)	Causes Delay Kill	yes	198
OILEXPLOSIONWH (OILEXPLOSIONWH)	Delay Kill Frames	5	199

Object/system	Property	Mission value	Source line
OILEXPLOSIONWH (OILEXPLOSIONWH)	Delay Kill At Max	7.0	200
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wood	yes	201
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	yes	202
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	yes	203
SPECIALFLAGS	Tiberium Grows	yes	222
SPECIALFLAGS	Tiberium Spreads	yes	223
SPECIALFLAGS	Tiberium Explosive	no	224
SPECIALFLAGS	Destroyable Bridges	yes	225
SPECIALFLAGS	MCV Deploy	no	226
SPECIALFLAGS	Initial Veteran	no	227
SPECIALFLAGS	Fixed Alliance	no	228
SPECIALFLAGS	Harvester Immune	no	229
SPECIALFLAGS	Fog Of War	no	230
SPECIALFLAGS	Inert	no	231
SPECIALFLAGS	Ion Storms	no	232
SPECIALFLAGS	Meteorites	no	233
SPECIALFLAGS	Visceroids	no	234
VARIABLENAMES (VARIABLENAMES)	0	HoverDeliver,0	283
VARIABLENAMES (VARIABLENAMES)	1	PsychicDomKilled,0	284
VARIABLENAMES (VARIABLENAMES)	2	Tanya Dead,0	285
VARIABLENAMES (VARIABLENAMES)	3	Obj1Complete,0	286
VARIABLENAMES (VARIABLENAMES)	4	HoverDeliver2,0	287
VARIABLENAMES (VARIABLENAMES)	5	InPlace1,0	288
VARIABLENAMES (VARIABLENAMES)	6	InPlace2,0	289
VARIABLENAMES (VARIABLENAMES)	7	InPlace3,0	290
VARIABLENAMES (VARIABLENAMES)	8	Tanya Crossed,0	291
VARIABLENAMES (VARIABLENAMES)	9	TanyaOut,0	292
VARIABLENAMES (VARIABLENAMES)	10	Obj2 Complete,0	293
VARIABLENAMES (VARIABLENAMES)	11	Oil Derricks Taken,0	294
VARIABLENAMES (VARIABLENAMES)	12	EinsteinIn,0	295
America (AMERICANS)	Country	Americans	335
America (AMERICANS)	Technology level	10	336
America (AMERICANS)	Credits	80	337
America (AMERICANS)	IQ	0	338
America (AMERICANS)	Edge	South	339
America (AMERICANS)	Player Control	yes	340
America (AMERICANS)	Color	DarkBlue	341
America (AMERICANS)	Allies	Americans,Germans,British	342
America (AMERICANS)	Percent Built	0	343

Object/system	Property	Mission value	Source line
America (AMERICANS)	Node Count	0	344
Korea (ALLIANCE)	Country	Alliance	347
Korea (ALLIANCE)	Technology level	1	348
Korea (ALLIANCE)	Credits	0	349
Korea (ALLIANCE)	IQ	0	350
Korea (ALLIANCE)	Edge	North	351
Korea (ALLIANCE)	Player Control	no	352
Korea (ALLIANCE)	Color	Purple	353
Korea (ALLIANCE)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,Neutral	354
Korea (ALLIANCE)	Percent Built	0	355
Korea (ALLIANCE)	Node Count	0	356
France (FRENCH)	Country	French	359
France (FRENCH)	Technology level	1	360
France (FRENCH)	Credits	0	361
France (FRENCH)	IQ	0	362
France (FRENCH)	Edge	North	363
France (FRENCH)	Player Control	no	364
France (FRENCH)	Color	Purple	365
France (FRENCH)	Allies	French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral	366
France (FRENCH)	Percent Built	0	367
France (FRENCH)	Node Count	0	368
Germany (GERMANS)	Country	Germans	371
Germany (GERMANS)	Technology level	1	372
Germany (GERMANS)	Credits	0	373
Germany (GERMANS)	IQ	0	374
Germany (GERMANS)	Edge	North	375
Germany (GERMANS)	Player Control	no	376
Germany (GERMANS)	Color	DarkBlue	377
Germany (GERMANS)	Allies	Americans,Germans	378
Germany (GERMANS)	Percent Built	0	379
Germany (GERMANS)	Node Count	0	380
Great Britain (BRITISH)	Country	British	383
Great Britain (BRITISH)	Technology level	10	384
Great Britain (BRITISH)	Credits	0	385
Great Britain (BRITISH)	IQ	0	386
Great Britain (BRITISH)	Edge	North	387
Great Britain (BRITISH)	Player Control	no	388
Great Britain (BRITISH)	Color	DarkBlue	389
Great Britain (BRITISH)	Allies	Americans,British	390
Great Britain (BRITISH)	Percent Built	0	391

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Node Count	0	392
Libya (AFRICANS)	Country	Africans	395
Libya (AFRICANS)	Technology level	1	396
Libya (AFRICANS)	Credits	0	397
Libya (AFRICANS)	IQ	0	398
Libya (AFRICANS)	Edge	North	399
Libya (AFRICANS)	Player Control	no	400
Libya (AFRICANS)	Color	Purple	401
Libya (AFRICANS)	Allies	Germans,British,Africans,YuriCountry	402
Libya (AFRICANS)	Percent Built	0	403
Libya (AFRICANS)	Node Count	0	404
Iraq (ARABS)	Country	YuriCountry2	407
Iraq (ARABS)	Technology level	10	408
Iraq (ARABS)	Credits	50	409
Iraq (ARABS)	IQ	3	410
Iraq (ARABS)	Edge	North	411
Iraq (ARABS)	Player Control	no	412
Iraq (ARABS)	Color	Purple	413
Iraq (ARABS)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral	414
Iraq (ARABS)	Percent Built	0	415
Iraq (ARABS)	Node Count	0	416
Cuba (CONFEDERATION)	Country	Confederation	419
Cuba (CONFEDERATION)	Technology level	1	420
Cuba (CONFEDERATION)	Credits	0	421
Cuba (CONFEDERATION)	IQ	0	422
Cuba (CONFEDERATION)	Edge	North	423
Cuba (CONFEDERATION)	Player Control	no	424
Cuba (CONFEDERATION)	Color	Purple	425
Cuba (CONFEDERATION)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral	426
Cuba (CONFEDERATION)	Percent Built	0	427
Cuba (CONFEDERATION)	Node Count	0	428
Russia (RUSSIANS)	Country	Russians	431
Russia (RUSSIANS)	Technology level	10	432
Russia (RUSSIANS)	Credits	50	433
Russia (RUSSIANS)	IQ	5	434
Russia (RUSSIANS)	Edge	North	435
Russia (RUSSIANS)	Player Control	no	436
Russia (RUSSIANS)	Color	Purple	437
Russia (RUSSIANS)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral	438

Object/system	Property	Mission value	Source line
Russia (RUSSIANS)	Percent Built	0	439
Russia (RUSSIANS)	Node Count	0	440
Yuri (YURICOUNTRY)	Country	YuriCountry	443
Yuri (YURICOUNTRY)	Technology level	10	444
Yuri (YURICOUNTRY)	Credits	480	445
Yuri (YURICOUNTRY)	IQ	5	446
Yuri (YURICOUNTRY)	Edge	North	447
Yuri (YURICOUNTRY)	Player Control	no	448
Yuri (YURICOUNTRY)	Color	Purple	449
Yuri (YURICOUNTRY)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral	450
Yuri (YURICOUNTRY)	Percent Built	100	451
Yuri (YURICOUNTRY)	Node Count	9	452
Yuri (YURICOUNTRY)	000	YAPOWR,129,39	453
Yuri (YURICOUNTRY)	001	YAPOWR,131,37	454
Yuri (YURICOUNTRY)	002	YAPOWR,134,34	455
Yuri (YURICOUNTRY)	003	YAPOWR,137,32	456
Yuri (YURICOUNTRY)	004	YAPOWR,133,45	457
Yuri (YURICOUNTRY)	005	YAPOWR,138,49	458
Yuri (YURICOUNTRY)	006	YAPOWR,143,48	459
Yuri (YURICOUNTRY)	007	YAPOWR,143,51	460
Yuri (YURICOUNTRY)	008	YAPOWR,152,43	461
GDI (GDI)	Country	GDI	464
GDI (GDI)	Technology level	1	465
GDI (GDI)	Credits	0	466
GDI (GDI)	IQ	0	467
GDI (GDI)	Edge	North	468
GDI (GDI)	Player Control	no	469
GDI (GDI)	Color	Purple	470
GDI (GDI)	Allies	Americans,GDI	471
GDI (GDI)	Percent Built	0	472
GDI (GDI)	Node Count	0	473
Nod (NOD)	Country	Nod	476
Nod (NOD)	Technology level	1	477
Nod (NOD)	Credits	0	478
Nod (NOD)	IQ	0	479
Nod (NOD)	Edge	North	480
Nod (NOD)	Player Control	no	481
Nod (NOD)	Color	Purple	482
Nod (NOD)	Allies	Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod	483
Nod (NOD)	Percent Built	0	484

Object/system	Property	Mission value	Source line
Nod (NOD)	Node Count	0	485
Civilian (NEUTRAL)	Country	Neutral	488
Civilian (NEUTRAL)	Technology level	1	489
Civilian (NEUTRAL)	Credits	0	490
Civilian (NEUTRAL)	IQ	0	491
Civilian (NEUTRAL)	Edge	North	492
Civilian (NEUTRAL)	Player Control	no	493
Civilian (NEUTRAL)	Color	Grey	494
Civilian (NEUTRAL)	Allies	Neutral	495
Civilian (NEUTRAL)	Percent Built	0	496
Civilian (NEUTRAL)	Node Count	0	497
JP (SPECIAL)	Country	Special	500
JP (SPECIAL)	Technology level	10	501
JP (SPECIAL)	Credits	0	502
JP (SPECIAL)	IQ	5	503
JP (SPECIAL)	Edge	North	504
JP (SPECIAL)	Player Control	no	505
JP (SPECIAL)	Color	Purple	506
JP (SPECIAL)	Allies	Americans,Special	507
JP (SPECIAL)	Percent Built	0	508
JP (SPECIAL)	Node Count	0	509

Operation: Clones Down Under

Campaign reading guide | Engine



Initial placement schematic for all05umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all05umd.map. **Effective extracted member:** mapsmd03.mix/all05umd.map. **Trigger definitions:** 108.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	URBAN
Map size	0,0,70,120
Visible local rectangle	5,5,60,109
Placed vehicles	59
Placed infantry	43
Placed structures	180
Placed aircraft	0
Team templates	125

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	400	BadGuy2
3	German1 House	0	Germany1
4	Civilian House	0	Neutral
5	Einstein House	0	Einstein
6	BadGuy3 House	400	BadGuy3
7	German2 House	0	Germany2
8	German3 House	0	Germany3
9	Temp House	0	Temp

Local state flags at initialization

Flag	Meaning label and initial value
0	Black Eagle 1,0
1	Black Eagle 2,0
2	Black Eagle 3,0
3	Garrison Time,0
4	Building 1 Fallen,0
5	Building 2 Fallen,0
6	Building 3 Fallen,0
7	Building 4 Fallen,0
8	Building 5 Fallen,0
9	Building 6 Fallen,0
10	Building 7 Fallen,0
11	Building 8 Fallen,0
12	BadGuy1 Dead,0
13	BadGuy2 Dead,0
14	Virus Dropped Off,0
15	Boomers There?,0
16	Chaos Revealed?,0
17	Obj 1 Complete,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
It's Over : ((068969FC)	Destroyed, Buildings, All: owner selector 15 (country/type PLAYER; placed owner Player House).	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.
Player Wins (093759FC)	local flag 12 (BadGuy1 Dead) is set. local flag 13 (BadGuy2 Dead) is set.	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. __Welcome - 0E6BC74C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E6BFBCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Switch the sidebar to tab 0.
3. Play voice notification EVA_EstablishBattlefieldControl.
4. Play in-game movie 20.
5. Enable and reset applicable timers for __Welcome 2 (0E6BFADC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8745, Events line 8855, Actions line 8965.

2. __Welcome 2 - 0E6BFADC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from __Welcome (0E6BC74C).

Attached scope: tag definitions 0E6BF89C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 93 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Supply reinforcement team _A05_Initiate Rush 1 (08F84DEC).
3. Supply reinforcement team _A05_Initiate Rush 2 (08F8493C).
4. Supply reinforcement team _A05_Initiate Rush 3 (08F8459C).
5. Supply reinforcement team _A05_Yuri Base Defense 1 (093A0BCC).
6. Supply reinforcement team _A05_Yuri Base Defense 2 (093A4A8C).
7. Supply reinforcement team _A05_Yuri Base 2 Defense 1 (08640C8C).
8. Supply reinforcement team _A05_Yuri Base 2 Defense 2 (0B85E94C).
9. Play voice notification EVA_BattlefieldControlOnline.
10. Enable and reset applicable timers for Hard Initiate Rush (069AC0AC).
11. Enable and reset applicable timers for Med Initiate Rush (069AC6EC).
12. Create/recruit team _A05_DEMO PLAYER MOVE (08AF81DC).
13. Enable and reset applicable timers for Intro Chaos Drone (08BB40FC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8746, Events line 8856, Actions line 8966.

3. Hard Initiate Rush - 069AC0AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from __Welcome 2 (0E6BFADC).

Attached scope: tag definitions 069ADDEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Initiate Rush 6 (069B49AC).
2. Supply reinforcement team _A05_Initiate Rush 7 (069B419C).
3. Supply reinforcement team _A05_Initiate Rush 8 (069B6C8C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8747, Events line 8857, Actions line 8967.

4. Med Initiate Rush - 069AC6EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from __Welcome 2 (0E6BFADC).

Attached scope: tag definitions 069AC19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Initiate Rush 4 (069ADCBC).
2. Supply reinforcement team _A05_Initiate Rush 5 (069B216C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8748, Events line 8858, Actions line 8968.

5. Intro Chaos Drone - 08BB40FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from __Welcome 2 (0E6BFADC).

Attached scope: tag definitions 08BB798C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Intro Chaos Drone (0B6D57DC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8749, Events line 8859, Actions line 8969.

6. Subs Are Coming - 0E6BF7AC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Boomer Creation Part 1 (092A219C).

Attached scope: tag definitions 0E6BF56C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 22.
2. Display message “WARNING - Yuri is sending Boomer subs our way! Prepare for confrontation!” (MISSION:BoomerAttack).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8750, Events line 8860, Actions line 8970.

7. Boomer Creation Part 1 - 092A219C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092A6E8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Boomer Team 1 (08AE9CBC).
2. Enable and reset applicable timers for Boomer Creation Part 2 (09262BAC).
3. Enable and reset applicable timers for Subs Are Coming (0E6BF7AC).
4. AI triggers stop: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
5. AI triggers stop: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8751, Events line 8861, Actions line 8971.

8. Boomer Creation Part 2 - 09262BAC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Boomer Creation Part 1 (092A219C).

Attached scope: tag definitions 0926262C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Boomer Team 2 (08DC8CBC).
2. Enable and reset applicable timers for Boomer Creation Part 3 (0926253C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8752, Events line 8862, Actions line 8972.

9. Boomer Creation Part 3 - 0926253C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Boomer Creation Part 2 (09262BAC).

Attached scope: tag definitions 0926224C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Boomer Team 3 (08DC891C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8753, Events line 8863, Actions line 8973.

10. It's Over Part 1 - 0689427C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06896AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Set local flag 12 (BadGuy1 Dead).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8754, Events line 8864, Actions line 8974.

11. It's Over : (- 068969FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06895D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8755, Events line 8865, Actions line 8975.

12. Boomer Placement Easy - 0E10896C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E10835C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_1 Yuri Boomer P (092D206C).
2. Supply reinforcement team _A05_1 Yuri Boomer Q (092D3D2C).

3. Supply reinforcement team _A05_1 Yuri Boomer R (092D39BC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8756, Events line 8866, Actions line 8976.

13. Boomer Placement Medium - 0E109E5C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E1099EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_1 Yuri Boomer M (0C1541FC).
2. Supply reinforcement team _A05_1 Yuri Boomer N (092D22CC).
3. Supply reinforcement team _A05_1 Yuri Boomer O (092D219C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8757, Events line 8867, Actions line 8977.

14. Boomer Placement Hard - 0E10986C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E10940C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_1 Yuri Boomer S (092D376C).
2. Supply reinforcement team _A05_1 Yuri Boomer T (092D363C).
3. Supply reinforcement team _A05_1 Yuri Boomer U (092D350C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8758, Events line 8868, Actions line 8978.

15. Replace Harriers - 068397DC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0683CDDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Naval: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Set Tech Level (Techno)[Level]; main setting ORCA; location/duration field 11.
2. Set Tech Level (Techno)[Level]; main setting BEAG; location/duration field 3.
3. Enable and reset applicable timers for Black Eagle Attack (0E5CDB7C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8759, Events line 8869, Actions line 8979.

16. Black Eagle Attack - 0E5CDB7C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Replace Harriers (068397DC); enable from Black Eagle Initiate (0E5FA1BC).

Attached scope: tag definitions 0E5CD72C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 21 (cell 121, 85).
2. Reveal terrain around waypoint 24 (cell 118, 92).
3. Reveal terrain around waypoint 25 (cell 130, 89).
4. Jump the camera to waypoint 21 (cell 121, 85).

5. Enable and reset applicable timers for Stop Control! (0893A37C).
6. Supply reinforcement team _A05_Black Eagle 2 (0E5A071C).
7. Supply reinforcement team _A05_Black Eagle 1 (0E5A5B8C).
8. Supply reinforcement team _A05_Black Eagle 3 (0E5A40BC).
9. Supply reinforcement team _A05_Black Eagle 4 (0E5A5EFC).
10. Enable and reset applicable timers for Flash Black Eagles (097EFF3C).
11. Enable and reset applicable timers for Introduce Virus (092A4DEC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8760, Events line 8870, Actions line 8980.

17. Stop Control! - 0893A37C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Black Eagle Attack (0E5CDB7C).

Attached scope: tag definitions 08932B4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Enable and reset applicable timers for Stop Control! Return (08947F3C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8761, Events line 8871, Actions line 8981.

18. Flash Black Eagles - 097EFF3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Black Eagle Attack (0E5CDB7C).

Attached scope: tag definitions 097EFB4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.
2. Flash cameo/type BEAG; additional configured duration/location argument 60.
3. Enable and reset applicable timers for *Garrison Time Start! (0CC7E49C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8762, Events line 8872, Actions line 8982.

19. Introduce Virus - 092A4DEC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Black Eagle Attack (0E5CDB7C).

Attached scope: tag definitions 092B1CFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Hover Virus (0C7AD1CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8763, Events line 8873, Actions line 8983.

20. Stop Control! Return - 08947F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Stop Control! (0893A37C).

Attached scope: tag definitions 08947C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8764, Events line 8874, Actions line 8984.

21. *Garrison Time Start! - 0CC7E49C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Flash Black Eagles (097EFF3C).

Attached scope: tag definitions 0CC7F7BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 85 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for *Garrison Time 1 (0692E3AC).
2. Enable and reset applicable timers for *Garrison Time 2 (0CC78D8C).
3. Play voice notification Mis_xA5_EvaGarrison.
4. Enable and reset applicable timers for *Garrison Time 3 (0CC6F07C).
5. Enable and reset applicable timers for *Garrison Time 4 (0DCC216C).
6. Enable and reset applicable timers for *Garrison Time 5 (0DCC636C).
7. Enable and reset applicable timers for *Garrison Time 6 (0DCD607C).
8. Enable and reset applicable timers for *Garrison Time 7 (0DCD938C).
9. Enable and reset applicable timers for *Garrison Time 8 (0DCDF99C).
10. Enable and reset applicable timers for %Garrison Made Teams (0984D26C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8765, Events line 8875, Actions line 8985.

22. *Garrison Time 1 - 0692E3AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 06936DFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Building 1 Fallen) is clear.

Flag writers in this mission: set local flag 4 (Building 1 Fallen) at Building 1 Stands (0CC7C45C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 1 (08BBDB7C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8766, Events line 8876, Actions line 8986.

23. *Garrison Time 2 - 0CC78D8C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0CC7C23C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Building 2 Fallen) is clear.

Flag writers in this mission: set local flag 5 (Building 2 Fallen) at *Building 2 Stands (0CC7F0FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 2 (08BBD6CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8767, Events line 8877, Actions line 8987.

24. *Garrison Time 3 - 0CC6F07C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0CC7704C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Building 3 Fallen) is clear.

Flag writers in this mission: set local flag 6 (Building 3 Fallen) at *Building 3 Stands (0CC6E6DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 3 (08BBD32C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8768, Events line 8878, Actions line 8988.

25. *Garrison Time 4 - 0DCC216C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0DCC6E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Building 4 Fallen) is clear.

Flag writers in this mission: set local flag 7 (Building 4 Fallen) at *Building 4 Stands (0938DE7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 4 (08BBD1FC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8769, Events line 8879, Actions line 8989.

26. *Garrison Time 5 - 0DCC636C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0DCC61FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Building 5 Fallen) is clear.

Flag writers in this mission: set local flag 8 (Building 5 Fallen) at *Building 5 Stands (093AA33C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 5 (08BBEA1C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8770, Events line 8880, Actions line 8990.

27. *Garrison Time 6 - 0DCD607C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0DCC6F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Building 6 Fallen) is clear.

Flag writers in this mission: set local flag 9 (Building 6 Fallen) at *Building 6 Stands (093AEACC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 6 (08BBE67C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8771, Events line 8881, Actions line 8991.

28. *Garrison Time 7 - 0DCD938C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0DCDCD5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Building 7 Fallen) is clear.

Flag writers in this mission: set local flag 10 (Building 7 Fallen) at *Building 7 Stands (093AE79C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 7 (08BBE2DC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8772, Events line 8882, Actions line 8992.

29. *Garrison Time 8 - 0DCDF99C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0DCDECBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Building 8 Fallen) is clear.

Flag writers in this mission: set local flag 11 (Building 8 Fallen) at *Building 8 Stands (093AE46C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _A05_Garrison Team 8 (08BBE1AC).
2. Enable and reset applicable timers for Chaos Drones Easy (097F109C).
3. Enable and reset applicable timers for Chaos Drones Med (097F24AC).
4. Enable and reset applicable timers for Chaos Drones Hard (097F20AC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8773, Events line 8883, Actions line 8993.

30. %Garrison Made Teams - 0984D26C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time Start! (0CC7E49C).

Attached scope: tag definitions 0985232C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for % Garrison 01 BG (069A103C).
2. Enable and reset applicable timers for % Garrison 02 AL (09377BEC).
3. Enable and reset applicable timers for % Garrison 03 AZ (0937743C).
4. Enable and reset applicable timers for % Garrison 04 AN (09376F3C).
5. Enable and reset applicable timers for % Garrison 05 AY (09376C9C).
6. Enable and reset applicable timers for % Garrison 06 BA (0937676C).
7. Enable and reset applicable timers for % Garrison 07 BC (0937764C).
8. Enable and reset applicable timers for % Garrison 08 BD (0937609C).
9. Enable and reset applicable timers for % Garrison 09 BE (09375CFC).
10. Enable and reset applicable timers for % Garrison 10 BF (093757FC).
11. Enable and reset applicable timers for % Garrison 11 BB (0937555C).
12. Enable and reset applicable timers for $ Random Garrison 01 (05F7BB0C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8774, Events line 8884, Actions line 8994.

31. Chaos Drones Easy - 097F109C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time 8 (0DCDF99C).

Attached scope: tag definitions 097F259C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_ChaosDroneEasy1 (086AA45C).
2. Create/recruit team _A05_ChaosDroneEasy2 (086ABDEC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8775, Events line 8885, Actions line 8995.

32. Chaos Drones Med - 097F24AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time 8 (0DCDF99C).

Attached scope: tag definitions 097F219C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_ChaosDroneMed1 (086ABA4C).
2. Create/recruit team _A05_ChaosDroneMed2 (086A87DC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8776, Events line 8886, Actions line 8996.

33. Chaos Drones Hard - 097F20AC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from *Garrison Time 8 (0DCDF99C).

Attached scope: tag definitions 097F3D1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_ChaosDroneHard1 (086AB6AC).
2. Create/recruit team _A05_ChaosDroneHard2 (086AB04C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8777, Events line 8887, Actions line 8997.

34. % Garrison 01 BG - 069A103C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 09377CDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BG (08BC054C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8778, Events line 8888, Actions line 8998.

35. % Garrison 02 AL - 09377BEC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937752C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison AL (08BC01AC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8779, Events line 8889, Actions line 8999.

36. % Garrison 03 AZ - 0937743C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 093770FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison AZ (08BC1B7C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8780, Events line 8890, Actions line 9000.

37. % Garrison 04 AN - 09376F3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 09376D8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison AN (08BC17DC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8781, Events line 8891, Actions line 9001.

38. % Garrison 05 AY - 09376C9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937695C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison AY (08BC143C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8782, Events line 8892, Actions line 9002.

39. % Garrison 06 BA - 0937676C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937773C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BA (08BC2EFC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8783, Events line 8893, Actions line 9003.

40. % Garrison 07 BC - 0937764C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937618C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 70 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BC (08BC2B5C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8784, Events line 8894, Actions line 9004.

41. % Garrison 08 BD - 0937609C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 09375DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BD (08BC27BC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8785, Events line 8895, Actions line 9005.

42. % Garrison 09 BE - 09375CFC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 093758EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BE (08BC241C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8786, Events line 8896, Actions line 9006.

43. % Garrison 10 BF - 093757FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937564C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BF (08BC3EFC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8787, Events line 8897, Actions line 9007.

44. % Garrison 11 BB - 0937555C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 0937531C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 110 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_AI Garrison BB (08BC3A4C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8788, Events line 8898, Actions line 9008.

45. $ Random Garrison 01 - 05F7BB0C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from %Garrison Made Teams (0984D26C).

Attached scope: tag definitions 05F7BA2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 02 (05F7B4CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8789, Events line 8899, Actions line 9009.

46. $ Random Garrison 02 - 05F7B4CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 01 (05F7BB0C).

Attached scope: tag definitions 05F7B28C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 03 (05F7B19C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8790, Events line 8900, Actions line 9010.

47. $ Random Garrison 03 - 05F7B19C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 02 (05F7B4CC).

Attached scope: tag definitions 05F7CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 04 (05F7CE5C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8791, Events line 8901, Actions line 9011.

48. $ Random Garrison 04 - 05F7CE5C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 03 (05F7B19C).

Attached scope: tag definitions 05F7C84C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 05 (05F7C64C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8792, Events line 8902, Actions line 9012.

49. $ Random Garrison 05 - 05F7C64C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 04 (05F7CE5C).

Attached scope: tag definitions 05F7C40C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 06 (07BEF0FC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8793, Events line 8903, Actions line 9013.

50. $ Random Garrison 06 - 07BEF0FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 05 (05F7C64C).

Attached scope: tag definitions 0963D5EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 07 (0963AC0C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8794, Events line 8904, Actions line 9014.

51. $ Random Garrison 07 - 0963AC0C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 06 (07BEF0FC).

Attached scope: tag definitions 0965D24C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 08 (0965C5CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8795, Events line 8905, Actions line 9015.

52. $ Random Garrison 08 - 0965C5CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 07 (0963AC0C).

Attached scope: tag definitions 0965EB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 09 (0965EA4C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8796, Events line 8906, Actions line 9016.

53. $ Random Garrison 09 - 0965EA4C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 08 (0965C5CC).

Attached scope: tag definitions 0965E6CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).
2. Enable and reset applicable timers for $ Random Garrison 10 (0965E40C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8797, Events line 8907, Actions line 9017.

54. $ Random Garrison 10 - 0965E40C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from $ Random Garrison 09 (0965EA4C).

Attached scope: tag definitions 0965E1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Random Garrison (08BD08EC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8798, Events line 8908, Actions line 9018.

55. Black Eagle Initiate - 0E5FA1BC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E5FB56C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Naval: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Enable and reset applicable timers for Black Eagle Attack (0E5CDB7C).
2. Play voice notification Mis_xA5_EvaBlackEagles.
3. Enable and reset applicable timers for AI Production (0778A83C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8799, Events line 8909, Actions line 9019.

56. AI Production - 0778A83C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Black Eagle Initiate (0E5FA1BC).

Attached scope: tag definitions 077A6CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. AI triggers begin: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
3. Production Begins: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
4. Production Begins: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
5. Create/recruit team _A05_Base Defense (0771D13C).
6. Create/recruit team _A05_Base Defense 2 (0913653C).
7. Create/recruit team _A05_Defense B1 (0913788C).
8. Create/recruit team _A05_Defense B2 (091330CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8800, Events line 8910, Actions line 9020.

57. Engineer Tech Airport - Hard - 0685C9BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0685C64C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Engineer Airport - Hard (0692ECCC).
2. Enable and reset applicable timers for Airport Warning (097D4E9C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8801, Events line 8911, Actions line 9021.

58. Airport Warning - 097D4E9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Tech Airport - Hard (0685C9BC).

Attached scope: tag definitions 097D444C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 70 (global list position: Tech Airport (CAAIRP)). A map-local type-list change can affect index interpretation.
2. 710 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA5_EvaAirportHint.
2. Reveal terrain around waypoint 81 (cell 143, 159).
3. Create radar-event marker type 1 at waypoint 81 (cell 143, 159).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8802, Events line 8912, Actions line 9022.

59. Building 1 Stands - 0CC7C45C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CARUS04), owner Civilian House, cell (138, 147), tag 0CC7E99C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 4 (Building 1 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8803, Events line 8913, Actions line 9023.

60. *Building 2 Stands - 0CC7F0FC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANWY09), owner Civilian House, cell (133, 119), tag 0CC78E7C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 5 (Building 2 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8804, Events line 8914, Actions line 9024.

61. *Building 3 Stands - 0CC6E6DC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANWY23), owner Civilian House, cell (116, 137), tag 0CC6965C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 6 (Building 3 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8805, Events line 8915, Actions line 9025.

62. *Building 4 Stands - 0938DE7C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY06), owner Civilian House, cell (112, 112), tag 093AB62C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 7 (Building 4 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8806, Events line 8916, Actions line 9026.

63. *Building 5 Stands - 093AA33C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM02), owner Civilian House, cell (106, 149), tag 093AEBBC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 8 (Building 5 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8807, Events line 8917, Actions line 9027.

64. *Building 6 Stands - 093AEACC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY06), owner Civilian House, cell (86, 125), tag 093AE88C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 9 (Building 6 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8808, Events line 8918, Actions line 9028.

65. *Building 7 Stands - 093AE79C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANEWY16), owner Civilian House, cell (108, 137), tag 093AE55C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 10 (Building 7 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8809, Events line 8919, Actions line 9029.

66. *Building 8 Stands - 093AE46C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CANWY26), owner Civilian House, cell (112, 126), tag 093AEE7C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 11 (Building 8 Fallen).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8810, Events line 8920, Actions line 9030.

67. Player Wins - 093759FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09374E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 12 (BadGuy1 Dead) is set.
2. local flag 13 (BadGuy2 Dead) is set.

Flag writers in this mission: set local flag 12 (BadGuy1 Dead) at It's Over Part 1 (0689427C); set local flag 13 (BadGuy2 Dead) at It's Over Part 2 (09374A1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play sound Cheer.
2. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8811, Events line 8921, Actions line 9031.

68. It's Over Part 2 - 09374A1C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093747DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Set local flag 13 (BadGuy2 Dead).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8812, Events line 8922, Actions line 9032.

69. Introduce Chaos Drone - 0928A36C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0928B5EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Chaos Revealed?) is set.

Flag writers in this mission: set local flag 16 (Chaos Revealed?) at Chaos Drone Seen? (043D1B8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xA5_EvaChaosDrone.
2. Flash team _A05_Chaos Drone (090DB8EC) with duration setting 90.
3. Flash team _A05_ChaosDroneEasy1 (086AA45C) with duration setting 90.
4. Flash team _A05_ChaosDroneEasy2 (086ABDEC) with duration setting 90.
5. Flash team _A05_ChaosDroneHard1 (086AB6AC) with duration setting 90.
6. Flash team _A05_ChaosDroneHard2 (086AB04C) with duration setting 90.
7. Flash team _A05_ChaosDroneMed1 (086ABA4C) with duration setting 90.
8. Flash team _A05_ChaosDroneMed2 (086A87DC) with duration setting 90.
9. Flash team _A05_Intro Chaos Drone (0B6D57DC) with duration setting 90.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8813, Events line 8923, Actions line 9033.

70. Wow! - 0C73968C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C7391CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 32 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A05_p01.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8814, Events line 8924, Actions line 9034.

71. Cam Move - 0C22514C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C22454C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 36 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 70 (cell 157, 138).
2. Reveal terrain around waypoint 69 (cell 160, 132).
3. Reveal terrain around waypoint 71 (cell 154, 131).
4. Move the camera to waypoint 116 (cell 157, 133) with speed setting 4.
5. Enable and reset applicable timers for Cam Move to Sub (0979D9AC).
6. Enable and reset applicable timers for Create Boomer Drama (0CA4E3CC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8815, Events line 8925, Actions line 9035.

72. Cam Move to Sub - 0979D9AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cam Move (0C22514C).

Attached scope: tag definitions 0979D45C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 87 (cell 59, 73).
2. Reveal terrain around waypoint 86 (cell 56, 41).
3. Move the camera to waypoint 89 (cell 53, 73) with speed setting 4.
4. Enable and reset applicable timers for Cam Move to Sub Back (0979D36C).
5. Flash team _A05_DEMO BOOMER (08C0B1FC) with duration setting 90.
6. Enable and reset applicable timers for Eva Introduces Boomers (0CC391BC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8816, Events line 8926, Actions line 9036.

73. Create Boomer Drama - 0CA4E3CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cam Move (0C22514C).

Attached scope: tag definitions 0CA48E1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_DEMO PLAYER (08A71DEC).
2. Create/recruit team _A05_DEMO BOOMER (08C0B1FC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8817, Events line 8927, Actions line 9037.

74. Cam Move to Sub Back - 0979D36C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cam Move to Sub (0979D9AC).

Attached scope: tag definitions 0979D12C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 44 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 38 (cell 50, 90) with speed setting 3.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8818, Events line 8928, Actions line 9038.

75. Eva Introduces Boomers - 0CC391BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cam Move to Sub (0979D9AC).

Attached scope: tag definitions 0CC3BC1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Eva_Boomer.

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8819, Events line 8929, Actions line 9039.

76. Reveal Opera House - 099BD73C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099AF46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 72 (cell 47, 72).
2. Reveal terrain around waypoint 82 (cell 42, 74).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8820, Events line 8930, Actions line 9040.

77. Virus Mission - 0995CE2C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0995CA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Virus Dropped Off) is set.

Then perform these actions in order:

1. Create/recruit team _A05_Virus On A Mission (0995C91C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8821, Events line 8931, Actions line 9041.

78. Engineer Tech Machine Shop - 097C771C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097C763C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Engineer Machine Shop (097C5E6C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8822, Events line 8932, Actions line 9042.

79. Engineer Tech Hospital - 097C72AC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097C705C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Engineer Tech Hospital (097E359C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8823, Events line 8933, Actions line 9043.

80. Boomers There? - 0970EE6C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0970D6DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (Boomers There?) is set.

Then perform these actions in order:

1. Create/recruit team _A05_Boomer Split 1 (08DD645C).
2. Create/recruit team _A05_Boomer Split 2 (08DD60BC).
3. Create/recruit team _A05_Boomer Split 3 (08DD7C8C).
4. Enable and reset applicable timers for Boomer Cleanup (085AE04C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8824, Events line 8934, Actions line 9044.

81. Boomer Cleanup - 085AE04C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Boomers There? (0970EE6C).

Attached scope: tag definitions 085AD39C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Boomer (BSUB) exist on the map, under this event's ownership scope.
2. No instances of Allied Shipyard (GAYARD) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Create/recruit team _A05_Boomer Cleanup 1 (085A665C).
2. Create/recruit team _A05_Boomer Cleanup 2 (085AFEFC).
3. Create/recruit team _A05_Boomer Cleanup 3 (085AFDCC).
4. Create/recruit team _A05_Boomer Cleanup 4 (085AFC9C).
5. Create/recruit team _A05_Boomer Cleanup 5 (085AFB6C).
6. Create/recruit team _A05_Boomer Cleanup 6 (085AFA3C).
7. Create/recruit team _A05_Boomer Cleanup 7 (085AF4AC).
8. Create/recruit team _A05_Boomer Cleanup 8 (085AF37C).
9. Create/recruit team _A05_Boomer Cleanup 9 (085AF24C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8825, Events line 8935, Actions line 9045.

82. Chaos Drone Seen? - 043D1B8C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043D109C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 16 (Chaos Revealed?).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8826, Events line 8936, Actions line 9046.

83. Garrison Tank Bunkers 1 - 0977D75C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0977D26C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Tank Bunker 1a (0C86F54C).
2. Create/recruit team _A05_Tank Bunker 1b (0C86F1AC).
3. Create/recruit team _A05_Tank Bunker 1aa (0684C56C).
4. Create/recruit team _A05_Tank Bunker 1bb (0684C43C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8827, Events line 8937, Actions line 9047.

84. Garrison Tank Bunkers 2 - 0977D17C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0977ECFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Tank Bunker 2a (08FD86AC).
2. Create/recruit team _A05_Tank Bunker 2aa (0761B8EC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8828, Events line 8938, Actions line 9048.

85. Deploy Guardian GI - 043CF47C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043CECAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Guardian GI Deploy 1 (0C7B854C).
2. Create/recruit team _A05_Guardian GI Deploy 2 (0683F32C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8829, Events line 8939, Actions line 9049.

86. Travelers N1 - 0975827C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Travelers N2 (0975ACDC).

Attached scope: tag definitions 0975AF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle CU 1 (0686A6BC).
2. Disable Travelers N1 (0975827C).
3. Enable and reset applicable timers for Travelers N2 (0975ACDC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8830, Events line 8940, Actions line 9050.

87. Travelers N2 - 0975ACDC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Travelers N1 (0975827C).

Attached scope: tag definitions 0975A8FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle CU 2 (0BA195DC).
2. Enable and reset applicable timers for Travelers N1 (0975827C).
3. Disable Travelers N2 (0975ACDC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8831, Events line 8941, Actions line 9051.

88. Travelers S1 - 0CA6E43C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Travelers S2 (0CA69CFC).

Attached scope: tag definitions 0CA69DEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle CX 1 (0BA1939C).
2. Disable Travelers S1 (0CA6E43C).
3. Enable and reset applicable timers for Travelers S2 (0CA69CFC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8832, Events line 8942, Actions line 9052.

89. Travelers S2 - 0CA69CFC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Travelers S1 (0CA6E43C).

Attached scope: tag definitions 0CA69ABC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle CX 2 (0BA1ABFC).
2. Disable Travelers S2 (0CA69CFC).
3. Enable and reset applicable timers for Travelers S1 (0CA6E43C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8833, Events line 8943, Actions line 9053.

90. More Travelers S1 - 097BE04C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from More Travelers S2 (097BF0BC).

Attached scope: tag definitions 097BFADC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 42 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle DC 1 (0C82F4BC).
2. Disable More Travelers S1 (097BE04C).
3. Enable and reset applicable timers for More Travelers S2 (097BF0BC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8834, Events line 8944, Actions line 9054.

91. More Travelers S2 - 097BF0BC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from More Travelers S1 (097BE04C).

Attached scope: tag definitions 068D583C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle DC 2 (0C830EFC).
2. Disable More Travelers S2 (097BF0BC).
3. Enable and reset applicable timers for More Travelers S1 (097BE04C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8835, Events line 8945, Actions line 9055.

92. More Travelers N1 - 0979832C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from More Travelers N2 (09799BBC).

Attached scope: tag definitions 09799CAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle DH 1 (097C053C).
2. Disable More Travelers N1 (0979832C).
3. Enable and reset applicable timers for More Travelers N2 (09799BBC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8836, Events line 8946, Actions line 9056.

93. More Travelers N2 - 09799BBC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from More Travelers N1 (0979832C).

Attached scope: tag definitions 0979947C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _A05_Civilian Vehicle DH 2 (097C272C).
2. Disable More Travelers N2 (09799BBC).
3. Enable and reset applicable timers for More Travelers N1 (0979832C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8837, Events line 8947, Actions line 9057.

94. Objective 1 - 0CB5ECFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CB5E96C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy Yuri's Cloning facility in the South” (MISSION:DestroyCloning).
2. Create radar-event marker type 1 at waypoint 116 (cell 157, 133).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8838, Events line 8948, Actions line 9058.

95. Dead Cloning Vats - 0CB5F48C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cloning Vats (NACLON), owner BadGuy1 House, cell (155, 136), tag 0CB66BDC, persistence mode 1; Cloning Vats (NACLON), owner BadGuy1 House, cell (152, 129), tag 0CB66BDC, persistence mode 1; Cloning Vats (NACLON), owner BadGuy1 House, cell (158, 130), tag 0CB66BDC, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification EVA_NewMissionObjective.
2. Display message “Objective: Destroy Yuri's remaining forces.” (MISSION:DestroyYuri05A).
3. Disable Objective 1 (0CB5ECFC).
4. Enable and reset applicable timers for Objective 2 (0CB6677C).
5. Set local flag 17 (Obj 1 Complete).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8839, Events line 8949, Actions line 9059.

96. Objective 2 - 0CB6677C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Dead Cloning Vats (0CB5F48C).

Attached scope: tag definitions 0CB663FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy Yuri's remaining forces.” (MISSION:DestroyYuri05A).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8840, Events line 8950, Actions line 9060.

97. Kill Init Boomer Teams - 07A5295C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A5113C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer M (0C1541FC).
2. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer N (092D22CC).
3. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer O (092D219C).
4. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer P (092D206C).
5. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer Q (092D3D2C).
6. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer R (092D39BC).
7. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer S (092D376C).
8. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer T (092D363C).
9. Remove instances of the team organization (not automatically its surviving objects) _A05_1 Yuri Boomer U (092D350C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8841, Events line 8951, Actions line 9061.

98. Powered Down - 079D370C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079D32BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Create/recruit team _A05_Power Team (090EF1DC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8842, Events line 8952, Actions line 9062.

99. Kill Garrison 1 - 07AADA3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS13), owner Civilian House, cell (59, 91), tag 07AAD5AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _A05_Kill Bldg DN (07AAEB1C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8843, Events line 8953, Actions line 9063.

100. Kill Garrison 2 - 07AAD4BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM06), owner Civilian House, cell (47, 103), tag 07AAD27C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _A05_Kill Bldg DG (07AAD14C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8844, Events line 8954, Actions line 9064.

101. Factories Gone BG1a - 05B83B2C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05B8336C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 17 (Obj 1 Complete) is set.
2. No Factories left. See attached-object/cell scope below.

Flag writers in this mission: set local flag 17 (Obj 1 Complete) at Dead Cloning Vats (0CB5F48C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Factories Gone BG1b (05B8327C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8845, Events line 8955, Actions line 9065.

102. Factories Gone BG1b - 05B8327C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Factories Gone BG1a (05B83B2C).

Attached scope: tag definitions 05B8303C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. Enable and reset applicable timers for Factories Gone BG1c (05B84F3C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8846, Events line 8956, Actions line 9066.

103. Factories Gone BG1c - 05B84F3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Factories Gone BG1b (05B8327C).

Attached scope: tag definitions 05B84B0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8847, Events line 8957, Actions line 9067.

104. Factories Gone BG2a - 05B8475C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05B8451C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Factories Gone BG2b (05B8442C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8848, Events line 8958, Actions line 9068.

105. Factories Gone BG2b - 05B8442C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Factories Gone BG2a (05B8475C).

Attached scope: tag definitions 05B841EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
2. Enable and reset applicable timers for Factories Gone BG2c (05B840FC).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8849, Events line 8959, Actions line 9069.

106. Factories Gone BG2c - 05B840FC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Factories Gone BG2b (05B8442C).

Attached scope: tag definitions 05B85E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8850, Events line 8960, Actions line 9070.

107. Create Help! - 077835AC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner BadGuy1 House, cell (142, 119), tag 07787C6C, persistence mode 0; Bio Reactor (YAPOWR), owner BadGuy1 House, cell (151, 138), tag 07787C6C, persistence mode 0; Bio Reactor (YAPOWR), owner BadGuy1 House, cell (160, 138), tag 07787C6C, persistence mode 0; Bio Reactor (YAPOWR), owner BadGuy1 House, cell (151, 116), tag 07787C6C, persistence mode 0; Bio Reactor (YAPOWR), owner BadGuy1 House, cell (160, 116), tag 07787C6C, persistence mode 0; Psychic Radar (NAPSIS), owner BadGuy1 House, cell (157, 120), tag 07787C6C, persistence mode 0; Gattling Cannon (YAGGUN), owner BadGuy1 House, cell (161, 132), tag 07787C6C, persistence mode 0; Gattling Cannon (YAGGUN), owner BadGuy1 House, cell (161, 120), tag 07787C6C, persistence mode 0; Gattling Cannon (YAGGUN), owner BadGuy1 House, cell (151, 120), tag 07787C6C, persistence mode 0; Bio Reactor (YAPOWR), owner BadGuy1 House, cell (160, 126), tag 07787C6C, persistence mode 0.

Wait for the recorded events:

1. First damaged (any source). See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _A05_Base Defense (0771D13C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8851, Events line 8961, Actions line 9071.

108. Deploy GI - 0867518C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0867424C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _A05_Deploy GI 1 (08BE4DEC).
2. Create/recruit team _A05_Deploy GI 2 (08BE493C).
3. Create/recruit team _A05_Deploy GI 3 (07686CAC).
4. Create/recruit team _A05_Deploy GI 4 (07686B7C).

Source locator: mapsmd03.mix/all05umd.map; Triggers line 8852, Events line 8962, Actions line 9072.

All team rosters and ordered plans | All mission overrides

Operation: Clones Down Under - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all05umd.map; each team/script ID identifies its section.

_A05_Initiate Rush 1 - 08F84DEC

Owner: BadGuy1. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: Attacking Pill Boxes (08DC7DBC).

1. Guard for interval; configured argument 30.
2. Attack selected enemy-building category; configured argument 131138.
3. Attack selected enemy-building category; configured argument 131138.
4. Seek/attack target category; configured argument 1.

_A05_Initiate Rush 2 - 08F8493C

Owner: BadGuy1. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: ZX.

Ordered plan: Attacking Barracks (08DC790C).

1. Guard for interval; configured argument 32.
2. Attack selected enemy-building category; configured argument 131075.
3. Seek/attack target category; configured argument 1.

_A05_Initiate Rush 3 - 08F8459C

Owner: BadGuy1. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Initiates Attacking Close Power (08DC756C).

1. Guard for interval; configured argument 30.
2. Attack selected enemy-building category; configured argument 131072.
3. Seek/attack target category; configured argument 1.

_A05_Yuri Base Defense 1 - 093A0BCC

Owner: BadGuy1. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Defending Base (093A4DBC).

1. Adopt object mission: area guard.

_A05_Yuri Base Defense 2 - 093A4A8C

Owner: BadGuy1. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Defending Base (093A4DBC).

1. Adopt object mission: area guard.

_A05_Boomer Team 1 - 08AE9CBC

Owner: BadGuy2. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Boomer Defending Boomers (08AE9A4C).

1. Attack-move toward waypoint: waypoint 10 (cell 31, 86).
2. Guard for interval; configured argument 2.
3. Set local flag: local flag 15 (Boomers There?).

_A05_Boomer Team 2 - 08DC8CBC

Owner: BadGuy2. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Boomer Attack Naval Yard (08DC8A4C).

1. Attack-move toward waypoint: waypoint 10 (cell 31, 86).
2. Attack selected enemy-building category; configured argument 131095.
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
5. Seek/attack target category; configured argument 1.

_A05_Boomer Team 3 - 08DC891C

Owner: BadGuy2. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Boomer Attacking Base (08DC86AC).

1. Move to waypoint: waypoint 73 (cell 38, 83).
2. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
3. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
4. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
5. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
6. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
7. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
8. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
9. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
10. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
11. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).
14. Seek/attack target category; configured argument 1.

_A05_Yuri Base 2 Defense 1 - 08640C8C

Owner: BadGuy2. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Defending Base (093A4DBC).

1. Adopt object mission: area guard.

_A05_Yuri Base 2 Defense 2 - 0B85E94C

Owner: BadGuy2. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Defending Base (093A4DBC).

1. Adopt object mission: area guard.

_A05_5 Yuri Clones - 0BDD659C

Owner: BadGuy1. Roster: 5 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Clone Attack (069056FC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Report team success.
6. Adopt object mission: area guard.

_A05_Lasher League - 090D633C

Owner: BadGuy1. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Lashers Attacking Harvesters (090D5DBC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 5.

_A05_Sneaky Initiates - 0B85FDEC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Sneaky Initiates Attack Power (0B85FB7C).

1. Attack-move toward waypoint: waypoint 9 (cell 55, 110).
2. Guard for interval; configured argument 1.
3. Attack selected enemy-building category; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

_A05_1 Yuri Boomer M - 0C1541FC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer N - 092D22CC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer O - 092D219C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer P - 092D206C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer Q - 092D3D2C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer R - 092D39BC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer S - 092D376C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_1 Yuri Boomer T - 092D363C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.

2. Adopt object mission: area guard.

_A05_1 Yuri Boomer U - 092D350C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Yuri Boomer (0C155DBC).

1. Set facing; configured argument 0.
2. Adopt object mission: area guard.

_A05_Black Eagle 1 - 0E5A5B8C

Owner: Einstein. Roster: 6 × Black Eagle (BEAG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Attack Sub Pen 1 (0922B69C).

1. Scatter.
2. Attack/garrison waypoint building: waypoint 24 (cell 118, 92).
3. Move to waypoint: waypoint 26 (cell 118, 49).
4. Delete team objects.

_A05_Black Eagle 2 - 0E5A071C

Owner: Einstein. Roster: 6 × Black Eagle (BEAG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: Attack Sub Pen 2 (0922B1EC).

1. Scatter.
2. Attack/garrison waypoint building: waypoint 25 (cell 130, 89).
3. Move to waypoint: waypoint 26 (cell 118, 49).
4. Delete team objects.

_A05_Black Eagle 3 - 0E5A40BC

Owner: Einstein. Roster: 6 × Black Eagle (BEAG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Attack Sub Pen 1 (0922B69C).

1. Scatter.
2. Attack/garrison waypoint building: waypoint 24 (cell 118, 92).
3. Move to waypoint: waypoint 26 (cell 118, 49).
4. Delete team objects.

_A05_Black Eagle 4 - 0E5A5EFC

Owner: Einstein. Roster: 6 × Black Eagle (BEAG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Attack Sub Pen 2 (0922B1EC).

1. Scatter.
2. Attack/garrison waypoint building: waypoint 25 (cell 130, 89).
3. Move to waypoint: waypoint 26 (cell 118, 49).
4. Delete team objects.

_A05_Engineer Airport - Hard - 0692ECCC

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Attack Tech Airport (0692F25C).

1. Attack selected enemy-building category; configured argument 131142.

_A05_Garrison Team 1 - 08BBDB7C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Garrison (08BBD90C).

1. Enter neutral occupiable building.

_A05_Garrison Team 2 - 08BBD6CC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Garrison Building 2 (08BBD45C).

1. Enter neutral occupiable building.

_A05_Garrison Team 3 - 08BBD32C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Garrison Building 3 (08BBEDBC).

1. Enter neutral occupiable building.

_A05_Garrison Team 4 - 08BBD1FC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: Garrison Building 4 (08BBEB4C).

1. Enter neutral occupiable building.

_A05_Garrison Team 5 - 08BBEA1C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AW.

Ordered plan: Garrison Building 5 (08BBE7AC).

1. Enter neutral occupiable building.

_A05_Garrison Team 6 - 08BBE67C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Garrison Building 6 (08BBE40C).

1. Enter neutral occupiable building.

_A05_Garrison Team 7 - 08BBE2DC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: Garrison Building 7 (08BBFDBC).

1. Enter neutral occupiable building.

_A05_Garrison Team 8 - 08BBE1AC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Garrison Building 8 (08BBFB4C).

1. Enter neutral occupiable building.

_A05_Lashers on Defense - 0937507C

Owner: BadGuy1. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 115; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Lashers Attacking Defenses (09374DBC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

_A05_Virus! - 090D02DC

Owner: BadGuy1. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 120; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Hunt Troops (090DFDBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Seek/attack target category; configured argument 4.

_A05_Initiate Attack 1 - 06838EFC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 119; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Initiate's Attacking Air Force (068389FC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131207.
3. Report team success.
4. Seek/attack target category; configured argument 1.

_A05_Initiates Attack Defense - 090DF7DC

Owner: BadGuy2. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 95; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Intiates Being Annoying (090DF56C).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 1.

_A05_Initiates - 09320AEC

Owner: BadGuy2. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Initiates (0932019C).

1. Attack selected enemy-building category; configured argument 0.
2. Report team success.
3. Seek/attack target category; configured argument 1.

_A05_AI Garrison BG - 08BC054C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BG (08BC02DC).

1. Attack/garrison waypoint building: waypoint 58 (cell 83, 102).
2. Enter neutral occupiable building.

_A05_AI Garrison AL - 08BC01AC

Owner: BadGuy1. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 90; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison AL (08BC1DBC).

1. Attack/garrison waypoint building: waypoint 37 (cell 73, 105).
2. Enter neutral occupiable building.

_A05_AI Garrison AZ - 08BC1B7C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 80; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison AZ (08BC190C).

1. Attack/garrison waypoint building: waypoint 51 (cell 86, 114).
2. Enter neutral occupiable building.

_A05_AI Garrison AN - 08BC17DC

Owner: BadGuy1. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 70; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison AN (08BC156C).

1. Attack/garrison waypoint building: waypoint 39 (cell 70, 118).
2. Enter neutral occupiable building.

_A05_AI Garrison AY - 08BC143C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 60; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison AY (08BC11CC).

1. Attack/garrison waypoint building: waypoint 50 (cell 79, 134).
2. Enter neutral occupiable building.

_A05_AI Garrison BA - 08BC2EFC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 100; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BA (08BC2C8C).

1. Attack/garrison waypoint building: waypoint 52 (cell 88, 135).
2. Enter neutral occupiable building.

_A05_AI Garrison BC - 08BC2B5C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BC (08BC28EC).

1. Attack/garrison waypoint building: waypoint 54 (cell 127, 154).
2. Enter neutral occupiable building.

_A05_AI Garrison BD - 08BC27BC

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BD (08BC254C).

1. Attack/garrison waypoint building: waypoint 55 (cell 118, 150).
2. Enter neutral occupiable building.

_A05_AI Garrison BE - 08BC241C

Owner: BadGuy1. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BE (08BC21AC).

1. Attack/garrison waypoint building: waypoint 56 (cell 121, 122).
2. Enter neutral occupiable building.

_A05_AI Garrison BF - 08BC3EFC

Owner: BadGuy1. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BF (08BC3C8C).

1. Attack/garrison waypoint building: waypoint 57 (cell 147, 110).
2. Enter neutral occupiable building.

_A05_AI Garrison BB - 08BC3A4C

Owner: BadGuy1. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 1; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Garrison BB (08BC37DC).

1. Attack/garrison waypoint building: waypoint 53 (cell 110, 100).
2. Enter neutral occupiable building.

_A05_Lasher Hunt Prism - 090DC1CC

Owner: BadGuy1. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Vehicles (090DBDBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Jump to script line; configured argument 1.

_A05_Lasher Attack Airport - 090DBC8C

Owner: BadGuy1. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Airport (090DBA1C).

1. Attack selected enemy-building category; configured argument 105.
2. Report team success.
3. Seek/attack target category; configured argument 1.

_A05_Chaos Drone - 090DB8EC

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 95; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (092848DC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

_A05_Hover Virus - 0C7AD1CC

Owner: BadGuy1. Roster: 1 × Amphibious Transport (YHVR); 1 × Virus (VIRUS); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Hover Virus (0C7AEDBC).

1. Move to waypoint: waypoint 75 (cell 37, 70).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 14 (Virus Dropped Off).
4. Move to waypoint: waypoint 74 (cell 33, 40).
5. Delete team objects.

_A05_Virus On A Mission - 0995C91C

Owner: BadGuy1. Roster: 1 × Virus (VIRUS); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: Virus On A Mission (0995A6FC).

1. Seek/attack target category; configured argument 4.

2. Seek/attack target category; configured argument 4.
3. Adopt object mission: area guard.

_A05_Initiate Rush 4 - 069ADCBC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: Gather At Enemy Attack (069B233C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 0.
3. Adopt object mission: area guard.

_A05_Initiate Rush 5 - 069B216C

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Attack Anything (069B4ADC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Adopt object mission: area guard.

_A05_Initiate Rush 6 - 069B49AC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Attack Refinery (069B473C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131073.
3. Seek/attack target category; configured argument 1.
4. Adopt object mission: area guard.

_A05_Initiate Rush 7 - 069B419C

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Attack Barracks (069B6DBC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131075.
3. Seek/attack target category; configured argument 1.
4. Adopt object mission: area guard.

_A05_Initiate Rush 8 - 069B6C8C

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CC.

Ordered plan: Attack Defenses (069B6A1C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131138.
3. Seek/attack target category; configured argument 1.

4. Adopt object mission: area guard.

_A05_Engineer Machine Shop - 097C5E6C

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: Attack Machine Shop (097C5BFC).

1. Attack selected enemy-building category; configured argument 131128.

_A05_Engineer Tech Hospital - 097E359C

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CF.

Ordered plan: Attack Hospital (0C1C45AC).

1. Attack selected enemy-building category; configured argument 131141.

_A05_Yuri Clones - 090D8C8C

Owner: BadGuy2. Roster: 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Hunting Tanks and Infantry (090D8A1C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Adopt object mission: area guard.
5. Seek/attack target category; configured argument 1.
6. Jump to script line; configured argument 1.

_A05_Virus A - 090D87DC

Owner: BadGuy2. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (090D856C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Adopt object mission: area guard.

_A05_Brutes - 090D843C

Owner: BadGuy2. Roster: 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Beat on Vehicles and Buildings (097CA93C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 3.
4. Adopt object mission: area guard.

_A05_DEMO BOOMER - 08C0B1FC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CJ.

Ordered plan: BOOMER DEMO (08C09DBC).

1. Move to waypoint: waypoint 85 (cell 56, 70).
2. Attack/garrison waypoint building: waypoint 120 (cell 53, 78).

_A05_DEMO PLAYER - 08A71DEC

Owner: Player. Roster: 2 × Dolphin (DLPH); 3 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CI.

Ordered plan: Area Guard (08A71B7C).

1. Attack-move toward waypoint: waypoint 125 (cell 55, 66).
2. Adopt object mission: area guard.

_A05_Boomer Split 1 - 08DD645C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Boomer Attack (0970135C).

1. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
2. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
3. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Adopt object mission: area guard.

_A05_Boomer Split 2 - 08DD60BC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 119; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Defend! (08DD7DBC).

1. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
2. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
3. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
4. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
5. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
6. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
7. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).
8. Adopt object mission: area guard.

_A05_Boomer Split 3 - 08DD7C8C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 118; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Attack Shipyard (08DD7A1C).

1. Attack selected enemy-building category; configured argument 131095.
2. Adopt object mission: area guard.

_A05_DEMO PLAYER MOVE - 08AF81DC

Owner: Player. Roster: 2 × Dolphin (DLPH); 3 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CI.

Ordered plan: Move (08AF9B4C).

1. Move to waypoint: waypoint 118 (cell 34, 90).

_A05_Initiates (M) - 090E667C

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 95; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Defenses (090E640C).

1. Attack selected enemy-building category; configured argument 66.
2. Report team success.
3. Attack selected enemy-building category; configured argument 0.
4. Adopt object mission: area guard.

_A05_Clones N Inits - 090E62DC

Owner: BadGuy1. Roster: 2 × Yuri Clone (YURI); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attacking (097E745C).

1. Attack-move toward waypoint: waypoint 88 (cell 72, 84).
2. Guard for interval; configured argument 1.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Adopt object mission: area guard.

_A05_Anti-Chronosphere - 08F371CC

Owner: BadGuy1. Roster: 4 × Initiate (INIT); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Kill His Power (08F38DBC).

1. Move to waypoint: waypoint 121 (cell 63, 105).
2. Guard for interval; configured argument 5.
3. Attack selected enemy-building category; configured argument 131072.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131072.
6. Adopt object mission: area guard.

_A05_ChaosDroneEasy1 - 086AA45C

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint CM (086AA0AC).

1. Attack-move toward waypoint: waypoint 90 (cell 90, 99).
2. Guard for interval; configured argument 15.
3. Attack-move toward waypoint: waypoint 699 (cell 73, 97).
4. Guard for interval; configured argument 12.
5. Attack-move toward waypoint: waypoint 126 (cell 72, 124).
6. Guard for interval; configured argument 18.

7. Jump to script line; configured argument 1.

_A05_ChaosDroneEasy2 - 086ABDEC

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 190; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint CN (086ABB7C).

1. Attack-move toward waypoint: waypoint 129 (cell 107, 154).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 83 (cell 115, 166).
4. Guard for interval; configured argument 16.
5. Attack-move toward waypoint: waypoint 93 (cell 128, 148).
6. Guard for interval; configured argument 19.
7. Jump to script line; configured argument 1.

_A05_ChaosDroneMed1 - 086ABA4C

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 180; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint CA (086A890C).

1. Attack-move toward waypoint: waypoint 80 (cell 145, 157).
2. Guard for interval; configured argument 15.
3. Attack-move toward waypoint: waypoint 130 (cell 114, 131).
4. Guard for interval; configured argument 19.
5. Attack-move toward waypoint: waypoint 123 (cell 119, 105).
6. Guard for interval; configured argument 12.
7. Jump to script line; configured argument 1.

_A05_ChaosDroneMed2 - 086A87DC

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 170; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint BZ (086AB7DC).

1. Attack-move toward waypoint: waypoint 126 (cell 72, 124).
2. Guard for interval; configured argument 12.
3. Attack-move toward waypoint: waypoint 78 (cell 96, 146).
4. Guard for interval; configured argument 18.
5. Attack-move toward waypoint: waypoint 132 (cell 102, 119).
6. Guard for interval; configured argument 15.
7. Jump to script line; configured argument 1.

_A05_ChaosDroneHard1 - 086AB6AC

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 160; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint CF (086AB43C).

1. Attack-move toward waypoint: waypoint 127 (cell 80, 132).
2. Guard for interval; configured argument 15.
3. Attack-move toward waypoint: waypoint 91 (cell 94, 125).

4. Guard for interval; configured argument 21.
5. Attack-move toward waypoint: waypoint 128 (cell 93, 107).
6. Guard for interval; configured argument 12.
7. Jump to script line; configured argument 1.

_A05_ChaosDroneHard2 - 086AB04C

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 150; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Waypoint CP (086A9A1C).

1. Attack-move toward waypoint: waypoint 8 (cell 132, 107).
2. Adopt object mission: area guard.
3. Guard for interval; configured argument 16.
4. Attack-move toward waypoint: waypoint 76 (cell 103, 89).
5. Guard for interval; configured argument 19.
6. Attack-move toward waypoint: waypoint 131 (cell 89, 124).
7. Guard for interval; configured argument 15.
8. Jump to script line; configured argument 1.

_A05_GattlingLasher - 08F9B8EC

Owner: BadGuy1. Roster: 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Go For It (08F9B67C).

1. Attack selected enemy-building category; configured argument 0.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Adopt object mission: area guard.

_A05_Tank Bunker 2a - 08FD86AC

Owner: BadGuy2. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Tank Bunker (0C86F67C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Tank Bunker 1a - 0C86F54C

Owner: BadGuy1. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: CQ.

Ordered plan: Into Tank Bunker (0B97708C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Tank Bunker 1b - 0C86F1AC

Owner: BadGuy1. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CR.

Ordered plan: Into The Tank Bunkers (0B98707C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Guardian GI Deploy 1 - 0C7B854C

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Deploy (043CF76C).

1. Deploy.

_A05_Guardian GI Deploy 2 - 0683F32C

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CS.

Ordered plan: Deploy (043CF76C).

1. Deploy.

_A05_Tank Bunker 1aa - 0684C56C

Owner: BadGuy1. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CQ.

Ordered plan: Into Tank Bunker (0B97708C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Tank Bunker 1bb - 0684C43C

Owner: BadGuy1. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CR.

Ordered plan: Tank Bunker (0C86F67C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Civilian Vehicle CU 1 - 0686A6BC

Owner: Neutral. Roster: 1 × Automobile (SUVW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Civilian Traveling North to South (0686A44C).

1. Move to waypoint: waypoint 98 (cell 49, 109).
2. Move to waypoint: waypoint 99 (cell 138, 108).
3. Move to waypoint: waypoint 100 (cell 138, 70).
4. Delete team objects.

_A05_Civilian Vehicle CU 2 - 0BA195DC

Owner: Neutral. Roster: 1 × Automobile (EUROC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DA.

Ordered plan: Civilian Traveling North to South (0686A44C).

1. Move to waypoint: waypoint 98 (cell 49, 109).
2. Move to waypoint: waypoint 99 (cell 138, 108).

3. Move to waypoint: waypoint 100 (cell 138, 70).
4. Delete team objects.

_A05_Civilian Vehicle CX 1 - 0BA1939C

Owner: Neutral. Roster: 1 × Black Cab (BCAB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CX.

Ordered plan: Civilian Traveling South to North (097C0DBC).

1. Move to waypoint: waypoint 102 (cell 140, 110).
2. Move to waypoint: waypoint 103 (cell 50, 110).
3. Move to waypoint: waypoint 105 (cell 50, 119).
4. Delete team objects.

_A05_Civilian Vehicle CX 2 - 0BA1ABFC

Owner: Neutral. Roster: 1 × Automobile (STANG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CX.

Ordered plan: Civilian Traveling South to North (097C0DBC).

1. Move to waypoint: waypoint 102 (cell 140, 110).
2. Move to waypoint: waypoint 103 (cell 50, 110).
3. Move to waypoint: waypoint 105 (cell 50, 119).
4. Delete team objects.

_A05_Civilian Vehicle DC 1 - 0C82F4BC

Owner: Neutral. Roster: 1 × Taxi (TAXI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Alt Civilian Traveling South to North (0BA1912C).

1. Move to waypoint: waypoint 107 (cell 91, 122).
2. Move to waypoint: waypoint 108 (cell 77, 122).
3. Guard for interval; configured argument 3.
4. Move to waypoint: waypoint 109 (cell 58, 122).
5. Delete team objects.

_A05_Civilian Vehicle DC 2 - 0C830EFC

Owner: Neutral. Roster: 1 × Automobile (CAR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Alt Civilian Traveling South to North (0BA1912C).

1. Move to waypoint: waypoint 107 (cell 91, 122).
2. Move to waypoint: waypoint 108 (cell 77, 122).
3. Guard for interval; configured argument 3.
4. Move to waypoint: waypoint 109 (cell 58, 122).
5. Delete team objects.

_A05_Civilian Vehicle DH 1 - 097C053C

Owner: Neutral. Roster: 1 × Truck (JEEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DH.

Ordered plan: Alt Civilian Traveling North to South (097C2A6C).

1. Move to waypoint: waypoint 112 (cell 73, 120).
2. Guard for interval; configured argument 2.
3. Move to waypoint: waypoint 113 (cell 91, 120).
4. Move to waypoint: waypoint 115 (cell 93, 122).
5. Move to waypoint: waypoint 114 (cell 93, 156).
6. Delete team objects.

_A05_Civilian Vehicle DH 2 - 097C272C

Owner: Neutral. Roster: 1 × Automobile (SUVW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DH.

Ordered plan: Alt Civilian Traveling North to South (097C2A6C).

1. Move to waypoint: waypoint 112 (cell 73, 120).
2. Guard for interval; configured argument 2.
3. Move to waypoint: waypoint 113 (cell 91, 120).
4. Move to waypoint: waypoint 115 (cell 93, 122).
5. Move to waypoint: waypoint 114 (cell 93, 156).
6. Delete team objects.

_A05_Tank Hunters - 090E05CC

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Enemy Tanks (090E035C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

_A05_Anti-BattleFort - 090EFEFC

Owner: BadGuy1. Roster: 5 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Enemy Tanks (090E035C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

_A05_Brutes (1) - 090EFCBC

Owner: BadGuy1. Roster: 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry and Vehicles (05F7264C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

_A05_War Factory Attack - 090EF91C

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack War Factory (090EF6AC).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131079.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131075.
5. Seek/attack target category; configured argument 1.
6. Adopt object mission: area guard.

_A05_Random Garrison - 08BD08EC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 150; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Enter Urban Combat (08BD067C).

1. Enter neutral occupiable building.

_A05_Power Team - 090EF1DC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 150; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Go into Bio Reactors (079D3A7C).

1. Enter Bio Reactor.
2. Jump to script line; configured argument 1.

_A05_Kill Bldg DG - 07AAD14C

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Bldg DG (07AAEDBC).

1. Attack/garrison waypoint building: waypoint 110 (cell 49, 105).
2. Seek/attack target category; configured argument 1.
3. Adopt object mission: area guard.

_A05_Kill Bldg DN - 07AAEB1C

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Bldg DN (07AAE8AC).

1. Attack/garrison waypoint building: waypoint 117 (cell 60, 93).
2. Seek/attack target category; configured argument 1.
3. Adopt object mission: area guard.

_A05_Boomer Cleanup 1 - 085A665C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 300; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 2 - 085AFEFC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 290; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 3 - 085AFDCC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 280; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).

10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 4 - 085AFC9C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 270; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 5 - 085AFB6C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 260; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 6 - 085AFA3C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 250; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).

2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 7 - 085AF4AC

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 240; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 8 - 085AF37C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 230; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).

13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Boomer Cleanup 9 - 085AF24C

Owner: BadGuy2. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 220; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Boomer Attack Buildings (085A63EC).

1. Move to waypoint: waypoint 119 (cell 44, 92).
2. Attack/garrison waypoint building: waypoint 60 (cell 49, 98).
3. Attack/garrison waypoint building: waypoint 62 (cell 50, 99).
4. Attack/garrison waypoint building: waypoint 61 (cell 51, 100).
5. Attack/garrison waypoint building: waypoint 63 (cell 51, 98).
6. Attack/garrison waypoint building: waypoint 68 (cell 55, 97).
7. Attack/garrison waypoint building: waypoint 67 (cell 55, 91).
8. Attack/garrison waypoint building: waypoint 66 (cell 55, 88).
9. Attack/garrison waypoint building: waypoint 65 (cell 55, 82).
10. Attack/garrison waypoint building: waypoint 64 (cell 47, 82).
11. Attack/garrison waypoint building: waypoint 36 (cell 51, 82).
12. Attack/garrison waypoint building: waypoint 59 (cell 51, 94).
13. Attack/garrison waypoint building: waypoint 38 (cell 50, 90).

_A05_Intro Chaos Drone - 0B6D57DC

Owner: BadGuy1. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: Demo Attack (0B6D556C).

1. Attack-move toward waypoint: waypoint 97 (cell 58, 82).
2. Seek/attack target category; configured argument 4.

_A05_Base Defense - 0771D13C

Owner: BadGuy1. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Defend Base Against Vehicles (0771F6CC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 1.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.
5. Adopt object mission: area guard.

_A05_Gattlings - 05B8197C

Owner: BadGuy1. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Infantry (05B83DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

_A05_Tank Bunker 2aa - 0761B8EC

Owner: BadGuy2. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 90; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Enter The Tank Bunker (0761B67C).

1. Enter Tank Bunker.
2. Adopt object mission: area guard.

_A05_Defense B1 - 0913788C

Owner: BadGuy2. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DS.

Ordered plan: Area Guard (0913332C).

1. Adopt object mission: area guard.

_A05_Defense B2 - 091330CC

Owner: BadGuy2. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DT.

Ordered plan: Area Guard (0913332C).

1. Adopt object mission: area guard.

_A05_Base Defense 2 - 0913653C

Owner: BadGuy1. Roster: 2 × Initiate (INIT); 1 × Virus (VIRUS); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Area Guard (0913332C).

1. Adopt object mission: area guard.

_A05_Deploy GI 1 - 08BE4DEC

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EE.

Ordered plan: Deploy (08677DBC).

1. Deploy.

_A05_Deploy GI 2 - 08BE493C

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Deploy (08677DBC).

1. Deploy.

_A05_Deploy GI 3 - 07686CAC

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EF.

Ordered plan: Deploy (08677DBC).

1. Deploy.

_A05_Deploy GI 4 - 07686B7C

Owner: Player. Roster: 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Deploy (08677DBC).

1. Deploy.

Operation: Clones Down Under - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all05umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	3000	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-2000	5
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	40,40,40	6
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	9
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	12
Lasher Light Tank (LTNK)	Technology level	11	15
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	16
Gattling Tank (YTNK)	Production-time multiplier	1.0	19
Chaos Drone (CAOS)	Production-time multiplier	1.0	22
IFV (FV)	Production-time multiplier	1.0	25
Mirage Tank (MGTK)	Production-time multiplier	1.0	28
Prism Tank (SREF)	Production-time multiplier	1.0	31
Tanya (TANY)	Technology level	11	34
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	37
Psychic Dominator (YAPPET)	Technology level	11	38
Weather Controller (GAWEAT)	Name	Allied Weather Controller	41
Weather Controller (GAWEAT)	Technology level	11	42
Genetic Mutator (YAGNTC)	Name	Yuri Genetic Mutator Device	45
Genetic Mutator (YAGNTC)	Technology level	11	46
Floating Disc (DISK)	Name	Floating Disk	49
Floating Disc (DISK)	Technology level	11	50
Master Mind (MIND)	Name	Master Mind	53
Master Mind (MIND)	Technology level	11	54
Yuri Prime (YURIPR)	Technology level	11	57
Yuri MCV (PCV)	Name	Yuri Construction Vehicle	60
Yuri MCV (PCV)	Technology level	11	61
Engineer (SENGINEER)	Required countries	Russians	64
Engineer (YENGINEER)	Required countries	BadGuy1,BadGuy2,BadGuy3	67
Attack Dog (DOG)	Name	Attack Dog	70

Object/system	Property	Mission value	Source line
Attack Dog (DOG)	Required countries	Russians	71
Black Eagle (BEAG)	Technology level	11	74
Black Eagle (BEAG)	Required countries	Player	75
COUNTRIES (COUNTRIES)	0	Einstein	78
COUNTRIES (COUNTRIES)	1	Player	79
COUNTRIES (COUNTRIES)	2	BadGuy1	80
COUNTRIES (COUNTRIES)	3	BadGuy2	81
COUNTRIES (COUNTRIES)	4	BadGuy3	82
COUNTRIES (COUNTRIES)	5	Germany1	83
COUNTRIES (COUNTRIES)	6	Germany2	84
COUNTRIES (COUNTRIES)	7	Germany3	85
COUNTRIES (COUNTRIES)	8	Temp	86
SPECIALFLAGS	Tiberium Grows	yes	192
SPECIALFLAGS	Tiberium Spreads	yes	193
SPECIALFLAGS	Tiberium Explosive	no	194
SPECIALFLAGS	Destroyable Bridges	yes	195
SPECIALFLAGS	MCV Deploy	no	196
SPECIALFLAGS	Initial Veteran	no	197
SPECIALFLAGS	Fixed Alliance	no	198
SPECIALFLAGS	Harvester Immune	no	199
SPECIALFLAGS	Fog Of War	no	200
SPECIALFLAGS	Inert	no	201
SPECIALFLAGS	Ion Storms	no	202
SPECIALFLAGS	Meteorites	no	203
SPECIALFLAGS	Visceroids	no	204
VARIABLENAMES (VARIABLENAMES)	0	Black Eagle 1,0	253
VARIABLENAMES (VARIABLENAMES)	1	Black Eagle 2,0	254
VARIABLENAMES (VARIABLENAMES)	2	Black Eagle 3,0	255
VARIABLENAMES (VARIABLENAMES)	3	Garrison Time,0	256
VARIABLENAMES (VARIABLENAMES)	4	Building 1 Fallen,0	257
VARIABLENAMES (VARIABLENAMES)	5	Building 2 Fallen,0	258
VARIABLENAMES (VARIABLENAMES)	6	Building 3 Fallen,0	259
VARIABLENAMES (VARIABLENAMES)	7	Building 4 Fallen,0	260
VARIABLENAMES (VARIABLENAMES)	8	Building 5 Fallen,0	261
VARIABLENAMES (VARIABLENAMES)	9	Building 6 Fallen,0	262
VARIABLENAMES (VARIABLENAMES)	10	Building 7 Fallen,0	263
VARIABLENAMES (VARIABLENAMES)	11	Building 8 Fallen,0	264
VARIABLENAMES (VARIABLENAMES)	12	BadGuy1 Dead,0	265
VARIABLENAMES (VARIABLENAMES)	13	BadGuy2 Dead,0	266
VARIABLENAMES (VARIABLENAMES)	14	Virus Dropped Off,0	267
VARIABLENAMES (VARIABLENAMES)	15	Boomers There?,0	268

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	16	Chaos Revealed?,0	269
VARIABLENAMES (VARIABLENAMES)	17	Obj 1 Complete,0	270

Operation: Trick or Treaty

Campaign reading guide | Engine

Operation: Trick or Treaty

all06umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (191)
- Americans (32)
- YuriCountry (27)
- Africans (9)
- French (6)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all06umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all06umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all06umd.map. **Effective extracted member:** mapsmd03.mix/all06umd.map. **Trigger definitions:** 75.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	NEWURBAN
Map size	0,0,60,85
Visible local rectangle	2,41,56,38
Placed vehicles	18
Placed infantry	14
Placed structures	233
Placed aircraft	0
Team templates	68

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	250	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	0	Russians
9	YuriCountry	450	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	Unloaded Limo 1,0
1	Unloaded Limo 2,0
2	Unloaded Limo 3,0
3	Setpiece1_Unlock,0
4	Unloaded Heli 1,0
5	Unloaded Heli 2,0
6	Unloaded Bridge Lef,0
7	Unloaded Bridge Mid,0
8	Unloaded Bridge Rig,0
9	Unloaded BK Team,0
10	Unloaded BL Team,0
11	Left Broken,0
12	Middle Broken,0
13	Right Broken,0
14	Master Mind Intro,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Player Loses (0BD7FB3C)	2 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
Player Wins (0BD7E82C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Every trigger, in file order

1. Movie1_Briefing - 09AD534C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09AD51AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play in-game movie 24.
2. Enable and reset applicable timers for Setpiece1_Limo1Arrive (09AD6A2C).
3. Enable and reset applicable timers for Movie1_Audio Portion (0F35541C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6137, Events line 6214, Actions line 6291.

2. Setpiece1_Limo1Arrive - 09AD6A2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Movie1_Briefing (09AD534C).

Attached scope: tag definitions 09AD694C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Limo 1 Team (08EEB7DC).
2. Enable and reset applicable timers for Setpiece1_Limo2Arrive (048E961C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6138, Events line 6215, Actions line 6292.

3. Movie1_Audio Portion - 0F35541C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Movie1_Briefing (09AD534C).

Attached scope: tag definitions 0F35303C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A06_p01.
2. Enable and reset applicable timers for Movie1_Radar Ping (0C5B195C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6139, Events line 6216, Actions line 6293.

4. Setpiece1_Limo2Arrive - 048E961C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Limo1Arrive (09AD6A2C).

Attached scope: tag definitions 048E953C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 11 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Limo 2 Team (08EEADEC).
2. Enable and reset applicable timers for Setpiece1_Limo3Arrive (070A410C).
3. Move the camera to waypoint 23 (cell 92, 115) with speed setting 0.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6140, Events line 6217, Actions line 6294.

5. Movie1_Radar Ping - 0C5B195C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Movie1_Audio Portion (0F35541C).

Attached scope: tag definitions 0C5B187C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 14 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 11 at waypoint 23 (cell 92, 115).
2. Play sound BeaconPlaced.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6141, Events line 6218, Actions line 6295.

6. Setpiece1_Limo3Arrive - 070A410C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Limo2Arrive (048E961C).

Attached scope: tag definitions 070A1F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Limo 3 Team (08EEA80C).
2. Enable and reset applicable timers for Setpiece1_Heli1Arrive (09A5D20C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6142, Events line 6219, Actions line 6296.

7. Setpiece1_Heli1Arrive - 09A5D20C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Limo3Arrive (070A410C).

Attached scope: tag definitions 09A5D09C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 28 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Heli 1 Team (08EEA33C).
2. Enable and reset applicable timers for Setpiece1_Heli2Arrive (09A5D3DC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6143, Events line 6220, Actions line 6297.

8. Setpiece1_Heli2Arrive - 09A5D3DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Heli1Arrive (09A5D20C).

Attached scope: tag definitions 09A5D2FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Heli 2 Team (08EE9DEC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6144, Events line 6221, Actions line 6298.

9. Setpiece1_Limo1Leave - 09ADA12C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09ADA04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Unloaded Limo 1) is set.

Then perform these actions in order:

1. Create/recruit team TM_Unloaded Limo 1 Team (0712A3AC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6145, Events line 6222, Actions line 6299.

10. Setpiece1_Limo2Leave - 048D972C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 048DB10C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Unloaded Limo 2) is set.

Then perform these actions in order:

1. Create/recruit team TM_Unloaded Limo 2 Team (0712B91C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6146, Events line 6223, Actions line 6300.

11. Setpiece1_Limo3Leave - 070A1E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 070A1D7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Unloaded Limo 3) is set.

Then perform these actions in order:

1. Create/recruit team TM_Unloaded Limo 3 Team (0712B44C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6147, Events line 6224, Actions line 6301.

12. Setpiece1_Heli2Leave - 09A5D77C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A5D69C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Unloaded Heli 2) is set.

Then perform these actions in order:

1. Create/recruit team TM_Unloaded Heli 2 Team (0712C37C).
2. Play sound RomanovSelect.
3. Create/recruit team TM_Unloaded Heli_1 Romanov (0E2EB04C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6148, Events line 6225, Actions line 6302.

13. Setpiece1_Heli1Leave - 09A5D5AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09A5D4CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Unloaded Heli 1) is set.

Then perform these actions in order:

1. Create/recruit team TM_Unloaded Heli 1 Team (0712C82C).
2. Play voice notification Mis_S9_President4.
3. Create/recruit team TM_Unloaded Heli_1 Pres (0E34745C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6149, Events line 6226, Actions line 6303.

14. Allied Mission 6_Setup - 09B5D40C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09ADAA7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Resize Player View; main setting 0; parameter 1: 2, parameter 2: 41, parameter 3: 56, parameter 4: 38.
3. Reveal terrain around waypoint 26 (cell 65, 109).
4. Reveal terrain around waypoint 27 (cell 84, 109).
5. Reveal terrain around waypoint 28 (cell 111, 109).
6. Reveal terrain around waypoint 29 (cell 103, 110).
7. Reveal terrain around waypoint 30 (cell 93, 110).
8. Reveal terrain around waypoint 31 (cell 75, 111).
9. Reveal terrain around waypoint 32 (cell 65, 116).
10. Reveal terrain around waypoint 33 (cell 75, 118).
11. Reveal terrain around waypoint 34 (cell 89, 119).
12. Reveal terrain around waypoint 35 (cell 102, 118).
13. Reveal terrain around waypoint 36 (cell 74, 126).
14. Reveal terrain around waypoint 37 (cell 83, 134).
15. Reveal terrain around waypoint 38 (cell 97, 125).
16. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6150, Events line 6227, Actions line 6304.

15. Yuri Wave Attack 1 - 0BF31EFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Warning_REYuri_Med (0BF330EC); enable from Warning_RE Yuri_Easy (091F3D6C); enable from Warning_RE Yuri_Hard (091F3F3C).

Attached scope: tag definitions 0BF31CCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_6 Initiates (middle) (0B2CE0EC).
2. Supply reinforcement team TM_Yuri_6 Initiates (right) (0B2CFB7C).
3. Supply reinforcement team TM_Yuri_6 Lashers (Right) (0B2CF7DC).
4. Supply reinforcement team TM_Yuri_6 Initiates (left) (0B2CB6FC).
5. Supply reinforcement team TM_Yuri_6 Lashers (Left) (0B2CF18C).
6. Enable and reset applicable timers for Yuri Wave Attack 2 (06C160CC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6151, Events line 6228, Actions line 6305.

16. Yuri Wave Attack 2 - 06C160CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 1 (0BF31EFC).

Attached scope: tag definitions 06C14E3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 160 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_3 Gattling (left) (06C0E3DC).
2. Supply reinforcement team TM_Yuri_3 Gattling (middle) (06C6120C).
3. Supply reinforcement team TM_Yuri_3 Gattling (right) (06C6235C).
4. Supply reinforcement team TM_Yuri_6 Initiates (left) (0B2CB6FC).

5. Supply reinforcement team TM_Yuri_6 Initiates (middle) (0B2CE0EC).
6. Supply reinforcement team TM_Yuri_6 Initiates (right) (0B2CFB7C).
7. Enable and reset applicable timers for Yuri Wave Attack 3 (095ECF3C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6152, Events line 6229, Actions line 6306.

17. Yuri Wave Attack 3 - 095ECF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 2 (06C160CC).

Attached scope: tag definitions 095ECB4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_2 Master Mind (intro) (077E8BAC).
2. Supply reinforcement team TM_Yuri_4 Brute (right) (095EBBEC).
3. Supply reinforcement team TM_Yuri_5 Virus 3 Clone (left) (0C5DC94C).
4. Enable and reset applicable timers for Yuri Wave Attack 4 (095EB2AC).
5. Supply reinforcement team TM_Yuri_1 Hov_1 Gatt_5 Init (0B7F57DC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6153, Events line 6230, Actions line 6307.

18. Yuri Wave Attack 4 - 095EB2AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 3 (095ECF3C).

Attached scope: tag definitions 095EB1CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Yuri Wave Attack 5 (095EB0DC).
2. Supply reinforcement team TM_Yuri_3 Gattling (left) (06C0E3DC).
3. Supply reinforcement team TM_Yuri_3 Gattling (middle) (06C6120C).
4. Supply reinforcement team TM_Yuri_3 Gattling (right) (06C6235C).
5. Supply reinforcement team TM_Yuri_2 Floating Discs (0879E90C).
6. Supply reinforcement team TM_Yuri_2 Master Mind (left) (0C5DC12C).
7. Supply reinforcement team TM_Yuri_2 Master Mind (right) (0C5DC25C).
8. Supply reinforcement team TM_Yuri_3 Gattling (far left) (0C5DDEFC).
9. Supply reinforcement team TM_Yuri_1 Hov_2 Gatt (0B7F050C).
10. Enable and reset applicable timers for Yuri Wave Attack 4a (086D334C).
11. Enable and reset applicable timers for Yuri Wave Attack 4b (05C6450C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6154, Events line 6231, Actions line 6308.

19. Yuri Wave Attack 5 - 095EB0DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 4 (095EB2AC).

Attached scope: tag definitions 095F2F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_3 Gattling (far left) (0C5DDEFC).

2. Supply reinforcement team TM_Yuri_2 Floating Discs (0879E90C).
3. Supply reinforcement team TM_Yuri_2 Master Mind (left) (0C5DC12C).
4. Supply reinforcement team TM_Yuri_2 Master Mind (Mid) (08EFD34C).
5. Supply reinforcement team TM_Yuri_2 Master Mind (right) (0C5DC25C).
6. Supply reinforcement team TM_Yuri_3 Gattling (left) (06C0E3DC).
7. Supply reinforcement team TM_Yuri_3 Gattling (middle) (06C6120C).
8. Supply reinforcement team TM_Yuri_3 Gattling (right) (06C6235C).
9. Supply reinforcement team TM_Yuri_4 Brute (right) (095EBBEC).
10. Supply reinforcement team TM_Yuri_5 Virus 3 Clone (left) (0C5DC94C).
11. Supply reinforcement team TM_Yuri_6 Initiates (left) (0B2CB6FC).
12. Supply reinforcement team TM_Yuri_6 Initiates (middle) (0B2CE0EC).
13. Supply reinforcement team TM_Yuri_6 Initiates (right) (0B2CFB7C).
14. Supply reinforcement team TM_Yuri_6 Lashers (Left) (0B2CF18C).
15. Supply reinforcement team TM_Yuri_6 Lashers (middle) (06C6222C).
16. Supply reinforcement team TM_Yuri_6 Lashers (Right) (0B2CF7DC).
17. Enable and reset applicable timers for Yuri Wave Attack 5 Dead (0CD2E62C).
18. Supply reinforcement team TM_Yuri_1 Hov_1 Gatt_5 Init (0B7F57DC).
19. Supply reinforcement team TM_Yuri_1 Hov_2 Gatt (0B7F050C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6155, Events line 6232, Actions line 6309.

20. Yuri Wave Attack 4a - 086D334C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 4 (095EB2AC).

Attached scope: tag definitions 086D6CBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleFloatingDisc.
2. Reveal terrain around waypoint 71 (cell 84, 69).
3. Create radar-event marker type 0 at waypoint 71 (cell 84, 69).
4. Play sound BeaconPlaced.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6156, Events line 6233, Actions line 6310.

21. Yuri Wave Attack 5 Dead - 0CD2E62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 5 (095EB0DC).

Attached scope: tag definitions 0CD2F95C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Setpiece 2_Treaty Movie (0CD2F42C).
2. Disable Wave Attack Prod (05C6397C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6157, Events line 6234, Actions line 6311.

22. Setpiece 2_Treaty Movie - 0CD2F42C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 5 Dead (0CD2E62C).

Attached scope: tag definitions 0CD2F34C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 26.
2. Disable player input.
3. Jump the camera to waypoint 23 (cell 92, 115).
4. Enable and reset applicable timers for Setpiece2_Treaty Audio (0E2F6B1C).
5. Play voice notification EVA_BattleControlOnline.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6158, Events line 6235, Actions line 6312.

23. Setpiece2_Treaty Audio - 0E2F6B1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece 2_Treaty Movie (0CD2F42C).

Attached scope: tag definitions 0E2F6A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A06_p04.
2. Enable and reset applicable timers for Setpiece2_SovietsArrive (0B913B6C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6159, Events line 6236, Actions line 6313.

24. Setpiece2_SovietsArrive - 0B913B6C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_Treaty Audio (0E2F6B1C).

Attached scope: tag definitions 0B913A8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 27 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 60 (cell 102, 104) with speed setting 2.
2. Supply reinforcement team TM_Sov_1 Armor_2 Flak Trak (09513C2C).
3. Supply reinforcement team TM_Sov_1 Armor_8 Tesla_2 TDrone (095776AC).
4. Supply reinforcement team TM_Sov_1 Armored_2 Rhino (0957513C).
5. Supply reinforcement team TM_Sov_2 Dread_3 Scorp_3 Sub (091F259C).
6. Enable and reset applicable timers for Setpiece2_Unlock Ready (0957813C).
7. Play voice notification EVA_ReinforcementsHaveArrived.
8. All change house: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6160, Events line 6237, Actions line 6314.

25. Setpiece2_Unlock Ready - 0957813C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_SovietsArrive (0B913B6C).

Attached scope: tag definitions 095138DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Resize Player View; main setting 0; parameter 1: 2, parameter 2: 7, parameter 3: 56, parameter 4: 72.

3. Enable and reset applicable timers for Setpiece2_End (06C2AAFC).
4. All change house: owner selector 0 (country/type AMERICANS; placed owner Americans).
5. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).
6. Display message “Objective 2: Destroy Yuri's Base.” (MISSION:All6Obj2).
7. Enable and reset applicable timers for Setpiece2_Obj2 Restate (0A13E03C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6161, Events line 6238, Actions line 6315.

26. Setpiece2_End - 06C2AAFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_Unlock Ready (0957813C).

Attached scope: tag definitions 06C2AA1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_1 Slave Miner @ BN (091FFA4C).
2. Supply reinforcement team TM_Yuri_1 Slave Miner @ BO (0CCCEEFC).
3. Supply reinforcement team TM_Yuri_6 Init Def @ BP (091FF46C).
4. Supply reinforcement team TM_Yuri_6 Init Def @ BQ (091F8EFC).
5. Supply reinforcement team TM_Yuri_6 Init Def @ BR (091F8DCC).
6. Supply reinforcement team TM_Yuri_3 Gatt Def @ BS (090020CC).
7. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
8. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
9. Enable and reset applicable timers for Conditions_Lose (06C364EC).
10. Enable and reset applicable timers for Detect_Yuri Facts Dead (07A07B8C).
11. Supply reinforcement team TM_Yuri_2 Boomer (0C5CF6AC).
12. Play voice notification EVA_BattlefieldControlOnline.
13. Enable and reset applicable timers for _Setup_All06_Bio Load (0A23BA9C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6162, Events line 6239, Actions line 6316.

27. Setpiece2_Obj2 Restate - 0A13E03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_Unlock Ready (0957813C).

Attached scope: tag definitions 0A13D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy all of Yuri's structures” (MISSION:KillYuri).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6163, Events line 6240, Actions line 6317.

28. Conditions_Lose - 06C364EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_End (06C2AAFC).

Attached scope: tag definitions 06C3640C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for Player Loses (0BD7FB3C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6164, Events line 6241, Actions line 6318.

29. Detect_Yuri Facts Dead - 07A07B8C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_End (06C2AAFC).

Attached scope: tag definitions 07A07AAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for All to Hunt_Yuri (07A0745C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6165, Events line 6242, Actions line 6319.

30. _Setup_All06_Bio Load - 0A23BA9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece2_End (06C2AAFC).

Attached scope: tag definitions 0A23B9BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_Bio Load @ BO (0A23B29C).
2. Supply reinforcement team TM_Yuri_Bio Load @ BP (07ABD1BC).
3. Supply reinforcement team TM_Yuri_Bio Load @ BQ (0A23B16C).
4. Supply reinforcement team TM_Yuri_Bio Load @ BR (0A23B03C).
5. Supply reinforcement team TM_Yuri_Bio Load @ BR (0A23B03C).
6. Supply reinforcement team TM_Yuri_Bio Load @ BS (0A23CB2C).
7. Supply reinforcement team TM_Yuri_1 Boomer Defense (09310EFC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6166, Events line 6243, Actions line 6320.

31. Player Loses - 0BD7FB3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Conditions_Lose (06C364EC); enable from Parliament Destroyed (048BB6BC); enable from Detect_Leader Dead (0883F63C).

Attached scope: tag definitions 0BD7E91C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6167, Events line 6244, Actions line 6321.

32. All to Hunt_Yuri - 07A0745C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Yuri Facts Dead (07A07B8C).

Attached scope: tag definitions 07A0737C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Conditions_Win (06C3694C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6168, Events line 6245, Actions line 6322.

33. Conditions_Win - 06C3694C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from All to Hunt_Yuri (07A0745C).

Attached scope: tag definitions 06C365DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Land: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Player Wins (0BD7E82C).
2. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6169, Events line 6246, Actions line 6323.

34. Player Wins - 0BD7E82C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Conditions_Win (06C3694C).

Attached scope: tag definitions 0BD7E74C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6170, Events line 6247, Actions line 6324.

35. Setpiece1_Unlock Ready - 09ADDB1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09ADA5EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Setpiece1_Unlock) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Setpiece1_End (0BDAF1CC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6171, Events line 6248, Actions line 6325.

36. Setpiece1_End - 0BDAF1CC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Unlock Ready (09ADDB1C).

Attached scope: tag definitions 0BDABF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Defend Parliament from Assault.” (MISSION:All6Obj1).
2. Enable and reset applicable timers for Yuri Taunt_Med (09B412EC).
3. Enable and reset applicable timers for Warning_REYuri_Med (0BF330EC).
4. Flash buildings of type CALOND04; duration argument 80.
5. Enable and reset applicable timers for Setpiece1_Camera to Y (0713041C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6172, Events line 6249, Actions line 6326.

37. Yuri Taunt_Med - 09B412EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_End (0BDAF1CC); enable from Setpiece1_Timer Med (08F6F03C).

Attached scope: tag definitions 09B42D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 860 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 25.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6173, Events line 6250, Actions line 6327.

38. Warning_REYuri_Med - 0BF330EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_End (0BDAF1CC); enable from Setpiece1_Timer Med (08F6F03C).

Attached scope: tag definitions 0BF3788C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1130 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleGetReady.
2. Enable and reset applicable timers for Yuri Wave Attack 1 (0BF31EFC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6174, Events line 6251, Actions line 6328.

39. Setpiece1_Camera to Y - 0713041C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_End (0BDAF1CC).

Attached scope: tag definitions 0713033C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 24 (cell 90, 126) with speed setting 3.
2. Enable player input.
3. Play voice notification EVA_BattlefieldControlOnline.
4. Enable and reset applicable timers for Setpiece1_Timer Easy (08F6803C).
5. Enable and reset applicable timers for Setpiece1_Timer Med (08F6F03C).
6. Enable and reset applicable timers for Setpiece1_Timer Hard (08F6907C).
7. Enable and reset applicable timers for For whom the bell tolls (091F07BC).
8. Enable and reset applicable timers for 5 Minute Tolls (091F283C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6175, Events line 6252, Actions line 6329.

40. Setpiece1_Timer Easy - 08F6803C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Camera to Y (0713041C).

Attached scope: tag definitions 08F6D04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 1500 configured time units.
2. Use countdown label “Yuri Forces Arriving In:” (MISSION:YuriTimer).

3. Start the visible mission timer.
4. Enable and reset applicable timers for Yuri Taunt_Easy (091F220C).
5. Enable and reset applicable timers for Warning_RE Yuri_Easy (091F3D6C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6176, Events line 6253, Actions line 6330.

41. Setpiece1_Timer Med - 08F6F03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Camera to Y (0713041C).

Attached scope: tag definitions 08F6A04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 1200 configured time units.
2. Use countdown label “Yuri Forces Arriving In:” (MISSION:YuriTimer).
3. Start the visible mission timer.
4. Enable and reset applicable timers for Yuri Taunt_Med (09B412EC).
5. Enable and reset applicable timers for Warning_REYuri_Med (0BF330EC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6177, Events line 6254, Actions line 6331.

42. Setpiece1_Timer Hard - 08F6907C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Camera to Y (0713041C).

Attached scope: tag definitions 08F6B08C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 900 configured time units.
2. Use countdown label “Yuri Forces Arriving In:” (MISSION:YuriTimer).
3. Start the visible mission timer.
4. Enable and reset applicable timers for Yuri Taunt_Hard (091F3B9C).
5. Enable and reset applicable timers for Warning_RE Yuri_Hard (091F3F3C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6178, Events line 6255, Actions line 6332.

43. For whom the bell tolls - 091F07BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Camera to Y (0713041C); enable from 5 Minute Tolls (091F283C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable For whom the bell tolls (091F07BC).
2. Play sound BigBenBell.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6179, Events line 6256, Actions line 6333.

44. 5 Minute Tolls - 091F283C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: It tolls for thee (091F1E6C).

Incoming activation links: enable from Setpiece1_Camera to Y (0713041C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for For whom the bell tolls (091F07BC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6180, Events line 6257, Actions line 6334.

45. Yuri Taunt_Easy - 091F220C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Timer Easy (08F6803C).

Attached scope: tag definitions 091F212C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1260 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 25.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6181, Events line 6258, Actions line 6335.

46. Warning_RE Yuri_Easy - 091F3D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Timer Easy (08F6803C).

Attached scope: tag definitions 091F3C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1430 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleGetReady.
2. Enable and reset applicable timers for Yuri Wave Attack 1 (0BF31EFC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6182, Events line 6259, Actions line 6336.

47. Yuri Taunt_Hard - 091F3B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Timer Hard (08F6907C).

Attached scope: tag definitions 091F3ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 560 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 25.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6183, Events line 6260, Actions line 6337.

48. Warning_RE Yuri_Hard - 091F3F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Setpiece1_Timer Hard (08F6907C).

Attached scope: tag definitions 091F3E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 830 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleGetReady.
2. Enable and reset applicable timers for Yuri Wave Attack 1 (0BF31EFC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6184, Events line 6261, Actions line 6338.

49. It tolls for thee - 091F1E6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: For whom the bell tolls (091F07BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Disable It tolls for thee (091F1E6C).
2. Play sound BigBenBell.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6185, Events line 6262, Actions line 6339.

50. Parliament Attacked 1 - 048BC46C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Parliament Attacked 1 Delay (048BBB6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleBuildDefense.
2. Disable Parliament Attacked 1 (048BC46C).
3. Enable and reset applicable timers for Parliament Attacked 2 Delay (048BB98C).
4. Display message “Hint: Repair Parliament with an Engineer” (MISSION:ParlHint).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6186, Events line 6263, Actions line 6340.

51. Parliament Attacked 2 Delay - 048BB98C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 2 (048BBA7C).

Incoming activation links: enable from Parliament Attacked 1 (048BC46C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Parliament Attacked 2 Delay (048BB98C).
2. Enable and reset applicable timers for Parliament Attacked 2 (048BBA7C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6187, Events line 6264, Actions line 6341.

52. Parliament Attacked 2 - 048BBA7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 1 Delay (048BBB6C).

Incoming activation links: enable from Parliament Attacked 2 Delay (048BB98C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Play voice notification Mis_xA6_CarvilleUnderAttack.
2. Disable Parliament Attacked 2 (048BBA7C).

3. Enable and reset applicable timers for Parliament Attacked 3 Delay (048BB7AC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6188, Events line 6265, Actions line 6342.

53. Parliament Attacked 1 Delay - 048BBB6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 1 (048BC46C).

Incoming activation links: enable from Parliament Attacked 3 (048BB89C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Parliament Attacked 1 Delay (048BBB6C).
2. Enable and reset applicable timers for Parliament Attacked 1 (048BC46C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6189, Events line 6266, Actions line 6343.

54. Parliament Attacked 3 Delay - 048BB7AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 3 (048BB89C).

Incoming activation links: enable from Parliament Attacked 2 (048BBA7C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Parliament Attacked 3 Delay (048BB7AC).
2. Enable and reset applicable timers for Parliament Attacked 3 (048BB89C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6190, Events line 6267, Actions line 6344.

55. Parliament Attacked 3 - 048BB89C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 2 Delay (048BB98C).

Incoming activation links: enable from Parliament Attacked 3 Delay (048BB7AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Disable Parliament Attacked 3 (048BB89C).
2. Enable and reset applicable timers for Parliament Attacked 1 Delay (048BBB6C).
3. Play voice notification Mis_xA6_CarvilleProtectParl.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6191, Events line 6268, Actions line 6345.

56. Parliament Destroyed - 048BB6BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked 3 Delay (048BB7AC).

Incoming activation links: enable from Parliament @ 25% Health (077B8E1C); enable from Really Destroyed (08F91C4C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Parliament Destroyed (048BB6BC).
2. Disable Parliament Attacked 1 (048BC46C).
3. Disable Parliament Attacked 1 Delay (048BBB6C).
4. Disable Parliament Attacked 2 (048BBA7C).
5. Disable Parliament Attacked 2 Delay (048BB98C).
6. Disable Parliament Attacked 3 (048BB89C).
7. Disable Parliament Attacked 3 Delay (048BB7AC).
8. Play voice notification EVA_TechBuildingLost.
9. Display message “Critical Structure Lost” (MISSION:LostStct).
10. Enable and reset applicable timers for Player Loses (0BD7FB3C).
11. Do Explosion At; main setting 13; location/duration field W.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6192, Events line 6269, Actions line 6346.

57. _Amb_Birds Morning - 07E4A1CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsMorning at waypoint 17 (cell 107, 120).
2. Play sound _Amb_BirdsMorning at waypoint 38 (cell 97, 125).
3. Play sound _Amb_BirdsMorning at waypoint 37 (cell 83, 134).
4. Play sound _Amb_BirdsMorning at waypoint 50 (cell 42, 96).
5. Play sound _Amb_BirdsMorning at waypoint 43 (cell 35, 89).
6. Play sound _Amb_BirdsMorning at waypoint 71 (cell 84, 69).
7. Play sound _Amb_BirdsMorning at waypoint 516 (cell 130, 78).
8. Play sound _Amb_BirdsMorning at waypoint 517 (cell 71, 78).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6193, Events line 6270, Actions line 6347.

58. _Amb_Cricket Chirps - 07E4CE5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4CD7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_CricketChirps at waypoint 699 (cell 82, 124).
2. Play sound _Amb_CricketChirps at waypoint 36 (cell 74, 126).
3. Play sound _Amb_CricketChirps at waypoint 35 (cell 102, 118).
4. Play sound _Amb_CricketChirps at waypoint 20 (cell 111, 113).
5. Play sound _Amb_CricketChirps at waypoint 50 (cell 42, 96).
6. Play sound _Amb_CricketChirps at waypoint 508 (cell 26, 69).
7. Play sound _Amb_CricketBed at waypoint 509 (cell 19, 66).
8. Play sound _Amb_CricketChirps at waypoint 507 (cell 12, 61).
9. Play sound _Amb_CricketChirps at waypoint 505 (cell 29, 45).
10. Play sound _Amb_CricketChirps at waypoint 515 (cell 106, 73).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6194, Events line 6271, Actions line 6348.

59. _Amb_Wind Cold - 07E4CC8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4CBAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 508 (cell 26, 69).
2. Play sound _Amb_WindCold at waypoint 509 (cell 19, 66).
3. Play sound _Amb_WindCold at waypoint 510 (cell 41, 43).
4. Play sound _Amb_WindCold at waypoint 511 (cell 91, 47).
5. Play sound _Amb_WindCold at waypoint 512 (cell 74, 55).
6. Play sound _Amb_WindCold at waypoint 513 (cell 54, 51).
7. Play sound _Amb_WindCold at waypoint 36 (cell 74, 126).
8. Play sound _Amb_WindCold at waypoint 24 (cell 90, 126).
9. Play sound _Amb_WindCold at waypoint 514 (cell 118, 62).
10. Play sound _Amb_WindCold at waypoint 515 (cell 106, 73).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6195, Events line 6272, Actions line 6349.

60. _Amb_Urban Murmur 2b - 07E4CABC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4C9DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 500 (cell 124, 83).
2. Play sound _Amb_UrbanMurmur2 at waypoint 501 (cell 118, 71).
3. Play sound _Amb_UrbanMurmur2 at waypoint 502 (cell 108, 59).
4. Play sound _Amb_UrbanMurmur2 at waypoint 503 (cell 102, 67).
5. Play sound _Amb_UrbanMurmur2 at waypoint 504 (cell 53, 58).
6. Play sound _Amb_UrbanMurmur2 at waypoint 505 (cell 29, 45).
7. Play sound _Amb_UrbanMurmur2 at waypoint 506 (cell 19, 54).
8. Play sound _Amb_UrbanMurmur2 at waypoint 507 (cell 12, 61).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6196, Events line 6273, Actions line 6350.

61. _Amb_Urban Murmur 2a - 07E4C8EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4C80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 48 (cell 111, 91).
2. Play sound _Amb_UrbanMurmur2 at waypoint 57 (cell 110, 84).
3. Play sound _Amb_UrbanMurmur2 at waypoint 47 (cell 85, 93).
4. Play sound _Amb_UrbanMurmur2 at waypoint 56 (cell 83, 86).
5. Play sound _Amb_UrbanMurmur2 at waypoint 52 (cell 65, 95).
6. Play sound _Amb_UrbanMurmur2 at waypoint 55 (cell 64, 86).
7. Play sound _Amb_UrbanMurmur2 at waypoint 44 (cell 61, 74).

8. Play sound _Amb_UrbanMurmur2 at waypoint 42 (cell 72, 67).
9. Play sound _Amb_UrbanMurmur2 at waypoint 71 (cell 84, 69).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6197, Events line 6274, Actions line 6351.

62. _Amb_Waves Lake - 07E4C71C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4C63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 58 (cell 120, 103).
2. Play sound _Amb_WavesLake at waypoint 60 (cell 102, 104).
3. Play sound _Amb_WavesLake at waypoint 494 (cell 88, 101).
4. Play sound _Amb_WavesLake at waypoint 495 (cell 69, 100).
5. Play sound _Amb_WavesLake at waypoint 496 (cell 53, 96).
6. Play sound _Amb_WavesLake at waypoint 497 (cell 41, 71).
7. Play sound _Amb_WavesLake at waypoint 498 (cell 41, 57).
8. Play sound _Amb_WavesLake at waypoint 499 (cell 58, 21).
9. Play sound _Amb_WavesLake at waypoint 64 (cell 40, 30).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6198, Events line 6275, Actions line 6352.

63. _Amb_Birds Harbor - 07E4C54C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E4C46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 58 (cell 120, 103).
2. Play sound _Amb_BirdsHarbor at waypoint 51 (cell 103, 100).
3. Play sound _Amb_BirdsHarbor at waypoint 45 (cell 43, 87).
4. Play sound _Amb_BirdsHarbor at waypoint 64 (cell 40, 30).
5. Play sound _Amb_BirdsHarbor at waypoint 494 (cell 88, 101).
6. Play sound _Amb_BirdsHarbor at waypoint 495 (cell 69, 100).
7. Play sound _Amb_BirdsHarbor at waypoint 496 (cell 53, 96).
8. Play sound _Amb_BirdsHarbor at waypoint 497 (cell 41, 71).
9. Play sound _Amb_BirdsHarbor at waypoint 498 (cell 41, 57).
10. Play sound _Amb_BirdsHarbor at waypoint 499 (cell 58, 21).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6199, Events line 6276, Actions line 6353.

64. Parliament Attacked by Player - 0945978C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Destroyed (048BB6BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Disable Parliament Attacked by Player (0945978C).
2. Display message “WARNING - Critical structure. Do not destroy!!!” (MISSION:WarnStct).

3. Play sound WarningAlarm.
4. Flash buildings of type CALOND04; duration argument 100.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6200, Events line 6277, Actions line 6354.

65. Detect_Leader Dead - 0883F63C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0883F55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Critical Unit Lost” (MISSION:LostUnit).
2. Enable and reset applicable timers for Player Loses (0BD7FB3C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6201, Events line 6278, Actions line 6355.

66. Amb_Lightning - 0917F4BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0917EF1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 200 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Play sound WeatherStrike.

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6202, Events line 6279, Actions line 6356.

67. Parliament @ 25% Health - 077B8E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament Attacked by Player (0945978C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Quarter health (any source). See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Parliament @ 25% Health (077B8E1C).
2. Destroy the attached object through the scripted destruction action.
3. Enable and reset applicable timers for Parliament Destroyed (048BB6BC).
4. Jump the camera to waypoint 23 (cell 92, 115).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6203, Events line 6280, Actions line 6357.

68. Intro_Master Mind - 077EC7EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 077EC70C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Master Mind Intro) is set.

Then perform these actions in order:

1. Reveal terrain around waypoint 72 (cell 86, 74).
2. Jump the camera to waypoint 72 (cell 86, 74).
3. Play voice notification Unit_Eva_MasterMind.
4. Enable and reset applicable timers for Intro_Master Mind_Ends (077E82CC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6204, Events line 6281, Actions line 6358.

69. Intro_Master Mind_Ends - 077E82CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Intro_Master Mind (077EC7EC).

Attached scope: tag definitions 077E81EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Master Mind (post intro) (077E857C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6205, Events line 6282, Actions line 6359.

70. Really Destroyed - 08F91C4C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Parliament @ 25% Health (077B8E1C).

Attached scope: British Parliament (CALOND04), owner Neutral, cell (91, 114), tag 048BC38C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Really Destroyed (08F91C4C).
2. Enable and reset applicable timers for Parliament Destroyed (048BB6BC).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6206, Events line 6283, Actions line 6360.

71. Ben's Dead - 091FAF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: 5 Minute Tolls (091F283C).

Attached scope: Big Ben (CALOND05), owner Neutral, cell (88, 116), tag 091F06DC, persistence mode 2.

Wait for the recorded events:

1. No instances of Big Ben (CALOND05) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Disable For whom the bell tolls (091F07BC).
2. Disable It tolls for thee (091F1E6C).
3. Disable 5 Minute Tolls (091F283C).
4. Disable Ben's Dead (091FAF3C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6207, Events line 6284, Actions line 6361.

72. Clean up_BK Trans TM - 090F833C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 090F825C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Unloaded BK Team) is set.

Flag writers in this mission: clear local flag 9 (Unloaded BK Team) at Clean up_BK Trans TM (090F833C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 9 (Unloaded BK Team).
2. Create/recruit team TM_Yuri_1 Hov @ BK (090FC12C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6208, Events line 6285, Actions line 6362.

73. Clean up_BL Trans TM - 090F816C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 090FC35C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Unloaded BL Team) is set.

Flag writers in this mission: clear local flag 10 (Unloaded BL Team) at Clean up_BL Trans TM (090F816C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 10 (Unloaded BL Team).
2. Create/recruit team TM_Yuri_1 Hov @ BL (0910455C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6209, Events line 6286, Actions line 6363.

74. Wave Attack Prod - 05C6397C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 4b (05C6450C).

Attached scope: tag definitions 05C6389C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6210, Events line 6287, Actions line 6364.

75. Yuri Wave Attack 4b - 05C6450C

Owner reference: <none>. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri Wave Attack 4 (095EB2AC).

Attached scope: tag definitions 05C6442C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Wave Attack Prod (05C6397C).

Source locator: mapsmd03.mix/all06umd.map; Triggers line 6211, Events line 6288, Actions line 6365.

All team rosters and ordered plans | All mission overrides

Operation: Trick or Treaty - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all06umd.map; each team/script ID identifies its section.

TM_Limo 1 Team - 08EEB7DC

Owner: Neutral. Roster: 1 × Limousine (LIMO); 4 × Secret Service (SSRV); 1 × Civilian (PENTGEN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Follow limo path to waypoint I (0C2BA43C).

1. Move to waypoint: waypoint 14 (cell 83, 133).
2. Move to waypoint: waypoint 15 (cell 83, 121).
3. Move to waypoint: waypoint 16 (cell 86, 120).
4. Move to waypoint: waypoint 8 (cell 97, 120).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 0 (Unloaded Limo 1).
7. Move to waypoint: waypoint 18 (cell 95, 118).
8. Attack selected enemy-building category; configured argument 131388.

TM_Unloaded Limo 1 Team - 0712A3AC

Owner: Neutral. Roster: 1 × Limousine (LIMO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Leave board to waypoint R (07116DBC).

1. Move to waypoint: waypoint 17 (cell 107, 120).
2. Set local flag: local flag 3 (Setpiece1_Unlock).
3. Delete team objects.

TM_Limo 2 Team - 08EEADEC

Owner: Neutral. Roster: 1 × President (PRES); 4 × Secret Service (SSRV); 1 × Limousine (LIMO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Follow limo path to waypoint J (0C6B4DBC).

1. Move to waypoint: waypoint 14 (cell 83, 133).
2. Move to waypoint: waypoint 15 (cell 83, 121).
3. Move to waypoint: waypoint 16 (cell 86, 120).
4. Move to waypoint: waypoint 9 (cell 94, 120).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 1 (Unloaded Limo 2).
7. Move to waypoint: waypoint 18 (cell 95, 118).
8. Attack selected enemy-building category; configured argument 131388.

TM_Unloaded Limo 2 Team - 0712B91C

Owner: Neutral. Roster: 1 × Limousine (LIMO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Leave board to waypoint R (07116DBC).

1. Move to waypoint: waypoint 17 (cell 107, 120).
2. Set local flag: local flag 3 (Setpiece1_Unlock).
3. Delete team objects.

TM_Limo 3 Team - 08EEA80C

Owner: Neutral. Roster: 1 × Limousine (LIMO); 4 × Secret Service (SSRV); 1 × Civilian (PENTGEN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Follow limo path to waypoint L (0C2EDDBC).

1. Move to waypoint: waypoint 14 (cell 83, 133).
2. Move to waypoint: waypoint 15 (cell 83, 121).
3. Move to waypoint: waypoint 16 (cell 86, 120).
4. Move to waypoint: waypoint 11 (cell 91, 120).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 2 (Unloaded Limo 3).
7. Move to waypoint: waypoint 19 (cell 92, 118).
8. Attack selected enemy-building category; configured argument 131388.

TM_Unloaded Limo 3 Team - 0712B44C

Owner: Neutral. Roster: 1 × Limousine (LIMO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Leave board to waypoint R (07116DBC).

1. Move to waypoint: waypoint 17 (cell 107, 120).
2. Set local flag: local flag 3 (Setpiece1_Unlock).
3. Delete team objects.

TM_Heli 1 Team - 08EEA33C

Owner: Neutral. Roster: 1 × NightHawk Transport (SHAD); 1 × President (PRES); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Heli to waypoint K (0BC92B5C).

1. Move to waypoint: waypoint 10 (cell 97, 123).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 4 (Unloaded Heli 1).
4. Move to waypoint: waypoint 18 (cell 95, 118).
5. Attack selected enemy-building category; configured argument 131388.

TM_Heli 2 Team - 08EE9DEC

Owner: Neutral. Roster: 1 × NightHawk Transport (SHAD); 1 × Premier Romanov (RMNV); 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Heli to waypoint M (0D6AB48C).

1. Move to waypoint: waypoint 12 (cell 93, 123).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 5 (Unloaded Heli 2).
4. Move to waypoint: waypoint 19 (cell 92, 118).
5. Attack selected enemy-building category; configured argument 131388.

TM_Unloaded Heli 1 Team - 0712C82C

Owner: Neutral. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Heli deletion at waypoint V (0BF7C45C).

1. Move to waypoint: waypoint 21 (cell 112, 110).
2. Set local flag: local flag 3 (Setpiece1_Unlock).
3. Delete team objects.

TM_Unloaded Heli 2 Team - 0712C37C

Owner: Neutral. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Heli deletion at waypoint V (0BF7C45C).

1. Move to waypoint: waypoint 21 (cell 112, 110).
2. Set local flag: local flag 3 (Setpiece1_Unlock).
3. Delete team objects.

TM_Yuri_6 Initiates (middle) - 0B2CE0EC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Attack from middle bridge (08EF032C).

1. Move to waypoint: waypoint 72 (cell 86, 74).
2. Attack-move toward waypoint: waypoint 53 (cell 84, 95).
3. Attack selected enemy-building category; configured argument 131388.
4. Seek/attack target category; configured argument 1.

TM_Yuri_6 Initiates (right) - 0B2CFB7C

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Attack from right bridge (0BDB7A1C).

1. Attack-move toward waypoint: waypoint 54 (cell 111, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Lashers (Right) - 0B2CF7DC

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Tank attack from right bridge (095A43CC).

1. Attack-move toward waypoint: waypoint 57 (cell 110, 84).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Initiates (left) - 0B2CB6FC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: Attack from left Bridge (0BDB743C).

1. Attack-move toward waypoint: waypoint 52 (cell 65, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Lashers (Left) - 0B2CF18C

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Tank Attack from left bridge (095A48BC).

1. Attack-move toward waypoint: waypoint 55 (cell 64, 86).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_Bridge Repair (left) - 071345DC

Owner: YuriCountry. Roster: 5 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Repair left bridge (0BC29A1C).

1. Move to waypoint: waypoint 46 (cell 62, 92).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 6 (Unloaded Bridge Lef).
4. Attack selected enemy-building category; configured argument 131102.
5. Attack selected enemy-building category; configured argument 131072.
6. Seek/attack target category; configured argument 11.

TM_Yuri_Bridge Repair (middle) - 07132EFC

Owner: YuriCountry. Roster: 5 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Repair middle bridge (0BC2956C).

1. Move to waypoint: waypoint 47 (cell 85, 93).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 7 (Unloaded Bridge Mid).
4. Attack selected enemy-building category; configured argument 131102.
5. Attack selected enemy-building category; configured argument 131075.
6. Seek/attack target category; configured argument 11.

TM_Yuri_Bridge Repair (right) - 0713298C

Owner: YuriCountry. Roster: 5 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Repair right bridge (0BC291CC).

1. Move to waypoint: waypoint 48 (cell 111, 91).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 8 (Unloaded Bridge Rig).
4. Attack selected enemy-building category; configured argument 131102.

5. Attack selected enemy-building category; configured argument 131078.
6. Seek/attack target category; configured argument 9.

TM_Yuri_Unloaded Hov L - 09BDC3AC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: Destroy Yuri Hover @ AX (09BDE81C).

1. Move to waypoint: waypoint 49 (cell 94, 37).
2. Delete team objects.

TM_Yuri_Unloaded Hov M - 09BDE68C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: Destroy Yuri Hover @ AX (09BDE81C).

1. Move to waypoint: waypoint 49 (cell 94, 37).
2. Delete team objects.

TM_Yuri_Unloaded Hov R - 09BDE55C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AW.

Ordered plan: Destroy Yuri Hover @ AX (09BDE81C).

1. Move to waypoint: waypoint 49 (cell 94, 37).
2. Delete team objects.

TM_Yuri_3 Gattling (left) - 06C0E3DC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: Attack from left Bridge (0BDB743C).

1. Attack-move toward waypoint: waypoint 52 (cell 65, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Gattling (middle) - 06C6120C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Attack from middle bridge (08EF032C).

1. Move to waypoint: waypoint 72 (cell 86, 74).
2. Attack-move toward waypoint: waypoint 53 (cell 84, 95).
3. Attack selected enemy-building category; configured argument 131388.
4. Seek/attack target category; configured argument 1.

TM_Yuri_3 Gattling (right) - 06C6235C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Attack from right bridge (0BDB7A1C).

1. Attack-move toward waypoint: waypoint 54 (cell 111, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Lashers (middle) - 06C6222C

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Attack from middle bridge (08EF032C).

1. Move to waypoint: waypoint 72 (cell 86, 74).
2. Attack-move toward waypoint: waypoint 53 (cell 84, 95).
3. Attack selected enemy-building category; configured argument 131388.
4. Seek/attack target category; configured argument 1.

TM_Yuri_2 Master Mind (Mid) - 08EFD34C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Master Mind (Mid) Attack (077E87EC).

1. Attack-move toward waypoint: waypoint 53 (cell 84, 95).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

TM_Yuri_4 Brute (right) - 095EBBEC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Attack from right bridge (0BDB7A1C).

1. Attack-move toward waypoint: waypoint 54 (cell 111, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_5 Virus 3 Clone (left) - 0C5DC94C

Owner: YuriCountry. Roster: 5 × Virus (VIRUS); 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Attack from left Bridge (0BDB743C).

1. Attack-move toward waypoint: waypoint 52 (cell 65, 95).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Floating Discs - 0879E90C

Owner: YuriCountry. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Tank Attack from middle bridge (0879E69C).

1. Scatter.

2. Attack-move toward waypoint: waypoint 56 (cell 83, 86).
3. Attack selected enemy-building category; configured argument 131072.
4. Attack selected enemy-building category; configured argument 131145.
5. Seek/attack target category; configured argument 1.

TM_Yuri_2 Master Mind (right) - 0C5DC25C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: Tank attack from right bridge (095A43CC).

1. Attack-move toward waypoint: waypoint 57 (cell 110, 84).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Master Mind (left) - 0C5DC12C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: Tank Attack from left bridge (095A48BC).

1. Attack-move toward waypoint: waypoint 55 (cell 64, 86).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Gattling (far left) - 0C5DDEFC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: Attack from far left (0C5DDC8C).

1. Move to waypoint: waypoint 16 (cell 86, 120).
2. Attack selected enemy-building category; configured argument 131388.
3. Seek/attack target category; configured argument 1.

TM_Sov_1 Armor_2 Flak Trak - 09513C2C

Owner: Russians. Roster: 1 × Amphibious Transport (SAPC); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Move to BI (095139BC).

1. Move to waypoint: waypoint 60 (cell 102, 104).

TM_Sov_1 Armored_2 Rhino - 0957513C

Owner: Russians. Roster: 1 × Amphibious Transport (SAPC); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Move to AZ (0957793C).

1. Move to waypoint: waypoint 51 (cell 103, 100).

TM_Sov_1 Armor_8 Tesla_2 TDrone - 095776AC

Owner: Russians. Roster: 1 × Amphibious Transport (SAPC); 8 × Tesla Trooper (SHK); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: Move to BI (095139BC).

1. Move to waypoint: waypoint 60 (cell 102, 104).

TM_Sov_2 Dread_3 Scorp_3 Sub - 091F259C

Owner: Russians. Roster: 3 × Sea Scorpion (HYD); 2 × Dreadnought (DRED); 3 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: Move to BJ (0957E03C).

1. Move to waypoint: waypoint 61 (cell 98, 98).

TM_Yuri_1 Hov_1 Gatt_5 Init - 0B7F57DC

Owner: YuriCountry. Roster: 1 × Gattling Tank (YTNK); 5 × Initiate (INIT); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: BK landing team attack (0B7F556C).

1. Move to waypoint: waypoint 62 (cell 70, 106).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 9 (Unloaded BK Team).
4. Attack selected enemy-building category; configured argument 131388.
5. Seek/attack target category; configured argument 1.

TM_Yuri_Unloaded BK Team - 0B7F0BFC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Sea vessel destroy (0B7F06FC).

1. Move to waypoint: waypoint 64 (cell 40, 30).
2. Delete team objects.

TM_Yuri_1 Hov_2 Gatt - 0B7F050C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: BL landing team attack (0B7E849C).

1. Move to waypoint: waypoint 63 (cell 105, 106).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 10 (Unloaded BL Team).
4. Attack selected enemy-building category; configured argument 131388.
5. Seek/attack target category; configured argument 1.

TM_Yuri_Unloaded BL Team - 0B7EC82C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BL.

Ordered plan: Sea vessel destroy (0B7F06FC).

1. Move to waypoint: waypoint 64 (cell 40, 30).
2. Delete team objects.

TM_Yuri_2 Boomer - 0C5CF6AC

Owner: YuriCountry. Roster: 2 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: Boomer Attack (0C5CF43C).

1. Move to waypoint: waypoint 60 (cell 102, 104).
2. Attack selected enemy-building category; configured argument 131388.
3. Report team success.
4. Seek/attack target category; configured argument 1.

TM_Yuri_1 Slave Miner @ BN - 091FFA4C

Owner: YuriCountry. Roster: 1 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: Start Mining! (091FF7DC).

1. Adopt object mission: area guard.

TM_Yuri_1 Slave Miner @ BO - 0CCCEEFC

Owner: YuriCountry. Roster: 1 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Start Mining! (091FF7DC).

1. Adopt object mission: area guard.

TM_Yuri_6 Init Def @ BP - 091FF46C

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: Yuri Base Defense @ BP (090B531C).

1. Move to waypoint: waypoint 512 (cell 74, 55).
2. Move to waypoint: waypoint 67 (cell 70, 43).
3. Adopt object mission: area guard.

TM_Yuri_6 Init Def @ BQ - 091F8EFC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: Yuri Base Defense @ BQ (0917A2EC).

1. Move to waypoint: waypoint 40 (cell 90, 49).
2. Move to waypoint: waypoint 68 (cell 80, 45).
3. Adopt object mission: area guard.

TM_Yuri_6 Init Def @ BR - 091F8DCC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Yuri Base Def @ BR (0917A6AC).

1. Move to waypoint: waypoint 49 (cell 94, 37).
2. Move to waypoint: waypoint 69 (cell 89, 38).
3. Adopt object mission: area guard.

TM_Yuri_3 Gatt Def @ BS - 090020CC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Move to BW-->BS_Guard Area (0A20708C).

1. Move to waypoint: waypoint 74 (cell 72, 21).
2. Move to waypoint: waypoint 70 (cell 69, 17).
3. Adopt object mission: area guard.

TM_Yuri_Non Parl_6 Init - 06C3581C

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_6 Lash - 06C3542C

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_3 Gatt - 06C352FC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_4 Brute - 06C351CC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_2 Disc - 06C3509C

Owner: YuriCountry. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_2 Mind - 0C5E18FC

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Master Mind Attack (06C36C8C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_5 Virus 3 Clone - 0C5E155C

Owner: YuriCountry. Roster: 5 × Virus (VIRUS); 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_20 Init - 0969454C

Owner: YuriCountry. Roster: 13 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.

2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Yuri_Non Parl_6 Gatt - 0969090C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri general attack on Player (06C35DBC).

1. Attack selected enemy-building category; configured argument 131072.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

TM_Unloaded Heli_1 Pres - 0E34745C

Owner: Neutral. Roster: 1 × President (PRES)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: President Flash/Enter Parliament (0CCFCB5C).

1. Flash team; configured argument 80.
2. Move to waypoint: waypoint 18 (cell 95, 118).
3. Attack selected enemy-building category; configured argument 131388.

TM_Unloaded Heli_1 Romanov - 0E2EB04C

Owner: Neutral. Roster: 1 × Premier Romanov (RMNV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Romanov Flash/Enter Parliament (0CCFC6AC).

1. Flash team; configured argument 80.
2. Move to waypoint: waypoint 19 (cell 92, 118).
3. Attack selected enemy-building category; configured argument 131388.

TM_Yuri_2 Master Mind (intro) - 077E8BAC

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Master Mind Mid (Intro) (077EA46C).

1. Move to waypoint: waypoint 72 (cell 86, 74).
2. Set local flag: local flag 14 (Master Mind Intro).
3. Flash team; configured argument 240.

TM_Yuri_Master Mind (post intro) - 077E857C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BU.

Ordered plan: Master Mind (Mid) Attack (077E87EC).

1. Attack-move toward waypoint: waypoint 53 (cell 84, 95).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

TM_Yuri_Bio Load @ BP - 07ABD1BC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: Bio Loader (07ABEDBC).

1. Enter Bio Reactor.

TM_Yuri_Bio Load @ BO - 0A23B29C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Bio Loader (07ABEDBC).

1. Enter Bio Reactor.

TM_Yuri_Bio Load @ BQ - 0A23B16C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BQ.

Ordered plan: Bio Loader (07ABEDBC).

1. Enter Bio Reactor.

TM_Yuri_Bio Load @ BR - 0A23B03C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Bio Loader (07ABEDBC).

1. Enter Bio Reactor.

TM_Yuri_Bio Load @ BS - 0A23CB2C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Bio Loader (07ABEDBC).

1. Enter Bio Reactor.

TM_Yuri_1 Boomer Defense - 09310EFC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: Guard Sub Pen (0931135C).

1. Adopt object mission: area guard.

TM_Yuri_1 Hov @ BK - 090FC12C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Move to AT and Delete (091039BC).

1. Move to waypoint: waypoint 45 (cell 43, 87).
2. Delete team objects.

TM_Yuri_1 Hov @ BL - 0910455C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BL.

Ordered plan: Move to AT and Delete (091039BC).

1. Move to waypoint: waypoint 45 (cell 43, 87).
2. Delete team objects.

Operation: Trick or Treaty - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all06umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	4
CARUS08A	Name	Russian Gum CornerA	13
CARUS08A	UI Name	Name:Globe	14
CARUS08A	Image	CARUS08	15
CARUS08A	Starting health capacity	1000	16
CARUS08A	Technology level	-1	17
CARUS08A	Insignificant-object flag	yes	18
CARUS08A	Nominal	yes	19
CARUS08A	Hidden from radar	yes	20
CARUS08A	Points	5	21
CARUS08A	Armor class	steel	22
CARUS08A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	23
CARUS08A	Max Debris	10	24
CARUS08A	Min Debris	5	25
CARUS08A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	26
CARUS08A	Normal base-adjacency role	no	27
CARUS08A	Sight radius setting	6	28
CARUS08A	Repair-tool permission	no	29
CARUS08A	Infantry garrison permitted	yes	30
CARUS08A	Garrison capacity	5	31
CARUS08A	Occupants can fire	yes	32
CARUS08A	Leaves rubble	Yes	33
CARUS09A	Name	Russian Gum MiddleA	36
CARUS09A	UI Name	Name:Globe	37
CARUS09A	Image	CARUS09	38
CARUS09A	Technology level	-1	39
CARUS09A	Starting health capacity	1000	40
CARUS09A	Insignificant-object flag	yes	41
CARUS09A	Nominal	yes	42

Object/system	Property	Mission value	Source line
CARUS09A	Hidden from radar	yes	43
CARUS09A	Points	5	44
CARUS09A	Armor class	steel	45
CARUS09A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	46
CARUS09A	Max Debris	10	47
CARUS09A	Min Debris	5	48
CARUS09A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	49
CARUS09A	Normal base-adjacency role	no	50
CARUS09A	Sight radius setting	6	51
CARUS09A	Repair-tool permission	no	52
CARUS09A	Infantry garrison permitted	yes	53
CARUS09A	Garrison capacity	5	54
CARUS09A	Occupants can fire	yes	55
CARUS09A	Leaves rubble	Yes	56
CARUS10A	Name	Russian Gum Wall N_SA	59
CARUS10A	UI Name	Name:Globe	60
CARUS10A	Image	CARUS10	61
CARUS10A	Technology level	-1	62
CARUS10A	Starting health capacity	1000	63
CARUS10A	Insignificant-object flag	yes	64
CARUS10A	Nominal	yes	65
CARUS10A	Hidden from radar	yes	66
CARUS10A	Points	5	67
CARUS10A	Armor class	steel	68
CARUS10A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	69
CARUS10A	Max Debris	10	70
CARUS10A	Min Debris	5	71
CARUS10A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	72
CARUS10A	Normal base-adjacency role	no	73
CARUS10A	Sight radius setting	6	74
CARUS10A	Repair-tool permission	no	75
CARUS10A	Infantry garrison permitted	yes	76
CARUS10A	Garrison capacity	5	77
CARUS10A	Occupants can fire	yes	78
CARUS10A	Leaves rubble	Yes	79
CARUS11A	Name	Russian Gum Wall E_WA	82
CARUS11A	UI Name	Name:Globe	83
CARUS11A	Image	CARUS11	84
CARUS11A	Technology level	-1	85
CARUS11A	Starting health capacity	1000	86

Object/system	Property	Mission value	Source line
CARUS11A	Insignificant-object flag	yes	87
CARUS11A	Nominal	yes	88
CARUS11A	Hidden from radar	yes	89
CARUS11A	Points	5	90
CARUS11A	Armor class	steel	91
CARUS11A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	92
CARUS11A	Max Debris	10	93
CARUS11A	Min Debris	5	94
CARUS11A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	95
CARUS11A	Normal base-adjacency role	no	96
CARUS11A	Sight radius setting	6	97
CARUS11A	Repair-tool permission	no	98
CARUS11A	Infantry garrison permitted	yes	99
CARUS11A	Garrison capacity	5	100
CARUS11A	Occupants can fire	yes	101
CARUS11A	Leaves rubble	Yes	102
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	105
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	108
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	111
Secret Service (SSRV)	Name	Secret Service	114
Secret Service (SSRV)	Can garrison buildings	yes	115
President (PRES)	Name	President	118
President (PRES)	Can garrison buildings	yes	119
Civilian (PENTGEN)	Name	General Pentagon	122
Civilian (PENTGEN)	Can garrison buildings	yes	123
Premier Romanov (RMNV)	Name	Romanov	126
Premier Romanov (RMNV)	Can garrison buildings	yes	127
Tanya (TANY)	Name	Tanya	130
Tanya (TANY)	Technology level	12	131
Limousine (LIMO)	Name	RA2 Limo	134
Limousine (LIMO)	Passenger slot capacity	5	135
British Parliament (CALOND04)	Name	RA2 LONDON PARLAIMENT	138
British Parliament (CALOND04)	Construction category	Tech	139
British Parliament (CALOND04)	Required structures/groups	YACNST	140
British Parliament (CALOND04)	Permitted country list	Neutral	141
British Parliament (CALOND04)	Starting health capacity	5000	142
British Parliament (CALOND04)	Selectable	no	143
British Parliament (CALOND04)	Infantry garrison permitted	yes	144
British Parliament (CALOND04)	Garrison capacity	21	145
Weather Controller (GAWEAT)	Name	Allied Weather Controller	148
Weather Controller (GAWEAT)	Technology level	12	149

Object/system	Property	Mission value	Source line
Air Force Command Headquarters (AMRADR)	Name	Allied American Airforce Command Headquarters	152
Air Force Command Headquarters (AMRADR)	Primary granted special weapon	none	153
Smithsonian Natural History Museum (CAWASH17)	Name	Smithsonian Natural History Museum	156
Smithsonian Natural History Museum (CAWASH17)	UI Name	Name:CARUS04	157
SPECIALFLAGS	Tiberium Grows	yes	176
SPECIALFLAGS	Tiberium Spreads	yes	177
SPECIALFLAGS	Tiberium Explosive	no	178
SPECIALFLAGS	Destroyable Bridges	no	179
SPECIALFLAGS	MCV Deploy	no	180
SPECIALFLAGS	Initial Veteran	no	181
SPECIALFLAGS	Fixed Alliance	no	182
SPECIALFLAGS	Harvester Immune	no	183
SPECIALFLAGS	Fog Of War	no	184
SPECIALFLAGS	Inert	no	185
SPECIALFLAGS	Ion Storms	no	186
SPECIALFLAGS	Meteorites	no	187
SPECIALFLAGS	Visceroids	no	188
VARIABLENAMES (VARIABLENAMES)	0	Unloaded Limo 1,0	237
VARIABLENAMES (VARIABLENAMES)	1	Unloaded Limo 2,0	238
VARIABLENAMES (VARIABLENAMES)	2	Unloaded Limo 3,0	239
VARIABLENAMES (VARIABLENAMES)	3	Setpiece1_Unlock,0	240
VARIABLENAMES (VARIABLENAMES)	4	Unloaded Heli 1,0	241
VARIABLENAMES (VARIABLENAMES)	5	Unloaded Heli 2,0	242
VARIABLENAMES (VARIABLENAMES)	6	Unloaded Bridge Lef,0	243
VARIABLENAMES (VARIABLENAMES)	7	Unloaded Bridge Mid,0	244
VARIABLENAMES (VARIABLENAMES)	8	Unloaded Bridge Rig,0	245
VARIABLENAMES (VARIABLENAMES)	9	Unloaded BK Team,0	246
VARIABLENAMES (VARIABLENAMES)	10	Unloaded BL Team,0	247
VARIABLENAMES (VARIABLENAMES)	11	Left Broken,0	248
VARIABLENAMES (VARIABLENAMES)	12	Middle Broken,0	249
VARIABLENAMES (VARIABLENAMES)	13	Right Broken,0	250
VARIABLENAMES (VARIABLENAMES)	14	Master Mind Intro,0	251
America (AMERICANS)	Country	Americans	291
America (AMERICANS)	Technology level	10	292
America (AMERICANS)	Credits	250	293
America (AMERICANS)	IQ	0	294
America (AMERICANS)	Edge	South	295
America (AMERICANS)	Player Control	yes	296
America (AMERICANS)	Color	DarkBlue	297

Object/system	Property	Mission value	Source line
America (AMERICANS)	Allies	Americans,Russians,Neutral	298
America (AMERICANS)	Percent Built	0	299
America (AMERICANS)	Node Count	0	300
Korea (ALLIANCE)	Country	Alliance	303
Korea (ALLIANCE)	Technology level	1	304
Korea (ALLIANCE)	Credits	0	305
Korea (ALLIANCE)	IQ	0	306
Korea (ALLIANCE)	Edge	North	307
Korea (ALLIANCE)	Player Control	no	308
Korea (ALLIANCE)	Color	Gold	309
Korea (ALLIANCE)	Allies	Alliance	310
Korea (ALLIANCE)	Percent Built	0	311
Korea (ALLIANCE)	Node Count	0	312
France (FRENCH)	Country	French	315
France (FRENCH)	Technology level	1	316
France (FRENCH)	Credits	0	317
France (FRENCH)	IQ	0	318
France (FRENCH)	Edge	North	319
France (FRENCH)	Player Control	no	320
France (FRENCH)	Color	Grey	321
France (FRENCH)	Allies	French	322
France (FRENCH)	Percent Built	0	323
France (FRENCH)	Node Count	0	324
Germany (GERMANS)	Country	Germans	327
Germany (GERMANS)	Technology level	1	328
Germany (GERMANS)	Credits	0	329
Germany (GERMANS)	IQ	0	330
Germany (GERMANS)	Edge	North	331
Germany (GERMANS)	Player Control	no	332
Germany (GERMANS)	Color	Gold	333
Germany (GERMANS)	Allies	Germans	334
Germany (GERMANS)	Percent Built	0	335
Germany (GERMANS)	Node Count	0	336
Great Britain (BRITISH)	Country	British	339
Great Britain (BRITISH)	Technology level	1	340
Great Britain (BRITISH)	Credits	0	341
Great Britain (BRITISH)	IQ	0	342
Great Britain (BRITISH)	Edge	North	343
Great Britain (BRITISH)	Player Control	no	344
Great Britain (BRITISH)	Color	Gold	345
Great Britain (BRITISH)	Allies	British	346

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Percent Built	0	347
Great Britain (BRITISH)	Node Count	0	348
Libya (AFRICANS)	Country	Africans	351
Libya (AFRICANS)	Technology level	1	352
Libya (AFRICANS)	Credits	0	353
Libya (AFRICANS)	IQ	0	354
Libya (AFRICANS)	Edge	North	355
Libya (AFRICANS)	Player Control	no	356
Libya (AFRICANS)	Color	Purple	357
Libya (AFRICANS)	Allies	Africans	358
Libya (AFRICANS)	Percent Built	0	359
Libya (AFRICANS)	Node Count	0	360
Iraq (ARABS)	Country	Arabs	363
Iraq (ARABS)	Technology level	1	364
Iraq (ARABS)	Credits	0	365
Iraq (ARABS)	IQ	0	366
Iraq (ARABS)	Edge	North	367
Iraq (ARABS)	Player Control	no	368
Iraq (ARABS)	Color	DarkRed	369
Iraq (ARABS)	Allies	Arabs	370
Iraq (ARABS)	Percent Built	0	371
Iraq (ARABS)	Node Count	0	372
Cuba (CONFEDERATION)	Country	Confederation	375
Cuba (CONFEDERATION)	Technology level	1	376
Cuba (CONFEDERATION)	Credits	0	377
Cuba (CONFEDERATION)	IQ	0	378
Cuba (CONFEDERATION)	Edge	North	379
Cuba (CONFEDERATION)	Player Control	no	380
Cuba (CONFEDERATION)	Color	DarkRed	381
Cuba (CONFEDERATION)	Allies	Confederation	382
Cuba (CONFEDERATION)	Percent Built	0	383
Cuba (CONFEDERATION)	Node Count	0	384
Russia (RUSSIANS)	Country	Russians	387
Russia (RUSSIANS)	Technology level	1	388
Russia (RUSSIANS)	Credits	0	389
Russia (RUSSIANS)	IQ	0	390
Russia (RUSSIANS)	Edge	North	391
Russia (RUSSIANS)	Player Control	no	392
Russia (RUSSIANS)	Color	SovietLoad	393
Russia (RUSSIANS)	Allies	Americans,Russians,Neutral	394
Russia (RUSSIANS)	Percent Built	0	395

Object/system	Property	Mission value	Source line
Russia (RUSSIANS)	Node Count	0	396
Yuri (YURICOUNTRY)	Country	YuriCountry	399
Yuri (YURICOUNTRY)	Technology level	7	400
Yuri (YURICOUNTRY)	Credits	450	401
Yuri (YURICOUNTRY)	IQ	4	402
Yuri (YURICOUNTRY)	Edge	North	403
Yuri (YURICOUNTRY)	Player Control	no	404
Yuri (YURICOUNTRY)	Color	Purple	405
Yuri (YURICOUNTRY)	Allies	French,YuriCountry	406
Yuri (YURICOUNTRY)	Percent Built	0	407
Yuri (YURICOUNTRY)	Node Count	0	408
GDI (GDI)	Country	GDI	411
GDI (GDI)	Technology level	1	412
GDI (GDI)	Credits	0	413
GDI (GDI)	IQ	0	414
GDI (GDI)	Edge	North	415
GDI (GDI)	Player Control	no	416
GDI (GDI)	Color	Gold	417
GDI (GDI)	Allies	GDI	418
GDI (GDI)	Percent Built	0	419
GDI (GDI)	Node Count	0	420
Nod (NOD)	Country	Nod	423
Nod (NOD)	Technology level	1	424
Nod (NOD)	Credits	0	425
Nod (NOD)	IQ	0	426
Nod (NOD)	Edge	North	427
Nod (NOD)	Player Control	no	428
Nod (NOD)	Color	Gold	429
Nod (NOD)	Allies	Nod	430
Nod (NOD)	Percent Built	0	431
Nod (NOD)	Node Count	0	432
Civilian (NEUTRAL)	Country	Neutral	435
Civilian (NEUTRAL)	Technology level	1	436
Civilian (NEUTRAL)	Credits	0	437
Civilian (NEUTRAL)	IQ	0	438
Civilian (NEUTRAL)	Edge	North	439
Civilian (NEUTRAL)	Player Control	no	440
Civilian (NEUTRAL)	Color	Grey	441
Civilian (NEUTRAL)	Allies	Americans,Russians,YuriCountry,Neutral	442
Civilian (NEUTRAL)	Percent Built	0	443
Civilian (NEUTRAL)	Node Count	0	444

Object/system	Property	Mission value	Source line
JP (SPECIAL)	Country	Special	447
JP (SPECIAL)	Technology level	1	448
JP (SPECIAL)	Credits	0	449
JP (SPECIAL)	IQ	0	450
JP (SPECIAL)	Edge	North	451
JP (SPECIAL)	Player Control	no	452
JP (SPECIAL)	Color	Grey	453
JP (SPECIAL)	Allies	Special	454
JP (SPECIAL)	Percent Built	0	455
JP (SPECIAL)	Node Count	0	456

Operation: Brain Dead

Campaign reading guide | Engine

Operation: Brain Dead

all07smd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (145)
- Yuri2 (47)
- Neutral (16)
- Yuri3 (10)
- Russians (5)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/all07smd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for all07smd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: all07smd.map. **Effective extracted member:** mapsmd03.mix/all07smd.map. **Trigger definitions:** 88.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Americans
Theater	SNOW
Map size	0,0,130,140
Visible local rectangle	15,13,100,110
Placed vehicles	53
Placed infantry	38
Placed structures	136
Placed aircraft	0
Team templates	118

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	150	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	1000	Africans
6	Arabs	100	Arabs
7	Confederation	0	Confederation
8	Russians	0	Russians
9	YuriCountry	1000	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	Yuri2	1000	Yuri2Country
15	Yuri3	1000	Yuri3Country

Local state flags at initialization

Flag	Meaning label and initial value
0	Has_Soviet_Barrack,0
1	Has_Soviet_WarFac,0
2	Make_Hover1,0
3	Make_HoverTD,0
4	Send_Barracks1,0
5	Send_Barracks2,0
6	Send_Barracks3,0
7	Make_HoverTF,0
8	Send_Barracks4,0
9	Make_HoverTH,0
10	Send_WarFac1,0
11	Send_WarFac2,0
12	Send_WarFac3,0
13	Send_WarFac4,0
14	Send_WarFac5,0
15	Has_Soviet_Radar,1
16	Make_HoverTJ,0
17	Has_Naval_Yard,0
18	Make_HoverTL,0
19	Make_HoverTN,0
20	Make_HoverTP,0
21	Make_HoverTR,0
22	Send_Barracks5,0
23	MCV_Arrived,0
24	Main_ConYards_Gone,0
25	Yuri_ConYard_Gone,0
26	Yuri2_ConYard_Gone,0
27	WarTeam1_Gone,1
28	Yuri_Prime_Built,0
29	Has_Allied_BLab,0
30	Has_Allied_WarF,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerLose (08ED7A3C)	Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans). 3 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.
PlayerWin (06B9B43C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Gate	Conditions recorded	Terminal-related actions
Announce_Tierra_Lose (0A57B28C)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Every trigger, in file order

1. Camera_Start - 0DE26E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DE2670C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 79 (cell 67, 96).
2. Reveal terrain around waypoint 79 (cell 67, 96).
3. Reveal terrain around waypoint 81 (cell 71, 102).
4. Reveal terrain around waypoint 80 (cell 77, 110).
5. Disable player input.
6. Play in-game movie 28.
7. Reveal terrain around waypoint 78 (cell 84, 125).
8. Set local flag 27 (WarTeam1_Gone).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10651, Events line 10741, Actions line 10831.

2. Send_Engineer1 - 0DE1124C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DE12CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Player_Engineer1 (0B1DF85C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10652, Events line 10742, Actions line 10832.

3. Change_to_USSR - 06C3397C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06C37DDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 13 (country/type SPECIAL; placed owner Special).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10653, Events line 10743, Actions line 10833.

4. Follow_Engineers - 0DE086AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DE0838C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 78 (cell 84, 125) with speed setting 1.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10654, Events line 10744, Actions line 10834.

5. Eva_Briefing - 094E805C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 094EA10C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification A07_p01.
2. Enable and reset applicable timers for Control_Return (0BB2E0FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10655, Events line 10745, Actions line 10835.

6. Control_Return - 0BB2E0FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Eva_Briefing (094E805C).

Attached scope: tag definitions 0BB2828C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 38 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.
2. Enable player input.
3. Enable and reset applicable timers for PlayerLose (08ED7A3C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10656, Events line 10746, Actions line 10836.

7. PlayerLose - 08ED7A3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Control_Return (0BB2E0FC).

Attached scope: tag definitions 08ED74BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10657, Events line 10747, Actions line 10837.

8. Cheer - 0C8D4F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win_Check (07CA72BC).

Attached scope: tag definitions 0C8D485C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10658, Events line 10748, Actions line 10838.

9. PlayerWin - 06B9B43C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Win_Check (07CA72BC).

Attached scope: tag definitions 06B98DDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the winner.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10659, Events line 10749, Actions line 10839.

10. Start_GIs - 0955DD2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0955D4DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TEAM_Start_GIs (0955CEFC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10660, Events line 10750, Actions line 10840.

11. SBarracks_Built - 0960DF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0960DA2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Has_Soviet_Barrack).
2. Set local flag 4 (Send_Barracks1).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10661, Events line 10751, Actions line 10841.

12. Yuri_Barracks1 - 0960D93C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks_5 (0B829CAC).

Attached scope: tag definitions 0960D35C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Has_Soviet_WarFac) is clear.
2. local flag 4 (Send_Barracks1) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 4 (Send_Barracks1) at SBarracks_Built (0960DF3C); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriBarracks_1 (08D5D5FC).
2. Enable and reset applicable timers for Send_Hover1_Home (0BDCA03C).
3. Enable and reset applicable timers for Yuri_Barracks2 (0464C5FC).
4. Disable Yuri_Barracks1 (0960D93C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10662, Events line 10752, Actions line 10842.

13. Send_Hover1_Home - 0BDCA03C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks1 (0960D93C).

Attached scope: tag definitions 0DE78B6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Make_Hover1) is set.

Flag writers in this mission: clear local flag 2 (Make_Hover1) at Send_Hover1_Home (0BDCA03C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_Hover_TA (08D68B7C).
2. Clear local flag 2 (Make_Hover1).
3. Disable Send_Hover1_Home (0BDCA03C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10663, Events line 10753, Actions line 10843.

14. Yuri_Barracks2 - 0464C5FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks1 (0960D93C).

Attached scope: tag definitions 0464D33C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Has_Soviet_WarFac) is clear.
2. local flag 5 (Send_Barracks2) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriBarracks_2 (08D686CC).
2. Enable and reset applicable timers for Send_HoverTD_Home (0464D1BC).
3. Enable and reset applicable timers for Yuri_Barracks3 (0B7AE1EC).
4. Disable Yuri_Barracks2 (0464C5FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10664, Events line 10754, Actions line 10844.

15. Send_HoverTD_Home - 0464D1BC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks2 (0464C5FC).

Attached scope: tag definitions 0464D04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Make_HoverTD) is set.

Flag writers in this mission: clear local flag 3 (Make_HoverTD) at Send_HoverTD_Home (0464D1BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_Hover_TD (08D6821C).
2. Clear local flag 3 (Make_HoverTD).
3. Disable Send_HoverTD_Home (0464D1BC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10665, Events line 10755, Actions line 10845.

16. Yuri_Barracks3 - 0B7AE1EC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks2 (0464C5FC).

Attached scope: tag definitions 0B7A96EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Has_Soviet_WarFac) is clear.
2. local flag 6 (Send_Barracks3) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriBarracks_3 (08D680EC).
2. Enable and reset applicable timers for Send_HoverTF_Home (0B7A95FC).
3. Enable and reset applicable timers for Yuri_Barracks4 (0B2E9EDC).
4. Disable Yuri_Barracks3 (0B7AE1EC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10666, Events line 10756, Actions line 10846.

17. Send_HoverTF_Home - 0B7A95FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks3 (0B7AE1EC).

Attached scope: tag definitions 0B7A948C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (Make_HoverTF) is set.

Flag writers in this mission: clear local flag 7 (Make_HoverTF) at Send_HoverTF_Home (0B7A95FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTF (08D6990C).
2. Clear local flag 7 (Make_HoverTF).
3. Disable Send_HoverTF_Home (0B7A95FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10667, Events line 10757, Actions line 10847.

18. Yuri_Barracks4 - 0B2E9EDC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks3 (0B7AE1EC).

Attached scope: tag definitions 0B2E96BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Has_Soviet_WarFac) is clear.
2. 90 configured time units have elapsed since the trigger timer was initialized/reset.
3. local flag 8 (Send_Barracks4) is set.
4. local flag 0 (Has_Soviet_Barrack) is set.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriBarracks_4 (08D6945C).
2. Enable and reset applicable timers for Send_HoverTH_Home (0B2BD0FC).
3. Enable and reset applicable timers for Yuri_Barracks_5 (0B829CAC).
4. Disable Yuri_Barracks4 (0B2E9EDC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10668, Events line 10758, Actions line 10848.

19. Send_HoverTH_Home - 0B2BD0FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks4 (0B2E9EDC).

Attached scope: tag definitions 0B2B893C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Make_HoverTH) is set.

Flag writers in this mission: clear local flag 9 (Make_HoverTH) at Send_HoverTH_Home (0B2BD0FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTH (08D6AD2C).
2. Clear local flag 9 (Make_HoverTH).
3. Disable Send_HoverTH_Home (0B2BD0FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10669, Events line 10759, Actions line 10849.

20. Yuri_Barracks_5 - 0B829CAC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_Barracks4 (0B2E9EDC).

Attached scope: tag definitions 0B82E89C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Has_Soviet_WarFac) is clear.
2. local flag 22 (Send_Barracks5) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriBarracks5 (08D6A1CC).
2. Enable and reset applicable timers for Yuri_Barracks1 (0960D93C).
3. Disable Yuri_Barracks_5 (0B829CAC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10670, Events line 10760, Actions line 10850.

21. SWarFac_Built - 046336EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0463122C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 1 (Has_Soviet_WarFac).
2. Set local flag 10 (Send_WarFac1).
3. Enable and reset applicable timers for Yuri_WarFac1 (09713F3C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10671, Events line 10761, Actions line 10851.

22. Yuri_WarFac1 - 09713F3C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SWarFac_Built (046336EC); enable from Yuri_WarFac5 (0B807B1C).

Attached scope: tag definitions 09713E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 27 (WarTeam1_Gone) is set.
2. local flag 0 (Has_Soviet_Barrack) is set.
3. local flag 1 (Has_Soviet_WarFac) is set.

4. local flag 10 (Send_WarFac1) is set.
5. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 27 (WarTeam1_Gone) at Camera_Start (0DE26E5C); clear local flag 27 (WarTeam1_Gone) at Yuri_WarFac1 (09713F3C); set local flag 27 (WarTeam1_Gone) at Confed_Check (079B37CC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C); set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 10 (Send_WarFac1) at SWarFac_Built (046336EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriWarFac1 (08D57B5C).
2. Enable and reset applicable timers for Send_HoverTJ_Home (096A485C).
3. Enable and reset applicable timers for Yuri_WarFac2 (0B8000CC).
4. Clear local flag 27 (WarTeam1_Gone).
5. Enable and reset applicable timers for Confed_Check (079B37CC).
6. Disable Yuri_WarFac1 (09713F3C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10672, Events line 10762, Actions line 10852.

23. Send_HoverTJ_Home - 096A485C

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac1 (09713F3C).

Attached scope: tag definitions 096A454C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Make_HoverTJ) is set.

Flag writers in this mission: clear local flag 16 (Make_HoverTJ) at Send_HoverTJ_Home (096A485C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTJ (08D68C8C).
2. Clear local flag 16 (Make_HoverTJ).
3. Disable Send_HoverTJ_Home (096A485C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10673, Events line 10763, Actions line 10853.

24. Yuri_WarFac2 - 0B8000CC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac1 (09713F3C).

Attached scope: tag definitions 0B80048C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (Send_WarFac2) is set.
2. local flag 1 (Has_Soviet_WarFac) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriWarFac2 (08D6BA4C).
2. Enable and reset applicable timers for Send_HoverTL_Home (0B7F91AC).
3. Enable and reset applicable timers for Yuri_WarFac3 (0B80C2BC).
4. Disable Yuri_WarFac2 (0B8000CC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10674, Events line 10764, Actions line 10854.

25. Confed_Check - 079B37CC

Owner reference: Confederation. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac1 (09713F3C).

Attached scope: tag definitions 079B311C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 7 (country/type CONFEDERATION; placed owner Confederation).
2. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 27 (WarTeam1_Gone).
2. Disable Confed_Check (079B37CC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10675, Events line 10765, Actions line 10855.

26. Send_HoverTL_Home - 0B7F91AC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac2 (0B8000CC).

Attached scope: tag definitions 0B80F9CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 18 (Make_HoverTL) is set.

Flag writers in this mission: clear local flag 18 (Make_HoverTL) at Send_HoverTL_Home (0B7F91AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTL (08D6B59C).
2. Clear local flag 18 (Make_HoverTL).
3. Disable Send_HoverTL_Home (0B7F91AC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10676, Events line 10766, Actions line 10856.

27. Yuri_WarFac3 - 0B80C2BC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac2 (0B8000CC).

Attached scope: tag definitions 0B80B08C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 12 (Send_WarFac3) is set.
2. local flag 1 (Has_Soviet_WarFac) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriWarFac3 (08D6CB7C).
2. Enable and reset applicable timers for Send_HoverTN_Home (0B7FE1AC).
3. Enable and reset applicable timers for Yuri_WarFac4 (0B82737C).
4. Disable Yuri_WarFac3 (0B80C2BC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10677, Events line 10767, Actions line 10857.

28. Send_HoverTN_Home - 0B7FE1AC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac3 (0B80C2BC).

Attached scope: tag definitions 0B80763C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 19 (Make_HoverTN) is set.

Flag writers in this mission: clear local flag 19 (Make_HoverTN) at Send_HoverTN_Home (0B7FE1AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTN (08D6C6CC).
2. Clear local flag 19 (Make_HoverTN).
3. Disable Send_HoverTN_Home (0B7FE1AC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10678, Events line 10768, Actions line 10858.

29. Yuri_WarFac4 - 0B82737C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac3 (0B80C2BC).

Attached scope: tag definitions 0B82462C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Send_WarFac4) is set.
2. local flag 1 (Has_Soviet_WarFac) is set.
3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriWarFac4 (08D6DC8C).
2. Enable and reset applicable timers for Send_HoverTP_Home (0B84B0FC).
3. Enable and reset applicable timers for Yuri_WarFac5 (0B807B1C).
4. Disable Yuri_WarFac4 (0B82737C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10679, Events line 10769, Actions line 10859.

30. Send_HoverTP_Home - 0B84B0FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac4 (0B82737C).

Attached scope: tag definitions 0B825B8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 20 (Make_HoverTP) is set.

Flag writers in this mission: clear local flag 20 (Make_HoverTP) at Send_HoverTP_Home (0B84B0FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTP (08D6C21C).
2. Clear local flag 20 (Make_HoverTP).
3. Disable Send_HoverTP_Home (0B84B0FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10680, Events line 10770, Actions line 10860.

31. Yuri_WarFac5 - 0B807B1C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac4 (0B82737C).

Attached scope: tag definitions 0B8A182C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Send_WarFac5) is set.
2. local flag 1 (Has_Soviet_WarFac) is set.

3. local flag 0 (Has_Soviet_Barrack) is set.
4. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 1 (Has_Soviet_WarFac) at SWarFac_Built (046336EC); set local flag 0 (Has_Soviet_Barrack) at SBarracks_Built (0960DF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TEAM_YuriWarFac5 (08D6D18C).
2. Enable and reset applicable timers for Send_HoverTR_Home (0B7F92FC).
3. Enable and reset applicable timers for Yuri_WarFac1 (09713F3C).
4. Disable Yuri_WarFac5 (0B807B1C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10681, Events line 10771, Actions line 10861.

32. Send_HoverTR_Home - 0B7F92FC

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_WarFac5 (0B807B1C).

Attached scope: tag definitions 0B80218C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 21 (Make_HoverTR) is set.

Flag writers in this mission: clear local flag 21 (Make_HoverTR) at Send_HoverTR_Home (0B7F92FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TEAM_HoverTR (08D6D6FC).
2. Clear local flag 21 (Make_HoverTR).
3. Disable Send_HoverTR_Home (0B7F92FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10682, Events line 10772, Actions line 10862.

33. SRadar_Built - 0B2EB76C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B2EB1BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 13 (global list position: Radar Tower (NARADR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 15 (Has_Soviet_Radar).
2. Enable and reset applicable timers for Radar_Congrats (0F823B7C).
3. Enable and reset applicable timers for Countdown (0967D33C).
4. Disable Player_Lose_Tierra (0A57F46C).
5. Disable Radar_Text (08F6724C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10683, Events line 10773, Actions line 10863.

34. Radar_Congrats - 0F823B7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SRadar_Built (0B2EB76C).

Attached scope: tag definitions 0F83170C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xA7_EvaMCVInbound.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10684, Events line 10774, Actions line 10864.

35. Countdown - 0967D33C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SRadar_Built (0B2EB76C).

Attached scope: tag definitions 0969795C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_A12_EvaCountdown.
2. Enable and reset applicable timers for Chrono_MCV (0964B13C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10685, Events line 10775, Actions line 10865.

36. Player_Lose_Tierra - 0A57F46C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Change_RocketHouse (08E89B1C).

Attached scope: tag definitions 0A57B37C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Soviet Construction Yard (NACNST) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Play voice notification EVA_CriticalStrucureLost.
2. Enable and reset applicable timers for Announce_Tierra_Lose (0A57B28C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10686, Events line 10776, Actions line 10866.

37. Radar_Text - 08F6724C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F6F15C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Build a Soviet Radar Dish” (MISSION:Radar).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10687, Events line 10777, Actions line 10867.

38. Chrono_MCV - 0964B13C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Countdown (0967D33C).

Attached scope: tag definitions 0964F4BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team TEAM_Chrono_MCV (0964C97C) at waypoint 26 (cell 105, 194).
2. Center Base Cell Set; main setting 26; location/duration field AA.
3. Enable and reset applicable timers for Build_Yuri_SW (0460BDBC).
4. Play sound ChronosphereMove.
5. Create radar-event marker type 1 at waypoint 26 (cell 105, 194).
6. Enable and reset applicable timers for Build_Yuri_SW (0460BDBC).
7. Set local flag 23 (MCV_Arrived).
8. Enable and reset applicable timers for Chrono_Support (098DB96C).
9. Enable and reset applicable timers for [Allied_MCV_Gone[Easy] (0908B62C)](#trigger-0908b62c).

10. Enable and reset applicable timers for Allied_MCV_Gone(Med) (078BFF3C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10688, Events line 10778, Actions line 10868.

39. Announce_Tierra_Lose - 0A57B28C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Lose_Tierra (0A57F46C).

Attached scope: tag definitions 0A57B04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 0 (country/type AMERICANS; placed owner Americans) the loser.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10689, Events line 10779, Actions line 10869.

40. Build_Yuri_SW - 0460BDBC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono_MCV (0964B13C); enable from Chrono_MCV (0964B13C).

Attached scope: tag definitions 0460BCDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAGNTC at waypoint 194 (cell 168, 108).
2. Create building YAPPET at waypoint 419 (cell 221, 144).
3. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
4. Superweapon Set Recharge Time; main setting 7; location/duration field 13500.
5. Enable and reset applicable timers for Dominator_Gone (09000CDC).
6. Enable and reset applicable timers for Detect_PD (0901213C).
7. Enable and reset applicable timers for Yuri_All_Attack (0780A03C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10690, Events line 10780, Actions line 10870.

41. Chrono_Support - 098DB96C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono_MCV (0964B13C).

Attached scope: tag definitions 098DB65C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team TEAM_Chrono_Grizzly1 (04E3AA8C) at waypoint 27 (cell 105, 190).
2. Supply chrono reinforcement team TEAM_Chrono_Grizzly2 (04E3A75C) at waypoint 28 (cell 102, 192).
3. Supply chrono reinforcement team TEAM_Chrono_Grizzly3 (04E40B3C) at waypoint 34 (cell 108, 192).
4. Supply chrono reinforcement team TEAM_Chrono_IFV1 (04E403BC) at waypoint 30 (cell 102, 196).
5. Supply chrono reinforcement team TEAM_Chrono_IFV2 (04E4077C) at waypoint 32 (cell 108, 196).
6. Supply chrono reinforcement team TEAM_Chrono_Mirage1 (04E39A4C) at waypoint 29 (cell 102, 194).
7. Supply chrono reinforcement team TEAM_Chrono_Mirage2 (04E4064C) at waypoint 33 (cell 108, 194).
8. Supply chrono reinforcement team TEAM_Chrono_Prism1 (04E4028C) at waypoint 31 (cell 105, 198).
9. Display message “Objective: Destroy the Psychic Dominator on Antarctica” (MISSION:KillPD).
10. Enable and reset applicable timers for Text_KillDominator (08F9A04C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10691, Events line 10781, Actions line 10871.

42. Allied_MCV_Gone[Easy] - 0908B62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: New_Countdown (0908B71C).

Incoming activation links: enable from Chrono_MCV (0964B13C); enable from New_MCV (098DC46C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 29 (Has_Allied_BLab) is clear.
2. No instances of Allied Construction Vehicle (AMCV) exist on the map, under this event's ownership scope.
3. Building does not exist: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Flag writers in this mission: set local flag 29 (Has_Allied_BLab) at Player_Built_AlliedBLab (078C04BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for New_Countdown (0908B71C).
2. Disable [Allied_MCV_Gone[Easy] (0908B62C)](#trigger-0908b62c).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10692, Events line 10782, Actions line 10872.

43. Allied_MCV_Gone(Med) - 078BFF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: [Allied_MCV_Gone[Easy] (0908B62C)](#trigger-0908b62c).

Incoming activation links: enable from Chrono_MCV (0964B13C); enable from New_MCV (098DC46C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 30 (Has_Allied_WarF) is clear.
2. No instances of Allied Construction Vehicle (AMCV) exist on the map, under this event's ownership scope.
3. Building does not exist: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Flag writers in this mission: set local flag 30 (Has_Allied_WarF) at Player_Built_AlliedWarF (078C00BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for New_Countdown (0908B71C).
2. Disable Allied_MCV_Gone(Med) (078BFF3C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10693, Events line 10783, Actions line 10873.

44. Dominator_Gone - 09000CDC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Build_Yuri_SW (0460BDBC).

Attached scope: tag definitions 0900240C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Psychic Dominator (YAPPET) exist on the map, under this event's ownership scope.
2. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Text_KillAll (0900786C).
2. Display message “Objective: Destroy all Yuri forces” (MISSION:StopYuri).
3. Disable Text_KillDominator (08F9A04C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10694, Events line 10784, Actions line 10874.

45. Detect_PD - 0901213C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Build_Yuri_SW (0460BDBC).

Attached scope: tag definitions 0901657C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_PsychicDominatorDetected.
2. Enable and reset applicable timers for Detect_GM (0901648C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10695, Events line 10785, Actions line 10875.

46. Yuri_All_Attack - 0780A03C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Build_Yuri_SW (0460BDBC).

Attached scope: tag definitions 0780E20C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 60.
2. No instances of Psychic Dominator (YAPPET) exist on the map, under this event's ownership scope.
3. No instances of Genetic Mutator (YAGNTC) exist on the map, under this event's ownership scope.
4. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.
5. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
6. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
7. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
3. Enable and reset applicable timers for Yuri_Hunt_Again (0BA8052C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10696, Events line 10786, Actions line 10876.

47. Text_KillDominator - 08F9A04C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chrono_Support (098DB96C).

Attached scope: tag definitions 08F9D0FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy the Psychic Dominator on Antarctica” (MISSION:KillPD).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10697, Events line 10787, Actions line 10877.

48. New_Countdown - 0908B71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: New_MCV (098DC46C).

Incoming activation links: enable from [Allied_MCV_Gone[Easy] (0908B62C)](#trigger-0908b62c); enable from Allied_MCV_Gone(Med) (078BFF3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 29 (Has_Allied_BLab) is clear.
3. local flag 30 (Has_Allied_WarF) is clear.

Flag writers in this mission: set local flag 29 (Has_Allied_BLab) at Player_Built_AlliedBLab (078C04BC); set local flag 30 (Has_Allied_WarF) at Player_Built_AlliedWarF (078C00BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_A12_EvaCountdown.
2. Enable and reset applicable timers for New_MCV (098DC46C).
3. Disable New_Countdown (0908B71C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10698, Events line 10788, Actions line 10878.

49. Text_KillAll - 0900786C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Dominator_Gone (09000CDC).

Attached scope: tag definitions 09002B4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 150 configured time units have elapsed since the trigger timer was initialized/reset.
2. No instances of Psychic Dominator (YAPPET) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Display message “Objective: Destroy all Yuri forces” (MISSION:StopYuri).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10699, Events line 10789, Actions line 10879.

50. Detect_GM - 0901648C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_PD (0901213C).

Attached scope: tag definitions 090162DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_GeneticMutatorDetected.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10700, Events line 10790, Actions line 10880.

51. Yuri_Hunt_Again - 0BA8052C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri_All_Attack (0780A03C).

Attached scope: tag definitions 0BA870AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10701, Events line 10791, Actions line 10881.

52. New_MCV - 098DC46C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from New_Countdown (0908B71C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team TEAM_Chrono_MCV (0964C97C) at waypoint 26 (cell 105, 194).
2. Enable and reset applicable timers for [Allied_MCV_Gone[Easy] (0908B62C)](#trigger-0908b62c).
3. Enable and reset applicable timers for Allied_MCV_Gone(Med) (078BFF3C).
4. Enable and reset applicable timers for New_MCV_Support (078BF6AC).
5. Disable New_MCV (098DC46C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10702, Events line 10792, Actions line 10882.

53. New_MCV_Support - 078BF6AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Allied_MCV_Gone(Med) (078BFF3C).

Incoming activation links: enable from New_MCV (098DC46C).

Attached scope: tag definitions 098DC26C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply chrono reinforcement team TEAM_Chrono_Grizzly1 (04E3AA8C) at waypoint 27 (cell 105, 190).
2. Supply chrono reinforcement team TEAM_Chrono_Grizzly2 (04E3A75C) at waypoint 28 (cell 102, 192).
3. Supply chrono reinforcement team TEAM_Chrono_Grizzly3 (04E40B3C) at waypoint 34 (cell 108, 192).
4. Supply chrono reinforcement team TEAM_Chrono_IFV1 (04E403BC) at waypoint 30 (cell 102, 196).
5. Supply chrono reinforcement team TEAM_Chrono_IFV2 (04E4077C) at waypoint 32 (cell 108, 196).
6. Supply chrono reinforcement team TEAM_Chrono_Mirage1 (04E39A4C) at waypoint 29 (cell 102, 194).
7. Supply chrono reinforcement team TEAM_Chrono_Mirage2 (04E4064C) at waypoint 33 (cell 108, 194).
8. Supply chrono reinforcement team TEAM_Chrono_Prism1 (04E4028C) at waypoint 31 (cell 105, 198).
9. Disable New_MCV_Support (078BF6AC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10703, Events line 10793, Actions line 10883.

54. Naval_Yard_Built - 0B8152BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B8111CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 61 (global list position: Soviet Shipyard (NAYARD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 17 (Has_Naval_Yard).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10704, Events line 10794, Actions line 10884.

55. Establish_Base_D - 0960EE5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0960E70C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Yuri_BD_1 (0CA2EB7C).
2. Create/recruit team Yuri_BD_2 (0CA2DA4C).
3. Create/recruit team Yuri_BD_3 (0CA2D80C).
4. Create/recruit team BioReactor_Men1 (0965042C).
5. Create/recruit team BioReactor_Men2 (09654D7C).

6. Create/recruit team BioReactor_Men3 (09654C4C).
7. Create/recruit team BioReactor_Men4 (09654B1C).
8. Supply reinforcement team BioReactor_Men5 (08FFE99C).
9. Supply reinforcement team BioReactor_Men6 (08FFEC1C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10705, Events line 10795, Actions line 10885.

56. Conyard_Fixed - 0BE87EDC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Soviet Construction Yard (NACNST), owner Special, cell (82, 123), tag 0BE87C8C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for Change_RocketHouse (08E89B1C).
3. Disable Conyard_Fixed (0BE87EDC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10706, Events line 10796, Actions line 10886.

57. Change_RocketHouse - 08E89B1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Conyard_Fixed (0BE87EDC).

Attached scope: V3 Ammunition (CAMISC06), owner Russians, cell (90, 118), tag 08E8965C, persistence mode 0; V3 Ammunition (CAMISC06), owner Russians, cell (90, 117), tag 08E8965C, persistence mode 0; V3 Ammunition (CAMISC06), owner Russians, cell (90, 128), tag 08E8965C, persistence mode 0; V3 Ammunition (CAMISC06), owner Russians, cell (90, 129), tag 08E8965C, persistence mode 0; Sentry Gun (NALASR), owner Special, cell (87, 131), tag 08E8965C, persistence mode 0; Sentry Gun (NALASR), owner Special, cell (87, 114), tag 08E8965C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for Player_Lose_Tierra (0A57F46C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10707, Events line 10797, Actions line 10887.

58. Reactor_Fixed - 0BE87B9C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Tesla Reactor (NAPOWR), owner Special, cell (80, 128), tag 0BE8788C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Disable Reactor_Fixed (0BE87B9C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10708, Events line 10798, Actions line 10888.

59. Build_Allied_WarFactory - 0C028AFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C029C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.
2. Build Building Type: type index 7 (global list position: Allied War Factory (GAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xA7_EvaUnholyAlliance.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10709, Events line 10799, Actions line 10889.

60. Control_Offline - 0E6533EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0E654F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10710, Events line 10800, Actions line 10890.

61. Conyard_Deployed - 0F22154C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0F22F04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xA7_EvaBuildUpQuickly.
2. Enable and reset applicable timers for Enable_Oil_Grabbers (078F61FC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10711, Events line 10801, Actions line 10891.

62. Enable_Oil_Grabbers - 078F61FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Conyard_Deployed (0F22154C).

Attached scope: tag definitions 078F7B6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Activate_Oil_Grabbers (061BD4EC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10712, Events line 10802, Actions line 10892.

63. Activate_Oil_Grabbers - 061BD4EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Oil_Grabbers (078F61FC).

Attached scope: tag definitions 061B9DDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri3_AQ_Engineer (092F5EFC).
2. Supply reinforcement team Yuri3_AT_Engineer (092F59DC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10713, Events line 10803, Actions line 10893.

64. Set_Charge - 0EE0857C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0EE0881C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Superweapon Set Recharge Time; main setting 7; location/duration field 13500.
2. Superweapon Set Recharge Time; main setting 9; location/duration field 9000.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10714, Events line 10804, Actions line 10894.

65. Start_AI_Triggers - 0988E66C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0989723C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
3. Production Begins: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
4. AI triggers begin: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10715, Events line 10805, Actions line 10895.

66. Africa_Defenses - 04F32AFC

Owner reference: Yuri2Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04F3227C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Africa_BD1 (09321C8C).
2. Create/recruit team Africa_BD2 (093217DC).
3. Create/recruit team Africa_BD3 (0932132C).
4. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
5. Supply reinforcement team Yuri2_Garrison1 (0900E65C).
6. Supply reinforcement team Yuri2_Garrison2 (0900B27C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10716, Events line 10806, Actions line 10896.

67. Irritate_Player - 08E97BEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08E9766C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Irritate_Player2 (08E9757C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10717, Events line 10807, Actions line 10897.

68. Irritate_Player2 - 08E9757C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Irritate_Player (08E97BEC).

Attached scope: tag definitions 08E9749C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS4_YuriTacticsTaunt.
2. Create/recruit team Yuri_Floater3 (08E9634C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10718, Events line 10808, Actions line 10898.

69. Arabs_Hate_Player - 04E8103C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04E8C04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10719, Events line 10809, Actions line 10899.

70. PrismCheese1 - 090AD17C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 090A9BDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Yuri_PrismCheese_Team (090AF55C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10720, Events line 10810, Actions line 10900.

71. Yuri_Grabs_OilAR - 0930A91C

Owner reference: Yuri3Country. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).

Then perform these actions in order:

1. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Production Begins: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).
3. AI triggers begin: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).
4. Enable and reset applicable timers for Oil_Derricks_Gone (08CBA40C).
5. Disable Yuri_Grabs_OilAR (0930A91C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10721, Events line 10811, Actions line 10901.

72. Oil_Derricks_Gone - 08CBA40C

Owner reference: Yuri3Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: ConYards_Gone_Yuri3 (08CBA88C).

Incoming activation links: enable from Yuri_Grabs_OilAR (0930A91C); enable from Yuri_Grabs_OilAS (093138DC).

Attached scope: Yuri Construction Yard (YACNST), owner Yuri3, cell (138, 252), tag 08CBA4FC, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri3, cell (137, 248), tag 08CBA4FC, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri3, cell (140, 248), tag 08CBA4FC, persistence mode 0; Bio Reactor (YAPOWR), owner Yuri3, cell (143, 248), tag 08CBA4FC, persistence mode 0.

Wait for the recorded events:

1. Building does not exist: type index 71 (global list position: Tech Oil Derrick (CAOILD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Change House: owner selector 2 (country/type FRENCH; placed owner French).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10722, Events line 10812, Actions line 10902.

73. ConYards_Gone_Yuri3 - 08CBA88C

Owner reference: Yuri3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 24 (Main_ConYards_Gone) is set.

Flag writers in this mission: set local flag 24 (Main_ConYards_Gone) at ConYards_Gone (08CBEF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 2 (country/type FRENCH; placed owner French).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10723, Events line 10813, Actions line 10903.

74. Yuri_Grabs_OilAS - 093138DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).

Then perform these actions in order:

1. Make enemy: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Production Begins: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).
3. AI triggers begin: owner selector 15 (country/type YURI3COUNTRY; placed owner Yuri3).
4. Enable and reset applicable timers for Oil_Derricks_Gone (08CBA40C).
5. Disable Yuri_Grabs_OilAS (093138DC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10724, Events line 10814, Actions line 10904.

75. Yuri3_Lose_ConYard - 09197EDC

Owner reference: Yuri3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09197BCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 71 (global list position: Tech Oil Derrick (CAOILD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10725, Events line 10815, Actions line 10905.

76. Yuri_ConYard_Gone - 08CB932C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBACAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 25 (Yuri_ConYard_Gone).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10726, Events line 10816, Actions line 10906.

77. Yuri2_ConYard_Gone - 08CBABBC

Owner reference: Yuri2Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBA97C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 26 (Yuri2_ConYard_Gone).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10727, Events line 10817, Actions line 10907.

78. ConYards_Gone - 08CBEF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBEC6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 25 (Yuri_ConYard_Gone) is set.
2. local flag 26 (Yuri2_ConYard_Gone) is set.

Flag writers in this mission: set local flag 25 (Yuri_ConYard_Gone) at Yuri_ConYard_Gone (08CB932C); set local flag 26 (Yuri2_ConYard_Gone) at Yuri2_ConYard_Gone (08CBABBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 24 (Main_ConYards_Gone).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10728, Events line 10818, Actions line 10908.

79. Win_Check - 07CA72BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07CA895C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
2. Destroyed, Units, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Enable and reset applicable timers for Cheer (0C8D4F3C).
2. Enable and reset applicable timers for PlayerWin (06B9B43C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10729, Events line 10819, Actions line 10909.

80. Yuri2_All_Attack - 0901606C

Owner reference: Yuri2Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09015F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 11.
2. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
4. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.
5. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
2. All to Hunt: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).
3. Enable and reset applicable timers for Yuri2_Attack_Again (0BA8312C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10730, Events line 10820, Actions line 10910.

81. Yuri2_Attack_Again - 0BA8312C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri2_All_Attack (0901606C).

Attached scope: tag definitions 0BA4304C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 14 (country/type YURI2COUNTRY; placed owner Yuri2).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10731, Events line 10821, Actions line 10911.

82. Player_Goes_Naval - 0462BE5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0462DA6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 23 (global list position: Allied Shipyard (GAYARD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Create/recruit team Yuri_Boomer_Solo (07AB65CC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10732, Events line 10822, Actions line 10912.

83. Derrick_AR_Found - 078F6E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Grabs_OilAR (0930A91C).

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (141, 228), tag 093139CC, persistence mode 2.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Activate_Oil_Grab(Med) (078F71EC).
2. Disable Derrick_AR_Found (078F6E5C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10733, Events line 10823, Actions line 10913.

84. Activate_Oil_Grab(Med) - 078F71EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Derrick_AR_Found (078F6E5C); enable from Derrick_AS_Found (078F692C).

Attached scope: tag definitions 078F781C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Yuri3_AQ_Engineer (092F5EFC).
2. Supply reinforcement team Yuri3_AT_Engineer (092F59DC).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10734, Events line 10824, Actions line 10914.

85. Derrick_AS_Found - 078F692C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri_Grabs_OilAS (093138DC).

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (141, 232), tag 09311E7C, persistence mode 2.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Activate_Oil_Grab(Med) (078F71EC).
2. Disable Derrick_AS_Found (078F692C).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10735, Events line 10825, Actions line 10915.

86. Player_Built_AlliedBLab - 078C04BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078C01AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Allied Battle Lab (GATECH) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 29 (Has_Allied_BLab).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10736, Events line 10826, Actions line 10916.

87. Player_Built_AlliedWarF - 078C00BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078C1EBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Allied Battle Lab (GATECH) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 30 (Has_Allied_WarF).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10737, Events line 10827, Actions line 10917.

88. Create_Crates - 04F0AACC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04F0A30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create crate type 0 at waypoint 46 (cell 42, 136).
2. Create crate type 0 at waypoint 47 (cell 138, 227).

Source locator: mapsmd03.mix/all07smd.map; Triggers line 10738, Events line 10828, Actions line 10918.

All team rosters and ordered plans | All mission overrides

Operation: Brain Dead - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/all07smd.map; each team/script ID identifies its section.

TEAM_Player_Engineer1 - 0B1DF85C

Owner: Americans. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DD; Transport Waypoint: DA.

Ordered plan: Engineer1_Script (0DE1003C).

1. Adopt object mission: area guard.

TEAM_Start_GIs - 0955CEFC

Owner: Americans. Roster: 2 × Guardian GI (GGI); 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DC; Transport Waypoint: DB.

Ordered plan: StartGI_Script (0955CC8C).

1. Adopt object mission: area guard.

TEAM_YuriBarracks_1 - 08D5D5FC

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR); 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TA.

Ordered plan: YuriBarracks_Script (07F7E8EC).

1. Move to waypoint: waypoint 521 (cell 93, 98).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 2 (Make_Hover1).
4. Clear local flag: local flag 4 (Send_Barracks1).
5. Set local flag: local flag 5 (Send_Barracks2).
6. Move to waypoint: waypoint 106 (cell 85, 120).
7. Seek/attack target category; configured argument 1.

TEAM_Hover_TA - 08D68B7C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TB.

Ordered plan: Hover_TA_Script (0960C2FC).

1. Move to waypoint: waypoint 520 (cell 78, 71).
2. Delete team objects.

TEAM_YuriBarracks_2 - 08D686CC

Owner: Arabs. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TC.

Ordered plan: YuriBarracks2_Script (07F7DDBC).

1. Move to waypoint: waypoint 523 (cell 81, 157).
2. Unload with continuation mode: passengers continue; transport leaves team.

3. Set local flag: local flag 3 (Make_HoverTD).
4. Clear local flag: local flag 5 (Send_Barracks2).
5. Set local flag: local flag 6 (Send_Barracks3).
6. Move to waypoint: waypoint 107 (cell 87, 127).
7. Seek/attack target category; configured argument 1.

TEAM_Hover_TD - 08D6821C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TD.

Ordered plan: HoverTD_Script (046483DC).

1. Move to waypoint: waypoint 522 (cell 68, 174).
2. Delete team objects.

TEAM_YuriBarracks_3 - 08D680EC

Owner: Arabs. Roster: 1 × Lasher Light Tank (LTNK); 2 × Initiate (INIT); 1 × Yuri Clone (YURI); 1 × Brute (BRUTE); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TM.

Ordered plan: YuriBarracks3_Script (07F7D56C).

1. Move to waypoint: waypoint 525 (cell 105, 107).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 7 (Make_HoverTF).
4. Clear local flag: local flag 6 (Send_Barracks3).
5. Set local flag: local flag 8 (Send_Barracks4).
6. Move to waypoint: waypoint 106 (cell 85, 120).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTF - 08D6990C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TF.

Ordered plan: HoverTF_Script (097C5A1C).

1. Move to waypoint: waypoint 532 (cell 171, 67).
2. Delete team objects.

TEAM_YuriBarracks_4 - 08D6945C

Owner: Arabs. Roster: 2 × Lasher Light Tank (LTNK); 3 × Initiate (INIT); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TM.

Ordered plan: YuriBarracks4_Script (07F7CA1C).

1. Move to waypoint: waypoint 527 (cell 95, 141).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Clear local flag: local flag 6 (Send_Barracks3).
4. Set local flag: local flag 9 (Make_HoverTH).
5. Set local flag: local flag 22 (Send_Barracks5).
6. Move to waypoint: waypoint 107 (cell 87, 127).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTH - 08D6AD2C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TH.

Ordered plan: HoverTH_Script (097C4DBC).

1. Move to waypoint: waypoint 532 (cell 171, 67).
2. Delete team objects.

TEAM_YuriWarFac1 - 08D57B5C

Owner: Confederation. Roster: 2 × Lasher Light Tank (LTNK); 1 × Brute (BRUTE); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TI.

Ordered plan: YuriWarFac1_Script (07F7C1CC).

1. Move to waypoint: waypoint 521 (cell 93, 98).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 16 (Make_HoverTJ).
4. Clear local flag: local flag 10 (Send_WarFac1).
5. Set local flag: local flag 11 (Send_WarFac2).
6. Move to waypoint: waypoint 106 (cell 85, 120).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTJ - 08D68C8C

Owner: Confederation. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TJ.

Ordered plan: HoverTJ_Script (096A2B5C).

1. Move to waypoint: waypoint 528 (cell 83, 66).
2. Delete team objects.

TEAM_YuriWarFac2 - 08D6BA4C

Owner: Arabs. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TK.

Ordered plan: YuriWarFac2_Script (07F7B6CC).

1. Move to waypoint: waypoint 531 (cell 85, 158).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 18 (Make_HoverTL).
4. Clear local flag: local flag 11 (Send_WarFac2).
5. Set local flag: local flag 12 (Send_WarFac3).
6. Move to waypoint: waypoint 107 (cell 87, 127).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTL - 08D6B59C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TL.

Ordered plan: HoverTL_Script (09652DBC).

1. Move to waypoint: waypoint 530 (cell 77, 183).
2. Delete team objects.

TEAM_Chrono_MCV - 0964C97C

Owner: Americans. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_YuriWarFac3 - 08D6CB7C

Owner: Arabs. Roster: 2 × Brute (BRUTE); 1 × Yuri Clone (YURI); 1 × Virus (VIRUS); 1 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TM.

Ordered plan: YuriWarFac3_Script (07F7A6CC).

1. Move to waypoint: waypoint 533 (cell 103, 102).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 19 (Make_HoverTN).
4. Clear local flag: local flag 12 (Send_WarFac3).
5. Set local flag: local flag 13 (Send_WarFac4).
6. Move to waypoint: waypoint 106 (cell 85, 120).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTN - 08D6C6CC

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TN.

Ordered plan: HoverTN_Script (0B81213C).

1. Move to waypoint: waypoint 520 (cell 78, 71).
2. Delete team objects.

TEAM_HoverTP - 08D6C21C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TP.

Ordered plan: HoverTP_Script (0B80918C).

1. Move to waypoint: waypoint 534 (cell 81, 185).
2. Delete team objects.

TEAM_YuriWarFac4 - 08D6DC8C

Owner: Arabs. Roster: 1 × Gattling Tank (YTNK); 1 × Lasher Light Tank (LTNK); 2 × Brute (BRUTE); 1 × Yuri Clone (YURI); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TO.

Ordered plan: YuriWarFac4_Script (07F796CC).

1. Move to waypoint: waypoint 535 (cell 89, 156).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 20 (Make_HoverTP).
4. Clear local flag: local flag 13 (Send_WarFac4).
5. Set local flag: local flag 14 (Send_WarFac5).
6. Move to waypoint: waypoint 107 (cell 87, 127).
7. Seek/attack target category; configured argument 1.

TEAM_HoverTR - 08D6D6FC

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TR.

Ordered plan: HoverTR_Script (0B805AFC).

1. Move to waypoint: waypoint 536 (cell 91, 58).
2. Delete team objects.

TEAM_YuriWarFac5 - 08D6D18C

Owner: Arabs. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TQ.

Ordered plan: YuriWarFac5_Script (07F78B7C).

1. Move to waypoint: waypoint 537 (cell 108, 107).
2. Unload with continuation mode: passengers continue; transport leaves team.
3. Set local flag: local flag 21 (Make_HoverTR).
4. Clear local flag: local flag 14 (Send_WarFac5).
5. Set local flag: local flag 10 (Send_WarFac1).
6. Move to waypoint: waypoint 106 (cell 85, 120).
7. Seek/attack target category; configured argument 1.

TEAM_YuriBarracks5 - 08D6A1CC

Owner: Arabs. Roster: 4 × Initiate (INIT); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: TZ; Transport Waypoint: DA.

Ordered plan: YuriBarracks5_Script (07F786CC).

1. Move to waypoint: waypoint 521 (cell 93, 98).
2. Clear local flag: local flag 22 (Send_Barracks5).
3. Set local flag: local flag 4 (Send_Barracks1).
4. Move to waypoint: waypoint 106 (cell 85, 120).
5. Seek/attack target category; configured argument 1.

Yuri_BA1_8I - 0B5DDA4C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: YA.

Ordered plan: BA1_8I_Script (095A673C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 1.

Yuri_AntiTank_1 - 0E3297DC

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiTank_1 (0E32956C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Yuri_AntiGuardian_1 - 0E32AEFC

Owner: YuriCountry. Roster: 2 × Virus (VIRUS); 2 × Yuri Clone (YURI); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiGuardian_1 (0E32AC8C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri_AntiHarvester_1 - 092C3EFC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiHarvester_1 (092C3C8C).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri_AntiHarvester_2 - 045CC43C

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiHarvester_2 (045CC1CC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Yuri_AntiTank_2 - 045CA87C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND); 2 × Gattling Tank (YTNK); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiTank_2 (0CA8C90C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_BD_1 - 0CA2EB7C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: YA.

Ordered plan: Yuri_BD_1 (0E5EEA1C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_AntiGI_1 - 096276AC

Owner: YuriCountry. Roster: 2 × Virus (VIRUS); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiGI_1 (095C7DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

Yuri_AntiGI_2 - 095C7A7C

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiGI_2 (095C780C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Yuri_AntiGI_3 - 095C750C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiGI_2 (095C780C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Yuri_BD_2 - 0CA2DA4C

Owner: YuriCountry. Roster: 1 × Magnetron (TELE); 2 × Gattling Tank (YTNK); 1 × Virus (VIRUS); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: YB.

Ordered plan: Yuri_BD_1 (0E5EEA1C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BD_3 - 0CA2D80C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 4 × Brute (BRUTE); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: YC.

Ordered plan: Yuri_BD_1 (0E5EEA1C).

1. Adopt object mission: area guard.
2. Report team success.

Yuri_BA_2 - 0963594C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BA_2 (0965BC8C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Seek/attack target category; configured argument 6.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Yuri_BA_Soviet_1 - 0958594C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Master Mind (MIND); 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BA_2 (0965BC8C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Seek/attack target category; configured argument 6.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Yuri_AntiSW_Allied_1 - 095CD19C

Owner: YuriCountry. Roster: 1 × Master Mind (MIND); 3 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiSW_Allied_1 (08C446CC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Attack selected enemy-building category; configured argument 131099.
7. Attack selected enemy-building category; configured argument 131101.
8. Report team success.
9. Seek/attack target category; configured argument 1.

Yuri_AntiTank_Allied_2 - 095F68EC

Owner: YuriCountry. Roster: 5 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiTank_1 (0E32956C).

1. Gather near own base; configured argument 0.

2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Yuri_AntiGuardian_2 - 0E60477C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 2 × Virus (VIRUS); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiGuardian_1 (0E32AC8C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri_AntiPrism_1 - 09590B8C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiPrism_1 (0959091C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_AntiTank_Soviet_2 - 06C71EFC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 3 × Brute (BRUTE); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiTank_2 (0CA8C90C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_BA_3 - 06C2694C

Owner: YuriCountry. Roster: 3 × Initiate (INIT); 1 × Yuri Clone (YURI); 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BA_2 (0965BC8C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Seek/attack target category; configured argument 6.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Yuri_Allied_Barracks_1 - 0E67C21C

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: RA.

Ordered plan: Engineer1_Script (0DE1003C).

1. Adopt object mission: area guard.

Yuri_EngineerRush_1 - 0D29367C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 1 × Virus (VIRUS); 2 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: EngineerRush_1 (0D29340C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131072.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131075.
6. Attack selected enemy-building category; configured argument 131079.

TEAM_Chrono_Grizzly1 - 04E3AA8C

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_Grizzly2 - 04E3A75C

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_Mirage1 - 04E39A4C

Owner: Americans. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_IFV1 - 04E403BC

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_Prism1 - 04E4028C

Owner: Americans. Roster: 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_IFV2 - 04E4077C

Owner: Americans. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_Mirage2 - 04E4064C

Owner: Americans. Roster: 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

TEAM_Chrono_Grizzly3 - 04E40B3C

Owner: Americans. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: Chrono_MCV_Script (0964C70C).

1. Adopt object mission: sleep.

Yuri_Floater1 - 0BC207DC

Owner: YuriCountry. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Floater1 (08D6ADBC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri_Mastermind1 - 0CA2993C

Owner: YuriCountry. Roster: 1 × Master Mind (MIND); 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Mastermind1 (06BCF49C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_Mastermind2 - 0CA2948C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Mastermind2 (095E725C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

Yuri_Floater2 - 045E7D5C

Owner: YuriCountry. Roster: 1 × Floating Disc (DISK); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Floater2 (08D6BDBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_Infantry1 - 045E579C

Owner: YuriCountry. Roster: 5 × Initiate (INIT); 1 × Virus (VIRUS); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry1 (045E6DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 1.
3. Report team success.

Africa_BD1 - 09321C8C

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EA.

Ordered plan: Africa_BD1 (098AA6CC).

1. Adopt object mission: area guard.

Africa_BD2 - 093217DC

Owner: Yuri2Country. Roster: 2 × Lasher Light Tank (LTNK); 1 × Magnetron (TELE); 1 × Master Mind (MIND); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EB.

Ordered plan: Africa_BD2 (098A6B0C).

1. Adopt object mission: area guard.

Africa_BD3 - 0932132C

Owner: Yuri2Country. Roster: 2 × Yuri Clone (YURI); 1 × Magnetron (TELE); 1 × Master Mind (MIND); 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: EC.

Ordered plan: Africa_BD3 (04F3034C).

1. Adopt object mission: area guard.

Africa_AntiInfantry1 - 09327B7C

Owner: Yuri2Country. Roster: 2 × Virus (VIRUS); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiInfantry1 (04F2211C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_AntiInfantry2 - 093276CC

Owner: Yuri2Country. Roster: 2 × Gattling Tank (YTNK); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiInfantry2 (04F1833C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_AntiInfantry3 - 09324EFC

Owner: Yuri2Country. Roster: 1 × Virus (VIRUS); 1 × Yuri Clone (YURI); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiInfantry3 (04F1F56C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_AntiTank1 - 09324A4C

Owner: Yuri2Country. Roster: 4 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiTank1 (04F27DBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 8.
5. Seek/attack target category; configured argument 1.

Africa_AntiTank2 - 0932459C

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Magnetron (TELE); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiTank2 (04F2771C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_AntiTank3 - 09322DEC

Owner: Yuri2Country. Roster: 5 × Lasher Light Tank (LTNK); 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiTank3 (04F271EC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Africa_AntiTank4 - 0932293C

Owner: Yuri2Country. Roster: 3 × Brute (BRUTE); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_AntiTank4 (04F25A9C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_BA1 - 0932248C

Owner: Yuri2Country. Roster: 3 × Lasher Light Tank (LTNK); 1 × Magnetron (TELE); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_BA1 (04F255FC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Africa_BA2 - 09325C8C

Owner: Yuri2Country. Roster: 2 × Yuri Clone (YURI); 3 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_BA2 (04F2299C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 2.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Africa_BA3 - 093257DC

Owner: Yuri2Country. Roster: 1 × Master Mind (MIND); 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Africa_BA3 (04F2253C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.

4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

BioReactor_Men1 - 0965042C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

BioReactor_Men2 - 09654D7C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

BioReactor_Men3 - 09654C4C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

BioReactor_Men4 - 09654B1C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

Yuri_Floater3 - 08E9634C

Owner: YuriCountry. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Floater2 (08D6BDBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_AntiIFV1 - 09F9967C

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiIFV1 (09F9CDBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 9.

5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Africa_AntiIFV1 - 092E55AC

Owner: Yuri2Country. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiIFV1 (09F9CDBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Yuri_PrismCheese_Team - 090AF55C

Owner: YuriCountry. Roster: 2 × Master Mind (MIND); 2 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: PrismCheese_Script (090AD6DC).

1. Move to waypoint: waypoint 40 (cell 195, 121).
2. Move to waypoint: waypoint 41 (cell 170, 110).
3. Move to waypoint: waypoint 40 (cell 195, 121).
4. Move to waypoint: waypoint 39 (cell 210, 144).
5. Jump to script line; configured argument 1.

Africa_AntiPCannon - 0905BECC

Owner: Yuri2Country. Roster: 3 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Anti_PCannon (0905BC5C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Yuri_BA_4 - 079CC70C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 2 × Magnetron (TELE); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BA_2 (0965BC8C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Seek/attack target category; configured argument 6.
7. Report team success.

8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Yuri_SovietBA_2 - 079CE8EC

Owner: YuriCountry. Roster: 1 × Floating Disc (DISK); 1 × Magnetron (TELE); 1 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_BA_2 (0965BC8C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 35 (cell 177, 192).
3. Move to waypoint: waypoint 36 (cell 160, 205).
4. Move to waypoint: waypoint 37 (cell 131, 196).
5. Move to waypoint: waypoint 38 (cell 121, 208).
6. Seek/attack target category; configured argument 6.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Yuri3_BA_1 - 08D7135C

Owner: Yuri3Country. Roster: 2 × Magnetron (TELE); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BA_1 (0A3D611C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Yuri3_BA_2 - 08D72DEC

Owner: Yuri3Country. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BA_2 (09732C2C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 9.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_BA_3 - 08D7293C

Owner: Yuri3Country. Roster: 1 × Floating Disc (DISK); 1 × Magnetron (TELE); 1 × Master Mind (MIND); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BA_1 (0A3D611C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.

3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Yuri3_BA_4 - 08D726FC

Owner: Yuri3Country. Roster: 3 × Magnetron (TELE); 1 × Master Mind (MIND); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BA_2 (09732C2C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 9.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_Irritate_1 - 0973262C

Owner: Yuri3Country. Roster: 8 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_Irritate_1 (097323BC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_Irritate_2 - 09731E7C

Owner: Yuri3Country. Roster: 5 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_Irritate_2 (09731C0C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_Irritate_3 - 097314EC

Owner: Yuri3Country. Roster: 4 × Brute (BRUTE); 1 × Virus (VIRUS); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BA_1 (0A3D611C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Yuri3_Irritate_4 - 09736EFC

Owner: Yuri3Country. Roster: 4 × Initiate (INIT); 2 × Yuri Clone (YURI); 1 × Virus (VIRUS); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_Irritate_2 (09731C0C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_AntiChrono_1 - 09736DCC

Owner: Yuri3Country. Roster: 3 × Magnetron (TELE); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_AntiSW_1 (09736B5C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131099.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_AntiIron_1 - 09735E1C

Owner: Yuri3Country. Roster: 4 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_AntiIron_1 (09735BAC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131096.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_AntiChrono_2 - 097358AC

Owner: Yuri3Country. Roster: 4 × Lasher Light Tank (LTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_AntiSW_1 (09736B5C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131099.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_AntiIron_2 - 0973577C

Owner: Yuri3Country. Roster: 3 × Magnetron (TELE); 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_AntiIron_1 (09735BAC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131096.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri3_AQ_Engineer - 092F5EFC

Owner: Yuri3Country. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: Yuri3_AQ_Engineer (092F5C8C).

1. Attack/garrison waypoint building: waypoint 43 (cell 142, 228).

Yuri3_AT_Engineer - 092F59DC

Owner: Yuri3Country. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: Yuri3_AT_Engineer (092F576C).

1. Attack/garrison waypoint building: waypoint 44 (cell 142, 232).

Yuri3_BD_1 - 095042EC

Owner: Yuri3Country. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BD_Script (04613DBC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.

Yuri3_BD_2 - 09509B7C

Owner: Yuri3Country. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BD_Script (04613DBC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.

Yuri3_BD_3 - 0950993C

Owner: Yuri3Country. Roster: 1 × Magnetron (TELE); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri3_BD_Script (04613DBC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.

Yuri_AntiTank3 - 050FEE1C

Owner: YuriCountry. Roster: 3 × Brute (BRUTE); 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiTank3 (050FEBAC).

1. Gather near own base; configured argument 0.

2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Yuri_AntiRT_1 - 094E907C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiRT_Script (0951603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_AntiRT_2 - 0951318C

Owner: YuriCountry. Roster: 6 × Initiate (INIT); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiRT_Script (0951603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri_AntiRT_3 - 0951305C

Owner: YuriCountry. Roster: 4 × Initiate (INIT); 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiRT_Script (0951603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri2_AntiRT_1 - 0951809C

Owner: Yuri2Country. Roster: 4 × Initiate (INIT); 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiRT_Script (0951603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri3_AntiRT_1 - 0951EC5C

Owner: Yuri3Country. Roster: 4 × Initiate (INIT); 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_AntiRT_Script (0951603C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri2_Garrison1 - 0900E65C

Owner: Yuri2Country. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: Yuri2_Garrison (0900EDBC).

1. Enter Bio Reactor.

Yuri2_Garrison2 - 0900B27C

Owner: Yuri2Country. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Yuri2_Garrison (0900EDBC).

1. Enter Bio Reactor.

BioReactor_Men5 - 08FFE99C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

BioReactor_Men6 - 08FFEC1C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: BioReactor_Men1 (09655DBC).

1. Enter Bio Reactor.

Yuri_Boomer_Solo - 07AB65CC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: TG.

Ordered plan: Boomer_Solo (07AB0DBC).

1. Attack selected enemy-building category; configured argument 131095.
2. Seek/attack target category; configured argument 1.

Africa_Floater1 - 08FFB35C

Owner: Yuri2Country. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Floater1 (08D6ADBC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Africa_AntiTesla01 - 05ED7EFC

Owner: Yuri2Country. Roster: 3 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Anti_PCannon (0905BC5C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Yuri_AntiTesla01 - 05ED248C

Owner: YuriCountry. Roster: 3 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Anti_PCannon (0905BC5C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 1.

Yuri_TierraFloater01 - 05E12D5C

Owner: Yuri2Country. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: TierraFloater_SCR (08D771EC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 106 (cell 85, 120).
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Africa_TierraFloater01 - 05E1257C

Owner: Yuri2Country. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: TierraFloater_SCR (08D771EC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 106 (cell 85, 120).
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Yuri_Prime_Grizzly - 08D9B58C

Owner: Yuri2Country. Roster: 2 × Master Mind (MIND); 1 × Yuri Prime (YURIPR); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Prime_Grizzly (0941A5AC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 4.

Yuri_Prime_Rhino - 08D9B0DC

Owner: Yuri2Country. Roster: 2 × Master Mind (MIND); 1 × Yuri Prime (YURIPR); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Prime_Grizzly (0941A5AC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 4.

Africa_TierraFloater_Easy - 04F46BBC

Owner: Yuri3Country. Roster: 1 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: TierraFloater_SCR (08D771EC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 106 (cell 85, 120).
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Yuri_Floater_Easy - 04F46A8C

Owner: YuriCountry. Roster: 1 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Floater1 (08D6ADBC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Operation: Brain Dead - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/all07smd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Slave Miner Number	2,2,2	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-5000	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	5
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	8
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	11
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	14
Genetic Mutator (GENETICCONVERTERSPECIAL)	Recharge Time	10	17
Yuri Prime (YURIPR)	Technology level	11	20
Tanya (TANY)	Technology level	12	23
Boris (BORIS)	Technology level	12	26
Grand Cannon (GTGCAN)	UI Name	Name:GTGCAN	29
Grand Cannon (GTGCAN)	Name	Allied Grand Cannon	30
Grand Cannon (GTGCAN)	Construction category	Combat	31
Grand Cannon (GTGCAN)	Starting health capacity	900	32
Grand Cannon (GTGCAN)	Armor class	steel	33
Grand Cannon (GTGCAN)	Technology level	7	34
Grand Cannon (GTGCAN)	Required structures/groups	RADAR,GACNST	35
Grand Cannon (GTGCAN)	Placement adjacency setting	2	36
Grand Cannon (GTGCAN)	Sight radius setting	10	37
Grand Cannon (GTGCAN)	Permitted country list	British,French,Germans,Americans,Alliance	38
Grand Cannon (GTGCAN)	Price in credits	2000	39
Grand Cannon (GTGCAN)	Required countries	Americans	40
Grand Cannon (GTGCAN)	Points	30	41
Grand Cannon (GTGCAN)	Signed power contribution	-100	42
Grand Cannon (GTGCAN)	Crewed	no	43
Grand Cannon (GTGCAN)	ROT	1	44
COUNTRIES (COUNTRIES)	0	Yuri2Country	47
COUNTRIES (COUNTRIES)	1	Yuri3Country	48
SPECIALFLAGS	Tiberium Grows	no	87
SPECIALFLAGS	Tiberium Spreads	yes	88

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Tiberium Explosive	no	89
SPECIALFLAGS	Destroyable Bridges	yes	90
SPECIALFLAGS	MCV Deploy	no	91
SPECIALFLAGS	Initial Veteran	no	92
SPECIALFLAGS	Fixed Alliance	no	93
SPECIALFLAGS	Harvester Immune	no	94
SPECIALFLAGS	Fog Of War	no	95
SPECIALFLAGS	Inert	no	96
SPECIALFLAGS	Ion Storms	no	97
SPECIALFLAGS	Meteorites	no	98
SPECIALFLAGS	Visceroids	no	99
VARIABLENAMES (VARIABLENAMES)	0	Has_Soviet_Barrack,0	149
VARIABLENAMES (VARIABLENAMES)	1	Has_Soviet_WarFac,0	150
VARIABLENAMES (VARIABLENAMES)	2	Make_Hover1,0	151
VARIABLENAMES (VARIABLENAMES)	3	Make_HoverTD,0	152
VARIABLENAMES (VARIABLENAMES)	4	Send_Barracks1,0	153
VARIABLENAMES (VARIABLENAMES)	5	Send_Barracks2,0	154
VARIABLENAMES (VARIABLENAMES)	6	Send_Barracks3,0	155
VARIABLENAMES (VARIABLENAMES)	7	Make_HoverTF,0	156
VARIABLENAMES (VARIABLENAMES)	8	Send_Barracks4,0	157
VARIABLENAMES (VARIABLENAMES)	9	Make_HoverTH,0	158
VARIABLENAMES (VARIABLENAMES)	10	Send_WarFac1,0	159
VARIABLENAMES (VARIABLENAMES)	11	Send_WarFac2,0	160
VARIABLENAMES (VARIABLENAMES)	12	Send_WarFac3,0	161
VARIABLENAMES (VARIABLENAMES)	13	Send_WarFac4,0	162
VARIABLENAMES (VARIABLENAMES)	14	Send_WarFac5,0	163
VARIABLENAMES (VARIABLENAMES)	15	Has_Soviet_Radar,1	164
VARIABLENAMES (VARIABLENAMES)	16	Make_HoverTJ,0	165
VARIABLENAMES (VARIABLENAMES)	17	Has_Naval_Yard,0	166
VARIABLENAMES (VARIABLENAMES)	18	Make_HoverTL,0	167
VARIABLENAMES (VARIABLENAMES)	19	Make_HoverTN,0	168
VARIABLENAMES (VARIABLENAMES)	20	Make_HoverTP,0	169
VARIABLENAMES (VARIABLENAMES)	21	Make_HoverTR,0	170
VARIABLENAMES (VARIABLENAMES)	22	Send_Barracks5,0	171
VARIABLENAMES (VARIABLENAMES)	23	MCV_Arrived,0	172
VARIABLENAMES (VARIABLENAMES)	24	Main_ConYards_Gone,0	173
VARIABLENAMES (VARIABLENAMES)	25	Yuri_ConYard_Gone,0	174
VARIABLENAMES (VARIABLENAMES)	26	Yuri2_ConYard_Gone,0	175
VARIABLENAMES (VARIABLENAMES)	27	WarTeam1_Gone,1	176
VARIABLENAMES (VARIABLENAMES)	28	Yuri_Prime_Built,0	177
VARIABLENAMES (VARIABLENAMES)	29	Has_Allied_BLab,0	178

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	30	Has_Allied_WarF,0	179
America (AMERICANS)	Country	Americans	221
America (AMERICANS)	Technology level	10	222
America (AMERICANS)	Credits	150	223
America (AMERICANS)	IQ	0	224
America (AMERICANS)	Edge	North	225
America (AMERICANS)	Player Control	yes	226
America (AMERICANS)	Color	DarkBlue	227
America (AMERICANS)	Allies	Americans,Special	228
America (AMERICANS)	Percent Built	0	229
America (AMERICANS)	Node Count	0	230
Korea (ALLIANCE)	Country	Alliance	233
Korea (ALLIANCE)	Technology level	1	234
Korea (ALLIANCE)	Credits	0	235
Korea (ALLIANCE)	IQ	0	236
Korea (ALLIANCE)	Edge	North	237
Korea (ALLIANCE)	Player Control	no	238
Korea (ALLIANCE)	Color	Gold	239
Korea (ALLIANCE)	Allies	Alliance	240
Korea (ALLIANCE)	Percent Built	0	241
Korea (ALLIANCE)	Node Count	0	242
France (FRENCH)	Country	French	245
France (FRENCH)	Technology level	1	246
France (FRENCH)	Credits	0	247
France (FRENCH)	IQ	0	248
France (FRENCH)	Edge	North	249
France (FRENCH)	Player Control	no	250
France (FRENCH)	Color	Gold	251
France (FRENCH)	Allies	French	252
France (FRENCH)	Percent Built	0	253
France (FRENCH)	Node Count	0	254
Germany (GERMANS)	Country	Germans	257
Germany (GERMANS)	Technology level	1	258
Germany (GERMANS)	Credits	0	259
Germany (GERMANS)	IQ	0	260
Germany (GERMANS)	Edge	North	261
Germany (GERMANS)	Player Control	no	262
Germany (GERMANS)	Color	Gold	263
Germany (GERMANS)	Allies	Germans	264
Germany (GERMANS)	Percent Built	0	265
Germany (GERMANS)	Node Count	0	266

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Country	British	269
Great Britain (BRITISH)	Technology level	1	270
Great Britain (BRITISH)	Credits	0	271
Great Britain (BRITISH)	IQ	0	272
Great Britain (BRITISH)	Edge	North	273
Great Britain (BRITISH)	Player Control	no	274
Great Britain (BRITISH)	Color	Gold	275
Great Britain (BRITISH)	Allies	British	276
Great Britain (BRITISH)	Percent Built	0	277
Great Britain (BRITISH)	Node Count	0	278
Libya (AFRICANS)	Country	Africans	281
Libya (AFRICANS)	Technology level	10	282
Libya (AFRICANS)	Credits	1000	283
Libya (AFRICANS)	IQ	4	284
Libya (AFRICANS)	Edge	North	285
Libya (AFRICANS)	Player Control	no	286
Libya (AFRICANS)	Color	DarkRed	287
Libya (AFRICANS)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Yuri2,Yuri3	288
Libya (AFRICANS)	Percent Built	0	289
Libya (AFRICANS)	Node Count	0	290
Iraq (ARABS)	Country	Arabs	293
Iraq (ARABS)	Technology level	10	294
Iraq (ARABS)	Credits	100	295
Iraq (ARABS)	IQ	3	296
Iraq (ARABS)	Edge	North	297
Iraq (ARABS)	Player Control	no	298
Iraq (ARABS)	Color	Purple	299
Iraq (ARABS)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2,Yuri3	300
Iraq (ARABS)	Percent Built	0	301
Iraq (ARABS)	Node Count	0	302
Cuba (CONFEDERATION)	Country	Confederation	305
Cuba (CONFEDERATION)	Technology level	1	306
Cuba (CONFEDERATION)	Credits	0	307
Cuba (CONFEDERATION)	IQ	0	308
Cuba (CONFEDERATION)	Edge	North	309
Cuba (CONFEDERATION)	Player Control	no	310
Cuba (CONFEDERATION)	Color	Purple	311
Cuba (CONFEDERATION)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2,Yuri3	312
Cuba (CONFEDERATION)	Percent Built	0	313

Object/system	Property	Mission value	Source line
Cuba (CONFEDERATION)	Node Count	0	314
Russia (RUSSIANS)	Country	Russians	317
Russia (RUSSIANS)	Technology level	1	318
Russia (RUSSIANS)	Credits	0	319
Russia (RUSSIANS)	IQ	0	320
Russia (RUSSIANS)	Edge	North	321
Russia (RUSSIANS)	Player Control	no	322
Russia (RUSSIANS)	Color	DarkRed	323
Russia (RUSSIANS)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2,Yuri3	324
Russia (RUSSIANS)	Percent Built	0	325
Russia (RUSSIANS)	Node Count	0	326
Yuri (YURICOUNTRY)	Country	YuriCountry	329
Yuri (YURICOUNTRY)	Technology level	10	330
Yuri (YURICOUNTRY)	Credits	1000	331
Yuri (YURICOUNTRY)	IQ	5	332
Yuri (YURICOUNTRY)	Edge	North	333
Yuri (YURICOUNTRY)	Player Control	no	334
Yuri (YURICOUNTRY)	Color	Purple2	335
Yuri (YURICOUNTRY)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2,Yuri3	336
Yuri (YURICOUNTRY)	Percent Built	100	337
Yuri (YURICOUNTRY)	Node Count	13	338
Yuri (YURICOUNTRY)	000	YAWEAP,176,157	339
Yuri (YURICOUNTRY)	001	YAPOWR,175,153	340
Yuri (YURICOUNTRY)	002	YABRCK,169,155	341
Yuri (YURICOUNTRY)	003	YAPOWR,187,154	342
Yuri (YURICOUNTRY)	004	YAPOWR,193,154	343
Yuri (YURICOUNTRY)	005	YAPOWR,197,158	344
Yuri (YURICOUNTRY)	006	YAPOWR,183,144	345
Yuri (YURICOUNTRY)	007	NACLON,180,146	346
Yuri (YURICOUNTRY)	008	NAPSIS,179,140	347
Yuri (YURICOUNTRY)	009	YAGRND,188,149	348
Yuri (YURICOUNTRY)	010	YAPSYT,177,151	349
Yuri (YURICOUNTRY)	011	YAPSYT,184,148	350
Yuri (YURICOUNTRY)	012	YAPSYT,191,157	351
GDI (GDI)	Country	GDI	354
GDI (GDI)	Technology level	1	355
GDI (GDI)	Credits	0	356
GDI (GDI)	IQ	0	357
GDI (GDI)	Edge	North	358
GDI (GDI)	Player Control	no	359

Object/system	Property	Mission value	Source line
GDI (GDI)	Color	Gold	360
GDI (GDI)	Allies	GDI	361
GDI (GDI)	Percent Built	0	362
GDI (GDI)	Node Count	0	363
Nod (NOD)	Country	Nod	366
Nod (NOD)	Technology level	1	367
Nod (NOD)	Credits	0	368
Nod (NOD)	IQ	0	369
Nod (NOD)	Edge	North	370
Nod (NOD)	Player Control	no	371
Nod (NOD)	Color	Purple	372
Nod (NOD)	Allies	Africans,Arabs,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2,Yuri3	373
Nod (NOD)	Percent Built	0	374
Nod (NOD)	Node Count	0	375
Civilian (NEUTRAL)	Country	Neutral	378
Civilian (NEUTRAL)	Technology level	1	379
Civilian (NEUTRAL)	Credits	0	380
Civilian (NEUTRAL)	IQ	0	381
Civilian (NEUTRAL)	Edge	North	382
Civilian (NEUTRAL)	Player Control	no	383
Civilian (NEUTRAL)	Color	Grey	384
Civilian (NEUTRAL)	Allies	Americans,Confederation,Russians,YuriCountry,Nod,Neutral,Yuri2	385
Civilian (NEUTRAL)	Percent Built	0	386
Civilian (NEUTRAL)	Node Count	0	387
JP (SPECIAL)	Country	Special	390
JP (SPECIAL)	Technology level	1	391
JP (SPECIAL)	Credits	0	392
JP (SPECIAL)	IQ	0	393
JP (SPECIAL)	Edge	North	394
JP (SPECIAL)	Player Control	no	395
JP (SPECIAL)	Color	DarkRed	396
JP (SPECIAL)	Allies	Americans,Special	397
JP (SPECIAL)	Percent Built	0	398
JP (SPECIAL)	Node Count	0	399

Operation: Time Shift

Campaign reading guide | Engine

Yuri Soviet opening: Time Shift. Naval forces and the defended shore show why target domains and arrival scripts matter. Historical local Android-emulator campaign-start capture.

Operation: Time Shift

sov01umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (128)
- Americans (33)
- YuriCountry (28)
- Alliance (13)
- Soviet2House (13)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET
2. YAPPPT
3. CATIME01
4. CATIME02

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov01umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov01umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov01umd.map. **Effective extracted member:** mapsmd03.mix/sov01umd.map. **Trigger definitions:** 302.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Russians
Theater	NEWURBAN
Map size	0,0,58,140
Visible local rectangle	4,29,52,60
Placed vehicles	44
Placed infantry	23
Placed structures	155
Placed aircraft	0
Team templates	130

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	0	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	250	Russians
9	YuriCountry	750	YuriCountry
10	GDI	0	GDI
11	Nod	100	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	PowerHouse	0	PowerHouse Country
15	Soviet2House	0	Soviet2 Country

Local state flags at initialization

Flag	Meaning label and initial value
0	Hover1_Unloaded,0
1	Hover_2_Unloaded,0
2	Hover_3_Unloaded,0
3	Time_Warp,0
4	Tanya_Dead,0
5	Gave_PP_Brief,0
6	Trans 1 Unloaded,0
7	Trans 2 Unloaded,0
8	Trans 3 Unloaded,0
9	Trans 4 Unloaded,0
10	Sub1 Dead,0
11	Sub2 Dead,0
12	Sub3 Dead,0
13	Squid1 Dead,0
14	Squid2 Dead,0
15	Scorp1 Dead,0
16	Scorp2 Dead,0
17	Scorp3 Dead,0
18	Scorp4 Dead,0
19	Scorp5 Dead,0
20	Dread1 Dead,0
21	Dread2 Dead,0
22	Dread3 Dead,0
23	Boris Intro,0
24	BorisDead,0
25	BorisDeadAgain,0
26	BorisTalks,0
27	Grand Atk_Unloaded,0
28	Statue Atk_Unloaded,0
29	Park Atk_Unloaded,0
30	Gas Atk_Unloaded,0
31	NTime Atk_Unloaded,0
32	STime Atk_Unloaded,0
33	Grand Cap_Unloaded,0
34	Statue Cap_Unloaded,0
35	Park Cap_Unloaded,0
36	Gas Cap_Unloaded,0
37	NTime Cap_Unloaded,0
38	STime Cap_Unloaded,0
39	NoMoreCapTeams,0

Flag	Meaning label and initial value
40	1 PP Gone,0
41	2 PP Gone,0
42	3 PP Gone,0
43	Player Reinforce 1 ,0
44	Player Reinforce 2 ,0
45	1st Tanks Arrive,0
46	Rhinos to Russia,0
47	Conscripts to Russi,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_End_Lose (06B602BC)	15 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.
_End_Win (06B600EC)	5 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Every trigger, in file order

1. SP1.2_Camera to CA - 094B2A9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 094B29BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 78 (cell 52, 91) with speed setting 1.
2. Enable and reset applicable timers for SP1.8_Camera to CB (094BE2BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9367, Events line 9671, Actions line 9975.

2. SP1.8_Camera to CB - 094BE2BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.2_Camera to CA (094B2A9C).

Attached scope: tag definitions 094BE0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 79 (cell 63, 89) with speed setting 2.
2. Enable and reset applicable timers for SP1.9_Target Ship (0D0E096C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9368, Events line 9672, Actions line 9976.

3. SP1.9_Target Ship - 0D0E096C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.8_Camera to CB (094BE2BC).

Attached scope: tag definitions 0D0E07DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP1.11_Target Cannon (0D0E024C).
2. Create/recruit team TM_Allies_Flash 1 Carrier (0D0F7CCC).
3. Create/recruit team TM_Allies_Flash 1 Carrier (0D0F7CCC).
4. Create/recruit team TM_Allies_Flash 1 Destroyer (0D0F667C).
5. Create/recruit team TM_Allies_Flash 1 Destroyer (0D0F667C).
6. Create/recruit team TM_Allies_Flash 1 Destroyer (0D0F667C).
7. Display message “Objective 1: Destroy the Allied Navy and Grand Cannons.” (MISSION:Sov1Obj1).
8. Enable and reset applicable timers for Text_Objective 1 (094D448C).
9. Enable and reset applicable timers for SP1.10_Audio_Objective1 (094C722C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9369, Events line 9673, Actions line 9977.

4. SP1.11_Target Cannon - 0D0E024C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.9_Target Ship (0D0E096C).

Attached scope: tag definitions 0D0E016C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field BH.
2. Play Anim At; main setting 483; location/duration field BI.
3. Enable and reset applicable timers for SP1.12_Camera to CD (06B6F36C).
4. Enable and reset applicable timers for SP1.13_Anim_Arrow Loop1 (0D9BA33C).
5. Enable and reset applicable timers for SP1.15_End_Arrow Loop1 (0D9BA16C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9370, Events line 9674, Actions line 9978.

5. Text_Objective 1 - 094D448C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.9_Target Ship (0D0E096C).

Attached scope: tag definitions 094920FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy the Allied Navy and Grand Cannons.” (MISSION:Sov1Obj1).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9371, Events line 9675, Actions line 9979.

6. SP1.10_Audio_Objective1 - 094C722C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.9_Target Ship (0D0E096C).

Attached scope: tag definitions 094C422C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaNavalAttack.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9372, Events line 9676, Actions line 9980.

7. SP1.12_Camera to CD - 06B6F36C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.11_Target Cannon (0D0E024C).

Attached scope: tag definitions 06B6F28C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 81 (cell 58, 91) with speed setting 2.
2. Enable and reset applicable timers for SP1.14_Unlock (0D0E418C).
3. Supply reinforcement team TM_Allies_1 Intruder_e (08FCE74C).
4. Supply reinforcement team TM_Allies_1 Intruder_f (05D3B8BC).
5. Supply reinforcement team TM_Allies_1 Intruder_g (05D3BB6C).
6. Supply reinforcement team TM_Allies_1 Intruder_h (05D3878C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9373, Events line 9677, Actions line 9981.

8. SP1.13_Anim_Arrow Loop1 - 0D9BA33C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.11_Target Cannon (0D0E024C).

Attached scope: tag definitions 0D9BA25C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field BH.
2. Play Anim At; main setting 483; location/duration field BI.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9374, Events line 9678, Actions line 9982.

9. SP1.15_End_Arrow Loop1 - 0D9BA16C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.11_Target Cannon (0D0E024C).

Attached scope: tag definitions 0D9BCF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable SP1.13_Anim_Arrow Loop1 (0D9BA33C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9375, Events line 9679, Actions line 9983.

10. SP1.14_Unlock - 0D0E418C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.12_Camera to CD (06B6F36C).

Attached scope: tag definitions 0D0E5F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Enable and reset applicable timers for SP1.16_Carrier Atk (094C5E4C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9376, Events line 9680, Actions line 9984.

11. SP1.16_Carrier Atk - 094C5E4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.14_Unlock (0D0E418C).

Attached scope: tag definitions 094C5D6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_Allies_2 Carrier (0BCF57DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9377, Events line 9681, Actions line 9985.

12. SP1.1_Subs move - 0B8913EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B89130C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Sub 1 (0C0A612C).
2. Supply reinforcement team TM_Sov_Sub 2 (0C0A790C).
3. Supply reinforcement team TM_Sov_Sub 3 (0C0A756C).
4. Enable and reset applicable timers for SP1.5_Squids move (0B890BCC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9378, Events line 9682, Actions line 9986.

13. SP1.5_Squids move - 0B890BCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.1_Subs move (0B8913EC).

Attached scope: tag definitions 0B890AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Squid 1 (0C0A71CC).
2. Supply reinforcement team TM_Sov_Squid 2 (0C0A8B7C).
3. Enable and reset applicable timers for SP1.6_Scorps move (0B8906FC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9379, Events line 9683, Actions line 9987.

14. SP1.6_Scorps move - 0B8906FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.5_Squids move (0B890BCC).

Attached scope: tag definitions 0B89061C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Sea Scorpion 2 (0C0A824C).
2. Supply reinforcement team TM_Sov_Sea Scorpion 3 (0C0A9C8C).
3. Supply reinforcement team TM_Sov_Sea Scorpion 4 (0C0A98EC).
4. Enable and reset applicable timers for SP1.7_Dreads move (0B896E6C).
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9380, Events line 9684, Actions line 9988.

15. SP1.7_Dreads move - 0B896E6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.6_Scorps move (0B8906FC).

Attached scope: tag definitions 0B896D8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Dreadnought 2 (0C04FEFC).
2. Enable and reset applicable timers for SP1.7a_Audio_Sub Select (088966DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9381, Events line 9685, Actions line 9989.

16. SP1.7a_Audio_Sub Select - 088966DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.7_Dreads move (0B896E6C).

Attached scope: tag definitions 088965FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound TyphoonSubSelect.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9382, Events line 9686, Actions line 9990.

17. SP1.3a_Intruder_a move - 0BBEFE3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BBEFD5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_1 Intruder_a (0881B38C).
2. Enable and reset applicable timers for SP1.3b_Intruder_b move (094848DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9383, Events line 9687, Actions line 9991.

18. SP1.3b_Intruder_b move - 094848DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.3a_Intruder_a move (0BBEFE3C).

Attached scope: tag definitions 094823BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_1 Intruder_b (07A2155C).
2. Enable and reset applicable timers for SP1.3c_Intruder_c move (0948645C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9384, Events line 9688, Actions line 9992.

19. SP1.3c_Intruder_c move - 0948645C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.3b_Intruder_b move (094848DC).

Attached scope: tag definitions 094849CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_1 Intruder_c (07A2142C).
2. Enable and reset applicable timers for SP1.3d_Intruder_d move (094822CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9385, Events line 9689, Actions line 9993.

20. SP1.3d_Intruder_d move - 094822CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.3c_Intruder_c move (0948645C).

Attached scope: tag definitions 09484E8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_1 Intruder_d (07A21A6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9386, Events line 9690, Actions line 9994.

21. _Setup_Soviet Mission 1 - 0B76DF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B76DE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_EstablishBattlefieldControl.
3. Enable and reset applicable timers for SP1.4_Audio_Sov01 Intro (0DD8E18C).
4. Supply reinforcement team TM_Allies_2 Grizzly PQ->PR (0BD6841C).
5. Supply reinforcement team TM_Allies_2 Grizzly PS->PT (0B4FF03C).
6. Supply reinforcement team TM_Allies_2 Grizzly PU->PV (0B4F889C).
7. Supply reinforcement team TM_Allies_2 Grizzly PW->PX (0B4F83FC).
8. Supply reinforcement team TM_Allies_2 Grizzly PY->PZ (0B4FAC4C).
9. Supply reinforcement team TM_Allies_2 Grizzly QA->QB (0B4FA76C).
10. Supply reinforcement team TM_Allies_4 GI QC->QD->QE->QF (0B4FA0FC).
11. Supply reinforcement team TM_Allies_4 GI QG->QH (0B4F9BFC).
12. Supply reinforcement team TM_Allies_4 GI QI->QJ->QK->QL (0B4F979C).
13. Supply reinforcement team TM_Allies_4 GI QM->QN (0B4F923C).
14. Supply reinforcement team TM_Allies_4 GI QO->QP (0B4F904C).
15. Supply reinforcement team TM_Allies_4 GI QQ->QR (0B4FB95C).
16. Supply reinforcement team TM_Allies_4 GI QS->QT (0B4FB4FC).
17. Supply reinforcement team TM_Allies_4 GI QU->QV->QW (0B4FB09C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9387, Events line 9691, Actions line 9995.

22. SP1.4_Audio_Sov01 Intro - 0DD8E18C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Setup_Soviet Mission 1 (0B76DF3C).

Attached scope: tag definitions 0DD8D6DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaAlcatrazIntro.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9388, Events line 9692, Actions line 9996.

23. SP2.1_Destroy_AlliedDef - 0B752F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Aircraft Carrier (CARRIER), owner Americans, cell (64, 83), tag 0B75455C, persistence mode 1; Aircraft Carrier (CARRIER), owner Americans, cell (65, 85), tag 0B75455C, persistence mode 1; Destroyer (DEST), owner Americans, cell (64, 78), tag 0B75455C, persistence mode 1; Destroyer (DEST), owner Americans, cell (64, 87), tag 0B75455C, persistence mode 1; Destroyer (DEST), owner Americans, cell (64, 80), tag 0B75455C, persistence mode 1; Grand Cannon (GTGCAN), owner Alliance, cell (74, 97), tag 0B75455C, persistence mode 1; Grand Cannon (GTGCAN), owner Alliance, cell (70, 93), tag 0B75455C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Make side cheer: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Disable player input.
3. Create/recruit team TM_Sov_Exit 1 Dread (0C65EA7C).
4. Create/recruit team TM_Sov_Exit 1 Dread (0C65EA7C).
5. Create/recruit team TM_Sov_Exit 1 Dread (0C65EA7C).
6. Create/recruit team TM_Sov_Exit 1 Scorpion (0C65E6DC).
7. Create/recruit team TM_Sov_Exit 1 Scorpion (0C65E6DC).
8. Create/recruit team TM_Sov_Exit 1 Scorpion (0C65E6DC).
9. Create/recruit team TM_Sov_Exit 1 Scorpion (0C65E6DC).
10. Create/recruit team TM_Sov_Exit 1 Scorpion (0C65E6DC).
11. Create/recruit team TM_Sov_Exit 1 Squid (0C65E33C).
12. Create/recruit team TM_Sov_Exit 1 Squid (0C65E33C).
13. Create/recruit team TM_Sov_Exit 1 Sub (0C65FEFC).
14. Create/recruit team TM_Sov_Exit 1 Sub (0C65FEFC).
15. Create/recruit team TM_Sov_Exit 1 Sub (0C65FEFC).
16. Enable and reset applicable timers for SP2.3_Sov Landing (0B92C6AC).
17. Disable Reinforce_Dreads (0968EE5C).
18. Disable Reinforce_Scorpions (0968D20C).
19. Disable Reinforce_Squids (0966170C).
20. Disable Reinforce_Subs (0966AC6C).
21. Disable Text_Objective 1 (094D448C).
22. Enable and reset applicable timers for SP2.2_Disable_DetectSea (0BBB5C6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9389, Events line 9693, Actions line 9997.

24. SP2.3_Sov Landing - 0B92C6AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.1_Destroy_AlliedDef (0B752F3C).

Attached scope: tag definitions 0B92C5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ReinforcementsHaveArrived.
2. Jump the camera to waypoint 78 (cell 52, 91).
3. Enable and reset applicable timers for SP2.8_Camera to CC (0B8A28BC).
4. Enable and reset applicable timers for SP2.4_Transport 1 (0BAFDF3C).

5. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9390, Events line 9694, Actions line 9998.

25. Reinforce_Dreads - 0968EE5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dread2 Dead (09665A4C).

Attached scope: tag definitions 0968ED7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Dreads (0968EE5C).
2. Supply reinforcement team TM_Sov_Dreadnought 2 (0C04FEFC).
3. Enable and reset applicable timers for Audio_Announce Dreads (0968E62C).
4. Enable and reset applicable timers for Detect_Dread2 Enable (0900AB1C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9391, Events line 9695, Actions line 9999.

26. Reinforce_Scorpions - 0968D20C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0968EF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Scorp2 Dead) is set.
2. local flag 17 (Scorp3 Dead) is set.
3. local flag 18 (Scorp4 Dead) is set.

Flag writers in this mission: set local flag 16 (Scorp2 Dead) at Detect_Scorpion2 Dead (09660C6C); set local flag 17 (Scorp3 Dead) at Detect_Scorpion3 Dead (0966136C); set local flag 18 (Scorp4 Dead) at Detect_Scorpion4 Dead (0966153C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Sea Scorpion 2 (0C0A824C).
2. Supply reinforcement team TM_Sov_Sea Scorpion 3 (0C0A9C8C).
3. Supply reinforcement team TM_Sov_Sea Scorpion 4 (0C0A98EC).
4. Enable and reset applicable timers for Audio_AnnounceScorpions (0968EABC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9392, Events line 9696, Actions line 10000.

27. Reinforce_Squids - 0966170C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0968D3DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Squid1 Dead) is set.
2. local flag 14 (Squid2 Dead) is set.

Flag writers in this mission: set local flag 13 (Squid1 Dead) at Detect_Squid1 Dead (0966E65C); set local flag 14 (Squid2 Dead) at Detect_Squid2 Dead (096534FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Squid 1 (0C0A71CC).
2. Supply reinforcement team TM_Sov_Squid 2 (0C0A8B7C).
3. Enable and reset applicable timers for Audio_Announce Squids (0968EC8C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9393, Events line 9697, Actions line 10001.

28. Reinforce_Subs - 0966AC6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966A3AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Sub1 Dead) is set.
2. local flag 11 (Sub2 Dead) is set.
3. local flag 12 (Sub3 Dead) is set.

Flag writers in this mission: set local flag 10 (Sub1 Dead) at Detect_Sub1 Dead (0966B44C); set local flag 11 (Sub2 Dead) at Detect_Sub2 Dead (0965FF3C); set local flag 12 (Sub3 Dead) at Detect_Sub3 Dead (0965A36C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Sub 1 (0C0A612C).
2. Supply reinforcement team TM_Sov_Sub 2 (0C0A790C).
3. Supply reinforcement team TM_Sov_Sub 3 (0C0A756C).
4. Enable and reset applicable timers for Audio_Announce Subs (0966A2BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9394, Events line 9698, Actions line 10002.

29. SP2.2_Disable_DetectSea - 0BBB5C6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.1_Destroy_AlliedDef (0B752F3C).

Attached scope: tag definitions 0BBB5B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Detect_Dread1 Dead (0966E2BC).
2. Disable Detect_Dread2 Dead (09665A4C).
3. Disable Detect_Dread3 Dead (096657DC).
4. Disable Detect_Scorpion1 Dead (0966E48C).
5. Disable Detect_Scorpion2 Dead (09660C6C).
6. Disable Detect_Scorpion3 Dead (0966136C).
7. Disable Detect_Scorpion4 Dead (0966153C).
8. Disable Detect_Scorpion5 Dead (09660E3C).
9. Disable Detect_Squid1 Dead (0966E65C).
10. Disable Detect_Squid2 Dead (096534FC).
11. Disable Detect_Sub1 Dead (0966B44C).
12. Disable Detect_Sub2 Dead (0965FF3C).
13. Disable Detect_Sub3 Dead (0965A36C).
14. Enable and reset applicable timers for Complete_Objective 1 (08E4940C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9395, Events line 9699, Actions line 10003.

30. SP2.8_Camera to CC - 0B8A28BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3_Sov Landing (0B92C6AC).

Attached scope: tag definitions 0B8A27DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 80 (cell 79, 72) with speed setting 0.
2. Enable and reset applicable timers for SP2.9_Movie_ZofTimeMach (094DC05C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9396, Events line 9700, Actions line 10004.

31. SP2.4_Transport 1 - 0BAFDF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3_Sov Landing (0B92C6AC).

Attached scope: tag definitions 0BAF9BEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_4 Rhino (08816EFC).
2. Enable and reset applicable timers for SP2.5_Transport 2 (0BAF8ABC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9397, Events line 9701, Actions line 10005.

32. Audio_Announce Dreads - 0968E62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Dreads (0968EE5C).

Attached scope: tag definitions 0966E8FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Audio_Announce Dreads (0968E62C).
2. Create radar-event marker type 2 at waypoint 14 (cell 51, 93).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9398, Events line 9702, Actions line 10006.

33. Detect_Dread2 Enable - 0900AB1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Dreads (0968EE5C).

Attached scope: tag definitions 0900AA3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Detect_Dread2 Enable (0900AB1C).
2. Enable and reset applicable timers for Detect_Dread2 Dead (09665A4C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9399, Events line 9703, Actions line 10007.

34. Audio_AnnounceScorpions - 0968EABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Scorpions (0968D20C).

Attached scope: tag definitions 0968E71C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Audio_AnnounceScorpions (0968EABC).
2. Create radar-event marker type 2 at waypoint 20 (cell 54, 91).
3. Create radar-event marker type 2 at waypoint 19 (cell 53, 92).
4. Create radar-event marker type 2 at waypoint 18 (cell 54, 93).
5. Create radar-event marker type 2 at waypoint 17 (cell 53, 94).
6. Create radar-event marker type 2 at waypoint 16 (cell 54, 95).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9400, Events line 9704, Actions line 10008.

35. Audio_Announce Squids - 0968EC8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Squids (0966170C).

Attached scope: tag definitions 0968EBAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Audio_Announce Squids (0968EC8C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 2 at waypoint 22 (cell 55, 92).
4. Create radar-event marker type 2 at waypoint 21 (cell 55, 94).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9401, Events line 9705, Actions line 10009.

36. Audio_Announce Subs - 0966A2BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Subs (0966AC6C).

Attached scope: tag definitions 0966EB7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Audio_Announce Subs (0966A2BC).
2. Create radar-event marker type 2 at waypoint 25 (cell 57, 91).
3. Create radar-event marker type 2 at waypoint 24 (cell 57, 93).
4. Create radar-event marker type 2 at waypoint 23 (cell 57, 95).
5. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9402, Events line 9706, Actions line 10010.

37. Detect_Dread1 Dead - 0966E2BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096617FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 20 (Dread1 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9403, Events line 9707, Actions line 10011.

38. Detect_Dread2 Dead - 09665A4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dread2 Enable (0900AB1C).

Attached scope: tag definitions 096658CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Detect_Dread2 Dead (09665A4C).
2. Enable and reset applicable timers for Reinforce_Dreads (0968EE5C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9404, Events line 9708, Actions line 10012.

39. Detect_Dread3 Dead - 096657DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096656FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 22 (Dread3 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9405, Events line 9709, Actions line 10013.

40. Detect_Scorpion1 Dead - 0966E48C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966E3AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 15 (Scorp1 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9406, Events line 9710, Actions line 10014.

41. Detect_Scorpion2 Dead - 09660C6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09667F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 16 (Scorp2 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9407, Events line 9711, Actions line 10015.

42. Detect_Scorpion3 Dead - 0966136C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966163C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 17 (Scorp3 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9408, Events line 9712, Actions line 10016.

43. Detect_Scorpion4 Dead - 0966153C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966145C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 18 (Scorp4 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9409, Events line 9713, Actions line 10017.

44. Detect_Scorpion5 Dead - 09660E3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09660D5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 19 (Scorp5 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9410, Events line 9714, Actions line 10018.

45. Detect_Squid1 Dead - 0966E65C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966E57C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 13 (Squid1 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9411, Events line 9715, Actions line 10019.

46. Detect_Squid2 Dead - 096534FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0965341C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 14 (Squid2 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9412, Events line 9716, Actions line 10020.

47. Detect_Sub1 Dead - 0966B44C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0966B2BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 10 (Sub1 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9413, Events line 9717, Actions line 10021.

48. Detect_Sub2 Dead - 0965FF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0965FE5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 11 (Sub2 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9414, Events line 9718, Actions line 10022.

49. Detect_Sub3 Dead - 0965A36C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0965A28C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 12 (Sub3 Dead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9415, Events line 9719, Actions line 10023.

50. Complete_Objective 1 - 08E4940C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.2_Disable_DetectSea (0BBB5C6C).

Attached scope: tag definitions 08E4932C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1 Complete.” (MISSION:Obj1Comp).
2. Play voice notification EVA_ObjectiveComplete.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9416, Events line 9720, Actions line 10024.

51. SP2.9_Movie_ZofTimeMach - 094DC05C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.8_Camera to CC (0B8A28BC).

Attached scope: tag definitions 094DC30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 34.
2. Enable and reset applicable timers for SP2.9a_Zofia Time VO (0833254C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9417, Events line 9721, Actions line 10025.

52. SP2.5_Transport 2 - 0BAF8ABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.4_Transport 1 (0BAFDF3C).

Attached scope: tag definitions 0BAF9F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_12 Conscript (08DF843C).
2. Enable and reset applicable timers for SP2.6_Transport 3 (0BAFCC3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9418, Events line 9722, Actions line 10026.

53. SP2.9a_Zofia Time VO - 0833254C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.9_Movie_ZofTimeMach (094DC05C).

Attached scope: tag definitions 0833246C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S01_p01.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9419, Events line 9723, Actions line 10027.

54. SP2.6_Transport 3 - 0BAFCC3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.5_Transport 2 (0BAF8ABC).

Attached scope: tag definitions 0BAFF48C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_4 Flak Trak (0B5CAEFC).
2. Enable and reset applicable timers for SP2.7_Transport 4 (0BAF845C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9420, Events line 9724, Actions line 10028.

55. SP2.7_Transport 4 - 0BAF845C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.6_Transport 3 (0BAFCC3C).

Attached scope: tag definitions 0BAFE22C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_1 Boris_5 Tesla_3 Dog_3 Eng (0B244DEC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9421, Events line 9725, Actions line 10029.

56. SP2.13_Unlock - 0B8A231C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.12a_Audio_Goodluck (091B431C).

Attached scope: tag definitions 0B8A223C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.
2. Enable player input.
3. Display message “Objective 2: Destroy Pill Boxes around Time Machine to capture it.” (MISSION:Sov1Obj2).
4. Create radar-event marker type 1 at waypoint 62 (cell 147, 99).
5. Enable and reset applicable timers for Text_Objective 2 (09577E1C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9422, Events line 9726, Actions line 10030.

57. Text_Objective 2 - 09577E1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.13_Unlock (0B8A231C).

Attached scope: tag definitions 09577D3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy Pill Boxes around Time Machine to capture it.” (MISSION:Sov1Obj2).
2. Create radar-event marker type 1 at waypoint 62 (cell 147, 99).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9423, Events line 9727, Actions line 10031.

58. SP2.14_Audio_Obj 2a - 0D17F50C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D17F42C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Trans 4 Unloaded) is set.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBriefing01.
2. Enable and reset applicable timers for SP2.15_Audio_Obj 2b (0DD8E32C).
3. Enable and reset applicable timers for SP2.14a_Camera to Time (05D70C3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9424, Events line 9728, Actions line 10032.

59. SP2.15_Audio_Obj 2b - 0DD8E32C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.14_Audio_Obj 2a (0D17F50C).

Attached scope: tag definitions 0DD8D9EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBriefing02.
2. Enable and reset applicable timers for SP2.16_Audio_Obj 2c (0DE581DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9425, Events line 9729, Actions line 10033.

60. SP2.14a_Camera to Time - 05D70C3C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.14_Audio_Obj 2a (0D17F50C).

Attached scope: tag definitions 05D70B5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 82 (cell 138, 97).
2. Play sound CameraSwitch.
3. Reveal terrain around waypoint 62 (cell 147, 99).
4. Create radar-event marker type 5 at waypoint 62 (cell 147, 99).
5. Flash buildings of type CATIME01; duration argument 120.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9426, Events line 9730, Actions line 10034.

61. SP2.16_Audio_Obj 2c - 0DE581DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.15_Audio_Obj 2b (0DD8E32C).

Attached scope: tag definitions 0DE5EF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 61 (cell 86, 81).
2. Play sound CameraSwitch.

3. Enable and reset applicable timers for SP2.10_BorisIntro (0D17008C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9427, Events line 9731, Actions line 10035.

62. SP2.10_BorisIntro - 0D17008C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.16_Audio_Obj 2c (0DE581DC).

Attached scope: tag definitions 0D176A7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_Sov_1 Boris (093DE24C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9428, Events line 9732, Actions line 10036.

63. Audio_Don't Attack Yuri - 0439013C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 77 tagged map cells: (72, 15), (72, 16), (72, 17), (72, 18), (72, 19), (72, 20), (72, 21), (72, 22), (72, 23), (72, 24), (72, 25), (72, 26), (72, 27), (72, 28), (72, 29), (72, 30), (72, 31), (72, 32), (72, 33), (72, 34), (72, 35), (72, 36), (72, 37), (72, 38), (72, 39), (72, 40), (72, 41), (72, 42), (72, 43), (72, 44), (72, 45), (72, 46), (72, 47), (72, 48), (72, 49), (72, 50), (72, 51), (72, 52), (72, 53), (72, 54), (72, 55), (72, 56), (72, 57), (72, 58), (71, 59), (72, 59), (71, 60), (69, 61), (70, 61), (71, 61), (69, 62), (68, 63), (69, 63), (67, 64), (68, 64), (66, 65), (67, 65), (65, 66), (66, 66), (64, 67), (65, 67), (63, 68), (64, 68), (62, 69), (63, 69), (61, 70), (62, 70), (60, 71), (61, 71), (55, 72), (56, 72), (59, 72), (60, 72), (56, 73), (57, 73), (58, 73), (59, 73); tag 0439005C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaCapTimeMachine.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9429, Events line 9733, Actions line 10037.

64. SP2.12_ZofiaREBoris - 0D17876C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.11_BorisReports (0D17FAAC).

Attached scope: tag definitions 0D17C89C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_Boris.
2. Enable and reset applicable timers for SP2.12a_Audio_Goodluck (091B431C).
3. Move the camera to waypoint 61 (cell 86, 81) with speed setting 3.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9430, Events line 9734, Actions line 10038.

65. SP2.12a_Audio_Goodluck - 091B431C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.12_ZofiaREBoris (0D17876C).

Attached scope: tag definitions 091B423C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 23 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBriefing03.
2. Enable and reset applicable timers for SP2.13_Unlock (0B8A231C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9431, Events line 9735, Actions line 10039.

66. SP2.11_BorisReports - 0D17FAAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D17F9CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 23 (Boris Intro) is set.

Then perform these actions in order:

1. Play voice notification Mis_xS1_BorisReporting.
2. Enable and reset applicable timers for SP2.12_ZofiaREBoris (0D17876C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9432, Events line 9736, Actions line 10040.

67. Audio_YuriCapturePower - 079DB44C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Time Machine Off (094A4ADC).

Attached scope: tag definitions 079DB36C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaYuriNeedsPower.
2. Enable and reset applicable timers for Reinforce_Atk Group 1 (043DF33C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9433, Events line 9737, Actions line 10041.

68. Reinforce_Atk Group 1 - 043DF33C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_YuriCapturePower (079DB44C); enable from Reinforce_Cap Delay (06A6663C).

Attached scope: tag definitions 043DF25C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_NTime Plant Attack (0946F03C).
2. Supply reinforcement team TM_Yuri_STime Plant Attack (094708CC).
3. Supply reinforcement team TM_Yuri_Gas Plant Attack (092A27BC).
4. Enable and reset applicable timers for Reinforce_Cap Group 1 (0B454BBC).
5. Disable Reinforce_Atk Group 1 (043DF33C).
6. Display message “Yuri Hover Transports approaching!” (MISSION:YuriHovr).
7. Enable and reset applicable timers for Reinforce_Atk Ping 1 (08FC09DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9434, Events line 9738, Actions line 10042.

69. Reinforce_Cap Group 1 - 0B454BBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Atk Group 1 (043DF33C).

Attached scope: tag definitions 043DF42C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Arab_NTime Plant Capture (0C3121AC).
2. Supply reinforcement team TM_Arab_STime Plant Capture (0C311C8C).
3. Supply reinforcement team TM_Arab_Gas Plant Capture (0C31254C).

4. Enable and reset applicable timers for Reinforce_Atk Group 2 (06A6629C).
5. Disable Reinforce_Cap Group 1 (0B454BBC).
6. Display message “Yuri is trying to capture the Power Plants!” (MISSION:YuriPowr).
7. Apply 100 damage at; main setting 120; location/duration field DQ.
8. Apply 100 damage at; main setting 119; location/duration field DP.
9. Apply 100 damage at; main setting 118; location/duration field DO.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9435, Events line 9739, Actions line 10043.

70. Reinforce_Atk Ping 1 - 08FC09DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Atk Group 1 (043DF33C).

Attached scope: tag definitions 08FC08FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Atk Ping 1 (08FC09DC).
2. Create radar-event marker type 5 at waypoint 496 (cell 68, 55).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9436, Events line 9740, Actions line 10044.

71. Reinforce_Atk Group 2 - 06A6629C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Cap Group 1 (0B454BBC).

Attached scope: tag definitions 06A661BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_Park Plant Attack (092A2B5C).
2. Supply reinforcement team TM_Yuri_Statue Plant Attack (0946E06C).
3. Supply reinforcement team TM_Yuri_Grand Plant Attack (0946E7DC).
4. Enable and reset applicable timers for Reinforce_Cap Group 2 (06A6646C).
5. Disable Reinforce_Atk Group 2 (06A6629C).
6. Enable and reset applicable timers for Reinforce_Atk Ping 2 (08FC0BAC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9437, Events line 9741, Actions line 10045.

72. Reinforce_Cap Group 2 - 06A6646C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Atk Group 2 (06A6629C).

Attached scope: tag definitions 06A6638C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Arab_Park Plant Capture (0C3128EC).
2. Supply reinforcement team TM_Arab_Statue Plant Capture (0C312C8C).
3. Supply reinforcement team TM_Arab_Grand Plant Capture (0C3132DC).
4. Enable and reset applicable timers for Reinforce_Cap Delay (06A6663C).
5. Disable Reinforce_Cap Group 2 (06A6646C).
6. Display message “Yuri is trying to capture the Power Plants!” (MISSION:YuriPowr).

7. Apply 100 damage at; main setting 117; location/duration field DN.
8. Apply 100 damage at; main setting 116; location/duration field DM.
9. Apply 100 damage at; main setting 115; location/duration field DL.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9438, Events line 9742, Actions line 10046.

73. Reinforce_Atk Ping 2 - 08FC0BAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Atk Group 2 (06A6629C).

Attached scope: tag definitions 08FC0ACC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Atk Ping 2 (08FC0BAC).
2. Create radar-event marker type 5 at waypoint 496 (cell 68, 55).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9439, Events line 9743, Actions line 10047.

74. Reinforce_Cap Delay - 06A6663C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_Cap Group 2 (06A6646C).

Attached scope: tag definitions 06A6655C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 39 (NoMoreCapTeams) is clear.

Flag writers in this mission: set local flag 39 (NoMoreCapTeams) at Reinforce_Cap Delay (06A6663C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Set local flag 39 (NoMoreCapTeams).
2. Enable and reset applicable timers for Reinforce_Atk Group 1 (043DF33C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9440, Events line 9744, Actions line 10048.

75. Destroy_Time Defenses - 094A4E1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Pill Box (GAPILL), owner Confederation, cell (146, 97), tag 094A4D3C, persistence mode 1; Pill Box (GAPILL), owner Confederation, cell (143, 99), tag 094A4D3C, persistence mode 1; Pill Box (GAPILL), owner Confederation, cell (144, 95), tag 094A4D3C, persistence mode 1; Pill Box (GAPILL), owner Confederation, cell (141, 97), tag 094A4D3C, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Audio_Time Machine Off (094A4ADC).
2. Enable and reset applicable timers for Sell_Time Defenses (096012AC).
3. Enable and reset applicable timers for Give_Time to Russians (0DECD98C).
4. Disable Text_Objective 2a (043E7EDC).
5. Enable and reset applicable timers for Complete_Objective 2 (07EF7AEC).
6. Disable Time Machine Neutral (095180BC).
7. Enable and reset applicable timers for Time Machine Russian (079D7E1C).
8. Enable and reset applicable timers for Detect_(US) Mach Shop (05BF392C).
9. Enable and reset applicable timers for Detect_(Sov) Mach Shop (05BF375C).
10. Disable Audio_Destroy Time Defs (094A51CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9441, Events line 9745, Actions line 10049.

76. Audio_Time Machine Off - 094A4ADC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: tag definitions 094A49FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaEngineersForPower.
2. Enable and reset applicable timers for SP3.1_Detect_Full Power (0BDE024C).
3. Display message “Objective 3: Capture 4 Power Plants to Power Time Machine.” (MISSION:Sov1Obj3).
4. Reveal terrain around waypoint 115 (cell 79, 111).
5. Reveal terrain around waypoint 116 (cell 80, 126).
6. Reveal terrain around waypoint 117 (cell 92, 117).
7. Reveal terrain around waypoint 118 (cell 112, 113).
8. Reveal terrain around waypoint 119 (cell 128, 116).
9. Reveal terrain around waypoint 120 (cell 120, 82).
10. Create radar-event marker type 1 at waypoint 115 (cell 79, 111).
11. Create radar-event marker type 1 at waypoint 116 (cell 80, 126).
12. Create radar-event marker type 1 at waypoint 117 (cell 92, 117).
13. Create radar-event marker type 1 at waypoint 118 (cell 112, 113).
14. Create radar-event marker type 1 at waypoint 119 (cell 128, 116).
15. Create radar-event marker type 1 at waypoint 120 (cell 120, 82).
16. Enable and reset applicable timers for Text_Objective 3 (09577C4C).
17. Enable and reset applicable timers for Audio_YuriCapturePower (079DB44C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9442, Events line 9746, Actions line 10050.

77. Sell_Time Defenses - 096012AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: Pill Box (GAPILL), owner Americans, cell (132, 99), tag 0959237C, persistence mode 2; Pill Box (GAPILL), owner Americans, cell (132, 103), tag 0959237C, persistence mode 2; Patriot Missile (NASAM), owner Alliance, cell (137, 104), tag 0959237C, persistence mode 2; Patriot Missile (NASAM), owner Alliance, cell (145, 104), tag 0959237C, persistence mode 2; Patriot Missile (NASAM), owner Alliance, cell (137, 94), tag 0959237C, persistence mode 2; Patriot Missile (NASAM), owner Alliance, cell (137, 87), tag 0959237C, persistence mode 2.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Sell_Time Defenses (096012AC).
2. Sell the attached building through the scripted sale action.
3. Enable and reset applicable timers for Reinforce_10 Engineers (06AF616C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9443, Events line 9747, Actions line 10051.

78. Give_Time to Russians - 0DECD98C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Audio_Don't Attack Time (06C0F45C).

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Disable Give_Time to Russians (0DECD98C).
3. Disable Text_Objective 2 (09577E1C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9444, Events line 9748, Actions line 10052.

79. Text_Objective 2a - 043E7EDC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Destroy Time Defs (094A51CC).

Attached scope: tag definitions 043E7DFC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy the Pill Boxes surrounding the Time Machine.” (MISSION:Sov1Obj2a).
2. Create radar-event marker type 5 at waypoint 66 (cell 147, 98).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9445, Events line 9749, Actions line 10053.

80. Complete_Objective 2 - 07EF7AEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: tag definitions 07EF7A0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ObjectiveComplete.
2. Display message “Objective 2 Complete.” (MISSION:Obj2Comp).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9446, Events line 9750, Actions line 10054.

81. Time Machine Neutral - 095180BC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SP3.1_Detect_Full Power (0BDE024C).
2. Disable Time Machine Neutral (095180BC).
3. Play voice notification Mis_xS1_ZofiaLostTimeMach.
4. Enable and reset applicable timers for _End_Lose (06B602BC).
5. Disable Destroy_Time Defenses (094A4E1C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9447, Events line 9751, Actions line 10055.

82. Time Machine Russian - 079D7E1C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Give_Back to Allies (09601D2C).

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: Time Machine (CATIME01), owner Neutral, cell (142, 96), tag 09519F4C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SP3.1_Detect_Full Power (0BDE024C).
2. Disable Time Machine Russian (079D7E1C).
3. Play voice notification Mis_xS1_ZofiaLostTimeMach.
4. Enable and reset applicable timers for _End_Lose (06B602BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9448, Events line 9752, Actions line 10056.

83. Detect_(US) Mach Shop - 05BF392C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 56 (global list position: Tech Machine Shop (CAMACH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Audio_American Mach Shop (05BF366C).
2. Disable Detect_(Sov) Mach Shop (05BF375C).
3. Disable Audio_Russian Mach Shop (05BF4E3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9449, Events line 9753, Actions line 10057.

84. Detect_(Sov) Mach Shop - 05BF375C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_(US) Mach Shop (05BF392C).

Incoming activation links: enable from Destroy_Time Defenses (094A4E1C).

Attached scope: tag definitions 05BF384C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 56 (global list position: Tech Machine Shop (CAMACH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Audio_Russian Mach Shop (05BF4E3C).
2. Disable Detect_(US) Mach Shop (05BF392C).
3. Disable Audio_American Mach Shop (05BF366C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9450, Events line 9754, Actions line 10058.

85. Audio_Destroy Time Defs - 094A51CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 35 tagged map cells: (138, 87), (139, 87), (140, 87), (141, 87), (136, 88), (137, 88), (138, 88), (136, 89), (136, 90), (136, 91), (136, 92), (136, 93), (136, 94), (136, 95), (136, 96), (136, 97), (136, 98), (136, 99), (136, 100), (137, 100), (137, 101), (138, 101), (138, 102), (139, 102), (139, 103), (139, 104), (139, 105), (140, 105), (141, 105), (142, 105), (143, 105), (144, 105), (145, 105), (146, 105), (147, 105); tag 094A8F4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaTimeDefenses.
2. Enable and reset applicable timers for SP1.14_Anim_Arrow Loop2 (094A883C).
3. Enable and reset applicable timers for End_Arrow Loop2 (094A989C).
4. Create radar-event marker type 5 at waypoint 66 (cell 147, 98).
5. Enable and reset applicable timers for Text_Objective 2a (043E7EDC).

6. Disable Text_Objective 2 (09577E1C).
7. Display message “Destroy the Pill Boxes surrounding the Time Machine.” (MISSION:Sov1Obj2a).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9451, Events line 9755, Actions line 10059.

86. SP3.1_Detect_Full Power - 0BDE024C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Time Machine Off (094A4ADC); enable from Detect_Player Has Time (095183EC).

Attached scope: tag definitions 0BDE016C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Power Full: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Enable and reset applicable timers for SP3.2_Audio_EnoughPower (0951864C).
2. Disable Text_Objective 3 (09577C4C).
3. Enable and reset applicable timers for Complete_Objective 3 (08E495DC).
4. Disable Hint_Capture Power (0970A63C).
5. Disable Audio_YuriCapturePower (079DB44C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9452, Events line 9756, Actions line 10060.

87. Text_Objective 3 - 09577C4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Time Machine Off (094A4ADC).

Attached scope: tag definitions 09577B6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Capture 4 Power Plants to Power Time Machine.” (MISSION:Sov1Obj3).
2. Create radar-event marker type 1 at waypoint 115 (cell 79, 111).
3. Create radar-event marker type 1 at waypoint 116 (cell 80, 126).
4. Create radar-event marker type 1 at waypoint 117 (cell 92, 117).
5. Create radar-event marker type 1 at waypoint 118 (cell 112, 113).
6. Create radar-event marker type 1 at waypoint 119 (cell 128, 116).
7. Create radar-event marker type 1 at waypoint 120 (cell 120, 82).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9453, Events line 9757, Actions line 10061.

88. Reinforce_10 Engineers - 06AF616C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Sell_Time Defenses (096012AC).

Attached scope: tag definitions 093BF03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_10 Engineers (0957AE2C).
2. Enable and reset applicable timers for Reinforce_10 Eng Audio (077B395C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9454, Events line 9758, Actions line 10062.

89. Audio_Don't Attack Time - 06C0F45C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Time Machine Neutral (095180BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaSaveTimeMach.
2. Disable Audio_Don't Attack Time (06C0F45C).
3. Display message “WARNING - Critical structure. Do not destroy!!!” (MISSION:WarnStct).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9455, Events line 9759, Actions line 10063.

90. _End_Lose - 06B602BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Time Machine Neutral (095180BC); enable from Time Machine Russian (079D7E1C); enable from Detect_All Sov Dead (097154CC); enable from Detect_< 4 Power (06B6156C); enable from Detect_Time 2 Destroyed (0BB91C2C); enable from _Lose_Condition (05CAF0BC).

Attached scope: tag definitions 06B601DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9456, Events line 9760, Actions line 10064.

91. Give_Back to Allies - 09601D2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Give_Time to Russians (0DECD98C).

Incoming activation links: enable from SP3.5_Enable_TimeEffect (0BDE287C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Give_Back to Allies (09601D2C).
2. Change House: owner selector 15 (country/type SOVIET2 COUNTRY; placed owner Soviet2House).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9457, Events line 9761, Actions line 10065.

92. Audio_American Mach Shop - 05BF366C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Audio_Russian Mach Shop (05BF4E3C).

Incoming activation links: enable from Detect_(US) Mach Shop (05BF392C).

Attached scope: tag definitions 087D579C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_TechMachShop.
2. Flash buildings of type CAMACH; duration argument 200.
3. Jump the camera to waypoint 64 (cell 142, 93).
4. Set global flag 12.
5. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9458, Events line 9762, Actions line 10066.

93. Audio_Russian Mach Shop - 05BF4E3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_(Sov) Mach Shop (05BF375C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_TechMachShop.
2. Flash buildings of type CAMACH; duration argument 200.
3. Jump the camera to waypoint 64 (cell 142, 93).
4. Play sound CameraSwitch.
5. Set global flag 12.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9459, Events line 9763, Actions line 10067.

94. SP1.14_Anim_Arrow Loop2 - 094A883C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Destroy Time Defs (094A51CC).

Attached scope: tag definitions 094A860C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 483; location/duration field BL.
2. Play Anim At; main setting 483; location/duration field BM.
3. Play Anim At; main setting 480; location/duration field BN.
4. Play Anim At; main setting 480; location/duration field BO.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9460, Events line 9764, Actions line 10068.

95. End_Arrow Loop2 - 094A989C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Destroy Time Defs (094A51CC).

Attached scope: tag definitions 07DA2D1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable End_Arrow Loop2 (094A989C).
2. Disable SP1.14_Anim_Arrow Loop2 (094A883C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9461, Events line 9765, Actions line 10069.

96. SP3.2_Audio_EnoughPower - 0951864C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.1_Detect_Full Power (0BDE024C).

Attached scope: tag definitions 0951856C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaEnoughPower.
2. Enable and reset applicable timers for SP3.5_Enable_TimeEffect (0BDE287C).

3. Enable and reset applicable timers for SP3.3_Setup_Part II (0951740C).
4. Enable and reset applicable timers for SP3.2a_Camera_Jump 2 BK (0BDE0ADC).
5. Disable Reinforce_10 Engineers (06AF616C).
6. Disable Reinforce_6 Engineers (06A25F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9462, Events line 9766, Actions line 10070.

97. Complete_Objective 3 - 08E495DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.1_Detect_Full Power (0BDE024C).

Attached scope: tag definitions 08E494FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3 Complete.” (MISSION:Obj3Comp).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9463, Events line 9767, Actions line 10071.

98. Hint_Capture Power - 0970A63C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_10 Eng Audio (077B395C).

Attached scope: tag definitions 0970A55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Hint: Capture Power Plants with Engineers” (MISSION:HintPowr).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9464, Events line 9768, Actions line 10072.

99. Reinforce_10 Eng Audio - 077B395C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_10 Engineers (06AF616C).

Attached scope: tag definitions 077B387C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Engineers have arrived near the Time Machine” (MISSION:MoreEngn).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for Hint_Capture Power (0970A63C).
4. Create radar-event marker type 2 at waypoint 114 (cell 130, 101).
5. Jump the camera to waypoint 114 (cell 130, 101).
6. Reveal terrain around waypoint 114 (cell 130, 101).
7. Reveal terrain around waypoint 437 (cell 137, 110).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9465, Events line 9769, Actions line 10073.

100. SP3.5_Enable_TimeEffect - 0BDE287C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.2_Audio_EnoughPower (0951864C).

Attached scope: tag definitions 0BDE279C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Animation_Time Effect (0951A8BC).
2. Enable and reset applicable timers for SP3.5a_Evict Occupiers (0E626A2C).
3. Teleport the trigger owner's supported objects toward waypoint 15 (cell 51, 91).
4. Enable and reset applicable timers for Give_Back to Allies (09601D2C).
5. Disable Time Machine Russian (079D7E1C).
6. Enable and reset applicable timers for SP3.6_Move_2 Jurassic (0952ED0C).
7. Enable and reset applicable timers for SP3.7a_Camera Move 2 BQ (0999579C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9466, Events line 9770, Actions line 10074.

101. SP3.3_Setup_Part II - 0951740C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.2_Audio_EnoughPower (0951864C).

Attached scope: tag definitions 095171AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP3.4_TimeMachine II (0952C96C).
2. Reveal terrain around waypoint 68 (cell 182, 138).
3. Reveal terrain around waypoint 502 (cell 174, 136).
4. Reveal terrain around waypoint 503 (cell 164, 129).
5. Teleport the trigger owner's supported objects toward waypoint 478 (cell 43, 86).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9467, Events line 9771, Actions line 10075.

102. SP3.2a_Camera_Jump 2 BK - 0BDE0ADC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.2_Audio_EnoughPower (0951864C).

Attached scope: tag definitions 0BDE089C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 62 (cell 147, 99).
2. Play sound CameraSwitch.
3. Disable player input.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9468, Events line 9772, Actions line 10076.

103. Reinforce_6 Engineers - 06A25F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Engineers Dead (0DD0203C).

Attached scope: tag definitions 06A48D5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_6 Engineers (06A25F3C).
2. Supply reinforcement team TM_Sov_6 Engineers (093D0EFC).
3. Enable and reset applicable timers for Reinforce_6 Eng Audio (09FF490C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9469, Events line 9773, Actions line 10077.

104. Animation_Time Effect - 0951A8BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.5_Enable_TimeEffect (0BDE287C); enable from SP4.4_Enable_TimeEffect (0BDCDD0C).

Attached scope: tag definitions 0951A67C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Animation_Time Effect (0951A8BC).
2. Chrono Screen Effect for; main setting 40.
3. Black out the trigger owner's radar for 60 configured frames.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9470, Events line 9774, Actions line 10078.

105. SP3.5a_Evict Occupiers - 0E626A2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.5_Enable_TimeEffect (0BDE287C).

Attached scope: Office Building (CATEXS07), owner Neutral, cell (105, 105), tag 043E010C, persistence mode 2; Building (CANEWY18), owner Neutral, cell (105, 64), tag 043E010C, persistence mode 2; Building (CANEWY12), owner Neutral, cell (96, 133), tag 043E010C, persistence mode 2; Building (CAPARS04), owner Neutral, cell (97, 141), tag 043E010C, persistence mode 2; McBurger Kong (CAMSC10), owner Neutral, cell (97, 89), tag 043E010C, persistence mode 2; Warehouse (CANEWY21), owner Neutral, cell (90, 64), tag 043E010C, persistence mode 2; Building (CASTL02), owner Neutral, cell (122, 115), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (120, 104), tag 043E010C, persistence mode 2; Building (CAPARS06), owner Neutral, cell (120, 107), tag 043E010C, persistence mode 2; House (CAHSE07), owner Neutral, cell (124, 96), tag 043E010C, persistence mode 2; Building (CARUS06), owner Neutral, cell (124, 89), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (116, 96), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (122, 112), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (108, 122), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (120, 92), tag 043E010C, persistence mode 2; Office Building (CATEXS07), owner Neutral, cell (116, 75), tag 043E010C, persistence mode 2; Building (CANEWY12), owner Neutral, cell (107, 133), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (125, 121), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (105, 96), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (105, 93), tag 043E010C, persistence mode 2; Building (CASTL02), owner Neutral, cell (103, 89), tag 043E010C, persistence mode 2; Building (CACHIG01), owner Neutral, cell (104, 81), tag 043E010C, persistence mode 2; Gas Station (CAGAS01), owner Neutral, cell (99, 97), tag 043E010C, persistence mode 2; Building (CAPARS04), owner Neutral, cell (100, 74), tag 043E010C, persistence mode 2; Building (CAWASH07), owner Neutral, cell (97, 128), tag 043E010C, persistence mode 2; Building (CAWASH05), owner Neutral, cell (101, 128), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (118, 96), tag 043E010C, persistence mode 2; Office Building (CATEXS08), owner Neutral, cell (93, 81), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (99, 122), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (97, 122), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (101, 122), tag 043E010C, persistence mode 2; Hotel (CAMIAM03), owner Neutral, cell (70, 84), tag 043E010C, persistence mode 2; Building (CANEWY11), owner Neutral, cell (75, 82), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (80, 89), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (84, 89), tag 043E010C, persistence mode 2; Building (CAPARS14), owner Neutral, cell (72, 115), tag 043E010C, persistence mode 2; Building (CAWASH03), owner Neutral, cell (103, 113), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (96, 137), tag 043E010C, persistence mode 2; Building (CAWASH05), owner Neutral, cell (99, 104), tag 043E010C, persistence mode 2; Building (CACHIG02), owner Neutral, cell (107, 128), tag 043E010C, persistence mode 2; Building (CASANF02), owner Neutral, cell (84, 122), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (87, 122), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (89, 122), tag 043E010C, persistence mode 2; Building (CASANF02), owner Neutral, cell (91, 122), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (103, 122), tag 043E010C, persistence mode 2; Building (CASANF02), owner Neutral, cell (110, 122), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (120, 96), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (82, 89), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (123, 121), tag 043E010C, persistence mode 2; Building (CASANF01), owner Neutral, cell (121, 121), tag 043E010C, persistence mode 2; Building (CACHIG01), owner Neutral, cell (111, 128), tag 043E010C, persistence mode 2; Gas Station (CAGAS01), owner Neutral, cell (111, 107), tag 043E010C, persistence mode 2; Office Building (CATEXS08), owner Neutral, cell (115, 90), tag 043E010C, persistence mode 2; Building (CASANF03), owner Neutral, cell (126, 107), tag 043E010C, persistence mode 2; Communications Center (CATECH01), owner Neutral, cell (137, 90), tag 043E010C, persistence mode 2; Building (CACHIG01), owner Neutral, cell (101, 81), tag 043E010C, persistence mode 2; Building (CACHIG01), owner Neutral, cell (98, 81), tag 043E010C, persistence mode 2; Outhouse (CAFRMB), owner Neutral, cell (119, 85), tag 043E010C, persistence mode 2; Building (CACHIG03), owner Neutral, cell (91, 103), tag 043E010C, persistence mode 2; Building (CACHIG03), owner Neutral, cell (91, 106), tag 043E010C, persistence mode 2; Building (CASTL01), owner Neutral, cell (78, 79), tag 043E010C, persistence mode 2; Office Building (CATEXS07), owner Neutral, cell (94, 72), tag 043E010C, persistence mode 2.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Disable SP3.5a_Evict Occupiers (0E626A2C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9471, Events line 9775, Actions line 10079.

106. SP3.6_Move_2 Jurassic - 0952ED0C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.5_Enable_TimeEffect (0BDE287C).

Attached scope: tag definitions 0952EC2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 4, parameter 2: 104, parameter 3: 54, parameter 4: 33.
2. Jump the camera to waypoint 50 (cell 158, 124).
3. Enable and reset applicable timers for SP3.7_Movie_ZofiaDino (0952E0FC).
4. Destroy all Land Units of: owner selector 0 (country/type AMERICANS; placed owner Americans).
5. Destroy all Land Units of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
6. Destroy all Land Units of: owner selector 11 (country/type NOD; placed owner Nod).
7. Teleport the trigger owner's supported objects toward waypoint 68 (cell 182, 138).
8. Enable and reset applicable timers for SP3.6a_Close Out SF (0C4A628C).
9. Destroy all Land Units of: owner selector 6 (country/type ARABS; placed owner Arabs).
10. Destroy all Naval Units of: owner selector 6 (country/type ARABS; placed owner Arabs).
11. Enable and reset applicable timers for Detect_All Sov Dead (097154CC).
12. Enable and reset applicable timers for Give_TimeTroops2Player (05BF138C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9472, Events line 9776, Actions line 10080.

107. SP3.7a_Camera Move 2 BQ - 0999579C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.5_Enable_TimeEffect (0BDE287C).

Attached scope: tag definitions 099956BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 16 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 68 (cell 182, 138) with speed setting 1.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9473, Events line 9777, Actions line 10081.

108. SP3.4_TimeMachine II - 0952C96C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.3_Setup_Part II (0951740C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable SP3.4_TimeMachine II (0952C96C).
2. Change House: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9474, Events line 9778, Actions line 10082.

109. Reinforce_6 Eng Audio - 09FF490C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reinforce_6 Engineers (06A25F3C).

Attached scope: tag definitions 09FF482C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_6 Eng Audio (09FF490C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 2 at waypoint 114 (cell 130, 101).
4. Display message “Engineers have arrived near the Time Machine” (MISSION:MoreEngn).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9475, Events line 9779, Actions line 10083.

110. SP3.7_Movie_ZofiaDino - 0952E0FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6_Move_2 Jurassic (0952ED0C).

Attached scope: tag definitions 0952FDAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 24 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 35.
2. Enable and reset applicable timers for SP3.8_Timer_Recharge (0952F87C).
3. Disable player input.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9476, Events line 9780, Actions line 10084.

111. SP3.6a_Close Out SF - 0C4A628C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6_Move_2 Jurassic (0952ED0C).

Attached scope: tag definitions 0C4A61AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Audio_Don't Attack Time (06C0F45C).
2. Disable Audio_Don't Attack Yuri (0439013C).
3. Disable Audio_Time Machine Off (094A4ADC).
4. Disable Detect_Engineers Dead (0DD0203C).
5. Disable Detect_Plant1 Destroyed (06B369EC).
6. Disable Detect_Plant2 Destroyed (06B3647C).
7. Disable Detect_Plant3 Destroyed (06B3664C).
8. Disable Detect_Plant4 Destroyed (06B3681C).
9. Disable Detect_Plant5 Destroyed (06B37D6C).
10. Disable Detect_Plant6 Destroyed (06B37F3C).
11. Disable Detect_Power Attacked (0951918C).
12. Disable Detect_Tech Power 1 (0951972C).
13. Disable Detect_< 4 Power (06B6156C).
14. Enable and reset applicable timers for SP3.6b_Remove_Dominator (0961762C).
15. Enable and reset applicable timers for SP3.6d_House 2 Allies (0441BAAC).

16. Enable and reset applicable timers for SP3.6e_Close Out SF 2 (0C57BA6C).
17. Disable Detect_Dominator Active (0971599C).
18. Enable and reset applicable timers for SP3.6aa_Close Out SF (07FA53DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9477, Events line 9781, Actions line 10085.

112. Detect_All Sov Dead - 097154CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6_Move_2 Jurassic (0952ED0C).

Attached scope: tag definitions 097153EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Display message “All Soviet forces lost” (MISSION:LostAll).
2. Enable and reset applicable timers for _End_Lose (06B602BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9478, Events line 9782, Actions line 10086.

113. Give_TimeTroops2Player - 05BF138C

Owner reference: Soviet2 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6_Move_2 Jurassic (0952ED0C).

Attached scope: Rhino Heavy Tank (HTNK), owner Soviet2House, cell (186, 136), tag 05BF034C, persistence mode 2; Rhino Heavy Tank (HTNK), owner Soviet2House, cell (186, 134), tag 05BF034C, persistence mode 2; Rhino Heavy Tank (HTNK), owner Soviet2House, cell (188, 136), tag 05BF034C, persistence mode 2; Rhino Heavy Tank (HTNK), owner Soviet2House, cell (186, 142), tag 05BF034C, persistence mode 2; Rhino Heavy Tank (HTNK), owner Soviet2House, cell (186, 140), tag 05BF034C, persistence mode 2; Rhino Heavy Tank (HTNK), owner Soviet2House, cell (188, 140), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (187, 142), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (185, 141), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (187, 135), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (186, 135), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (185, 135), tag 05BF034C, persistence mode 2; Conscript (E2), owner Soviet2House, cell (186, 141), tag 05BF034C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Give_TimeTroops2Player (05BF138C).
2. Change House: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9479, Events line 9783, Actions line 10087.

114. SP3.8_Timer_Recharge - 0952F87C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.7_Movie_ZofiaDino (0952E0FC).

Attached scope: tag definitions 0952F79C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 62 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set the mission timer to 120 configured time units.
2. Start the visible mission timer.
3. Use countdown label “Time Machine Recharged in:” (MISSION:TmeTimer).
4. Enable and reset applicable timers for SP4.1_Detect_Timer Exp (0BDE333C).
5. Enable and reset applicable timers for SP3.9_Reinforce_Dino1 (0B554AFC).
6. Display message “Objective: Defend the Time Machine until it can be reactivated.” (MISSION:Sov1Obj5).
7. Enable and reset applicable timers for Text_Objective 3a (043E763C).
8. Enable player input.

9. Play voice notification EVA_BattlefieldControlOnline.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9480, Events line 9784, Actions line 10088.

115. Detect_Engineers Dead - 0DD0203C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DD105AC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_6 Engineers (06A25F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9481, Events line 9785, Actions line 10089.

116. Detect_Plant1 Destroyed - 06B369EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B3690C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRA exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9482, Events line 9786, Actions line 10090.

117. Detect_Plant2 Destroyed - 06B3647C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B360DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRB exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9483, Events line 9787, Actions line 10091.

118. Detect_Plant3 Destroyed - 06B3664C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B3656C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRC exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9484, Events line 9788, Actions line 10092.

119. Detect_Plant4 Destroyed - 06B3681C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B3673C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRD exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9485, Events line 9789, Actions line 10093.

120. Detect_Plant5 Destroyed - 06B37D6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B37C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRE exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9486, Events line 9790, Actions line 10094.

121. Detect_Plant6 Destroyed - 06B37F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B37E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of GAPOWRF exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_1 PP Gone False (06B8E14C).
2. Enable and reset applicable timers for Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9487, Events line 9791, Actions line 10095.

122. Detect_Power Attacked - 0951918C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Change_Power 2 Allies (0C46AB3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by (house): owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Disable Detect_Power Attacked (0951918C).
2. Play voice notification Mis_xS1_ZofiaDoNotKillPower.
3. Display message “WARNING - Critical structure. Do not destroy!!!” (MISSION:WarnStct).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9488, Events line 9792, Actions line 10096.

123. Detect_Tech Power 1 - 0951972C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 369 (global list position: Spotlight (CAURB03)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9489, Events line 9793, Actions line 10097.

124. Detect_< 4 Power - 06B6156C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_3 PP Gone False (06B8F9CC).

Attached scope: tag definitions 06B6148C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaNoPowerLeft.
2. Enable and reset applicable timers for _End_Lose (06B602BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9490, Events line 9794, Actions line 10098.

125. SP3.6b_Remove_Dominator - 0961762C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6a_Close Out SF (0C4A628C).

Attached scope: Psychic Dominator (YAPPET), owner Arabs, cell (18, 48), tag 0C479C7C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Enable and reset applicable timers for SP3.6c_Psy Dom 2 Dead (0C47F71C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9491, Events line 9795, Actions line 10099.

126. SP3.6d_House 2 Allies - 0441BAAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6a_Close Out SF (0C4A628C).

Attached scope: tag definitions 0975F31C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9492, Events line 9796, Actions line 10100.

127. SP3.6e_Close Out SF 2 - 0C57BA6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6a_Close Out SF (0C4A628C).

Attached scope: tag definitions 0C57B98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Atk Group 1 (043DF33C).
2. Disable Reinforce_Atk Group 2 (06A6629C).
3. Disable Reinforce_Cap Delay (06A6663C).
4. Disable Reinforce_Cap Group 1 (0B454BBC).
5. Disable Reinforce_Cap Group 2 (06A6646C).
6. Disable Create_Gas Atk Trans (06A672DC).
7. Disable Create_Gas Cap Trans (06A68F3C).
8. Disable Create_Grand Atk Trans (06A6680C).
9. Disable Create_Grand Cap Trans (06A67A6C).
10. Disable Create_NTime Atk Trans (06A674AC).

11. Disable Create_NTime Cap Trans (06A6710C).
12. Disable Create_Park Atk Trans (06A66BAC).
13. Disable Create_Park Cap Trans (06A660CC).
14. Disable Create_Statue Atk Trans (06A669DC).
15. Disable Create_Statue Cap Trans (06A67E5C).
16. Disable Create_STime Atk Trans (06A6767C).
17. Disable Create_STime Cap Trans (0B44E12C).
18. Enable and reset applicable timers for SP3.6f_Take Hospital (06B5FB2C).
19. Enable and reset applicable timers for SP3.6h_Clean up SF (096879AC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9493, Events line 9797, Actions line 10101.

128. Detect_Dominator Active - 0971599C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097158BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Power Full: owner selector 6 (country/type ARABS; placed owner Arabs).

Then perform these actions in order:

1. Play sound AirRaidSiren.
2. Display message “The Psychic Dominator is now armed!!!” (MISSION:DomArmed).
3. Play voice notification EVA_PsychicDominatorDetected.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9494, Events line 9798, Actions line 10102.

129. SP3.6aa_Close Out SF - 07FA53DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6a_Close Out SF (0C4A628C).

Attached scope: tag definitions 07FA52FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Detect_Backup 1 Unload (0B603E5C).
2. Destroy current instances of Detect_Backup 2 Unload (0B60744C).
3. Destroy current instances of Reinforce_6 Engineers (06A25F3C).
4. Destroy current instances of Reinforce_6 Eng Audio (09FF490C).
5. Destroy current instances of Reinforce_Backup Cons (082C467C).
6. Destroy current instances of Reinforce_Backup Rhinos (082C44AC).
7. Destroy current instances of Detect_Engineers Dead (0DD0203C).
8. Destroy current instances of Detect_Lost 1st Tanks (082C3CEC).
9. Destroy current instances of Detect_Dead Conscripts (082C79BC).
10. Destroy current instances of Detect_Dead Rhinos (082C77EC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9495, Events line 9799, Actions line 10103.

130. SP4.1_Detect_Timer Exp - 0BDE333C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.8_Timer_Recharge (0952F87C).

Attached scope: tag definitions 0BDE0C9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The visible mission countdown has expired.

Then perform these actions in order:

1. Enable and reset applicable timers for SP4.2_Audio_Time Ready (0BDE064C).
2. Disable SP3.9_Reinforce_Dino1 (0B554AFC).
3. Disable SP3.10_Reinforce_Dino2 (0B557E6C).
4. Disable Text_Objective 3a (043E763C).
5. Enable and reset applicable timers for Text_Objective Complete (07EF43CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9496, Events line 9800, Actions line 10104.

131. SP3.9_Reinforce_Dino1 - 0B554AFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.8_Timer_Recharge (0952F87C); enable from SP3.10_Reinforce_Dino2 (0B557E6C).

Attached scope: tag definitions 0B5563BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 10 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Disable SP3.9_Reinforce_Dino1 (0B554AFC).
2. Supply reinforcement team TM_Jurassic_TRex @ BR (0BB6F1DC).
3. Enable and reset applicable timers for SP3.10_Reinforce_Dino2 (0B557E6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9497, Events line 9801, Actions line 10105.

132. Text_Objective 3a - 043E763C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.8_Timer_Recharge (0952F87C).

Attached scope: tag definitions 043E755C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Defend the Time Machine until it can be reactivated.” (MISSION:Sov1Obj5).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9498, Events line 9802, Actions line 10106.

133. Detect_1 PP Gone False - 06B8E14C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Plant1 Destroyed (06B369EC); enable from Detect_Plant2 Destroyed (06B3647C); enable from Detect_Plant3 Destroyed (06B3664C); enable from Detect_Plant4 Destroyed (06B3681C); enable from Detect_Plant5 Destroyed (06B37D6C); enable from Detect_Plant6 Destroyed (06B37F3C).

Attached scope: tag definitions 06B9006C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 40 (1 PP Gone) is set.

Flag writers in this mission: set local flag 40 (1 PP Gone) at Detect_1 PP Gone True (06B8E31C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_1 PP Gone True (06B8E31C).
2. Disable Detect_1 PP Gone False (06B8E14C).
3. Enable and reset applicable timers for Detect_2 PP Gone True (06B8FF3C).
4. Enable and reset applicable timers for Detect_2 PP Gone False (06B8FD6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9499, Events line 9803, Actions line 10107.

134. Detect_1 PP Gone True - 06B8E31C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Plant1 Destroyed (06B369EC); enable from Detect_Plant2 Destroyed (06B3647C); enable from Detect_Plant3 Destroyed (06B3664C); enable from Detect_Plant4 Destroyed (06B3681C); enable from Detect_Plant5 Destroyed (06B37D6C); enable from Detect_Plant6 Destroyed (06B37F3C).

Attached scope: tag definitions 06B9051C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 40 (1 PP Gone) is clear.

Flag writers in this mission: set local flag 40 (1 PP Gone) at Detect_1 PP Gone True (06B8E31C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_1 PP Gone False (06B8E14C).
2. Set local flag 40 (1 PP Gone).
3. Disable Detect_1 PP Gone True (06B8E31C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9500, Events line 9804, Actions line 10108.

135. Change_Power 2 Allies - 0C46AB3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4_Enable_TimeEffect (0BDCDD0C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Change_Power 2 Allies (0C46AB3C).
2. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9501, Events line 9805, Actions line 10109.

136. Disable_All Tech Checks - 0442C90C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Tech Power 1 (0951972C); enable from Detect_Tech Power A (0442A5EC); enable from Detect_Tech Power B (0442A4FC); enable from Detect_Tech Power C (0442A40C); enable from Detect_Tech Power D (0442A31C); enable from Detect_Tech Power E (0442A22C); enable from Detect_Tech Power F (0442A13C).

Attached scope: tag definitions 0442C82C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Detect_Tech Power 1 (0951972C).
2. Disable Detect_Tech Power A (0442A5EC).
3. Disable Detect_Tech Power B (0442A4FC).
4. Disable Detect_Tech Power C (0442A40C).
5. Disable Detect_Tech Power D (0442A31C).
6. Disable Detect_Tech Power E (0442A22C).
7. Disable Detect_Tech Power F (0442A13C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9502, Events line 9806, Actions line 10110.

137. Audio_Yuri Almost Power - 04429F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Tech Power 1 (0951972C); enable from Detect_Tech Power A (0442A5EC); enable from Detect_Tech Power B (0442A4FC); enable from Detect_Tech Power C (0442A40C); enable from Detect_Tech Power D (0442A31C); enable from Detect_Tech Power E (0442A22C); enable from Detect_Tech Power F (0442A13C).

Attached scope: tag definitions 04429E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaYuriAlmostPowered.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9503, Events line 9807, Actions line 10111.

138. SP3.6c_Psy Dom 2 Dead - 0C47F71C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6b_Remove_Dominator (0961762C).

Attached scope: Psychic Dominator (YAPPPT), owner YuriCountry, cell (39, 69), tag 0C47FB1C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for _End_Win (06B600EC).
2. Disable Text_Objective 4b (043E7D0C).
3. Enable and reset applicable timers for Complete_Objective 4 (08E497AC).
4. Make side cheer: owner selector 8 (country/type RUSSIANS; placed owner Russians).
5. Jump the camera to waypoint 144 (cell 40, 70).
6. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9504, Events line 9808, Actions line 10112.

139. Create_Gas Atk Trans - 06A672DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_GasAtk_Unloaded (0C123B9C).

Attached scope: tag definitions 06A671FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 30 (Gas Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 30 (Gas Atk_Unloaded) at Clear_GasAtk_Unloaded (0C123B9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Gas Trans Unloaded (0BB936AC).
2. Disable Create_Gas Atk Trans (06A672DC).
3. Enable and reset applicable timers for Clear_GasAtk_Unloaded (0C123B9C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9505, Events line 9809, Actions line 10113.

140. Create_Gas Cap Trans - 06A68F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_GasCap_Unloaded (0C123D6C).

Attached scope: tag definitions 06A68E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 36 (Gas Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 36 (Gas Cap_Unloaded) at Clear_GasCap_Unloaded (0C123D6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_Gas Trans Unloaded (0BB91C8C).
2. Disable Create_Gas Cap Trans (06A68F3C).
3. Enable and reset applicable timers for Clear_GasCap_Unloaded (0C123D6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9506, Events line 9810, Actions line 10114.

141. Create_Grand Atk Trans - 06A6680C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_GrandAtk_Unloaded (0C122A1C).

Attached scope: tag definitions 06A6672C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 27 (Grand Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 27 (Grand Atk_Unloaded) at Clear_GrandAtk_Unloaded (0C122A1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Grand Trans Unloaded (0BB9441C).
2. Disable Create_Grand Atk Trans (06A6680C).
3. Enable and reset applicable timers for Clear_GrandAtk_Unloaded (0C122A1C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9507, Events line 9811, Actions line 10115.

142. Create_Grand Cap Trans - 06A67A6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_GrandCap_Unloaded (0C122E5C).

Attached scope: tag definitions 06A6798C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 36 (Gas Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 36 (Gas Cap_Unloaded) at Clear_GasCap_Unloaded (0C123D6C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_Grand Trans Unloaded (0BB92A1C).
2. Disable Create_Grand Cap Trans (06A67A6C).
3. Enable and reset applicable timers for Clear_GrandCap_Unloaded (0C122E5C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9508, Events line 9812, Actions line 10116.

143. Create_NTime Atk Trans - 06A674AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_NTimeAtk_Unloaded (0BE602DC).

Attached scope: tag definitions 06A673CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 31 (NTime Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 31 (NTime Atk_Unloaded) at Clear_NTimeAtk_Unloaded (0BE602DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_NTime Trans Unloaded (0BB9330C).
2. Disable Create_NTime Atk Trans (06A674AC).
3. Enable and reset applicable timers for Clear_NTimeAtk_Unloaded (0BE602DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9509, Events line 9813, Actions line 10117.

144. Create_NTime Cap Trans - 06A6710C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_NTimeCap_Unloaded (0C123F3C).

Attached scope: tag definitions 0B44E21C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 37 (NTime Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 37 (NTime Cap_Unloaded) at Clear_NTimeCap_Unloaded (0C123F3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_NTime Trans Unloaded (0BB918EC).
2. Disable Create_NTime Cap Trans (06A6710C).
3. Enable and reset applicable timers for Clear_NTimeCap_Unloaded (0C123F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9510, Events line 9814, Actions line 10118.

145. Create_Park Atk Trans - 06A66BAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_ParkAtk_Unloaded (0C1237FC).

Attached scope: tag definitions 06A66ACC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 29 (Park Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 29 (Park Atk_Unloaded) at Clear_ParkAtk_Unloaded (0C1237FC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Park Trans Unloaded (0BB93A4C).
2. Disable Create_Park Atk Trans (06A66BAC).
3. Enable and reset applicable timers for Clear_ParkAtk_Unloaded (0C1237FC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9511, Events line 9815, Actions line 10119.

146. Create_Park Cap Trans - 06A660CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_ParkCap_Unloaded (0C1239CC).

Attached scope: tag definitions 06A67F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 35 (Park Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 35 (Park Cap_Unloaded) at Clear_ParkCap_Unloaded (0C1239CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_Park Trans Unloaded (0BB921CC).
2. Disable Create_Park Cap Trans (06A660CC).
3. Enable and reset applicable timers for Clear_ParkCap_Unloaded (0C1239CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9512, Events line 9816, Actions line 10120.

147. Create_Statue Atk Trans - 06A669DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_StatueAtk_Unloade (0C12345C).

Attached scope: tag definitions 06A668FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 28 (Statue Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 28 (Statue Atk_Unloaded) at Clear_StatueAtk_Unloade (0C12345C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Statue Trans Unloaded (0BB93DEC).

2. Disable Create_Statue Atk Trans (06A669DC).
3. Enable and reset applicable timers for Clear_StatueAtk_Unloade (0C12345C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9513, Events line 9817, Actions line 10121.

148. Create_Statue Cap Trans - 06A67E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_StatueCap_Unloade (0C12362C).

Attached scope: tag definitions 06A67B5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 34 (Statue Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 34 (Statue Cap_Unloaded) at Clear_StatueCap_Unloade (0C12362C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_Statue Trans Unloaded (0BB9256C).
2. Disable Create_Statue Cap Trans (06A67E5C).
3. Enable and reset applicable timers for Clear_StatueCap_Unloade (0C12362C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9514, Events line 9818, Actions line 10122.

149. Create_STime Atk Trans - 06A6767C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_STimeAtk_Unloaded (0C12423C).

Attached scope: tag definitions 06A6759C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 32 (STime Atk_Unloaded) is set.

Flag writers in this mission: clear local flag 32 (STime Atk_Unloaded) at Clear_STimeAtk_Unloaded (0C12423C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_STime Trans Unloaded (0BB931DC).
2. Disable Create_STime Atk Trans (06A6767C).
3. Enable and reset applicable timers for Clear_STimeAtk_Unloaded (0C12423C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9515, Events line 9819, Actions line 10123.

150. Create_STime Cap Trans - 0B44E12C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Clear_STimeCap_Unloaded (0C12440C).

Attached scope: tag definitions 0B454CAC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 38 (STime Cap_Unloaded) is set.

Flag writers in this mission: clear local flag 38 (STime Cap_Unloaded) at Clear_STimeCap_Unloaded (0C12440C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Arab_STime Trans Unloaded (0BB9154C).
2. Disable Create_STime Cap Trans (0B44E12C).
3. Enable and reset applicable timers for Clear_STimeCap_Unloaded (0C12440C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9516, Events line 9820, Actions line 10124.

151. SP3.6f_Take Hospital - 06B5FB2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Audio_Intro Hospital (07837A2C).

Incoming activation links: enable from SP3.6e_Close Out SF 2 (0C57BA6C).

Attached scope: Civilian Hospital (CATHOSP), owner Alliance, cell (90, 96), tag 0783794C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable SP3.6f_Take Hospital (06B5FB2C).
2. Enable and reset applicable timers for SP3.6g_Take Mach Shop (06B5F54C).
3. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9517, Events line 9821, Actions line 10125.

152. SP3.6h_Clean up SF - 096879AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6e_Close Out SF 2 (0C57BA6C).

Attached scope: tag definitions 0968345C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all Land Units of: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Destroy all Naval Units of: owner selector 6 (country/type ARABS; placed owner Arabs).
3. Destroy all Land Units of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
4. Destroy all Naval Units of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
5. Destroy all of: owner selector 6 (country/type ARABS; placed owner Arabs).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9518, Events line 9822, Actions line 10126.

153. Detect_Backup 1 Unload - 0B603E5C

Owner reference: Soviet2 Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B603D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 43 (Player Reinforce 1) is set.

Flag writers in this mission: clear local flag 43 (Player Reinforce 1) at Detect_Backup 1 Unload (0B603E5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 43 (Player Reinforce 1).
2. Create/recruit team TM_Sov2_Re_4 Rhino (07EC346C).
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Display message “More of our troops have arrived on the beach” (MISSION:MoreTrps).
5. Create radar-event marker type 2 at waypoint 56 (cell 79, 74).
6. Disable Detect_Trans(Rhino)Dead (0959CAFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9519, Events line 9823, Actions line 10127.

154. Detect_Backup 2 Unload - 0B60744C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B603F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 44 (Player Reinforce 2) is set.

Flag writers in this mission: clear local flag 44 (Player Reinforce 2) at Detect_Backup 2 Unload (0B60744C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 44 (Player Reinforce 2).
2. Create/recruit team TM_Sov2_Re_12 Conscript (07EC467C).
3. Play voice notification EVA_ReinforcementsHaveArrived.
4. Display message “More of our troops have arrived on the beach” (MISSION:MoreTrps).
5. Create radar-event marker type 2 at waypoint 55 (cell 78, 79).
6. Disable Detect_Trans (Con) Dead (0959C92C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9520, Events line 9824, Actions line 10128.

155. Reinforce_Backup Cons - 082C467C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dead Conscripts (082C79BC); enable from Detect_Trans (Con) Dead (0959C92C).

Attached scope: tag definitions 082C459C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Backup Cons (082C467C).
2. Supply reinforcement team TM_Sov2_1 Trans 12 Conscript (0999AEFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9521, Events line 9825, Actions line 10129.

156. Reinforce_Backup Rhinos - 082C44AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dead Rhinos (082C77EC); enable from Detect_Trans(Rhino)Dead (0959CAFC).

Attached scope: tag definitions 082C43CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Reinforce_Backup Rhinos (082C44AC).
2. Supply reinforcement team TM_Sov2_1 Trans 4 Rhino (0999948C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9522, Events line 9826, Actions line 10130.

157. Detect_Lost 1st Tanks - 082C3CEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082C34CC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov2_1 Trans 12 Conscript (0999AEFC).
2. Supply reinforcement team TM_Sov2_1 Trans 4 Rhino (0999948C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9523, Events line 9827, Actions line 10131.

158. Detect_Dead Conscripts - 082C79BC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082C78DC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_Backup Cons (082C467C).
2. Enable and reset applicable timers for Detect_Trans (Con) Dead (0959C92C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9524, Events line 9828, Actions line 10132.

159. Detect_Dead Rhinos - 082C77EC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082C770C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_Backup Rhinos (082C44AC).
2. Enable and reset applicable timers for Detect_Trans(Rhino)Dead (0959CAFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9525, Events line 9829, Actions line 10133.

160. SP4.2_Audio_Time Ready - 0BDE064C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.1_Detect_Timer Exp (0BDE333C).

Attached scope: tag definitions 0BDE056C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaTimeMachineReady.
2. Enable and reset applicable timers for SP4.3_Camera_Jump to BQ (0BDC985C).
3. Enable and reset applicable timers for SP4.2a_Detect_BorisDead (0439E3FC).
4. Enable and reset applicable timers for SP4.2c_Detect_BorisLive (097651DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9526, Events line 9830, Actions line 10134.

161. SP3.10_Reinforce_Dino2 - 0B557E6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.9_Reinforce_Dino1 (0B554AFC).

Attached scope: tag definitions 0B557D8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 10 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Disable SP3.10_Reinforce_Dino2 (0B557E6C).
2. Supply reinforcement team TM_Jurassic_TRex @ BS (095F399C).
3. Enable and reset applicable timers for SP3.9_Reinforce_Dino1 (0B554AFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9527, Events line 9831, Actions line 10135.

162. Text_Objective Complete - 07EF43CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.1_Detect_Timer Exp (0BDE333C); enable from Audio_Sov Base Gained (0962D87C).

Attached scope: tag definitions 07EF42EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Text_Objective Complete (07EF43CC).
2. Display message “Objective Complete” (MISSION:ObjCompleteSov04md).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9528, Events line 9832, Actions line 10136.

163. Detect_2 PP Gone True - 06B8FF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_1 PP Gone False (06B8E14C).

Attached scope: tag definitions 06B917DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 41 (2 PP Gone) is clear.

Flag writers in this mission: set local flag 41 (2 PP Gone) at Detect_2 PP Gone True (06B8FF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_2 PP Gone False (06B8FD6C).
2. Set local flag 41 (2 PP Gone).
3. Disable Detect_2 PP Gone True (06B8FF3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9529, Events line 9833, Actions line 10137.

164. Detect_2 PP Gone False - 06B8FD6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_1 PP Gone False (06B8E14C).

Attached scope: tag definitions 06B9160C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 41 (2 PP Gone) is set.

Flag writers in this mission: set local flag 41 (2 PP Gone) at Detect_2 PP Gone True (06B8FF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_2 PP Gone True (06B8FF3C).
2. Disable Detect_2 PP Gone False (06B8FD6C).
3. Enable and reset applicable timers for Detect_3 PP Gone True (06B8FB9C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9530, Events line 9834, Actions line 10138.

165. Detect_Tech Power A - 0442A5EC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power 1 (0951972C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 402 (global list position: US Flag (CALUNR02)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9531, Events line 9835, Actions line 10139.

166. Detect_Tech Power B - 0442A4FC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power A (0442A5EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 403. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9532, Events line 9836, Actions line 10140.

167. Detect_Tech Power C - 0442A40C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power B (0442A4FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 404. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9533, Events line 9837, Actions line 10141.

168. Detect_Tech Power D - 0442A31C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power C (0442A40C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 405. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9534, Events line 9838, Actions line 10142.

169. Detect_Tech Power E - 0442A22C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power D (0442A31C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building exists: type index 406. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).
2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9535, Events line 9839, Actions line 10143.

170. Detect_Tech Power F - 0442A13C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Tech Power E (0442A22C).

Attached scope: tag definitions 0951964C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 407. A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Disable_All Tech Checks (0442C90C).

2. Enable and reset applicable timers for Audio_Yuri Almost Power (04429F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9536, Events line 9840, Actions line 10144.

171. _End_Win - 06B600EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6c_Psy Dom 2 Dead (0C47F71C).

Attached scope: tag definitions 06B61F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9537, Events line 9841, Actions line 10145.

172. Text_Objective 4b - 043E7D0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text/Ping_Obj7 Easy (07A255BC); enable from Text/Ping_Obj7 Med (043EC4DC); enable from Text/Ping_Obj7 Hard (07A256AC).

Attached scope: tag definitions 043E7C2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy the Psychic Dominator.” (MISSION:Sov1Obj7).
2. Create radar-event marker type 12 at waypoint 144 (cell 40, 70).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9538, Events line 9842, Actions line 10146.

173. Complete_Objective 4 - 08E497AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6c_Psy Dom 2 Dead (0C47F71C).

Attached scope: tag definitions 08E496CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4 Complete.” (MISSION:Obj4Comp).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9539, Events line 9843, Actions line 10147.

174. Clear_GasAtk_Unloaded - 0C123B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Gas Atk Trans (06A672DC).

Attached scope: tag definitions 0C123ABC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_GasAtk_Unloaded (0C123B9C).
2. Clear local flag 30 (Gas Atk_Unloaded).
3. Enable and reset applicable timers for Create_Gas Atk Trans (06A672DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9540, Events line 9844, Actions line 10148.

175. Clear_GasCap_Unloaded - 0C123D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Gas Cap Trans (06A68F3C).

Attached scope: tag definitions 0C123C8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_GasCap_Unloaded (0C123D6C).
2. Clear local flag 36 (Gas Cap_Unloaded).
3. Enable and reset applicable timers for Create_Gas Cap Trans (06A68F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9541, Events line 9845, Actions line 10149.

176. Clear_GrandAtk_Unloaded - 0C122A1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Grand Atk Trans (06A6680C).

Attached scope: tag definitions 0C12293C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_GrandAtk_Unloaded (0C122A1C).
2. Clear local flag 27 (Grand Atk_Unloaded).
3. Enable and reset applicable timers for Create_Grand Atk Trans (06A6680C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9542, Events line 9846, Actions line 10150.

177. Clear_GrandCap_Unloaded - 0C122E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Grand Cap Trans (06A67A6C).

Attached scope: tag definitions 0C122D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_GrandCap_Unloaded (0C122E5C).
2. Clear local flag 33 (Grand Cap_Unloaded).
3. Enable and reset applicable timers for Create_Grand Cap Trans (06A67A6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9543, Events line 9847, Actions line 10151.

178. Clear_NTimeAtk_Unloaded - 0BE602DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_NTime Atk Trans (06A674AC).

Attached scope: tag definitions 0BE611CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_NTimeAtk_Unloaded (0BE602DC).
2. Clear local flag 31 (NTime Atk_Unloaded).
3. Enable and reset applicable timers for Create_NTime Atk Trans (06A674AC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9544, Events line 9848, Actions line 10152.

179. Clear_NTimeCap_Unloaded - 0C123F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_NTime Cap Trans (06A6710C).

Attached scope: tag definitions 0C123E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_NTimeCap_Unloaded (0C123F3C).
2. Clear local flag 37 (NTime Cap_Unloaded).
3. Enable and reset applicable timers for Create_NTime Cap Trans (06A6710C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9545, Events line 9849, Actions line 10153.

180. Clear_ParkAtk_Unloaded - 0C1237FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Park Atk Trans (06A66BAC).

Attached scope: tag definitions 0C12371C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_ParkAtk_Unloaded (0C1237FC).
2. Clear local flag 29 (Park Atk_Unloaded).
3. Enable and reset applicable timers for Create_Park Atk Trans (06A66BAC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9546, Events line 9850, Actions line 10154.

181. Clear_ParkCap_Unloaded - 0C1239CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Park Cap Trans (06A660CC).

Attached scope: tag definitions 0C1238EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_ParkCap_Unloaded (0C1239CC).
2. Clear local flag 35 (Park Cap_Unloaded).
3. Enable and reset applicable timers for Create_Park Cap Trans (06A660CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9547, Events line 9851, Actions line 10155.

182. Clear_StatueAtk_Unloade - 0C12345C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Statue Atk Trans (06A669DC).

Attached scope: tag definitions 0C122F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_StatueAtk_Unloade (0C12345C).
2. Clear local flag 28 (Statue Atk_Unloaded).
3. Enable and reset applicable timers for Create_Statue Atk Trans (06A669DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9548, Events line 9852, Actions line 10156.

183. Clear_StatueCap_Unloade - 0C12362C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Statue Cap Trans (06A67E5C).

Attached scope: tag definitions 0C12354C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_StatueCap_Unloade (0C12362C).
2. Clear local flag 34 (Statue Cap_Unloaded).
3. Enable and reset applicable timers for Create_Statue Cap Trans (06A67E5C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9549, Events line 9853, Actions line 10157.

184. Clear_STimeAtk_Unloaded - 0C12423C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_STime Atk Trans (06A6767C).

Attached scope: tag definitions 0C12415C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_STimeAtk_Unloaded (0C12423C).
2. Clear local flag 32 (STime Atk_Unloaded).
3. Enable and reset applicable timers for Create_STime Atk Trans (06A6767C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9550, Events line 9854, Actions line 10158.

185. Clear_STimeCap_Unloaded - 0C12440C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_STime Cap Trans (0B44E12C).

Attached scope: tag definitions 0C12432C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Clear_STimeCap_Unloaded (0C12440C).
2. Clear local flag 38 (STime Cap_Unloaded).
3. Enable and reset applicable timers for Create_STime Cap Trans (0B44E12C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9551, Events line 9855, Actions line 10159.

186. Audio_Intro Hospital - 07837A2C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Audio_Intro Hospital (07837A2C).
2. Play voice notification Unit_Sofia_TechHospital.
3. Reveal terrain around waypoint 98 (cell 93, 100).
4. Flash buildings of type CATHOSP; duration argument 120.
5. Jump the camera to waypoint 98 (cell 93, 100).

6. Set global flag 13.
7. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9552, Events line 9856, Actions line 10160.

187. SP3.6g_Take Mach Shop - 06B5F54C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6f_Take Hospital (06B5FB2C).

Attached scope: Tech Machine Shop (CAMACH), owner Americans, cell (142, 91), tag 06B5F46C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Enable and reset applicable timers for SP3.6i_Take Depot (0C55D39C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9553, Events line 9857, Actions line 10161.

188. Detect_Trans(Rhino)Dead - 0959CAFC

Owner reference: Soviet2 Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dead Rhinos (082C77EC).

Attached scope: tag definitions 0959CA1C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_Backup Rhinos (082C44AC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9554, Events line 9858, Actions line 10162.

189. Detect_Trans (Con) Dead - 0959C92C

Owner reference: Soviet2 Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Dead Conscripts (082C79BC).

Attached scope: tag definitions 0959C84C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_Backup Cons (082C467C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9555, Events line 9859, Actions line 10163.

190. SP4.3_Camera_Jump to BQ - 0BDC985C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.2_Audio_Time Ready (0BDE064C).

Attached scope: tag definitions 0BDC977C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Jump the camera to waypoint 68 (cell 182, 138).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP4.4_Enable_TimeEffect (0BDCDD0C).
5. Disable Detect_Time 2 Destroyed (0BB91C2C).

6. Enable and reset applicable timers for Give_Back2Sov2 (0CAAF7DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9556, Events line 9860, Actions line 10164.

191. SP4.2a_Detect_BorisDead - 0439E3FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.2_Audio_Time Ready (0BDE064C).

Attached scope: tag definitions 0439E31C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 24 (BorisDead) is set.

Flag writers in this mission: set local flag 24 (BorisDead) at Detect_Boris Dead (06B627BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for SP4.2b_Audio_ZofREBor (0439E05C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9557, Events line 9861, Actions line 10165.

192. SP4.2c_Detect_BorisLive - 097651DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.2_Audio_Time Ready (0BDE064C).

Attached scope: tag definitions 097650FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 24 (BorisDead) is clear.

Flag writers in this mission: set local flag 24 (BorisDead) at Detect_Boris Dead (06B627BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy Tag; main setting 0439F23C.
2. Destroy Tag; main setting 0439FF4C.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9558, Events line 9862, Actions line 10166.

193. Detect_3 PP Gone True - 06B8FB9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_2 PP Gone False (06B8FD6C).

Attached scope: tag definitions 06B91E5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 42 (3 PP Gone) is clear.

Flag writers in this mission: set local flag 42 (3 PP Gone) at Detect_3 PP Gone True (06B8FB9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_3 PP Gone True (06B8FB9C).
2. Set local flag 42 (3 PP Gone).
3. Enable and reset applicable timers for Detect_3 PP Gone False (06B8F9CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9559, Events line 9863, Actions line 10167.

194. SP3.6i_Take Depot - 0C55D39C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP3.6g_Take Mach Shop (06B5F54C).

Attached scope: Allied Repair Depot (GADEPT), owner Americans, cell (137, 96), tag 0C55D2BC, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9560, Events line 9864, Actions line 10168.

195. SP4.4_Enable_TimeEffect - 0BDCDD0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.3_Camera_Jump to BQ (0BDC985C).

Attached scope: tag definitions 0BDCDA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Change_Power 2 Allies (0C46AB3C).
2. Enable and reset applicable timers for Animation_Time Effect (0951A8BC).
3. Enable and reset applicable timers for SP4.4a_Open Local (0937049C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9561, Events line 9865, Actions line 10169.

196. Detect_Time 2 Destroyed - 0BB91C2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: SP3.4_TimeMachine II (0952C96C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Detect_Time 2 Destroyed (0BB91C2C).
2. Enable and reset applicable timers for _End_Lose (06B602BC).
3. Play voice notification Mis_xS1_ZofiaLostTimeMach.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9562, Events line 9866, Actions line 10170.

197. Give_Back2Sov2 - 0CAAF7DC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Time 2 Destroyed (0BB91C2C).

Incoming activation links: enable from SP4.3_Camera_Jump to BQ (0BDC985C).

Attached scope: Time Machine (CATIME02), owner Soviet2House, cell (185, 137), tag 0BB91B4C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Give_Back2Sov2 (0CAAF7DC).
2. Change House: owner selector 15 (country/type SOVIET2 COUNTRY; placed owner Soviet2House).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9563, Events line 9867, Actions line 10171.

198. SP4.2b_Audio_ZofREBor - 0439E05C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.2a_Detect_BorisDead (0439E3FC).

Attached scope: tag definitions 0439FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaFindBoris.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9564, Events line 9868, Actions line 10172.

199. Detect_3 PP Gone False - 06B8F9CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_3 PP Gone True (06B8FB9C).

Attached scope: tag definitions 06B91C8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 42 (3 PP Gone) is set.

Flag writers in this mission: set local flag 42 (3 PP Gone) at Detect_3 PP Gone True (06B8FB9C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable Detect_3 PP Gone False (06B8F9CC).
2. Enable and reset applicable timers for Detect_< 4 Power (06B6156C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9565, Events line 9869, Actions line 10173.

200. SP4.4a_Open Local - 0937049C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4_Enable_TimeEffect (0BDCDD0C).

Attached scope: tag definitions 093703BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 4, parameter 2: 5, parameter 3: 52, parameter 4: 84.
2. Enable and reset applicable timers for SP4.6_Setup_Part III (0439097C).
3. Enable and reset applicable timers for SP4.5_Move_2 San Fran (0BDCD47C).
4. Enable and reset applicable timers for SP4.4aa_Reshroud Map (044286FC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9566, Events line 9870, Actions line 10174.

201. SP4.6_Setup_Part III - 0439097C

Owner reference: Soviet2 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4a_Open Local (0937049C).

Attached scope: tag definitions 0439089C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Clear all smudges; main setting 0.
2. Restore Starting Buildings of: owner selector 0 (country/type AMERICANS; placed owner Americans).
3. Restore Starting Buildings of: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
4. Restore Starting Buildings of: owner selector 8 (country/type RUSSIANS; placed owner Russians).
5. Create building NAHAND at waypoint 108 (cell 91, 111).
6. Create building NACNST at waypoint 104 (cell 85, 115).
7. Create building NAWEAP at waypoint 105 (cell 85, 110).
8. Create building NAPOWR at waypoint 106 (cell 86, 105).
9. Create building NALASR at waypoint 107 (cell 83, 106).
10. Create building NAPOWR at waypoint 109 (cell 96, 113).
11. Create building NAPOWR at waypoint 110 (cell 97, 108).
12. Create building NALASR at waypoint 111 (cell 96, 106).
13. Create building NALASR at waypoint 112 (cell 100, 109).
14. Create building NALASR at waypoint 113 (cell 100, 112).

15. Enable and reset applicable timers for SP4.6a_Setup Part III (06B2A4DC).
16. Create building NAREFN at waypoint 141 (cell 78, 116).
17. Create building NAYARD at waypoint 492 (cell 63, 109).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9567, Events line 9871, Actions line 10175.

202. SP4.5_Move_2 San Fran - 0BDCD47C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4a_Open Local (0937049C).

Attached scope: tag definitions 0BDCD39C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Teleport the trigger owner's supported objects toward waypoint 71 (cell 141, 100).
2. Enable and reset applicable timers for SP4.7_Movie_ZofSanFra (095F1B8C).
3. Jump the camera to waypoint 71 (cell 141, 100).
4. Enable and reset applicable timers for SP4.5a_US/Sov Friends (07F2978C).
5. Enable and reset applicable timers for SP4.5b_Close Local (0937687C).
6. Reshroud Map; main setting 0.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9568, Events line 9872, Actions line 10176.

203. SP4.4aa_Reshroud Map - 044286FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4a_Open Local (0937049C).

Attached scope: tag definitions 09144B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reshroud Map; main setting 0.
2. Enable and reset applicable timers for SP4.4b_Reveal Allied (0885994C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9569, Events line 9873, Actions line 10177.

204. SP4.6a_Setup Part III - 06B2A4DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6_Setup_Part III (0439097C).

Attached scope: tag definitions 06B2A3FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_Lasher Guard East (095A903C).
2. Supply reinforcement team TM_Yuri_Lasher Guard Mid (095A916C).
3. Supply reinforcement team TM_Yuri_Lasher Guard West (095A970C).
4. Supply reinforcement team TM_Yuri_Lasher Patrol East (095B5EFC).
5. Supply reinforcement team TM_Yuri_Lasher Patrol Mid (095A805C).
6. Supply reinforcement team TM_Yuri_Lasher Patrol West (095A83FC).
7. Enable and reset applicable timers for SP4.6b_Setup Part III (0B63FB2C).
8. Supply reinforcement team TM_Yuri_5 Initiate Island Guard (0930D91C).
9. Supply reinforcement team TM_Yuri_1 Engineer 4 Reactor (0442B86C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9570, Events line 9874, Actions line 10178.

205. SP4.7_Movie_ZofSanFra - 095F1B8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.5_Move_2 San Fran (0BDCD47C).

Attached scope: tag definitions 095F1AAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 36.
2. Enable and reset applicable timers for SP4.8_Audio_ZofiaRETime (090435FC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9571, Events line 9875, Actions line 10179.

206. SP4.5a_US/Sov Friends - 07F2978C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.5_Move_2 San Fran (0BDCD47C).

Attached scope: tag definitions 07F296AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 14 (country/type POWERHOUSE COUNTRY; placed owner PowerHouse).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9572, Events line 9876, Actions line 10180.

207. SP4.5b_Close Local - 0937687C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.5_Move_2 San Fran (0BDCD47C).

Attached scope: tag definitions 0937058C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 4, parameter 2: 11, parameter 3: 53, parameter 4: 78.
2. Reshroud Map At; main setting 474; location/duration field RG.
3. Reshroud Map At; main setting 83; location/duration field CF.
4. Reshroud Map At; main setting 84; location/duration field CG.
5. Reshroud Map At; main setting 85; location/duration field CH.
6. Reshroud Map At; main setting 490; location/duration field RW.
7. Reshroud Map At; main setting 136; location/duration field EG.
8. Reshroud Map At; main setting 58; location/duration field BG.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9573, Events line 9877, Actions line 10181.

208. SP4.4b_Reveal Allied - 0885994C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.4aa_Reshroud Map (044286FC).

Attached scope: tag definitions 0885986C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 63 (cell 139, 95).
2. Reveal terrain around waypoint 66 (cell 147, 98).
3. Reveal terrain around waypoint 71 (cell 141, 100).
4. Reveal terrain around waypoint 99 (cell 131, 82).
5. Reveal terrain around waypoint 100 (cell 132, 89).
6. Reveal terrain around waypoint 114 (cell 130, 101).
7. Reveal terrain around waypoint 437 (cell 137, 110).
8. Reveal terrain around waypoint 647 (cell 140, 89).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9574, Events line 9878, Actions line 10182.

209. SP4.6b_Setup Part III - 0B63FB2C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6a_Setup Part III (06B2A4DC).

Attached scope: tag definitions 0B63FA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAGGUN at waypoint 74 (cell 75, 93).
2. Create building YAGGUN at waypoint 75 (cell 89, 84).
3. Create building YAGGUN at waypoint 76 (cell 100, 71).
4. Enable and reset applicable timers for SP4.6c_Setup Part III (0B63F5EC).
5. Enable and reset applicable timers for SP4.6d_Place Civilians (0905A37C).
6. Enable and reset applicable timers for SP4.6e_Place Civilians (0905A54C).
7. Enable and reset applicable timers for SP4.6f_Place Civilians (0905A89C).
8. Enable and reset applicable timers for SP4.6g_Place Civilians (0905B51C).
9. Enable and reset applicable timers for SP4.6h_Place GIs @ Base (090D21BC).
10. Supply reinforcement team TM_Sov2_1 Transport (05DC684C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9575, Events line 9879, Actions line 10183.

210. SP4.8_Audio_ZofiaRETime - 090435FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.7_Movie_ZofSanFra (095F1B8C).

Attached scope: tag definitions 0904351C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S01_p03.
2. Enable and reset applicable timers for SP4.8a_Unlock Input (09040ADC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9576, Events line 9880, Actions line 10184.

211. SP4.6c_Setup Part III - 0B63F5EC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (42, 64), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (37, 59), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (51, 63), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (47, 77), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (43, 60), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (43, 79), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (35, 63), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (40, 58), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (51, 60), tag 0B63F50C,

persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (53, 74), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (50, 69), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (39, 79), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (50, 76), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (35, 76), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (33, 70), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (45, 75), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (42, 72), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (38, 68), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (42, 68), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (38, 72), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (47, 69), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (47, 66), tag 0B63F50C, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (37, 76), tag 0B63F50C, persistence mode 0; Nuclear Reactor (NANRCT), owner YuriCountry, cell (20, 44), tag 0B63F50C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Supply reinforcement team TM_Neutral_1 Cable Car (0A9680AC).
3. Create building CAMSC03 at waypoint 56 (cell 79, 74).
4. Create building CAMSC04 at waypoint 83 (cell 85, 73).
5. Create building CAMSC05 at waypoint 84 (cell 83, 74).
6. Create building CAMSC04 at waypoint 85 (cell 80, 74).
7. Create building CAMSC02 at waypoint 86 (cell 79, 76).
8. Create building CAMSC03 at waypoint 87 (cell 75, 79).
9. Create building CAMSC05 at waypoint 88 (cell 75, 78).
10. Create building CAMSC04 at waypoint 89 (cell 71, 81).
11. Restore Starting Buildings of: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9577, Events line 9881, Actions line 10185.

212. SP4.6d_Place Civilians - 0905A37C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: tag definitions 0905A29C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Neutral_1 Beach Fat Male (07809D4C) at waypoint 490 (cell 81, 78).
2. Supply reinforcement team TM_Neutral_1 Beach Female (0871030C) at waypoint 58 (cell 80, 82).
3. Supply reinforcement team TM_Neutral_1 Beach Female (0871030C) at waypoint 84 (cell 83, 74).
4. Supply reinforcement team TM_Neutral_1 Beach Thin Male (087101DC) at waypoint 77 (cell 73, 88).
5. Supply reinforcement team TM_Neutral_1 Civ3 (087136EC) at waypoint 438 (cell 79, 123).
6. Supply reinforcement team TM_Neutral_1 Civ3 (087136EC) at waypoint 132 (cell 122, 76).
7. Supply reinforcement team TM_Neutral_1 Civ3 (087136EC) at waypoint 424 (cell 110, 110).
8. Supply reinforcement team TM_Neutral_1 Snow Fat Male (087135BC) at waypoint 141 (cell 78, 116).
9. Supply reinforcement team TM_Neutral_1 Snow Fat Male (087135BC) at waypoint 458 (cell 95, 81).
10. Supply reinforcement team TM_Neutral_1 Snow Fat Male (087135BC) at waypoint 425 (cell 114, 110).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9578, Events line 9882, Actions line 10186.

213. SP4.6e_Place Civilians - 0905A54C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: tag definitions 0905A46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 74 (cell 75, 93).
2. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 128 (cell 73, 120).
3. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 451 (cell 107, 118).
4. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 75 (cell 89, 84).
5. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 457 (cell 98, 76).
6. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 456 (cell 98, 65).
7. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 463 (cell 106, 69).
8. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 431 (cell 122, 85).
9. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 427 (cell 127, 118).
10. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 130 (cell 108, 107).
11. Supply reinforcement team TM_Neutral_1 Civ1 (087100AC) at waypoint 450 (cell 107, 112).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9579, Events line 9883, Actions line 10187.

214. SP4.6f_Place Civilians - 0905A89C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: tag definitions 0905A63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 417 (cell 80, 109).
2. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 421 (cell 83, 129).
3. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 459 (cell 98, 99).
4. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 135 (cell 87, 91).
5. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 136 (cell 91, 79).
6. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 125 (cell 126, 116).
7. Supply reinforcement team TM_Neutral_1 Civ2 (0871381C) at waypoint 454 (cell 107, 84).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9580, Events line 9884, Actions line 10188.

215. SP4.6g_Place Civilians - 0905B51C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: tag definitions 0905B43C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Neutral_1 Snow Female (0871591C) at waypoint 123 (cell 92, 119).
2. Supply reinforcement team TM_Neutral_1 Snow Female (0871591C) at waypoint 76 (cell 100, 71).
3. Supply reinforcement team TM_Neutral_1 Snow Female (0871591C) at waypoint 442 (cell 108, 88).
4. Supply reinforcement team TM_Neutral_1 Snow Female (0871591C) at waypoint 124 (cell 112, 111).
5. Supply reinforcement team TM_Neutral_1 Snow Thin Male (087157EC) at waypoint 452 (cell 105, 118).
6. Supply reinforcement team TM_Neutral_1 Snow Thin Male (087157EC) at waypoint 134 (cell 86, 92).
7. Supply reinforcement team TM_Neutral_1 Snow Thin Male (087157EC) at waypoint 464 (cell 105, 76).
8. Supply reinforcement team TM_Neutral_1 Snow Thin Male (087157EC) at waypoint 455 (cell 107, 99).

9. Supply reinforcement team TM_Neutral_1 Cruise Ship (05C1DC5C) at waypoint 474 (cell 88, 68).
10. Supply reinforcement team TM_Neutral_1 Cruise Ship (05C1DC5C) at waypoint 486 (cell 88, 56).
11. Supply reinforcement team TM_Neutral_1 Tug Boat (05C1D6BC) at waypoint 485 (cell 79, 60).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9581, Events line 9885, Actions line 10189.

216. SP4.6h_Place GIs @ Base - 090D21BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.6b_Setup Part III (0B63FB2C).

Attached scope: tag definitions 090D20DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_1 GI (090C973C) at waypoint 63 (cell 139, 95).
2. Supply reinforcement team TM_Allies_1 GI (090C973C) at waypoint 647 (cell 140, 89).
3. Supply reinforcement team TM_Allies_1 GI (090C973C) at waypoint 648 (cell 141, 89).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9582, Events line 9886, Actions line 10190.

217. SP4.8a_Unlock Input - 09040ADC

Owner reference: PowerHouse Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.8_Audio_ZofiaRETime (090435FC).

Attached scope: tag definitions 090409FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 48 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Enable and reset applicable timers for SP4.9_Audio_ZofiaObj4 (090437CC).
4. Enable and reset applicable timers for Audio_Sov Base Gained (0962D87C).
5. Enable and reset applicable timers for SP4.8aa_Setup GG Bridge (07A5F24C).
6. All change house: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9583, Events line 9887, Actions line 10191.

218. SP4.9_Audio_ZofiaObj4 - 090437CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.8a_Unlock Input (09040ADC).

Attached scope: tag definitions 090436EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaSovietBase.
2. Enable and reset applicable timers for SP4.10_Text_Objective 4 (044163EC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9584, Events line 9888, Actions line 10192.

219. Audio_Sov Base Gained - 0962D87C

Owner reference: Soviet2 Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.8a_Unlock Input (09040ADC).

Attached scope: 82 tagged map cells: (82, 103), (83, 103), (84, 103), (85, 103), (86, 103), (87, 103), (88, 103), (89, 103), (90, 103), (82, 104), (90, 104), (82, 105), (90, 105), (82, 106), (90, 106), (94, 106), (95, 106), (96, 106), (97, 106), (98, 106), (99, 106), (100, 106), (101, 106), (82, 107), (90,

107), (94, 107), (101, 107), (82, 108), (90, 108), (91, 108), (92, 108), (93, 108), (94, 108), (101, 108), (82, 109), (101, 109), (82, 110), (101, 110), (82, 111), (101, 111), (82, 112), (101, 112), (82, 113), (101, 113), (82, 114), (89, 114), (90, 114), (91, 114), (92, 114), (93, 114), (94, 114), (101, 114), (82, 115), (89, 115), (94, 115), (101, 115), (82, 116), (89, 116), (94, 116), (101, 116), (82, 117), (89, 117), (94, 117), (101, 117), (82, 118), (83, 118), (84, 118), (85, 118), (86, 118), (87, 118), (88, 118), (89, 118), (94, 118), (101, 118), (94, 119), (95, 119), (96, 119), (97, 119), (98, 119), (99, 119), (100, 119), (101, 119); tag 0962FB1C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaSovietCommand.
2. All change house: owner selector 8 (country/type RUSSIANS; placed owner Russians).
3. Enable and reset applicable timers for SP5.1_Detect_BorisDead (0439F31C).
4. Resize Player View; main setting 0; parameter 1: 4, parameter 2: 11, parameter 3: 53, parameter 4: 78.
5. Disable Text_Objective 4a (043E7B3C).
6. Reveal terrain around waypoint 492 (cell 63, 109).
7. Supply reinforcement team TM_Sov_1 War Miner (09376A2C).
8. Enable and reset applicable timers for Create_Mixed Yuri Team (0442182C).
9. Enable and reset applicable timers for Text_Objective Complete (07EF43CC).
10. Enable and reset applicable timers for SP5.1a_Detect_BorisLive (0443FBCC).
11. Enable and reset applicable timers for _Lose_Condition (05CAF0BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9585, Events line 9889, Actions line 10193.

220. SP4.8aa_Setup GG Bridge - 07A5F24C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.8a_Unlock Input (09040ADC).

Attached scope: tag definitions 07A5F16C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Damage GG01 (0441445C).
2. Enable and reset applicable timers for Part 2_Damage GG03 (0441427C).
3. Enable and reset applicable timers for Part 2_Destroy GG02 (0441436C).
4. Enable and reset applicable timers for Part 2_Detect GG03 (0441418C).
5. Enable and reset applicable timers for Part 2_Detect GG04 (0441409C).
6. Enable and reset applicable timers for Part 2_Detect GG05 (04415F3C).
7. Enable and reset applicable timers for Part 2_Detect GG06 (04415E4C).
8. Enable and reset applicable timers for Part 2_Detect GG07 (04415D5C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9586, Events line 9890, Actions line 10194.

221. SP4.10_Text_Objective 4 - 044163EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.9_Audio_ZofiaObj4 (090437CC).

Attached scope: tag definitions 0441630C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4: Take Control of Soviet Base and use it to Destroy the Psychic Dominator.” (MISSION:Sov1Obj4).
2. Enable and reset applicable timers for Text_Objective 4a (043E7B3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9587, Events line 9891, Actions line 10195.

222. SP5.1_Detect_BorisDead - 0439F31C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Sov Base Gained (0962D87C).

Attached scope: tag definitions 0439F23C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 24 (BorisDead) is set.

Flag writers in this mission: set local flag 24 (BorisDead) at Detect_Boris Dead (06B627BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable player input.
2. Enable and reset applicable timers for SP5.2_Reinforce_Boris (0439F14C).
3. Enable and reset applicable timers for SP5.3_Audio_BorisReport (0439CF3C).
4. Enable and reset applicable timers for SP5.1c_Obj 4b Delayed (0443F8AC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9588, Events line 9892, Actions line 10196.

223. Text_Objective 4a - 043E7B3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.10_Text_Objective 4 (044163EC).

Attached scope: tag definitions 043E7A5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Find the Soviet Base.” (MISSION:Sov1Obj6).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9589, Events line 9893, Actions line 10197.

224. Create_Mixed Yuri Team - 0442182C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Sov Base Gained (0962D87C); enable from Detect_Mixed Team Dead (04421A8C).

Attached scope: tag definitions 0442375C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 20 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Disable Create_Mixed Yuri Team (0442182C).
2. Supply reinforcement team TM_Yuri_Mixed Attack Team (05D6993C).
3. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).
4. Enable and reset applicable timers for Create_Mixed Yuri Team2 (092FB88C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9590, Events line 9894, Actions line 10198.

225. SP5.1a_Detect_BorisLive - 0443FBCC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Sov Base Gained (0962D87C).

Attached scope: tag definitions 05BE0BEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 24 (BorisDead) is clear.

Flag writers in this mission: set local flag 24 (BorisDead) at Detect_Boris Dead (06B627BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for SP5.1b_Objective 4b (0443F6DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9591, Events line 9895, Actions line 10199.

226. _Lose_Condition - 05CAF0BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Sov Base Gained (0962D87C).

Attached scope: tag definitions 05CAB32C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Amphibious Transport (SAPC) exist on the map, under this event's ownership scope.
2. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 61 (global list position: Soviet Shipyard (NAYARD)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for _End_Lose (06B602BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9592, Events line 9896, Actions line 10200.

227. Part 2_Damage GG01 - 0441445C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 90; location/duration field CM.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9593, Events line 9897, Actions line 10201.

228. Part 2_Damage GG03 - 0441427C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Destroy GG02 (0441436C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 92; location/duration field CO.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9594, Events line 9898, Actions line 10202.

229. Part 2_Destroy GG02 - 0441436C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Damage GG01 (0441445C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 91; location/duration field CN.
2. Apply 100 damage at; main setting 91; location/duration field CN.
3. Apply 100 damage at; main setting 91; location/duration field CN.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9595, Events line 9899, Actions line 10203.

230. Part 2_Detect GG03 - 0441418C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Damage GG03 (0441427C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF11) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Destroy GG_1 (04412A6C).
2. Enable and reset applicable timers for Part 2_Destroy GG_2 (04418C8C).
3. Enable and reset applicable timers for Part 2_Destroy GG_3 (07A190BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9596, Events line 9900, Actions line 10204.

231. Part 2_Detect GG04 - 0441409C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Detect GG03 (0441418C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF04) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Destroy GG_1 (04412A6C).
2. Enable and reset applicable timers for Part 2_Destroy GG_2 (04418C8C).
3. Enable and reset applicable timers for Part 2_Destroy GG_3 (07A190BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9597, Events line 9901, Actions line 10205.

232. Part 2_Detect GG05 - 04415F3C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Detect GG04 (0441409C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF12) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Destroy GG_1 (04412A6C).
2. Enable and reset applicable timers for Part 2_Destroy GG_2 (04418C8C).
3. Enable and reset applicable timers for Part 2_Destroy GG_3 (07A190BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9598, Events line 9902, Actions line 10206.

233. Part 2_Detect GG06 - 04415E4C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Detect GG05 (04415F3C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF13) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Destroy GG_1 (04412A6C).
2. Enable and reset applicable timers for Part 2_Destroy GG_2 (04418C8C).
3. Enable and reset applicable timers for Part 2_Destroy GG_3 (07A190BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9599, Events line 9903, Actions line 10207.

234. Part 2_Detect GG07 - 04415D5C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Detect GG06 (04415E4C).

Incoming activation links: enable from SP4.8aa_Setup GG Bridge (07A5F24C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. No instances of Golden Gate Bridge (CASANF14) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Enable and reset applicable timers for Part 2_Destroy GG_1 (04412A6C).
2. Enable and reset applicable timers for Part 2_Destroy GG_2 (04418C8C).
3. Enable and reset applicable timers for Part 2_Destroy GG_3 (07A190BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9600, Events line 9904, Actions line 10208.

235. SP5.2_Reinforce_Boris - 0439F14C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1_Detect_BorisDead (0439F31C).

Attached scope: tag definitions 0439F06C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 72 (cell 94, 110).
2. Supply reinforcement team TM_Sov_Boris from Barracks (093EEB5C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9601, Events line 9905, Actions line 10209.

236. SP5.3_Audio_BorisReport - 0439CF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1_Detect_BorisDead (0439F31C).

Attached scope: tag definitions 0439CE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 26 (BorisTalks) is set.

Then perform these actions in order:

1. Play voice notification Mis_xS1_BorisReporting.
2. Enable and reset applicable timers for SP5.4_Audio_Zof2Bor (0439CD6C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9602, Events line 9906, Actions line 10210.

237. SP5.1c_Obj 4b Delayed - 0443F8AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1_Detect_BorisDead (0439F31C).

Attached scope: tag definitions 0443F7CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 32 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP5.1b_Objective 4b (0443F6DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9603, Events line 9907, Actions line 10211.

238. Create_Mixed Yuri Team2 - 092FB88C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create_Mixed Yuri Team (0442182C).

Attached scope: tag definitions 092FB7AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 40 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Disable Create_Mixed Yuri Team2 (092FB88C).
2. Supply reinforcement team TM_Yuri_Mixed Attack Team 2 (05C99EFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9604, Events line 9908, Actions line 10212.

239. SP5.1b_Objective 4b - 0443F6DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1a_Detect_BorisLive (0443FBCC); enable from SP5.1c_Obj 4b Delayed (0443F8AC).

Attached scope: tag definitions 0443F5FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_Sov_1 War Miner (09376A2C).
2. Create/recruit team TM_Sov_1 War Miner (09376A2C).
3. Enable and reset applicable timers for Text/Ping_Obj7 Easy (07A255BC).
4. Enable and reset applicable timers for Text/Ping_Obj7 Med (043EC4DC).
5. Enable and reset applicable timers for Text/Ping_Obj7 Hard (07A256AC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9605, Events line 9909, Actions line 10213.

240. Part 2_Destroy GG_1 - 04412A6C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Detect GG07 (04415D5C).

Incoming activation links: enable from Part 2_Detect GG03 (0441418C); enable from Part 2_Detect GG04 (0441409C); enable from Part 2_Detect GG05 (04415F3C); enable from Part 2_Detect GG06 (04415E4C); enable from Part 2_Detect GG07 (04415D5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 92; location/duration field CO.
2. Apply 100 damage at; main setting 92; location/duration field CO.
3. Apply 100 damage at; main setting 92; location/duration field CO.
4. Apply 100 damage at; main setting 92; location/duration field CO.
5. Apply 100 damage at; main setting 92; location/duration field CO.
6. Apply 100 damage at; main setting 92; location/duration field CO.
7. Apply 100 damage at; main setting 92; location/duration field CO.
8. Apply 100 damage at; main setting 92; location/duration field CO.
9. Apply 100 damage at; main setting 93; location/duration field CP.
10. Apply 100 damage at; main setting 93; location/duration field CP.

11. Apply 100 damage at; main setting 93; location/duration field CP.
12. Apply 100 damage at; main setting 93; location/duration field CP.
13. Apply 100 damage at; main setting 93; location/duration field CP.
14. Apply 100 damage at; main setting 93; location/duration field CP.
15. Apply 100 damage at; main setting 93; location/duration field CP.
16. Apply 100 damage at; main setting 93; location/duration field CP.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9606, Events line 9910, Actions line 10214.

241. Part 2_Destroy GG_2 - 04418C8C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Destroy GG_1 (04412A6C).

Incoming activation links: enable from Part 2_Detect GG03 (0441418C); enable from Part 2_Detect GG04 (0441409C); enable from Part 2_Detect GG05 (04415F3C); enable from Part 2_Detect GG06 (04415E4C); enable from Part 2_Detect GG07 (04415D5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 94; location/duration field CQ.
2. Apply 100 damage at; main setting 94; location/duration field CQ.
3. Apply 100 damage at; main setting 94; location/duration field CQ.
4. Apply 100 damage at; main setting 94; location/duration field CQ.
5. Apply 100 damage at; main setting 94; location/duration field CQ.
6. Apply 100 damage at; main setting 94; location/duration field CQ.
7. Apply 100 damage at; main setting 94; location/duration field CQ.
8. Apply 100 damage at; main setting 94; location/duration field CQ.
9. Apply 100 damage at; main setting 95; location/duration field CR.
10. Apply 100 damage at; main setting 95; location/duration field CR.
11. Apply 100 damage at; main setting 95; location/duration field CR.
12. Apply 100 damage at; main setting 95; location/duration field CR.
13. Apply 100 damage at; main setting 95; location/duration field CR.
14. Apply 100 damage at; main setting 95; location/duration field CR.
15. Apply 100 damage at; main setting 95; location/duration field CR.
16. Apply 100 damage at; main setting 95; location/duration field CR.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9607, Events line 9911, Actions line 10215.

242. Part 2_Destroy GG_3 - 07A190BC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Part 2_Destroy GG_2 (04418C8C).

Incoming activation links: enable from Part 2_Detect GG03 (0441418C); enable from Part 2_Detect GG04 (0441409C); enable from Part 2_Detect GG05 (04415F3C); enable from Part 2_Detect GG06 (04415E4C); enable from Part 2_Detect GG07 (04415D5C).

Attached scope: tag definitions 0441490C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Apply 100 damage at; main setting 96; location/duration field CS.
2. Apply 100 damage at; main setting 96; location/duration field CS.
3. Apply 100 damage at; main setting 96; location/duration field CS.
4. Apply 100 damage at; main setting 96; location/duration field CS.
5. Apply 100 damage at; main setting 96; location/duration field CS.

6. Apply 100 damage at; main setting 96; location/duration field CS.
7. Apply 100 damage at; main setting 96; location/duration field CS.
8. Apply 100 damage at; main setting 96; location/duration field CS.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9608, Events line 9912, Actions line 10216.

243. SP5.4_Audio_Zof2Bor - 0439CD6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.3_Audio_BorisReport (0439CF3C).

Attached scope: tag definitions 0439C9FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBorisInPast.
2. Enable and reset applicable timers for SP5.5_Audio_Bor2Zof (0439C90C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9609, Events line 9913, Actions line 10217.

244. Text/Ping_Obj7 Easy - 07A255BC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: Text/Ping_Obj7 Hard (07A256AC).

Incoming activation links: enable from SP5.1b_Objective 4b (0443F6DC).

Attached scope: tag definitions 043EBBCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy the Psychic Dominator.” (MISSION:Sov1Obj7).
2. Create radar-event marker type 12 at waypoint 144 (cell 40, 70).
3. Move the camera to waypoint 144 (cell 40, 70) with speed setting 3.
4. Flash buildings of type YAPPPT; duration argument 150.
5. Reveal terrain around waypoint 144 (cell 40, 70).
6. Reveal terrain around waypoint 699 (cell 41, 80).
7. Reveal terrain around waypoint 145 (cell 40, 65).
8. Reveal terrain around waypoint 143 (cell 45, 65).
9. Reveal terrain around waypoint 54 (cell 39, 72).
10. Reveal terrain around waypoint 475 (cell 51, 55).
11. Reveal terrain around waypoint 479 (cell 54, 68).
12. Enable and reset applicable timers for Text_Objective 4b (043E7D0C).
13. Enable and reset applicable timers for SP5.1d_Hint_Amphib (097DB5BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9610, Events line 9914, Actions line 10218.

245. Text/Ping_Obj7 Med - 043EC4DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1b_Objective 4b (0443F6DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy the Psychic Dominator.” (MISSION:Sov1Obj7).
2. Create radar-event marker type 12 at waypoint 144 (cell 40, 70).

3. Enable and reset applicable timers for Text_Objective 4b (043E7D0C).
4. Enable and reset applicable timers for SP5.1d_Hint_Amphib (097DB5BC).
5. Move the camera to waypoint 144 (cell 40, 70) with speed setting 3.
6. Flash buildings of type YAPPPT; duration argument 150.
7. Reveal terrain around waypoint 143 (cell 45, 65).
8. Reveal terrain around waypoint 475 (cell 51, 55).
9. Reveal terrain around waypoint 144 (cell 40, 70).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9611, Events line 9915, Actions line 10219.

246. Text/Ping_Obj7 Hard - 07A256AC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Text/Ping_Obj7 Med (043EC4DC).

Incoming activation links: enable from SP5.1b_Objective 4b (0443F6DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Destroy the Psychic Dominator.” (MISSION:Sov1Obj7).
2. Create radar-event marker type 12 at waypoint 144 (cell 40, 70).
3. Move the camera to waypoint 144 (cell 40, 70) with speed setting 3.
4. Flash buildings of type YAPPPT; duration argument 150.
5. Reveal terrain around waypoint 144 (cell 40, 70).
6. Enable and reset applicable timers for Text_Objective 4b (043E7D0C).
7. Enable and reset applicable timers for SP5.1d_Hint_Amphib (097DB5BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9612, Events line 9916, Actions line 10220.

247. SP5.5_Audio_Bor2Zof - 0439C90C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.4_Audio_Zof2Bor (0439CD6C).

Attached scope: tag definitions 0439C82C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_BorisPuzzled.
2. Enable and reset applicable timers for SP5.6_Audio_Zof2Bor (0439C73C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9613, Events line 9917, Actions line 10221.

248. SP5.1d_Hint_Amphib - 097DB5BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text/Ping_Obj7 Easy (07A255BC); enable from Text/Ping_Obj7 Med (043EC4DC); enable from Text/Ping_Obj7 Hard (07A256AC).

Attached scope: tag definitions 097DFF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Hint: Build Amphibious Transports” (MISSION:TranHint).
2. Switch the sidebar to tab 3.
3. Flash cameo/type SAPC; additional configured duration/location argument 100.

4. Play voice notification Mis_xS1_BorisWantsBoat.
5. Enable and reset applicable timers for SP5.1e_Camera Back2Sov (091696FC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9614, Events line 9918, Actions line 10222.

249. SP5.6_Audio_Zof2Bor - 0439C73C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.5_Audio_Bor2Zof (0439C90C).

Attached scope: tag definitions 0439C65C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaRespondsToBoris.
2. Enable and reset applicable timers for SP5.7_End Setpiece (0439C2DC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9615, Events line 9919, Actions line 10223.

250. SP5.1e_Camera Back2Sov - 091696FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.1d_Hint_Amphib (097DB5BC).

Attached scope: tag definitions 0916961C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 72 (cell 94, 110).
2. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9616, Events line 9920, Actions line 10224.

251. SP5.7_End Setpiece - 0439C2DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP5.6_Audio_Zof2Bor (0439C73C).

Attached scope: tag definitions 0439C1FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_BattlefieldControlOnline.
2. Enable player input.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9617, Events line 9921, Actions line 10225.

252. Text/Audio_Obj Complete - 07EF508C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07EF5F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Text/Audio_Obj Complete (07EF508C).
2. Play voice notification EVA_ObjectiveComplete.
3. Display message “Objective Complete” (MISSION:ObjCompleteSov04md).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9618, Events line 9922, Actions line 10226.

253. Detect_Boris Dead - 06B627BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B6249C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBorisDeadMourn.
2. Set local flag 24 (BorisDead).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9619, Events line 9923, Actions line 10227.

254. Detect_Player Has Time - 095183EC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951830C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 314 (global list position: Tech Secret Lab (CASLAB)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for SP3.1_Detect_Full Power (0BDE024C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9620, Events line 9924, Actions line 10228.

255. Move_Player to Jurassic - 0951A4BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951A3DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Teleport the trigger owner's supported objects toward waypoint 68 (cell 182, 138).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9621, Events line 9925, Actions line 10229.

256. _Setup_Part I - 094D21AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 094D1F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Allies_Patrol Gas Plant (0965BB5C).
2. Supply reinforcement team TM_Allies_Patrol Grand Plant (088B391C).
3. Supply reinforcement team TM_Allies_Patrol Park Plant (088B348C).
4. Supply reinforcement team TM_Allies_Patrol Statue Plant (088B3DCC).
5. Supply reinforcement team TM_Allies_Patrol TopTime Plant (088B47FC).
6. Supply reinforcement team TM_Allies_Patrol BottomTime Plant (088B05BC).
7. Reveal terrain around waypoint 468 (cell 19, 62).
8. Reveal terrain around waypoint 469 (cell 31, 50).
9. Reveal terrain around waypoint 470 (cell 42, 37).
10. Reveal terrain around waypoint 471 (cell 54, 25).
11. Reveal terrain around waypoint 472 (cell 63, 15).
12. Reveal terrain around waypoint 473 (cell 32, 80).
13. Reveal terrain around waypoint 474 (cell 88, 68).

14. Reveal terrain around waypoint 475 (cell 51, 55).
15. Reveal terrain around waypoint 476 (cell 62, 42).
16. Reveal terrain around waypoint 53 (cell 48, 76).
17. Reveal terrain around waypoint 699 (cell 41, 80).
18. Reveal terrain around waypoint 13 (cell 51, 95).
19. Reveal terrain around waypoint 152 (cell 54, 77).
20. Reveal terrain around waypoint 59 (cell 68, 91).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9622, Events line 9926, Actions line 10230.

257. Detect_Boris Dead Again - 095714FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0957141C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_xS1_ZofiaBorisDeadAgain.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9623, Events line 9927, Actions line 10231.

258. _Setup_Part Ia - 09533A5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0953397C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 477 (cell 86, 39).
2. Reveal terrain around waypoint 478 (cell 43, 86).
3. Reveal terrain around waypoint 479 (cell 54, 68).
4. Reveal terrain around waypoint 480 (cell 62, 63).
5. Reveal terrain around waypoint 481 (cell 76, 46).
6. Reveal terrain around waypoint 482 (cell 97, 48).
7. Reveal terrain around waypoint 483 (cell 59, 91).
8. Reveal terrain around waypoint 484 (cell 66, 72).
9. Reveal terrain around waypoint 485 (cell 79, 60).
10. Reveal terrain around waypoint 486 (cell 88, 56).
11. Reveal terrain around waypoint 487 (cell 54, 105).
12. Reveal terrain around waypoint 488 (cell 73, 95).
13. Reveal terrain around waypoint 489 (cell 94, 62).
14. Reveal terrain around waypoint 490 (cell 81, 78).
15. Reveal terrain around waypoint 491 (cell 55, 82).
16. Reveal terrain around waypoint 492 (cell 63, 109).
17. Reveal terrain around waypoint 493 (cell 75, 29).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9624, Events line 9928, Actions line 10232.

259. _Setup_Part Ib - 0C331D8C

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C331CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 494 (cell 67, 105).
2. Reveal terrain around waypoint 495 (cell 60, 77).
3. Reveal terrain around waypoint 496 (cell 68, 55).
4. Reveal terrain around waypoint 497 (cell 66, 32).
5. Reveal terrain around waypoint 498 (cell 53, 95).
6. Reveal terrain around waypoint 499 (cell 69, 77).
7. Reveal terrain around waypoint 500 (cell 74, 68).
8. Reveal terrain around waypoint 501 (cell 59, 51).
9. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).
10. Reveal terrain around waypoint 699 (cell 41, 80).
11. Reshroud Map At; main setting 145; location/duration field EP.
12. Reveal terrain around waypoint 54 (cell 39, 72).
13. Reveal terrain around waypoint 53 (cell 48, 76).
14. Reveal terrain around waypoint 51 (cell 51, 70).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9625, Events line 9929, Actions line 10233.

260. Secret_Rexy To Player - 0954F76C

Owner reference: Confederation. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Secret_Rexy To Player (0954F76C).
2. Enable and reset applicable timers for Rexy_Helped (097DF8EC).
3. Change House: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9626, Events line 9930, Actions line 10234.

261. Rexy_Helped - 097DF8EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Secret_Rexy To Player (0954F76C).

Attached scope: tag definitions 097DF4DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound Cheer.
2. Display message “Rexy is now your friend to the end!” (MISSION:RexyFrnd).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9627, Events line 9931, Actions line 10235.

262. Rexy_Help - 097DFABC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Secret_Rexy To Player (0954F76C).

Attached scope: DNOAA, owner British, cell (127, 161), tag 06D15C5C, persistence mode 2.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Rexy_Help (097DFABC).
2. Play sound CivAllFear.

3. Play sound TrexRoar.
4. Display message “Rexy is trapped! Won't you help him?” (MISSION:RexyHelp).
5. Reveal terrain around waypoint 465 (cell 128, 160).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9628, Events line 9932, Actions line 10236.

263. Detect_Yuri Got Power - 097DDE6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Power Attacked (0951918C).

Attached scope: GAPOWRA, owner Alliance, cell (78, 111), tag 0C46AA5C, persistence mode 2; GAPOWRB, owner Alliance, cell (80, 126), tag 0C46AA5C, persistence mode 2; GAPOWRC, owner Alliance, cell (91, 116), tag 0C46AA5C, persistence mode 2; GAPOWRD, owner Alliance, cell (112, 113), tag 0C46AA5C, persistence mode 2; GAPOWRE, owner Alliance, cell (128, 116), tag 0C46AA5C, persistence mode 2; GAPOWRF, owner Alliance, cell (119, 82), tag 0C46AA5C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Disable Detect_Yuri Got Power (097DDE6C).
2. Play sound BaseUnderAttackSiren.
3. Display message “Yuri captured a Power Plant!” (MISSION:YGotPowr).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9629, Events line 9933, Actions line 10237.

264. Hint_Stop Dominator - 0970A22C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09715F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Hint: Capturing Power Plants will stop the Psychic Dominator” (MISSION:HintDom).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9630, Events line 9934, Actions line 10238.

265. _Amb_SF_Urban Murmur 2a - 0942BC2C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0942CDCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 458 (cell 95, 81).
2. Play sound _Amb_UrbanMurmur2 at waypoint 440 (cell 106, 78).
3. Play sound _Amb_UrbanMurmur2 at waypoint 443 (cell 122, 89).
4. Play sound _Amb_UrbanMurmur2 at waypoint 442 (cell 108, 88).
5. Play sound _Amb_UrbanMurmur2 at waypoint 459 (cell 98, 99).
6. Play sound _Amb_UrbanMurmur2 at waypoint 130 (cell 108, 107).
7. Play sound _Amb_UrbanMurmur2 at waypoint 125 (cell 126, 116).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9631, Events line 9935, Actions line 10239.

266. _Amb_SF_Birds Beach - 0942CCDC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0942CBFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsBeach at waypoint 55 (cell 78, 79).
2. Play sound _Amb_BirdsBeach at waypoint 490 (cell 81, 78).
3. Play sound _Amb_BirdsBeach at waypoint 77 (cell 73, 88).
4. Play sound _Amb_BirdsBeach at waypoint 499 (cell 69, 77).
5. Play sound _Amb_BirdsPark at waypoint 67 (cell 75, 106).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9632, Events line 9936, Actions line 10240.

267. _Amb_SF_Wind Plains 1 - 0942E17C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0942E09C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 72 (cell 94, 110).
2. Play sound _Amb_WindPlains at waypoint 105 (cell 85, 110).
3. Play sound _Amb_WindPlains at waypoint 141 (cell 78, 116).
4. Play sound _Amb_WindPlains at waypoint 128 (cell 73, 120).
5. Play sound _Amb_WindPlains at waypoint 453 (cell 105, 136).
6. Play sound _Amb_WindPlains at waypoint 439 (cell 120, 126).
7. Play sound _Amb_WindPlains at waypoint 442 (cell 108, 88).
8. Play sound _Amb_WindPlains at waypoint 114 (cell 130, 101).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9633, Events line 9937, Actions line 10241.

268. _Amb_SF_Ocean Light 1 - 094492EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043E54EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 468 (cell 19, 62).
2. Play sound _Amb_OceanLight at waypoint 469 (cell 31, 50).
3. Play sound _Amb_OceanLight at waypoint 470 (cell 42, 37).
4. Play sound _Amb_OceanLight at waypoint 471 (cell 54, 25).
5. Play sound _Amb_OceanLight at waypoint 472 (cell 63, 15).
6. Play sound _Amb_OceanLight at waypoint 473 (cell 32, 80).
7. Play sound _Amb_OceanLight at waypoint 475 (cell 51, 55).
8. Play sound _Amb_OceanLight at waypoint 476 (cell 62, 42).
9. Play sound _Amb_OceanLight at waypoint 493 (cell 75, 29).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9634, Events line 9938, Actions line 10242.

269. _Amb_Jur_Ocean Heavy 1 - 043EC6CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043EC5EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 26 (cell 114, 160).

2. Play sound _Amb_OceanHeavy at waypoint 27 (cell 122, 152).
3. Play sound _Amb_OceanHeavy at waypoint 28 (cell 130, 143).
4. Play sound _Amb_OceanHeavy at waypoint 29 (cell 138, 134).
5. Play sound _Amb_OceanHeavy at waypoint 30 (cell 147, 125).
6. Play sound _Amb_OceanHeavy at waypoint 31 (cell 157, 111).
7. Play sound _Amb_OceanHeavy at waypoint 32 (cell 126, 172).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9635, Events line 9939, Actions line 10243.

270. _Amb_Jur_Birds Jungl 2a - 043EC4FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043ECB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 68 (cell 182, 138).
2. Play sound _Amb_BirdsJungle2 at waypoint 502 (cell 174, 136).
3. Play sound _Amb_BirdsJungle2 at waypoint 70 (cell 165, 171).
4. Play sound _Amb_BirdsJungle2 at waypoint 503 (cell 164, 129).
5. Play sound _Amb_BirdsJungle2 at waypoint 69 (cell 166, 111).
6. Play sound _Amb_BirdsJungle2 at waypoint 465 (cell 128, 160).
7. Play sound _Amb_BirdsJungle2 at waypoint 41 (cell 166, 116).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9636, Events line 9940, Actions line 10244.

271. _Amb_SF_Ocean Light 2 - 043ED65C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043ED57C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 477 (cell 86, 39).
2. Play sound _Amb_OceanLight at waypoint 481 (cell 76, 46).
3. Play sound _Amb_OceanLight at waypoint 496 (cell 68, 55).
4. Play sound _Amb_OceanLight at waypoint 480 (cell 62, 63).
5. Play sound _Amb_OceanLight at waypoint 492 (cell 63, 109).
6. Play sound _Amb_OceanLight at waypoint 495 (cell 60, 77).
7. Play sound _Amb_OceanLight at waypoint 491 (cell 55, 82).
8. Play sound _Amb_OceanLight at waypoint 78 (cell 52, 91).
9. Play sound _Amb_OceanLight at waypoint 478 (cell 43, 86).
10. Play sound _Amb_OceanLight at waypoint 487 (cell 54, 105).
11. Play sound _Amb_OceanLight at waypoint 494 (cell 67, 105).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9637, Events line 9941, Actions line 10245.

272. _Amb_SF_Birds Harbor 1 - 060365BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 060364DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 479 (cell 54, 68).
2. Play sound _Amb_BirdsHarbor at waypoint 53 (cell 48, 76).
3. Play sound _Amb_BirdsHarbor at waypoint 478 (cell 43, 86).
4. Play sound _Amb_BirdsHarbor at waypoint 473 (cell 32, 80).
5. Play sound _Amb_BirdsHarbor at waypoint 469 (cell 31, 50).
6. Play sound _Amb_BirdsHarbor at waypoint 475 (cell 51, 55).
7. Play sound _Amb_BirdsHarbor at waypoint 499 (cell 69, 77).
8. Play sound _Amb_BirdsHarbor at waypoint 79 (cell 63, 89).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9638, Events line 9942, Actions line 10246.

273. _Amb_SF_Birds Harbor 2 - 07DC3A4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07DC396C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsHarbor at waypoint 494 (cell 67, 105).
2. Play sound _Amb_BirdsHarbor at waypoint 142 (cell 65, 110).
3. Play sound _Amb_BirdsHarbor at waypoint 500 (cell 74, 68).
4. Play sound _Amb_BirdsHarbor at waypoint 474 (cell 88, 68).
5. Play sound _Amb_BirdsHarbor at waypoint 485 (cell 79, 60).
6. Play sound _Amb_BirdsHarbor at waypoint 486 (cell 88, 56).
7. Play sound _Amb_BirdsHarbor at waypoint 482 (cell 97, 48).
8. Play sound _Amb_BirdsHarbor at waypoint 489 (cell 94, 62).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9639, Events line 9943, Actions line 10247.

274. _Amb_SF_Urban Murmur 2b - 0612D2DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0612D1FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur2 at waypoint 131 (cell 124, 110).
2. Play sound _Amb_UrbanMurmur2 at waypoint 451 (cell 107, 118).
3. Play sound _Amb_UrbanMurmur2 at waypoint 453 (cell 105, 136).
4. Play sound _Amb_UrbanMurmur2 at waypoint 448 (cell 94, 120).
5. Play sound _Amb_UrbanMurmur2 at waypoint 421 (cell 83, 129).
6. Play sound _Amb_UrbanMurmur2 at waypoint 446 (cell 78, 119).
7. Play sound _Amb_UrbanMurmur2 at waypoint 111 (cell 96, 106).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9640, Events line 9944, Actions line 10248.

275. _Amb_SF_Wind Plains 2 - 0612F98C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0612F8AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 132 (cell 122, 76).

2. Play sound _Amb_WindPlains at waypoint 462 (cell 112, 63).
3. Play sound _Amb_WindPlains at waypoint 463 (cell 106, 69).
4. Play sound _Amb_WindPlains at waypoint 458 (cell 95, 81).
5. Play sound _Amb_WindPlains at waypoint 75 (cell 89, 84).
6. Play sound _Amb_WindPlains at waypoint 135 (cell 87, 91).
7. Play sound _Amb_WindPlains at waypoint 432 (cell 81, 100).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9641, Events line 9945, Actions line 10249.

276. _Amb_Jur_Birds Jungl 2b - 0606FA0C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0606F92C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 42 (cell 168, 126).
2. Play sound _Amb_BirdsJungle2 at waypoint 43 (cell 179, 128).
3. Play sound _Amb_BirdsJungle2 at waypoint 44 (cell 163, 135).
4. Play sound _Amb_BirdsJungle2 at waypoint 45 (cell 170, 143).
5. Play sound _Amb_BirdsJungle2 at waypoint 46 (cell 168, 152).
6. Play sound _Amb_BirdsJungle2 at waypoint 47 (cell 164, 157).
7. Play sound _Amb_BirdsJungle2 at waypoint 48 (cell 181, 149).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9642, Events line 9946, Actions line 10250.

277. _Amb_Jur_Ocean Heavy 2 - 07E30BFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07E30B1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 33 (cell 137, 162).
2. Play sound _Amb_OceanHeavy at waypoint 34 (cell 147, 150).
3. Play sound _Amb_OceanHeavy at waypoint 35 (cell 155, 136).
4. Play sound _Amb_OceanHeavy at waypoint 36 (cell 138, 183).
5. Play sound _Amb_OceanHeavy at waypoint 37 (cell 149, 172).
6. Play sound _Amb_OceanHeavy at waypoint 38 (cell 161, 145).
7. Play sound _Amb_OceanHeavy at waypoint 39 (cell 158, 154).
8. Play sound _Amb_OceanHeavy at waypoint 40 (cell 157, 169).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9643, Events line 9947, Actions line 10251.

278. Create_1st 4 Rhinos - 087D15EC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 087D150C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 45 (1st Tanks Arrive) is set.

Then perform these actions in order:

1. Create/recruit team TM_Sov_1st_4 Rhino (08E15EFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9644, Events line 9948, Actions line 10252.

279. Detect_Cons to Russia - 082B950C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082B942C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 47 (Conscripts to Russi) is set.

Flag writers in this mission: clear local flag 47 (Conscripts to Russi) at Detect_Cons to Russia (082B950C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Sov_Re_12 Conscript (060884EC).
2. Clear local flag 47 (Conscripts to Russi).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9645, Events line 9949, Actions line 10253.

280. Detect_Rhino to Russia - 082B933C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 082B925C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 46 (Rhinos to Russia) is set.

Flag writers in this mission: clear local flag 46 (Rhinos to Russia) at Detect_Rhino to Russia (082B933C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team TM_Sov_RE_4 Rhino (0882794C).
2. Clear local flag 46 (Rhinos to Russia).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9646, Events line 9950, Actions line 10254.

281. _Amb_Jur_Dino - 07907F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0790659C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_JurrasicTrexRoar at waypoint 41 (cell 166, 116).
2. Play sound _Amb_JurrasicTrexRoar at waypoint 42 (cell 168, 126).
3. Play sound _Amb_JurrasicTrexRoar at waypoint 46 (cell 168, 152).
4. Play sound _Amb_JurrasicTrexRoar at waypoint 47 (cell 164, 157).
5. Play sound _Amb_JurrasicTrexRoar at waypoint 69 (cell 166, 111).
6. Play sound _Amb_JurrasicTrexRoar at waypoint 70 (cell 165, 171).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9647, Events line 9951, Actions line 10255.

282. _Amb_Jur_Howl - 05CB7D1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05CBF0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_JurrasicHowls at waypoint 43 (cell 179, 128).
2. Play sound _Amb_JurrasicHowls at waypoint 45 (cell 170, 143).
3. Play sound _Amb_JurrasicHowls at waypoint 48 (cell 181, 149).

4. Play sound _Amb_JurrasicHowls at waypoint 502 (cell 174, 136).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9648, Events line 9952, Actions line 10256.

283. _Amb_Jur_Bed - 05CCF03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05CD704C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_JurrasicBed at waypoint 41 (cell 166, 116).
2. Play sound _Amb_JurrasicBed at waypoint 43 (cell 179, 128).
3. Play sound _Amb_JurrasicBed at waypoint 47 (cell 164, 157).
4. Play sound _Amb_JurrasicBed at waypoint 48 (cell 181, 149).
5. Play sound _Amb_JurrasicBed at waypoint 68 (cell 182, 138).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9649, Events line 9953, Actions line 10257.

284. Detect_Mixed Team Dead - 04421A8C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 044219AC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_Mixed Yuri Team (0442182C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9650, Events line 9954, Actions line 10258.

285. Destroy_GG Bridge - 04415AFC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Piece Destroyed (044149EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Destroy_GG Bridge (04415AFC).
2. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9651, Events line 9955, Actions line 10259.

286. Detect_Piece Destroyed - 044149EC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Destroy_GG Bridge (04415AFC).

Incoming activation links: enable from Fucking Shroud 2 (079BB93C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Detect_Piece Destroyed (044149EC).
2. Enable and reset applicable timers for Destroy_GG Bridge (04415AFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9652, Events line 9956, Actions line 10260.

287. Intro_Guardian_Audio - 0919E26C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Intro_Guardian @ PV (09198F3C); enable from Intro_Guardian @ CV (09198B9C); enable from Intro_Guardian @ CW (09198D6C); enable from Intro_Guardian @ PA (0919965C); enable from Intro_Guardian @ PC (09199BCC); enable from Intro_Guardian @ PG (0919948C); enable from Intro_Guardian @ PI (0919982C); enable from Intro_Guardian @ PK (091999FC); enable from Intro_Guardian @ PM (09199D9C).

Attached scope: tag definitions 0919E18C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_GuardianGi.

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9653, Events line 9957, Actions line 10261.

288. Intro_Guardian @ PV - 09198F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09198E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Intro_Guardian @ CV (09198B9C).
2. Disable Intro_Guardian @ CW (09198D6C).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Jump the camera to waypoint 437 (cell 137, 110).
5. Create/recruit team TM_Allies_2 Guardian @ PV Intro (05C6F97C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9654, Events line 9958, Actions line 10262.

289. Intro_Guardian @ CV - 09198B9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Guardian GI (GGI), owner Americans, cell (132, 82), tag 09198ABC, persistence mode 0; Guardian GI (GGI), owner Americans, cell (132, 83), tag 09198ABC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 99 (cell 131, 82).
2. Jump the camera to waypoint 99 (cell 131, 82).
3. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
4. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
5. Create/recruit team TM_Allies_2 Guardian @ CV Intro (05C6FEFC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9655, Events line 9959, Actions line 10263.

290. Intro_Guardian @ CW - 09198D6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09198C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 100 (cell 132, 89).
2. Jump the camera to waypoint 100 (cell 132, 89).

3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_2 Guardian @ CW Intro (05C6FAEC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9656, Events line 9960, Actions line 10264.

291. Intro_Guardian_Shutdown - 091992BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Intro_Guardian @ CV (09198B9C); enable from Intro_Guardian @ CW (09198D6C); enable from Intro_Guardian @ PA (0919965C); enable from Intro_Guardian @ PC (09199BCC); enable from Intro_Guardian @ PG (0919948C); enable from Intro_Guardian @ PI (0919982C); enable from Intro_Guardian @ PK (091999FC); enable from Intro_Guardian @ PM (09199D9C).

Attached scope: tag definitions 091991DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Intro_Guardian @ CV (09198B9C).
2. Disable Intro_Guardian @ CW (09198D6C).
3. Disable Intro_Guardian @ PA (0919965C).
4. Disable Intro_Guardian @ PC (09199BCC).
5. Disable Intro_Guardian @ PG (0919948C).
6. Disable Intro_Guardian @ PI (0919982C).
7. Disable Intro_Guardian @ PK (091999FC).
8. Disable Intro_Guardian @ PM (09199D9C).
9. Disable Intro_Guardian @ PV (09198F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9657, Events line 9961, Actions line 10265.

292. Intro_Guardian @ PA - 0919965C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0919957C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 416 (cell 80, 114).
2. Jump the camera to waypoint 416 (cell 80, 114).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_Patrol Grand (PA) Intro (0442F2BC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9658, Events line 9962, Actions line 10266.

293. Intro_Guardian @ PC - 09199BCC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09199AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 418 (cell 79, 128).
2. Jump the camera to waypoint 418 (cell 79, 128).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).

5. Create/recruit team TM_Allies_Patrol Statue (PC) Intro (0442D72C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9659, Events line 9963, Actions line 10267.

294. Intro_Guardian @ PG - 0919948C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091993AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 422 (cell 89, 119).
2. Jump the camera to waypoint 422 (cell 89, 119).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_Patrol Park (PG) Intro (0442DB4C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9660, Events line 9964, Actions line 10268.

295. Intro_Guardian @ PI - 0919982C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0919974C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 424 (cell 110, 110).
2. Jump the camera to waypoint 424 (cell 110, 110).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_Patrol Gas (PI) Intro (0442F79C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9661, Events line 9965, Actions line 10269.

296. Intro_Guardian @ PK - 091999FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0919991C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 426 (cell 127, 114).
2. Jump the camera to waypoint 426 (cell 127, 114).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_Patrol BottomTime (PK) Intro (0442F9EC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9662, Events line 9966, Actions line 10270.

297. Intro_Guardian @ PM - 09199D9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09199CBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 428 (cell 117, 85).
2. Jump the camera to waypoint 428 (cell 117, 85).
3. Enable and reset applicable timers for Intro_Guardian_Audio (0919E26C).
4. Enable and reset applicable timers for Intro_Guardian_Shutdown (091992BC).
5. Create/recruit team TM_Allies_Patrol TopTime (PM) Intro (0442D2CC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9663, Events line 9967, Actions line 10271.

298. SP2.6a_Trans 3 Ready - 079F9B1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079F9A3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Trans 3 Unloaded) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for SP2.6b_Trans 3 Leaves (05DB7F3C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9664, Events line 9968, Actions line 10272.

299. SP2.6b_Trans 3 Leaves - 05DB7F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.6a_Trans 3 Ready (079F9B1C).

Attached scope: tag definitions 05DB7E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_Sov_1 Trans (Flak) (0B4AA55C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9665, Events line 9969, Actions line 10273.

300. _Setup_Part Ic - 088BEB4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088BEA6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 102 (cell 22, 71).
2. Reveal terrain around waypoint 103 (cell 28, 60).
3. Reveal terrain around waypoint 133 (cell 52, 35).
4. Reveal terrain around waypoint 146 (cell 32, 55).
5. Reveal terrain around waypoint 147 (cell 42, 60).
6. Reveal terrain around waypoint 148 (cell 43, 49).
7. Reveal terrain around waypoint 149 (cell 50, 44).
8. Reveal terrain around waypoint 150 (cell 69, 21).
9. Reveal terrain around waypoint 101 (cell 49, 73).
10. Reveal terrain around waypoint 151 (cell 49, 80).
11. Reveal terrain around waypoint 152 (cell 54, 77).
12. Reveal terrain around waypoint 153 (cell 56, 73).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9666, Events line 9970, Actions line 10274.

301. Fucking Shroud 1 - 078C97EC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Piece Destroyed (044149EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Change House: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Disable Fucking Shroud 1 (078C97EC).
3. Enable and reset applicable timers for Fucking Shroud 2 (079BB93C).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9667, Events line 9971, Actions line 10275.

302. Fucking Shroud 2 - 079BB93C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Fucking Shroud 1 (078C97EC).

Incoming activation links: enable from Fucking Shroud 1 (078C97EC).

Attached scope: Golden Gate Bridge (CASANF04), owner Neutral, cell (59, 99), tag 04415A1C, persistence mode 2; Golden Gate Bridge (CASANF11), owner Neutral, cell (62, 99), tag 04415A1C, persistence mode 2; Golden Gate Bridge (CASANF12), owner Neutral, cell (56, 99), tag 04415A1C, persistence mode 2; Golden Gate Bridge (CASANF13), owner Neutral, cell (53, 99), tag 04415A1C, persistence mode 2; Golden Gate Bridge (CASANF14), owner Neutral, cell (50, 99), tag 04415A1C, persistence mode 2.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Fucking Shroud 2 (079BB93C).
3. Enable and reset applicable timers for Detect_Piece Destroyed (044149EC).

Source locator: mapsmd03.mix/sov01umd.map; Triggers line 9668, Events line 9972, Actions line 10276.

All team rosters and ordered plans | All mission overrides

Operation: Time Shift - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov01umd.map; each team/script ID identifies its section.

TM_Sov_Sub 1 - 0C0A612C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to Z (0C0A7B4C).

1. Clear local flag: local flag 10 (Sub1 Dead).
2. Move to waypoint: waypoint 25 (cell 57, 91).

TM_Sov_Sub 2 - 0C0A790C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to Y (0C0A769C).

1. Clear local flag: local flag 11 (Sub2 Dead).
2. Move to waypoint: waypoint 24 (cell 57, 93).

TM_Sov_Sub 3 - 0C0A756C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to X (0C0A72FC).

1. Clear local flag: local flag 12 (Sub3 Dead).
2. Move to waypoint: waypoint 23 (cell 57, 95).

TM_Sov_Squid 1 - 0C0A71CC

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Move to W (0C0A8DBC).

1. Clear local flag: local flag 13 (Squid1 Dead).
2. Move to waypoint: waypoint 22 (cell 55, 92).

TM_Sov_Squid 2 - 0C0A8B7C

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Move to V (0C0A890C).

1. Clear local flag: local flag 14 (Squid2 Dead).
2. Move to waypoint: waypoint 21 (cell 55, 94).

TM_Sov_Sea Scorpion 1 - 0C0A87DC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to U (0C0A848C).

1. Clear local flag: local flag 15 (Scorp1 Dead).
2. Move to waypoint: waypoint 20 (cell 54, 91).

TM_Sov_Sea Scorpion 2 - 0C0A824C

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Move to T (0C0A9DBC).

1. Clear local flag: local flag 16 (Scorp2 Dead).
2. Move to waypoint: waypoint 19 (cell 53, 92).

TM_Sov_Sea Scorpion 3 - 0C0A9C8C

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to S (0C0A9A1C).

1. Clear local flag: local flag 17 (Scorp3 Dead).
2. Move to waypoint: waypoint 18 (cell 54, 93).

TM_Sov_Sea Scorpion 4 - 0C0A98EC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Move to R (0C0A967C).

1. Clear local flag: local flag 18 (Scorp4 Dead).
2. Move to waypoint: waypoint 17 (cell 53, 94).

TM_Sov_Sea Scorpion 5 - 0C0A954C

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to Q (0C0A92DC).

1. Clear local flag: local flag 19 (Scorp5 Dead).
2. Move to waypoint: waypoint 16 (cell 54, 95).

TM_Sov_Dreadnought 1 - 0C04E5FC

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to P (0C0AADBC).

1. Clear local flag: local flag 20 (Dread1 Dead).
2. Move to waypoint: waypoint 15 (cell 51, 91).

TM_Sov_Dreadnought 2 - 0C04FEFC

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to O (0C0AA90C).

1. Clear local flag: local flag 21 (Dread2 Dead).
2. Move to waypoint: waypoint 14 (cell 51, 93).

TM_Sov_Dreadnought 3 - 0C04FA7C

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to N (0C0AA56C).

1. Clear local flag: local flag 22 (Dread3 Dead).
2. Move to waypoint: waypoint 13 (cell 51, 95).

TM_Allies_1 Intruder_a - 0881B38C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: Move to BB (0BBEE3FC).

1. Move to waypoint: waypoint 53 (cell 48, 76).

TM_Allies_2 Carrier - 0BCF57DC

Owner: Americans. Roster: 2 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Attack BC (0BCF556C).

1. Attack waypoint: waypoint 54 (cell 39, 72).

TM_Sov_Exit 1 Dread - 0C65EA7C

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Exit @ I (0C65E80C).

1. Move to waypoint: waypoint 8 (cell 37, 91).
2. Delete team objects.

TM_Sov_Exit 1 Scorpion - 0C65E6DC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Exit @ J (0C65E46C).

1. Move to waypoint: waypoint 9 (cell 38, 92).
2. Delete team objects.

TM_Sov_Exit 1 Squid - 0C65E33C

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Exit @ K (0C65E0CC).

1. Move to waypoint: waypoint 10 (cell 39, 93).
2. Delete team objects.

TM_Sov_Exit 1 Sub - 0C65FEFC

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Exit @ L (0C65FC8C).

1. Move to waypoint: waypoint 11 (cell 40, 94).
2. Delete team objects.

TM_Sov_1 Trans_4 Rhino - 08816EFC

Owner: Russians. Roster: 4 × Rhino Heavy Tank (HTNK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to X_BD (08816C8C).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 55 (cell 78, 79).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Change country ownership; configured argument 15.
5. Set local flag: local flag 45 (1st Tanks Arrive).
6. Move to waypoint: waypoint 8 (cell 37, 91).
7. Delete team objects.

TM_Sov_1 Trans_12 Conscript - 08DF843C

Owner: Russians. Roster: 12 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Move to X_BE (08DF81CC).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 56 (cell 79, 74).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Change country ownership; configured argument 15.
5. Move to waypoint: waypoint 9 (cell 38, 92).
6. Delete team objects.

TM_Sov_1 Trans_4 Flak Trak - 0B5CAEFC

Owner: Russians. Roster: 4 × Flak Track (HTK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to X_BF (0B5CAC8C).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 57 (cell 85, 74).
3. Set local flag: local flag 8 (Trans 3 Unloaded).
4. Unload with continuation mode: both leave the continuing team.

TM_Sov_1 Trans_1 Boris_5 Tesla_3 Dog_3 Eng - 0B244DEC

Owner: Russians. Roster: 1 × Boris (BORIS); 3 × Attack Dog (DOG); 5 × Tesla Trooper (SHK); 1 × Amphibious Transport (SAPC); 3 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Move to X_BG (0D2F490C).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 58 (cell 80, 82).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Change country ownership; configured argument 15.
5. Set local flag: local flag 9 (Trans 4 Unloaded).
6. Move to waypoint: waypoint 11 (cell 40, 94).
7. Delete team objects.

TM_Allies_Flash 1 Destroyer - 0D0F667C

Owner: Americans. Roster: 1 × Destroyer (DEST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Flash Team (0D0E384C).

1. Flash team; configured argument 100.

TM_Allies_Flash 1 Carrier - 0D0F7CCC

Owner: Americans. Roster: 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: CB.

Ordered plan: Flash Team (0D0E384C).

1. Flash team; configured argument 100.

TM_Sov_1 Boris - 093DE24C

Owner: Russians. Roster: 1 × Boris (BORIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 3; Technology level: 0; Waypoint: BJ.

Ordered plan: Boris Intro (08ECFDBC).

1. Move to waypoint: waypoint 61 (cell 86, 81).
2. Flash team; configured argument 200.
3. Set local flag: local flag 23 (Boris Intro).

TM_Jurassic_TRex @ BR - 0BB6F1DC

Owner: Nod. Roster: 1 × T-Rex (DNOA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Dino Attack (0BB70DBC).

1. Move to waypoint: waypoint 68 (cell 182, 138).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 1.

TM_Jurassic_TRex @ BS - 095F399C

Owner: Nod. Roster: 1 × T-Rex (DNOA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Dino Attack (0BB70DBC).

1. Move to waypoint: waypoint 68 (cell 182, 138).
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 1.

TM_Allies_Patrol Statue Plant - 088B3DCC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PC.

Ordered plan: Patrol Statue Plant (095348AC).

1. Move to waypoint: waypoint 419 (cell 79, 124).
2. Move to waypoint: waypoint 420 (cell 83, 124).
3. Move to waypoint: waypoint 421 (cell 83, 129).
4. Move to waypoint: waypoint 418 (cell 79, 128).
5. Jump to script line; configured argument 1.

TM_Allies_Patrol Grand Plant - 088B391C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PA.

Ordered plan: Patrol Grand Plant (0953420C).

1. Move to waypoint: waypoint 417 (cell 80, 109).
2. Move to waypoint: waypoint 416 (cell 80, 114).
3. Jump to script line; configured argument 1.

TM_Allies_Patrol Park Plant - 088B348C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PG.

Ordered plan: Patrol Park Plant (09535B3C).

1. Move to waypoint: waypoint 423 (cell 94, 119).
2. Move to waypoint: waypoint 422 (cell 89, 119).
3. Jump to script line; configured argument 1.

TM_Allies_Patrol Gas Plant - 0965BB5C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PI.

Ordered plan: Patrol Gas Plant (095356DC).

1. Move to waypoint: waypoint 425 (cell 114, 110).
2. Move to waypoint: waypoint 424 (cell 110, 110).
3. Jump to script line; configured argument 1.

TM_Allies_Patrol BottomTime Plant - 088B05BC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PK.

Ordered plan: Patrol BottomTime Plant (0953527C).

1. Move to waypoint: waypoint 427 (cell 127, 118).
2. Move to waypoint: waypoint 426 (cell 127, 114).
3. Jump to script line; configured argument 1.

TM_Allies_Patrol TopTime Plant - 088B47FC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PM.

Ordered plan: Patrol TopTime Plant (09536DBC).

1. Move to waypoint: waypoint 431 (cell 122, 85).
2. Move to waypoint: waypoint 430 (cell 122, 80).
3. Move to waypoint: waypoint 429 (cell 117, 80).
4. Move to waypoint: waypoint 428 (cell 117, 85).
5. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly PQ->PR - 0BD6841C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PQ.

Ordered plan: Patrol Right Main St. (0B4F8DBC).

1. Move to waypoint: waypoint 433 (cell 125, 100).
2. Move to waypoint: waypoint 432 (cell 81, 100).
3. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly PS->PT - 0B4FF03C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PT.

Ordered plan: Patrol Left Main St. (0B4F8B4C).

1. Move to waypoint: waypoint 434 (cell 81, 102).
2. Move to waypoint: waypoint 435 (cell 125, 102).
3. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly PU->PV - 0B4F889C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PU.

Ordered plan: Patrol South of Main St. (0B4F862C).

1. Move to waypoint: waypoint 437 (cell 137, 110).
2. Move to waypoint: waypoint 436 (cell 81, 111).
3. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly PW->PX - 0B4F83FC

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PW.

Ordered plan: Patrol South of South of Main St. (0B4FADBC).

1. Move to waypoint: waypoint 439 (cell 120, 126).
2. Move to waypoint: waypoint 438 (cell 79, 123).
3. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly PY->PZ - 0B4FAC4C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PY.

Ordered plan: Patrol North Street (0B4FA9DC).

1. Move to waypoint: waypoint 441 (cell 125, 78).
2. Move to waypoint: waypoint 440 (cell 106, 78).
3. Jump to script line; configured argument 1.

TM_Allies_2 Grizzly QA->QB - 0B4FA76C

Owner: Americans. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QA.

Ordered plan: Patrol Time Machine Street (0B4FA4FC).

1. Move to waypoint: waypoint 443 (cell 122, 89).
2. Move to waypoint: waypoint 442 (cell 108, 88).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QC->QD->QE->QF - 0B4FA0FC

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QC.

Ordered plan: Patrol East Cliffs (0B4FE1BC).

1. Move to waypoint: waypoint 445 (cell 81, 118).
2. Move to waypoint: waypoint 446 (cell 78, 119).
3. Move to waypoint: waypoint 447 (cell 78, 125).
4. Move to waypoint: waypoint 446 (cell 78, 119).
5. Move to waypoint: waypoint 445 (cell 81, 118).
6. Move to waypoint: waypoint 444 (cell 81, 103).
7. Jump to script line; configured argument 1.

TM_Allies_4 GI QG->QH - 0B4F9BFC

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QG.

Ordered plan: Patrol Street by Park Plant (0B4F998C).

1. Move to waypoint: waypoint 449 (cell 94, 143).
2. Move to waypoint: waypoint 448 (cell 94, 120).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QI->QJ->QK->QL - 0B4F979C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QI.

Ordered plan: Patrol Street by Gas Plant (0B4F952C).

1. Move to waypoint: waypoint 451 (cell 107, 118).
2. Move to waypoint: waypoint 452 (cell 105, 118).
3. Move to waypoint: waypoint 453 (cell 105, 136).
4. Move to waypoint: waypoint 452 (cell 105, 118).
5. Move to waypoint: waypoint 451 (cell 107, 118).
6. Move to waypoint: waypoint 450 (cell 107, 112).
7. Jump to script line; configured argument 1.

TM_Allies_4 GI QM->QN - 0B4F923C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QM.

Ordered plan: Patrol in front of Burger Kong (0B4FBDBC).

1. Move to waypoint: waypoint 455 (cell 107, 99).
2. Move to waypoint: waypoint 454 (cell 107, 84).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QO->QP - 0B4F904C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QO.

Ordered plan: Patrol Dock (0B4FBB4C).

1. Move to waypoint: waypoint 457 (cell 98, 76).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QQ->QR - 0B4FB95C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QQ.

Ordered plan: Patrol behind Burger Kong (0B4FB6EC).

1. Move to waypoint: waypoint 459 (cell 98, 99).
2. Move to waypoint: waypoint 458 (cell 95, 81).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QS->QT - 0B4FB4FC

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QS.

Ordered plan: Patrol Street below Time Machine (0B4FB28C).

1. Move to waypoint: waypoint 461 (cell 123, 99).
2. Move to waypoint: waypoint 460 (cell 123, 80).
3. Jump to script line; configured argument 1.

TM_Allies_4 GI QU->QV->QW - 0B4FB09C

Owner: Americans. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QU.

Ordered plan: Patrol Top-Right Street (0B4F818C).

1. Move to waypoint: waypoint 463 (cell 106, 69).
2. Move to waypoint: waypoint 464 (cell 105, 76).
3. Move to waypoint: waypoint 463 (cell 106, 69).
4. Move to waypoint: waypoint 462 (cell 112, 63).
5. Jump to script line; configured argument 1.

TM_Sov_10 Engineers - 0957AE2C

Owner: Russians. Roster: 10 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: DK.

Ordered plan: Flash Team (09581BCC).

1. Flash team; configured argument 100.

TM_Sov_6 Engineers - 093D0EFC

Owner: Russians. Roster: 6 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: DK.

Ordered plan: Flash Team (09581BCC).

1. Flash team; configured argument 100.

TM_Sov_Reinforce Group 1 - 09089A4C

Owner: Soviet2 Country. Roster: 4 × Rhino Heavy Tank (HTNK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Move to X_BE (08DF81CC).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 56 (cell 79, 74).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Change country ownership; configured argument 15.
5. Move to waypoint: waypoint 9 (cell 38, 92).
6. Delete team objects.

TM_Sov_Reinforce Group 2 - 0908983C

Owner: Soviet2 Country. Roster: 12 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to X_BD (08816C8C).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 55 (cell 78, 79).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Change country ownership; configured argument 15.
5. Set local flag: local flag 45 (1st Tanks Arrive).
6. Move to waypoint: waypoint 8 (cell 37, 91).
7. Delete team objects.

TM_Yuri_Grand Plant Attack - 0946E7DC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_Grand Plant (0C87870C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 72 (cell 94, 110).
5. Move to waypoint: waypoint 127 (cell 83, 109).
6. Unload with continuation mode: passengers continue; transport leaves team.
7. Set local flag: local flag 27 (Grand Atk_Unloaded).
8. Attack-move toward waypoint: waypoint 121 (cell 81, 112).
9. Adopt object mission: area guard.

TM_Yuri_Statue Plant Attack - 0946E06C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_Statue Plant (0C87825C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 72 (cell 94, 110).
5. Move to waypoint: waypoint 128 (cell 73, 120).
6. Unload with continuation mode: passengers continue; transport leaves team.
7. Set local flag: local flag 28 (Statue Atk_Unloaded).
8. Attack-move toward waypoint: waypoint 122 (cell 78, 126).
9. Adopt object mission: area guard.

TM_Yuri_Park Plant Attack - 092A2B5C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_Park Plant (0C887DBC).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 129 (cell 95, 115).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 29 (Park Atk_Unloaded).
7. Attack-move toward waypoint: waypoint 123 (cell 92, 119).
8. Adopt object mission: area guard.

TM_Yuri_Gas Plant Attack - 092A27BC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_Gas Plant (0C887A1C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 130 (cell 108, 107).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 30 (Gas Atk_Unloaded).
7. Attack-move toward waypoint: waypoint 124 (cell 112, 111).
8. Adopt object mission: area guard.

TM_Yuri_NTime Plant Attack - 0946F03C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_NTime Plant (0C88767C).

1. Move to waypoint: waypoint 456 (cell 98, 65).

2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 463 (cell 106, 69).
4. Move to waypoint: waypoint 132 (cell 122, 76).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 31 (NTime Atk_Unloaded).
7. Attack-move toward waypoint: waypoint 126 (cell 122, 82).
8. Adopt object mission: area guard.

TM_Yuri_STime Plant Attack - 094708CC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Attack_STime Plant (0C8872DC).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 131 (cell 124, 110).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 32 (STime Atk_Unloaded).
7. Attack-move toward waypoint: waypoint 125 (cell 126, 116).
8. Adopt object mission: area guard.

TM_Arab_Grand Plant Capture - 0C3132DC

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_Grand Plant (0C886DBC).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 72 (cell 94, 110).
5. Move to waypoint: waypoint 127 (cell 83, 109).
6. Unload with continuation mode: passengers continue; transport leaves team.
7. Set local flag: local flag 33 (Grand Cap_Unloaded).
8. Attack waypoint: waypoint 115 (cell 79, 111).

TM_Arab_Statue Plant Capture - 0C312C8C

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_Statue Plant (0C88690C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 72 (cell 94, 110).
5. Move to waypoint: waypoint 128 (cell 73, 120).
6. Unload with continuation mode: passengers continue; transport leaves team.
7. Set local flag: local flag 34 (Statue Cap_Unloaded).
8. Attack waypoint: waypoint 116 (cell 80, 126).

TM_Arab_Park Plant Capture - 0C3128EC

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_Park Plant (0C88656C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 129 (cell 95, 115).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 35 (Park Cap_Unloaded).
7. Attack waypoint: waypoint 117 (cell 92, 117).

TM_Arab_Gas Plant Capture - 0C31254C

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_Gas Plant (0C8861CC).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 130 (cell 108, 107).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 36 (Gas Cap_Unloaded).
7. Attack waypoint: waypoint 118 (cell 112, 113).

TM_Arab_NTime Plant Capture - 0C3121AC

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_NTime Plant (0C885DBC).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 463 (cell 106, 69).
4. Move to waypoint: waypoint 132 (cell 122, 76).
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Set local flag: local flag 37 (NTime Cap_Unloaded).
7. Attack waypoint: waypoint 120 (cell 120, 82).

TM_Arab_STime Plant Capture - 0C311C8C

Owner: Arabs. Roster: 1 × Engineer (YENGINEER); 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: Capture_STime Plant (0C885A1C).

1. Move to waypoint: waypoint 456 (cell 98, 65).
2. Move to waypoint: waypoint 457 (cell 98, 76).
3. Move to waypoint: waypoint 459 (cell 98, 99).
4. Move to waypoint: waypoint 131 (cell 124, 110).
5. Unload with continuation mode: passengers continue; transport leaves team.

6. Set local flag: local flag 38 (STime Cap_Unloaded).
7. Move to waypoint: waypoint 125 (cell 126, 116).
8. Attack waypoint: waypoint 119 (cell 128, 116).

TM_Yuri_Grand Trans Unloaded - 0BB9441C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DX.

Ordered plan: Move_Atk Grand to QO-->ED (0BB941AC).

1. Clear local flag: local flag 27 (Grand Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_Statue Trans Unloaded - 0BB93DEC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DY.

Ordered plan: Move_Atk Statue to QO-->ED (0BB93B7C).

1. Clear local flag: local flag 28 (Statue Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_Park Trans Unloaded - 0BB93A4C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DZ.

Ordered plan: Move_Atk Park to QO-->ED (0BB937DC).

1. Clear local flag: local flag 29 (Park Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_Gas Trans Unloaded - 0BB936AC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EA.

Ordered plan: Move_Atk Gas to QO-->ED (0BB9343C).

1. Clear local flag: local flag 30 (Gas Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_NTime Trans Unloaded - 0BB9330C

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EC.

Ordered plan: Move_Atk NTime to QO-->ED (0BB92DBC).

1. Clear local flag: local flag 31 (NTime Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_STime Trans Unloaded - 0BB931DC

Owner: YuriCountry. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EB.

Ordered plan: Move_Atk STime to QO-->ED (0BB92B4C).

1. Clear local flag: local flag 32 (STime Atk_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_Grand Trans Unloaded - 0BB92A1C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DX.

Ordered plan: Move_Cap Grand to QO-->ED (0BB927AC).

1. Clear local flag: local flag 33 (Grand Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_Statue Trans Unloaded - 0BB9256C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DY.

Ordered plan: Move_Cap Statue to QO-->ED (0BB922FC).

1. Clear local flag: local flag 34 (Statue Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_Park Trans Unloaded - 0BB921CC

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: DZ.

Ordered plan: Move_Cap Park to QO-->ED (0BB91DBC).

1. Clear local flag: local flag 35 (Park Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_Gas Trans Unloaded - 0BB91C8C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EA.

Ordered plan: Move_Cap Gas to QO-->ED (0BB91A1C).

1. Clear local flag: local flag 36 (Gas Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_NTime Trans Unloaded - 0BB918EC

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EC.

Ordered plan: Move_Cap NTime to QO-->ED (0BB9167C).

1. Clear local flag: local flag 37 (NTime Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Arab_STime Trans Unloaded - 0BB9154C

Owner: Arabs. Roster: 1 × Amphibious Transport (YHVR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EB.

Ordered plan: Move_Cap STime to QO-->ED (0BB912DC).

1. Clear local flag: local flag 38 (STime Cap_Unloaded).
2. Move to waypoint: waypoint 456 (cell 98, 65).
3. Move to waypoint: waypoint 133 (cell 52, 35).
4. Delete team objects.

TM_Yuri_Lasher Guard West - 095A970C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Guard Area (08F13DBC).

1. Panic.
2. Adopt object mission: area guard.

TM_Yuri_Lasher Guard Mid - 095A916C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Guard Area (08F13DBC).

1. Panic.
2. Adopt object mission: area guard.

TM_Yuri_Lasher Guard East - 095A903C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QO.

Ordered plan: Guard Area (08F13DBC).

1. Panic.
2. Adopt object mission: area guard.

TM_Yuri_Lasher Patrol West - 095A83FC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EE.

Ordered plan: Lasher Patrol West (095A818C).

1. Move to waypoint: waypoint 60 (cell 72, 95).
2. Move to waypoint: waypoint 134 (cell 86, 92).
3. Jump to script line; configured argument 1.

TM_Yuri_Lasher Patrol Mid - 095A805C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EG.

Ordered plan: Lasher Patrol Mid (095AB25C).

1. Move to waypoint: waypoint 135 (cell 87, 91).
2. Move to waypoint: waypoint 136 (cell 91, 79).
3. Jump to script line; configured argument 1.

TM_Yuri_Lasher Patrol East - 095B5EFC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QV.

Ordered plan: Lasher Patrol East (095B6DBC).

1. Move to waypoint: waypoint 458 (cell 95, 81).
2. Move to waypoint: waypoint 463 (cell 106, 69).
3. Jump to script line; configured argument 1.

TM_Sov_Boris from Barracks - 093EEB5C

Owner: Russians. Roster: 1 × Boris (BORIS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 3; Technology level: 0; Waypoint: BV.

Ordered plan: Move to BU and Flash (0439DA1C).

1. Move to waypoint: waypoint 72 (cell 94, 110).
2. Flash team; configured argument 100.
3. Set local flag: local flag 26 (BorisTalks).

TM_Allies_3 GI @ EI - 095876EC

Owner: Americans. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: EI.

Ordered plan: Attack Player 2 (09350DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

TM_Allies_3 GI @ EJ - 095BAA6C

Owner: Americans. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: EJ.

Ordered plan: Attack Player 2 (09350DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

TM_Allies_3 GI @ EK - 095B717C

Owner: Americans. Roster: 3 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0; Waypoint: EK.

Ordered plan: Attack Player 2 (09350DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

TM_Sov_1 War Miner - 09376A2C

Owner: Russians. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EK.

Ordered plan: Harvest (0967B30C).

1. Adopt object mission: area guard.

TM_Yuri_5 Initiate Island Guard - 0930D91C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: EN.

Ordered plan: EP-->EN_Guard Area (05C9AA4C).

1. Move to waypoint: waypoint 145 (cell 40, 65).
2. Move to waypoint: waypoint 143 (cell 45, 65).
3. Adopt object mission: area guard.

TM_Sov2_Re_4 Rhino - 07EC346C

Owner: Soviet2 Country. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: Change to Russia-->Tank Re (07EC31FC).

1. Set local flag: local flag 46 (Rhinos to Russia).
2. Change country ownership; configured argument 8.

TM_Sov2_Re_12 Conscript - 07EC467C

Owner: Soviet2 Country. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Change to Russia-->Team Re (07EC440C).

1. Set local flag: local flag 47 (Conscripts to Russi).
2. Change country ownership; configured argument 8.

TM_Sov2_1 Trans 4 Rhino - 0999948C

Owner: Soviet2 Country. Roster: 4 × Rhino Heavy Tank (HTNK); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Unload @ BD-->Set Player Re 1 (08DCB4EC).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 55 (cell 78, 79).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 43 (Player Reinforce 1).
5. Move to waypoint: waypoint 8 (cell 37, 91).
6. Delete team objects.

TM_Sov2_1 Trans 12 Conscript - 0999AEFC

Owner: Soviet2 Country. Roster: 12 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Unload @ BE-->Set Player Re 2 (08DCAC8C).

1. Move to waypoint: waypoint 23 (cell 57, 95).
2. Move to waypoint: waypoint 56 (cell 79, 74).
3. Unload with continuation mode: transport continues; passengers leave team.
4. Set local flag: local flag 44 (Player Reinforce 2).
5. Move to waypoint: waypoint 9 (cell 38, 92).
6. Delete team objects.

TM_Sov_1st_4 Rhino - 08E15EFC

Owner: Russians. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Do Nothing (087D1DBC).

1. Adopt object mission: stop.

TM_Sov_Re_12 Conscript - 060884EC

Owner: Russians. Roster: 12 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: Flash Team (09581BCC).

1. Flash team; configured argument 100.

TM_Sov_RE_4 Rhino - 0882794C

Owner: Russians. Roster: 4 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Flash Team (09581BCC).

1. Flash team; configured argument 100.

TM_Allies_1 Intruder_b - 07A2155C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to BB (0BBEE3FC).

1. Move to waypoint: waypoint 53 (cell 48, 76).

TM_Allies_1 Intruder_c - 07A2142C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: RT.

Ordered plan: Move to BB (0BBEE3FC).

1. Move to waypoint: waypoint 53 (cell 48, 76).

TM_Allies_1 Intruder_d - 07A21A6C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: RY.

Ordered plan: Move to BB (0BBEE3FC).

1. Move to waypoint: waypoint 53 (cell 48, 76).

TM_Allies_1 Intruder_e - 08FCE74C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PS.

Ordered plan: Move to BC (092AEDBC).

1. Move to waypoint: waypoint 54 (cell 39, 72).

TM_Allies_1 Intruder_f - 05D3B8BC

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: PQ.

Ordered plan: Move to BC (092AEDBC).

1. Move to waypoint: waypoint 54 (cell 39, 72).

TM_Allies_1 Intruder_g - 05D3BB6C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: QC.

Ordered plan: Move to BC (092AEDBC).

1. Move to waypoint: waypoint 54 (cell 39, 72).

TM_Allies_1 Intruder_h - 05D3878C

Owner: Americans. Roster: 1 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: DC.

Ordered plan: Move to BC (092AEDBC).

1. Move to waypoint: waypoint 54 (cell 39, 72).

TM_Neutral_1 Cable Car - 0A9680AC

Owner: Neutral. Roster: 1 × Cable Car (CBLC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: Move to DK-->AX (loop) (0A96B62C).

1. Move to waypoint: waypoint 114 (cell 130, 101).
2. Move to waypoint: waypoint 49 (cell 78, 101).
3. Jump to script line; configured argument 1.

TM_Neutral_1 Beach Fat Male - 07809D4C

Owner: Neutral. Roster: 1 × Civilian (CIVBFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Beach Female - 0871030C

Owner: Neutral. Roster: 1 × Civilian (CIVBF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Beach Thin Male - 087101DC

Owner: Neutral. Roster: 1 × Civilian (CIVBTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Civ1 - 087100AC

Owner: Neutral. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Civ2 - 0871381C

Owner: Neutral. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Civ3 - 087136EC

Owner: Neutral. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Snow Fat Male - 087135BC

Owner: Neutral. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Snow Female - 0871591C

Owner: Neutral. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Neutral_1 Snow Thin Male - 087157EC

Owner: Neutral. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 9; Veteran Level: 1; Technology level: 0.

Ordered plan: Civilian Stand-around (07809ADC).

1. Adopt object mission: area guard.

TM_Allies_1 GI - 090C973C

Owner: Americans. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Guard Area (090D4DBC).

1. Adopt object mission: area guard.

TM_Neutral_1 Cruise Ship - 05C1DC5C

Owner: Neutral. Roster: 1 × Cruise Ship (CRUISE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Go to Sleep (05C1D9EC).

1. Adopt object mission: sleep.

TM_Neutral_1 Tug Boat - 05C1D6BC

Owner: Neutral. Roster: 1 × Tug Boat (TUG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Go to Sleep (05C1D9EC).

1. Adopt object mission: sleep.

TM_Yuri_Mixed Attack Team - 05D6993C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EI.

Ordered plan: Attack Player (05D695EC).

1. Attack-move toward waypoint: waypoint 459 (cell 98, 99).
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.

TM_Sov2_1 Transport - 05DC684C

Owner: Soviet2 Country. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: CT.

Ordered plan: Do Nothing (087D1DBC).

1. Adopt object mission: stop.

TM_Allies_2 Guardian (Flash) - 0919FD5C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Flash Team 150 (0919DDBC).

1. Flash team; configured argument 150.

TM_Allies_Patrol Gas (PI) Intro - 0442F79C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PI.

Ordered plan: Guardian GI @ PI Intro (0442F52C).

1. Flash team; configured argument 120.
2. Change script: 110 (reference 110).

TM_Allies_Patrol Grand (PA) Intro - 0442F2BC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PA.

Ordered plan: Guardian GI @ PA Intro (Grand) (0442F04C).

1. Flash team; configured argument 120.
2. Change script: 108 (reference 108).

TM_Allies_Patrol Park (PG) Intro - 0442DB4C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PG.

Ordered plan: Guardian GI @ PG Intro (Park) (0442D8DC).

1. Flash team; configured argument 120.
2. Change script: 109 (reference 109).

TM_Allies_Patrol Statue (PC) Intro - 0442D72C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PC.

Ordered plan: Guardian GI @ PC (Statue) (0442D4BC).

1. Flash team; configured argument 120.
2. Change script: 107 (reference 107).

TM_Allies_Patrol TopTime (PM) Intro - 0442D2CC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PM.

Ordered plan: Guardian GI @ PM Intro (NTime) (0442D05C).

1. Flash team; configured argument 120.
2. Change script: 112 (reference 112).

TM_Allies_Patrol BottomTime (PK) Intro - 0442F9EC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PK.

Ordered plan: Guardian GI @ PK Intro (STime) (044340FC).

1. Flash team; configured argument 120.
2. Change script: 111 (reference 111).

TM_Allies_2 Guardian @ CV Intro - 05C6FEFC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CV.

Ordered plan: Guardian GIs @ CV_CW_PV Intro (05C6FC8C).

1. Flash team; configured argument 120.
2. Adopt object mission: area guard.

TM_Allies_2 Guardian @ CW Intro - 05C6FAEC

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CW.

Ordered plan: Guardian GIs @ CV_CW_PV Intro (05C6FC8C).

1. Flash team; configured argument 120.
2. Adopt object mission: area guard.

TM_Allies_2 Guardian @ PV Intro - 05C6F97C

Owner: Americans. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: PV.

Ordered plan: Guardian GIs @ CV_CW_PV Intro (05C6FC8C).

1. Flash team; configured argument 120.
2. Adopt object mission: area guard.

TM_Yuri_Mixed Attack Team 2 - 05C99EFC

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EI.

Ordered plan: Attack Player 2 (09350DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 1.

TM_Sov_1 Trans (Flak) - 0B4AA55C

Owner: Russians. Roster: 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Secret Trans (Flak) Leaves (0B4AA2EC).

1. Move to waypoint: waypoint 15 (cell 51, 91).
2. Move to waypoint: waypoint 13 (cell 51, 95).
3. Move to waypoint: waypoint 23 (cell 57, 95).

4. Move to waypoint: waypoint 10 (cell 39, 93).
5. Delete team objects.

TM_Yuri_1 Engineer 4 Reactor - 0442B86C

Owner: YuriCountry. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Fix Nuke Reactor (0442F31C).

1. Attack/garrison waypoint building: waypoint 101 (cell 49, 73).

Operation: Time Shift - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov01umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Multiple Factory	0.8	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Min Low Power Production Speed	1.0	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Max Low Power Production Speed	1.0	5
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Low Power Penalty Modifier	1	6
GAPOWRA	UI Name	Name:GAPOWR	17
GAPOWRA	Name	Tech Power A	18
GAPOWRA	Image	CAPOWR	19
GAPOWRA	Technology level	-1	20
GAPOWRA	Starting health capacity	5000	21
GAPOWRA	Insignificant-object flag	no	22
GAPOWRA	Nominal	yes	23
GAPOWRA	Sight radius setting	6	24
GAPOWRA	Points	5	25
GAPOWRA	Armor class	concrete	26
GAPOWRA	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	27
GAPOWRA	Max Debris	15	28
GAPOWRA	Min Debris	5	29
GAPOWRA	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	30
GAPOWRA	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	31
GAPOWRA	Engineer-capture permission	yes	32
GAPOWRA	Needs Engineer	yes	33
GAPOWRA	Selling forbidden	yes	34
GAPOWRA	Ammo	5	35
GAPOWRA	Leaves rubble	yes	36
GAPOWRA	Signed power contribution	200	37
Tech Power Plant (CAPOWR)	UI Name	Name:GAPOWR	40
Tech Power Plant (CAPOWR)	Name	Tech Power 1	41
Tech Power Plant (CAPOWR)	Image	CAPOWR	42
Tech Power Plant (CAPOWR)	Technology level	-1	43

Object/system	Property	Mission value	Source line
Tech Power Plant (CAPOWR)	Starting health capacity	5000	44
Tech Power Plant (CAPOWR)	Insignificant-object flag	yes	45
Tech Power Plant (CAPOWR)	Nominal	yes	46
Tech Power Plant (CAPOWR)	Sight radius setting	6	47
Tech Power Plant (CAPOWR)	Points	5	48
Tech Power Plant (CAPOWR)	Armor class	concrete	49
Tech Power Plant (CAPOWR)	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	50
Tech Power Plant (CAPOWR)	Max Debris	15	51
Tech Power Plant (CAPOWR)	Min Debris	5	52
Tech Power Plant (CAPOWR)	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	53
Tech Power Plant (CAPOWR)	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	54
Tech Power Plant (CAPOWR)	Engineer-capture permission	yes	55
Tech Power Plant (CAPOWR)	Needs Engineer	yes	56
Tech Power Plant (CAPOWR)	Selling forbidden	yes	57
Tech Power Plant (CAPOWR)	Ammo	5	58
Tech Power Plant (CAPOWR)	Leaves rubble	yes	59
Tech Power Plant (CAPOWR)	Signed power contribution	200	60
GAPOWRB	UI Name	Name:GAPOWR	63
GAPOWRB	Name	Tech Power B	64
GAPOWRB	Image	CAPOWR	65
GAPOWRB	Technology level	-1	66
GAPOWRB	Starting health capacity	5000	67
GAPOWRB	Insignificant-object flag	no	68
GAPOWRB	Nominal	yes	69
GAPOWRB	Sight radius setting	6	70
GAPOWRB	Points	5	71
GAPOWRB	Armor class	concrete	72
GAPOWRB	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	73
GAPOWRB	Max Debris	15	74
GAPOWRB	Min Debris	5	75
GAPOWRB	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	76
GAPOWRB	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	77
GAPOWRB	Engineer-capture permission	yes	78
GAPOWRB	Needs Engineer	yes	79
GAPOWRB	Selling forbidden	yes	80
GAPOWRB	Ammo	5	81
GAPOWRB	Leaves rubble	yes	82
GAPOWRB	Signed power contribution	200	83
GAPOWRC	UI Name	Name:GAPOWR	86
GAPOWRC	Name	Tech Power C	87

Object/system	Property	Mission value	Source line
GAPOWRC	Image	CAPOWR	88
GAPOWRC	Technology level	-1	89
GAPOWRC	Starting health capacity	5000	90
GAPOWRC	Insignificant-object flag	no	91
GAPOWRC	Nominal	yes	92
GAPOWRC	Sight radius setting	6	93
GAPOWRC	Points	5	94
GAPOWRC	Armor class	concrete	95
GAPOWRC	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	96
GAPOWRC	Max Debris	15	97
GAPOWRC	Min Debris	5	98
GAPOWRC	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	99
GAPOWRC	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	100
GAPOWRC	Engineer-capture permission	yes	101
GAPOWRC	Needs Engineer	yes	102
GAPOWRC	Selling forbidden	yes	103
GAPOWRC	Ammo	5	104
GAPOWRC	Leaves rubble	yes	105
GAPOWRC	Signed power contribution	200	106
GAPOWRD	UI Name	Name:GAPOWR	109
GAPOWRD	Name	Tech Power D	110
GAPOWRD	Image	CAPOWR	111
GAPOWRD	Technology level	-1	112
GAPOWRD	Starting health capacity	5000	113
GAPOWRD	Insignificant-object flag	no	114
GAPOWRD	Nominal	yes	115
GAPOWRD	Sight radius setting	6	116
GAPOWRD	Points	5	117
GAPOWRD	Armor class	concrete	118
GAPOWRD	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	119
GAPOWRD	Max Debris	15	120
GAPOWRD	Min Debris	5	121
GAPOWRD	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	122
GAPOWRD	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	123
GAPOWRD	Engineer-capture permission	yes	124
GAPOWRD	Needs Engineer	yes	125
GAPOWRD	Selling forbidden	yes	126
GAPOWRD	Ammo	5	127
GAPOWRD	Leaves rubble	yes	128
GAPOWRD	Signed power contribution	200	129

Object/system	Property	Mission value	Source line
GAPOWRE	UI Name	Name:GAPOWR	132
GAPOWRE	Name	Tech Power E	133
GAPOWRE	Image	CAPOWR	134
GAPOWRE	Technology level	-1	135
GAPOWRE	Starting health capacity	5000	136
GAPOWRE	Insignificant-object flag	no	137
GAPOWRE	Nominal	yes	138
GAPOWRE	Sight radius setting	6	139
GAPOWRE	Points	5	140
GAPOWRE	Armor class	concrete	141
GAPOWRE	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	142
GAPOWRE	Max Debris	15	143
GAPOWRE	Min Debris	5	144
GAPOWRE	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	145
GAPOWRE	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	146
GAPOWRE	Engineer-capture permission	yes	147
GAPOWRE	Needs Engineer	yes	148
GAPOWRE	Selling forbidden	yes	149
GAPOWRE	Ammo	5	150
GAPOWRE	Leaves rubble	yes	151
GAPOWRE	Signed power contribution	200	152
GAPOWRF	UI Name	Name:GAPOWR	155
GAPOWRF	Name	Tech Power F	156
GAPOWRF	Image	CAPOWR	157
GAPOWRF	Technology level	-1	158
GAPOWRF	Starting health capacity	5000	159
GAPOWRF	Insignificant-object flag	no	160
GAPOWRF	Nominal	yes	161
GAPOWRF	Sight radius setting	6	162
GAPOWRF	Points	5	163
GAPOWRF	Armor class	concrete	164
GAPOWRF	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	165
GAPOWRF	Max Debris	15	166
GAPOWRF	Min Debris	5	167
GAPOWRF	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris5sm,Dbris4lg,Dbris7sm,Dbris8sm,Dbris5lg,Dbris4lg	168
GAPOWRF	Damage Particle Systems	SmallGreySSys,BigGreySmokeSys	169
GAPOWRF	Engineer-capture permission	yes	170
GAPOWRF	Needs Engineer	yes	171
GAPOWRF	Selling forbidden	yes	172
GAPOWRF	Ammo	5	173

Object/system	Property	Mission value	Source line
GAPOWRF	Leaves rubble	yes	174
GAPOWRF	Signed power contribution	200	175
Tesla Reactor (NAPOWR)	Name	Soviet Tesla Reactor	178
Tesla Reactor (NAPOWR)	Signed power contribution	250	179
Time Machine (CATIME01)	Name	Time Machine	182
Time Machine (CATIME01)	Starting health capacity	2500	183
Time Machine (CATIME01)	Armor class	concrete	184
Time Machine (CATIME01)	Depends on power	true	185
Time Machine (CATIME01)	Signed power contribution	-625	186
Time Machine (CATIME02)	Name	Time Machine Traveled	189
Time Machine (CATIME02)	Armor class	special_2	190
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	193
Psychic Dominator (YAPPET)	Signed power contribution	-675	194
Psychic Dominator (YAPPET)	Crewed	no	195
Psychic Dominator (YAPPPT)	Name	Partially Built Psychic Dominator	198
Psychic Dominator (YAPPPT)	Selectable	no	199
Psychic Dominator (YAPPPT)	Repair-tool permission	no	200
Psychic Dominator (YAPPPT)	Infantry garrison permitted	no	201
Psychic Dominator (YAPPPT)	Occupants can fire	no	202
Psychic Dominator (YAPPPT)	Engineer-capture permission	false	203
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	206
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	209
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	212
DNOAA	UI Name	Name:DNOA	218
DNOAA	Name	Animal T-RexA	219
DNOAA	Image	DNOA	220
DNOAA	Transport size usage	1	221
DNOAA	Starting health capacity	3500	222
DNOAA	Pip	green	223
DNOAA	Movement rating	10	224
DNOAA	No Shadow	yes	225
DNOAA	Category	AFV	226
DNOAA	Primary	TRexInfBite	227
DNOAA	Secondary	TRexBite	228
DNOAA	Organic	yes	229
DNOAA	Armor class	Plate	230
DNOAA	Technology level	-1	231
DNOAA	Turret	no	232
DNOAA	Is Tilter	no	233
DNOAA	Self-healing	yes	234
DNOAA	Crate Goodie	no	235

Object/system	Property	Mission value	Source line
DNOAA	Sight radius setting	5	236
DNOAA	Guard Range	5	237
DNOAA	Default To Guard Area	yes	238
DNOAA	Permitted country list	Russians,Confederation,Africans,Arabs,YuriCountry	239
DNOAA	Price in credits	2700	240
DNOAA	Points	20	241
DNOAA	ROT	40	242
DNOAA	Allowed To Start In Multiplayer	no	243
DNOAA	Crewed	no	244
DNOAA	Is Selectable Combatant	yes	245
DNOAA	Voice Select	TRexSelect	246
DNOAA	Voice Move	TrexMove	247
DNOAA	Voice Attack	TrexMove	248
DNOAA	Voice Secondary Weapon Attack	TrexMove	249
DNOAA	Die Sound	TrexDie	250
DNOAA	Locomotor	{4A582744-9839-11d1-B709-00A024DDAFD1}	251
DNOAA	Permitted movement zone	Infantry	252
DNOAA	Threat contribution	25	253
DNOAA	Weight	.5	254
DNOAA	Immune to ordinary psychic control	yes	255
DNOAA	Explosive destruction flag	no	256
DNOAA	Acceleration Factor	0.01	257
DNOAA	Z Fudge Column	8	258
DNOAA	Z Fudge Tunnel	13	259
DNOAA	Attached bombs permitted	yes	260
DNOAA	Veteran improvements	STRONGER,FIREPOWER,ROF,SIGHT,FASTER	261
DNOAA	Elite improvements	STRONGER,FIREPOWER,ROF	262
DNOAA	Too Big To Fit Under Bridge	true	263
DNOAA	Can be crushed	no	264
DNOAA	Parasiteable	no	265
DNOAA	Can gain rank	no	266
DNOAA	Not Human	yes	267
DNOAA	Close Range	yes	268
Typhoon Attack Sub (SUB)	Name	Typhoon Attack Sub	271
Typhoon Attack Sub (SUB)	Technology level	-1	272
Cable Car (CBLC)	Name	Cable Car	275
Cable Car (CBLC)	Movement rating	3	276
AAGATTLING (AAGATTLING)	Damage	100	279
AAGATTLING (AAGATTLING)	ROF	20	280
AAGATTLING2 (AAGATTLING2)	Damage	100	283
AAGATTLING2 (AAGATTLING2)	ROF	16	284

Object/system	Property	Mission value	Source line
AAGATTLING3 (AAGATTLING3)	Damage	100	287
AAGATTLING3 (AAGATTLING3)	ROF	12	288
COUNTRIES (COUNTRIES)	0	PowerHouse Country	291
COUNTRIES (COUNTRIES)	1	Soviet2 Country	292
SPECIALFLAGS	Tiberium Grows	yes	331
SPECIALFLAGS	Tiberium Spreads	yes	332
SPECIALFLAGS	Tiberium Explosive	no	333
SPECIALFLAGS	Destroyable Bridges	yes	334
SPECIALFLAGS	MCV Deploy	no	335
SPECIALFLAGS	Initial Veteran	no	336
SPECIALFLAGS	Fixed Alliance	no	337
SPECIALFLAGS	Harvester Immune	no	338
SPECIALFLAGS	Fog Of War	no	339
SPECIALFLAGS	Inert	no	340
SPECIALFLAGS	Ion Storms	no	341
SPECIALFLAGS	Meteorites	no	342
SPECIALFLAGS	Visceroids	no	343
VARIABLENAMES (VARIABLENAMES)	0	Hover1_Unloaded,0	393
VARIABLENAMES (VARIABLENAMES)	1	Hover_2_Unloaded,0	394
VARIABLENAMES (VARIABLENAMES)	2	Hover_3_Unloaded,0	395
VARIABLENAMES (VARIABLENAMES)	3	Time_Warp,0	396
VARIABLENAMES (VARIABLENAMES)	4	Tanya_Dead,0	397
VARIABLENAMES (VARIABLENAMES)	5	Gave_PP_Brief,0	398
VARIABLENAMES (VARIABLENAMES)	6	Trans 1 Unloaded,0	399
VARIABLENAMES (VARIABLENAMES)	7	Trans 2 Unloaded,0	400
VARIABLENAMES (VARIABLENAMES)	8	Trans 3 Unloaded,0	401
VARIABLENAMES (VARIABLENAMES)	9	Trans 4 Unloaded,0	402
VARIABLENAMES (VARIABLENAMES)	10	Sub1 Dead,0	403
VARIABLENAMES (VARIABLENAMES)	11	Sub2 Dead,0	404
VARIABLENAMES (VARIABLENAMES)	12	Sub3 Dead,0	405
VARIABLENAMES (VARIABLENAMES)	13	Squid1 Dead,0	406
VARIABLENAMES (VARIABLENAMES)	14	Squid2 Dead,0	407
VARIABLENAMES (VARIABLENAMES)	15	Scorp1 Dead,0	408
VARIABLENAMES (VARIABLENAMES)	16	Scorp2 Dead,0	409
VARIABLENAMES (VARIABLENAMES)	17	Scorp3 Dead,0	410
VARIABLENAMES (VARIABLENAMES)	18	Scorp4 Dead,0	411
VARIABLENAMES (VARIABLENAMES)	19	Scorp5 Dead,0	412
VARIABLENAMES (VARIABLENAMES)	20	Dread1 Dead,0	413
VARIABLENAMES (VARIABLENAMES)	21	Dread2 Dead,0	414
VARIABLENAMES (VARIABLENAMES)	22	Dread3 Dead,0	415
VARIABLENAMES (VARIABLENAMES)	23	Boris Intro,0	416

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	24	BorisDead,0	417
VARIABLENAMES (VARIABLENAMES)	25	BorisDeadAgain,0	418
VARIABLENAMES (VARIABLENAMES)	26	BorisTalks,0	419
VARIABLENAMES (VARIABLENAMES)	27	Grand Atk_Unloaded,0	420
VARIABLENAMES (VARIABLENAMES)	28	Statue Atk_Unloaded,0	421
VARIABLENAMES (VARIABLENAMES)	29	Park Atk_Unloaded,0	422
VARIABLENAMES (VARIABLENAMES)	30	Gas Atk_Unloaded,0	423
VARIABLENAMES (VARIABLENAMES)	31	NTime Atk_Unloaded,0	424
VARIABLENAMES (VARIABLENAMES)	32	STime Atk_Unloaded,0	425
VARIABLENAMES (VARIABLENAMES)	33	Grand Cap_Unloaded,0	426
VARIABLENAMES (VARIABLENAMES)	34	Statue Cap_Unloaded,0	427
VARIABLENAMES (VARIABLENAMES)	35	Park Cap_Unloaded,0	428
VARIABLENAMES (VARIABLENAMES)	36	Gas Cap_Unloaded,0	429
VARIABLENAMES (VARIABLENAMES)	37	NTime Cap_Unloaded,0	430
VARIABLENAMES (VARIABLENAMES)	38	STime Cap_Unloaded,0	431
VARIABLENAMES (VARIABLENAMES)	39	NoMoreCapTeams,0	432
VARIABLENAMES (VARIABLENAMES)	40	1 PP Gone,0	433
VARIABLENAMES (VARIABLENAMES)	41	2 PP Gone,0	434
VARIABLENAMES (VARIABLENAMES)	42	3 PP Gone,0	435
VARIABLENAMES (VARIABLENAMES)	43	Player Reinforce 1 ,0	436
VARIABLENAMES (VARIABLENAMES)	44	Player Reinforce 2 ,0	437
VARIABLENAMES (VARIABLENAMES)	45	1st Tanks Arrive,0	438
VARIABLENAMES (VARIABLENAMES)	46	Rhinos to Russia,0	439
VARIABLENAMES (VARIABLENAMES)	47	Conscripts to Russi,0	440
America (AMERICANS)	Country	Americans	482
America (AMERICANS)	Technology level	3	483
America (AMERICANS)	Credits	0	484
America (AMERICANS)	IQ	3	485
America (AMERICANS)	Edge	North	486
America (AMERICANS)	Player Control	no	487
America (AMERICANS)	Color	DarkBlue	488
America (AMERICANS)	Allies	Americans,Alliance,Confederation,Nod,Neutral,PowerHouse	489
America (AMERICANS)	Percent Built	0	490
America (AMERICANS)	Node Count	0	491
Korea (ALLIANCE)	Country	Alliance	494
Korea (ALLIANCE)	Technology level	2	495
Korea (ALLIANCE)	Credits	0	496
Korea (ALLIANCE)	IQ	0	497
Korea (ALLIANCE)	Edge	North	498
Korea (ALLIANCE)	Player Control	no	499
Korea (ALLIANCE)	Color	DarkBlue	500

Object/system	Property	Mission value	Source line
Korea (ALLIANCE)	Allies	Americans,Alliance,Confederation,YuriCountry,Neutral,PowerHouse	501
Korea (ALLIANCE)	Percent Built	0	502
Korea (ALLIANCE)	Node Count	0	503
France (FRENCH)	Country	French	506
France (FRENCH)	Technology level	2	507
France (FRENCH)	Credits	0	508
France (FRENCH)	IQ	0	509
France (FRENCH)	Edge	North	510
France (FRENCH)	Player Control	no	511
France (FRENCH)	Color	DarkRed	512
France (FRENCH)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Special,PowerHouse,Soviet2House	513
France (FRENCH)	Percent Built	0	514
France (FRENCH)	Node Count	0	515
Germany (GERMANS)	Country	Germans	518
Germany (GERMANS)	Technology level	2	519
Germany (GERMANS)	Credits	0	520
Germany (GERMANS)	IQ	0	521
Germany (GERMANS)	Edge	North	522
Germany (GERMANS)	Player Control	no	523
Germany (GERMANS)	Color	Purple	524
Germany (GERMANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	525
Germany (GERMANS)	Percent Built	0	526
Germany (GERMANS)	Node Count	0	527
Great Britain (BRITISH)	Country	British	530
Great Britain (BRITISH)	Technology level	2	531
Great Britain (BRITISH)	Credits	0	532
Great Britain (BRITISH)	IQ	0	533
Great Britain (BRITISH)	Edge	North	534
Great Britain (BRITISH)	Player Control	no	535
Great Britain (BRITISH)	Color	DarkBlue	536
Great Britain (BRITISH)	Allies	Americans,Alliance,British,Neutral	537
Great Britain (BRITISH)	Percent Built	0	538
Great Britain (BRITISH)	Node Count	0	539
Libya (AFRICANS)	Country	Africans	542
Libya (AFRICANS)	Technology level	1	543
Libya (AFRICANS)	Credits	0	544
Libya (AFRICANS)	IQ	0	545
Libya (AFRICANS)	Edge	North	546
Libya (AFRICANS)	Player Control	no	547

Object/system	Property	Mission value	Source line
Libya (AFRICANS)	Color	Purple	548
Libya (AFRICANS)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	549
Libya (AFRICANS)	Percent Built	0	550
Libya (AFRICANS)	Node Count	0	551
Iraq (ARABS)	Country	Arabs	554
Iraq (ARABS)	Technology level	10	555
Iraq (ARABS)	Credits	0	556
Iraq (ARABS)	IQ	5	557
Iraq (ARABS)	Edge	North	558
Iraq (ARABS)	Player Control	no	559
Iraq (ARABS)	Color	Purple	560
Iraq (ARABS)	Allies	Arabs,Confederation,YuriCountry,Nod,Neutral	561
Iraq (ARABS)	Percent Built	0	562
Iraq (ARABS)	Node Count	0	563
Cuba (CONFEDERATION)	Country	Confederation	566
Cuba (CONFEDERATION)	Technology level	2	567
Cuba (CONFEDERATION)	Credits	0	568
Cuba (CONFEDERATION)	IQ	1	569
Cuba (CONFEDERATION)	Edge	North	570
Cuba (CONFEDERATION)	Player Control	no	571
Cuba (CONFEDERATION)	Color	AlliedLoad	572
Cuba (CONFEDERATION)	Allies	Americans,Alliance,Arabs,Confederation,Nod,Neutral	573
Cuba (CONFEDERATION)	Percent Built	0	574
Cuba (CONFEDERATION)	Node Count	1	575
Cuba (CONFEDERATION)	000	YAPPPT,43,60	576
Russia (RUSSIANS)	Country	Russians	579
Russia (RUSSIANS)	Technology level	3	580
Russia (RUSSIANS)	Credits	250	581
Russia (RUSSIANS)	IQ	0	582
Russia (RUSSIANS)	Edge	South	583
Russia (RUSSIANS)	Player Control	yes	584
Russia (RUSSIANS)	Color	DarkRed	585
Russia (RUSSIANS)	Allies	Russians,Soviet2House	586
Russia (RUSSIANS)	Percent Built	0	587
Russia (RUSSIANS)	Node Count	0	588
Yuri (YURICOUNTRY)	Country	YuriCountry	591
Yuri (YURICOUNTRY)	Technology level	10	592
Yuri (YURICOUNTRY)	Credits	750	593
Yuri (YURICOUNTRY)	IQ	3	594
Yuri (YURICOUNTRY)	Edge	North	595
Yuri (YURICOUNTRY)	Player Control	no	596

Object/system	Property	Mission value	Source line
Yuri (YURICOUNTRY)	Color	Purple	597
Yuri (YURICOUNTRY)	Allies	Alliance,Arabs,YuriCountry,Nod,Neutral	598
Yuri (YURICOUNTRY)	Percent Built	0	599
Yuri (YURICOUNTRY)	Node Count	0	600
GDI (GDI)	Country	GDI	603
GDI (GDI)	Technology level	1	604
GDI (GDI)	Credits	0	605
GDI (GDI)	IQ	0	606
GDI (GDI)	Edge	North	607
GDI (GDI)	Player Control	no	608
GDI (GDI)	Color	Purple	609
GDI (GDI)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	610
GDI (GDI)	Percent Built	0	611
GDI (GDI)	Node Count	0	612
Nod (NOD)	Country	Nod	615
Nod (NOD)	Technology level	10	616
Nod (NOD)	Credits	100	617
Nod (NOD)	IQ	5	618
Nod (NOD)	Edge	North	619
Nod (NOD)	Player Control	no	620
Nod (NOD)	Color	Purple	621
Nod (NOD)	Allies	Arabs,Confederation,YuriCountry,Nod	622
Nod (NOD)	Percent Built	0	623
Nod (NOD)	Node Count	0	624
Civilian (NEUTRAL)	Country	Neutral	627
Civilian (NEUTRAL)	Technology level	1	628
Civilian (NEUTRAL)	Credits	0	629
Civilian (NEUTRAL)	IQ	0	630
Civilian (NEUTRAL)	Edge	North	631
Civilian (NEUTRAL)	Player Control	no	632
Civilian (NEUTRAL)	Color	Grey	633
Civilian (NEUTRAL)	Allies	Neutral	634
Civilian (NEUTRAL)	Percent Built	100	635
Civilian (NEUTRAL)	Node Count	0	636
JP (SPECIAL)	Country	Special	639
JP (SPECIAL)	Technology level	1	640
JP (SPECIAL)	Credits	0	641
JP (SPECIAL)	IQ	0	642
JP (SPECIAL)	Edge	North	643
JP (SPECIAL)	Player Control	no	644
JP (SPECIAL)	Color	DarkRed	645

Object/system	Property	Mission value	Source line
JP (SPECIAL)	Allies	French,Germans,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special,PowerHouse	646
JP (SPECIAL)	Percent Built	0	647
JP (SPECIAL)	Node Count	0	648

Operation: Deja Vu

Campaign reading guide | Engine

Operation: Deja Vu

sov02smd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Civilian House (95)
- BadGuy1 House (47)
- Einstein House (19)
- German3 House (12)
- BadGuy2 House (12)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. CALAB
2. GACSPH

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov02smd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov02smd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov02smd.map. **Effective extracted member:** mapsmd03.mix/sov02smd.map. **Trigger definitions:** 86.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	SNOW
Map size	0,0,105,105
Visible local rectangle	5,5,95,94
Placed vehicles	32
Placed infantry	41
Placed structures	139
Placed aircraft	0
Team templates	103

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	400	BadGuy2
3	German1 House	50	Germany1
4	Civilian House	0	Neutral
5	Einstein House	100	Einstein
6	BadGuy3 House	400	BadGuy3
7	German2 House	50	Germany2
8	German3 House	50	Germany3
9	Temp House	0	Temp

Local state flags at initialization

Flag	Meaning label and initial value
0	Refinery Owned,0
1	BG1s Refinery,0
2	BG2s Refinery,0
3	BG2 ConYard Up,0
4	Briefing Complete,0
5	Chrono Prisons Go,0
6	Transfer Chronosphe,0
7	Einstein Lab KIA,0
8	Chronosphere KIA,0
9	Einstein Chrono Off,0
10	Early Air Attks,0
11	G1_Barracks_Gone,0
12	G2_Barracks_Gone,0
13	G3_Barracks_Gone,0
14	Troops2_Arrived,0
15	Troops1_Arrived,0
16	Troops3_Arrived,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Lose (07D4D4AC)	Destroyed, All: owner selector 15 (country/type PLAYER; placed owner Player House).	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.
_Win (Mission Over) (0A3C3B8C)	10 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. Reclaimed Refinery (Player) - 06B76D8C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Refinery_Is_Players (0915344C).
2. Create crate type 1 at waypoint 63 (cell 181, 126).
3. Play sound Bonus at waypoint 63 (cell 181, 126).
4. Set local flag 0 (Refinery Owned).
5. Enable and reset applicable timers for Kill_Me (08E3167C).
6. Disable Reclaimed Refinery (BG1) (06B755BC).
7. Disable Reclaimed Refinery (BG2) (06B70CEC).
8. Disable Refinery_Gone (08E3176C).
9. Disable Reclaimed Refinery (Player) (06B76D8C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9094, Events line 9182, Actions line 9270.

2. Refinery_Is_Players - 0915344C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Reclaimed Refinery (Player) (06B76D8C).

Attached scope: tag definitions 09151CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9095, Events line 9183, Actions line 9271.

3. Kill_Me - 08E3167C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG3 ConYard Killer (08D2B3BC).

Incoming activation links: enable from Reclaimed Refinery (Player) (06B76D8C); enable from Refinery_Gone (08E3176C).

Attached scope: Allied Construction Yard (GACNST), owner BadGuy3 House, cell (59, 159), tag 08D2ACAC, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Disable Kill_Me (08E3167C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9096, Events line 9184, Actions line 9272.

4. Reclaimed Refinery (BG1) - 06B755BC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Refinery (Player) (06B76D8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Change House: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. Supply reinforcement team Reclaimed Harvester BG1 (06B72DCC).
3. Set local flag 0 (Refinery Owned).
4. Set local flag 1 (BG1s Refinery).
5. Disable Reclaimed Refinery (BG2) (06B70CEC).
6. Disable Reclaimed Refinery (BG1) (06B755BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9097, Events line 9185, Actions line 9273.

5. Reclaimed Refinery (BG2) - 06B70CEC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Refinery (BG1) (06B755BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Then perform these actions in order:

1. Change House: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. Supply reinforcement team Reclaimed Harvester BG1 (06B72DCC).
3. Set local flag 0 (Refinery Owned).
4. Set local flag 2 (BG2s Refinery).
5. Disable Reclaimed Refinery (BG1) (06B755BC).
6. Disable Reclaimed Refinery (BG2) (06B70CEC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9098, Events line 9186, Actions line 9274.

6. Refinery_Gone - 08E3176C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reclaimed Refinery (BG2) (06B70CEC).

Attached scope: Allied Ore Refinery (GAREFN), owner Civilian House, cell (178, 128), tag 06B7570C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Kill_Me (08E3167C).
2. Disable Reclaimed Refinery (BG1) (06B755BC).
3. Disable Reclaimed Refinery (BG2) (06B70CEC).
4. Disable Reclaimed Refinery (Player) (06B76D8C).
5. Disable Refinery_Gone (08E3176C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9099, Events line 9187, Actions line 9275.

7. BG3 ConYard Killer - 08D2B3BC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Disable BG3 ConYard Killer (08D2B3BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9100, Events line 9188, Actions line 9276.

8. Refinery Owned - 0B5ED59C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B5EFB5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Refinery Owned) is set.

Flag writers in this mission: set local flag 0 (Refinery Owned) at Reclaimed Refinery (Player) (06B76D8C); set local flag 0 (Refinery Owned) at Reclaimed Refinery (BG1) (06B755BC); set local flag 0 (Refinery Owned) at Reclaimed Refinery (BG2) (06B70CEC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Stop location sound 63 at waypoint 63 (cell 181, 126).
2. Disable Refinery Grabber BG1 (Easy) (0882EBAC).
3. Disable Refinery Grabber BG1 (Hrd) (0882E27C).
4. Disable Refinery Grabber BG1 (Med) (0882E58C).
5. Remove instances of the team organization (not automatically its surviving objects) Refinery Grabber BG1 (0437EE9C).
6. Disable Refinery Grabber BG2 (Easy) (0881FD3C).
7. Disable Refinery Grabber BG2 (Hrd) (0881F32C).
8. Disable Refinery Grabber BG2 (Med) (0881F6EC).
9. Remove instances of the team organization (not automatically its surviving objects) Refinery Grabber BG2 (0437CD8C).
10. Disable BG2 Refinery Grabber On (0437C61C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9101, Events line 9189, Actions line 9277.

9. Refinery Grabber BG1 (Easy) - 0882EBAC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG1 (0437EE9C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9102, Events line 9190, Actions line 9278.

10. Refinery Grabber BG1 (Hrd) - 0882E27C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Refinery Grabber BG1 (Med) (0882E58C).

Attached scope: tag definitions 0882E67C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG1 (0437EE9C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9103, Events line 9191, Actions line 9279.

11. Refinery Grabber BG1 (Med) - 0882E58C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Refinery Grabber BG1 (Easy) (0882EBAC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 600 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG1 (0437EE9C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9104, Events line 9192, Actions line 9280.

12. Refinery Grabber BG2 (Easy) - 0881FD3C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG2 Refinery Grabber On (0437C61C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 720 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG2 (0437CD8C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9105, Events line 9193, Actions line 9281.

13. Refinery Grabber BG2 (Hrd) - 0881F32C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Refinery Grabber BG2 (Med) (0881F6EC).

Incoming activation links: enable from BG2 Refinery Grabber On (0437C61C).

Attached scope: tag definitions 0881F7DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 180 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG2 (0437CD8C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9106, Events line 9194, Actions line 9282.

14. Refinery Grabber BG2 (Med) - 0881F6EC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Refinery Grabber BG2 (Easy) (0881FD3C).

Incoming activation links: enable from BG2 Refinery Grabber On (0437C61C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 600 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Refinery Grabber BG2 (0437CD8C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9107, Events line 9195, Actions line 9283.

15. BG2 Refinery Grabber On - 0437C61C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0437D90C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (BG2 ConYard Up) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Refinery Grabber BG2 (Easy) (0881FD3C).
2. Enable and reset applicable timers for Refinery Grabber BG2 (Hrd) (0881F32C).
3. Enable and reset applicable timers for Refinery Grabber BG2 (Med) (0881F6EC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9108, Events line 9196, Actions line 9284.

16. Crate at BM - 0B5EE99C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (54, 148); tag 043710AC, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Create crate type 0 at waypoint 64 (cell 54, 148).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9109, Events line 9197, Actions line 9285.

17. BG2 MCV Deployment (Easy) - 0C2AF54C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 300 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team BG2 MCV Deployement (0A011CBC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9110, Events line 9198, Actions line 9286.

18. BG2 MCV Deployment (M_H) - 0C2A649C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: BG2 MCV Deployment (Easy) (0C2AF54C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 90 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team BG2 MCV Deployement (0A011CBC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9111, Events line 9199, Actions line 9287.

19. BG2 MCV Deployment (attkd) - 0C2C797C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG2 MCV Deployment (M_H) (0C2A649C).

Attached scope: Allied Construction Vehicle (AMCV), owner BadGuy2 House, cell (115, 130), tag 0C2AF46C, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team BG2 MCV Deployement (0A011CBC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9112, Events line 9200, Actions line 9288.

20. BG2 Production Start - 0AA91B1C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AA916AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Production Begins: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
2. AI triggers begin: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
3. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9113, Events line 9201, Actions line 9289.

21. BG1 Production Start - 0AA915BC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Battle Fort Attk Go (0437882C).

Attached scope: tag definitions 0AA9672C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. AI triggers begin: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9114, Events line 9202, Actions line 9290.

22. BG3 Production Start (BG1) - 0882E07C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: BG3 Power Supply (Off) (06B0A1BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 1 (BG1s Refinery) is set.

Flag writers in this mission: set local flag 1 (BG1s Refinery) at Reclaimed Refinery (BG1) (06B755BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).
2. Production Begins: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).
3. Disable BG3 Production Start (BG1) (0882E07C).
4. Disable BG3 Production Start (BG2) (0AF468CC).
5. Enable and reset applicable timers for BG3 Power Supply (Off) (06B0A1BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9115, Events line 9203, Actions line 9291.

23. BG3 Power Supply (Off) - 06B0A1BC

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG3 Production Start (BG1) (0882E07C); enable from BG3 Production Start (BG2) (0AF468CC); enable from BG3 Power Supply (On) (08C5D25C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Low Power: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Change House: owner selector 22 (country/type TEMP; placed owner Temp House).
2. Disable BG3 Power Supply (Off) (06B0A1BC).
3. Enable and reset applicable timers for BG3 Power Supply (On) (08C5D25C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9116, Events line 9204, Actions line 9292.

24. BG3 Production Start (BG2) - 0AF468CC

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: BG3 Production Start (BG1) (0882E07C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 2 (BG2s Refinery) is set.

Flag writers in this mission: set local flag 2 (BG2s Refinery) at Reclaimed Refinery (BG2) (06B70CEC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).

2. Production Begins: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).
3. Disable BG3 Production Start (BG2) (0AF468CC).
4. Disable BG3 Production Start (BG1) (0882E07C).
5. Enable and reset applicable timers for BG3 Power Supply (Off) (06B0A1BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9117, Events line 9205, Actions line 9293.

25. BG3 Power Supply (On) - 08C5D25C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: BG3 Production Start (BG2) (0AF468CC).

Incoming activation links: enable from BG3 Power Supply (Off) (06B0A1BC).

Attached scope: Power Plant (GAPOWR), owner Temp House, cell (57, 159), tag 06B0CBFC, persistence mode 2; Power Plant (GAPOWR), owner Temp House, cell (57, 157), tag 06B0CBFC, persistence mode 2; Power Plant (GAPOWR), owner Temp House, cell (59, 157), tag 06B0CBFC, persistence mode 2; Power Plant (GAPOWR), owner Temp House, cell (61, 163), tag 06B0CBFC, persistence mode 2; Power Plant (GAPOWR), owner Temp House, cell (63, 163), tag 06B0CBFC, persistence mode 2; Power Plant (GAPOWR), owner Temp House, cell (63, 161), tag 06B0CBFC, persistence mode 2.

Wait for the recorded events:

1. Power Full: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).

Then perform these actions in order:

1. Change House: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).
2. Disable BG3 Power Supply (On) (08C5D25C).
3. Enable and reset applicable timers for BG3 Power Supply (Off) (06B0A1BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9118, Events line 9206, Actions line 9294.

26. _Briefing 0 - 0D4ED32C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (118, 131); tag 0D4EAA7C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Disable player input.
2. Reveal terrain around waypoint 98 (cell 109, 20).
3. Supply reinforcement team Player Starters 2Armor (0437C33C).
4. Supply reinforcement team Player Starters 1Armor (0AD50DEC).
5. Supply reinforcement team Player Starters 3Armor (0437A6BC).
6. Create/recruit team Rocketeer_Guard_CK (07909EFC).
7. Create/recruit team Rocketeer_Guard_CL (0BEF16CC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9119, Events line 9207, Actions line 9295.

27. _Briefing 1 - 06BCE16C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088B789C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Jump the camera to waypoint 1 (cell 80, 58).
2. Play sound CameraSwitch.
3. Create radar-event marker type 5 at waypoint 1 (cell 80, 58).
4. Play voice notification Mis_xS2_ZofiaBriefing01.
5. Reveal terrain around waypoint 1 (cell 80, 58).

6. Create/recruit team Rocketeer_Guard_CK (07909EFC).
7. Create/recruit team Rocketeer_Guard_CL (0BEF16CC).
8. Display message “Objective 1: Destroy the outposts guarding the German border.” (MISSION:Sov2Obj1).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9120, Events line 9208, Actions line 9296.

28. _Briefing 2 - 088B897C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088B808C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Jump the camera to waypoint 2 (cell 110, 41).
2. Play sound CameraSwitch.
3. Create radar-event marker type 5 at waypoint 2 (cell 110, 41).
4. Reveal terrain around waypoint 2 (cell 110, 41).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9121, Events line 9209, Actions line 9297.

29. _Briefing 3 - 088AFF3C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 088B52DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Jump the camera to waypoint 3 (cell 145, 72).
2. Play sound CameraSwitch.
3. Create radar-event marker type 5 at waypoint 3 (cell 145, 72).
4. Reveal terrain around waypoint 3 (cell 145, 72).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9122, Events line 9210, Actions line 9298.

30. _Briefing 4 - 0883E72C

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0883E43C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 26 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 5 (cell 100, 174).
2. Play sound CameraSwitch.
3. Create radar-event marker type 5 at waypoint 5 (cell 100, 174).
4. Reveal terrain around waypoint 19 (cell 102, 176).
5. Play voice notification Mis_xS2_ZofiaBriefing03.
6. Flash buildings of type CALAB; duration argument 60.
7. Flash buildings of type GACSPH; duration argument 60.
8. Display message “Objective 2: Destroy Einstein's Lab and Chronosphere.” (MISSION:Sov2Obj2).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9123, Events line 9211, Actions line 9299.

31. _Briefing 6 (Send in Troops Again) - 0883FBAC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0883F7EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 65 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Jump the camera to waypoint 98 (cell 109, 20).
2. Play sound CameraSwitch.
3. Supply reinforcement team Player Starters 1Troops (078BB93C).
4. Supply reinforcement team Player Starters 2Troops (078BCEFC).
5. Supply reinforcement team Player Starters 3Troops (078BC7BC).
6. Set local flag 4 (Briefing Complete).
7. Play voice notification Mis_xS2_ZofiaBriefing02.
8. Play sound BeaconPlaced.
9. Create radar-event marker type 0 at waypoint 10 (cell 82, 41).
10. Create radar-event marker type 0 at waypoint 14 (cell 161, 69).
11. Create radar-event marker type 0 at waypoint 98 (cell 109, 20).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9124, Events line 9212, Actions line 9300.

32. _Briefing 5 (Send in Troops) - 0883F17C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A82B89C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 50 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Jump the camera to waypoint 4 (cell 114, 126).
2. Play sound CameraSwitch.
3. Create radar-event marker type 5 at waypoint 4 (cell 114, 126).
4. Supply reinforcement team Player Starters 1Troops (078BB93C).
5. Supply reinforcement team Player Starters 2Troops (078BCEFC).
6. Supply reinforcement team Player Starters 3Troops (078BC7BC).
7. Reveal terrain around waypoint 4 (cell 114, 126).
8. Reveal terrain around waypoint 15 (cell 112, 128).
9. Reveal terrain around waypoint 16 (cell 118, 128).
10. Reveal terrain around waypoint 17 (cell 112, 124).
11. Reveal terrain around waypoint 18 (cell 118, 124).
12. Play voice notification Mis_xS2_ZofiaBriefing04.

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9125, Events line 9213, Actions line 9301.

33. _Briefing 7 (Enable Game) - 0883E27C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0884085C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Briefing Complete) is set.

Flag writers in this mission: set local flag 4 (Briefing Complete) at _Briefing 6 (Send in Troops Again) (0883FBAC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for _Briefing 8 (Briefing Over) (0884076C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9126, Events line 9214, Actions line 9302.

34. _Briefing 8 (Briefing Over) - 0884076C

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 7 (Enable Game) (0883E27C).

Attached scope: tag definitions 0884046C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Germany3 Tank Destroyers Go (H) (0437980C).
2. Enable and reset applicable timers for Germany3 Tank Destroyers Go (M) (0B6830CC).
3. Enable and reset applicable timers for Germany1 Production Start (0A4B6D9C).
4. Enable and reset applicable timers for Germany2 Production Start (0A4B69BC).
5. Enable and reset applicable timers for Germany3 Production Start (0A4B62AC).
6. Create/recruit team BG1 Base Patrol (08D2D7EC).
7. Play voice notification EVA_BattlefieldControlOnline.
8. Enable player input.
9. Enable and reset applicable timers for _Lose (07D4D4AC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9127, Events line 9215, Actions line 9303.

35. Germany3 Tank Destroyers Go (H) - 0437980C

Owner reference: Germany3. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team German3 Tank Destroyers (0437B71C).
2. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9128, Events line 9216, Actions line 9304.

36. Germany3 Tank Destroyers Go (M) - 0B6830CC

Owner reference: Germany3. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Germany3 Tank Destroyers Go (H) (0437980C).

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: tag definitions 0437925C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team German3 Tank Destroyers (0437B71C).
2. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9129, Events line 9217, Actions line 9305.

37. Germany1 Production Start - 0A4B6D9C

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: tag definitions 0A4B6AAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

2. local flag 11 (G1_Barracks_Gone) is clear.

Flag writers in this mission: set local flag 11 (G1_Barracks_Gone) at G1_Barracks_Gone (078C61EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 19 (country/type GERMANY1; placed owner German1 House).
3. AI triggers begin: owner selector 19 (country/type GERMANY1; placed owner German1 House).
4. Create/recruit team German1 Infantry Defenders (0A4B243C).
5. Supply reinforcement team German1 Infantry Attackers (0AE83EFC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9130, Events line 9218, Actions line 9306.

38. Germany2 Production Start - 0A4B69BC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: tag definitions 0A4B639C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 12 (G2_Barracks_Gone) is clear.

Flag writers in this mission: set local flag 12 (G2_Barracks_Gone) at G2_Barracks_Gone (078C6D8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 20 (country/type GERMANY2; placed owner German2 House).
3. AI triggers begin: owner selector 20 (country/type GERMANY2; placed owner German2 House).
4. Create/recruit team German2 Infantry Defenders (0A4B5DEC).
5. Supply reinforcement team German2 Infantry Attackers (0AE83A4C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9131, Events line 9219, Actions line 9307.

39. Germany3 Production Start - 0A4B62AC

Owner reference: Germany3. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: tag definitions 0A4B5D2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 13 (G3_Barracks_Gone) is clear.

Flag writers in this mission: set local flag 13 (G3_Barracks_Gone) at G3_Barracks_Gone (078C6A5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Production Begins: owner selector 21 (country/type GERMANY3; placed owner German3 House).
3. AI triggers begin: owner selector 21 (country/type GERMANY3; placed owner German3 House).
4. Create/recruit team German3 Infantry Defenders (0A4B5CBC).
5. Supply reinforcement team German3 Infantry Attackers (0AE8391C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9132, Events line 9220, Actions line 9308.

40. _Lose - 07D4D4AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Briefing 8 (Briefing Over) (0884076C).

Attached scope: tag definitions 07D5428C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9133, Events line 9221, Actions line 9309.

41. Player MCV Reinforcment_E - 08D2F8BC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Delay_Reinforcement (095031DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed, All: owner selector 21 (country/type GERMANY3; placed owner German3 House).
2. Destroyed, All: owner selector 19 (country/type GERMANY1; placed owner German1 House).
3. Destroyed, All: owner selector 20 (country/type GERMANY2; placed owner German2 House).

Then perform these actions in order:

1. Supply reinforcement team Player MCV Reinforcments (0A0E17BC).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 1 at waypoint 98 (cell 109, 20).
4. Create crate type 0 at waypoint 2 (cell 110, 41).
5. Create crate type 0 at waypoint 85 (cell 111, 41).
6. Create crate type 0 at waypoint 86 (cell 110, 40).
7. Create crate type 0 at waypoint 87 (cell 111, 40).
8. Play sound Bonus at waypoint 2 (cell 110, 41).
9. Enable and reset applicable timers for Objective2_Text (07A3EA2C).
10. Enable and reset applicable timers for Center_On_MCV (077FF39C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9134, Events line 9222, Actions line 9310.

42. Objective2_Text - 07A3EA2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player MCV Reinforcment_E (08D2F8BC); enable from Player MCV Reinforcment_M (094B91CC); enable from Player MCV Reinforcment_H (094BA1DC).

Attached scope: tag definitions 07A3E50C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy Einstein's Lab and Chronosphere.” (MISSION:Sov2Obj2).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9135, Events line 9223, Actions line 9311.

43. Center_On_MCV - 077FF39C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player MCV Reinforcment_E (08D2F8BC); enable from Player MCV Reinforcment_M (094B91CC); enable from Player MCV Reinforcment_H (094BA1DC).

Attached scope: tag definitions 077F8D4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 98 (cell 109, 20).
2. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9136, Events line 9224, Actions line 9312.

44. BG1 Check on Germans - 08D2C96C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D2C0AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 19 (country/type GERMANY1; placed owner German1 House).
2. Destroyed, All: owner selector 20 (country/type GERMANY2; placed owner German2 House).
3. Destroyed, All: owner selector 21 (country/type GERMANY3; placed owner German3 House).

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 German Check Team (079504DC).
2. Enable and reset applicable timers for BG1 Hill Holders Go (08D2AC9C).
3. Enable and reset applicable timers for 1st Battle Fort Attk Go (0437882C).
4. Supply reinforcement team Ptrl_Einstein01 (0B518B7C).
5. Supply reinforcement team Ptrl_LFlank01 (0B51987C).
6. Supply reinforcement team Ptrl_RFlank01 (0B51848C).
7. Supply reinforcement team BG1 Check on G1 (09479E6C).
8. Supply reinforcement team BG1 Check on G3 (0947BD7C).
9. Enable and reset applicable timers for BG1 Early Attks (094558EC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9137, Events line 9225, Actions line 9313.

45. BG1 German Check Team - 079504DC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Check on Germans (08D2C96C).

Attached scope: tag definitions 09A4F7EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Check on Germans (0B517A4C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9138, Events line 9226, Actions line 9314.

46. BG1 Hill Holders Go - 08D2AC9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Check on Germans (08D2C96C).

Attached scope: tag definitions 08D2AA7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG1 Hill Holders (0B41AEFC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9139, Events line 9227, Actions line 9315.

47. 1st Battle Fort Attk Go - 0437882C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Check on Germans (08D2C96C); enable from Battlefortress_Found (078370FC).

Attached scope: tag definitions 0437CABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team 1st Battle Fort Attk (098F40EC).
2. Create/recruit team 1st Battle Fort Attk 02 (0990A93C).
3. Reveal terrain around waypoint 40 (cell 112, 82).
4. Perform no action.
5. Create radar-event marker type 5 at waypoint 40 (cell 112, 82).
6. Play voice notification Unit_Sofia_BattleFortress.
7. Enable and reset applicable timers for Mirage Warning Audio (0AC7C6EC).
8. Enable and reset applicable timers for BG1 Production Start (0AA915BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9140, Events line 9228, Actions line 9316.

48. BG1 Early Attks - 094558EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Check on Germans (08D2C96C).

Attached scope: tag definitions 09453BCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Early Attks 01 (08CF47CC).
2. Enable and reset applicable timers for BG1 Early Attks 02 (08CF3B4C).
3. Supply reinforcement team BG1 Early Attk Air (0B831B7C).
4. Set local flag 10 (Early Air Attks).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9141, Events line 9229, Actions line 9317.

49. Mirage Warning Audio - 0AC7C6EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Battle Fort Attk Go (0437882C).

Attached scope: tag definitions 0AC7C0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 26 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Unit_Sofia_MirageTank.
2. Enable and reset applicable timers for Mirage Warning Go (0B5F81EC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9142, Events line 9230, Actions line 9318.

50. BG1 Early Attks 01 - 08CF47CC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Early Attks (094558EC).

Attached scope: tag definitions 08CF46EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Early Attk 01 (0909945C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9143, Events line 9231, Actions line 9319.

51. BG1 Early Attks 02 - 08CF3B4C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Early Attks (094558EC).

Attached scope: tag definitions 08CF376C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team BG1 Early Attk 02 (094579DC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9144, Events line 9232, Actions line 9320.

52. Mirage Warning Go - 0B5F81EC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mirage Warning Audio (0AC7C6EC).

Attached scope: tag definitions 0B5FC80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Mirage Warning (08F91C8C).
2. Enable and reset applicable timers for Delay_Reinforcement (095031DC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9145, Events line 9233, Actions line 9321.

53. Delay_Reinforcement - 095031DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Mirage Warning Go (0B5F81EC).

Attached scope: tag definitions 0950016C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Player MCV Reinforcment_M (094B91CC).
2. Enable and reset applicable timers for Player MCV Reinforcment_E (08D2F8BC).
3. Enable and reset applicable timers for Player MCV Reinforcment_H (094BA1DC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9146, Events line 9234, Actions line 9322.

54. Player MCV Reinforcment_M - 094B91CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: Player MCV Reinforcment_E (08D2F8BC).

Incoming activation links: enable from Delay_Reinforcement (095031DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed, All: owner selector 21 (country/type GERMANY3; placed owner German3 House).
2. Destroyed, All: owner selector 20 (country/type GERMANY2; placed owner German2 House).
3. Destroyed, All: owner selector 19 (country/type GERMANY1; placed owner German1 House).

Then perform these actions in order:

1. Supply reinforcement team Player MCV Reinforcments (0A0E17BC).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 1 at waypoint 98 (cell 109, 20).
4. Create crate type 0 at waypoint 2 (cell 110, 41).

5. Create crate type 0 at waypoint 85 (cell 111, 41).
6. Play sound Bonus at waypoint 2 (cell 110, 41).
7. Enable and reset applicable timers for Objective2_Text (07A3EA2C).
8. Enable and reset applicable timers for Center_On_MCV (077FF39C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9147, Events line 9235, Actions line 9323.

55. Player MCV Reinforcment_H - 094BA1DC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Player MCV Reinforcment_M (094B91CC).

Incoming activation links: enable from Delay_Reinforcement (095031DC).

Attached scope: tag definitions 08D2F27C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 21 (country/type GERMANY3; placed owner German3 House).
2. Destroyed, All: owner selector 20 (country/type GERMANY2; placed owner German2 House).
3. Destroyed, All: owner selector 19 (country/type GERMANY1; placed owner German1 House).

Then perform these actions in order:

1. Supply reinforcement team Player MCV Reinforcments (0A0E17BC).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Create radar-event marker type 1 at waypoint 98 (cell 109, 20).
4. Enable and reset applicable timers for Objective2_Text (07A3EA2C).
5. Enable and reset applicable timers for Center_On_MCV (077FF39C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9148, Events line 9236, Actions line 9324.

56. Chronosphere Transfer - 0A0C3E5C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Power Plant (GAPOWR), owner Einstein House, cell (103, 176), tag 0A0C3CAC, persistence mode 0; Power Plant (GAPOWR), owner Einstein House, cell (96, 176), tag 0A0C3CAC, persistence mode 0; Chrono Sphere (GACSPH), owner Einstein House, cell (98, 177), tag 0A0C3CAC, persistence mode 0.

Wait for the recorded events:

1. local flag 6 (Transfer Chronosphe) is set.

Then perform these actions in order:

1. Change House: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
2. Play voice notification Mis_xS2_ZofiaChronosphere.
3. Enable and reset applicable timers for _Win (BG2 Chronosphere KIA) (0439E1BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9149, Events line 9237, Actions line 9325.

57. _Win (BG2 Chronosphere KIA) - 0439E1BC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Chronosphere Transfer (0A0C3E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Building does not exist: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 8 (Chronosphere KIA).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9150, Events line 9238, Actions line 9326.

58. Chronosphere Timer Hack - 0A0C334C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0A0C312C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Chronosphere Timer Hack (0B8486FC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9151, Events line 9239, Actions line 9327.

59. _Win (Einstein Lab KIA) - 0439777C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Einstein's Laboratory (CALAB), owner Einstein House, cell (99, 173), tag 0439B62C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 7 (Einstein Lab KIA).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9152, Events line 9240, Actions line 9328.

60. _Win (Cheer) - 0439C2CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (Check) (07B14C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9153, Events line 9241, Actions line 9329.

61. _Win (Mission Over) - 0A3C3B8C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (Check) (07B14C3C).

Attached scope: tag definitions 0A3C365C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9154, Events line 9242, Actions line 9330.

62. _Win (Einstein Chronosphere KIA) - 08BC0C2C

Owner reference: Einstein. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _Win (BG2 Chronosphere KIA) (0439E1BC).

Attached scope: tag definitions 0439ECBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 27 (global list position: Chrono Sphere (GACSPH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 8 (Chronosphere KIA).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9155, Events line 9243, Actions line 9331.

63. Chrono Transfer Win Switch - 08C5EB3C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08C5E20C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 9 (Einstein Chrono Off) is set.

Then perform these actions in order:

1. Disable _Win (Einstein Chronosphere KIA) (08BC0C2C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9156, Events line 9244, Actions line 9332.

64. BG2 Garrison Barn - 0C26610C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C26C8DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team BG2 Barn Garrison (0B75521C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9157, Events line 9245, Actions line 9333.

65. BG1 Early Air Assault - 0944643C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Early Air Asslt Go (094563DC).

Attached scope: tag definitions 094567EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team BG1 Early Attk Air (0B831B7C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9158, Events line 9246, Actions line 9334.

66. BG1 Early Air Assault Off - 094566FC

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Early Air Asslt Go (094563DC).

Attached scope: tag definitions 094564CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 360 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable BG1 Early Air Assault (0944643C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9159, Events line 9247, Actions line 9335.

67. BG1 Early Air Asslt Go - 094563DC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09451ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Early Air Attks) is set.

Flag writers in this mission: set local flag 10 (Early Air Attks) at BG1 Early Attks (094558EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Early Air Assault (0944643C).
2. Enable and reset applicable timers for BG1 Early Air Assault Off (094566FC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9160, Events line 9248, Actions line 9336.

68. Germany1 Sell KIA_01 - 043B06CC

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043A9CAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Germany1 Sell KIA_02 (043A9BBC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9161, Events line 9249, Actions line 9337.

69. Germany1 Sell KIA_02 - 043A9BBC

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Germany1 Sell KIA_01 (043B06CC).

Attached scope: tag definitions 043A999C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 19 (country/type GERMANY1; placed owner German1 House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9162, Events line 9250, Actions line 9338.

70. Germany2 Sell KIA_02 - 043A98AC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Germany2 Sell KIA_01 (0950D82C).

Attached scope: tag definitions 06B6647C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 20 (country/type GERMANY2; placed owner German2 House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9163, Events line 9251, Actions line 9339.

71. Germany2 Sell KIA_01 - 0950D82C

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951720C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Germany2 Sell KIA_02 (043A98AC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9164, Events line 9252, Actions line 9340.

72. Germany3 Sell KIA_02 - 0951711C

Owner reference: Germany3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Germany3 Sell KIA_01 (09517C1C).

Attached scope: tag definitions 09517D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 21 (country/type GERMANY3; placed owner German3 House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9165, Events line 9253, Actions line 9341.

73. Germany3 Sell KIA_01 - 09517C1C

Owner reference: Germany3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0951757C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Germany3 Sell KIA_02 (0951711C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9166, Events line 9254, Actions line 9342.

74. Industrial_Plant_Brief - 079E4B7C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079E448C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 10 (global list position: Soviet Battle Lab (NATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Switch the sidebar to tab 0.
2. Flash cameo/type NAINDP; additional configured duration/location argument 120.
3. Play voice notification Unit_Sofia_IndustrialPlant.

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9167, Events line 9255, Actions line 9343.

75. _Win (Check) - 07B14C3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _Win (Cheer) (0439C2CC).

Attached scope: tag definitions 0439B7FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Chronosphere KIA) is set.
2. local flag 7 (Einstein Lab KIA) is set.

Flag writers in this mission: set local flag 8 (Chronosphere KIA) at _Win (BG2 Chronosphere KIA) (0439E1BC); set local flag 8 (Chronosphere KIA) at _Win (Einstein Chronosphere KIA) (08BC0C2C); set local flag 7 (Einstein Lab KIA) at _Win (Einstein Lab KIA) (0439777C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable _Lose (07D4D4AC).
2. Enable and reset applicable timers for _Win (Cheer) (0439C2CC).
3. Enable and reset applicable timers for _Win (Mission Over) (0A3C3B8C).
4. Disable _Win (Check) (07B14C3C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9168, Events line 9256, Actions line 9344.

76. G1_Barracks_Gone - 078C61EC

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Barracks (GAPILE), owner German1 House, cell (76, 56), tag 078C6E7C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 11 (G1_Barracks_Gone).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9169, Events line 9257, Actions line 9345.

77. G2_Barracks_Gone - 078C6D8C

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Barracks (GAPILE), owner German2 House, cell (106, 41), tag 078C6B4C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 12 (G2_Barracks_Gone).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9170, Events line 9258, Actions line 9346.

78. G3_Barracks_Gone - 078C6A5C

Owner reference: Germany3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Barracks (GAPILE), owner German3 House, cell (143, 73), tag 078C681C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 13 (G3_Barracks_Gone).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9171, Events line 9259, Actions line 9347.

79. All_Hunt_Player - 04F5D48C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player_Deployed_MCV (04F58D5C).

Attached scope: tag definitions 04F58E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. All to Hunt: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
2. All to Hunt: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9172, Events line 9260, Actions line 9348.

80. Player_Deployed_MCV - 04F58D5C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04F58B1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for All_Hunt_Player (04F5D48C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9173, Events line 9261, Actions line 9349.

81. Battlefortress_Found - 078370FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Mirage Tank (MGTK), owner BadGuy1 House, cell (114, 83), tag 07831C2C, persistence mode 0; Mirage Tank (MGTK), owner BadGuy1 House, cell (110, 82), tag 07831C2C, persistence mode 0; Battle Fortress (BFRT), owner BadGuy1 House, cell (111, 81), tag 07831C2C, persistence mode 0; Battle Fortress (BFRT), owner BadGuy1 House, cell (113, 81), tag 07831C2C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (111, 79), tag 07831C2C, persistence mode 0; GI (E1), owner BadGuy1 House, cell (113, 79), tag 07831C2C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for 1st Battle Fort Attk Go (0437882C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9174, Events line 9262, Actions line 9350.

82. Troops1_Arrived - 09025B6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 090255EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 15 (Troops1_Arrived) is set.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Player Starters 1Troops (078BB93C).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9175, Events line 9263, Actions line 9351.

83. Troops2_Arrived - 090254FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 090252BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Troops2_Arrived) is set.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Player Starters 2Troops (078BCEFC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9176, Events line 9264, Actions line 9352.

84. Troops3_Arrived - 090251CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0902179C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 16 (Troops3_Arrived) is set.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Player Starters 3Troops (078BC7BC).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9177, Events line 9265, Actions line 9353.

85. _BG1_Hates_Player - 0790C9CC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0790C44C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9178, Events line 9266, Actions line 9354.

86. _BG2_Hates_Player - 0790C35C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0790FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov02smd.map; Triggers line 9179, Events line 9267, Actions line 9355.

All team rosters and ordered plans | All mission overrides

Operation: Deja Vu - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov02smd.map; each team/script ID identifies its section.

Reclaimed Harvester BG1 - 06B72DCC

Owner: BadGuy1. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Reclaimed Harvester SCR (06B71DBC).

1. Report team success.

Reclaimed Harvester BG2 - 06B71B8C

Owner: BadGuy2. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Reclaimed Harvester SCR (06B71DBC).

1. Report team success.

Refinery Grabber BG1 - 0437EE9C

Owner: BadGuy1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Refinery Grabber SCR (0A8258EC).

1. Attack waypoint: waypoint 65 (cell 179, 129).
2. Report team success.

Refinery Grabber BG2 - 0437CD8C

Owner: BadGuy2. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Refinery Grabber SCR (0A8258EC).

1. Attack waypoint: waypoint 65 (cell 179, 129).
2. Report team success.

BG2 MCV Deployement - 0A011CBC

Owner: BadGuy2. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG2 MCV Deployement SCR (0A011A4C).

1. Move to waypoint: waypoint 0 (cell 111, 181).
2. Deploy.
3. Set local flag: local flag 3 (BG2 ConYard Up).
4. Report team success.

Player Starters 1Armor - 0AD50DEC

Owner: Player. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Player Starters 1Armor SCR (04372B1C).

1. Move to waypoint: waypoint 9 (cell 79, 42).
2. Adopt object mission: guard.

Player Starters 1Troops - 078BB93C

Owner: Player. Roster: 1 × Attack Dog (DOG); 1 × Engineer (SENGINEER); 3 × Conscript (E2); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: Player Starters 1Troops SCR (078BB6CC).

1. Move to waypoint: waypoint 10 (cell 82, 41).
2. Set local flag: local flag 15 (Troops1_Arrived).

Player Starters 2Armor - 0437C33C

Owner: Player. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Player Starters 2Armor SCR (0437ADBC).

1. Move to waypoint: waypoint 11 (cell 108, 21).
2. Adopt object mission: guard.

Player Starters 2Troops - 078BCEFC

Owner: Player. Roster: 1 × Attack Dog (DOG); 1 × Engineer (SENGINEER); 3 × Conscript (E2); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Player Starters 2Troops SCR (078BCC8C).

1. Move to waypoint: waypoint 12 (cell 112, 23).
2. Set local flag: local flag 14 (Troops2_Arrived).

Player Starters 3Armor - 0437A6BC

Owner: Player. Roster: 4 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Player Starters 3Armor SCR (0437A44C).

1. Move to waypoint: waypoint 14 (cell 161, 69).
2. Adopt object mission: guard.

Player Starters 3Troops - 078BC7BC

Owner: Player. Roster: 1 × Attack Dog (DOG); 1 × Engineer (SENGINEER); 3 × Conscript (E2); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Player Starters 3Troops SCR (078BC54C).

1. Move to waypoint: waypoint 13 (cell 164, 74).
2. Set local flag: local flag 16 (Troops3_Arrived).

German3 Tank Destroyers - 0437B71C

Owner: Germany3. Roster: 3 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: German3 Tank Destroyers SCR (04379B7C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Adopt object mission: area guard.

German1 Infantry Defenders - 0A4B243C

Owner: Germany1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: German1 Infantry Defenders SCR (0A4B21CC).

1. Attack-move toward waypoint: waypoint 20 (cell 71, 65).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 21 (cell 71, 51).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 22 (cell 89, 51).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 23 (cell 89, 65).
8. Guard for interval; configured argument 10.
9. Report team success.
10. Attack-move toward waypoint: waypoint 1 (cell 80, 58).
11. Scatter.
12. Scatter.
13. Adopt object mission: area guard.

German2 Infantry Defenders - 0A4B5DEC

Owner: Germany2. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: German2 Infantry Defenders SCR (0AF8FD3C).

1. Attack-move toward waypoint: waypoint 24 (cell 102, 47).
2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 25 (cell 102, 34).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 26 (cell 118, 34).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 27 (cell 118, 47).
8. Guard for interval; configured argument 10.
9. Report team success.
10. Attack-move toward waypoint: waypoint 3 (cell 145, 72).
11. Scatter.
12. Scatter.
13. Adopt object mission: area guard.

German3 Infantry Defenders - 0A4B5CBC

Owner: Germany3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: German3 Infantry Defenders SCR (0AF8F14C).

1. Attack-move toward waypoint: waypoint 28 (cell 137, 64).

2. Guard for interval; configured argument 10.
3. Attack-move toward waypoint: waypoint 29 (cell 151, 64).
4. Guard for interval; configured argument 10.
5. Attack-move toward waypoint: waypoint 30 (cell 151, 81).
6. Guard for interval; configured argument 10.
7. Attack-move toward waypoint: waypoint 31 (cell 137, 80).
8. Guard for interval; configured argument 10.
9. Report team success.
10. Attack-move toward waypoint: waypoint 3 (cell 145, 72).
11. Scatter.
12. Scatter.
13. Adopt object mission: area guard.

Player MCV Reinforcments - 0A0E17BC

Owner: Player. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Player MCV Reinforcments SCR (08D2C21C).

1. Move to waypoint: waypoint 98 (cell 109, 20).
2. Report team success.

German1 Infantry Attackers - 0AE83EFC

Owner: Germany1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: German Infantry Attackers SCR (0AF8BC7C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Adopt object mission: area guard.

German2 Infantry Attackers - 0AE83A4C

Owner: Germany2. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: German Infantry Attackers SCR (0AF8BC7C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Adopt object mission: area guard.

German3 Infantry Attackers - 0AE8391C

Owner: Germany3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: German Infantry Attackers SCR (0AF8BC7C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Adopt object mission: area guard.

BG1 Base Patrol - 08D2D7EC

Owner: BadGuy1. Roster: 2 × IFV (FV); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 15; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: BG1 Base Patrol SCR (08D2EA0C).

1. Move to waypoint: waypoint 37 (cell 102, 116).
2. Guard for interval; configured argument 26.
3. Move to waypoint: waypoint 38 (cell 126, 116).
4. Guard for interval; configured argument 22.
5. Move to waypoint: waypoint 35 (cell 126, 137).
6. Guard for interval; configured argument 15.
7. Move to waypoint: waypoint 36 (cell 102, 137).
8. Guard for interval; configured argument 12.
9. Jump to script line; configured argument 1.

BG1 Check on Germans - 0B517A4C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: BG1 Check on Germans SCR (0B5177DC).

1. Attack-move toward waypoint: waypoint 2 (cell 110, 41).
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

BG1 Hill Holders - 0B41AEFC

Owner: BadGuy1. Roster: 5 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BG1 Hill Holders SCR (0B538DBC).

1. Move to waypoint: waypoint 39 (cell 92, 87).
2. Report team success.
3. Adopt object mission: guard.

1st Battle Fort Attk - 098F40EC

Owner: BadGuy1. Roster: 1 × Battle Fortress (BFRT); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CN.

Ordered plan: 1st Battle Fort Attk SCR (090E56CC).

1. Center view on team; configured argument 4.
2. Load transport.
3. Flash team; configured argument 150.
4. Guard for interval; configured argument 30.
5. Attack-move toward waypoint: waypoint 67 (cell 109, 59).
6. Guard for interval; configured argument 50.
7. Attack-move toward waypoint: waypoint 2 (cell 110, 41).
8. Seek/attack target category; configured argument 5.
9. Report team success.

10. Attack-move toward waypoint: waypoint 5 (cell 100, 174).
11. Adopt object mission: area guard.

Chronosphere Timer Hack - 0B8486FC

Owner: Einstein. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 80; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: Chronosphere Timer Hack SCR (0B84848C).

1. Move to waypoint: waypoint 75 (cell 110, 192).
2. Guard for interval; configured argument 605.
3. Set local flag: local flag 9 (Einstein Chrono Off).
4. Chronoshift near selected building; configured argument 196619.
5. Set local flag: local flag 6 (Transfer Chronosphe).
6. Attack selected enemy-building category; configured argument 196619.
7. Report team success.

Ptrl_Einstein01 - 0B518B7C

Owner: BadGuy1. Roster: 2 × IFV (FV); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BV.

Ordered plan: Ptrl_Einstein SCR (0B06F90C).

1. Report team success.
2. Move to waypoint: waypoint 42 (cell 115, 138).
3. Move to waypoint: waypoint 44 (cell 115, 160).
4. Attack-move toward waypoint: waypoint 51 (cell 126, 180).
5. Guard for interval; configured argument 5.
6. Attack-move toward waypoint: waypoint 44 (cell 115, 160).
7. Guard for interval; configured argument 5.
8. Attack-move toward waypoint: waypoint 52 (cell 91, 151).
9. Guard for interval; configured argument 5.
10. Attack-move toward waypoint: waypoint 53 (cell 80, 154).
11. Guard for interval; configured argument 5.
12. Attack-move toward waypoint: waypoint 54 (cell 81, 170).
13. Guard for interval; configured argument 5.
14. Attack-move toward waypoint: waypoint 53 (cell 80, 154).
15. Guard for interval; configured argument 5.
16. Attack-move toward waypoint: waypoint 52 (cell 91, 151).
17. Guard for interval; configured argument 5.
18. Attack-move toward waypoint: waypoint 44 (cell 115, 160).
19. Guard for interval; configured argument 5.
20. Jump to script line; configured argument 4.

Ptrl_Einstein02 - 09526BFC

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_Einstein SCR (0B06F90C).

1. Report team success.
2. Move to waypoint: waypoint 42 (cell 115, 138).

3. Move to waypoint: waypoint 44 (cell 115, 160).
4. Attack-move toward waypoint: waypoint 51 (cell 126, 180).
5. Guard for interval; configured argument 5.
6. Attack-move toward waypoint: waypoint 44 (cell 115, 160).
7. Guard for interval; configured argument 5.
8. Attack-move toward waypoint: waypoint 52 (cell 91, 151).
9. Guard for interval; configured argument 5.
10. Attack-move toward waypoint: waypoint 53 (cell 80, 154).
11. Guard for interval; configured argument 5.
12. Attack-move toward waypoint: waypoint 54 (cell 81, 170).
13. Guard for interval; configured argument 5.
14. Attack-move toward waypoint: waypoint 53 (cell 80, 154).
15. Guard for interval; configured argument 5.
16. Attack-move toward waypoint: waypoint 52 (cell 91, 151).
17. Guard for interval; configured argument 5.
18. Attack-move toward waypoint: waypoint 44 (cell 115, 160).
19. Guard for interval; configured argument 5.
20. Jump to script line; configured argument 4.

Ptrl_RFlank01 - 0B51848C

Owner: BadGuy1. Roster: 1 × IFV (FV); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: Ptrl_RFlank SCR (043935BC).

1. Report team success.
2. Move to waypoint: waypoint 35 (cell 126, 137).
3. Guard for interval; configured argument 15.
4. Move to waypoint: waypoint 38 (cell 126, 116).
5. Guard for interval; configured argument 10.
6. Move to waypoint: waypoint 48 (cell 134, 109).
7. Guard for interval; configured argument 20.
8. Move to waypoint: waypoint 49 (cell 147, 114).
9. Guard for interval; configured argument 15.
10. Move to waypoint: waypoint 50 (cell 147, 133).
11. Guard for interval; configured argument 15.
12. Jump to script line; configured argument 2.

Ptrl_RFlank02 - 043AAB9C

Owner: BadGuy1. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_RFlank SCR (043935BC).

1. Report team success.
2. Move to waypoint: waypoint 35 (cell 126, 137).
3. Guard for interval; configured argument 15.
4. Move to waypoint: waypoint 38 (cell 126, 116).
5. Guard for interval; configured argument 10.
6. Move to waypoint: waypoint 48 (cell 134, 109).
7. Guard for interval; configured argument 20.

8. Move to waypoint: waypoint 49 (cell 147, 114).
9. Guard for interval; configured argument 15.
10. Move to waypoint: waypoint 50 (cell 147, 133).
11. Guard for interval; configured argument 15.
12. Jump to script line; configured argument 2.

Ptrl_LFlank01 - 0B51987C

Owner: BadGuy1. Roster: 1 × IFV (FV); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: Ptrl_LFlank SCR (0948EA8C).

1. Report team success.
2. Move to waypoint: waypoint 36 (cell 102, 137).
3. Guard for interval; configured argument 15.
4. Move to waypoint: waypoint 37 (cell 102, 116).
5. Guard for interval; configured argument 15.
6. Move to waypoint: waypoint 46 (cell 95, 104).
7. Guard for interval; configured argument 15.
8. Move to waypoint: waypoint 47 (cell 80, 110).
9. Guard for interval; configured argument 15.
10. Move to waypoint: waypoint 45 (cell 80, 128).
11. Guard for interval; configured argument 15.
12. Jump to script line; configured argument 2.

Ptrl_LFlank02 - 0948E36C

Owner: BadGuy1. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_LFlank SCR (0948EA8C).

1. Report team success.
2. Move to waypoint: waypoint 36 (cell 102, 137).
3. Guard for interval; configured argument 15.
4. Move to waypoint: waypoint 37 (cell 102, 116).
5. Guard for interval; configured argument 15.
6. Move to waypoint: waypoint 46 (cell 95, 104).
7. Guard for interval; configured argument 15.
8. Move to waypoint: waypoint 47 (cell 80, 110).
9. Guard for interval; configured argument 15.
10. Move to waypoint: waypoint 45 (cell 80, 128).
11. Guard for interval; configured argument 15.
12. Jump to script line; configured argument 2.

Ptrl_Rear01 - 0944E3CC

Owner: BadGuy1. Roster: 1 × IFV (FV); 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_Rear SCR (043ACBAC).

1. Report team success.
2. Move to waypoint: waypoint 42 (cell 115, 138).

3. Guard for interval; configured argument 17.
4. Move to waypoint: waypoint 43 (cell 147, 149).
5. Guard for interval; configured argument 17.
6. Move to waypoint: waypoint 44 (cell 115, 160).
7. Guard for interval; configured argument 17.
8. Move to waypoint: waypoint 45 (cell 80, 128).
9. Guard for interval; configured argument 17.
10. Jump to script line; configured argument 2.

Ptrl_Rear02 - 0438E63C

Owner: BadGuy1. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_Rear SCR (043ACBAC).

1. Report team success.
2. Move to waypoint: waypoint 42 (cell 115, 138).
3. Guard for interval; configured argument 17.
4. Move to waypoint: waypoint 43 (cell 147, 149).
5. Guard for interval; configured argument 17.
6. Move to waypoint: waypoint 44 (cell 115, 160).
7. Guard for interval; configured argument 17.
8. Move to waypoint: waypoint 45 (cell 80, 128).
9. Guard for interval; configured argument 17.
10. Jump to script line; configured argument 2.

Ptrl_Rear03 - 0947FBDC

Owner: BadGuy1. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Ptrl_Rear SCR (043ACBAC).

1. Report team success.
2. Move to waypoint: waypoint 42 (cell 115, 138).
3. Guard for interval; configured argument 17.
4. Move to waypoint: waypoint 43 (cell 147, 149).
5. Guard for interval; configured argument 17.
6. Move to waypoint: waypoint 44 (cell 115, 160).
7. Guard for interval; configured argument 17.
8. Move to waypoint: waypoint 45 (cell 80, 128).
9. Guard for interval; configured argument 17.
10. Jump to script line; configured argument 2.

Def_ADA01_BG1 - 0B63FEFC

Owner: BadGuy1. Roster: 3 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_ADA01 SCR (0B63FC8C).

1. Move to waypoint: waypoint 37 (cell 102, 116).
2. Guard for interval; configured argument 120.
3. Move to waypoint: waypoint 61 (cell 113, 110).

4. Guard for interval; configured argument 120.
5. Move to waypoint: waypoint 38 (cell 126, 116).
6. Guard for interval; configured argument 120.
7. Approach friendly building category; configured argument 131074.
8. Guard for interval; configured argument 60.
9. Report team success.
10. Jump to script line; configured argument 1.

Def_ADA02_BG1 - 0E04060C

Owner: BadGuy1. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_ADA02 SCR (0E042B1C).

1. Move to waypoint: waypoint 37 (cell 102, 116).
2. Guard for interval; configured argument 120.
3. Move to waypoint: waypoint 61 (cell 113, 110).
4. Guard for interval; configured argument 120.
5. Move to waypoint: waypoint 38 (cell 126, 116).
6. Guard for interval; configured argument 120.
7. Move to waypoint: waypoint 42 (cell 115, 138).
8. Guard for interval; configured argument 60.
9. Approach friendly building category; configured argument 131074.
10. Guard for interval; configured argument 60.
11. Report team success.
12. Jump to script line; configured argument 1.

Def_ADA01_BG2 - 0E03ADFC

Owner: BadGuy2. Roster: 3 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_BG2 SCR (0E03AB8C).

1. Adopt object mission: area guard.
2. Report team success.

Def_ADA02_BG2 - 0E03A63C

Owner: BadGuy2. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_BG2 SCR (0E03AB8C).

1. Adopt object mission: area guard.
2. Report team success.

Def_Armor (H) - 0E033B9C

Owner: BadGuy1. Roster: 3 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Armor (E_M) - 0E0356CC

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Armor (Any) - 0C3026BC

Owner: BadGuy1. Roster: 5 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Engineer - 0E02E7DC

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Infantry(E_M) - 0E050EFC

Owner: BadGuy1. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Def_Infantry(H) - 0E05141C

Owner: BadGuy1. Roster: 3 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Base Defense SCR (0E035DBC).

1. Adopt object mission: area guard.
2. Report team success.

Amb_MirageBQ - 0C2DD4EC

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBQ SCR (0C2E6DBC).

1. Attack-move toward waypoint: waypoint 68 (cell 105, 87).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBR - 0C2E3EFC

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBR SCR (0C2E3C8C).

1. Attack-move toward waypoint: waypoint 69 (cell 85, 78).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBS - 0C2E390C

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBS SCR (0C2E369C).

1. Attack-move toward waypoint: waypoint 70 (cell 83, 108).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBT - 0966117C

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBT SCR (0966F0BC).

1. Attack-move toward waypoint: waypoint 71 (cell 117, 110).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBU - 0966B2CC

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBU SCR (0966C44C).

1. Attack-move toward waypoint: waypoint 72 (cell 143, 135).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBV - 0965640C

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBV SCR (0965619C).

1. Attack-move toward waypoint: waypoint 73 (cell 121, 149).
2. Report team success.
3. Adopt object mission: area guard.

Amb_MirageBW - 09657E2C

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 16; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Amb_MirageBW SCR (09657BBC).

1. Attack-move toward waypoint: waypoint 74 (cell 113, 165).
2. Report team success.
3. Adopt object mission: area guard.

Gen_Engineer IFV - 0BBFF54C

Owner: BadGuy1. Roster: 1 × IFV (FV); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Gen_Engineer IFV SCR (0965755C).

1. Load transport.
2. Approach friendly building category; configured argument 131073.
3. Report team success.
4. Adopt object mission: area guard.

Attk_ArmorLF1 - 0965ABFC

Owner: BadGuy1. Roster: 3 × Grizzly Battle Tank (MTNK); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorLF1 SCR (0965993C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 47 (cell 80, 110).
4. Move to waypoint: waypoint 55 (cell 59, 90).
5. Move to waypoint: waypoint 56 (cell 68, 78).
6. Report team success.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 1.

Attk_ArmorLF2 - 0965953C

Owner: BadGuy1. Roster: 4 × Guardian GI (GGI); 2 × GI (E1); 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorLF2 SCR (096591BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 46 (cell 95, 104).
4. Move to waypoint: waypoint 58 (cell 94, 94).
5. Move to waypoint: waypoint 59 (cell 86, 83).
6. Report team success.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 4.
9. Seek/attack target category; configured argument 1.

Attk_ArmorRFa - 09604EFC

Owner: BadGuy1. Roster: 1 × IFV (FV); 3 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorRFa SCR (096043FC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 38 (cell 126, 116).
3. Move to waypoint: waypoint 49 (cell 147, 114).
4. Move to waypoint: waypoint 30 (cell 151, 81).
5. Report team success.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 4.
8. Seek/attack target category; configured argument 1.

Attk_ArmorRFb - 096068CC

Owner: BadGuy1. Roster: 4 × GI (E1); 4 × Guardian GI (GGI); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorRFb SCR (0960654C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 38 (cell 126, 116).
3. Move to waypoint: waypoint 49 (cell 147, 114).
4. Move to waypoint: waypoint 30 (cell 151, 81).
5. Move to waypoint: waypoint 29 (cell 151, 64).
6. Report team success.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 4.
9. Seek/attack target category; configured argument 1.

Attk_ArmorCa - 0939C19C

Owner: BadGuy1. Roster: 4 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorCa SCR (093A5A0C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 66 (cell 122, 99).
3. Report team success.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

Attk_ArmorCb - 093A6EFC

Owner: BadGuy1. Roster: 3 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorCb SCR (093A669C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 66 (cell 122, 99).
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 3.
7. Seek/attack target category; configured argument 1.

Attk_Air01 - 093A61CC

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Air01 SCR (093A4ADC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Attk_Air02 - 093A475C

Owner: BadGuy1. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Air02 SCR (093A43DC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

BG2 Barn Garrison - 0B75521C

Owner: BadGuy2. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CG.

Ordered plan: BG2 Barn Garrison SCR (0C27148C).

1. Attack waypoint: waypoint 79 (cell 103, 171).
2. Report team success.

Spec_SEAL Raid (M) - 0AC8783C

Owner: BadGuy1. Roster: 1 × NightHawk Transport (SHAD); 4 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_SEAL Raid (M) SCR (0AC81A6C).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 196617.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Report team success.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 4.
10. Seek/attack target category; configured argument 1.

Spec_SEAL Raid (H) - 0AC8125C

Owner: BadGuy1. Roster: 1 × NightHawk Transport (SHAD); 4 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_SEAL Raid (H) SCR (0AC84DBC).

1. Load transport.
2. Approach selected enemy-building category; configured argument 131097.
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 4.

Spec_Engineer Raid (E_M) - 0B626CCC

Owner: BadGuy1. Roster: 1 × NightHawk Transport (SHAD); 3 × Engineer (ENGINEER); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Engineer Raid (E_M) SCR (0B621DBC).

1. Load transport.
2. Approach selected enemy-building category; configured argument 131081.
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 7.
7. Seek/attack target category; configured argument 4.
8. Seek/attack target category; configured argument 1.

Spec_Engineer Raid (H) - 0B61A41C

Owner: BadGuy1. Roster: 1 × NightHawk Transport (SHAD); 3 × Engineer (ENGINEER); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Engineer Raid (H) SCR (0B62C5FC).

1. Load transport.
2. Approach selected enemy-building category; configured argument 131097.
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 4.
8. Seek/attack target category; configured argument 1.

Spec_Engineer Raid (Any) - 0B614EFC

Owner: BadGuy1. Roster: 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Engineer Raid (Any) SCR (0B61228C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 47 (cell 80, 110).
3. Move to waypoint: waypoint 55 (cell 59, 90).
4. Move to waypoint: waypoint 21 (cell 71, 51).
5. Attack selected enemy-building category; configured argument 196617.

6. Seek/attack target category; configured argument 2.

Spec_IFV_SEAL - 0B6173AC

Owner: BadGuy1. Roster: 1 × IFV (FV); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_IFV_SEAL SCR (0B611DBC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Unload with continuation mode: transport and passengers continue.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

Spec_Spy01 - 0B611A3C

Owner: BadGuy1. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Spy01 SCR (0B6116BC).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131086.
3. Attack selected enemy-building category; configured argument 131086.
4. Report team success.
5. Approach selected enemy-building category; configured argument 131086.
6. Attack selected enemy-building category; configured argument 131081.

Spec_Spy02 - 0B61FEFC

Owner: BadGuy1. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Spy02 SCR (0B61F97C).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131083.
3. Attack selected enemy-building category; configured argument 131083.
4. Report team success.
5. Approach selected enemy-building category; configured argument 131082.
6. Attack selected enemy-building category; configured argument 131082.

Spec_Spy03 - 0B61F51C

Owner: BadGuy1. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Spy03 SCR (0B61F2AC).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131087.
3. Attack selected enemy-building category; configured argument 131087.
4. Report team success.
5. Approach selected enemy-building category; configured argument 131081.

6. Attack selected enemy-building category; configured argument 131081.

Spec_Spy04 - 0B61ECAC

Owner: BadGuy1. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Spec_Spy04 SCR (0B61EA3C).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131081.
3. Attack selected enemy-building category; configured argument 131081.
4. Report team success.
5. Approach selected enemy-building category; configured argument 131085.
6. Attack selected enemy-building category; configured argument 131085.

Attk_InfantryLF01 - 0B61340C

Owner: BadGuy1. Roster: 5 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_InfantryLF01 SCR (0B61E3BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 47 (cell 80, 110).
4. Move to waypoint: waypoint 55 (cell 59, 90).
5. Move to waypoint: waypoint 20 (cell 71, 65).
6. Seek/attack target category; configured argument 4.
7. Report team success.
8. Seek/attack target category; configured argument 9.
9. Seek/attack target category; configured argument 7.
10. Seek/attack target category; configured argument 1.

Attk_InfantryLF02 - 0B61CD6C

Owner: BadGuy1. Roster: 3 × GI (E1); 2 × Guardian GI (GGI); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_InfantryLF02 SCR (0B61D1BC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 46 (cell 95, 104).
4. Move to waypoint: waypoint 58 (cell 94, 94).
5. Move to waypoint: waypoint 69 (cell 85, 78).
6. Seek/attack target category; configured argument 4.
7. Report team success.
8. Attack selected enemy-building category; configured argument 131087.
9. Seek/attack target category; configured argument 1.

Attk_InfantryRF - 0B617BBC

Owner: BadGuy1. Roster: 5 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_InfantryRF SCR (0B61456C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 38 (cell 126, 116).
3. Move to waypoint: waypoint 49 (cell 147, 114).
4. Move to waypoint: waypoint 76 (cell 168, 109).
5. Move to waypoint: waypoint 13 (cell 164, 74).
6. Seek/attack target category; configured argument 4.
7. Report team success.
8. Seek/attack target category; configured argument 5.
9. Seek/attack target category; configured argument 1.

Attk_Infantry (E_M) - 0B61DC2C

Owner: BadGuy1. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry (E_M) SCR (0B61B4AC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Attk_Infantry (H) - 0B618DAC

Owner: BadGuy1. Roster: 3 × Guardian GI (GGI); 3 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Infantry (H) SCR (0B618B3C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Move to waypoint: waypoint 40 (cell 112, 82).
5. Move to waypoint: waypoint 29 (cell 151, 64).
6. Move to waypoint: waypoint 98 (cell 109, 20).
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 7.
9. Seek/attack target category; configured argument 6.
10. Seek/attack target category; configured argument 2.
11. Seek/attack target category; configured argument 1.

Attk_BombardC - 0B67DA0C

Owner: BadGuy1. Roster: 2 × Grizzly Battle Tank (MTNK); 2 × Mirage Tank (MGTK); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BombardC SCR (0B67CDBC).

1. Gather near enemy base; configured argument 0.
2. Move to waypoint: waypoint 66 (cell 122, 99).
3. Gather near enemy base; configured argument 0.
4. Report team success.

5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 1.

Attk_BombardLF01 - 0B67C8EC

Owner: BadGuy1. Roster: 3 × Mirage Tank (MGTK); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BombardLF01 SCR (0B67EA3C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 45 (cell 80, 128).
4. Move to waypoint: waypoint 77 (cell 65, 109).
5. Move to waypoint: waypoint 55 (cell 59, 90).
6. Move to waypoint: waypoint 21 (cell 71, 51).
7. Move to waypoint: waypoint 10 (cell 82, 41).
8. Seek/attack target category; configured argument 9.
9. Report team success.
10. Seek/attack target category; configured argument 7.
11. Seek/attack target category; configured argument 1.

Attk_BombardLF02 - 0B623CBC

Owner: BadGuy1. Roster: 3 × Prism Tank (SREF); 3 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BombardLF02 SCR (0B62694C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 37 (cell 102, 116).
3. Move to waypoint: waypoint 46 (cell 95, 104).
4. Move to waypoint: waypoint 58 (cell 94, 94).
5. Move to waypoint: waypoint 59 (cell 86, 83).
6. Move to waypoint: waypoint 23 (cell 89, 65).
7. Report team success.
8. Seek/attack target category; configured argument 7.
9. Seek/attack target category; configured argument 9.
10. Seek/attack target category; configured argument 6.
11. Seek/attack target category; configured argument 1.

Attk_BombardRF - 0B6263CC

Owner: BadGuy1. Roster: 2 × IFV (FV); 2 × Mirage Tank (MGTK); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BombardRF SCR (0B627DBC).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 38 (cell 126, 116).
3. Move to waypoint: waypoint 49 (cell 147, 114).
4. Move to waypoint: waypoint 76 (cell 168, 109).
5. Move to waypoint: waypoint 13 (cell 164, 74).

6. Seek/attack target category; configured argument 6.
7. Report team success.
8. Seek/attack target category; configured argument 7.
9. Seek/attack target category; configured argument 9.
10. Seek/attack target category; configured argument 1.

Attk_Bombard (H) - 0B5C6D2C

Owner: BadGuy1. Roster: 2 × IFV (FV); 4 × Prism Tank (SREF); 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Bombard (H) SCR (0B5CC21C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 61 (cell 113, 110).
3. Move to waypoint: waypoint 66 (cell 122, 99).
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 9.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 1.

Attk_Chrono (E_M) - 0B61AA1C

Owner: BadGuy2. Roster: 4 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Chrono (E_M) SCR (0B62E8BC).

1. Move to waypoint: waypoint 78 (cell 101, 161).
2. Guard for interval; configured argument 5.
3. Chronoshift near selected building; configured argument 131087.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131087.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 7.
8. Seek/attack target category; configured argument 1.

Attk_Chrono (H) - 0B62ADCC

Owner: BadGuy2. Roster: 1 × IFV (FV); 2 × Mirage Tank (MGTK); 3 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Chrono (H) SCR (0B62AA4C).

1. Move to waypoint: waypoint 78 (cell 101, 161).
2. Guard for interval; configured argument 5.
3. Chronoshift near selected building; configured argument 131086.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 1.

Attk_Air03 - 0B5CD3DC

Owner: BadGuy2. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_Air03 SCR (0B5D2DBC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 6.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

Attk_DefEinstein01 - 0B61C5DC

Owner: BadGuy2. Roster: 2 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_DefEinstein01 SCR (0B621B4C).

1. Move to waypoint: waypoint 80 (cell 107, 165).
2. Report team success.
3. Adopt object mission: area guard.

Attk_DefEinstein02 - 0B62465C

Owner: BadGuy2. Roster: 2 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_DefEinstein02 SCR (0B62228C).

1. Move to waypoint: waypoint 81 (cell 108, 169).
2. Report team success.
3. Adopt object mission: area guard.

Attk_DefEinstein03 - 0B62423C

Owner: BadGuy2. Roster: 2 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_DefEinstein03 SCR (0B62327C).

1. Move to waypoint: waypoint 82 (cell 122, 183).
2. Report team success.
3. Adopt object mission: area guard.

Attk_DefEinstein04 - 0B62314C

Owner: BadGuy2. Roster: 2 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_DefEinstein04 SCR (0B620DBC).

1. Move to waypoint: waypoint 83 (cell 95, 161).
2. Report team success.
3. Adopt object mission: area guard.

BG1 Check on G1 - 09479E6C

Owner: BadGuy1. Roster: 5 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: BG1 Check on G1 SCR (0947A38C).

1. Move to waypoint: waypoint 59 (cell 86, 83).
2. Move to waypoint: waypoint 1 (cell 80, 58).
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

BG1 Check on G3 - 0947BD7C

Owner: BadGuy1. Roster: 3 × GI (E1); 4 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: BG1 Check on G3 SCR (0947B9FC).

1. Move to waypoint: waypoint 49 (cell 147, 114).
2. Move to waypoint: waypoint 3 (cell 145, 72).
3. Report team success.
4. Attack selected enemy-building category; configured argument 131081.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

BG1 Early Attk 01 - 0909945C

Owner: BadGuy1. Roster: 4 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: BG1 Early Attk 01 SCR (0943532C).

1. Gather near own base; configured argument 0.
2. Move to waypoint: waypoint 66 (cell 122, 99).
3. Gather near enemy base; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 5.
8. Seek/attack target category; configured argument 1.

BG1 Early Attk 02 - 094579DC

Owner: BadGuy1. Roster: 2 × IFV (FV); 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: BG1 Early Attk 02 SCR (0945765C).

1. Gather near own base; configured argument 0.

BG1 Early Attk Air - 0B831B7C

Owner: BadGuy1. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: BG1 Early Attk Air SCR (09456B1C).

1. Seek/attack target category; configured argument 5.
2. Report team success.

Mirage Warning - 08F91C8C

Owner: BadGuy1. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Mirage Warning SCR (08F91A1C).

1. Flash team; configured argument 120.
2. Report team success.
3. Guard for interval; configured argument 10.
4. Move to waypoint: waypoint 67 (cell 109, 59).
5. Adopt object mission: area guard.

Rocketeer_Guard_CK - 07909EFC

Owner: BadGuy1. Roster: 1 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CK.

Ordered plan: Rocketeer_Guard_CK (0BEF190C).

1. Move to waypoint: waypoint 88 (cell 116, 117).
2. Adopt object mission: area guard.

Rocketeer_Guard_CL - 0BEF16CC

Owner: BadGuy1. Roster: 1 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: Rocketeer_Guard_CL (095F265C).

1. Move to waypoint: waypoint 89 (cell 112, 117).
2. Adopt object mission: area guard.

Attk_Chrono(E_M)_BG1 - 0911865C

Owner: BadGuy2. Roster: 4 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Chronosphere Attk SCR (0B0661EC).

1. Chronoshift near selected building; configured argument 196619.
2. Set local flag: local flag 6 (Transfer Chronosphe).
3. Attack selected enemy-building category; configured argument 196619.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

Attk_BattleFort01 - 09817E1C

Owner: BadGuy1. Roster: 2 × Battle Fortress (BFRT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_ArmorCa SCR (093A5A0C).

1. Gather near own base; configured argument 0.

2. Move to waypoint: waypoint 66 (cell 122, 99).
3. Report team success.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

Attk_BattleFort02 - 09819B4C

Owner: BadGuy1. Roster: 1 × Battle Fortress (BFRT); 2 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attk_BattleFort02_SCR (098198DC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

1st Battle Fort Attk 02 - 0990A93C

Owner: BadGuy1. Roster: 1 × Battle Fortress (BFRT); 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: 1st Battle Fort Attk SCR (090E56CC).

1. Center view on team; configured argument 4.
2. Load transport.
3. Flash team; configured argument 150.
4. Guard for interval; configured argument 30.
5. Attack-move toward waypoint: waypoint 67 (cell 109, 59).
6. Guard for interval; configured argument 50.
7. Attack-move toward waypoint: waypoint 2 (cell 110, 41).
8. Seek/attack target category; configured argument 5.
9. Report team success.
10. Attack-move toward waypoint: waypoint 5 (cell 100, 174).
11. Adopt object mission: area guard.

Attk_BG1_Special01 - 091542AC

Owner: BadGuy1. Roster: 1 × Chrono Ivan (CIVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Special_Attack (0915403C).

1. Seek/attack target category; configured argument 9.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

Attk_BG1_Special02 - 091548EC

Owner: BadGuy1. Roster: 1 × Chrono Ivan (CIVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Special_Attack (0915403C).

1. Seek/attack target category; configured argument 9.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

Attk_BG2_Special01 - 0915043C

Owner: BadGuy2. Roster: 1 × Chrono Ivan (CIVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Special_Attack (0915403C).

1. Seek/attack target category; configured argument 9.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

Attk_BG2_Special02 - 0915030C

Owner: BadGuy2. Roster: 1 × Chrono Ivan (CIVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Special_Attack (0915403C).

1. Seek/attack target category; configured argument 9.
2. Seek/attack target category; configured argument 2.
3. Seek/attack target category; configured argument 1.

Operation: Deja Vu - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov02smd.map.

Object/system	Property	Mission value	Source line
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	11
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	14
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	17
Iron Curtain Device (NAIRON)	Technology level	12	20
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	23
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Default Mirage Disguises	TREE26,TREE27,TREE28,TREE25	24
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	25
War Miner (HARV)	Resource cargo capacity	20	28
Chrono Miner (CMIN)	Resource cargo capacity	10	31
Engineer (ENGINEER)	Name	Engineer	34
Engineer (ENGINEER)	Excluded countries	Russians,Confederation,Africans,Arabs,YuriCountry,Player	35
Engineer (YENGINEER)	Excluded countries	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,Player	38
Attack Dog (ADOG)	Name	Allied Attack Dog	41
Attack Dog (ADOG)	Excluded countries	Russians,Confederation,Africans,Arabs,YuriCountry,Player	42
TIBERIUMS (TIBERIUMS)	0	Riparius	45
TIBERIUMS (TIBERIUMS)	1	Cruentus	46
TIBERIUMS (TIBERIUMS)	2	Vinifera	47
TIBERIUMS (TIBERIUMS)	3	Aboreus	48
Tiberium Riparius (RIPARIUS)	Value	50	51
Tiberium Cruentus (CRUENTUS)	Value	100	54
Tiberium Vinifera (VINIFERA)	Value	50	57
Tiberium Aboreus (ABOREUS)	Value	50	60
CRATERULES (CRATERULES)	Solo Crate Money	1500	63
CRATERULES (CRATERULES)	Unit Crate Type	CMIN	64
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall behavior	Yes	67
Nuclear Missile Silo (NAMISL)	Technology level	12	70
Chronosphere (CHRONOSPHERESPECIAL)	Recharge Time	10	73
Chrono Sphere (GACSPH)	Name	Allied Chrono Sphere	76
Chrono Sphere (GACSPH)	Reveal To All	no	77
Yuri Clone (YURI)	Technology level	12	80

Object/system	Property	Mission value	Source line
Chrono Legionnaire (CLEG)	Technology level	12	83
Siege Chopper (SCHP)	Technology level	12	86
Soviet Shipyard (NAYARD)	Technology level	12	89
Allied Shipyard (GAYARD)	Technology level	12	92
Weather Controller (GAWEAT)	Technology level	12	95
Cloning Vats (NACLON)	Technology level	12	98
Psychic Radar (NAPSIS)	Technology level	12	101
Kirov Airship (ZEP)	Technology level	9	104
Industrial Plant (NAINDP)	Technology level	9	107
Boris (BORIS)	Technology level	12	110
Air Force Command Headquarters (AMRADR)	Name	Airforce Command Headquarters	113
Air Force Command Headquarters (AMRADR)	Primary granted special weapon	none	114
Tanya (TANY)	Technology level	12	117
SEAL (GHOST)	Name	SEAL	120
SEAL (GHOST)	Technology level	3	121
Technician (CTECH)	Name	Technician	124
Technician (CTECH)	Insignificant-object flag	no	125
Technician (CTECH)	Threat contribution	10	126
Technician (CTECH)	Primary	M1Carbine	127
Barrels (CAMISC01)	Name	RA2 Barrels	130
Barrels (CAMISC01)	Insignificant-object flag	no	131
Barrels (CAMISC01)	Hidden from radar	no	132
Barrel (CAMISC02)	Name	RA2 Barrel	135
Barrel (CAMISC02)	Insignificant-object flag	no	136
Barrel (CAMISC02)	Hidden from radar	no	137
Einstein's Laboratory (CALAB)	Name	RA2 Einstein's Lab	140
Einstein's Laboratory (CALAB)	Technology level	-1	141
Einstein's Laboratory (CALAB)	Insignificant-object flag	no	142
Einstein's Laboratory (CALAB)	Engineer-capture permission	true	143
Einstein's Laboratory (CALAB)	Hidden from radar	no	144
Einstein's Laboratory (CALAB)	Repair-tool permission	yes	145
Einstein's Laboratory (CALAB)	Infantry garrison permitted	no	146
Einstein's Laboratory (CALAB)	Garrison capacity	0	147
Einstein's Laboratory (CALAB)	Distributed Fire	no	148
Einstein's Laboratory (CALAB)	Primary	none	149
Einstein's Laboratory (CALAB)	Secondary	none	150
SPECIALFLAGS	Tiberium Grows	yes	153
SPECIALFLAGS	Tiberium Spreads	yes	154
SPECIALFLAGS	Tiberium Explosive	no	155
SPECIALFLAGS	Destroyable Bridges	yes	156

Object/system	Property	Mission value	Source line
SPECIALFLAGS	MCV Deploy	no	157
SPECIALFLAGS	Initial Veteran	no	158
SPECIALFLAGS	Fixed Alliance	no	159
SPECIALFLAGS	Harvester Immune	no	160
SPECIALFLAGS	Fog Of War	no	161
SPECIALFLAGS	Inert	no	162
SPECIALFLAGS	Ion Storms	no	163
SPECIALFLAGS	Meteorites	no	164
SPECIALFLAGS	Visceroids	no	165
COUNTRIES (COUNTRIES)	0	Einstein	168
COUNTRIES (COUNTRIES)	1	Player	169
COUNTRIES (COUNTRIES)	2	BadGuy1	170
COUNTRIES (COUNTRIES)	3	BadGuy2	171
COUNTRIES (COUNTRIES)	4	BadGuy3	172
COUNTRIES (COUNTRIES)	5	Germany1	173
COUNTRIES (COUNTRIES)	6	Germany2	174
COUNTRIES (COUNTRIES)	7	Germany3	175
COUNTRIES (COUNTRIES)	8	Temp	176
VARIABLENAMES (VARIABLENAMES)	0	Refinery Owned,0	319
VARIABLENAMES (VARIABLENAMES)	1	BG1s Refinery,0	320
VARIABLENAMES (VARIABLENAMES)	2	BG2s Refinery,0	321
VARIABLENAMES (VARIABLENAMES)	3	BG2 ConYard Up,0	322
VARIABLENAMES (VARIABLENAMES)	4	Briefing Complete,0	323
VARIABLENAMES (VARIABLENAMES)	5	Chrono Prisons Go,0	324
VARIABLENAMES (VARIABLENAMES)	6	Transfer Chronosphe,0	325
VARIABLENAMES (VARIABLENAMES)	7	Einstein Lab KIA,0	326
VARIABLENAMES (VARIABLENAMES)	8	Chronosphere KIA,0	327
VARIABLENAMES (VARIABLENAMES)	9	Einstein Chrono Off,0	328
VARIABLENAMES (VARIABLENAMES)	10	Early Air Attks,0	329
VARIABLENAMES (VARIABLENAMES)	11	G1_Barracks_Gone,0	330
VARIABLENAMES (VARIABLENAMES)	12	G2_Barracks_Gone,0	331
VARIABLENAMES (VARIABLENAMES)	13	G3_Barracks_Gone,0	332
VARIABLENAMES (VARIABLENAMES)	14	Troops2_Arrived,0	333
VARIABLENAMES (VARIABLENAMES)	15	Troops1_Arrived,0	334
VARIABLENAMES (VARIABLENAMES)	16	Troops3_Arrived,0	335

Operation: Brain Wash

Campaign reading guide | Engine

Operation: Brain Wash

sov03umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Neutral (196)
- YuriCountry (71)
- BadGuy1 (41)
- Soviets (21)
- Civie1 (16)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Notable type references

1. YAPPET
2. NAPSYB
3. BORIS

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov03umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov03umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov03umd.map. **Effective extracted member:** mapsmd03.mix/sov03umd.map. **Trigger definitions:** 139.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Soviets
Theater	NEWURBAN
Map size	0,0,60,85
Visible local rectangle	2,30,56,49
Placed vehicles	70
Placed infantry	45
Placed structures	265
Placed aircraft	0
Team templates	28

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Allies	0	AlliesCountry
1	GoodGuy1	0	GoodGuy1Country
2	GoodGuy2	0	GoodGuy2Country
3	BadGuy1	500	BadGuy1Country
4	BadGuy2	0	BadGuy2Country
5	Civie1	0	Civie1Country
6	Civie2	0	Civie2Country
7	Civie3	0	Civie3Country
8	Soviets	25	SovietsCountry
9	YuriCountry	100	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	YuriSeesTanya,0
1	TanyaRetortYuri,0
2	@AA Destroyed,0
3	@AB Destroyed,0
4	@AC Destroyed,0
5	@AD Destroyed,0
6	@AE Destroyed,0
7	@AF Destroyed,0
8	@AG Destroyed,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Player Wins (0BF382DC)	3 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets) the winner.
Player Loses (0BEC10EC)	Destroyed, Buildings, All: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets). Destroyed, Units, All: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).	Declare owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets) the loser.

Every trigger, in file order

1. SP1.1_Movie_Zofia Brief - 0D1DACFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Setup_Sov03 (0957D3FC).

Attached scope: tag definitions 0CC24BAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 40.
2. Enable and reset applicable timers for SP1.1a_VO_ZofiaREBeacon (08C029CC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5077, Events line 5218, Actions line 5359.

2. SP1.1a_VO_ZofiaREBeacon - 08C029CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.1_Movie_Zofia Brief (0D1DACFC).

Attached scope: tag definitions 08C028EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S03_p01.
2. Enable and reset applicable timers for SP1.2_Movie_Yuri Threat (0D1DA24C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5078, Events line 5219, Actions line 5360.

3. SP1.2_Movie_Yuri Threat - 0D1DA24C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.1a_VO_ZofiaREBeacon (08C029CC).

Attached scope: tag definitions 0D1DA39C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 41.
2. Enable and reset applicable timers for SP1.3_VO_Zofia-->Beacon (09AF270C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5079, Events line 5220, Actions line 5361.

4. SP1.3_VO_Zofia-->Beacon - 09AF270C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.2_Movie_Yuri Threat (0D1DA24C).

Attached scope: tag definitions 09AF1E3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 70 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_ZofiaBriefing01.
2. Enable and reset applicable timers for SP1.4_Reveal/Ping Beacn (09AF146C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5080, Events line 5221, Actions line 5362.

5. SP1.4_Reveal/Ping Beacn - 09AF146C

Owner reference: BadGuy1Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.3_VO_Zofia-->Beacon (09AF270C).

Attached scope: tag definitions 070A5E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 12 (cell 47, 94).
2. Create radar-event marker type 5 at waypoint 12 (cell 47, 94).
3. Enable and reset applicable timers for SP1.6_Startup BG1 House (0D44603C).
4. Enable and reset applicable timers for SP1.5_Unlock Input (0D99DC0C).
5. Move the camera to waypoint 18 (cell 50, 97) with speed setting 4.
6. Flash buildings of type NAPSYB; duration argument 120.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5081, Events line 5222, Actions line 5363.

6. SP1.6_Startup BG1 House - 0D44603C

Owner reference: BadGuy1Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.4_Reveal/Ping Beacn (09AF146C).

Attached scope: tag definitions 0D44730C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 17 (country/type BADGUY1COUNTRY; placed owner BadGuy1).
2. AI triggers begin: owner selector 17 (country/type BADGUY1COUNTRY; placed owner BadGuy1).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5082, Events line 5223, Actions line 5364.

7. SP1.5_Unlock Input - 0D99DC0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.4_Reveal/Ping Beacn (09AF146C).

Attached scope: tag definitions 0D99DB2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Enable and reset applicable timers for SP1.5a_Objective 1 (08FCFADC).
4. Jump the camera to waypoint 699 (cell 91, 107).
5. Play sound CameraSwitch.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5083, Events line 5224, Actions line 5365.

8. SP1.5a_Objective 1 - 08FCFADC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.5_Unlock Input (0D99DC0C).

Attached scope: tag definitions 08FCF9FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy the Psychic Beacon.” (MISSION:Sov3Obj1).
2. Create radar-event marker type 5 at waypoint 12 (cell 47, 94).
3. Play sound BeaconPlaced.
4. Enable and reset applicable timers for Repeat_Objective 1 (08FCD15C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5084, Events line 5225, Actions line 5366.

9. Repeat_Objective 1 - 08FCD15C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.5a_Objective 1 (08FCFADC).

Attached scope: tag definitions 08FCD07C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Destroy the Psychic Beacon.” (MISSION:Sov3Obj1).
2. Create radar-event marker type 5 at waypoint 12 (cell 47, 94).
3. Play sound BeaconPlaced.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5085, Events line 5226, Actions line 5367.

10. _Set_Sov03_Part2 - 0CC121AC

Owner reference: BadGuy2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.13_Unlock/End (0F189D9C).

Attached scope: tag definitions 0BC6216C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 2, parameter 2: 6, parameter 3: 56, parameter 4: 73.
2. Enable and reset applicable timers for Startup Yuri House (0BCE216C).
3. Enable and reset applicable timers for VO_Zofia_RE_TeslaTank (0D3F1D6C).
4. Reveal terrain around waypoint 19 (cell 63, 22).
5. All change house: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
6. Play music theme DefendTheBase.
7. Enable and reset applicable timers for _Setup_Sov03_Part2a (095AC33C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5086, Events line 5227, Actions line 5368.

11. Startup Yuri House - 0BCE216C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Set_Sov03_Part2 (0CC121AC).

Attached scope: tag definitions 0BCE7F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
3. Play voice notification EVA_PsychicDominatorDetected.
4. Display message “WARNING - The Psychic Dominator is Armed!!!” (MISSION:WarnArmd).
5. Enable and reset applicable timers for Taunt_Yuri RE Psy Dom (0BF6D8BC).
6. Enable and reset applicable timers for Disable Yuri Taunt (048B323C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5087, Events line 5228, Actions line 5369.

12. VO_Zofia_RE_TeslaTank - 0D3F1D6C

Owner reference: SovietsCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Set_Sov03_Part2 (0CC121AC).

Attached scope: tag definitions 0D3F1C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building exists: type index 7 (global list position: Allied War Factory (GAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xS3_ZofiaTeslaTankReady.
2. Set Tech Level (Techno)[Level]; main setting TTNK; location/duration field 1.
3. Switch the sidebar to tab 3.
4. Flash cameo/type TTNK; additional configured duration/location argument 100.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5088, Events line 5229, Actions line 5370.

13. _Setup_Sov03_Part2a - 095AC33C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Set_Sov03_Part2 (0CC121AC).

Attached scope: tag definitions 095AC25C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAWEAP at waypoint 51 (cell 57, 37).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5089, Events line 5230, Actions line 5371.

14. Taunt_Yuri RE Psy Dom - 0BF6D8BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Startup Yuri House (0BCE216C).

Attached scope: tag definitions 0BF6C10C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 420 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriAlmostReady.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5090, Events line 5231, Actions line 5372.

15. Disable Yuri Taunt - 048B323C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Startup Yuri House (0BCE216C).

Attached scope: tag definitions 048BFABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Disable Taunt_Yuri RE Psy Dom (0BF6D8BC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5091, Events line 5232, Actions line 5373.

16. Player Wins - 0BF382DC

Owner reference: SovietsCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Complete_Objective 3 (092C8A9C).

Attached scope: tag definitions 0BF3C2DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets) the winner.
2. Disable Repeat_Objective 3 (08FCEF3C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5092, Events line 5233, Actions line 5374.

17. Repeat_Objective 3 - 08FCEF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom Obj3 (0B287C9C).

Attached scope: tag definitions 08FCEE5C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Finish off Yuri's forces.” (MISSION:Sov3Obj3).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5093, Events line 5234, Actions line 5375.

18. SP_Seal1_Trigger_Bridge - 09B95C1C

Owner reference: SovietsCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 24 tagged map cells: (61, 111), (62, 111), (63, 111), (64, 111), (65, 111), (66, 111), (67, 111), (68, 111), (69, 111), (61, 112), (61, 113), (61, 114), (60, 115), (61, 115), (60, 116), (79, 117), (79, 118), (79, 119), (76, 129), (77, 129), (75, 130), (76, 130), (74, 131), (75, 131); tag 09B9567C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play sound SealSpecialAttack.
2. Reveal terrain around waypoint 9 (cell 69, 120).
3. Create/recruit team TM_Seal (093AD32C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5094, Events line 5235, Actions line 5376.

19. SP2.2_Allies Freed - 0CC3BB5C

Owner reference: BadGuy1Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.1_Destroyed_Beacon (09A29C5C).

Attached scope: tag definitions 0704D60C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP2.3_Cheer_Allies (0BB9BDAC).
2. All change house: owner selector 14 (country/type ALLIESCOUNTRY; placed owner Allies).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5095, Events line 5236, Actions line 5377.

20. SP2.3_Cheer_Allies - 0BB9BDAC

Owner reference: AlliesCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.2_Allies Freed (0CC3BB5C).

Attached scope: tag definitions 0BB9BCCC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 14 (country/type ALLIESCOUNTRY; placed owner Allies).
2. Enable and reset applicable timers for SP2.3a_Camera_Move to M (0BF590FC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5096, Events line 5237, Actions line 5378.

21. SP2.3a_Camera_Move to M - 0BF590FC

Owner reference: SovietsCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3_Cheer_Allies (0BB9BDAC).

Attached scope: tag definitions 0BF5A44C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 12 (cell 47, 94).
2. Disable player input.
3. Play voice notification EVA_BattleControlOnline.
4. Play sound CameraSwitch.
5. Enable and reset applicable timers for Evict_All from Tent (079D72CC).
6. Disable Player Loses (0BEC10EC).
7. Enable and reset applicable timers for SP2.3b_Stop Player Chez (0441A60C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5097, Events line 5238, Actions line 5379.

22. Evict_All from Tent - 079D72CC

Owner reference: GoodGuy1Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3a_Camera_Move to M (0BF590FC); enable from SP2.12_VO_Zofia Sorry (0BBDBF3C).

Attached scope: Army Tents (CAARMY01), owner GoodGuy1, cell (43, 97), tag 079D67EC, persistence mode 2.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Evict_All from Tent (079D72CC).
2. Evict occupants from the attached building.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5098, Events line 5239, Actions line 5380.

23. Player Loses - 0BEC10EC

Owner reference: SovietsCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3d_Reset Lose Chek (0B2F957C).

Attached scope: tag definitions 0BF383CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).
2. Destroyed, Units, All: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Declare owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets) the loser.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5099, Events line 5240, Actions line 5381.

24. SP2.3b_Stop Player Chez - 0441A60C

Owner reference: SovietsCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3a_Camera_Move to M (0BF590FC).

Attached scope: tag definitions 0441A52C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 16 (country/type GOODGUY2COUNTRY; placed owner GoodGuy2).
2. Enable and reset applicable timers for SP2.3c_Chez on Brother! (0B2F819C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5100, Events line 5241, Actions line 5382.

25. SP2.3c_Chez on Brother! - 0B2F819C

Owner reference: GoodGuy2Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3b_Stop Player Chez (0441A60C).

Attached scope: tag definitions 0B2F9F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).
2. Enable and reset applicable timers for SP2.3d_Reset Lose Chek (0B2F957C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5101, Events line 5242, Actions line 5383.

26. SP2.3d_Reset Lose Chek - 0B2F957C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.3c_Chez on Brother! (0B2F819C).

Attached scope: tag definitions 0B2F949C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Player Loses (0BEC10EC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5102, Events line 5243, Actions line 5384.

27. SP2.1_Destroyed_Beacon - 09A29C5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Beacon (NAPSYB), owner BadGuy1, cell (47, 94), tag 09A2942C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for SP2.2_Allies Freed (0CC3BB5C).
2. Enable and reset applicable timers for SP2.4_Reinforce_Tanya (048BFC1C).
3. Disable VO_Zofia_BridgeWarning1 (09BAF07C).
4. Disable VO_Zofia_BridgeWarning3 (09AC503C).
5. Disable V0_Zofia_BridgeWarning2 (09BAB47C).
6. Play voice notification Mis_xS3_YuriAlliesFreed.
7. Disable SP_Seal1_Trigger_Bridge (09B95C1C).
8. Disable SP_Seal2_Bomb Placed (0B2FCF3C).
9. Disable SP_Seal3_Seal Dies (0B3BE93C).
10. Disable VO_Zofia_RE_Sniper (09B978DC).
11. Disable Create_BG1 5 GI Team (0C72C22C).

12. Disable Repeat_Objective 1 (08FCD15C).
13. Destroy current instances of Create_BG1_1 Grizzly TM (086D7C6C).
14. Destroy current instances of Create_BG1_2 IFV Team (086D555C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5103, Events line 5244, Actions line 5385.

28. SP2.4_Reinforce_Tanya - 048BFC1C

Owner reference: AlliesCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.1_Destroyed_Beacon (09A29C5C).

Attached scope: tag definitions 048BF8BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 16 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Tanya_IFV (0879E52C).
2. Restore Starting Buildings of: owner selector 15 (country/type GOODGUY1COUNTRY; placed owner GoodGuy1).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5104, Events line 5245, Actions line 5386.

29. VO_Zofia_BridgeWarning1 - 09BAF07C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (83, 87), (84, 87), (83, 88), (84, 88), (83, 89), (84, 89); tag 09BABD3C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Display message “WARNING - Possible Ambush Ahead!” (MISSION:WrnAmbsh).
3. Reveal terrain around waypoint 13 (cell 71, 88).
4. Create radar-event marker type 5 at waypoint 13 (cell 71, 88).
5. Play voice notification Mis_xS3_ZofiaEnemyIsPrepared.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5105, Events line 5246, Actions line 5387.

30. VO_Zofia_BridgeWarning3 - 09AC503C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (99, 51), (100, 51), (99, 52), (100, 52), (99, 53), (100, 53); tag 09AC204C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Display message “WARNING - Possible Ambush Ahead!” (MISSION:WrnAmbsh).
3. Reveal terrain around waypoint 15 (cell 87, 52).
4. Create radar-event marker type 5 at waypoint 15 (cell 87, 52).
5. Play voice notification Mis_xS3_ZofiaAmbushBeReady.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5106, Events line 5247, Actions line 5388.

31. V0_Zofia_BridgeWarning2 - 09BAB47C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (91, 68), (92, 68), (91, 69), (92, 69), (91, 70), (92, 70); tag 09BAB39C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play sound WarningAlarm.
2. Display message “WARNING - Possible Ambush Ahead!” (MISSION:WrnAmbsh).
3. Reveal terrain around waypoint 14 (cell 71, 69).
4. Create radar-event marker type 5 at waypoint 14 (cell 71, 69).
5. Play voice notification Mis_xS3_ZofiaDefensesAhead.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5107, Events line 5248, Actions line 5389.

32. SP_Seal2_Bomb Placed - 0B2FCF3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Neutral, cell (69, 120), tag 0B2FD10C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 17 (country/type BADGUY1COUNTRY; placed owner BadGuy1).

Then perform these actions in order:

1. Enable and reset applicable timers for SP_Seal3_Seal Dies (0B3BE93C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5108, Events line 5249, Actions line 5390.

33. SP_Seal3_Seal Dies - 0B3BE93C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP_Seal2_Bomb Placed (0B2FCF3C).

Attached scope: SEAL (GHOST), owner BadGuy1, cell (68, 122), tag 0B3B845C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. Do Explosion At; main setting 50; location/duration field K.
3. Create/recruit team TM_South Bridge Guard (0BC5C90C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5109, Events line 5250, Actions line 5391.

34. VO_Zofia_RE_Sniper - 09B978DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 28 tagged map cells: (67, 115), (68, 115), (69, 115), (67, 116), (66, 117), (67, 117), (87, 117), (88, 117), (89, 117), (65, 118), (66, 118), (87, 118), (88, 118), (89, 118), (65, 119), (87, 119), (88, 119), (89, 119), (65, 120), (65, 121), (81, 129), (82, 129), (83, 129), (84, 129), (85, 129), (86, 129), (81, 130), (86, 130); tag 09B9692C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Reveal terrain around waypoint 11 (cell 79, 131).
2. Play sound WarningAlarm.
3. Display message “WARNING - Sniper detected!” (MISSION:WarnSnpe).
4. Create radar-event marker type 5 at waypoint 11 (cell 79, 131).
5. Play voice notification Mis_xS3_ZofiaLookOutForSniper.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5110, Events line 5251, Actions line 5392.

35. Create_BG1 5 GI Team - 0C72C22C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C72FB0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team TM_5 GIs Attack (0C4297BC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5111, Events line 5252, Actions line 5393.

36. Create_BG1_1 Grizzly TM - 086D7C6C

Owner reference: BadGuy1Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Delay_Grizzly/IFV Teams (08723A1C).

Attached scope: tag definitions 086D7B8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 325 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_BG1_1 Grizzly (086D763C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5112, Events line 5253, Actions line 5394.

37. Create_BG1_2 IFV Team - 086D555C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Delay_Grizzly/IFV Teams (08723A1C).

Attached scope: tag definitions 086D547C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 175 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_2 IFVs (08E1245C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5113, Events line 5254, Actions line 5395.

38. VO_Zofia_RE_Grinder - 048C0C6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 68 tagged map cells: (101, 48), (102, 48), (102, 49), (103, 49), (103, 50), (103, 51), (103, 52), (103, 53), (103, 54), (102, 55), (103, 55), (102, 56), (101, 57), (102, 57), (95, 63), (96, 63), (96, 64), (97, 64), (123, 64), (97, 65), (98, 65), (123, 65), (98, 66), (99, 66), (123, 66), (99, 67), (100, 67), (101, 67), (123, 67), (101, 68), (123, 68), (101, 69), (102, 69), (120, 69), (121, 69), (122, 69), (123, 69), (102, 70), (103, 70), (104, 70), (120, 70), (104, 71), (105, 71), (116, 71), (117, 71), (118, 71), (119, 71), (120, 71), (105, 72), (106, 72), (115, 72), (116, 72), (106, 73), (107, 73), (115, 73), (107, 74), (115, 74), (107, 75), (113, 75), (114, 75), (115, 75), (107, 76), (108, 76), (109, 76), (110, 76), (111, 76), (112, 76), (113, 76); tag 06F1CF4C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play voice notification Mis_xS3_ZofiaDestroyGrinder.
2. Reveal terrain around waypoint 16 (cell 109, 65).
3. Create radar-event marker type 5 at waypoint 16 (cell 109, 65).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5114, Events line 5255, Actions line 5396.

39. Destroyed_PsyDom - 0995432C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Dominator (YAPPET), owner YuriCountry, cell (61, 20), tag 0995424C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriEveryoneAttack.
2. Reveal the whole map.
3. Enable and reset applicable timers for Player Wins_Delay (043F3B9C).

4. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
5. Disable Repeat_Objective 2 (08FCD32C).
6. Enable and reset applicable timers for Destroyed_PsyDom Obj3 (0B287C9C).
7. Supply reinforcement team TM_Yuri_"Everyone Attack" (0440DB8C).
8. Enable and reset applicable timers for "Everyone Attack!" (0441591C).
9. Enable and reset applicable timers for _Amb_Stop all Drones (05C1C75C).
10. Enable and reset applicable timers for Sell_Bio Reactor Civ3 (09206F3C).
11. Enable and reset applicable timers for Sell_Bio Reactor@Grind (0786714C).
12. Enable and reset applicable timers for Sell_Left Grind Gatt (07867E5C).
13. Enable and reset applicable timers for Sell_Right Grind Gatt (0786756C).
14. Enable and reset applicable timers for Sell_Grinder (09259C7C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5115, Events line 5256, Actions line 5397.

40. Player Wins_Delay - 043F3B9C

Owner reference: SovietsCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C).

Attached scope: tag definitions 043F3ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Complete_Objective 3 (092C8A9C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5116, Events line 5257, Actions line 5398.

41. Repeat_Objective 2 - 08FCD32C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.14_Objective 2 (08FC8A0C).

Attached scope: tag definitions 08FCD24C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Psychic Dominator.” (MISSION:Sov3Obj2).
2. Create radar-event marker type 5 at waypoint 19 (cell 63, 22).
3. Play sound BeaconPlaced.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5117, Events line 5258, Actions line 5399.

42. Destroyed_PsyDom Obj3 - 0B287C9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C).

Attached scope: tag definitions 0B287BBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Finish off Yuri's forces.” (MISSION:Sov3Obj3).
2. Enable and reset applicable timers for Repeat_Objective 3 (08FCEF3C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5118, Events line 5259, Actions line 5400.

43. "Everyone Attack!" - 0441591C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C).

Attached scope: tag definitions 0441583C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. All to Hunt: owner selector 21 (country/type CIVIE3COUNTRY; placed owner Civie3).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5119, Events line 5260, Actions line 5401.

44. _Amb_Stop all Drones - 05C1C75C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C); enable from Destoyed_Grinder (05FB472C).

Attached scope: tag definitions 05C1C67C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Stop location sound 26 at waypoint 26 (cell 131, 84).
2. Stop location sound 27 at waypoint 27 (cell 115, 107).
3. Stop location sound 28 at waypoint 28 (cell 97, 86).
4. Stop location sound 29 at waypoint 29 (cell 90, 81).
5. Stop location sound 30 at waypoint 30 (cell 93, 78).
6. Stop location sound 31 at waypoint 31 (cell 109, 88).
7. Stop location sound 32 at waypoint 32 (cell 97, 118).
8. Stop location sound 48 at waypoint 48 (cell 104, 107).
9. Stop location sound 49 at waypoint 49 (cell 114, 76).
10. Stop location sound 50 at waypoint 50 (cell 99, 73).
11. Stop location sound 503 at waypoint 503 (cell 111, 100).
12. Stop location sound 504 at waypoint 504 (cell 104, 82).
13. Stop location sound 530 at waypoint 530 (cell 113, 69).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5120, Events line 5261, Actions line 5402.

45. Sell_Bio Reactor Civ3 - 09206F3C

Owner reference: Civie3Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C); enable from Sell_Left Grind Gatt (07867E5C); enable from Sell_Right Grind Gatt (0786756C); enable from Detect_Grind Bio Dead (092076DC).

Attached scope: Bio Reactor (YAPOWR), owner Civie3, cell (109, 51), tag 09206E5C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5121, Events line 5262, Actions line 5403.

46. Sell_Bio Reactor@Grind - 0786714C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Detect_Grind Bio Dead (092076DC).

Incoming activation links: enable from Destroyed_PsyDom (0995432C); enable from Destoyed_Grinder (05FB472C).

Attached scope: Bio Reactor (YAPOWR), owner YuriCountry, cell (101, 59), tag 092075FC, persistence mode 2.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.
2. Building exists: type index 301 (global list position: Yuri Construction Yard (YACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Sell_Bio Reactor@Grind (0786714C).
2. Sell the attached building through the scripted sale action.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5122, Events line 5263, Actions line 5404.

47. Sell_Left Grind Gatt - 07867E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C); enable from Destoyed_Grinder (05FB472C).

Attached scope: Gattling Cannon (YAGGUN), owner Civie3, cell (107, 68), tag 078673DC, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Enable and reset applicable timers for Sell_Bio Reactor Civ3 (09206F3C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5123, Events line 5264, Actions line 5405.

48. Sell_Right Grind Gatt - 0786756C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C); enable from Destoyed_Grinder (05FB472C).

Attached scope: Gattling Cannon (YAGGUN), owner Civie3, cell (112, 63), tag 07867F4C, persistence mode 0.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Sell the attached building through the scripted sale action.
2. Enable and reset applicable timers for Sell_Bio Reactor Civ3 (09206F3C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5124, Events line 5265, Actions line 5406.

49. Sell_Grinder - 09259C7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_PsyDom (0995432C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Sell_Grinder (09259C7C).
2. Sell the attached building through the scripted sale action.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5125, Events line 5266, Actions line 5407.

50. Complete_Objective 3 - 092C8A9C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Wins_Delay (043F3B9C).

Attached scope: tag definitions 092C89BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Display message “Objective 3 Complete.” (MISSION:Obj3Comp).
2. Play voice notification EVA_ObjectiveComplete.
3. Enable and reset applicable timers for Player Wins (0BF382DC).
4. Make side cheer: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5126, Events line 5267, Actions line 5408.

51. Detect_Grind Bio Dead - 092076DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Detect_Grind Bio Dead (092076DC).
2. Enable and reset applicable timers for Sell_Bio Reactor Civ3 (09206F3C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5127, Events line 5268, Actions line 5409.

52. SP2.5_VO_Yuri-->Tanya - 099E9D1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 099E9C3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (YuriSeesTanya) is set.

Flag writers in this mission: clear local flag 0 (YuriSeesTanya) at SP2.5_VO_Yuri-->Tanya (099E9D1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 0 (YuriSeesTanya).
2. Enable and reset applicable timers for SP2.5a_VO_Yuri-->Tanya (0C5E6AEC).
3. Supply reinforcement team TM_Allies_4 GIs to Tent (091F77BC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5128, Events line 5269, Actions line 5410.

53. SP2.5a_VO_Yuri-->Tanya - 0C5E6AEC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.5_VO_Yuri-->Tanya (099E9D1C).

Attached scope: tag definitions 0C5E6A0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriTanyaTaunt1.
2. Enable and reset applicable timers for SP2.6_VO_Tanya-->Yuri (099E9B4C).
3. Supply reinforcement team TM_Allies_Chrono Arrives (08FFFEFC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5129, Events line 5270, Actions line 5411.

54. SP2.6_VO_Tanya-->Yuri - 099E9B4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.5a_VO_Yuri-->Tanya (0C5E6AEC).

Attached scope: tag definitions 099E9A6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Clear local flag 1 (TanyaRetortYuri).
2. Play voice notification Mis_xS3_TanyaTanyaWithSov2.
3. Enable and reset applicable timers for SP2.7_Movie_Tanya Intro (0DE526AC).
4. Create/recruit team TM_Tanya (Allied)_100 Flash (087A1EFC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5130, Events line 5271, Actions line 5412.

55. SP2.7_Movie_Tanya Intro - 0DE526AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.6_VO_Tanya-->Yuri (099E9B4C).

Attached scope: tag definitions 0DE525CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 42.
2. Enable and reset applicable timers for SP2.8_Movie_Tanya Thank (099E997C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5131, Events line 5272, Actions line 5413.

56. SP2.8_Movie_Tanya Thank - 099E997C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.7_Movie_Tanya Intro (0DE526AC).

Attached scope: tag definitions 099E871C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP2.9_Allies Turn Red (0BD31ABC).
2. Create/recruit team TM_Tanya (Allied)_350 Flash (087A10FC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5132, Events line 5273, Actions line 5414.

57. SP2.9_Allies Turn Red - 0BD31ABC

Owner reference: AlliesCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.8_Movie_Tanya Thank (099E997C).

Attached scope: tag definitions 0BD319DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).
2. Enable and reset applicable timers for SP2.10_Audio_ZofRETanya (0BBDB3EC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5133, Events line 5274, Actions line 5415.

58. SP2.10_Audio_ZofRETanya - 0BBDB3EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.9_Allies Turn Red (0BD31ABC).

Attached scope: tag definitions 0BBDB30C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_ZofiaTanyaWithSov1.
2. Enable and reset applicable timers for SP2.11_VO_TanyaREBoris (0BBDB21C).
3. Supply reinforcement team TM_Tanya (Soviet)_100 Flash (087A1A4C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5134, Events line 5275, Actions line 5416.

59. SP2.11_VO_TanyaREBoris - 0BBDB21C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.10_Audio_ZofRETanya (0BBDB3EC).

Attached scope: tag definitions 0BBDB13C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 16 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_TanyaTanyaWithSov1.
2. Enable and reset applicable timers for SP2.12_VO_Zofia Sorry (0BBDBF3C).
3. Create/recruit team TM_Tanya (Soviet)_250 Flash (087A130C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5135, Events line 5276, Actions line 5417.

60. SP2.12_VO_Zofia Sorry - 0BBDBF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.11_VO_TanyaREBoris (0BBDB21C).

Attached scope: tag definitions 0BBDBE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 18 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_ZofiaTanyaWithSov2.
2. Enable and reset applicable timers for SP2.13_Unlock/End (0F189D9C).
3. Enable and reset applicable timers for Evict_All from Tent (079D72CC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5136, Events line 5277, Actions line 5418.

61. SP2.13_Unlock/End - 0F189D9C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.12_VO_Zofia Sorry (0BBDBF3C).

Attached scope: tag definitions 0F189CBC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for _Set_Sov03_Part2 (0CC121AC).
2. Enable player input.
3. Play voice notification EVA_BattlefieldControlOnline.
4. Enable and reset applicable timers for SP2.14_Objective 2 (08FC8A0C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5137, Events line 5278, Actions line 5419.

62. SP2.14_Objective 2 - 08FC8A0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.13_Unlock/End (0F189D9C).

Attached scope: tag definitions 08FC892C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Destroy the Psychic Dominator.” (MISSION:Sov3Obj2).
2. Create radar-event marker type 5 at waypoint 19 (cell 63, 22).
3. Play sound BeaconPlaced.
4. Enable and reset applicable timers for Repeat_Objective 2 (08FCD32C).
5. Play voice notification Mis_xS3_ZofiaDominatorReady.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5138, Events line 5279, Actions line 5420.

63. Disable Bridge1 Warn - 0BF42A9C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (70, 87), (71, 87), (70, 88), (71, 88), (70, 89), (71, 89); tag 0BF429BC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Disable VO_Zofia_BridgeWarning1 (09BAF07C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5139, Events line 5280, Actions line 5421.

64. Disable Bridge2 Warn - 0BF442FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (70, 68), (71, 68), (70, 69), (71, 69), (70, 70), (71, 70); tag 0BF4421C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Disable V0_Zofia_BridgeWarning2 (09BAB47C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5140, Events line 5281, Actions line 5422.

65. Disable Bridge3 Warn - 0BF42ECC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 6 tagged map cells: (77, 51), (78, 51), (77, 52), (78, 52), (77, 53), (78, 53); tag 0BF4C03C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Disable VO_Zofia_BridgeWarning3 (09AC503C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5141, Events line 5282, Actions line 5423.

66. Warning_Yuri Mad - 0BF365CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 71 tagged map cells: (48, 21), (49, 21), (78, 21), (49, 22), (50, 22), (78, 22), (50, 23), (78, 23), (50, 24), (78, 24), (50, 25), (78, 25), (50, 26), (78, 26), (50, 27), (51, 27), (52, 27), (78, 27), (52, 28), (78, 28), (52, 29), (78, 29), (52, 30), (77, 30), (78, 30), (52, 31), (76, 31), (77, 31), (52, 32), (68, 32), (69, 32), (70, 32), (71, 32), (72, 32), (73, 32), (74, 32), (75, 32), (76, 32), (52, 33), (68, 33), (52, 34), (68, 34), (52, 35), (68, 35), (52, 36), (68, 36), (52, 37), (68, 37), (52, 38), (68, 38), (52, 39), (68, 39), (52, 40), (60, 40), (61, 40), (62, 40), (63, 40), (64, 40), (65, 40), (66, 40), (67, 40), (68, 40), (52, 41), (53, 41), (54, 41), (55, 41), (56, 41), (57, 41), (58, 41), (59, 41), (60, 41); tag 0BF3732C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriLastChance.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5142, Events line 5283, Actions line 5424.

67. Warning_Yuri Annoyed - 0BF390CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 87 tagged map cells: (35, 34), (36, 34), (36, 35), (37, 35), (85, 35), (37, 36), (85, 36), (37, 37), (85, 37), (37, 38), (38, 38), (39, 38), (85, 38), (39, 39), (85, 39), (39, 40), (85, 40), (39, 41), (85, 41), (39, 42), (85, 42), (39, 43), (83, 43), (84, 43), (85, 43), (39, 44), (39, 45), (40, 45), (40, 46), (41, 46), (42, 46), (43, 46), (44, 46), (45, 46), (45, 47), (45, 48), (74, 48), (75, 48), (76, 48), (45, 49), (74, 49), (45, 50), (74, 50), (45, 51), (74, 51), (44, 52), (45, 52), (74, 52), (44, 53), (74, 53), (44, 54), (74, 54), (44, 55), (74, 55), (44, 56), (57, 56), (58, 56), (59, 56), (60, 56), (61, 56), (62, 56), (63, 56), (64, 56), (65, 56), (66, 56), (67, 56), (68, 56), (69, 56), (70, 56), (71, 56), (72, 56), (73, 56), (74, 56), (44, 57), (45, 57), (46, 57), (47, 57), (48, 57), (49, 57), (50, 57), (51, 57), (52, 57), (53, 57), (54, 57), (55, 57), (56, 57), (57, 57); tag 0BF3C5BC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriLeave.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5143, Events line 5284, Actions line 5425.

68. SMidBridge Attacked - 0BD087BC

Owner reference: BadGuy1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Grizzly Battle Tank (MTNK), owner BadGuy1, cell (71, 89), tag 0BD09EDC, persistence mode 0; Grizzly Battle Tank (MTNK), owner BadGuy1, cell (71, 87), tag 0BD09EDC, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team TM_SMiddle Backup (0BCF01BC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5144, Events line 5285, Actions line 5426.

69. _Setup_Sov03 - 0957D3FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0957ED0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Reveal terrain around waypoint 20 (cell 88, 100).
2. Create crate type 0 at waypoint 20 (cell 88, 100).
3. Enable and reset applicable timers for SP1.1_Movie_Zofia Brief (0D1DACFC).
4. Disable player input.
5. Play voice notification EVA_EstablishBattlefieldControl.
6. Create crate type 0 at waypoint 22 (cell 81, 129).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5145, Events line 5286, Actions line 5427.

70. Detect_Sniper Dead - 0D982E3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Sniper (SNIPE), owner BadGuy1, cell (77, 130), tag 0D98291C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable VO_Zofia_RE_Sniper (09B978DC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5146, Events line 5287, Actions line 5428.

71. Detect_Refinery Entered - 06B552FC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Ore Refinery (GAREFN), owner Neutral, cell (120, 92), tag 06B5521C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Then perform these actions in order:

1. Enable and reset applicable timers for Change_To Soviet (06B56DFC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5147, Events line 5288, Actions line 5429.

72. Change_To Soviet - 06B56DFC

Owner reference: Neutral. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Refinery Entered (06B552FC).

Attached scope: Chrono Miner (CMIN), owner Civie2, cell (124, 93), tag 06B56D1C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Change House: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5148, Events line 5289, Actions line 5430.

73. SPTanya 1_ Detect Dead - 0C5E01EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C5E1D7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for SPTanya 2_VO_Yuri Taunt (0F951BEC).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5149, Events line 5290, Actions line 5431.

74. SPTanya 2_VO_Yuri Taunt - 0F951BEC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SPTanya 1_ Detect Dead (0C5E01EC).

Attached scope: tag definitions 0F957F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriTanyaTaunt2.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5150, Events line 5291, Actions line 5432.

75. Detect_Barracks Dead - 0C74D75C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Barracks (GAPILE), owner BadGuy1, cell (60, 98), tag 0C74D67C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Create_BG1 5 GI Team (0C72C22C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5151, Events line 5292, Actions line 5433.

76. Reinforce_CIV1 @ AA - 07A64A1C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 81 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5152, Events line 5293, Actions line 5434.

77. Reinforce_CIV1 @ AB - 07A647DC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AA (07A64A1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 61 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5153, Events line 5294, Actions line 5435.

78. Reinforce_CIV1 @ AC - 07A646EC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AB (07A647DC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 96 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 28 (cell 97, 86).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5154, Events line 5295, Actions line 5436.

79. Reinforce_CIV1 @ AD - 07A645FC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AC (07A646EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 76 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 29 (cell 90, 81).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5155, Events line 5296, Actions line 5437.

80. Reinforce_CIV1 @ AE - 07A6438C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AD (07A645FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 67 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 30 (cell 93, 78).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5156, Events line 5297, Actions line 5438.

81. Reinforce_CIV1 @ AF - 07A6429C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AE (07A6438C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 72 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5157, Events line 5298, Actions line 5439.

82. Reinforce_CIV1 @ AG - 07A641AC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV1 @ AF (07A6429C).

Attached scope: tag definitions 07A648CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 63 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV1 (female) (0B0D66AC) at waypoint 32 (cell 97, 118).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5158, Events line 5299, Actions line 5440.

83. Reinforce_CIV2 @ AA - 08EF363C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 63 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5159, Events line 5300, Actions line 5441.

84. Reinforce_CIV2 @ AB - 08EF48EC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AA (08EF363C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 81 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5160, Events line 5301, Actions line 5442.

85. Reinforce_CIV2 @ AC - 08EF47FC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AB (08EF48EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 61 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 28 (cell 97, 86).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5161, Events line 5302, Actions line 5443.

86. Reinforce_CIV2 @ AD - 08F47F3C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AC (08EF47FC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 96 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 29 (cell 90, 81).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5162, Events line 5303, Actions line 5444.

87. Reinforce_CIV2 @ AE - 043F1B1C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AD (08F47F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 76 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 30 (cell 93, 78).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5163, Events line 5304, Actions line 5445.

88. Reinforce_CIV2 @ AF - 043F1A2C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AE (043F1B1C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 67 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5164, Events line 5305, Actions line 5446.

89. Reinforce_CIV2 @ AG - 043F193C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV2 @ AF (043F1A2C).

Attached scope: tag definitions 08EF49DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 72 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV2 (0B0D61FC) at waypoint 32 (cell 97, 118).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5165, Events line 5306, Actions line 5447.

90. Reinforce_CIV3 @ AA - 043F241C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 72 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5166, Events line 5307, Actions line 5448.

91. Reinforce_CIV3 @ AB - 043F224C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AA (043F241C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 63 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5167, Events line 5308, Actions line 5449.

92. Reinforce_CIV3 @ AC - 043F215C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AB (043F224C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 81 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 28 (cell 97, 86).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5168, Events line 5309, Actions line 5450.

93. Reinforce_CIV3 @ AD - 043F206C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AC (043F215C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 61 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 29 (cell 90, 81).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5169, Events line 5310, Actions line 5451.

94. Reinforce_CIV3 @ AE - 043F2F3C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AD (043F206C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 96 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 30 (cell 93, 78).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5170, Events line 5311, Actions line 5452.

95. Reinforce_CIV3 @ AF - 043F2E4C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AE (043F2F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 76 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5171, Events line 5312, Actions line 5453.

96. Reinforce_CIV3 @ AG - 043F2D5C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIV3 @ AF (043F2E4C).

Attached scope: tag definitions 043F233C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 67 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_CIV3 (0B0D7DEC) at waypoint 32 (cell 97, 118).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5172, Events line 5313, Actions line 5454.

97. Reinforce_CIVs @ AA - 043F2C6C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 67 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5173, Events line 5314, Actions line 5455.

98. Reinforce_CIVs @ AB - 043F291C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AA (043F2C6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 72 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5174, Events line 5315, Actions line 5456.

99. Reinforce_CIVs @ AC - 043F282C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AB (043F291C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 63 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 28 (cell 97, 86).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5175, Events line 5316, Actions line 5457.

100. Reinforce_CIVs @ AD - 043F25BC

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AC (043F282C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 81 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 29 (cell 90, 81).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5176, Events line 5317, Actions line 5458.

101. Reinforce_CIVs @ AE - 043F3D6C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AD (043F25BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 61 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 30 (cell 93, 78).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5177, Events line 5318, Actions line 5459.

102. Reinforce_CIVs @ AF - 043F3C7C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AE (043F3D6C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 96 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5178, Events line 5319, Actions line 5460.

103. Reinforce_CIVs @ AG - 043F3B8C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Reinforce_CIVs @ AF (043F3C7C).

Attached scope: tag definitions 043F2B8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 76 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Civ Snow Female (0B0D7BAC) at waypoint 32 (cell 97, 118).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5179, Events line 5320, Actions line 5461.

104. Destroyed_Building @ AA - 043F3A9C

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CALOND03), owner Civie1, cell (130, 82), tag 043F39BC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AA (07A64A1C).
2. Disable Reinforce_CIV2 @ AA (08EF363C).
3. Disable Reinforce_CIV3 @ AA (043F241C).
4. Disable Reinforce_CIVs @ AA (043F2C6C).
5. Set local flag 2 (@AA Destroyed).
6. Stop location sound 26 at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5180, Events line 5321, Actions line 5462.

105. _Amb_Drone @ AA - 07A0A27C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0A19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 70 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 26 (cell 131, 84).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5181, Events line 5322, Actions line 5463.

106. Destroyed_Building @ AD - 043F46AC

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM03), owner Civie1, cell (88, 80), tag 043F45CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AD (07A645FC).
2. Disable Reinforce_CIV2 @ AD (08F47F3C).
3. Disable Reinforce_CIV3 @ AD (043F206C).
4. Disable Reinforce_CIVs @ AD (043F25BC).
5. Set local flag 5 (@AD Destroyed).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5182, Events line 5323, Actions line 5464.

107. Destroyed_Building @ AE - 043F44DC

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Hotel (CAMIAM02), owner Civie1, cell (92, 76), tag 043F43FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AE (07A6438C).
2. Disable Reinforce_CIV2 @ AE (043F1B1C).
3. Disable Reinforce_CIV3 @ AE (043F2F3C).
4. Disable Reinforce_CIVs @ AE (043F3D6C).
5. Set local flag 6 (@AE Destroyed).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5183, Events line 5324, Actions line 5465.

108. Destroyed_Building @ AF - 043F430C

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CATEXS04), owner Civie1, cell (108, 86), tag 043F422C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AF (07A6429C).
2. Disable Reinforce_CIV2 @ AF (043F1A2C).
3. Disable Reinforce_CIV3 @ AF (043F2E4C).
4. Disable Reinforce_CIVs @ AF (043F3C7C).
5. Set local flag 7 (@AF Destroyed).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5184, Events line 5325, Actions line 5466.

109. Destroyed_Building @ AG - 043F413C

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAWASH05), owner Civie1, cell (96, 116), tag 043F405C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AG (07A641AC).
2. Disable Reinforce_CIV2 @ AG (043F193C).
3. Disable Reinforce_CIV3 @ AG (043F2D5C).
4. Disable Reinforce_CIVs @ AG (043F3B8C).
5. Set local flag 8 (@AG Destroyed).
6. Stop location sound 32 at waypoint 32 (cell 97, 118).
7. Stop location sound 48 at waypoint 48 (cell 104, 107).
8. Stop location sound 503 at waypoint 503 (cell 111, 100).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5185, Events line 5326, Actions line 5467.

110. _Amb_Drone @ AG - 07A0B8EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 62 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 32 (cell 97, 118).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5186, Events line 5327, Actions line 5468.

111. _Amb_Drone @ AW - 07A0BABC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B9DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 113 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 48 (cell 104, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5187, Events line 5328, Actions line 5469.

112. _Amb_Drone @ SJ - 07A0A0AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 72 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 503 (cell 111, 100).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5188, Events line 5329, Actions line 5470.

113. Destroyed_Building @ AB - 07A6450C

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Smithsonian Natural History Museum (CAWASH17), owner Civie1, cell (113, 103), tag 07A10D5C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AB (07A647DC).

2. Disable Reinforce_CIV2 @ AB (08EF48EC).
3. Disable Reinforce_CIV3 @ AB (043F224C).
4. Disable Reinforce_CIVs @ AB (043F291C).
5. Set local flag 3 (@AB Destroyed).
6. Stop location sound 27 at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5189, Events line 5330, Actions line 5471.

114. _Amb_Drone @ AB - 07A0B1AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 68 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 27 (cell 115, 107).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5190, Events line 5331, Actions line 5472.

115. Destroyed_Building @ AC - 07A10C6C

Owner reference: Civie1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAPARS10), owner Civie1, cell (95, 83), tag 07A10B8C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Reinforce_CIV1 @ AC (07A646EC).
2. Disable Reinforce_CIV2 @ AC (08EF47FC).
3. Disable Reinforce_CIV3 @ AC (043F215C).
4. Disable Reinforce_CIVs @ AC (043F282C).
5. Set local flag 4 (@AC Destroyed).
6. Stop location sound 28 at waypoint 28 (cell 97, 86).
7. Stop location sound 504 at waypoint 504 (cell 104, 82).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5191, Events line 5332, Actions line 5473.

116. _Amb_Drone @ AC - 07A0B37C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B29C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 101 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 28 (cell 97, 86).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5192, Events line 5333, Actions line 5474.

117. _Amb_Drone @ SK - 07A1355C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A1227C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 97 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 504 (cell 104, 82).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5193, Events line 5334, Actions line 5475.

118. Destoyed_Grinder - 05FB472C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Sell_Grinder (09259C7C).

Attached scope: Grinder (YAGRND), owner Civie3, cell (108, 64), tag 09259B9C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Destoyed_Grinder (05FB472C).
2. Destroy Tag; main setting 07A648CC.
3. Destroy Tag; main setting 08EF49DC.
4. Destroy Tag; main setting 043F233C.
5. Destroy Tag; main setting 043F2B8C.
6. Enable and reset applicable timers for Sell_Left Grind Gatt (07867E5C).
7. Enable and reset applicable timers for Sell_Right Grind Gatt (0786756C).
8. Enable and reset applicable timers for Sell_Bio Reactor@Grind (0786714C).
9. Enable and reset applicable timers for Destroyed_Grnd Free Civ (0603712C).
10. Create crate type 0 at waypoint 16 (cell 109, 65).
11. Disable VO_Zofia_RE_Grinder (048C0C6C).
12. Enable and reset applicable timers for _Amb_Stop all Drones (05C1C75C).
13. Make side cheer: owner selector 22 (country/type SOVIETSCOUNTRY; placed owner Soviets).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5194, Events line 5335, Actions line 5476.

119. Destroyed_Grnd Free Civ - 0603712C

Owner reference: Civie3Country. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destoyed_Grinder (05FB472C).

Attached scope: tag definitions 060313EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 19 (country/type CIVIE1COUNTRY; placed owner Civie1).
2. Make side cheer: owner selector 19 (country/type CIVIE1COUNTRY; placed owner Civie1).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5195, Events line 5336, Actions line 5477.

120. _Amb_Lon_Wind Cold - 08CBACBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBABDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindCold at waypoint 520 (cell 86, 108).
2. Play sound _Amb_WindCold at waypoint 521 (cell 59, 101).
3. Play sound _Amb_WindCold at waypoint 522 (cell 26, 62).
4. Play sound _Amb_WindCold at waypoint 523 (cell 55, 42).
5. Play sound _Amb_WindCold at waypoint 524 (cell 65, 47).
6. Play sound _Amb_WindCold at waypoint 525 (cell 75, 40).
7. Play sound _Amb_WindCold at waypoint 526 (cell 62, 27).
8. Play sound _Amb_WindCold at waypoint 527 (cell 53, 29).

9. Play sound _Amb_WindCold at waypoint 528 (cell 78, 26).
10. Play sound _Amb_WindCold at waypoint 529 (cell 119, 87).
11. Play sound _Amb_WindCold at waypoint 530 (cell 113, 69).
12. Play sound _Amb_WindCold at waypoint 531 (cell 105, 58).
13. Play sound _Amb_WindCold at waypoint 532 (cell 99, 67).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5196, Events line 5337, Actions line 5478.

121. _Amb_Thames_Waves Lake1 - 08CBAAEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBAA0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 506 (cell 83, 126).
2. Play sound _Amb_WavesLake at waypoint 507 (cell 75, 120).
3. Play sound _Amb_WavesLake at waypoint 508 (cell 81, 113).
4. Play sound _Amb_WavesLake at waypoint 509 (cell 72, 101).
5. Play sound _Amb_WavesLake at waypoint 510 (cell 80, 96).
6. Play sound _Amb_WavesLake at waypoint 511 (cell 72, 84).
7. Play sound _Amb_WavesLake at waypoint 512 (cell 77, 79).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5197, Events line 5338, Actions line 5479.

122. _Amb_Lon_Urban Murmur1b - 08CBA91C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBA83C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 501 (cell 56, 74).
2. Play sound _Amb_UrbanMurmur1 at waypoint 502 (cell 48, 63).
3. Play sound _Amb_UrbanMurmur1 at waypoint 503 (cell 111, 100).
4. Play sound _Amb_UrbanMurmur1 at waypoint 504 (cell 104, 82).
5. Play sound _Amb_UrbanMurmur1 at waypoint 505 (cell 134, 82).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5198, Events line 5339, Actions line 5480.

123. _Amb_Lon_Urban Murmur1a - 08CBA74C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08CBA66C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_UrbanMurmur1 at waypoint 494 (cell 21, 68).
2. Play sound _Amb_UrbanMurmur1 at waypoint 495 (cell 25, 54).
3. Play sound _Amb_UrbanMurmur1 at waypoint 496 (cell 33, 47).
4. Play sound _Amb_UrbanMurmur1 at waypoint 497 (cell 36, 37).
5. Play sound _Amb_UrbanMurmur1 at waypoint 498 (cell 31, 85).
6. Play sound _Amb_UrbanMurmur1 at waypoint 499 (cell 45, 56).
7. Play sound _Amb_UrbanMurmur1 at waypoint 500 (cell 43, 78).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5199, Events line 5340, Actions line 5481.

124. _Amb_Thames_Waves Lake2 - 044128BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 044127DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WavesLake at waypoint 513 (cell 76, 71).
2. Play sound _Amb_WavesLake at waypoint 514 (cell 83, 64).
3. Play sound _Amb_WavesLake at waypoint 515 (cell 75, 58).
4. Play sound _Amb_WavesLake at waypoint 516 (cell 92, 57).
5. Play sound _Amb_WavesLake at waypoint 517 (cell 82, 45).
6. Play sound _Amb_WavesLake at waypoint 518 (cell 96, 43).
7. Play sound _Amb_WavesLake at waypoint 519 (cell 87, 38).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5200, Events line 5341, Actions line 5482.

125. _Amb_Storm Sounds - 09D40D1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09D4403C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 250 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Play sound WeatherStrike.

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5201, Events line 5342, Actions line 5483.

126. _Setup_Civ3 Inits 2 Bio - 08AF298C

Owner reference: Civie3Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08AF28AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_3 Inits 2 Grinder Bio (07F33A4C) at waypoint 33 (cell 103, 59).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5202, Events line 5343, Actions line 5484.

127. _Setup_Yuri Inits 2 Bio - 08AF27BC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08AF26DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 34 (cell 75, 43).
2. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 35 (cell 72, 39).
3. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 36 (cell 66, 42).
4. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 37 (cell 70, 45).
5. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 38 (cell 68, 47).
6. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 39 (cell 59, 43).
7. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 40 (cell 55, 47).

8. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 41 (cell 53, 40).
9. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 42 (cell 54, 29).
10. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 43 (cell 55, 20).
11. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 44 (cell 62, 14).
12. Supply reinforcement team TM_BG2_6 Initiates into Bio (08FC8B7C) at waypoint 45 (cell 69, 15).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5203, Events line 5344, Actions line 5485.

128. Detect_War Factory Dead - 086D316C

Owner reference: BadGuy1Country. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied War Factory (GAWEAP), owner BadGuy1, cell (55, 100), tag 086D308C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Create_BG1_1 Grizzly TM (086D7C6C).
2. Disable Create_BG1_2 IFV Team (086D555C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5204, Events line 5345, Actions line 5486.

129. Delay_Grizzly/IFV Teams - 08723A1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0872393C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 250 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create_BG1_1 Grizzly TM (086D7C6C).
2. Enable and reset applicable timers for Create_BG1_2 IFV Team (086D555C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5205, Events line 5346, Actions line 5487.

130. _Amb_Drone @ AY - 07A0BE5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0BD7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 131 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 50 (cell 99, 73).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5206, Events line 5347, Actions line 5488.

131. _Amb_Drone @ AX - 07A0BC8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0BBAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 84 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 49 (cell 114, 76).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5207, Events line 5348, Actions line 5489.

132. _Amb_Drone @ AF - 07A0B71C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 141 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5208, Events line 5349, Actions line 5490.

133. _Amb_Drone @ AD - 07A0B54C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A0B46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 86 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 29 (cell 90, 81).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5209, Events line 5350, Actions line 5491.

134. _Amb_Drone @ TK - 07A15DBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A12ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 110 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_LondonCivilians at waypoint 530 (cell 113, 69).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5210, Events line 5351, Actions line 5492.

135. _Amb_Detect_AD_AE Dead - 091ED06C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091EA07C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (@AD Destroyed) is set.
2. local flag 6 (@AE Destroyed) is set.

Flag writers in this mission: set local flag 5 (@AD Destroyed) at Destroyed_Building @ AD (043F46AC); set local flag 6 (@AE Destroyed) at Destroyed_Building @ AE (043F44DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Stop location sound 29 at waypoint 29 (cell 90, 81).
2. Stop location sound 50 at waypoint 50 (cell 99, 73).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5211, Events line 5352, Actions line 5493.

136. _Amb_Detect_AB_AF Dead - 091EF07C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091EAF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (@AB Destroyed) is set.
2. local flag 7 (@AF Destroyed) is set.

Flag writers in this mission: set local flag 3 (@AB Destroyed) at Destroyed_Building @ AB (07A6450C); set local flag 7 (@AF Destroyed) at Destroyed_Building @ AF (043F430C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Stop location sound 31 at waypoint 31 (cell 109, 88).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5212, Events line 5353, Actions line 5494.

137. _Amb_Detect_AA->AG Dead - 091EFE5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091EFD7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (@AA Destroyed) is set.
2. local flag 3 (@AB Destroyed) is set.
3. local flag 4 (@AC Destroyed) is set.
4. local flag 5 (@AD Destroyed) is set.
5. local flag 6 (@AE Destroyed) is set.
6. local flag 7 (@AF Destroyed) is set.
7. local flag 8 (@AG Destroyed) is set.

Flag writers in this mission: set local flag 2 (@AA Destroyed) at Destroyed_Building @ AA (043F3A9C); set local flag 3 (@AB Destroyed) at Destroyed_Building @ AB (07A6450C); set local flag 4 (@AC Destroyed) at Destroyed_Building @ AC (07A10C6C); set local flag 5 (@AD Destroyed) at Destroyed_Building @ AD (043F46AC); set local flag 6 (@AE Destroyed) at Destroyed_Building @ AE (043F44DC); set local flag 7 (@AF Destroyed) at Destroyed_Building @ AF (043F430C); set local flag 8 (@AG Destroyed) at Destroyed_Building @ AG (043F413C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Stop location sound 530 at waypoint 530 (cell 113, 69).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5213, Events line 5354, Actions line 5495.

138. _Amb_AA - 091EFC8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 2 (@AA Destroyed) is set.
2. local flag 3 (@AB Destroyed) is set.
3. local flag 4 (@AC Destroyed) is set.
4. local flag 7 (@AF Destroyed) is set.

Flag writers in this mission: set local flag 2 (@AA Destroyed) at Destroyed_Building @ AA (043F3A9C); set local flag 3 (@AB Destroyed) at Destroyed_Building @ AB (07A6450C); set local flag 4 (@AC Destroyed) at Destroyed_Building @ AC (07A10C6C); set local flag 7 (@AF Destroyed) at Destroyed_Building @ AF (043F430C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Disable _Amb_Drone @ AX (07A0BC8C).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5214, Events line 5355, Actions line 5496.

139. _Amb_AA_AB_AC_AF Dead - AB

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 091EFBAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (@AA Destroyed) is set.
2. local flag 3 (@AB Destroyed) is set.
3. local flag 4 (@AC Destroyed) is set.
4. local flag 7 (@AF Destroyed) is set.

Flag writers in this mission: set local flag 2 (@AA Destroyed) at Destroyed_Building @ AA (043F3A9C); set local flag 3 (@AB Destroyed) at Destroyed_Building @ AB (07A6450C); set local flag 4 (@AC Destroyed) at Destroyed_Building @ AC (07A10C6C); set local flag 7 (@AF Destroyed) at Destroyed_Building @ AF (043F430C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Stop location sound 49 at waypoint 49 (cell 114, 76).

Source locator: mapsmd03.mix/sov03umd.map; Triggers line 5215, Events line 5356, Actions line 5497.

All team rosters and ordered plans | All mission overrides

Operation: Brain Wash - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov03umd.map; each team/script ID identifies its section.

TM_Seal - 093AD32C

Owner: BadGuy1Country. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Blow Bridge (093AEDBC).

1. Flash team; configured argument 100.
2. Move to waypoint: waypoint 10 (cell 70, 121).
3. Attack/garrison waypoint building: waypoint 9 (cell 69, 120).

TM_South Bridge Guard - 0BC5C90C

Owner: BadGuy1Country. Roster: 2 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Guard South Bridge (0D6BE40C).

1. Move to waypoint: waypoint 8 (cell 69, 117).
2. Adopt object mission: area guard.

TM_Tanya_IFV - 0879E52C

Owner: AlliesCountry. Roster: 1 × Tanya (TANY); 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: R.

Ordered plan: Tanya Rolls On (0902E90C).

1. Move to waypoint: waypoint 18 (cell 50, 97).
2. Set local flag: local flag 0 (YuriSeesTanya).
3. Flash team; configured argument 100.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Flash team; configured argument 100.

TM_SMiddle Backup - 0BCF01BC

Owner: BadGuy1Country. Roster: 2 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Defend SMiddle Bridge (0BD08DBC).

1. Move to waypoint: waypoint 13 (cell 71, 88).
2. Adopt object mission: area guard.

TM_3 Initiates Defense - 0BD262EC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Initiate Base Defense (0BD222DC).

1. Adopt object mission: area guard.

2. Report team success.

TM_2 Lashers Attack - 099CE37C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Lasher Attack (099CE10C).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_3 Initiates Attack - 099D133C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Initiate Attack (099D10CC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_5 GIs Attack - 0C4297BC

Owner: BadGuy1Country. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: GI Attack (0D444DBC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_2 Guardian GI Attack - 0D44492C

Owner: BadGuy1Country. Roster: 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: 2 Guardian GI Attack (0D4446BC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_2 IFVs - 08E1245C

Owner: BadGuy1Country. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: TB.

Ordered plan: 2 IFV Attack (0D4455CC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_Tanya (Allied)_100 Flash - 087A1EFC

Owner: AlliesCountry. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: S.

Ordered plan: Flash 100-->Move to Z-->Delete (08B0407C).

1. Flash team; configured argument 100.
2. Move to waypoint: waypoint 25 (cell 44, 98).
3. Delete team objects.

TM_Tanya (Soviet)_100 Flash - 087A1A4C

Owner: SovietsCountry. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: Z.

Ordered plan: Flash 100 (0F77AC8C).

1. Flash team; configured argument 100.

TM_Tanya (Allied)_250 Flash - 087A16AC

Owner: AlliesCountry. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: S.

Ordered plan: Flash 250 (0F6D212C).

1. Flash team; configured argument 250.

TM_Tanya (Soviet)_250 Flash - 087A130C

Owner: SovietsCountry. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: Y.

Ordered plan: Flash 250 (0F6D212C).

1. Flash team; configured argument 250.

TM_Tanya (Allied)_350 Flash - 087A10FC

Owner: AlliesCountry. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 3; Technology level: 0; Waypoint: S.

Ordered plan: Flash 350 (0EF3C7BC).

1. Flash team; configured argument 350.

TM_Seal Leaves - 0C6261DC

Owner: AlliesCountry. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Seal Leaves the Map (043C1BEC).

1. Move to waypoint: waypoint 21 (cell 65, 123).
2. Delete team objects.

TM_Allies_4 GIs to Tent - 091F77BC

Owner: AlliesCountry. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Go to Z-->Enter Tent (091F754C).

1. Scatter.
2. Move to waypoint: waypoint 25 (cell 44, 98).
3. Enter neutral occupiable building.
4. Change script: 96 (reference 96).

TM_CIV1 (female) - 0B0D66AC

Owner: Civie3Country. Roster: 1 × Civilian (CIV1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Go To Grinder (08F461DC).

1. Enter Grinder.

TM_CIV2 - 0B0D61FC

Owner: Civie3Country. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Go To Grinder (08F461DC).

1. Enter Grinder.

TM_CIV3 - 0B0D7DEC

Owner: Civie3Country. Roster: 1 × Civilian (CIV3)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Go To Grinder (08F461DC).

1. Enter Grinder.

TM_Civ Snow Female - 0B0D7BAC

Owner: Civie3Country. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Go To Grinder (08F461DC).

1. Enter Grinder.

TM_Allies_Chrono Arrives - 08FFFEFC

Owner: AlliesCountry. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Chrono Arrives (08FFFC8C).

1. Move to waypoint: waypoint 521 (cell 59, 101).
2. Adopt object mission: area guard.

TM_BG2_6 Initiates into Bio - 08FC8B7C

Owner: BadGuy2Country. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 20; Veteran Level: 1; Technology level: 0.

Ordered plan: Into Bio Reactor (08FFF7DC).

1. Panic.
2. Guard for interval; configured argument 10.
3. End panic.
4. Enter Bio Reactor.

TM_Yuri_3 Inits 2 Grinder Bio - 07F33A4C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Into Bio Reactor (08FFF7DC).

1. Panic.
2. Guard for interval; configured argument 10.
3. End panic.

4. Enter Bio Reactor.

TM_Yuri_"Everyone Attack" - 0440DB8C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: Move to AV-->All to Hunt (0440D91C).

1. Move to waypoint: waypoint 47 (cell 49, 30).
2. Adopt object mission: hunt.

TM_Yuri_4 Init_2 Lash Attack - 07DC367C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Basic Attack (07DC340C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 2.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.

TM_BG1_1 Grizzly - 086D763C

Owner: BadGuy1Country. Roster: 1 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: TB.

Ordered plan: GI Attack (0D444DBC).

1. Seek/attack target category; configured argument 1.
2. Report team success.

TM_Seal Stop - 0908B5AC

Owner: BadGuy1Country. Roster: 1 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to I (0908B33C).

1. Move to waypoint: waypoint 8 (cell 69, 117).
2. Adopt object mission: area guard.

Operation: Brain Wash - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov03umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Slave Miner Long Scan	24	3
CARUS08A	Name	Russian Gum CornerA	12
CARUS08A	UI Name	Name:Globe	13
CARUS08A	Image	CARUS08	14
CARUS08A	Starting health capacity	1000	15
CARUS08A	Technology level	-1	16
CARUS08A	Insignificant-object flag	yes	17
CARUS08A	Nominal	yes	18
CARUS08A	Hidden from radar	yes	19
CARUS08A	Points	5	20
CARUS08A	Armor class	steel	21
CARUS08A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	22
CARUS08A	Max Debris	10	23
CARUS08A	Min Debris	5	24
CARUS08A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	25
CARUS08A	Normal base-adjacency role	no	26
CARUS08A	Sight radius setting	6	27
CARUS08A	Repair-tool permission	no	28
CARUS08A	Infantry garrison permitted	yes	29
CARUS08A	Garrison capacity	5	30
CARUS08A	Occupants can fire	yes	31
CARUS08A	Leaves rubble	Yes	32
CARUS09A	Name	Russian Gum MiddleA	35
CARUS09A	UI Name	Name:Globe	36
CARUS09A	Image	CARUS09	37
CARUS09A	Technology level	-1	38
CARUS09A	Starting health capacity	1000	39
CARUS09A	Insignificant-object flag	yes	40
CARUS09A	Nominal	yes	41
CARUS09A	Hidden from radar	yes	42
CARUS09A	Points	5	43

Object/system	Property	Mission value	Source line
CARUS09A	Armor class	steel	44
CARUS09A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	45
CARUS09A	Max Debris	10	46
CARUS09A	Min Debris	5	47
CARUS09A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	48
CARUS09A	Normal base-adjacency role	no	49
CARUS09A	Sight radius setting	6	50
CARUS09A	Repair-tool permission	no	51
CARUS09A	Infantry garrison permitted	yes	52
CARUS09A	Garrison capacity	5	53
CARUS09A	Occupants can fire	yes	54
CARUS09A	Leaves rubble	Yes	55
CARUS10A	Name	Russian Gum Wall N_SA	58
CARUS10A	UI Name	Name:Globe	59
CARUS10A	Image	CARUS10	60
CARUS10A	Technology level	-1	61
CARUS10A	Starting health capacity	1000	62
CARUS10A	Insignificant-object flag	yes	63
CARUS10A	Nominal	yes	64
CARUS10A	Hidden from radar	yes	65
CARUS10A	Points	5	66
CARUS10A	Armor class	steel	67
CARUS10A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	68
CARUS10A	Max Debris	10	69
CARUS10A	Min Debris	5	70
CARUS10A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	71
CARUS10A	Normal base-adjacency role	no	72
CARUS10A	Sight radius setting	6	73
CARUS10A	Repair-tool permission	no	74
CARUS10A	Infantry garrison permitted	yes	75
CARUS10A	Garrison capacity	5	76
CARUS10A	Occupants can fire	yes	77
CARUS10A	Leaves rubble	Yes	78
CARUS11A	Name	Russian Gum Wall E_WA	81
CARUS11A	UI Name	Name:Globe	82
CARUS11A	Image	CARUS11	83
CARUS11A	Technology level	-1	84
CARUS11A	Starting health capacity	1000	85
CARUS11A	Insignificant-object flag	yes	86
CARUS11A	Nominal	yes	87

Object/system	Property	Mission value	Source line
CARUS11A	Hidden from radar	yes	88
CARUS11A	Points	5	89
CARUS11A	Armor class	steel	90
CARUS11A	Explosion	TWLT070,S_BANG48,S_BRNL58,S_CLSN58,S_TUMU60	91
CARUS11A	Max Debris	10	92
CARUS11A	Min Debris	5	93
CARUS11A	Debris Anim	Dbris1sm,Dbris1lg,Dbris4sm,Dbris3sm,Dbris9lg,Dbris2lg,Dbris8sm,Dbris3lg	94
CARUS11A	Normal base-adjacency role	no	95
CARUS11A	Sight radius setting	6	96
CARUS11A	Repair-tool permission	no	97
CARUS11A	Infantry garrison permitted	yes	98
CARUS11A	Garrison capacity	5	99
CARUS11A	Occupants can fire	yes	100
CARUS11A	Leaves rubble	Yes	101
Bridge Repair Hut (CABHUT)	UI Name	Name:CABHUT	104
Bridge Repair Hut (CABHUT)	Name	Bridge repair hut	105
Bridge Repair Hut (CABHUT)	Armor class	special_2	106
Grinder (YAGRND)	Name	Yuri Grinder	406
Grinder (YAGRND)	Signed power contribution	0	110
Grinder (YAGRND)	Crewed	no	407
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	113
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	116
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	119
Sniper (SNIPE)	Name	Sniper	122
Sniper (SNIPE)	Sight radius setting	16	123
AWP (AWP)	Damage	125	126
AWP (AWP)	ROF	40	127
AWP (AWP)	Range	14	128
Smithsonian Natural History Museum (CAWASH17)	Name	Smithsonian Natural History Museum	131
Smithsonian Natural History Museum (CAWASH17)	UI Name	Name:CAPRS04	132
Psychic Beacon (NAPSYB)	Name	RA2 Psychic Beacon	135
Psychic Beacon (NAPSYB)	Engineer-capture permission	false	136
Psychic Beacon (NAPSYB)	Crewed	no	137
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	140
Psychic Dominator (YAPPET)	Crewed	no	141
Engineer (ENGINEER)	Name	Engineer	144
Engineer (ENGINEER)	Technology level	12	145
Attack Dog (ADOG)	Name	Allied Attack Dog	148
Attack Dog (ADOG)	Technology level	12	149

Object/system	Property	Mission value	Source line
Spy (SPY)	Name	Spy	152
Spy (SPY)	Technology level	12	153
Chrono Legionnaire (CLEG)	Name	Chrono Legionnaire	156
Chrono Legionnaire (CLEG)	Technology level	12	157
Harrier (ORCA)	Name	Intruder	160
Harrier (ORCA)	Technology level	12	161
Mirage Tank (MGTK)	Name	Mirage Tank	164
Mirage Tank (MGTK)	Technology level	12	165
NightHawk Transport (SHAD)	Name	BlackHawk Transport	168
NightHawk Transport (SHAD)	Technology level	12	169
Allied Construction Vehicle (AMCV)	Name	Allied Construction Vehicle	172
Allied Construction Vehicle (AMCV)	Technology level	12	173
Prism Tank (SREF)	Name	Prism Tank	176
Prism Tank (SREF)	Technology level	12	177
Aircraft Carrier (CARRIER)	Name	Aircraft Carrier	180
Aircraft Carrier (CARRIER)	Technology level	12	181
Tank Destroyer (TNKD)	Name	Tank Destroyer	184
Tank Destroyer (TNKD)	Technology level	12	185
Black Eagle (BEAG)	Name	Black Eagle	188
Black Eagle (BEAG)	Technology level	12	189
Allied Construction Yard (GACNST)	Name	Allied Construction Yard	192
Allied Construction Yard (GACNST)	Technology level	12	193
Allied Battle Lab (GATECH)	Name	Allied Battle Lab	196
Allied Battle Lab (GATECH)	Technology level	12	197
Allied Repair Depot (GADEPT)	Name	Allied Service Depot	200
Allied Repair Depot (GADEPT)	Technology level	12	201
Ore Purifier (GAOREP)	Name	Allied Ore Processor	204
Ore Purifier (GAOREP)	Technology level	12	205
Prism Tower (ATESLA)	Name	Allied Prism Cannon	208
Prism Tower (ATESLA)	Technology level	12	209
Gap Generator (GAGAP)	Name	Allied Gap Generator	212
Gap Generator (GAGAP)	Technology level	12	213
Weather Controller (GAWEAT)	Name	Allied Weather Controller	216
Weather Controller (GAWEAT)	Technology level	12	217
SpySat Uplink (GASPYSAT)	Name	Allied SpySat Uplink	220
SpySat Uplink (GASPYSAT)	Technology level	12	221
Chrono Sphere (GACSPH)	Name	Allied Chrono Sphere	224
Chrono Sphere (GACSPH)	Technology level	12	225
Grand Cannon (GTGCAN)	Name	Allied Grand Cannon	228
Grand Cannon (GTGCAN)	Technology level	12	229
Tesla Tank (TTNK)	Name	Tesla Tank	232

Object/system	Property	Mission value	Source line
Tesla Tank (TTNK)	Required structures/groups	GAWEAP	233
Tesla Tank (TTNK)	Technology level	12	234
Tesla Tank (TTNK)	Required countries	Russians,SovietsCountry	235
V3 Launcher (V3)	Name	V3 Launcher	238
V3 Launcher (V3)	Technology level	12	239
Kirov Airship (ZEP)	Name	Kirov Airship	242
Kirov Airship (ZEP)	Technology level	12	243
Apocalypse (APOC)	Name	Apocalypse	246
Apocalypse (APOC)	Technology level	12	247
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	250
Soviet Construction Vehicle (SMCV)	Technology level	12	251
War Miner (HARV)	Name	War Miner	254
War Miner (HARV)	Technology level	12	255
Typhoon Attack Sub (SUB)	Name	Typhoon Attack Sub	258
Typhoon Attack Sub (SUB)	Technology level	12	259
Dreadnought (DRED)	Name	Dreadnought	262
Dreadnought (DRED)	Technology level	12	263
Sea Scorpion (HYD)	Name	Sea Scorpion	266
Sea Scorpion (HYD)	Technology level	12	267
Giant Squid (SQD)	Name	Giant Squid	270
Giant Squid (SQD)	Technology level	12	271
Siege Chopper (SCHP)	Name	Soviet Siege Chopper	274
Siege Chopper (SCHP)	Technology level	12	275
Spy Plane (SPYP)	Name	Soviet Spy Plane	278
Spy Plane (SPYP)	Technology level	12	279
Desolator (DESO)	Name	Desolater	282
Desolator (DESO)	Technology level	12	283
Terrorist (TERROR)	Name	Terrorist	286
Terrorist (TERROR)	Technology level	12	287
BARRELEXPLOSION (BARRELEXPLOSION)	Projectile	Invisible	290
BARRELEXPLOSION (BARRELEXPLOSION)	Damage	175	291
BARRELEXPLOSION (BARRELEXPLOSION)	Warhead	OilExplosionWH	292
BARRELEXPLOSION (BARRELEXPLOSION)	Anim	RING1	293
OILEXPLOSIONWH (OILEXPLOSIONWH)	Wall Absolute Destroyer	yes	296
HOLLOWPOINT (HOLLOWPOINT)	Verses	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,0%	299
Soviet Construction Yard (NACNST)	Name	Soviet Construction Yard	302
Soviet Construction Yard (NACNST)	Technology level	12	303
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	306

Object/system	Property	Mission value	Source line
Soviet Shipyard (NAYARD)	Technology level	12	307
Soviet Ore Refinery (NAREFN)	Name	Soviet Ore Refinery	310
Soviet Ore Refinery (NAREFN)	Technology level	12	311
Soviet Battle Lab (NATECH)	Name	Soviet Battle Lab	314
Soviet Battle Lab (NATECH)	Technology level	12	315
Soviet Repair Depot (NADEPT)	Name	Soviet Service Depot	318
Soviet Repair Depot (NADEPT)	Technology level	12	319
Nuclear Reactor (NANRCT)	Name	Soviet Nuclear Reactor	322
Nuclear Reactor (NANRCT)	Technology level	12	323
Iron Curtain Device (NAIRON)	Name	Soviet Iron Curtain Device	326
Iron Curtain Device (NAIRON)	Technology level	12	327
Nuclear Missile Silo (NAMISL)	Name	Soviet Nuclear Missile Silo	330
Nuclear Missile Silo (NAMISL)	Technology level	12	331
Industrial Plant (NAINDP)	Name	Soviet Industrial Plant	334
Industrial Plant (NAINDP)	Technology level	12	335
Engineer (YENGINEER)	Name	Yuri Engineer	338
Engineer (YENGINEER)	Technology level	12	339
Virus (VIRUS)	Name	Yuri Virus	342
Virus (VIRUS)	Technology level	12	343
Brute (BRUTE)	Name	Yuri Brute	346
Brute (BRUTE)	Technology level	5	347
Yuri Prime (YURIPR)	Name	Yuri Prime	350
Yuri Prime (YURIPR)	Technology level	12	351
Yuri Clone (YURI)	Name	Yuri Clone	354
Yuri Clone (YURI)	Technology level	12	355
Master Mind (MIND)	Name	Master Mind	362
Master Mind (MIND)	Technology level	12	363
Magnetron (TELE)	Name	Magnetron	366
Magnetron (TELE)	Technology level	12	367
Chaos Drone (CAOS)	Name	Chaos Drone	370
Chaos Drone (CAOS)	Technology level	12	371
Yuri MCV (PCV)	Name	Yuri Construction Vehicle	374
Yuri MCV (PCV)	Technology level	12	375
Boomer (BSUB)	Name	Yuri Boomer	378
Boomer (BSUB)	Technology level	12	379
Yuri Naval Yard (YAYARD)	Name	Yuri Submarine Pen	382
Yuri Naval Yard (YAYARD)	Technology level	12	383
Yuri Battle Lab (YATECH)	Name	Yuri Battle Lab	386
Yuri Battle Lab (YATECH)	Technology level	12	387
Psychic Radar (NAPSIS)	Name	Yuri Psychic Sensor	390
Psychic Radar (NAPSIS)	Technology level	12	391

Object/system	Property	Mission value	Source line
Cloning Vats (NACLON)	Name	Yuri Cloning Vats	394
Cloning Vats (NACLON)	Technology level	12	395
Psychic Tower (YAPSYT)	Name	Yuri Psychic Tower	398
Psychic Tower (YAPSYT)	Technology level	12	399
Genetic Mutator (YAGNTC)	Name	Yuri Genetic Mutator Device	402
Genetic Mutator (YAGNTC)	Technology level	12	403
Building (CAPARS04)	Name	Paris Building 4	410
Building (CAPARS04)	Starting health capacity	1500	411
Building (CAPARS05)	Name	Paris Building 5	414
Building (CAPARS05)	Starting health capacity	1500	415
Building (CAPARS06)	Name	Paris Building 6	418
Building (CAPARS06)	Starting health capacity	1500	419
CRATERULES (CRATERULES)	Solo Crate Money	1500	422
SPECIALFLAGS	Tiberium Grows	yes	441
SPECIALFLAGS	Tiberium Spreads	yes	442
SPECIALFLAGS	Tiberium Explosive	no	443
SPECIALFLAGS	Destroyable Bridges	yes	444
SPECIALFLAGS	MCV Deploy	no	445
SPECIALFLAGS	Initial Veteran	no	446
SPECIALFLAGS	Fixed Alliance	no	447
SPECIALFLAGS	Harvester Immune	no	448
SPECIALFLAGS	Fog Of War	no	449
SPECIALFLAGS	Inert	no	450
SPECIALFLAGS	Ion Storms	no	451
SPECIALFLAGS	Meteorites	no	452
SPECIALFLAGS	Visceroids	no	453
COUNTRIES (COUNTRIES)	0	AlliesCountry	465
COUNTRIES (COUNTRIES)	1	GoodGuy1Country	466
COUNTRIES (COUNTRIES)	2	GoodGuy2Country	467
COUNTRIES (COUNTRIES)	3	BadGuy1Country	468
COUNTRIES (COUNTRIES)	4	BadGuy2Country	469
COUNTRIES (COUNTRIES)	5	Civie1Country	470
COUNTRIES (COUNTRIES)	6	Civie2Country	471
COUNTRIES (COUNTRIES)	7	Civie3Country	472
COUNTRIES (COUNTRIES)	8	SovietsCountry	473
VARIABLENAMES (VARIABLENAMES)	0	YuriSeesTanya,0	602
VARIABLENAMES (VARIABLENAMES)	1	TanyaRetortYuri,0	603
VARIABLENAMES (VARIABLENAMES)	2	@AA Destroyed,0	604
VARIABLENAMES (VARIABLENAMES)	3	@AB Destroyed,0	605
VARIABLENAMES (VARIABLENAMES)	4	@AC Destroyed,0	606
VARIABLENAMES (VARIABLENAMES)	5	@AD Destroyed,0	607

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	6	@AE Destroyed,0	608
VARIABLENAMES (VARIABLENAMES)	7	@AF Destroyed,0	609
VARIABLENAMES (VARIABLENAMES)	8	@AG Destroyed,0	610
Yuri (YURICOUNTRY)	Country	YuriCountry	758
Yuri (YURICOUNTRY)	Technology level	10	759
Yuri (YURICOUNTRY)	Credits	100	760
Yuri (YURICOUNTRY)	IQ	5	761
Yuri (YURICOUNTRY)	Edge	North	762
Yuri (YURICOUNTRY)	Player Control	no	763
Yuri (YURICOUNTRY)	Color	Purple	764
Yuri (YURICOUNTRY)	Allies	BadGuy1,BadGuy2,Civie3,YuriCountry	765
Yuri (YURICOUNTRY)	Percent Built	0	766
Yuri (YURICOUNTRY)	Node Count	0	767
GDI (GDI)	Country	GDI	770
GDI (GDI)	Technology level	1	771
GDI (GDI)	Credits	0	772
GDI (GDI)	IQ	0	773
GDI (GDI)	Edge	North	774
GDI (GDI)	Player Control	no	775
GDI (GDI)	Color	Gold	776
GDI (GDI)	Allies	GDI	777
GDI (GDI)	Percent Built	0	778
GDI (GDI)	Node Count	0	779
Nod (NOD)	Country	Nod	782
Nod (NOD)	Technology level	1	783
Nod (NOD)	Credits	0	784
Nod (NOD)	IQ	0	785
Nod (NOD)	Edge	North	786
Nod (NOD)	Player Control	no	787
Nod (NOD)	Color	Gold	788
Nod (NOD)	Allies	Nod	789
Nod (NOD)	Percent Built	0	790
Nod (NOD)	Node Count	0	791
Civilian (NEUTRAL)	Country	Neutral	794
Civilian (NEUTRAL)	Technology level	1	795
Civilian (NEUTRAL)	Credits	0	796
Civilian (NEUTRAL)	IQ	0	797
Civilian (NEUTRAL)	Edge	North	798
Civilian (NEUTRAL)	Player Control	no	799
Civilian (NEUTRAL)	Color	Grey	800
Civilian (NEUTRAL)	Allies	Neutral	801

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	Percent Built	0	802
Civilian (NEUTRAL)	Node Count	0	803
JP (SPECIAL)	Country	Special	806
JP (SPECIAL)	Technology level	1	807
JP (SPECIAL)	Credits	0	808
JP (SPECIAL)	IQ	0	809
JP (SPECIAL)	Edge	North	810
JP (SPECIAL)	Player Control	no	811
JP (SPECIAL)	Color	Green	812
JP (SPECIAL)	Allies	Special	813
JP (SPECIAL)	Percent Built	0	814
JP (SPECIAL)	Node Count	0	815

Operation: Romanov on the Run

Campaign reading guide | Engine

Operation: Romanov on the Run

sov04dmd.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- YuriCountry (101)
- Neutral (50)
- Alliance (19)
- Russians (9)
- Arabs (6)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov04dmd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov04dmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov04dmd.map. **Effective extracted member:** mapsmd03.mix/sov04dmd.map. **Trigger definitions:** 132.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Russians
Theater	DESERT
Map size	0,0,100,71
Visible local rectangle	12,5,86,60
Placed vehicles	22
Placed infantry	69
Placed structures	98
Placed aircraft	0
Team templates	90

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	0	Americans
1	Alliance	100	YuriCountry2
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	150	Africans
6	Arabs	1500	Arabs
7	Confederation	0	Confederation
8	Russians	80	Russians
9	YuriCountry	1500	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	500	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	Romaov In!,0
1	Romanov Captured,0
2	It Dead,0
3	Romanov Changed Bri,0
4	Romanov Changed Ger,0
5	Low Power,0
6	Romanov Found,0
7	It House Destroyed,0
8	Stop Respawn,0
9	Romanov Killed,0
10	PsychicSmash1,0
11	PsychicSmash2,0
12	PsychicSmash3,0
13	Set1,0
14	Set2,0
15	Set3,0
16	Set4,0
17	Set5,0
18	It's Safe,0
19	Rom Change Brit Bac,0
20	Rom In Yuri Base,0
21	Gattling 1,0
22	Gattling 2,0
23	Gattling 3,0
24	Gattling 4,0
25	Gattling 5,0
26	Gattling 6,0
27	Light 2,0
28	Light 1,0
29	Landed,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Romanov Flies Away 2 (0CA0ABDC)	local flag 29 (Landed) is set.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.
Congrats! (0CA09E0C)	17 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Gate	Conditions recorded	Terminal-related actions
It's Over : ((0921D45C)	Destroyed, All: owner selector 3 (country/type GERMANS; placed owner Germans). Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.
Romanov Killed (043915FC)	No instances of Premier Romanov (RMNV) exist on the map, under this event's ownership scope.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.
Dumb Player (097304AC)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Every trigger, in file order

1. It's Over! - 0921DEDC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 40 tagged map cells: (100, 15), (101, 15), (102, 15), (103, 15), (104, 15), (105, 15), (106, 15), (100, 16), (101, 16), (105, 16), (106, 16), (100, 17), (101, 17), (105, 17), (106, 17), (100, 18), (101, 18), (105, 18), (106, 18), (100, 19), (101, 19), (102, 19), (103, 19), (104, 19), (105, 19), (106, 19), (100, 20), (101, 20), (102, 20), (103, 20), (104, 20), (105, 20), (106, 20), (100, 21), (101, 21), (102, 21), (103, 21), (104, 21), (105, 21), (106, 21); tag 0921D5AC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 3 (country/type GERMANS; placed owner Germans).

Then perform these actions in order:

1. Disable player input.
2. Play voice notification EVA_BattleControlOnline.
3. Enable and reset applicable timers for Romanov Flies Away! (0CA00ABC).
4. Remove instances of the team organization (not automatically its surviving objects) _IT! (090B26FC).
5. Disable Obj 2 Speech (091FF36C).
6. Disable Obj 2 Kill Base (0438410C).
7. Create/recruit team ITX (092C469C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7125, Events line 7259, Actions line 7393.

2. Romanov Flies Away! - 0CA00ABC

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from It's Over! (0921DEDC).

Attached scope: tag definitions 0CA006CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Romanov! (0B3BBA4C).
2. Supply reinforcement team Romanov Rescue! (089D5EFC).
3. Move the camera to waypoint 3 (cell 103, 20) with speed setting 4.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7126, Events line 7260, Actions line 7394.

3. Obj 2 Speech - 091FF36C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Rescue Movie (0C9E79EC); enable from Romanov Free (091357DC).

Attached scope: tag definitions 043843CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 18 (It's Safe) is clear.

Flag writers in this mission: set local flag 18 (It's Safe) at It's Safe! V1 (0682762C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS4_ZofiaGetRomanovToAirport.
2. Disable Obj 2 Speech (091FF36C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7127, Events line 7261, Actions line 7395.

4. Obj 2 Kill Base - 0438410C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Rescue Movie (0C9E79EC); enable from Romanov Free (091357DC).

Attached scope: tag definitions 091EEBBC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 18 (It's Safe) is clear.

Flag writers in this mission: set local flag 18 (It's Safe) at It's Safe! V1 (0682762C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Display message “Objective: Destroy Yuri's base around the airport so Romanov can be safely evacuated” (MISSION:DestroyYuri04S).
2. Create radar-event marker type 1 at waypoint 32 (cell 103, 19).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7128, Events line 7262, Actions line 7396.

5. Romanov Flies Away 2 - 0CA0ABDC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CA0BE4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 29 (Landed) is set.

Then perform these actions in order:

1. Play sound Cheer.
2. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7129, Events line 7263, Actions line 7397.

6. Congrats! - 0CA09E0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov In! (0438156C).

Attached scope: tag definitions 0CA0F22C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound Cheer.
2. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7130, Events line 7264, Actions line 7398.

7. It's Over : (- 0921D45C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0921D22C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 3 (country/type GERMANS; placed owner Germans).
2. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7131, Events line 7265, Actions line 7399.

8. Romanov Found! - 0921E84C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 36 tagged map cells: (136, 64), (137, 64), (138, 64), (139, 64), (140, 64), (136, 65), (137, 65), (138, 65), (139, 65), (140, 65), (141, 65), (136, 66), (137, 66), (141, 66), (142, 66), (136, 67), (137, 67), (141, 67), (142, 67), (136, 68), (137, 68), (141, 68), (142, 68), (136, 69), (137, 69), (138, 69), (139, 69), (140, 69), (141, 69), (142, 69), (137, 70), (138, 70), (139, 70), (140, 70), (141, 70), (142, 70); tag 0921E58C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Reveal terrain around waypoint 1 (cell 139, 69).
2. Enable and reset applicable timers for Romanov Rescue Movie (0C9E79EC).
3. Disable Bar Fired On (092D297C).
4. Play voice notification Mis_xS4_ZofiaFoundRomanov.
5. Disable Obj 1 Find Romanov! (091FF64C).
6. Disable Obj 1 Speech (0438493C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7132, Events line 7266, Actions line 7400.

9. Romanov Rescue Movie - 0C9E79EC

Owner reference: Germans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Found! (0921E84C); enable from Bar Fired On (092D297C).

Attached scope: tag definitions 0C9E25EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 1 (cell 139, 69).
2. Play in-game movie 47.
3. Enable and reset applicable timers for Obj 2 Kill Base (0438410C).
4. Enable and reset applicable timers for Obj 2 Speech (091FF36C).
5. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 1 (08FF2B7C).
6. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 2 (08FF221C).
7. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 3 (08FF1B7C).
8. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 4 (08FF113C).
9. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 5 (08FF0A9C).
10. Remove instances of the team organization (not automatically its surviving objects) _Rom Search 6 (08FF050C).
11. Create/recruit team _ROM DESTROY 2 (08FFF96C).
12. Create/recruit team _ROM DESTROY 3 (08FFF3DC).
13. Create/recruit team _ROM DESTROY 4 (08FFEC8C).
14. Create/recruit team _ROM DESTROY 5 (08FFE6FC).
15. Create/recruit team _ROM DESTROY 6 (08FFE16C).
16. Enable and reset applicable timers for Romanov Rescue Movie 2 (0524289C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7133, Events line 7267, Actions line 7401.

10. Bar Fired On - 092D297C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Rick's Place (CAMORR06), owner Neutral, cell (138, 66), tag 09311EDC, persistence mode 0.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Romanov Found! (0921E84C).
2. Reveal terrain around waypoint 1 (cell 139, 69).
3. Enable and reset applicable timers for Romanov Rescue Movie (0C9E79EC).
4. Play voice notification Mis_xS4_ZofiaFoundRomanov.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7134, Events line 7268, Actions line 7402.

11. Obj 1 Find Romanov! - 091FF64C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro UNLOCK (0CCC3B6C).

Attached scope: tag definitions 091FF56C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Locate Premier Romanov before Yuri's troops do” (MISSION:FindRomanov).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7135, Events line 7269, Actions line 7403.

12. Obj 1 Speech - 0438493C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro UNLOCK (0CCC3B6C).

Attached scope: tag definitions 0438428C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS4_ZofiaRomanovInEast.
2. Disable Obj 1 Speech (0438493C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7136, Events line 7270, Actions line 7404.

13. Romanov Rescue Movie 2 - 0524289C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Rescue Movie (0C9E79EC).

Attached scope: tag definitions 052421EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 49 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Romanov! (0B3BBA4C) at waypoint 1 (cell 139, 69).
2. Create radar-event marker type 1 at waypoint 32 (cell 103, 19).
3. Play voice notification Mis_xS4_RomanovAirportHint.
4. Supply reinforcement team _It #1 (084EE51C).
5. Set local flag 6 (Romanov Found).
6. Enable and reset applicable timers for Romanov Killed (043915FC).
7. Enable and reset applicable timers for _Rom's Iron Curtain (068A958C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7137, Events line 7271, Actions line 7405.

14. Romanov Killed - 043915FC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Rescue Movie 2 (0524289C).

Attached scope: tag definitions 04390F1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Premier Romanov (RMNV) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Disable Romanov Captured (0915E18C).
2. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7138, Events line 7272, Actions line 7406.

15. _Rom's Iron Curtain - 068A958C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Rescue Movie 2 (0524289C); enable from Iron Curtain (09327F3C).

Attached scope: tag definitions 067F811C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set Tech Level (Techno)[Level]; main setting NAIRON; location/duration field 1.
2. Play voice notification Mis_xS4_RomanovIronCurtain.
3. Enable and reset applicable timers for Flash! (0DC26F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7139, Events line 7273, Actions line 7407.

16. Romanov Captured - 0915E18C

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0921EE7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 1 (Romanov Captured).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7140, Events line 7274, Actions line 7408.

17. Flash! - 0DC26F3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Rom's Iron Curtain (068A958C).

Attached scope: tag definitions 0DC2663C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash cameo/type NAIRON; additional configured duration/location argument 45.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7141, Events line 7275, Actions line 7409.

18. Create It! - 0B3DEA1C

Owner reference: Special. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Timed IT Respawn (0B43633C).

Attached scope: tag definitions 0B3DE3FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (It House Destroyed) is clear.

Flag writers in this mission: set local flag 7 (It House Destroyed) at End IT! Respawn (0437F64C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _IT! (090B26FC).
2. Disable Create It! (0B3DEA1C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7142, Events line 7276, Actions line 7410.

19. Romanov In! - 0438156C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0438167C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Romaov In!) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Congrats! (0CA09E0C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7143, Events line 7277, Actions line 7411.

20. Get It On! - 0B3F507C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro UNLOCK (0CCC3B6C).

Attached scope: tag definitions 0B40404C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _Cap Base Defense 1 (0B3CEDEC).
2. Create/recruit team _Cap Base Defense 2 (0B3CFDEC).
3. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
4. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).
5. Production Begins: owner selector 6 (country/type ARABS; placed owner Arabs).
6. Create/recruit team Y Base Defense 1 (0B602A4C).
7. Create/recruit team Y Base Defense 2 (0B60259C).
8. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
9. Create/recruit team _Moving Guards (0CD0F93C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7144, Events line 7278, Actions line 7412.

21. _REGEN IT! - 0925E44C

Owner reference: Special. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Timed IT Respawn (0B43633C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7145, Events line 7279, Actions line 7413.

22. Timed IT Respawn - 0B43633C

Owner reference: Special. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _REGEN IT! (0925E44C).

Attached scope: tag definitions 0B437A9C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Create It! (0B3DEA1C).
2. Disable Timed IT Respawn (0B43633C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7146, Events line 7280, Actions line 7414.

23. REGEN _ROM SEARCH 1 - 0925D82C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0925D5FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 1 (08FF2B7C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7147, Events line 7281, Actions line 7415.

24. REGEN _ROM SEARCH 2 - 0925D50C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0925D2DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 2 (08FF221C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7148, Events line 7282, Actions line 7416.

25. REGEN _ROM SEARCH 3 - 0925D1EC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0925C8CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 3 (08FF1B7C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7149, Events line 7283, Actions line 7417.

26. REGEN _ROM SEARCH 4 - 0925C7DC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0925C55C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 4 (08FF113C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7150, Events line 7284, Actions line 7418.

27. REGEN _ROM SEARCH 5 - 0925C46C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0925542C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 5 (08FF0A9C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7151, Events line 7285, Actions line 7419.

28. REGEN _ROM SEARCH 6 - 0925533C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0930506C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _Rom Search 6 (08FF050C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7152, Events line 7286, Actions line 7420.

29. REGEN _ROM DESTROY 2 - 092FA5FC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092FFEAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Regen _Rom ok (0B3CC8DC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7153, Events line 7287, Actions line 7421.

30. Regen _Rom ok - 0B3CC8DC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from REGEN _ROM DESTROY 2 (092FA5FC).

Attached scope: tag definitions 0B3C846C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 8 (Stop Respawn) is clear.

Flag writers in this mission: set local flag 8 (Stop Respawn) at Disable Destroy Respawn (093DAB5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team _ROM DESTROY 2 (08FFF96C) at waypoint 29 (cell 93, 30).
2. Disable Regen _Rom ok (0B3CC8DC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7154, Events line 7288, Actions line 7422.

31. REGEN _ROM DESTROY 3 - 092FFDBC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092FFB8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _ROM DESTROY 3 (08FFF3DC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7155, Events line 7289, Actions line 7423.

32. REGEN _ROM DESTROY 4 - 092FFA9C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092FF86C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _ROM DESTROY 4 (08FFEC8C) at waypoint 29 (cell 93, 30).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7156, Events line 7290, Actions line 7424.

33. REGEN _ROM DESTROY 5 - 092FF77C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092FA49C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team _ROM DESTROY 5 (08FFE6FC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7157, Events line 7291, Actions line 7425.

34. REGEN _ROM DESTROY 6 - 092FA3AC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 092FCB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team _ROM DESTROY 6 (08FFE16C) at waypoint 29 (cell 93, 30).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7158, Events line 7292, Actions line 7426.

35. Romanov Slave - 09135C9C

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Free (091357DC).

Attached scope: tag definitions 091358CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Romanov Captured) is set.

Flag writers in this mission: set local flag 1 (Romanov Captured) at Romanov Captured (0915E18C); clear local flag 1 (Romanov Captured) at Free Romanov (06859E1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Romanov! (0B3BBA4C).
2. Create/recruit team _Captured Romanov (05B84B7C).
3. Disable Romanov Slave (09135C9C).
4. Enable and reset applicable timers for Romanov Free (091357DC).
5. Disable Obj 2 Speech (091FF36C).
6. Disable Obj 2 Kill Base (0438410C).
7. Enable and reset applicable timers for Obj 3 Rescue Romanov (043844EC).
8. Enable and reset applicable timers for Obj 3 Speech (04382BEC).
9. Play voice notification Mis_xS4_RomanovIAmCaptured.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7159, Events line 7293, Actions line 7427.

36. Romanov Free - 091357DC

Owner reference: British. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Slave (09135C9C).

Attached scope: tag definitions 0913528C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Romanov Captured) is clear.

Flag writers in this mission: set local flag 1 (Romanov Captured) at Romanov Captured (0915E18C); clear local flag 1 (Romanov Captured) at Free Romanov (06859E1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) _Captured Romanov 2 (05B8421C).
2. Create/recruit team _Freed Romanov 2 (05B87C8C).
3. Disable Romanov Free (091357DC).
4. Enable and reset applicable timers for Romanov Slave (09135C9C).
5. Disable Obj 3 Rescue Romanov (043844EC).
6. Disable Obj 3 Speech (04382BEC).
7. Enable and reset applicable timers for Obj 2 Speech (091FF36C).
8. Enable and reset applicable timers for Obj 2 Kill Base (0438410C).
9. Play voice notification Mis_xS4_RomanovCured.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7160, Events line 7294, Actions line 7428.

37. Obj 3 Rescue Romanov - 043844EC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Slave (09135C9C).

Attached scope: tag definitions 04382CDC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Rescue Romanov from Yuri's control” (MISSION:RecoverRomanov).
2. Create radar-event marker type 1 at waypoint 27 (cell 118, 33).
3. Reveal terrain around waypoint 27 (cell 118, 33).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7161, Events line 7295, Actions line 7429.

38. Obj 3 Speech - 04382BEC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Slave (09135C9C).

Attached scope: tag definitions 0438262C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS4_RomanovHelpMe.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7162, Events line 7296, Actions line 7430.

39. Romanov Slave 2 - 093435EC

Owner reference: British. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093432EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Romanov Changed Bri) is set.

Flag writers in this mission: clear local flag 3 (Romanov Changed Bri) at Romanov Slave 2 (093435EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) _Captured Romanov (05B84B7C).
2. Create/recruit team _Captured Romanov 2 (05B8421C).
3. Clear local flag 3 (Romanov Changed Bri).

4. Enable and reset applicable timers for Zofia Rom Captured (0438F09C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7163, Events line 7297, Actions line 7431.

40. Zofia Rom Captured - 0438F09C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Romanov Slave 2 (093435EC).

Attached scope: tag definitions 0438EB8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS4_ZofiaRomanovCaptured.
2. Disable Zofia Rom Captured (0438F09C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7164, Events line 7298, Actions line 7432.

41. Power Low - 0CEA333C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Power Up (0CEA4E5C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Power Low (0CEA333C).
3. Enable and reset applicable timers for Power Up (0CEA4E5C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7165, Events line 7299, Actions line 7433.

42. Power Up - 0CEA4E5C

Owner reference: Africans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Power Low (0CEA333C).

Incoming activation links: enable from Power Low (0CEA333C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Power Full: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Change House: owner selector 5 (country/type AFRICANS; placed owner Africans).
2. Disable Power Up (0CEA4E5C).
3. Enable and reset applicable timers for Power Low (0CEA333C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7166, Events line 7300, Actions line 7434.

43. Arab Enemy - 043B96BC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043B914C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 3 (country/type GERMANS; placed owner Germans).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7167, Events line 7301, Actions line 7435.

44. Hate Germany! - 0B4D344C

Owner reference: Special. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B4D49AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 3 (country/type GERMANS; placed owner Germans).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7168, Events line 7302, Actions line 7436.

45. End IT! Respawn - 0437F64C

Owner reference: Special. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Barracks (YABRCK), owner Alliance, cell (35, 92), tag 04384B3C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 7 (It House Destroyed).
2. Set local flag 27 (Light 2).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7169, Events line 7303, Actions line 7437.

46. Disable Destroy Respawn - 093DAB5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Barracks (YABRCK), owner YuriCountry, cell (92, 27), tag 093D8ADC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 8 (Stop Respawn).
2. Disable REGEN _ROM DESTROY 4 (092FFA9C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7170, Events line 7304, Actions line 7438.

47. It's Safe! V1 - 0682762C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0682473C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 301 (global list position: Yuri Construction Yard (YACNST)). A map-local type-list change can affect index interpretation.
2. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xS4_ZofiaSafeToEvac.
2. Disable Obj 2 Kill Base (0438410C).
3. Disable Obj 2 Speech (091FF36C).
4. Enable and reset applicable timers for Obj 4 To the Airport (09965F3C).
5. Set local flag 18 (It's Safe).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7171, Events line 7305, Actions line 7439.

48. Obj 4 To the Airport - 09965F3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from It's Safe! V1 (0682762C).

Attached scope: tag definitions 099659BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Take Romanov to the airport where he can be transported away safely” (MISSION:TakeRomanov).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7172, Events line 7306, Actions line 7440.

49. Turn Off Power - 0BCDC0FC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BD0744C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Disable Power Up (0CEA4E5C).
2. Set local flag 5 (Low Power).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7173, Events line 7307, Actions line 7441.

50. Power Down For Good - 0924A18C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Power Up (0CEA4E5C).

Attached scope: Nuclear Reactor (NANRCT), owner Africans, cell (4, 100), tag 0CEA4F4C, persistence mode 2.

Wait for the recorded events:

1. local flag 5 (Low Power) is set.

Flag writers in this mission: set local flag 5 (Low Power) at Turn Off Power (0BCDC0FC); set local flag 5 (Low Power) at Power Off For Good (089F57BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Power Down For Good (0924A18C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7174, Events line 7308, Actions line 7442.

51. Iron Curtain - 09327F3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093278CC (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.
2. Building exists: type index 10 (global list position: Soviet Battle Lab (NATECH)). A map-local type-list change can affect index interpretation.
3. local flag 1 (Romanov Captured) is clear.

Flag writers in this mission: set local flag 1 (Romanov Captured) at Romanov Captured (0915E18C); clear local flag 1 (Romanov Captured) at Free Romanov (06859E1C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for _Rom's Iron Curtain (068A958C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7175, Events line 7309, Actions line 7443.

52. Free Romanov - 06859E1C

Owner reference: Special. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _REGEN IT! (0925E44C).

Attached scope: tag definitions 0925DD2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Clear local flag 1 (Romanov Captured).
2. Disable Zofia Rom Captured (0438F09C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7176, Events line 7310, Actions line 7444.

53. Psychic Smash 1 - 092DE21C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Africans, cell (94, 33), tag 092DC1FC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 10 (PsychicSmash1).
2. Disable Introduce Psychic Towers (077FF3EC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7177, Events line 7311, Actions line 7445.

54. Introduce Psychic Towers - 077FF3EC

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 9 tagged map cells: (94, 45), (95, 45), (96, 45), (97, 45), (98, 45), (94, 46), (98, 46), (94, 47), (98, 47); tag 094A406C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Reveal terrain around waypoint 110 (cell 96, 34).
2. Play voice notification Unit_Sofia_PsychTower.
3. Flash buildings of type YAPSYT; duration argument 90.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7178, Events line 7312, Actions line 7446.

55. Psychic Smash 2 - 0C06FF3C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Africans, cell (98, 33), tag 0C06E2CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 11 (PsychicSmash2).
2. Disable Introduce Psychic Towers (077FF3EC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7179, Events line 7313, Actions line 7447.

56. Psychic Smash 3 - 0CC7567C

Owner reference: Africans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Africans, cell (112, 29), tag 0CC77D1C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 12 (PsychicSmash3).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7180, Events line 7314, Actions line 7448.

57. Psychic Smash 1b - 0CC73C4C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (10, 107), tag 0CC7230C, persistence mode 0.

Wait for the recorded events:

1. local flag 10 (PsychicSmash1) is set.

Flag writers in this mission: set local flag 10 (PsychicSmash1) at Psychic Smash 1 (092DE21C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7181, Events line 7315, Actions line 7449.

58. Psychic Smash 2b - 0CC7131C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (14, 111), tag 0CC7116C, persistence mode 0.

Wait for the recorded events:

1. local flag 11 (PsychicSmash2) is set.

Flag writers in this mission: set local flag 11 (PsychicSmash2) at Psychic Smash 2 (0C06FF3C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7182, Events line 7316, Actions line 7450.

59. Psychic Smash 3b - 0CC706EC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner YuriCountry, cell (18, 115), tag 0CC7C43C, persistence mode 0.

Wait for the recorded events:

1. local flag 12 (PsychicSmash3) is set.

Flag writers in this mission: set local flag 12 (PsychicSmash3) at Psychic Smash 3 (0CC7567C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7183, Events line 7317, Actions line 7451.

60. Break Moving Guards - 0BBB692C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Barracks (YABRCK), owner YuriCountry, cell (96, 63), tag 0BBB63AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) _Moving Guards (0CD0F93C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7184, Events line 7318, Actions line 7452.

61. Evil-Go-Round 1 - 0B587C2C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil-Go-Round 5 (0B583A5C).

Attached scope: tag definitions 0B58755C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 300 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Yuri Attack! (08DFE0EC).
2. Enable and reset applicable timers for Evil-Go-Round 2 (0B58746C).
3. Disable Evil-Go-Round 1 (0B587C2C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7185, Events line 7319, Actions line 7453.

62. Evil-Go-Round 2 - 0B58746C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil-Go-Round 1 (0B587C2C).

Attached scope: tag definitions 0B58722C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 200 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Y Brute Force (0C5096CC).
2. Enable and reset applicable timers for Evil-Go-Round 3 (0B58713C).
3. Disable Evil-Go-Round 2 (0B58746C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7186, Events line 7320, Actions line 7454.

63. Evil-Go-Round 3 - 0B58713C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil-Go-Round 2 (0B58746C).

Attached scope: tag definitions 0B583E7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 400 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Lots O Initiates (0C5146CC).
2. Enable and reset applicable timers for Evil-Go-Round 4 (0B583D8C).
3. Disable Evil-Go-Round 3 (0B58713C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7187, Events line 7321, Actions line 7455.

64. Evil-Go-Round 4 - 0B583D8C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil-Go-Round 3 (0B58713C).

Attached scope: tag definitions 0B583B4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 350 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Harvester Attack (0C71293C).
2. Enable and reset applicable timers for Evil-Go-Round 5 (0B583A5C).
3. Disable Evil-Go-Round 4 (0B583D8C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7188, Events line 7322, Actions line 7456.

65. Evil-Go-Round 5 - 0B583A5C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Evil-Go-Round 4 (0B583D8C).

Attached scope: tag definitions 0B58353C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 350 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Lots O Initiates (0C5146CC).
2. Enable and reset applicable timers for Evil-Go-Round 1 (0B587C2C).
3. Disable Evil-Go-Round 5 (0B583A5C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7189, Events line 7323, Actions line 7457.

66. Hey! Intro here! - 0931CAFC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0931C36C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _Conscript1Move (0690DEFC).
2. Create/recruit team _Conscript2Move (0690F22C).
3. Create/recruit team _Conscript3Move (0690BC0C).
4. Create/recruit team _Conscript4Move (0690B71C).
5. Create/recruit team _Conscript5Move (092EC2EC).
6. Create/recruit team _Conscript6Move (092EA90C).
7. Create/recruit team _Conscript7Move (092EA6CC).
8. Create/recruit team _Conscript8Move (092E990C).
9. Supply reinforcement team _Rhino1Move (08F4893C).
10. Supply reinforcement team _Rhino2Move (08F4848C).
11. Create/recruit team _Rhino3Move (08F4DDEC).
12. Supply reinforcement team _Rhino4Move (08F4D93C).
13. Supply reinforcement team _MCVMove (0D2AC93C).
14. Disable player input.
15. Play voice notification EVA_EstablishBattlefieldControl.
16. Enable and reset applicable timers for Hey! Intro here! 1b (0972D7DC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7190, Events line 7324, Actions line 7458.

67. Hey! Intro here! 1b - 0972D7DC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro here! (0931CAFC).

Attached scope: tag definitions 0973010C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 45.
2. Enable and reset applicable timers for Hey! Intro UNLOCK (0CCC3B6C).
3. Enable and reset applicable timers for UnnecessaryExtraTrigger (0C6D3A7C).
4. Enable and reset applicable timers for MV Yuri Calling Rom (09258CFC).
5. Supply reinforcement team _S04_ Power Troops (0910AB7C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7191, Events line 7325, Actions line 7459.

68. Hey! Intro UNLOCK - 0CCC3B6C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro here! 1b (0972D7DC).

Attached scope: tag definitions 0CCC32FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 137 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Enable and reset applicable timers for Get It On! (0B3F507C).
3. Play voice notification EVA_BattlefieldControlOnline.
4. Enable and reset applicable timers for Obj 1 Find Romanov! (091FF64C).
5. Enable and reset applicable timers for Obj 1 Speech (0438493C).
6. Enable and reset applicable timers for Ping Rom Easy 1 (0B14C8AC).
7. Enable and reset applicable timers for Ping Rom Easy 2 (0B14C23C).
8. Create/recruit team _S04_Brute Demo (093B0EFC).
9. Create/recruit team _S04_Brute Patrol 1 (08F16D7C).
10. Create/recruit team _S04_Brute Patrol 2 (08F1632C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7192, Events line 7326, Actions line 7460.

69. UnnecessaryExtraTrigger - 0C6D3A7C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro here! 1b (0972D7DC).

Attached scope: tag definitions 0C6D327C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S04_p01.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7193, Events line 7327, Actions line 7461.

70. MV Yuri Calling Rom - 09258CFC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro here! 1b (0972D7DC).

Attached scope: tag definitions 092585FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 46.
2. Enable and reset applicable timers for SP Yuri - Can't Hide (0D1B563C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7194, Events line 7328, Actions line 7462.

71. Ping Rom Easy 1 - 0B14C8AC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro UNLOCK (0CCC3B6C).

Attached scope: tag definitions 0B14C32C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Romanov Found) is clear.
2. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 6 (Romanov Found) at Romanov Rescue Movie 2 (0524289C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 1 (cell 139, 69).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7195, Events line 7329, Actions line 7463.

72. Ping Rom Easy 2 - 0B14C23C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Hey! Intro UNLOCK (0CCC3B6C).

Attached scope: tag definitions 0B14FCDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Romanov Found) is clear.
2. 900 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 6 (Romanov Found) at Romanov Rescue Movie 2 (0524289C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Reveal terrain around waypoint 1 (cell 139, 69).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7196, Events line 7330, Actions line 7464.

73. SP Yuri - Can't Hide - 0D1B563C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from MV Yuri Calling Rom (09258CFC).

Attached scope: tag definitions 0D1B53FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Romanov Found) is clear.
2. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 6 (Romanov Found) at Romanov Rescue Movie 2 (0524289C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS4_YuriOnlyHideSoLong.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7197, Events line 7331, Actions line 7465.

74. _Introduce the Demo Truck - 093F822C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C0B1F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.
2. Building exists: type index 13 (global list position: Radar Tower (NARADR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable _Introduce the Demo Truck (093F822C).
2. Enable and reset applicable timers for _Introduce Again! (0BCFCA8C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7198, Events line 7332, Actions line 7466.

75. _Introduce Again! - 0BCFCA8C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce the Demo Truck (093F822C).

Attached scope: tag definitions 0BCFC5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.

2. Enable and reset applicable timers for _Introduce DT 2 (0C0B0F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7199, Events line 7333, Actions line 7467.

76. _Introduce DT 2 - 0C0B0F3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Introduce Again! (0BCFCA8C).

Attached scope: tag definitions 0C0B003C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash cameo/type DTRUCK; additional configured duration/location argument 90.
2. Play voice notification Unit_Sofia_DemoTruck.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7200, Events line 7334, Actions line 7468.

77. Set1 - 0923EBAC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Set local flag 13 (Set1).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7201, Events line 7335, Actions line 7469.

78. Set1Undo - 0923E24C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Set1 (0923EBAC).

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (51, 67), tag 0923E4BC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 13 (Set1).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7202, Events line 7336, Actions line 7470.

79. Set4 - 0923FBBC

Owner reference: YuriCountry2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Alliance, cell (45, 82), tag 0923FADC, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 16 (Set4).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7203, Events line 7337, Actions line 7471.

80. Set2 - 0923724C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Set local flag 14 (Set2).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7204, Events line 7338, Actions line 7472.

81. Set2Undo - 0B210DEC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Set2 (0923724C).

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (41, 113), tag 0B210EDC, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 14 (Set2).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7205, Events line 7339, Actions line 7473.

82. Set3 - 068C8E4C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Set local flag 15 (Set3).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7206, Events line 7340, Actions line 7474.

83. Set3Undo - 0923F45C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Set3 (068C8E4C).

Attached scope: Tech Oil Derrick (CAOILD), owner Neutral, cell (160, 68), tag 0923F54C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Clear local flag 15 (Set3).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7207, Events line 7341, Actions line 7475.

84. Set5 - 0923F9EC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable Set5 (0682068C).

Attached scope: 1 tagged map cells: (57, 85); tag 068CA46C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Enable and reset applicable timers for Set5b (06820F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7208, Events line 7342, Actions line 7476.

85. Set5b - 06820F3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Set5 (0923F9EC).

Attached scope: tag definitions 06820C2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team PB1 (0BE696CC).
2. Supply reinforcement team PB2 (06823A1C).
3. Supply reinforcement team PB3 (0682349C).
4. Supply reinforcement team PB4 (06824A6C).
5. Supply reinforcement team PB5 (0682457C).
6. Supply reinforcement team PB6 (06825B0C).
7. Supply reinforcement team PB7 (0682559C).
8. Supply reinforcement team PB8 (0682506C).
9. Supply reinforcement team PB9 (06826B3C).
10. Supply reinforcement team PB10 (068265CC).
11. Supply reinforcement team PB11 (0682609C).
12. Supply reinforcement team PB12 (06827B7C).
13. Supply reinforcement team PB13 (0682760C).
14. Supply reinforcement team PB14 (0B1FD1FC).
15. Supply reinforcement team PB15 (0439F88C).
16. Supply reinforcement team PB16 (0682111C).
17. Supply reinforcement team PB17 (0682124C).
18. Supply reinforcement team PB18 (0C0B672C).
19. Supply reinforcement team PB19 (0682211C).
20. Supply reinforcement team PB20 (0439F64C).
21. Enable and reset applicable timers for Part2 (0BAD7F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7209, Events line 7343, Actions line 7477.

86. Part2 - 0BAD7F3C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Set5b (06820F3C).

Attached scope: tag definitions 0BAD77AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Set5 (0923F9EC).
2. Disable Set5b (06820F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7210, Events line 7344, Actions line 7478.

87. Enable Set5 - 0682068C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 068200CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 13 (Set1) is set.
2. local flag 14 (Set2) is set.
3. local flag 15 (Set3) is set.
4. local flag 16 (Set4) is set.

Flag writers in this mission: set local flag 13 (Set1) at Set1 (0923EBAC); clear local flag 13 (Set1) at Set1Undo (0923E24C); set local flag 14 (Set2) at Set2 (0923724C); clear local flag 14 (Set2) at Set2Undo (0B210DEC); set local flag 15 (Set3) at Set3 (068C8E4C); clear local flag 15 (Set3) at Set3Undo (0923F45C); set local flag 16 (Set4) at Set4 (0923FBBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Set5 (0923F9EC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7211, Events line 7345, Actions line 7479.

88. Set5bUndo - 06821F3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 8 tagged map cells: (56, 84), (57, 84), (58, 84), (56, 85), (58, 85), (56, 86), (57, 86), (58, 86); tag 06821D8C, persistence mode 2.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Disable Set5b (06820F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7212, Events line 7346, Actions line 7480.

89. _Reinforcements 1 - 09412AFC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0941091C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 6.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcements 1 (075D3C8C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for _Reinforcements 1a (078356AC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7213, Events line 7347, Actions line 7481.

90. _Reinforcements 1a - 078356AC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Reinforcements 1 (09412AFC).

Attached scope: tag definitions 078352CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound ApocalypseSelect.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7214, Events line 7348, Actions line 7482.

91. _Reinforcements 2 - 094132BC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0943F94C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, #: 15.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcements 2 (0789FEFC).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for _Reinforcements 2a (078312EC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7215, Events line 7349, Actions line 7483.

92. _Reinforcements 2a - 078312EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Reinforcements 2 (094132BC).

Attached scope: tag definitions 07832CDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound DesolatorSelect.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7216, Events line 7350, Actions line 7484.

93. _Reinforcements 3 - 0943EF3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0943AACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, #: 3.

Then perform these actions in order:

1. Supply reinforcement team _Easy Reinforcements 3 (075D332C).
2. Play voice notification EVA_ReinforcementsHaveArrived.
3. Enable and reset applicable timers for _Reinforcements 3a (0783424C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7217, Events line 7351, Actions line 7485.

94. _Reinforcements 3a - 0783424C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Reinforcements 3 (0943EF3C).

Attached scope: tag definitions 0783164C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound ApocalypseSelect.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7218, Events line 7352, Actions line 7486.

95. Our Engine is Fun! - 043C590C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043C568C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _Rom Search 1 (08FF2B7C).
2. Create/recruit team _Rom Search 2 (08FF221C).
3. Create/recruit team _Rom Search 3 (08FF1B7C).
4. Create/recruit team _Rom Search 4 (08FF113C).
5. Create/recruit team _Rom Search 5 (08FF0A9C).
6. Create/recruit team _Rom Search 6 (08FF050C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7219, Events line 7353, Actions line 7487.

96. Garrison Teams Easy - 0972C2FC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0972D8CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _Garrison Team 1 (08DFAB5C).
2. Supply reinforcement team _Garrison Team 2 (08DFA6AC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7220, Events line 7354, Actions line 7488.

97. Moving Cam - 0FC311DC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0FB4104C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 52 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 32 (cell 103, 19).
2. Move the camera to waypoint 32 (cell 103, 19) with speed setting 3.
3. Enable and reset applicable timers for Moving Cam 2 (097A004C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7221, Events line 7355, Actions line 7489.

98. Moving Cam 2 - 097A004C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Moving Cam (0FC311DC).

Attached scope: tag definitions 097A14CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 700 (cell 92, 81).
2. Reveal terrain around waypoint 38 (cell 102, 81).
3. Reveal terrain around waypoint 33 (cell 93, 60).
4. Reveal terrain around waypoint 34 (cell 99, 60).
5. Reveal terrain around waypoint 91 (cell 97, 72).
6. Move the camera to waypoint 91 (cell 97, 72) with speed setting 3.
7. Enable and reset applicable timers for Moving Cam 3 (0FB4003C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7222, Events line 7356, Actions line 7490.

99. Moving Cam 3 - 0FB4003C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Moving Cam 2 (097A004C).

Attached scope: tag definitions 0FB4B04C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 13 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 0 (cell 81, 139) with speed setting 3.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7223, Events line 7357, Actions line 7491.

100. @Sounds - Crickets - 0984D66C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09853F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_CricketDesert at waypoint 0 (cell 81, 139).
2. Play sound _Amb_CricketDesert at waypoint 92 (cell 64, 135).

3. Play sound _Amb_CricketDesert at waypoint 93 (cell 96, 131).
4. Play sound _Amb_CricketDesert at waypoint 94 (cell 73, 117).
5. Play sound _Amb_CricketDesert at waypoint 95 (cell 53, 112).
6. Play sound _Amb_CricketDesert at waypoint 96 (cell 62, 94).
7. Play sound _Amb_CricketChirps at waypoint 97 (cell 88, 107).
8. Play sound _Amb_CricketDesert at waypoint 98 (cell 110, 116).
9. Play sound _Amb_CricketDesert at waypoint 99 (cell 69, 83).
10. Play sound _Amb_CricketDesert at waypoint 21 (cell 96, 98).
11. Play sound _Amb_CricketDesert at waypoint 100 (cell 48, 86).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7224, Events line 7358, Actions line 7492.

101. @Sounds - Crickets 2 - 0CD0712C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CD0704C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_CricketDesert at waypoint 67 (cell 49, 74).
2. Play sound _Amb_CricketDesert at waypoint 40 (cell 66, 70).
3. Play sound _Amb_CricketDesert at waypoint 101 (cell 71, 56).
4. Play sound _Amb_CricketDesert at waypoint 13 (cell 89, 70).
5. Play sound _Amb_CricketChirps at waypoint 15 (cell 107, 70).
6. Play sound _Amb_CricketDesert at waypoint 23 (cell 115, 101).
7. Play sound _Amb_CricketDesert at waypoint 24 (cell 132, 101).
8. Play sound _Amb_CricketDesert at waypoint 25 (cell 134, 86).
9. Play sound _Amb_CricketDesert at waypoint 102 (cell 115, 58).
10. Play sound _Amb_CricketChirps at waypoint 17 (cell 133, 59).
11. Play sound _Amb_CricketDesert at waypoint 19 (cell 148, 69).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7225, Events line 7359, Actions line 7493.

102. @Sounds - Crickets 3 - 0CD1E3AC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CD1FDAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound _Amb_CricketDesert at waypoint 103 (cell 116, 39).
2. Play sound _Amb_CricketChirps at waypoint 104 (cell 99, 43).
3. Play sound _Amb_CricketDesert at waypoint 105 (cell 84, 40).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7226, Events line 7360, Actions line 7494.

103. It's Safe? - 097AD9AC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 4 tagged map cells: (94, 53), (95, 53), (96, 53), (97, 53); tag 097AD0FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 3 (country/type GERMANS; placed owner Germans).
2. local flag 18 (It's Safe) is clear.

Flag writers in this mission: set local flag 18 (It's Safe) at It's Safe! V1 (0682762C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS4_ZofiaStopRomanov.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7227, Events line 7361, Actions line 7495.

104. Wandering Camels - 0D0D4CAC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D10077C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Wandering Camel (0690F06C).
2. Create/recruit team Wandering Camel 2 (069DEADC).
3. Create/recruit team Wandering Camel 3 (097B147C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7228, Events line 7362, Actions line 7496.

105. Brute Set - 0D10005C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Brute (BRUTE), owner YuriCountry, cell (79, 103), tag 0D101DEC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Flash team _S04_Brute Demo (093B0EFC) with duration setting 90.
2. Play voice notification Unit_Sofia_Brute.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7229, Events line 7363, Actions line 7497.

106. Rom in Yuri Base - 07A5981C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A590EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 20 (Rom In Yuri Base) is set.

Then perform these actions in order:

1. Play voice notification Mis_xS4_RomanovHelpMe.
2. Disable Rom in Yuri Base (07A5981C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7230, Events line 7364, Actions line 7498.

107. Power Off For Good - 089F57BC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089F9E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Bio Reactor (YAPOWR) exist on the map, under this event's ownership scope.
2. No instances of Yuri Construction Yard (YACNST) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 5 (Low Power).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7231, Events line 7365, Actions line 7499.

108. Med - Xtra Power - 075E947C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 075EAEEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _S04_Xtra Power (08A47EFC) at waypoint 111 (cell 89, 28).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7232, Events line 7366, Actions line 7500.

109. Hard - Xtra Power - 075EAC0C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 075EA9CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _S04_Xtra Power (08A47EFC) at waypoint 112 (cell 108, 16).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7233, Events line 7367, Actions line 7501.

110. Dumb Player - 097304AC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0973358C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7234, Events line 7368, Actions line 7502.

111. Gattling Killed 1 - 078276EC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Arabs, cell (92, 34), tag 07825A2C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 21 (Gattling 1).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7235, Events line 7369, Actions line 7503.

112. Gattling Killed 1b - 0782593C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (20, 117), tag 078256FC, persistence mode 0.

Wait for the recorded events:

1. local flag 21 (Gattling 1) is set.

Flag writers in this mission: set local flag 21 (Gattling 1) at Gattling Killed 1 (078276EC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7236, Events line 7370, Actions line 7504.

113. Gattling Killed 2 - 078250CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Arabs, cell (100, 34), tag 07824E7C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 22 (Gattling 2).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7237, Events line 7371, Actions line 7505.

114. Gattling Killed 3 - 07824B0C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Arabs, cell (100, 21), tag 078248CC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 23 (Gattling 3).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7238, Events line 7372, Actions line 7506.

115. Gattling Killed 4 - 078247DC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Arabs, cell (106, 21), tag 0782459C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 24 (Gattling 4).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7239, Events line 7373, Actions line 7507.

116. Gattling Killed 5 - 078244AC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07823EAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 25 (Gattling 5).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7240, Events line 7374, Actions line 7508.

117. Gattling Killed 6 - 07823DBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner Arabs, cell (106, 15), tag 07823CDC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 26 (Gattling 6).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7241, Events line 7375, Actions line 7509.

118. Gattling Killed 2b - 078230CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (22, 119), tag 0782536C, persistence mode 0.

Wait for the recorded events:

1. local flag 22 (Gattling 2) is set.

Flag writers in this mission: set local flag 22 (Gattling 2) at Gattling Killed 2 (078250CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7242, Events line 7376, Actions line 7510.

119. Gattling Killed 3b - 07829D1C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (24, 121), tag 07828C6C, persistence mode 0.

Wait for the recorded events:

1. local flag 23 (Gattling 3) is set.

Flag writers in this mission: set local flag 23 (Gattling 3) at Gattling Killed 3 (07824B0C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7243, Events line 7377, Actions line 7511.

120. Gattling Killed 4b - 07828B7C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (26, 123), tag 0782893C, persistence mode 0.

Wait for the recorded events:

1. local flag 24 (Gattling 4) is set.

Flag writers in this mission: set local flag 24 (Gattling 4) at Gattling Killed 4 (078247DC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7244, Events line 7378, Actions line 7512.

121. Gattling Killed 5b - 05E0D9AC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05E0D42C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 25 (Gattling 5) is set.

Flag writers in this mission: set local flag 25 (Gattling 5) at Gattling Killed 5 (078244AC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7245, Events line 7379, Actions line 7513.

122. Gattling Killed 6b - 05E0D33C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Gattling Cannon (YAGGUN), owner YuriCountry, cell (30, 127), tag 05E0EE7C, persistence mode 0.

Wait for the recorded events:

1. local flag 26 (Gattling 6) is set.

Flag writers in this mission: set local flag 26 (Gattling 6) at Gattling Killed 6 (07823DBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7246, Events line 7380, Actions line 7514.

123. Power Down For Good 2 - 0778FBCC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Low Power) is set.

Flag writers in this mission: set local flag 5 (Low Power) at Turn Off Power (0BCDC0FC); set local flag 5 (Low Power) at Power Off For Good (089F57BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Power Down For Good 2 (0778FBCC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7247, Events line 7381, Actions line 7515.

124. Power Up 2 - 07788F3C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Power Down For Good 2 (0778FBCC).

Incoming activation links: enable from Power Low 2 (07789F3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Power Full: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Change House: owner selector 6 (country/type ARABS; placed owner Arabs).
2. Disable Power Up 2 (07788F3C).
3. Enable and reset applicable timers for Power Low 2 (07789F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7248, Events line 7382, Actions line 7516.

125. Power Low 2 - 07789F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Power Up 2 (07788F3C).

Incoming activation links: enable from Power Up 2 (07788F3C).

Attached scope: Nuclear Reactor (NANRCT), owner Arabs, cell (33, 129), tag 0778FAEC, persistence mode 2.

Wait for the recorded events:

1. Low Power: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Then perform these actions in order:

1. Change House: owner selector 12 (country/type NEUTRAL; placed owner Neutral).
2. Disable Power Low 2 (07789F3C).
3. Enable and reset applicable timers for Power Up 2 (07788F3C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7249, Events line 7383, Actions line 7517.

126. Kill Base 2 Light - 05B545FC

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (32, 93), tag 05B52DDC, persistence mode 0.

Wait for the recorded events:

1. local flag 27 (Light 2) is set.

Flag writers in this mission: set local flag 27 (Light 2) at End IT! Respawn (0437F64C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7250, Events line 7384, Actions line 7518.

127. Kill Base 1 Light - 05B523FC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (92, 23), tag 05B521BC, persistence mode 0.

Wait for the recorded events:

1. local flag 28 (Light 1) is set.

Flag writers in this mission: set local flag 28 (Light 1) at Blow Up Light 1 (05B7F1CC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7251, Events line 7385, Actions line 7519.

128. Blow Up Light 1 - 05B7F1CC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05B7B98C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Yuri Construction Yard (YACNST) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Set local flag 28 (Light 1).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7252, Events line 7386, Actions line 7520.

129. Easy Reinforcments 2a - 078347BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0783457C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound CrazyIvanAttackCommand.

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7253, Events line 7387, Actions line 7521.

130. Garrison Team Normal - 0762A5AC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0762BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _Garrison Team 5 (08DFB7DC).
2. Supply reinforcement team _Garrison Team 6 (08DFB32C).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7254, Events line 7388, Actions line 7522.

131. Garrison Team Hard - 0762BE5C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0762BA7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _Garrison Team 3 (08DFA1FC).
2. Supply reinforcement team _Garrison Team 4 (08DFBC8C).
3. Supply reinforcement team _Garrison Team 7 (08DFCDEC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7255, Events line 7389, Actions line 7523.

132. Break Base Defense - 0852486C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bio Reactor (YAPOWR), owner Alliance, cell (32, 101), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (40, 102), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (40, 98), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (40, 86), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (36, 86), tag 0852421C, persistence mode 0; Yuri War Factory (YAWEAP), owner Alliance, cell (24, 91), tag 0852421C, persistence mode 0; Yuri Battle Lab (YATECH), owner Alliance, cell (24, 97), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (35, 98), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (29, 96), tag 0852421C, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (32, 86), tag 0852421C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) _Cap Base Defense 1 (0B3CEDEC).
2. Remove instances of the team organization (not automatically its surviving objects) _Cap Base Defense 2 (0B3CFDEC).

Source locator: mapsmd03.mix/sov04dmd.map; Triggers line 7256, Events line 7390, Actions line 7524.

All team rosters and ordered plans | All mission overrides

Operation: Romanov on the Run - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov04dmd.map; each team/script ID identifies its section.

Romanov! - 0B3BBA4C

Owner: Germans. Roster: 1 × Premier Romanov (RMNV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Romanov! (0B3BB7DC).

1. Move to waypoint: waypoint 1 (cell 139, 69).

Romanov Rescue! - 089D5EFC

Owner: Germans. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Romanov Rescue! (089D5C8C).

1. Move to waypoint: waypoint 4 (cell 103, 20).
2. Set local flag: local flag 29 (Landed).

Romanov Escape! - 0AEC3DEC

Owner: Germans. Roster: 1 × Premier Romanov (RMNV); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: E.

Ordered plan: Rescue (0AEC3B7C).

1. Load transport.
2. Set local flag: local flag 0 (Romaov In!).
3. Move to waypoint: waypoint 5 (cell 136, 39).
4. Delete team objects.

_Rom Search 1 - 08FF2B7C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: _Rom Search 1 (0B47C03C).

1. Attack-move toward waypoint: waypoint 16 (cell 124, 70).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 19 (cell 148, 69).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 20 (cell 153, 61).
6. Guard for interval; configured argument 5.
7. Jump to script line; configured argument 1.

_Cap Base Defense 1 - 0B3CEDEC

Owner: YuriCountry. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: _Cap Base Defense 1 (0B3CEB7C).

1. Attack-move toward waypoint: waypoint 9 (cell 42, 96).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 8 (cell 42, 92).
4. Guard for interval; configured argument 5.
5. Jump to script line; configured argument 1.

_Rom Search 2 - 08FF221C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _Rom Search 2 (0B7B5DBC).

1. Attack-move toward waypoint: waypoint 25 (cell 134, 86).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 19 (cell 148, 69).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 17 (cell 133, 59).
6. Guard for interval; configured argument 5.
7. Jump to script line; configured argument 1.

_Rom Search 3 - 08FF1B7C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: _Rom Search 3 (0B43C16C).

1. Attack-move toward waypoint: waypoint 17 (cell 133, 59).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 20 (cell 153, 61).
6. Guard for interval; configured argument 5.
7. Jump to script line; configured argument 1.

_Cap Base Defense 2 - 0B3CFDEC

Owner: YuriCountry. Roster: 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: H.

Ordered plan: _Cap Base Defense 2 (0B3CFB7C).

1. Attack-move toward waypoint: waypoint 6 (cell 46, 92).
2. Guard for interval; configured argument 2.
3. Attack-move toward waypoint: waypoint 7 (cell 46, 96).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 6 (cell 46, 92).
6. Guard for interval; configured argument 6.
7. Attack-move toward waypoint: waypoint 7 (cell 46, 96).
8. Guard for interval; configured argument 3.
9. Jump to script line; configured argument 1.

_Rom Search 4 - 08FF113C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: -1; Veteran Level: 1; Technology level: 0.

Ordered plan: _Rom Search 4 (092A384C).

1. Attack-move toward waypoint: waypoint 12 (cell 103, 77).
2. Guard for interval; configured argument 3.
3. Attack-move toward waypoint: waypoint 15 (cell 107, 70).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 16 (cell 124, 70).
6. Guard for interval; configured argument 2.
7. Jump to script line; configured argument 1.

_Rom Search 5 - 08FF0A9C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AA.

Ordered plan: _Rom Search 5 (0926777C).

1. Attack-move toward waypoint: waypoint 20 (cell 153, 61).
2. Guard for interval; configured argument 2.
3. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 16 (cell 124, 70).
6. Guard for interval; configured argument 2.
7. Jump to script line; configured argument 1.

_Rom Search 6 - 08FF050C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _Rom Search 6 (092A18CC).

1. Attack-move toward waypoint: waypoint 20 (cell 153, 61).
2. Guard for interval; configured argument 2.
3. Attack-move toward waypoint: waypoint 17 (cell 133, 59).
4. Guard for interval; configured argument 3.
5. Attack-move toward waypoint: waypoint 15 (cell 107, 70).
6. Guard for interval; configured argument 3.
7. Jump to script line; configured argument 1.

_IT! - 090B26FC

Owner: Special. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: _it! (0C1C029C).

1. Seek/attack target category; configured argument 4.
2. Move to waypoint: waypoint 27 (cell 118, 33).
3. Adopt object mission: guard.

_ROM DESTROY 2 - 08FFF96C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 175; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _ROM DESTROY 2 (0C50D50C).

1. Seek/attack target category; configured argument 4.
2. Adopt object mission: area guard.

_ROM DESTROY 3 - 08FFF3DC

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 150; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _ROM DESTROY 3 (0B6A91DC).

1. Seek/attack target category; configured argument 5.
2. Adopt object mission: area guard.

_ROM DESTROY 4 - 08FFEC8C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 125; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _ROM DESTROY 4 (0B738DBC).

1. Seek/attack target category; configured argument 4.
2. Adopt object mission: area guard.

_ROM DESTROY 5 - 08FFE6FC

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _ROM DESTROY 5 (0B73A06C).

1. Seek/attack target category; configured argument 1.
2. Adopt object mission: area guard.

_ROM DESTROY 6 - 08FFE16C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 75; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _ROM DESTROY 6 (0B73BA9C).

1. Seek/attack target category; configured argument 4.
2. Adopt object mission: area guard.

_Captured Romanov - 05B84B7C

Owner: Special. Roster: 1 × Premier Romanov (RMNV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 100; Veteran Level: 1; Technology level: 0.

Ordered plan: _Captured Romanov (05B8490C).

1. Change country ownership; configured argument 4.
2. Set local flag: local flag 3 (Romanov Changed Bri).

_Captured Romanov 2 - 05B8421C

Owner: British. Roster: 1 × Premier Romanov (RMNV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _Captured Romanov 2 (05B87DBC).

1. Move to waypoint: waypoint 27 (cell 118, 33).
2. Set local flag: local flag 20 (Rom In Yuri Base).
3. Adopt object mission: sleep.

_Freed Romanov 2 - 05B87C8C

Owner: Germans. Roster: 1 × Premier Romanov (RMNV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: _Freed Romanov 2 (0CBDC90C).

1. Guard for interval; configured argument 1.

Y Gatting Team 1 - 08DF86CC

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 112; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Gattling Team 1 (08DF845C).

1. Attack selected enemy-building category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Y Base Defense 1 - 0B602A4C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 1 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Y Base Defense 1 (0B75090C).

1. Adopt object mission: area guard.

Y Base Defense 2 - 0B60259C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Y Base Defense 2 (0B75045C).

1. Adopt object mission: area guard.

Y Brute Force - 0C5096CC

Owner: YuriCountry. Roster: 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 90; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Brute Force (0C50945C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Attack selected enemy-building category; configured argument 15.
4. Seek/attack target category; configured argument 1.

_Garrison Team 1 - 08DFAB5C

Owner: YuriCountry. Roster: 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: _Garrison Team 2 (07726B7C).

1. Attack waypoint: waypoint 33 (cell 93, 60).
2. Enter neutral occupiable building.

_Garrison Team 2 - 08DFA6AC

Owner: YuriCountry. Roster: 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: _Garrison Team 2 (077266CC).

1. Attack waypoint: waypoint 34 (cell 99, 60).
2. Enter neutral occupiable building.

_Garrison Team 3 - 08DFA1FC

Owner: YuriCountry. Roster: 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: _Garrison Team 3 (0772621C).

1. Attack waypoint: waypoint 35 (cell 120, 73).
2. Enter neutral occupiable building.

_Garrison Team 4 - 08DFBC8C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: _Garrison Team 4 (07722B7C).

1. Attack waypoint: waypoint 36 (cell 127, 67).
2. Enter neutral occupiable building.

_Garrison Team 5 - 08DFB7DC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: _Garrison Team 5 (07742DBC).

1. Attack waypoint: waypoint 37 (cell 86, 67).
2. Enter neutral occupiable building.

_Garrison Team 6 - 08DFB32C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: _Garrison Team 6 (0776559C).

1. Attack waypoint: waypoint 38 (cell 102, 81).
2. Enter neutral occupiable building.

_Garrison Team 7 - 08DFCDEC

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: _Garrison Team 7 (07762DBC).

1. Attack waypoint: waypoint 39 (cell 74, 73).
2. Enter neutral occupiable building.

_Moving Guards - 0CD0F93C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: _Moving Guards (0B6706CC).

1. Attack-move toward waypoint: waypoint 13 (cell 89, 70).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 22 (cell 96, 78).
4. Attack-move toward waypoint: waypoint 12 (cell 103, 77).
5. Guard for interval; configured argument 4.
6. Attack-move toward waypoint: waypoint 15 (cell 107, 70).
7. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
8. Guard for interval; configured argument 5.
9. Attack-move toward waypoint: waypoint 20 (cell 153, 61).
10. Guard for interval; configured argument 3.
11. Attack-move toward waypoint: waypoint 17 (cell 133, 59).
12. Guard for interval; configured argument 5.
13. Attack-move toward waypoint: waypoint 11 (cell 98, 62).
14. Guard for interval; configured argument 3.
15. Jump to script line; configured argument 1.

Attack Tech - 0C5166CC

Owner: YuriCountry. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 112; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Tech Attack (0C51645C).

1. Seek/attack target category; configured argument 11.
2. Report team success.

Harvester Attack - 0C71293C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 90; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Harvester Attack (0C515DBC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 1.

Lasher League - 0C71248C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 115; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Lasher League (0C71221C).

1. Gather near enemy base; configured argument 0.

2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 3.
5. Seek/attack target category; configured argument 1.

Gattling Fun Team - 08DFD47C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Gattling Fun Team (08DFD20C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 1.

ITX - 092C469C

Owner: Special. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: ITX (092CE25C).

1. Attack-move toward waypoint: waypoint 27 (cell 118, 33).

Initiate Rush! - 0C514B7C

Owner: YuriCountry. Roster: 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Initiate Rush (0C51490C).

1. Attack selected enemy-building category; configured argument 131083.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131096.
4. Seek/attack target category; configured argument 1.

Lots O Initiates - 0C5146CC

Owner: YuriCountry. Roster: 6 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 95; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Lots O Initiates (0C51445C).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 131081.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri Attack! - 08DFE0EC

Owner: YuriCountry. Roster: 5 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 112; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Attack! (0C7146CC).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 5.

3. Report team success.
4. Adopt object mission: area guard.

More Yuri Clones - 08DFFB7C

Owner: YuriCountry. Roster: 5 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: More Yuri Clones (0C51390C).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

_Conscript1Move - 0690DEFC

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: Conscript1Move (0690F55C).

1. Move to waypoint: waypoint 41 (cell 78, 135).

_Conscript2Move - 0690F22C

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: Conscript2Move (0690BDBC).

1. Move to waypoint: waypoint 42 (cell 80, 134).

_Conscript3Move - 0690BC0C

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: Conscript3Move (0690B88C).

1. Move to waypoint: waypoint 43 (cell 82, 134).

_Conscript4Move - 0690B71C

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: Conscript4Move (06908CAC).

1. Move to waypoint: waypoint 44 (cell 84, 135).

_Rhino1Move - 08F4893C

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: Rhino1Move (08F486CC).

1. Move to waypoint: waypoint 45 (cell 77, 138).

2. Set facing; configured argument 0.

_Rhino2Move - 08F4848C

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BJ.

Ordered plan: Rhino2Move (08F4821C).

1. Move to waypoint: waypoint 48 (cell 77, 141).
2. Set facing; configured argument 0.

_Rhino3Move - 08F4DDEC

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: Rhino3Move (08F4DB7C).

1. Move to waypoint: waypoint 46 (cell 85, 138).
2. Set facing; configured argument 0.

_Rhino4Move - 08F4D93C

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: Rhino4Move (08F4D6CC).

1. Move to waypoint: waypoint 47 (cell 85, 141).
2. Set facing; configured argument 0.

_MCVMove - 0D2AC93C

Owner: Russians. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: MCVMove (0D2AC6CC).

1. Move to waypoint: waypoint 0 (cell 81, 139).
2. Guard for interval; configured argument 49.
3. Deploy.

_Conscript5Move - 092EC2EC

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: Conscript5Move (092EAA3C).

1. Move to waypoint: waypoint 49 (cell 78, 144).

_Conscript6Move - 092EA90C

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BL.

Ordered plan: Conscript6Move (092E9DBC).

1. Move to waypoint: waypoint 50 (cell 80, 145).

_Conscript7Move - 092EA6CC

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: Conscript7Move (092E9A3C).

1. Move to waypoint: waypoint 51 (cell 82, 145).

_Conscript8Move - 092E990C

Owner: Russians. Roster: 1 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: Conscript8Move (09355DBC).

1. Move to waypoint: waypoint 52 (cell 84, 144).

PB1 - 0BE696CC

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB1 (06823D4C).

1. Move to waypoint: waypoint 84 (cell 45, 78).
2. Adopt object mission: sleep.

PB2 - 06823A1C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB2 (0682369C).

1. Move to waypoint: waypoint 83 (cell 46, 79).
2. Adopt object mission: sleep.

PB3 - 0682349C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB3 (06824DBC).

1. Move to waypoint: waypoint 82 (cell 47, 80).
2. Adopt object mission: sleep.

PB4 - 06824A6C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB4 (068246EC).

1. Move to waypoint: waypoint 85 (cell 48, 81).
2. Adopt object mission: sleep.

PB5 - 0682457C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB5 (06825DBC).

1. Move to waypoint: waypoint 86 (cell 49, 82).
2. Adopt object mission: sleep.

PB6 - 06825B0C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB6 (0682578C).

1. Move to waypoint: waypoint 81 (cell 48, 79).
2. Adopt object mission: sleep.

PB7 - 0682559C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB7 (0682521C).

1. Move to waypoint: waypoint 76 (cell 47, 76).
2. Adopt object mission: sleep.

PB8 - 0682506C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB8 (06826CAC).

1. Move to waypoint: waypoint 77 (cell 48, 77).
2. Adopt object mission: sleep.

PB9 - 06826B3C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB9 (068267BC).

1. Move to waypoint: waypoint 78 (cell 49, 78).
2. Adopt object mission: sleep.

PB10 - 068265CC

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB10 (0682624C).

1. Move to waypoint: waypoint 79 (cell 50, 79).
2. Adopt object mission: sleep.

PB11 - 0682609C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB11 (06827CAC).

1. Move to waypoint: waypoint 80 (cell 51, 80).

2. Adopt object mission: sleep.

PB12 - 06827B7C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB12 (068277FC).

1. Move to waypoint: waypoint 67 (cell 49, 74).
2. Adopt object mission: sleep.

PB13 - 0682760C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB13 (0682322C).

1. Move to waypoint: waypoint 68 (cell 50, 73).
2. Adopt object mission: sleep.

PB14 - 0B1FD1FC

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB14 (0439F9EC).

1. Move to waypoint: waypoint 69 (cell 51, 72).
2. Adopt object mission: sleep.

PB15 - 0439F88C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB15 (0682148C).

1. Move to waypoint: waypoint 70 (cell 51, 74).
2. Adopt object mission: sleep.

PB16 - 0682111C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB16 (068241FC).

1. Move to waypoint: waypoint 71 (cell 52, 75).
2. Adopt object mission: sleep.

PB17 - 0682124C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB17 (0B1FCB9C).

1. Move to waypoint: waypoint 72 (cell 53, 76).
2. Adopt object mission: sleep.

PB18 - 0C0B672C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB18 (06822AFC).

1. Move to waypoint: waypoint 74 (cell 53, 78).
2. Adopt object mission: sleep.

PB19 - 0682211C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB19 (0C0B6A0C).

1. Move to waypoint: waypoint 73 (cell 54, 77).
2. Adopt object mission: sleep.

PB20 - 0439F64C

Owner: Russians. Roster: 1 × Polar Bear (POLARB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: PB20 (06828DBC).

1. Move to waypoint: waypoint 75 (cell 55, 76).
2. Adopt object mission: sleep.

E_Team 1 - 0939CB7C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 105; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: E_Team 1 (092C340C).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Report team success.
5. Seek/attack target category; configured argument 3.
6. Report team success.
7. Seek/attack target category; configured argument 1.

E_Team 2 - 0939C6CC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 130; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: E_Team 2 (0C52790C).

1. Seek/attack target category; configured argument 1.
2. Report team success.
3. Attack selected enemy-building category; configured argument 11.
4. Attack selected enemy-building category; configured argument 25.

_Let there be Lashers! - 0BCC821C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 115; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Lashers Revenge (0BD5154C).

1. Attack-move toward waypoint: waypoint 88 (cell 102, 132).
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 5.

Brute Force - 0C52721C

Owner: YuriCountry. Roster: 3 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 90; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Brute Force (0BD5EC6C).

1. Attack-move toward waypoint: waypoint 87 (cell 58, 123).
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.

_Easy Reinforcements 1 - 075D3C8C

Owner: Russians. Roster: 3 × Rhino Heavy Tank (HTNK); 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: 094121EC (094121EC).

1. Move to waypoint: waypoint 49 (cell 78, 144).

_Easy Reinforcements 2 - 0789FEFC

Owner: Russians. Roster: 3 × Desolator (DESO); 2 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: 0941486C (0941486C).

1. Move to waypoint: waypoint 47 (cell 85, 141).

_Easy Reinforcements 3 - 075D332C

Owner: Russians. Roster: 3 × Apocalypse (APOC); 4 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CL.

Ordered plan: 09410CAC (09410CAC).

1. Move to waypoint: waypoint 49 (cell 78, 144).

Wandering Camel - 0690F06C

Owner: Neutral. Roster: 1 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CV.

Ordered plan: Wandering 1 (0D0D728C).

1. Move to waypoint: waypoint 96 (cell 62, 94).
2. Guard for interval; configured argument 2.
3. Move to waypoint: waypoint 95 (cell 53, 112).

4. Guard for interval; configured argument 3.
5. Move to waypoint: waypoint 87 (cell 58, 123).
6. Guard for interval; configured argument 2.
7. Move to waypoint: waypoint 94 (cell 73, 117).
8. Guard for interval; configured argument 5.
9. Move to waypoint: waypoint 21 (cell 96, 98).
10. Guard for interval; configured argument 3.
11. Move to waypoint: waypoint 99 (cell 69, 83).
12. Jump to script line; configured argument 1.

Wandering Camel 2 - 069DEADC

Owner: Neutral. Roster: 1 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CX.

Ordered plan: Wandering 2 (097B183C).

1. Move to waypoint: waypoint 102 (cell 115, 58).
2. Guard for interval; configured argument 3.
3. Move to waypoint: waypoint 106 (cell 131, 43).
4. Guard for interval; configured argument 5.
5. Move to waypoint: waypoint 102 (cell 115, 58).
6. Guard for interval; configured argument 6.
7. Move to waypoint: waypoint 101 (cell 71, 56).
8. Jump to script line; configured argument 1.

Wandering Camel 3 - 097B147C

Owner: Neutral. Roster: 1 × Camel (CAML)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DD.

Ordered plan: Wandering 3 (097B120C).

1. Move to waypoint: waypoint 26 (cell 115, 83).
2. Guard for interval; configured argument 2.
3. Move to waypoint: waypoint 18 (cell 138, 75).
4. Guard for interval; configured argument 3.
5. Move to waypoint: waypoint 24 (cell 132, 101).
6. Guard for interval; configured argument 2.
7. Move to waypoint: waypoint 107 (cell 102, 110).
8. Guard for interval; configured argument 8.
9. Jump to script line; configured argument 1.

_S04_Brute Demo - 093B0EFC

Owner: YuriCountry. Roster: 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DF.

Ordered plan: Destroy (093B0C8C).

1. Move to waypoint: waypoint 113 (cell 81, 127).
2. Seek/attack target category; configured argument 5.

_S04_Xtra Power - 08A47EFC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Enter Bio Reactor (075EC6AC).

1. Enter Bio Reactor.

_S04_Brute Patrol 1 - 08F16D7C

Owner: YuriCountry. Roster: 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Patrol Romanov Area 1 (08F10DBC).

1. Attack-move toward waypoint: waypoint 26 (cell 115, 83).
2. Guard for interval; configured argument 5.
3. Attack-move toward waypoint: waypoint 25 (cell 134, 86).
4. Guard for interval; configured argument 6.
5. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
6. Guard for interval; configured argument 4.
7. Attack-move toward waypoint: waypoint 26 (cell 115, 83).
8. Guard for interval; configured argument 6.
9. Attack-move toward waypoint: waypoint 25 (cell 134, 86).
10. Guard for interval; configured argument 7.
11. Jump to script line; configured argument 1.

_S04_Brute Patrol 2 - 08F1632C

Owner: YuriCountry. Roster: 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Patrol Romanove Area 2 (08F158EC).

1. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
2. Guard for interval; configured argument 6.
3. Attack-move toward waypoint: waypoint 25 (cell 134, 86).
4. Guard for interval; configured argument 4.
5. Attack-move toward waypoint: waypoint 19 (cell 148, 69).
6. Guard for interval; configured argument 7.
7. Attack-move toward waypoint: waypoint 25 (cell 134, 86).
8. Guard for interval; configured argument 5.
9. Attack-move toward waypoint: waypoint 18 (cell 138, 75).
10. Guard for interval; configured argument 6.
11. Jump to script line; configured argument 1.

_It #1 - 084EE51C

Owner: Special. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DK.

Ordered plan: _it! (0C1C029C).

1. Seek/attack target category; configured argument 4.
2. Move to waypoint: waypoint 27 (cell 118, 33).
3. Adopt object mission: guard.

_S04_ Power Troops - 0910AB7C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: DI.

Ordered plan: Climb into a Bio Reactor (05A96B0C).

1. Enter Bio Reactor.

Operation: Romanov on the Run - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov04dmd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Slave Miner Number	0,0,0	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	4000	5
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-2000	6
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	9
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	12
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	15
Terror Drone (DRON)	Production-time multiplier	1.0	18
Flak Track (HTK)	Production-time multiplier	1.0	21
V3 Launcher (V3)	Production-time multiplier	1.0	24
Apocalypse (APOC)	Production-time multiplier	1.0	27
Gattling Tank (YTNK)	Production-time multiplier	1.0	30
InvisibleTemperateMorningLamp (TEMMORLAMP)	Name	InvisibleTemperateMorningLamp	33
InvisibleTemperateMorningLamp (TEMMORLAMP)	Selectable	no	34
InvisibleTemperateMorningLamp (TEMMORLAMP)	Invisible In Game	yes	35
InvisibleTemperateMorningLamp (TEMMORLAMP)	Insignificant-object flag	yes	36
InvisibleTemperateMorningLamp (TEMMORLAMP)	Image	GALITE	37
InvisibleTemperateMorningLamp (TEMMORLAMP)	Starting health capacity	5000	38
InvisibleTemperateMorningLamp (TEMMORLAMP)	Local light reach	5000	39
InvisibleTemperateMorningLamp (TEMMORLAMP)	Local light intensity	0.01	40
InvisibleTemperateMorningLamp (TEMMORLAMP)	Light Red Tint	0.48	41
InvisibleTemperateMorningLamp (TEMMORLAMP)	Light Green Tint	0.2	42
InvisibleTemperateMorningLamp (TEMMORLAMP)	Light Blue Tint	0.01	43

Object/system	Property	Mission value	Source line
InvisibleSnowDuskLamp (SNODUSLAMP)	Name	InvisibleSnowDuskLamp	46
InvisibleSnowDuskLamp (SNODUSLAMP)	Selectable	no	47
InvisibleSnowDuskLamp (SNODUSLAMP)	Invisible In Game	yes	48
InvisibleSnowDuskLamp (SNODUSLAMP)	Insignificant-object flag	yes	49
InvisibleSnowDuskLamp (SNODUSLAMP)	Image	GALITE	50
InvisibleSnowDuskLamp (SNODUSLAMP)	Starting health capacity	6000	51
InvisibleSnowDuskLamp (SNODUSLAMP)	Local light reach	5000	52
InvisibleSnowDuskLamp (SNODUSLAMP)	Local light intensity	0.005	53
InvisibleSnowDuskLamp (SNODUSLAMP)	Light Red Tint	0.25	54
InvisibleSnowDuskLamp (SNODUSLAMP)	Light Green Tint	0.35	55
InvisibleSnowDuskLamp (SNODUSLAMP)	Light Blue Tint	-0.2	56
Tech Airport (CAAIRP)	Name	Tech Airport	59
Tech Airport (CAAIRP)	General immunity flag	yes	60
Tech Airport (CAAIRP)	Primary granted special weapon	none	61
Tech Airport (CAAIRP)	Engineer-capture permission	false	62
Tech Airport (CAAIRP)	Attached bombs permitted	no	63
Siege Chopper (SCHP)	Technology level	11	66
Virus (VIRUS)	Name	Yuri Virus	69
Virus (VIRUS)	Technology level	11	70
Floating Disc (DISK)	Name	Floating Disk	73
Floating Disc (DISK)	Technology level	11	74
Magnetron (TELE)	Name	Magnetron	77
Magnetron (TELE)	Technology level	11	78
Master Mind (MIND)	Name	Master Mind	81
Master Mind (MIND)	Technology level	11	82
Chaos Drone (CAOS)	Name	Chaos Drone	85
Chaos Drone (CAOS)	Technology level	11	86
Yuri Prime (YURIPR)	Technology level	11	89
Yuri MCV (PCV)	Name	Yuri Construction Vehicle	92
Yuri MCV (PCV)	Technology level	11	93
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	96
Psychic Dominator (YAPPET)	Technology level	11	97
Genetic Mutator (YAGNTC)	Name	Yuri Genetic Mutator Device	100
Genetic Mutator (YAGNTC)	Technology level	11	101
COUNTRIES (COUNTRIES)	0	YuriCountry2	104

Object/system	Property	Mission value	Source line
Camel (CAML)	Name	Animal Camel	133
Camel (CAML)	Primary	none	134
Camel (CAML)	Insignificant-object flag	yes	135
Kirov Airship (ZEP)	Name	Kirov Airship	138
Kirov Airship (ZEP)	Technology level	11	139
Rick's Place (CAMORR06)	Name	Morroco Bar 02	142
Rick's Place (CAMORR06)	General immunity flag	yes	143
Rick's Place (CAMORR06)	Legal Target	no	144
Rick's Place (CAMORR06)	Engineer-capture permission	false	145
Rick's Place (CAMORR06)	Occupants can fire	no	146
Rick's Place (CAMORR06)	Infantry garrison permitted	no	147
Yuri Naval Yard (YAYARD)	Name	Yuri Submarine Pen	150
Yuri Naval Yard (YAYARD)	Technology level	11	151
Boris (BORIS)	Name	Boris	154
Boris (BORIS)	Technology level	11	155
Nuclear Missile Silo (NAMISL)	Technology level	11	158
Soviet Shipyard (NAYARD)	Name	Soviet Shipyard	161
Soviet Shipyard (NAYARD)	Technology level	11	162
Demolition Truck (DTRUCK)	UI Name	Name:DTRUCK	165
Demolition Truck (DTRUCK)	Image	TRUCKA	166
Demolition Truck (DTRUCK)	Required countries	Russians	167
DEMOBOMB (DEMOBOMB)	Damage	450	170
Iron Curtain Device (NAIRON)	Technology level	11	173
Premier Romanov (RMNV)	Name	Romanov	176
Premier Romanov (RMNV)	Category	Civilian	177
Premier Romanov (RMNV)	Starting health capacity	100	178
Premier Romanov (RMNV)	Armor class	none	179
Premier Romanov (RMNV)	Technology level	11	180
Premier Romanov (RMNV)	Can be crushed	no	181
Premier Romanov (RMNV)	Insignificant-object flag	no	182
SPECIALFLAGS	Tiberium Grows	yes	185
SPECIALFLAGS	Tiberium Spreads	yes	186
SPECIALFLAGS	Tiberium Explosive	no	187
SPECIALFLAGS	Destroyable Bridges	no	188
SPECIALFLAGS	MCV Deploy	no	189
SPECIALFLAGS	Initial Veteran	no	190
SPECIALFLAGS	Fixed Alliance	no	191
SPECIALFLAGS	Harvester Immune	no	192
SPECIALFLAGS	Fog Of War	no	193
SPECIALFLAGS	Inert	no	194
SPECIALFLAGS	Ion Storms	no	195

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Meteorites	no	196
SPECIALFLAGS	Visceroids	no	197
VARIABLENAMES (VARIABLENAMES)	0	Romaov In!,0	247
VARIABLENAMES (VARIABLENAMES)	1	Romanov Captured,0	248
VARIABLENAMES (VARIABLENAMES)	2	It Dead,0	249
VARIABLENAMES (VARIABLENAMES)	3	Romanov Changed Bri,0	250
VARIABLENAMES (VARIABLENAMES)	4	Romanov Changed Ger,0	251
VARIABLENAMES (VARIABLENAMES)	5	Low Power,0	252
VARIABLENAMES (VARIABLENAMES)	6	Romanov Found,0	253
VARIABLENAMES (VARIABLENAMES)	7	It House Destroyed,0	254
VARIABLENAMES (VARIABLENAMES)	8	Stop Respawn,0	255
VARIABLENAMES (VARIABLENAMES)	9	Romanov Killed,0	256
VARIABLENAMES (VARIABLENAMES)	10	PsychicSmash1,0	257
VARIABLENAMES (VARIABLENAMES)	11	PsychicSmash2,0	258
VARIABLENAMES (VARIABLENAMES)	12	PsychicSmash3,0	259
VARIABLENAMES (VARIABLENAMES)	13	Set1,0	260
VARIABLENAMES (VARIABLENAMES)	14	Set2,0	261
VARIABLENAMES (VARIABLENAMES)	15	Set3,0	262
VARIABLENAMES (VARIABLENAMES)	16	Set4,0	263
VARIABLENAMES (VARIABLENAMES)	17	Set5,0	264
VARIABLENAMES (VARIABLENAMES)	18	It's Safe,0	265
VARIABLENAMES (VARIABLENAMES)	19	Rom Change Brit Bac,0	266
VARIABLENAMES (VARIABLENAMES)	20	Rom In Yuri Base,0	267
VARIABLENAMES (VARIABLENAMES)	21	Gattling 1,0	268
VARIABLENAMES (VARIABLENAMES)	22	Gattling 2,0	269
VARIABLENAMES (VARIABLENAMES)	23	Gattling 3,0	270
VARIABLENAMES (VARIABLENAMES)	24	Gattling 4,0	271
VARIABLENAMES (VARIABLENAMES)	25	Gattling 5,0	272
VARIABLENAMES (VARIABLENAMES)	26	Gattling 6,0	273
VARIABLENAMES (VARIABLENAMES)	27	Light 2,0	274
VARIABLENAMES (VARIABLENAMES)	28	Light 1,0	275
VARIABLENAMES (VARIABLENAMES)	29	Landed,0	276
America (AMERICANS)	Country	Americans	316
America (AMERICANS)	Technology level	0	317
America (AMERICANS)	Credits	0	318
America (AMERICANS)	IQ	0	319
America (AMERICANS)	Edge	North	320
America (AMERICANS)	Player Control	no	321
America (AMERICANS)	Color	Purple	322
America (AMERICANS)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	323
America (AMERICANS)	Percent Built	0	324

Object/system	Property	Mission value	Source line
America (AMERICANS)	Node Count	0	325
Korea (ALLIANCE)	Country	YuriCountry2	328
Korea (ALLIANCE)	Technology level	1	329
Korea (ALLIANCE)	Credits	100	330
Korea (ALLIANCE)	IQ	1	331
Korea (ALLIANCE)	Edge	North	332
Korea (ALLIANCE)	Player Control	no	333
Korea (ALLIANCE)	Color	Purple	334
Korea (ALLIANCE)	Allies	Americans,Alliance,French,British,Africans,Arabs,Confederation,YuriCountry,GDI,Nod,Neutral,Special	335
Korea (ALLIANCE)	Percent Built	0	336
Korea (ALLIANCE)	Node Count	0	337
France (FRENCH)	Country	French	340
France (FRENCH)	Technology level	1	341
France (FRENCH)	Credits	0	342
France (FRENCH)	IQ	0	343
France (FRENCH)	Edge	North	344
France (FRENCH)	Player Control	no	345
France (FRENCH)	Color	Purple	346
France (FRENCH)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs,Confederation,YuriCountry,GDI,Nod,Neutral,Special	347
France (FRENCH)	Percent Built	0	348
France (FRENCH)	Node Count	0	349
Germany (GERMANS)	Country	Germans	352
Germany (GERMANS)	Technology level	1	353
Germany (GERMANS)	Credits	0	354
Germany (GERMANS)	IQ	0	355
Germany (GERMANS)	Edge	North	356
Germany (GERMANS)	Player Control	yes	357
Germany (GERMANS)	Color	DarkRed	358
Germany (GERMANS)	Allies	Germans,British,Russians	359
Germany (GERMANS)	Percent Built	0	360
Germany (GERMANS)	Node Count	0	361
Great Britain (BRITISH)	Country	British	364
Great Britain (BRITISH)	Technology level	1	365
Great Britain (BRITISH)	Credits	0	366
Great Britain (BRITISH)	IQ	0	367
Great Britain (BRITISH)	Edge	North	368
Great Britain (BRITISH)	Player Control	no	369
Great Britain (BRITISH)	Color	Purple	370
Great Britain (BRITISH)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special	371

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Percent Built	0	372
Great Britain (BRITISH)	Node Count	0	373
Libya (AFRICANS)	Country	Africans	376
Libya (AFRICANS)	Technology level	10	377
Libya (AFRICANS)	Credits	150	378
Libya (AFRICANS)	IQ	5	379
Libya (AFRICANS)	Edge	North	380
Libya (AFRICANS)	Player Control	no	381
Libya (AFRICANS)	Color	Purple	382
Libya (AFRICANS)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	383
Libya (AFRICANS)	Percent Built	0	384
Libya (AFRICANS)	Node Count	0	385
Iraq (ARABS)	Country	Arabs	388
Iraq (ARABS)	Technology level	10	389
Iraq (ARABS)	Credits	1500	390
Iraq (ARABS)	IQ	5	391
Iraq (ARABS)	Edge	North	392
Iraq (ARABS)	Player Control	no	393
Iraq (ARABS)	Color	Purple	394
Iraq (ARABS)	Allies	Americans,Alliance,French,British,Africans,Arabs,Confeder ation,YuriCountry,GDI,Nod,Neutral,Special	395
Iraq (ARABS)	Percent Built	0	396
Iraq (ARABS)	Node Count	0	397
Cuba (CONFEDERATION)	Country	Confederation	400
Cuba (CONFEDERATION)	Technology level	1	401
Cuba (CONFEDERATION)	Credits	0	402
Cuba (CONFEDERATION)	IQ	0	403
Cuba (CONFEDERATION)	Edge	North	404
Cuba (CONFEDERATION)	Player Control	no	405
Cuba (CONFEDERATION)	Color	Purple	406
Cuba (CONFEDERATION)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	407
Cuba (CONFEDERATION)	Percent Built	0	408
Cuba (CONFEDERATION)	Node Count	0	409
Russia (RUSSIANS)	Country	Russians	412
Russia (RUSSIANS)	Technology level	10	413
Russia (RUSSIANS)	Credits	80	414
Russia (RUSSIANS)	IQ	0	415
Russia (RUSSIANS)	Edge	South	416
Russia (RUSSIANS)	Player Control	yes	417
Russia (RUSSIANS)	Color	DarkRed	418

Object/system	Property	Mission value	Source line
Russia (RUSSIANS)	Allies	Germans,British,Russians	419
Russia (RUSSIANS)	Percent Built	0	420
Russia (RUSSIANS)	Node Count	0	421
Yuri (YURICOUNTRY)	Country	YuriCountry	424
Yuri (YURICOUNTRY)	Technology level	10	425
Yuri (YURICOUNTRY)	Credits	1500	426
Yuri (YURICOUNTRY)	IQ	1	427
Yuri (YURICOUNTRY)	Edge	North	428
Yuri (YURICOUNTRY)	Player Control	no	429
Yuri (YURICOUNTRY)	Color	Purple	430
Yuri (YURICOUNTRY)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	431
Yuri (YURICOUNTRY)	Percent Built	100	432
Yuri (YURICOUNTRY)	Node Count	6	433
Yuri (YURICOUNTRY)	000	YAPOWR,107,32	434
Yuri (YURICOUNTRY)	001	YAPOWR,105,32	435
Yuri (YURICOUNTRY)	002	YAPOWR,103,32	436
Yuri (YURICOUNTRY)	003	YAPOWR,113,19	437
Yuri (YURICOUNTRY)	004	YAPOWR,88,30	438
Yuri (YURICOUNTRY)	005	YAPOWR,111,17	439
GDI (GDI)	Country	GDI	442
GDI (GDI)	Technology level	1	443
GDI (GDI)	Credits	0	444
GDI (GDI)	IQ	0	445
GDI (GDI)	Edge	North	446
GDI (GDI)	Player Control	no	447
GDI (GDI)	Color	Gold	448
GDI (GDI)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	449
GDI (GDI)	Percent Built	0	450
GDI (GDI)	Node Count	0	451
Nod (NOD)	Country	Nod	454
Nod (NOD)	Technology level	1	455
Nod (NOD)	Credits	0	456
Nod (NOD)	IQ	0	457
Nod (NOD)	Edge	North	458
Nod (NOD)	Player Control	no	459
Nod (NOD)	Color	Gold	460
Nod (NOD)	Allies	Americans,Alliance,French,Germans,British,Africans,Arabs, Confederation,YuriCountry,GDI,Nod,Neutral,Special	461
Nod (NOD)	Percent Built	0	462
Nod (NOD)	Node Count	0	463

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	Country	Neutral	466
Civilian (NEUTRAL)	Technology level	1	467
Civilian (NEUTRAL)	Credits	0	468
Civilian (NEUTRAL)	IQ	0	469
Civilian (NEUTRAL)	Edge	North	470
Civilian (NEUTRAL)	Player Control	no	471
Civilian (NEUTRAL)	Color	Grey	472
Civilian (NEUTRAL)	Allies	Neutral	473
Civilian (NEUTRAL)	Percent Built	0	474
Civilian (NEUTRAL)	Node Count	0	475
JP (SPECIAL)	Country	Special	478
JP (SPECIAL)	Technology level	10	479
JP (SPECIAL)	Credits	500	480
JP (SPECIAL)	IQ	5	481
JP (SPECIAL)	Edge	North	482
JP (SPECIAL)	Player Control	no	483
JP (SPECIAL)	Color	Purple	484
JP (SPECIAL)	Allies	Americans,Alliance,French,British,Africans,Arabs,Confederation,Russians,YuriCountry,GDI,Nod,Neutral,Special	485
JP (SPECIAL)	Percent Built	0	486
JP (SPECIAL)	Node Count	0	487

Operation: Escape Velocity

Campaign reading guide | Engine

Operation: Escape Velocity

sov05umd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (188)
- Arabs (19)
- Yuri2Country (18)
- Neutral (6)
- Germans (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov05umd.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov05umd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov05umd.map. **Effective extracted member:** mapsmd03.mix/sov05umd.map. **Trigger definitions:** 115.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Russians
Theater	NEWURBAN
Map size	0,0,135,145
Visible local rectangle	2,4,131,135
Placed vehicles	20
Placed infantry	122
Placed structures	92
Placed aircraft	0
Team templates	122

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	0	Americans
1	Alliance	0	Alliance
2	French	0	French
3	Germans	500	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	100	Russians
9	YuriCountry	500	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special
14	Yuri2Country	500	Yuri2

Local state flags at initialization

Flag	Meaning label and initial value
0	Sub Pen Destroyed,0
1	MCV @ AI,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Loser (09442BBC)	Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.
_Winner (094429EC)	35 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Every trigger, in file order

1. SP1.1_Movie_Zof Intro - 09563D6C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0956367C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable player input.
2. Play in-game movie 49.
3. Enable and reset applicable timers for SP1.2_Squids Move (0956358C).
4. Reveal terrain around waypoint 699 (cell 138, 21).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11039, Events line 11156, Actions line 11273.

2. SP1.2_Squids Move - 0956358C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.1_Movie_Zof Intro (09563D6C).

Attached scope: tag definitions 095634AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Squid 1 (095EBDBC).
2. Supply reinforcement team TM_Sov_Squid 2 (095EB94C).
3. Supply reinforcement team TM_Sov_Squid 3 (095EB52C).
4. Enable and reset applicable timers for SP1.3_Subs Move (095633BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11040, Events line 11157, Actions line 11274.

3. SP1.3_Subs Move - 095633BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.2_Squids Move (0956358C).

Attached scope: tag definitions 095632DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Sub 1 (095EB14C).
2. Supply reinforcement team TM_Sov_Sub 2 (095ECC8C).
3. Supply reinforcement team TM_Sov_Sub 3 (095EC8EC).
4. Supply reinforcement team TM_Sov_Sub 4 (095EC54C).
5. Enable and reset applicable timers for SP1.4_Scorpion 1 Move (095631EC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11041, Events line 11158, Actions line 11275.

4. SP1.4_Scorpion 1 Move - 095631EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.3_Subs Move (095633BC).

Attached scope: tag definitions 0956310C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Scorpion 1 (095EC1AC).
2. Enable and reset applicable timers for SP1.5_MCV Trans Move (09564F3C).
3. Enable and reset applicable timers for _Loser (09442BBC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11042, Events line 11159, Actions line 11276.

5. SP1.5_MCV Trans Move - 09564F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.4_Scorpion 1 Move (095631EC).

Attached scope: tag definitions 09564E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_1 MCV_2 Rhino (094B31CC).
2. Enable and reset applicable timers for SP1.6_Battle Group Move (09564D6C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11043, Events line 11160, Actions line 11277.

6. _Loser - 09442BBC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.4_Scorpion 1 Move (095631EC).

Attached scope: tag definitions 09442ADC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11044, Events line 11161, Actions line 11278.

7. SP1.6_Battle Group Move - 09564D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.5_MCV Trans Move (09564F3C).

Attached scope: tag definitions 09564C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_Dreadnought 1 (095ED64C).
2. Supply reinforcement team TM_Sov_Dreadnought 2 (095ED26C).
3. Supply reinforcement team TM_Sov_Dreadnought 3 (095ED0FC).
4. Supply reinforcement team TM_Sov_Scorpion 2 (095EE67C).
5. Supply reinforcement team TM_Sov_Scorpion 3 (095EE2DC).
6. Supply reinforcement team TM_Sov_Scorpion 4 (095EFEBC).
7. Supply reinforcement team TM_Sov_Scorpion 5 (095EFB1C).
8. Supply reinforcement team TM_Sov_1 Trans_12 Conscript (0C942C8C).
9. Supply reinforcement team TM_Sov_1 Trans_3 Flak Trak (095EEA1C).
10. Enable and reset applicable timers for SP1.7_Audio_Brief 1 (09564B9C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11045, Events line 11162, Actions line 11279.

8. SP1.7_Audio_Brief 1 - 09564B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.6_Battle Group Move (09564D6C).

Attached scope: tag definitions 09564ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing01.
2. Enable and reset applicable timers for SP1.8_Audio_Brief 2 (095649CC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11046, Events line 11163, Actions line 11280.

9. SP1.8_Audio_Brief 2 - 095649CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.7_Audio_Brief 1 (09564B9C).

Attached scope: tag definitions 095648EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing02.
2. Jump the camera to waypoint 35 (cell 49, 138).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP1.9_Audio_Brief 3 (095647FC).
5. Reveal terrain around waypoint 35 (cell 49, 138).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11047, Events line 11164, Actions line 11281.

10. SP1.9_Audio_Brief 3 - 095647FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.8_Audio_Brief 2 (095649CC).

Attached scope: tag definitions 0956471C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing03.
2. Jump the camera to waypoint 36 (cell 115, 66).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP1.10_Audio_Brief 4 (0956462C).
5. Reveal terrain around waypoint 36 (cell 115, 66).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11048, Events line 11165, Actions line 11282.

11. SP1.10_Audio_Brief 4 - 0956462C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.9_Audio_Brief 3 (095647FC).

Attached scope: tag definitions 0956454C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing04.
2. Jump the camera to waypoint 37 (cell 214, 122).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP1.11_Audio_Brief 5 (0956436C).
5. Reveal terrain around waypoint 37 (cell 214, 122).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11049, Events line 11166, Actions line 11283.

12. SP1.11_Audio_Brief 5 - 0956436C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.10_Audio_Brief 4 (0956462C).

Attached scope: tag definitions 0956428C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing05.
2. Create radar-event marker type 0 at waypoint 61 (cell 137, 150).
3. Enable and reset applicable timers for SP1.12_Audio_Brief 6 (0956419C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11050, Events line 11167, Actions line 11284.

13. SP1.12_Audio_Brief 6 - 0956419C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.11_Audio_Brief 5 (0956436C).

Attached scope: tag definitions 095640BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing06.
2. Jump the camera to waypoint 38 (cell 139, 183).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP1.13_Audio_Brief 7 (09565F3C).
5. Reveal terrain around waypoint 38 (cell 139, 183).
6. Reveal terrain around waypoint 62 (cell 154, 180).
7. Reveal terrain around waypoint 63 (cell 159, 183).
8. Enable and reset applicable timers for SP1.12a_Camera Move (0E6D433C).
9. Reveal terrain around waypoint 69 (cell 146, 180).
10. Reveal terrain around waypoint 70 (cell 148, 186).
11. Reveal terrain around waypoint 71 (cell 137, 182).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11051, Events line 11168, Actions line 11285.

14. SP1.13_Audio_Brief 7 - 09565F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.12_Audio_Brief 6 (0956419C).

Attached scope: tag definitions 09565E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing07.
2. Enable and reset applicable timers for SP1.14_Radar Ping 1 (09565D6C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11052, Events line 11169, Actions line 11286.

15. SP1.12a_Camera Move - 0E6D433C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.12_Audio_Brief 6 (0956419C).

Attached scope: tag definitions 0E6D410C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 68 (cell 155, 183) with speed setting 2.
2. Enable and reset applicable timers for SP1.12b_Camera Move 2 (0796B7CC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11053, Events line 11170, Actions line 11287.

16. SP1.14_Radar Ping 1 - 09565D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.13_Audio_Brief 7 (09565F3C).

Attached scope: tag definitions 09565C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 39 (cell 123, 39).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.15_Radar Ping 2 (09565B9C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11054, Events line 11171, Actions line 11288.

17. SP1.12b_Camera Move 2 - 0796B7CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.12a_Camera Move (0E6D433C).

Attached scope: tag definitions 0796B4FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 38 (cell 139, 183) with speed setting 2.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11055, Events line 11172, Actions line 11289.

18. SP1.15_Radar Ping 2 - 09565B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.14_Radar Ping 1 (09565D6C).

Attached scope: tag definitions 09565ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 40 (cell 106, 48).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.16_Radar Ping 3 (095659CC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11056, Events line 11173, Actions line 11290.

19. SP1.16_Radar Ping 3 - 095659CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.15_Radar Ping 2 (09565B9C).

Attached scope: tag definitions 095658EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 41 (cell 93, 62).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.17_Radar Ping 4 (095657FC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11057, Events line 11174, Actions line 11291.

20. SP1.17_Radar Ping 4 - 095657FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.16_Radar Ping 3 (095659CC).

Attached scope: tag definitions 0956571C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 42 (cell 76, 75).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.18_Radar Ping 5 (0956562C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11058, Events line 11175, Actions line 11292.

21. SP1.18_Radar Ping 5 - 0956562C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.17_Radar Ping 4 (095657FC).

Attached scope: tag definitions 0956554C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 43 (cell 64, 94).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.19_Radar Ping 6 (0956545C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11059, Events line 11176, Actions line 11293.

22. SP1.19_Radar Ping 6 - 0956545C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.18_Radar Ping 5 (0956562C).

Attached scope: tag definitions 0956537C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 44 (cell 53, 113).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.20_Radar Ping 7 (0956528C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11060, Events line 11177, Actions line 11294.

23. SP1.20_Radar Ping 7 - 0956528C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.19_Radar Ping 6 (0956545C).

Attached scope: tag definitions 095651AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 45 (cell 36, 128).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.21_Radar Ping 8 (095650BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11061, Events line 11178, Actions line 11295.

24. SP1.21_Radar Ping 8 - 095650BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.20_Radar Ping 7 (0956528C).

Attached scope: tag definitions 09566F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 46 (cell 47, 159).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.22_Radar Ping 9 (09566E5C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11062, Events line 11179, Actions line 11296.

25. SP1.22_Radar Ping 9 - 09566E5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.21_Radar Ping 8 (095650BC).

Attached scope: tag definitions 09566D7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 47 (cell 65, 179).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.23_Radar Ping 10 (0E98EE5C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11063, Events line 11180, Actions line 11297.

26. SP1.23_Radar Ping 10 - 0E98EE5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.22_Radar Ping 9 (09566E5C).

Attached scope: tag definitions 0E98ED7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 48 (cell 84, 204).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.24_Radar Ping 11 (0E98EC8C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11064, Events line 11181, Actions line 11298.

27. SP1.24_Radar Ping 11 - 0E98EC8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.23_Radar Ping 10 (0E98EE5C).

Attached scope: tag definitions 0E98EBAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 49 (cell 108, 223).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.25_Radar Ping 12 (0E98EABC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11065, Events line 11182, Actions line 11299.

28. SP1.25_Radar Ping 12 - 0E98EABC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.24_Radar Ping 11 (0E98EC8C).

Attached scope: tag definitions 0E98E9DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 50 (cell 134, 224).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.26_Radar Ping 13 (0E98E8EC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11066, Events line 11183, Actions line 11300.

29. SP1.26_Radar Ping 13 - 0E98E8EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.25_Radar Ping 12 (0E98EABC).

Attached scope: tag definitions 0E98E80C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 51 (cell 152, 199).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.27_Radar Ping 14 (0E98E71C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11067, Events line 11184, Actions line 11301.

30. SP1.27_Radar Ping 14 - 0E98E71C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.26_Radar Ping 13 (0E98E8EC).

Attached scope: tag definitions 0E98E63C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 52 (cell 182, 205).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.28_Radar Ping 15 (0E98E54C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11068, Events line 11185, Actions line 11302.

31. SP1.28_Radar Ping 15 - 0E98E54C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.27_Radar Ping 14 (0E98E71C).

Attached scope: tag definitions 0E98E46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 53 (cell 205, 200).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.29_Radar Ping 16 (0E98E37C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11069, Events line 11186, Actions line 11303.

32. SP1.29_Radar Ping 16 - 0E98E37C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.28_Radar Ping 15 (0E98E54C).

Attached scope: tag definitions 0E98E29C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 54 (cell 221, 182).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.30_Radar Ping 17 (0E98E1AC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11070, Events line 11187, Actions line 11304.

33. SP1.30_Radar Ping 17 - 0E98E1AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.29_Radar Ping 16 (0E98E37C).

Attached scope: tag definitions 0E98E0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 55 (cell 237, 165).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.31_Radar Ping 18 (0E98FF3C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11071, Events line 11188, Actions line 11305.

34. SP1.31_Radar Ping 18 - 0E98FF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.30_Radar Ping 17 (0E98E1AC).

Attached scope: tag definitions 0E98FE5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 56 (cell 253, 145).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.32_Radar Ping 19 (0E98FD6C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11072, Events line 11189, Actions line 11306.

35. SP1.32_Radar Ping 19 - 0E98FD6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.31_Radar Ping 18 (0E98FF3C).

Attached scope: tag definitions 0E98FC8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 57 (cell 231, 121).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.33_Radar Ping 20 (0E98FB9C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11073, Events line 11190, Actions line 11307.

36. SP1.33_Radar Ping 20 - 0E98FB9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.32_Radar Ping 19 (0E98FD6C).

Attached scope: tag definitions 0E98FABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 58 (cell 204, 97).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.34_Radar Ping 21 (0E98F9CC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11074, Events line 11191, Actions line 11308.

37. SP1.34_Radar Ping 21 - 0E98F9CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.33_Radar Ping 20 (0E98FB9C).

Attached scope: tag definitions 0E98F8EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 59 (cell 181, 75).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.35_Radar Ping 22 (0E98F7FC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11075, Events line 11192, Actions line 11309.

38. SP1.35_Radar Ping 22 - 0E98F7FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.34_Radar Ping 21 (0E98F9CC).

Attached scope: tag definitions 0E98F71C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 60 (cell 162, 48).
2. Play sound MessageText.
3. Enable and reset applicable timers for SP1.36_Audio_Briefing 8 (0E98F62C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11076, Events line 11193, Actions line 11310.

39. SP1.36_Audio_Briefing 8 - 0E98F62C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.35_Radar Ping 22 (0E98F7FC).

Attached scope: tag definitions 0E98F54C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaBriefing08.
2. Jump the camera to waypoint 699 (cell 138, 21).
3. Play sound CameraSwitch.
4. Enable and reset applicable timers for SP1.37_End/Unlock (0E98F45C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11077, Events line 11194, Actions line 11311.

40. SP1.37_End/Unlock - 0E98F45C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.36_Audio_Briefing 8 (0E98F62C).

Attached scope: tag definitions 0E98F37C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Enable and reset applicable timers for Text/Ping_Objective 1 (079AC3AC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11078, Events line 11195, Actions line 11312.

41. Text/Ping_Objective 1 - 079AC3AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP1.37_End/Unlock (0E98F45C).

Attached scope: tag definitions 079AC2CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Pick a landing zone and construct a base.” (MISSION:Sov5Obj1).
2. Create radar-event marker type 1 at waypoint 35 (cell 49, 138).
3. Create radar-event marker type 1 at waypoint 36 (cell 115, 66).
4. Create radar-event marker type 1 at waypoint 37 (cell 214, 122).
5. Enable and reset applicable timers for Repeat_Text/Ping_Obj 1 (079B57EC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11079, Events line 11196, Actions line 11313.

42. Repeat_Text/Ping_Obj 1 - 079B57EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text/Ping_Objective 1 (079AC3AC).

Attached scope: tag definitions 079B570C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Pick a landing zone and construct a base.” (MISSION:Sov5Obj1).
2. Create radar-event marker type 1 at waypoint 35 (cell 49, 138).
3. Create radar-event marker type 1 at waypoint 36 (cell 115, 66).
4. Create radar-event marker type 1 at waypoint 37 (cell 214, 122).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11080, Events line 11197, Actions line 11314.

43. _Setup_Sov05_1 - 0976785C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 097673CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_Boomer @ AN (095AB25C).
2. Supply reinforcement team TM_Yuri_Boomer @ AO (095AC88C).
3. Supply reinforcement team TM_Yuri_Boomer @ AP (095AC39C).
4. Supply reinforcement team TM_Yuri_Boomer @ AQ (095ADEBC).
5. Supply reinforcement team TM_Yuri_Boomer @ AR (095ADA9C).
6. Supply reinforcement team TM_Yuri_Boomer @ AS (06B623CC).
7. Supply reinforcement team TM_Yuri_Boomer @ AT (06B63D8C).
8. Supply reinforcement team TM_Yuri_Boomer @ AU (06B6389C).
9. Supply reinforcement team TM_Yuri_Boomer @ AV (06B633FC).
10. Supply reinforcement team TM_Yuri_Boomer @ AW (06B64EFC).
11. Supply reinforcement team TM_Yuri_Boomer @ AX (06B64ADC).
12. Supply reinforcement team TM_Yuri_Boomer @ AY (06B6426C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11081, Events line 11198, Actions line 11315.

44. _Setup_Sov05_2 - 0EE100BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0EE11F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_Boomer @ BA (097A5EFC).
2. Supply reinforcement team TM_Yuri_Boomer @ BB (097A59FC).
3. Supply reinforcement team TM_Yuri_Boomer @ BC (097A7C8C).
4. Supply reinforcement team TM_Yuri_Boomer @ BD (097A78EC).
5. Supply reinforcement team TM_Yuri_Boomer @ BE (097A748C).
6. Supply reinforcement team TM_Yuri_Boomer @ BF (0979E77C).
7. Supply reinforcement team TM_Yuri_Boomer @ BG (095AAC8C).
8. Supply reinforcement team TM_Yuri_Boomer @ BH (095AA7EC).
9. Supply reinforcement team TM_Yuri_Boomer @ BI (095AA38C).
10. Supply reinforcement team TM_Yuri_3 Init_Back Base Def (0940FDEC).
11. Supply reinforcement team TM_Yuri_3 Init_Base Left Def (0968424C).
12. Supply reinforcement team TM_Yuri_3 Init_Base Right Def (09683C8C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11082, Events line 11199, Actions line 11316.

45. _Setup_Sov05_3 - 0BAF671C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAF663C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_2 Brute_2 Gatt_Back Base (0C81854C).
2. Supply reinforcement team TM_Yuri_4 Gatt_Sub Pen (0C8B6A4C).
3. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_L Top Base (0C8B156C).
4. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_LB Low In (0C8B2A4C).
5. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_LF Low In (0C8B26AC).
6. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_R Top Base (0C8B2DEC).
7. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_RB Low In (0C8B230C).
8. Supply reinforcement team TM_Yuri_3 Clone_2 Brute_RF Low In (0C8B3C8C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11083, Events line 11200, Actions line 11317.

46. _Setup_Sov05_4 - 0BAFE7AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAFE5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_3 Gatt_L Base Ramp (0C81BC8C).
2. Supply reinforcement team TM_Yuri_3 Gatt_R Base Ramp (0C81B7DC).
3. Supply reinforcement team TM_Yuri_3 Lash_LB Low Out (0C4C58EC).
4. Supply reinforcement team TM_Yuri_3 Lash_LF Low Out (0C8B530C).
5. Supply reinforcement team TM_Yuri_3 Lash_RB Low Out (0C4C8B7C).
6. Supply reinforcement team TM_Yuri_3 Lash_RF Low Out (0C4C87DC).
7. Supply reinforcement team TM_Yuri_3 Virus_8 Init_LB Up (0C8B5B7C).
8. Supply reinforcement team TM_Yuri_3 Virus_8 Init_LF Up (0C8ADA4C).
9. Supply reinforcement team TM_Yuri_3 Virus_8 Init_RB Up (0C8F47BC).
10. Supply reinforcement team TM_Yuri_3 Virus_8 Init_RF Up (0C8B57DC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11084, Events line 11201, Actions line 11318.

47. _Setup_Sov05_5 - 0BAEF32C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BAECF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team TM_Yuri_4 Brute_3 Gatt_L In Beach (0C8B38EC).
2. Supply reinforcement team TM_Yuri_4 Brute_3 Gatt_R In Beach (0C8B343C).
3. Supply reinforcement team TM_Yuri_4 Brute_F Base (0C81B43C).
4. Supply reinforcement team TM_Yuri_4 Brute_R Base (0C81CDEC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11085, Events line 11202, Actions line 11319.

48. _Setup_Sov05_6 - 096BDCFC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096BDC1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11086, Events line 11203, Actions line 11320.

49. _Setup_Sov05_7 - 096BD35C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096BD27C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).

2. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11087, Events line 11204, Actions line 11321.

50. Lunching Pad Off - 0D409AFC

Owner reference: Germans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Disable Lunching Pad Off (0D409AFC).
2. Change House: owner selector 2 (country/type FRENCH; placed owner French).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11088, Events line 11205, Actions line 11322.

51. Lunching Pad On - 0D40992C

Owner reference: French. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Lunching Pad Off (0D409AFC).

Incoming activation links: enable from SP2.3_Iris Open (092E05BC).

Attached scope: Unknown Building (YAROCK), owner French, cell (136, 135), tag 0D409A1C, persistence mode 2.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Lunching Pad On (0D40992C).
2. Change House: owner selector 3 (country/type GERMANS; placed owner Germans).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11089, Events line 11206, Actions line 11323.

52. Audio_Zof_Iron Curtain - 06A4894C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 37 tagged map cells: (166, 174), (167, 174), (168, 174), (196, 174), (165, 175), (166, 175), (196, 175), (197, 175), (198, 175), (164, 176), (165, 176), (198, 176), (199, 176), (200, 176), (164, 177), (200, 177), (164, 178), (200, 178), (164, 179), (165, 179), (166, 179), (167, 179), (200, 179), (167, 180), (200, 180), (167, 181), (198, 181), (199, 181), (200, 181), (193, 182), (194, 182), (198, 182), (194, 183), (195, 183), (196, 183), (197, 183), (198, 183); tag 06A49DAC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaIronCurtainSuggest.
2. Destroy current instances of Audio_Zof_Iron Curtain2 (09701F3C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11090, Events line 11207, Actions line 11324.

53. Audio_Zof_Iron Curtain2 - 09701F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Statues (0ED7151C).

Attached scope: tag definitions 09701E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaIronCurtainSuggest.
2. Disable Audio_Zof_Iron Curtain (06A4894C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11091, Events line 11208, Actions line 11325.

54. Audio_Zof_Siege Chop - 06A49BCC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06A49AEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.
2. Building exists: type index 10 (global list position: Soviet Battle Lab (NATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaSiegeChopperIntro.
2. Enable and reset applicable timers for Audio_Zof_Siege Flash (08D17B5C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11092, Events line 11209, Actions line 11326.

55. Audio_Zof_Siege Flash - 08D17B5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Zof_Siege Chop (06A49BCC).

Attached scope: tag definitions 08D149DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Switch the sidebar to tab 3.
2. Flash cameo/type SCHP; additional configured duration/location argument 120.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11093, Events line 11210, Actions line 11327.

56. Audio_Zof_Iris - 06A4951C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 0 (Sub Pen Destroyed) is clear.
2. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Flag writers in this mission: set local flag 0 (Sub Pen Destroyed) at Destroyed_Sub Pen (0ED70C8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaWhatIsIris.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11094, Events line 11211, Actions line 11328.

57. Discovered_Sub Pen - 0ED70E5C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Discovered_Sub Pen (0ED70E5C).
2. Play voice notification Mis_xS5_YuriWarnsPlayer.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11095, Events line 11212, Actions line 11329.

58. Destroyed_Sub Pen - 0ED70C8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Discovered_Sub Pen (0ED70E5C).

Attached scope: Yuri Naval Yard (YAYARD), owner YuriCountry, cell (136, 149), tag 0ED70D7C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Destroyed_Sub Pen (0ED70C8C).
2. Disable Detect_All Factory Dead (07A6B3FC).
3. Set local flag 0 (Sub Pen Destroyed).
4. Enable and reset applicable timers for _Win Conditions_Ez/Med (08711D8C).
5. Enable and reset applicable timers for _Win Conditions_ Hard (0871480C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11096, Events line 11213, Actions line 11330.

59. Detect_All Factory Dead - 07A6B3FC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07A6B31C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No Factories left. See attached-object/cell scope below.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Fire Sale: owner selector 14 (country/type YURI2; placed owner Yuri2Country).
3. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
4. All to Hunt: owner selector 14 (country/type YURI2; placed owner Yuri2Country).
5. Enable and reset applicable timers for Detect_Yuri Land Dead (043AB6AC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11097, Events line 11214, Actions line 11331.

60. _Win Conditions_Ez/Med - 08711D8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_Sub Pen (0ED70C8C).

Attached scope: tag definitions 087101EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 8 (country/type RUSSIANS; placed owner Russians).
2. Enable and reset applicable timers for Completed_Obj 2_Ez/Med (08713CBC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11098, Events line 11215, Actions line 11332.

61. _Win Conditions_ Hard - 0871480C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Destroyed_Sub Pen (0ED70C8C).

Attached scope: tag definitions 0871460C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Detect_Yuri Land Dead (043AB6AC).
2. Enable and reset applicable timers for Completed_Objective 2 (079B2F3C).
3. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
4. Fire Sale: owner selector 14 (country/type YURI2; placed owner Yuri2Country).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11099, Events line 11216, Actions line 11333.

62. Detect_Yuri Land Dead - 043AB6AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_All Factory Dead (07A6B3FC); enable from _Win Conditions_ Hard (0871480C).

Attached scope: tag definitions 043AB5CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Units, Land: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Destroyed, Units, Land: owner selector 14 (country/type YURI2; placed owner Yuri2Country).

Then perform these actions in order:

1. Enable and reset applicable timers for Completed_Objective 3 (079B2B9C).
2. Disable Repeat_Text_Obj 3 (079B561C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11100, Events line 11217, Actions line 11334.

63. Completed_Obj 2_Ez/Med - 08713CBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win Conditions_Ez/Med (08711D8C).

Attached scope: tag definitions 08713ABC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2 Complete.” (MISSION:Obj2Comp).
2. Enable and reset applicable timers for Disable_RepeatObj2EzMed (087110CC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11101, Events line 11218, Actions line 11335.

64. Completed_Objective 2 - 079B2F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win Conditions_ Hard (0871480C).

Attached scope: tag definitions 079B2E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2 Complete.” (MISSION:Obj2Comp).
2. Play voice notification EVA_ObjectiveComplete.
3. Enable and reset applicable timers for Disable_Repeat Obj 2 (079B4F3C).
4. Enable and reset applicable timers for Text_Objective 3 (079AC1DC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11102, Events line 11219, Actions line 11336.

65. Completed_Objective 3 - 079B2B9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_Yuri Land Dead (043AB6AC).

Attached scope: tag definitions 079B7D2C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3 Complete.” (MISSION:Obj3Comp).
2. Play voice notification EVA_ObjectiveComplete.
3. Make side cheer: owner selector 8 (country/type RUSSIANS; placed owner Russians).
4. Enable and reset applicable timers for SP2.1_Camera_To Iris (043AB44C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11103, Events line 11220, Actions line 11337.

66. Repeat_Text_Obj 3 - 079B561C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text_Objective 3 (079AC1DC).

Attached scope: tag definitions 079B18EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 80 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Finish off all remaining Yuri land forces.” (MISSION:Sov5Obj3).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11104, Events line 11221, Actions line 11338.

67. Disable_RepeatObj2EzMed - 087110CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Completed_Obj 2_Ez/Med (08713CBC).

Attached scope: tag definitions 08712B7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_YuriNoMoreFriends.
2. Enable and reset applicable timers for SP2.0_Delay_To Iris (08711B7C).
3. Disable Repeat_Text/Ping_Obj 2 (079B17FC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11105, Events line 11222, Actions line 11339.

68. Disable_Repeat Obj 2 - 079B4F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Completed_Objective 2 (079B2F3C).

Attached scope: tag definitions 079B4E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_YuriNoMoreFriends.
2. All to Hunt: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
3. All to Hunt: owner selector 14 (country/type YURI2; placed owner Yuri2Country).
4. Disable Repeat_Text/Ping_Obj 2 (079B17FC).
5. Enable and reset applicable timers for Text_Objective 3 (079AC1DC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11106, Events line 11223, Actions line 11340.

69. Text_Objective 3 - 079AC1DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Completed_Objective 2 (079B2F3C); enable from Disable_Repeat Obj 2 (079B4F3C).

Attached scope: tag definitions 079AD4AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Finish off all remaining Yuri land forces.” (MISSION:Sov5Obj3).
2. Enable and reset applicable timers for Repeat_Text_Obj 3 (079B561C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11107, Events line 11224, Actions line 11341.

70. SP2.1_Camera_To Iris - 043AB44C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Completed_Objective 3 (079B2B9C); enable from SP2.0_Delay_To Iris (08711B7C).

Attached scope: tag definitions 043AB36C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 700 (cell 137, 136).
2. Make side cheer: owner selector 8 (country/type RUSSIANS; placed owner Russians).
3. Enable and reset applicable timers for SP2.2_Movie_Zof RE Iris (043A42BC).
4. Reveal terrain around waypoint 700 (cell 137, 136).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11108, Events line 11225, Actions line 11342.

71. SP2.0_Delay_To Iris - 08711B7C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Disable_RepeatObj2EzMed (087110CC).

Attached scope: tag definitions 08710BDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for SP2.1_Camera_To Iris (043AB44C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11109, Events line 11226, Actions line 11343.

72. Repeat_Text/Ping_Obj 2 - 079B17FC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Text/Ping_Objective 2 (079AD3BC).

Attached scope: tag definitions 079B171C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Locate and destroy Yuri's Submarine Pen.” (MISSION:Sov5Obj2).
2. Create radar-event marker type 0 at waypoint 61 (cell 137, 150).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11110, Events line 11227, Actions line 11344.

73. SP2.2_Movie_Zof RE Iris - 043A42BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.1_Camera_To Iris (043AB44C).

Attached scope: tag definitions 043A41DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 50.
2. Enable and reset applicable timers for _Winner (094429EC).
3. Enable and reset applicable timers for SP2.3_Iris Open (092E05BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11111, Events line 11228, Actions line 11345.

74. _Winner - 094429EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.2_Movie_Zof RE Iris (043A42BC).

Attached scope: tag definitions 0944290C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11112, Events line 11229, Actions line 11346.

75. SP2.3_Iris Open - 092E05BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SP2.2_Movie_Zof RE Iris (043A42BC).

Attached scope: tag definitions 092E04DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Lunching Pad On (0D40992C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11113, Events line 11230, Actions line 11347.

76. Statues - 0ED7151C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Statue @ BU (0B6AF1FC); enable from Statue @ BV (0B6AD5BC); enable from Statue @ BW (0B6AD78C); enable from Statue @ BX (0B6AD95C); enable from Statue @ BY (0B6AE2AC); enable from Statue @ BZ (0B6AE47C); enable from Statue @ CA (0B6AE64C); enable from Statue @ CB (0B6AE81C); enable from Statue @ CC (0B6AE9EC); enable from Statue @ CD (0B6AE0DC).

Attached scope: tag definitions 0ED7143C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaStrangeReadings.
2. Enable and reset applicable timers for Statues_Enable (0ED72A8C).
3. Enable and reset applicable timers for Audio_Zof_Iron Curtain2 (09701F3C).
4. Flash buildings of type CAEAST02; duration argument 160.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11114, Events line 11231, Actions line 11348.

77. Statues_Enable - 0ED72A8C

Owner reference: Arabs. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Statues (0ED7151C).

Attached scope: tag definitions 0ED729AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. All change house: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Audio_Statue Fired (0ED7111C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11115, Events line 11232, Actions line 11349.

78. Audio_Statue Fired - 0ED7111C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Statues_Enable (0ED72A8C).

Attached scope: tag definitions 0ED7103C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaEasterIsleWarning.
2. Enable and reset applicable timers for Audio_Statue Engineer (0ED721BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11116, Events line 11233, Actions line 11350.

79. Audio_Statue Engineer - 0ED721BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Audio_Statue Fired (0ED7111C).

Attached scope: tag definitions 0ED722AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS5_ZofiaMaybeAnEngineer.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11117, Events line 11234, Actions line 11351.

80. _Amb_Ocean Heavy 1 - 0783450C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0783442C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 34 (cell 139, 27).
2. Play sound _Amb_OceanHeavy at waypoint 39 (cell 123, 39).
3. Play sound _Amb_OceanHeavy at waypoint 40 (cell 106, 48).
4. Play sound _Amb_OceanHeavy at waypoint 41 (cell 93, 62).
5. Play sound _Amb_OceanHeavy at waypoint 42 (cell 76, 75).
6. Play sound _Amb_OceanHeavy at waypoint 43 (cell 64, 94).
7. Play sound _Amb_OceanHeavy at waypoint 44 (cell 53, 113).
8. Play sound _Amb_OceanHeavy at waypoint 45 (cell 36, 128).
9. Play sound _Amb_OceanHeavy at waypoint 46 (cell 47, 159).
10. Play sound _Amb_OceanHeavy at waypoint 47 (cell 65, 179).
11. Play sound _Amb_OceanHeavy at waypoint 59 (cell 181, 75).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11118, Events line 11235, Actions line 11352.

81. _Amb_Bird Jungle 2c - 07848DEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07848D0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 66 (cell 113, 125).

2. Play sound _Amb_BirdsJungle2 at waypoint 158 (cell 128, 189).
3. Play sound _Amb_BirdsJungle2 at waypoint 139 (cell 79, 155).
4. Play sound _Amb_BirdsJungle2 at waypoint 130 (cell 107, 194).
5. Play sound _Amb_BirdsJungle2 at waypoint 529 (cell 66, 138).
6. Play sound _Amb_BirdsJungle2 at waypoint 530 (cell 74, 113).
7. Play sound _Amb_BirdsJungle2 at waypoint 531 (cell 115, 96).
8. Play sound _Amb_BirdsJungle2 at waypoint 132 (cell 83, 136).
9. Play sound _Amb_BirdsJungle2 at waypoint 136 (cell 197, 152).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11119, Events line 11236, Actions line 11353.

82. _Amb_Bird Jungle 2b - 07848C1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07848B3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 520 (cell 198, 109).
2. Play sound _Amb_BirdsJungle2 at waypoint 521 (cell 210, 150).
3. Play sound _Amb_BirdsJungle2 at waypoint 522 (cell 223, 161).
4. Play sound _Amb_BirdsJungle2 at waypoint 523 (cell 169, 179).
5. Play sound _Amb_BirdsJungle2 at waypoint 524 (cell 105, 130).
6. Play sound _Amb_BirdsJungle2 at waypoint 525 (cell 92, 164).
7. Play sound _Amb_BirdsJungle2 at waypoint 526 (cell 106, 184).
8. Play sound _Amb_BirdsJungle2 at waypoint 527 (cell 94, 194).
9. Play sound _Amb_BirdsJungle2 at waypoint 528 (cell 68, 154).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11120, Events line 11237, Actions line 11354.

83. _Amb_Bird Jungle 2a - 07848A4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0784896C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_BirdsJungle2 at waypoint 148 (cell 157, 69).
2. Play sound _Amb_BirdsJungle2 at waypoint 149 (cell 141, 58).
3. Play sound _Amb_BirdsJungle2 at waypoint 150 (cell 144, 70).
4. Play sound _Amb_BirdsJungle2 at waypoint 517 (cell 127, 59).
5. Play sound _Amb_BirdsJungle2 at waypoint 518 (cell 97, 93).
6. Play sound _Amb_BirdsJungle2 at waypoint 519 (cell 142, 77).
7. Play sound _Amb_BirdsJungle2 at waypoint 143 (cell 200, 125).
8. Play sound _Amb_BirdsJungle2 at waypoint 180 (cell 172, 115).
9. Play sound _Amb_BirdsJungle2 at waypoint 153 (cell 119, 104).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11121, Events line 11238, Actions line 11355.

84. _Amb_Wind Plains 2 - 0784887C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0784879C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 36 (cell 115, 66).
2. Play sound _Amb_WindPlains at waypoint 35 (cell 49, 138).
3. Play sound _Amb_WindPlains at waypoint 158 (cell 128, 189).
4. Play sound _Amb_WindPlains at waypoint 159 (cell 98, 151).
5. Play sound _Amb_WindPlains at waypoint 66 (cell 113, 125).
6. Play sound _Amb_WindPlains at waypoint 65 (cell 159, 126).
7. Play sound _Amb_WindPlains at waypoint 157 (cell 172, 128).
8. Play sound _Amb_WindPlains at waypoint 37 (cell 214, 122).
9. Play sound _Amb_WindPlains at waypoint 146 (cell 138, 90).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11122, Events line 11239, Actions line 11356.

85. _Amb_Wind Plains 1 - 078486AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078485CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 507 (cell 127, 70).
2. Play sound _Amb_WindPlains at waypoint 508 (cell 104, 80).
3. Play sound _Amb_WindPlains at waypoint 509 (cell 222, 138).
4. Play sound _Amb_WindPlains at waypoint 510 (cell 224, 153).
5. Play sound _Amb_WindPlains at waypoint 511 (cell 201, 182).
6. Play sound _Amb_WindPlains at waypoint 512 (cell 97, 131).
7. Play sound _Amb_WindPlains at waypoint 513 (cell 58, 150).
8. Play sound _Amb_WindPlains at waypoint 514 (cell 71, 164).
9. Play sound _Amb_WindPlains at waypoint 515 (cell 84, 189).
10. Play sound _Amb_WindPlains at waypoint 516 (cell 106, 204).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11123, Events line 11240, Actions line 11357.

86. _Amb_Ocean Light 2 - 078484DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 078483FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 501 (cell 107, 137).
2. Play sound _Amb_OceanLight at waypoint 502 (cell 117, 135).
3. Play sound _Amb_OceanLight at waypoint 503 (cell 165, 157).
4. Play sound _Amb_OceanLight at waypoint 504 (cell 157, 149).
5. Play sound _Amb_OceanLight at waypoint 505 (cell 169, 144).
6. Play sound _Amb_OceanLight at waypoint 506 (cell 157, 136).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11124, Events line 11241, Actions line 11358.

87. _Amb_Ocean Light 1 - 0784830C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0784822C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanLight at waypoint 494 (cell 140, 169).
2. Play sound _Amb_OceanLight at waypoint 495 (cell 137, 155).
3. Play sound _Amb_OceanLight at waypoint 496 (cell 155, 166).
4. Play sound _Amb_OceanLight at waypoint 497 (cell 127, 169).
5. Play sound _Amb_OceanLight at waypoint 498 (cell 121, 154).
6. Play sound _Amb_OceanLight at waypoint 499 (cell 112, 166).
7. Play sound _Amb_OceanLight at waypoint 500 (cell 108, 150).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11125, Events line 11242, Actions line 11359.

88. _Amb_Ocean Heavy 2 - 0784813C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0784805C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_OceanHeavy at waypoint 48 (cell 84, 204).
2. Play sound _Amb_OceanHeavy at waypoint 49 (cell 108, 223).
3. Play sound _Amb_OceanHeavy at waypoint 50 (cell 134, 224).
4. Play sound _Amb_OceanHeavy at waypoint 51 (cell 152, 199).
5. Play sound _Amb_OceanHeavy at waypoint 52 (cell 182, 205).
6. Play sound _Amb_OceanHeavy at waypoint 53 (cell 205, 200).
7. Play sound _Amb_OceanHeavy at waypoint 54 (cell 221, 182).
8. Play sound _Amb_OceanHeavy at waypoint 55 (cell 237, 165).
9. Play sound _Amb_OceanHeavy at waypoint 56 (cell 253, 145).
10. Play sound _Amb_OceanHeavy at waypoint 57 (cell 231, 121).
11. Play sound _Amb_OceanHeavy at waypoint 58 (cell 204, 97).
12. Play sound _Amb_OceanHeavy at waypoint 60 (cell 162, 48).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11126, Events line 11243, Actions line 11360.

89. No Audio_Pen Dead - 0BA3E3CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Audio_Zof_Iris (06A4951C).

Attached scope: 40 tagged map cells: (132, 131), (133, 131), (134, 131), (135, 131), (136, 131), (137, 131), (138, 131), (139, 131), (140, 131), (141, 131), (142, 131), (132, 132), (142, 132), (132, 133), (142, 133), (132, 134), (142, 134), (132, 135), (142, 135), (132, 136), (142, 136), (132, 137), (142, 137), (132, 138), (142, 138), (132, 139), (142, 139), (132, 140), (142, 140), (132, 141), (133, 141), (134, 141), (135, 141), (136, 141), (137, 141), (138, 141), (139, 141), (140, 141), (141, 141), (142, 141); tag 06A4934C, persistence mode 0.

Wait for the recorded events:

1. local flag 0 (Sub Pen Destroyed) is set.
2. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Flag writers in this mission: set local flag 0 (Sub Pen Destroyed) at Destroyed_Sub Pen (0ED70C8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Perform no action.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11127, Events line 11244, Actions line 11361.

90. _Setup_Sov05_9 - 04403D3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 04403C5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Bio Stuffer @ FO (0442383C).
2. Create/recruit team TM_Yuri_Bio Stuffer @ FO (0442383C).
3. Create/recruit team TM_Yuri_Bio Stuffer @ FO (0442383C).
4. Create/recruit team TM_Yuri_Bio Stuffer @ FP (04424E1C).
5. Create/recruit team TM_Yuri_Bio Stuffer @ FP (04424E1C).
6. Create/recruit team TM_Yuri_Bio Stuffer @ FP (04424E1C).
7. Create/recruit team TM_Yuri_Bio Stuffer @ FP (04424E1C).
8. Create/recruit team TM_Yuri_Bio Stuffer @ FP (04424E1C).
9. Create/recruit team TM_Yuri2_Bio Stuffer @ TL (096DBC9C).
10. Create/recruit team TM_Yuri2_Bio Stuffer @ TL (096DBC9C).
11. Enable and reset applicable timers for _Setup_Sov05_10 (087D92FC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11128, Events line 11245, Actions line 11362.

91. _Setup_Sov05_10 - 087D92FC

Owner reference: Yuri2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Setup_Sov05_9 (04403D3C).

Attached scope: tag definitions 087D9ADC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 14 (country/type YURI2; placed owner Yuri2Country).
2. AI triggers begin: owner selector 14 (country/type YURI2; placed owner Yuri2Country).
3. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).
4. Create/recruit team TM_Yuri2_2 Slave Miner (0954BBFC).
5. Create/recruit team TM_Yuri_2 Slave Miner (077BCBFC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11129, Events line 11246, Actions line 11363.

92. _Setup_Sov05_8 - 04404DBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 044036EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team TM_Yuri_Bio Stuffer @ EV (044234AC).
2. Create/recruit team TM_Yuri_Bio Stuffer @ EX (0442337C).
3. Create/recruit team TM_Yuri_Bio Stuffer @ EX (0442337C).
4. Create/recruit team TM_Yuri_Bio Stuffer @ FK (044235DC).
5. Create/recruit team TM_Yuri_Bio Stuffer @ FM (0442370C).
6. Create/recruit team TM_Yuri_Bio Stuffer @ FN (0441A14C).
7. Create/recruit team TM_Yuri_Bio Stuffer @ FN (0441A14C).
8. Create/recruit team TM_Yuri_Bio Stuffer @ FN (0441A14C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11130, Events line 11247, Actions line 11364.

93. Text/Ping_Objective 2 - 079AD3BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Completed_Objective 1 (079B2D6C).

Attached scope: tag definitions 079AD2DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Locate and destroy Yuri's Submarine Pen.” (MISSION:Sov5Obj2).
2. Create radar-event marker type 0 at waypoint 61 (cell 137, 150).
3. Enable and reset applicable timers for Repeat_Text/Ping_Obj 2 (079B17FC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11131, Events line 11248, Actions line 11365.

94. Disable_Repeat Obj 1 - 079B36EC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079B360C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Repeat_Text/Ping_Obj 1 (079B57EC).
2. Enable and reset applicable timers for Completed_Objective 1 (079B2D6C).
3. Disable Reinforce_MCV (Easy) (0441CC8C).
4. Disable Reinforce_MCV (Med) (0441CE5C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11132, Events line 11249, Actions line 11366.

95. Completed_Objective 1 - 079B2D6C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Disable_Repeat Obj 1 (079B36EC).

Attached scope: tag definitions 079B2C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification EVA_ObjectiveComplete.
2. Display message “Objective 1 Complete.” (MISSION:Obj1Comp).
3. Enable and reset applicable timers for Text/Ping_Objective 2 (079AD3BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11133, Events line 11250, Actions line 11367.

96. Reinforce_MCV (Easy) - 0441CC8C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_MCV Trans Dead (0441D09C).

Attached scope: tag definitions 087D4C6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.
2. No instances of Soviet Construction Vehicle (SMCV) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_1 MCV (Easy2) (095D70DC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11134, Events line 11251, Actions line 11368.

97. Reinforce_MCV (Med) - 0441CE5C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_MCV Trans Dead (0441D09C).

Attached scope: tag definitions 087D4D4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.
2. No instances of Soviet Construction Vehicle (SMCV) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_1 MCV (Med2) (0441C3BC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11135, Events line 11252, Actions line 11369.

98. Disable_Repeat Obj 3 - 079B75FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 079B751C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11136, Events line 11253, Actions line 11370.

99. Text_Lab Acquired - 05D37EAC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Disable Text_Lab Acquired (05D37EAC).
2. Display message “Secret Laboratory Acquired!” (MISSION:SecrtLab).
3. Play voice notification EVA_SecretLabCaptured.
4. Enable and reset applicable timers for Text_Tech Acquired (05D37CDC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11137, Events line 11254, Actions line 11371.

100. Text_Tech Acquired - 05D37CDC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Text_Lab Acquired (05D37EAC).

Incoming activation links: enable from Text_Lab Acquired (05D37EAC).

Attached scope: Tech Secret Lab (CASLAB), owner YuriCountry, cell (124, 103), tag 05D37DCC, persistence mode 2.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Text_Tech Acquired (05D37CDC).
2. Switch the sidebar to tab 2.
3. Flash cameo/type DESO; additional configured duration/location argument 120.
4. Display message “Secret Technology Acquired!” (MISSION:ScrtTech).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11138, Events line 11255, Actions line 11372.

101. Detect_MCV Trans Dead - 0441D09C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0441CF4C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_MCV (Easy) (0441CC8C).
2. Enable and reset applicable timers for Reinforce_MCV (Med) (0441CE5C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11139, Events line 11256, Actions line 11373.

102. Announce_MCV Trans @ AI - 0441BAFC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0441BA1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (MCV @ AI) is set.

Flag writers in this mission: clear local flag 1 (MCV @ AI) at Announce_MCV Trans @ AI (0441BAFC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 1 (MCV @ AI).
2. Create radar-event marker type 2 at waypoint 34 (cell 139, 27).
3. Play voice notification EVA_ReinforcementsHaveArrived.

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11140, Events line 11257, Actions line 11374.

103. Detect_MCV Easy2 Dead - 09303F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09303E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Reinforce_MCV Easy3 (0930275C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11141, Events line 11258, Actions line 11375.

104. Reinforce_MCV Easy3 - 0930275C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Detect_MCV Easy2 Dead (09303F3C).

Attached scope: tag definitions 0930267C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. No instances of Soviet Construction Vehicle (SMCV) exist on the map, under this event's ownership scope.
2. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team TM_Sov_1 Trans_1 MCV (Easy3) (0930734C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11142, Events line 11259, Actions line 11376.

105. Statue @ BU - 0B6AF1FC

Owner reference: Arabs. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (87, 142), tag 0B6AF11C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 72 (cell 88, 142).
2. Reveal terrain around waypoint 72 (cell 88, 142).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11143, Events line 11260, Actions line 11377.

106. Statue_Shutdown - 0B6ADB2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Statue @ BU (0B6AF1FC); enable from Statue @ BV (0B6AD5BC); enable from Statue @ BW (0B6AD78C); enable from Statue @ BX (0B6AD95C); enable from Statue @ BY (0B6AE2AC); enable from Statue @ BZ (0B6AE47C); enable from Statue @ CA (0B6AE64C); enable from Statue @ CB (0B6AE81C); enable from Statue @ CC (0B6AE9EC); enable from Statue @ CD (0B6AE0DC).

Attached scope: tag definitions 0B6ADA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable Statue @ BU (0B6AF1FC).
2. Disable Statue @ BV (0B6AD5BC).
3. Disable Statue @ BW (0B6AD78C).
4. Disable Statue @ BX (0B6AD95C).
5. Disable Statue @ BY (0B6AE2AC).
6. Disable Statue @ BZ (0B6AE47C).
7. Disable Statue @ CA (0B6AE64C).
8. Disable Statue @ CB (0B6AE81C).
9. Disable Statue @ CC (0B6AE9EC).
10. Disable Statue @ CD (0B6AE0DC).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11144, Events line 11261, Actions line 11378.

107. Statue @ BV - 0B6AD5BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (95, 98), tag 0B6AD4DC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 73 (cell 96, 98).
2. Reveal terrain around waypoint 73 (cell 96, 98).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11145, Events line 11262, Actions line 11379.

108. Statue @ BW - 0B6AD78C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (130, 102), tag 0B6AD6AC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 74 (cell 131, 102).
2. Reveal terrain around waypoint 74 (cell 131, 102).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11146, Events line 11263, Actions line 11380.

109. Statue @ BX - 0B6AD95C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (132, 118), tag 0B6AD87C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 75 (cell 133, 119).
2. Reveal terrain around waypoint 75 (cell 133, 119).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11147, Events line 11264, Actions line 11381.

110. Statue @ BY - 0B6AE2AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (161, 97), tag 0B6AE1CC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 76 (cell 162, 97).
2. Reveal terrain around waypoint 76 (cell 162, 97).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11148, Events line 11265, Actions line 11382.

111. Statue @ BZ - 0B6AE47C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (163, 122), tag 0B6AE39C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 77 (cell 163, 123).
2. Reveal terrain around waypoint 77 (cell 163, 123).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11149, Events line 11266, Actions line 11383.

112. Statue @ CA - 0B6AE64C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (184, 147), tag 0B6AE56C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 78 (cell 184, 148).
2. Reveal terrain around waypoint 78 (cell 184, 148).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11150, Events line 11267, Actions line 11384.

113. Statue @ CB - 0B6AE81C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (170, 190), tag 0B6AE73C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 79 (cell 170, 191).
2. Reveal terrain around waypoint 79 (cell 170, 191).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11151, Events line 11268, Actions line 11385.

114. Statue @ CC - 0B6AE9EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (127, 198), tag 0B6AE90C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 80 (cell 128, 198).
2. Reveal terrain around waypoint 80 (cell 128, 198).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11152, Events line 11269, Actions line 11386.

115. Statue @ CD - 0B6AE0DC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Statue (CAEAST02), owner Arabs, cell (69, 149), tag 0B6AAF4C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Jump the camera to waypoint 81 (cell 69, 150).
2. Reveal terrain around waypoint 81 (cell 69, 150).
3. Enable and reset applicable timers for Statues (0ED7151C).
4. Enable and reset applicable timers for Statue_Shutdown (0B6ADB2C).

Source locator: mapsmd03.mix/sov05umd.map; Triggers line 11153, Events line 11270, Actions line 11387.

All team rosters and ordered plans | All mission overrides

Operation: Escape Velocity - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov05umd.map; each team/script ID identifies its section.

TM_Sov_1 Trans_12 Conscript - 0C942C8C

Owner: Russians. Roster: 12 × Conscript (E2); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to T (095EA0DC).

1. Move to waypoint: waypoint 19 (cell 137, 16).

TM_Sov_Squid 1 - 095EBDBC

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to AG (095EBB4C).

1. Move to waypoint: waypoint 32 (cell 137, 25).

TM_Sov_Squid 2 - 095EB94C

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to AI (095EB6DC).

1. Move to waypoint: waypoint 34 (cell 139, 27).

TM_Sov_Squid 3 - 095EB52C

Owner: Russians. Roster: 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Move to AH (095EB2BC).

1. Move to waypoint: waypoint 33 (cell 141, 25).

TM_Sov_Sub 1 - 095EB14C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to AD (095ECDBC).

1. Move to waypoint: waypoint 29 (cell 135, 22).

TM_Sov_Sub 2 - 095ECC8C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: Move to AA (095ECA1C).

1. Move to waypoint: waypoint 26 (cell 137, 20).

TM_Sov_Sub 3 - 095EC8EC

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Move to AC (095EC67C).

1. Move to waypoint: waypoint 28 (cell 141, 20).

TM_Sov_Sub 4 - 095EC54C

Owner: Russians. Roster: 1 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Move to AF (095EC2DC).

1. Move to waypoint: waypoint 31 (cell 143, 22).

TM_Sov_Scorpion 1 - 095EC1AC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to AE (095EDB9C).

1. Move to waypoint: waypoint 30 (cell 139, 22).

TM_Sov_1 Trans_1 MCV_2 Rhino - 094B31CC

Owner: Russians. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Soviet Construction Vehicle (SMCV); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to AB (095ED7BC).

1. Move to waypoint: waypoint 27 (cell 139, 20).

TM_Sov_Dreadnought 1 - 095ED64C

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: I.

Ordered plan: Move to R (095ED3DC).

1. Move to waypoint: waypoint 17 (cell 135, 16).

TM_Sov_Dreadnought 2 - 095ED26C

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Move to V (095EEDBC).

1. Move to waypoint: waypoint 21 (cell 139, 16).

TM_Sov_Dreadnought 3 - 095ED0FC

Owner: Russians. Roster: 1 × Dreadnought (DRED)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Move to Z (095EEB4C).

1. Move to waypoint: waypoint 25 (cell 143, 16).

TM_Sov_1 Trans_3 Flak Trak - 095EEA1C

Owner: Russians. Roster: 1 × Amphibious Transport (SAPC); 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: O.

Ordered plan: Move to X (095EE7AC).

1. Move to waypoint: waypoint 23 (cell 141, 16).

TM_Sov_Scorpion 2 - 095EE67C

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: Move to S (095EE40C).

1. Move to waypoint: waypoint 18 (cell 136, 16).

TM_Sov_Scorpion 3 - 095EE2DC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: L.

Ordered plan: Move to U (095EE06C).

1. Move to waypoint: waypoint 20 (cell 138, 16).

TM_Sov_Scorpion 4 - 095EFEBC

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Move to W (095EFC4C).

1. Move to waypoint: waypoint 22 (cell 140, 16).

TM_Sov_Scorpion 5 - 095EFB1C

Owner: Russians. Roster: 1 × Sea Scorpion (HYD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Move to Y (095EF8AC).

1. Move to waypoint: waypoint 24 (cell 142, 16).

TM_Yuri_Boomer @ AN - 095AB25C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AN.

Ordered plan: AO-->AN Patrol (095ACB7C).

1. Move to waypoint: waypoint 40 (cell 106, 48).
2. Move to waypoint: waypoint 39 (cell 123, 39).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AO - 095AC88C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: AP-->AO Patrol (095AC61C).

1. Move to waypoint: waypoint 41 (cell 93, 62).
2. Move to waypoint: waypoint 40 (cell 106, 48).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AP - 095AC39C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AP.

Ordered plan: AQ-->AP Patrol (095AC12C).

1. Move to waypoint: waypoint 42 (cell 76, 75).
2. Move to waypoint: waypoint 41 (cell 93, 62).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AQ - 095ADEBC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AQ.

Ordered plan: AR-->AQ Patrol (095ADC4C).

1. Move to waypoint: waypoint 43 (cell 64, 94).
2. Move to waypoint: waypoint 42 (cell 76, 75).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AR - 095ADA9C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AR.

Ordered plan: AS-->AR Patrol (095AD82C).

1. Move to waypoint: waypoint 44 (cell 53, 113).
2. Move to waypoint: waypoint 43 (cell 64, 94).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AS - 06B623CC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AS.

Ordered plan: AT-->AS Patrol (06B6215C).

1. Move to waypoint: waypoint 45 (cell 36, 128).
2. Move to waypoint: waypoint 44 (cell 53, 113).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AT - 06B63D8C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AT.

Ordered plan: AU-->AT Patrol (06B63B1C).

1. Move to waypoint: waypoint 46 (cell 47, 159).
2. Move to waypoint: waypoint 45 (cell 36, 128).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AU - 06B6389C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AU.

Ordered plan: AV-->AU Patrol (06B6362C).

1. Move to waypoint: waypoint 47 (cell 65, 179).
2. Move to waypoint: waypoint 46 (cell 47, 159).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AV - 06B633FC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AV.

Ordered plan: AW-->AV Patrol (06B6318C).

1. Move to waypoint: waypoint 48 (cell 84, 204).
2. Move to waypoint: waypoint 47 (cell 65, 179).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AW - 06B64EFC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AW.

Ordered plan: AX-->AW Patrol (06B64C8C).

1. Move to waypoint: waypoint 49 (cell 108, 223).
2. Move to waypoint: waypoint 48 (cell 84, 204).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AX - 06B64ADC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AX.

Ordered plan: AY-->AX Patrol (06B645FC).

1. Move to waypoint: waypoint 50 (cell 134, 224).
2. Move to waypoint: waypoint 49 (cell 108, 223).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ AY - 06B6426C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: AY.

Ordered plan: AX-->AY Patrol (06B65DBC).

1. Move to waypoint: waypoint 49 (cell 108, 223).
2. Move to waypoint: waypoint 50 (cell 134, 224).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BA - 097A5EFC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: BB--BA Patrol (097A5C8C).

1. Move to waypoint: waypoint 53 (cell 205, 200).
2. Move to waypoint: waypoint 52 (cell 182, 205).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BB - 097A59FC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: BC-->BB Patrol (097A7DBC).

1. Move to waypoint: waypoint 54 (cell 221, 182).
2. Move to waypoint: waypoint 53 (cell 205, 200).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BC - 097A7C8C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: BD-->BC Patrol (097A7A1C).

1. Move to waypoint: waypoint 55 (cell 237, 165).
2. Move to waypoint: waypoint 54 (cell 221, 182).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BD - 097A78EC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BD.

Ordered plan: BE-->BD Patrol (097A767C).

1. Move to waypoint: waypoint 56 (cell 253, 145).
2. Move to waypoint: waypoint 55 (cell 237, 165).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BE - 097A748C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BE.

Ordered plan: BF-->BE Patrol (097A721C).

1. Move to waypoint: waypoint 57 (cell 231, 121).
2. Move to waypoint: waypoint 56 (cell 253, 145).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BF - 0979E77C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BF.

Ordered plan: BG-->BF Patrol (095AADBC).

1. Move to waypoint: waypoint 58 (cell 204, 97).
2. Move to waypoint: waypoint 57 (cell 231, 121).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BG - 095AAC8C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BG.

Ordered plan: BH-->BI Patrol (095AAA1C).

1. Move to waypoint: waypoint 59 (cell 181, 75).
2. Move to waypoint: waypoint 60 (cell 162, 48).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BH - 095AA7EC

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: BI-->BH Patrol (095AA57C).

1. Move to waypoint: waypoint 60 (cell 162, 48).
2. Move to waypoint: waypoint 59 (cell 181, 75).
3. Jump to script line; configured argument 1.

TM_Yuri_Boomer @ BI - 095AA38C

Owner: YuriCountry. Roster: 1 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BI.

Ordered plan: BH-->BI Patrol (095A926C).

1. Move to waypoint: waypoint 59 (cell 181, 75).
2. Move to waypoint: waypoint 60 (cell 162, 48).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Virus_8 Init_LF Up - 0C8ADA4C

Owner: YuriCountry. Roster: 3 × Virus (VIRUS); 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EA.

Ordered plan: EB-->EA Patrol (0BB8365C).

1. Move to waypoint: waypoint 131 (cell 86, 150).
2. Move to waypoint: waypoint 130 (cell 107, 194).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Virus_8 Init_LB Up - 0C8B5B7C

Owner: YuriCountry. Roster: 3 × Virus (VIRUS); 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: ED.

Ordered plan: EC-->ED Patrol (0BB9742C).

1. Move to waypoint: waypoint 132 (cell 83, 136).
2. Move to waypoint: waypoint 133 (cell 92, 112).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Virus_8 Init_RF Up - 0C8B57DC

Owner: YuriCountry. Roster: 3 × Virus (VIRUS); 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EH.

Ordered plan: EG-->EH Patrol (0BB927FC).

1. Move to waypoint: waypoint 136 (cell 197, 152).
2. Move to waypoint: waypoint 137 (cell 174, 188).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Virus_8 Init_RB Up - 0C8F47BC

Owner: YuriCountry. Roster: 3 × Virus (VIRUS); 8 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EF.

Ordered plan: EE-->EF Patrol (0BB931FC).

1. Move to waypoint: waypoint 134 (cell 168, 105).
2. Move to waypoint: waypoint 135 (cell 196, 138).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Lash_LF Low Out - 0C8B530C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EJ.

Ordered plan: EI-->EJ Patrol (0BB94DBC).

1. Move to waypoint: waypoint 138 (cell 100, 193).
2. Move to waypoint: waypoint 139 (cell 79, 155).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Lash_LB Low Out - 0C4C58EC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EL.

Ordered plan: EK-->EL Patrol (0BB918DC).

1. Move to waypoint: waypoint 140 (cell 79, 143).
2. Move to waypoint: waypoint 141 (cell 80, 110).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Lash_RB Low Out - 0C4C8B7C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EN.

Ordered plan: EM-->EN Patrol (0BB922DC).

1. Move to waypoint: waypoint 142 (cell 169, 96).
2. Move to waypoint: waypoint 143 (cell 200, 125).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Lash_RF Low Out - 0C4C87DC

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EO.

Ordered plan: EP-->EO Patrol (0BB93C8C).

1. Move to waypoint: waypoint 145 (cell 201, 169).
2. Move to waypoint: waypoint 144 (cell 203, 131).
3. Jump to script line; configured argument 1.

TM_Yuri_2 Brute_2 Gatt_Back Base - 0C81854C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EQ.

Ordered plan: ER-->ES-->ET-->EU-->ER-->EQ Patrol (0BB9374C).

1. Move to waypoint: waypoint 147 (cell 155, 90).
2. Move to waypoint: waypoint 148 (cell 157, 69).
3. Move to waypoint: waypoint 149 (cell 141, 58).
4. Move to waypoint: waypoint 150 (cell 144, 70).
5. Move to waypoint: waypoint 147 (cell 155, 90).
6. Move to waypoint: waypoint 146 (cell 138, 90).
7. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_L Top Base - 0C8B156C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EY.

Ordered plan: EX-->EY Patrol (0BB011FC).

1. Move to waypoint: waypoint 153 (cell 119, 104).
2. Move to waypoint: waypoint 154 (cell 97, 103).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_R Top Base - 0C8B2DEC

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EW.

Ordered plan: EV-->EW Patrol (0BB05DBC).

1. Move to waypoint: waypoint 151 (cell 137, 113).
2. Move to waypoint: waypoint 152 (cell 153, 106).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_LB Low In - 0C8B2A4C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FW.

Ordered plan: FV-->FW Patrol (0BB05A1C).

1. Move to waypoint: waypoint 177 (cell 88, 135).
2. Move to waypoint: waypoint 178 (cell 101, 116).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_LF Low In - 0C8B26AC

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FS.

Ordered plan: FR-->FS Patrol (0BB0567C).

1. Move to waypoint: waypoint 173 (cell 124, 199).
2. Move to waypoint: waypoint 174 (cell 91, 147).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_RB Low In - 0C8B230C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FY.

Ordered plan: FX-->FY Patrol (0BB02DBC).

1. Move to waypoint: waypoint 179 (cell 188, 143).
2. Move to waypoint: waypoint 180 (cell 172, 115).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Clone_2 Brute_RF Low In - 0C8B3C8C

Owner: YuriCountry. Roster: 3 × Yuri Clone (YURI); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FU.

Ordered plan: FT-->FU Patrol (0BB02A1C).

1. Move to waypoint: waypoint 175 (cell 175, 174).
2. Move to waypoint: waypoint 176 (cell 188, 153).
3. Jump to script line; configured argument 1.

TM_Yuri_4 Brute_3 Gatt_L In Beach - 0C8B38EC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FD.

Ordered plan: FC-->FD-->FE-->FD Patrol (0BB0BDBC).

1. Move to waypoint: waypoint 158 (cell 128, 189).
2. Move to waypoint: waypoint 159 (cell 98, 151).
3. Move to waypoint: waypoint 160 (cell 108, 126).
4. Move to waypoint: waypoint 159 (cell 98, 151).
5. Jump to script line; configured argument 1.

TM_Yuri_4 Brute_3 Gatt_R In Beach - 0C8B343C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FA.

Ordered plan: EZ-->FA-->FB-->FA Patrol (0BB0B77C).

1. Move to waypoint: waypoint 155 (cell 161, 177).
2. Move to waypoint: waypoint 156 (cell 179, 151).
3. Move to waypoint: waypoint 157 (cell 172, 128).
4. Move to waypoint: waypoint 156 (cell 179, 151).
5. Jump to script line; configured argument 1.

TM_Yuri_3 Gatt_L Base Ramp - 0C81BC8C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FG.

Ordered plan: FF-->FG Patrol (0BB0B20C).

1. Move to waypoint: waypoint 161 (cell 119, 127).
2. Move to waypoint: waypoint 162 (cell 119, 117).
3. Jump to script line; configured argument 1.

TM_Yuri_3 Gatt_R Base Ramp - 0C81B7DC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FI.

Ordered plan: FH-->FI Patrol (0BB0DC8C).

1. Move to waypoint: waypoint 163 (cell 153, 130).
2. Move to waypoint: waypoint 164 (cell 153, 119).
3. Jump to script line; configured argument 1.

TM_Yuri_4 Brute_F Base - 0C81B43C

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FK.

Ordered plan: FJ-->FK Patrol (0BB0D60C).

1. Move to waypoint: waypoint 165 (cell 129, 126).
2. Move to waypoint: waypoint 166 (cell 143, 123).
3. Jump to script line; configured argument 1.

TM_Yuri_4 Brute_R Base - 0C81CDEC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FM.

Ordered plan: FL-->FM Patrol (0BB0ADBC).

1. Move to waypoint: waypoint 167 (cell 127, 131).
2. Move to waypoint: waypoint 168 (cell 145, 129).
3. Jump to script line; configured argument 1.

TM_Yuri_4 Gatt_Sub Pen - 0C8B6A4C

Owner: YuriCountry. Roster: 4 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FQ.

Ordered plan: FN-->FO-->FP-->FQ Patrol (0BAF573C).

1. Move to waypoint: waypoint 169 (cell 147, 158).
2. Move to waypoint: waypoint 170 (cell 148, 146).
3. Move to waypoint: waypoint 171 (cell 128, 147).
4. Move to waypoint: waypoint 172 (cell 129, 158).
5. Jump to script line; configured argument 1.

TM_Yuri_5 Initiate - 0CBD47DC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense Attack (0C7BA1CC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Virus - 0CBD432C

Owner: YuriCountry. Roster: 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Brute - 0CBD5C8C

Owner: YuriCountry. Roster: 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Clone - 0CBD57DC

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Lasher - 0CBD559C

Owner: YuriCountry. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Power Attack (0C912DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Gatt - 0CBD7EFC

Owner: YuriCountry. Roster: 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry-->Vehicle Attack (0C912A1C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

TM_Yuri_5 Init_1 Virus - 0CBD7A4C

Owner: YuriCountry. Roster: 1 × Virus (VIRUS); 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry-->Vehicle Attack (0C912A1C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

TM_Yuri_1 Brute_1 Lasher - 0CBD780C

Owner: YuriCountry. Roster: 1 × Lasher Light Tank (LTNK); 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Gatt_1 Virus - 0CBD75CC

Owner: YuriCountry. Roster: 1 × Gattling Tank (YTNK); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Brute_1 Clone - 0CBD738C

Owner: YuriCountry. Roster: 1 × Brute (BRUTE); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_5 Init_1 Clone - 0CBD714C

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_10 Initiate - 0CBD6DEC

Owner: YuriCountry. Roster: 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.

3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Virus - 0CBD6BAC

Owner: YuriCountry. Roster: 3 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Brute - 0CBD696C

Owner: YuriCountry. Roster: 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Clone - 0CBD672C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_4 Lasher - 0CBD64EC

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Harvester Attack (0981F9FC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Gatt - 0CBD1EFC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense Attack (0C7BA1CC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Clone_1 Virus - 0CBD1DCC

Owner: YuriCountry. Roster: 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_2 Brute, 1 Clone - 0CBD1B8C

Owner: YuriCountry. Roster: 2 × Brute (BRUTE); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Lasher_2 Gatt - 0CBD194C

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Power Attack (0C912DBC).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_8 Init_2 Clone - 0CBD170C

Owner: YuriCountry. Roster: 8 × Initiate (INIT); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_4 Brute_1 Clone - 0CBD14CC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_1 Brute_1 Engineer - 0CBD0EFC

Owner: YuriCountry. Roster: 1 × Brute (BRUTE); 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.

2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_20 Initiate - 0CBD0A4C

Owner: YuriCountry. Roster: 20 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense Attack (0C7BA1CC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Virus - 0CBD080C

Owner: YuriCountry. Roster: 6 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_4 Brute - 0CBD05CC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Harvester Attack (0981F9FC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_4 Clone - 0CBD049C

Owner: YuriCountry. Roster: 4 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_6 Lasher - 0CBDE18C

Owner: YuriCountry. Roster: 6 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Harvester Attack (0981F9FC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_5 Gatt - 0CBDBEFC

Owner: YuriCountry. Roster: 5 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Vehicle Attack (0C91379C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Virus_2 Clone - 0CBDBCBC

Owner: YuriCountry. Roster: 3 × Virus (VIRUS); 2 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_10 Init_4 Brute - 0CBDAEFC

Owner: YuriCountry. Roster: 4 × Brute (BRUTE); 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_10 Init_4 Lasher - 0CBDACBC

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK); 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense Attack (0C7BA1CC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_10 Init_3 Gatt - 0CBDAA7C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_3 Engineer_2 Clone - 0CBDA83C

Owner: YuriCountry. Roster: 2 × Yuri Clone (YURI); 3 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_10 Init_2 Engineer - 0CBDA5FC

Owner: YuriCountry. Roster: 2 × Engineer (YENGINEER); 10 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_6 Gatt - 0CBDA3BC

Owner: YuriCountry. Roster: 6 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Kirov Attack (0982CDBC).

1. Seek/attack target category; configured argument 8.
2. Report team success.
3. Seek/attack target category; configured argument 5.

4. Seek/attack target category; configured argument 1.

TM_Yuri_3 Boomer - 0CBD8DEC

Owner: YuriCountry. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Shipyard Attack (0982C6DC).

1. Attack selected enemy-building category; configured argument 131133.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_8 Gatt - 0CBD893C

Owner: YuriCountry. Roster: 8 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Kirov Attack (0982CDBC).

1. Seek/attack target category; configured argument 8.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

TM_Yuri_5 Boomer - 0CBD86FC

Owner: YuriCountry. Roster: 5 × Boomer (BSUB)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Shipyard Attack (0982C6DC).

1. Attack selected enemy-building category; configured argument 131133.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri_3 Init_Back Base Def - 0940FDEC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BM.

Ordered plan: Move to BM-->Guard Area (0968448C).

1. Move to waypoint: waypoint 146 (cell 138, 90).
2. Move to waypoint: waypoint 64 (cell 135, 92).
3. Scatter.
4. Adopt object mission: area guard.
5. Report team success.

TM_Yuri_3 Init_Base Left Def - 0968424C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: Move to BO-->Guard Area (09683DBC).

1. Move to waypoint: waypoint 160 (cell 108, 126).
2. Move to waypoint: waypoint 66 (cell 113, 125).
3. Scatter.

4. Adopt object mission: area guard.
5. Report team success.

TM_Yuri_3 Init_Base Right Def - 09683C8C

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 10; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: Move to BN-->Guard Area (09683A1C).

1. Move to waypoint: waypoint 163 (cell 153, 130).
2. Move to waypoint: waypoint 65 (cell 159, 126).
3. Scatter.
4. Adopt object mission: area guard.
5. Report team success.

TM_Yuri_Bio Stuffer @ FP - 04424E1C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 10; Veteran Level: 1; Technology level: 0; Waypoint: FP.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ FN - 0441A14C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: FN.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ FO - 0442383C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: FO.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ FM - 0442370C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FM.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ FK - 044235DC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: FK.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ EV - 044234AC

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: EV.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri_Bio Stuffer @ EX - 0442337C

Owner: YuriCountry. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: EX.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri2_Bio Stuffer @ TL - 096DBC9C

Owner: Yuri2. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: TL.

Ordered plan: Go into Nearest Bio Reactor (04424BAC).

1. Enter Bio Reactor.

TM_Yuri2_2 Lasher - 0954E1FC

Owner: Yuri2. Roster: 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense Attack (0C7BA1CC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri2_1 Lash 2 Gatt - 0954646C

Owner: Yuri2. Roster: 1 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry-->Vehicle Attack (0C912A1C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

TM_Yuri2_1 Clone 1 Virus - 0954ADEC

Owner: Yuri2. Roster: 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Infantry Attack (0C913DBC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

TM_Yuri2_3 Init Base Def - 0954ACBC

Owner: Yuri2. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense (0968245C).

1. Adopt object mission: area guard.
2. Report team success.

TM_Yuri2_4 Brute - 09541C8C

Owner: Yuri2. Roster: 4 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Building Attack (0953E80C).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131086.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131083.
7. Attack selected enemy-building category; configured argument 131082.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

TM_Yuri_3 Initiate Base Def - 077ECEFC

Owner: YuriCountry. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 25; Max: 6; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri_Base Defense (0968245C).

1. Adopt object mission: area guard.
2. Report team success.

TM_Yuri_2 Slave Miner - 077BCBFC

Owner: YuriCountry. Roster: 2 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: FB.

Ordered plan: Slave Miner Harvest (077B8DBC).

1. Adopt object mission: area guard.

TM_Yuri2_2 Slave Miner - 0954BBFC

Owner: Yuri2. Roster: 2 × Slave Miner (SMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0; Waypoint: EQ.

Ordered plan: Slave Miner Harvest (077B8DBC).

1. Adopt object mission: area guard.

TM_Sov_1 Trans_1 MCV (Easy2) - 095D70DC

Owner: Russians. Roster: 1 × Soviet Construction Vehicle (SMCV); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Reinforce MCV to AI (0441E2BC).

1. Move to waypoint: waypoint 34 (cell 139, 27).
2. Set local flag: local flag 1 (MCV @ AI).

TM_Sov_1 Trans_1 MCV (Med2) - 0441C3BC

Owner: Russians. Roster: 1 × Soviet Construction Vehicle (SMCV); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Reinforce MCV to AI (0441E2BC).

1. Move to waypoint: waypoint 34 (cell 139, 27).
2. Set local flag: local flag 1 (MCV @ AI).

TM_Sov_1 Trans_1 MCV (Easy3) - 0930734C

Owner: Russians. Roster: 1 × Soviet Construction Vehicle (SMCV); 1 × Amphibious Transport (SAPC)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Reinforce MCV to AI (0441E2BC).

1. Move to waypoint: waypoint 34 (cell 139, 27).
2. Set local flag: local flag 1 (MCV @ AI).

Operation: Escape Velocity - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov05umd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	5000	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-2500	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Total AI Team Cap	75,75,75	5
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	8
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	11
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	14
Kirov Airship (ZEP)	Name	Kirov Airship	17
Kirov Airship (ZEP)	Technology level	9	18
Tesla Tank (TTNK)	Name	Tesla Tank	21
Tesla Tank (TTNK)	Technology level	9	22
Demolition Truck (DTRUCK)	Name	Demolitions Truck	25
Demolition Truck (DTRUCK)	Permitted country list	Russians,Confederation,Africans,Arabs	26
Demolition Truck (DTRUCK)	Required countries	Russians	27
Demolition Truck (DTRUCK)	Technology level	9	28
Terrorist (TERROR)	Name	Terrorist	31
Terrorist (TERROR)	Permitted country list	Russians,Confederation,Africans,Arabs	32
Terrorist (TERROR)	Required countries	Russians	33
Boris (BORIS)	Name	Boris	36
Boris (BORIS)	Technology level	10	37
Soviet Construction Vehicle (SMCV)	Name	Soviet Construction Vehicle	40
Soviet Construction Vehicle (SMCV)	Technology level	9	41
Iron Curtain Device (NAIRON)	Name	Soviet Iron Curtain Device	44
Iron Curtain Device (NAIRON)	Technology level	9	45
Industrial Plant (NAINDP)	Name	Soviet Industrial Plant	48
Industrial Plant (NAINDP)	Technology level	9	49
Tech Secret Lab (CASLAB)	Name	Tech Secret Lab	52
Tech Secret Lab (CASLAB)	Secret infantry requirement	DESO	53
Yuri Battle Lab (YATECH)	Name	Yuri Battle Lab	56
Yuri Battle Lab (YATECH)	Technology level	10	57
Unknown Building (YAROCK)	Name	Rocket Launch Pad	60

Object/system	Property	Mission value	Source line
Unknown Building (YAROCK)	General immunity flag	yes	61
Unknown Building (YAROCK)	Depends on power	yes	62
Unknown Building (YAROCK)	Signed power contribution	-150	63
Moai (CAEAST01)	Name	Easter Island Statue	66
Moai (CAEAST01)	Signed power contribution	-1000	67
Moai (CAEAST01)	Depends on power	yes	68
Moai (CAEAST01)	Overpowerable	false	69
Moai (CAEAST01)	Engineer-capture permission	false	70
Moai (CAEAST01)	Primary	none	71
Yuri Statue (CAEAST02)	Name	Yuri Bust	74
Yuri Statue (CAEAST02)	Signed power contribution	-100	75
Yuri Statue (CAEAST02)	Depends on power	Yes	76
Yuri Statue (CAEAST02)	Overpowerable	true	77
Yuri Statue (CAEAST02)	Engineer-capture permission	true	78
SPECIALFLAGS	Tiberium Grows	no	97
SPECIALFLAGS	Tiberium Spreads	yes	98
SPECIALFLAGS	Tiberium Explosive	no	99
SPECIALFLAGS	Destroyable Bridges	yes	100
SPECIALFLAGS	MCV Deploy	no	101
SPECIALFLAGS	Initial Veteran	no	102
SPECIALFLAGS	Fixed Alliance	no	103
SPECIALFLAGS	Harvester Immune	no	104
SPECIALFLAGS	Fog Of War	no	105
SPECIALFLAGS	Inert	no	106
SPECIALFLAGS	Ion Storms	no	107
SPECIALFLAGS	Meteorites	no	108
SPECIALFLAGS	Visceroids	no	109
COUNTRIES (COUNTRIES)	0	Yuri2	121
VARIABLENAMES (VARIABLENAMES)	0	Sub Pen Destroyed,0	172
VARIABLENAMES (VARIABLENAMES)	1	MCV @ AI,0	173
America (AMERICANS)	Country	Americans	214
America (AMERICANS)	Technology level	0	215
America (AMERICANS)	Credits	0	216
America (AMERICANS)	IQ	0	217
America (AMERICANS)	Edge	East	218
America (AMERICANS)	Player Control	no	219
America (AMERICANS)	Color	Gold	220
America (AMERICANS)	Allies	Americans	221
America (AMERICANS)	Percent Built	0	222
America (AMERICANS)	Node Count	0	223
Korea (ALLIANCE)	Country	Alliance	226

Object/system	Property	Mission value	Source line
Korea (ALLIANCE)	Technology level	1	227
Korea (ALLIANCE)	Credits	0	228
Korea (ALLIANCE)	IQ	0	229
Korea (ALLIANCE)	Edge	East	230
Korea (ALLIANCE)	Player Control	no	231
Korea (ALLIANCE)	Color	Purple	232
Korea (ALLIANCE)	Allies	Alliance	233
Korea (ALLIANCE)	Percent Built	0	234
Korea (ALLIANCE)	Node Count	0	235
France (FRENCH)	Country	French	238
France (FRENCH)	Technology level	1	239
France (FRENCH)	Credits	0	240
France (FRENCH)	IQ	0	241
France (FRENCH)	Edge	East	242
France (FRENCH)	Player Control	no	243
France (FRENCH)	Color	Purple	244
France (FRENCH)	Allies	French,Arabs,YuriCountry,Yuri2Country	245
France (FRENCH)	Percent Built	0	246
France (FRENCH)	Node Count	0	247
Germany (GERMANS)	Country	Germans	250
Germany (GERMANS)	Technology level	10	251
Germany (GERMANS)	Credits	500	252
Germany (GERMANS)	IQ	4	253
Germany (GERMANS)	Edge	West	254
Germany (GERMANS)	Player Control	no	255
Germany (GERMANS)	Color	Purple	256
Germany (GERMANS)	Allies	Germans	257
Germany (GERMANS)	Percent Built	0	258
Germany (GERMANS)	Node Count	0	259
Great Britain (BRITISH)	Country	British	262
Great Britain (BRITISH)	Technology level	1	263
Great Britain (BRITISH)	Credits	0	264
Great Britain (BRITISH)	IQ	0	265
Great Britain (BRITISH)	Edge	East	266
Great Britain (BRITISH)	Player Control	no	267
Great Britain (BRITISH)	Color	Purple	268
Great Britain (BRITISH)	Allies	British	269
Great Britain (BRITISH)	Percent Built	0	270
Great Britain (BRITISH)	Node Count	0	271
Libya (AFRICANS)	Country	Africans	274
Libya (AFRICANS)	Technology level	1	275

Object/system	Property	Mission value	Source line
Libya (AFRICANS)	Credits	0	276
Libya (AFRICANS)	IQ	0	277
Libya (AFRICANS)	Edge	East	278
Libya (AFRICANS)	Player Control	no	279
Libya (AFRICANS)	Color	DarkRed	280
Libya (AFRICANS)	Allies	Africans	281
Libya (AFRICANS)	Percent Built	0	282
Libya (AFRICANS)	Node Count	0	283
Iraq (ARABS)	Country	Arabs	286
Iraq (ARABS)	Technology level	1	287
Iraq (ARABS)	Credits	0	288
Iraq (ARABS)	IQ	0	289
Iraq (ARABS)	Edge	East	290
Iraq (ARABS)	Player Control	no	291
Iraq (ARABS)	Color	Purple	292
Iraq (ARABS)	Allies	French,Arabs,YuriCountry,Yuri2Country	293
Iraq (ARABS)	Percent Built	0	294
Iraq (ARABS)	Node Count	0	295
Cuba (CONFEDERATION)	Country	Confederation	298
Cuba (CONFEDERATION)	Technology level	1	299
Cuba (CONFEDERATION)	Credits	0	300
Cuba (CONFEDERATION)	IQ	0	301
Cuba (CONFEDERATION)	Edge	East	302
Cuba (CONFEDERATION)	Player Control	no	303
Cuba (CONFEDERATION)	Color	DarkRed	304
Cuba (CONFEDERATION)	Allies	Confederation	305
Cuba (CONFEDERATION)	Percent Built	0	306
Cuba (CONFEDERATION)	Node Count	0	307
Russia (RUSSIANS)	Country	Russians	310
Russia (RUSSIANS)	Technology level	9	311
Russia (RUSSIANS)	Credits	100	312
Russia (RUSSIANS)	IQ	0	313
Russia (RUSSIANS)	Edge	North	314
Russia (RUSSIANS)	Player Control	yes	315
Russia (RUSSIANS)	Color	DarkRed	316
Russia (RUSSIANS)	Allies	Russians	317
Russia (RUSSIANS)	Percent Built	0	318
Russia (RUSSIANS)	Node Count	0	319
Yuri (YURICOUNTRY)	Country	YuriCountry	322
Yuri (YURICOUNTRY)	Technology level	10	323
Yuri (YURICOUNTRY)	Credits	500	324

Object/system	Property	Mission value	Source line
Yuri (YURICOUNTRY)	IQ	4	325
Yuri (YURICOUNTRY)	Edge	West	326
Yuri (YURICOUNTRY)	Player Control	no	327
Yuri (YURICOUNTRY)	Color	Purple	328
Yuri (YURICOUNTRY)	Allies	French,Arabs,YuriCountry,Neutral,Yuri2Country	329
Yuri (YURICOUNTRY)	Percent Built	0	330
Yuri (YURICOUNTRY)	Node Count	0	331
GDI (GDI)	Country	GDI	334
GDI (GDI)	Technology level	1	335
GDI (GDI)	Credits	0	336
GDI (GDI)	IQ	0	337
GDI (GDI)	Edge	East	338
GDI (GDI)	Player Control	no	339
GDI (GDI)	Color	Gold	340
GDI (GDI)	Allies	GDI	341
GDI (GDI)	Percent Built	0	342
GDI (GDI)	Node Count	0	343
Nod (NOD)	Country	Nod	346
Nod (NOD)	Technology level	1	347
Nod (NOD)	Credits	0	348
Nod (NOD)	IQ	0	349
Nod (NOD)	Edge	East	350
Nod (NOD)	Player Control	no	351
Nod (NOD)	Color	Gold	352
Nod (NOD)	Allies	Nod	353
Nod (NOD)	Percent Built	0	354
Nod (NOD)	Node Count	0	355
Civilian (NEUTRAL)	Country	Neutral	358
Civilian (NEUTRAL)	Technology level	1	359
Civilian (NEUTRAL)	Credits	0	360
Civilian (NEUTRAL)	IQ	0	361
Civilian (NEUTRAL)	Edge	East	362
Civilian (NEUTRAL)	Player Control	no	363
Civilian (NEUTRAL)	Color	Grey	364
Civilian (NEUTRAL)	Allies	Neutral	365
Civilian (NEUTRAL)	Percent Built	0	366
Civilian (NEUTRAL)	Node Count	0	367
JP (SPECIAL)	Country	Special	370
JP (SPECIAL)	Technology level	1	371
JP (SPECIAL)	Credits	0	372
JP (SPECIAL)	IQ	0	373

Object/system	Property	Mission value	Source line
JP (SPECIAL)	Edge	East	374
JP (SPECIAL)	Player Control	no	375
JP (SPECIAL)	Color	Grey	376
JP (SPECIAL)	Allies	Special	377
JP (SPECIAL)	Percent Built	0	378
JP (SPECIAL)	Node Count	0	379

Operation: To The Moon

Campaign reading guide | Engine

Operation: To The Moon

sov06lmd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- YuriCountry (97)
- Americans (16)
- Alliance (15)
- Neutral (8)
- British (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov06lmd.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. YACOMD

Initial placement schematic for sov06lmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov06lmd.map. **Effective extracted member:** mapsmd03.mix/sov06lmd.map. **Trigger definitions:** 81.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Russians
Theater	LUNAR
Map size	0,0,40,120
Visible local rectangle	2,4,36,110
Placed vehicles	23
Placed infantry	35
Placed structures	80
Placed aircraft	0
Team templates	44

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Americans	500	Americans
1	Alliance	500	Alliance
2	French	0	French
3	Germans	0	Germans
4	British	0	British
5	Africans	0	Africans
6	Arabs	0	Arabs
7	Confederation	0	Confederation
8	Russians	700	Russians
9	YuriCountry	2000	YuriCountry
10	GDI	0	GDI
11	Nod	0	Nod
12	Neutral	0	Neutral
13	Special	0	Special

Local state flags at initialization

Flag	Meaning label and initial value
0	Mastermind Exposed,0
1	Base 1 Down,0
2	Base 2 Down,0
3	Base 3 Down,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
It's Over : ((0B1E809C)	Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.
It's Over! 2 (068847BC)	8 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Every trigger, in file order

1. _welcome! - 0923103C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09231D4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Disable player input.
2. Play in-game movie 52.
3. Enable and reset applicable timers for _welcome! unlock (09231BFC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4032, Events line 4115, Actions line 4198.

2. _welcome! unlock - 09231BFC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! (0923103C).

Attached scope: tag definitions 09232F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 119 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable player input.
2. Play voice notification EVA_BattlefieldControlOnline.
3. Create/recruit team _BaseDef1 (0890193C).
4. Create/recruit team _BaseDef2 (0890148C).
5. AI triggers begin: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
6. Create/recruit team _BaseDef-Left1 (092BA62C).
7. Create/recruit team _BaseDef-Left2 (092BB81C).
8. Create/recruit team _BaseDef-Right1 (0BE0132C).
9. Create/recruit team _BaseDef-Right2 (0BE0351C).
10. Production Begins: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
11. Enable and reset applicable timers for It's Over : ((0B1E809C).
12. Enable and reset applicable timers for _welcome teams (069BBD3C).
13. Enable and reset applicable timers for Place to Build (077B9E1C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4033, Events line 4116, Actions line 4199.

3. It's Over : (- 0B1E809C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! unlock (09231BFC).

Attached scope: tag definitions 0B1F4C7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the loser.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4034, Events line 4117, Actions line 4200.

4. _welcome teams - 069BBD3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! unlock (09231BFC).

Attached scope: tag definitions 069BB59C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Laser Jerks Easy (09847DFC).
2. Enable and reset applicable timers for Laser Jerks Medium (0984778C).
3. Enable and reset applicable timers for Laser Jerks Hard (0B99436C).
4. Enable and reset applicable timers for Tons O Mooners 2 (0B9B744C).
5. Enable and reset applicable timers for Tons O Mooners Easy (09847C7C).
6. Enable and reset applicable timers for Tons O Mooners Medium (0984721C).

7. Enable and reset applicable timers for Tons O Mooners Hard (0B9A36DC).
8. Enable and reset applicable timers for Mastermind 1 (0C746A2C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4035, Events line 4118, Actions line 4201.

5. Place to Build - 077B9E1C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! unlock (09231BFC).

Attached scope: tag definitions 077B953C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS6_ZofiaGoToTheEast.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4036, Events line 4119, Actions line 4202.

6. Laser Jerks Easy - 09847DFC

Owner reference: Alliance. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 09847AEC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 500 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Laser Jerks (099A9B7C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4037, Events line 4120, Actions line 4203.

7. Laser Jerks Medium - 0984778C

Owner reference: Alliance. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 098476AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 300 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Laser Jerks (099A9B7C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4038, Events line 4121, Actions line 4204.

8. Laser Jerks Hard - 0B99436C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0B992C7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 200 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Laser Jerks (099A9B7C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4039, Events line 4122, Actions line 4205.

9. Tons O Mooners 2 - 0B9B744C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0B9B710C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 325 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Tons O Mooners 2 (08900EFC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4040, Events line 4123, Actions line 4206.

10. Tons O Mooners Easy - 09847C7C

Owner reference: Alliance. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0CA1409C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 350 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Tons O Mooners (089037DC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4041, Events line 4124, Actions line 4207.

11. Tons O Mooners Medium - 0984721C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0983FE6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 300 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Tons O Mooners (089037DC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4042, Events line 4125, Actions line 4208.

12. Tons O Mooners Hard - 0B9A36DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0B9B604C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 175 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Tons O Mooners (089037DC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4043, Events line 4126, Actions line 4209.

13. Mastermind 1 - 0C746A2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome teams (069BBD3C).

Attached scope: tag definitions 0C7464AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 400 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team MasterMind 1 (0890063C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4044, Events line 4127, Actions line 4210.

14. Yuri Cash Taunt - 0D6BF95C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0D6BF7EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The trigger owner's credits are below 10000.

Then perform these actions in order:

1. Play voice notification Mis_xs6_YuriCashTaunt.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4045, Events line 4128, Actions line 4211.

15. Yuri Taunt Hideaway - 0BA3216C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Psychic Tower (YAPSYT), owner Americans, cell (81, 108), tag 0BA3B1CC, persistence mode 0; Psychic Tower (YAPSYT), owner Americans, cell (84, 102), tag 0BA3B1CC, persistence mode 0; Psychic Tower (YAPSYT), owner Americans, cell (77, 92), tag 0BA3B1CC, persistence mode 0; Psychic Tower (YAPSYT), owner Americans, cell (69, 95), tag 0BA3B1CC, persistence mode 0; Bio Reactor (YAPOWR), owner Americans, cell (65, 99), tag 0BA3B1CC, persistence mode 0; Psychic Tower (YAPSYT), owner YuriCountry, cell (41, 47), tag 0BA3B1CC, persistence mode 0; Bio Reactor (YAPOWR), owner Alliance, cell (78, 58), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (76, 54), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (90, 66), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (81, 64), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (84, 66), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (77, 45), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner Alliance, cell (94, 61), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (31, 61), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (38, 53), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (44, 44), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (50, 43), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (55, 38), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (57, 32), tag 0BA3B1CC, persistence mode 0; Bio Reactor (YAPOWR), owner Americans, cell (77, 110), tag 0BA3B1CC, persistence mode 0; Gattling Cannon (YAGGUN), owner YuriCountry, cell (63, 28), tag 0BA3B1CC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_xs6_YuriScreamTaunt.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4046, Events line 4129, Actions line 4212.

16. Enemy Russia - 0BBDE20C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BBEE10C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4047, Events line 4130, Actions line 4213.

17. Enemy Russia 2 - 0BBF018C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BBF414C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4048, Events line 4131, Actions line 4214.

18. Enemy Russia 3 - 0BBDE11C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BBF221C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4049, Events line 4132, Actions line 4215.

19. Limited Troops 1a - 092630BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Limited Troops 1 (08B7F03C).

Attached scope: tag definitions 092601CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play in-game movie 53.
2. Enable and reset applicable timers for Limited Troops 2 (0B0BDBBC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4050, Events line 4133, Actions line 4216.

20. Limited Troops 2 - 0B0BDBBC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Limited Troops 1a (092630BC).

Attached scope: tag definitions 0B0BD53C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 32 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Limited Troops 2a (08DBCDCC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4051, Events line 4134, Actions line 4217.

21. Limited Troops 2a - 08DBCDCC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Limited Troops 2 (0B0BDBBC).

Attached scope: tag definitions 08DBC7FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S06_p02.
2. Switch the sidebar to tab 2.
3. Flash cameo/type LUNR; additional configured duration/location argument 90.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4052, Events line 4135, Actions line 4218.

22. No Resources - 077B937C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from No Resources 0 (084F7E0C).

Attached scope: tag definitions 077BBE7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS6_ZofiaNoResources.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4053, Events line 4136, Actions line 4219.

23. Start Suprise 1 - 0BA3903C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 29 tagged map cells: (113, 109), (114, 109), (111, 110), (112, 110), (113, 110), (114, 110), (112, 111), (113, 111), (114, 111), (109, 112), (110, 112), (111, 112), (112, 112), (113, 112), (114, 112), (108, 113), (109, 113), (110, 113), (111, 113), (112, 113), (113, 113), (114, 113), (111, 114), (112, 114), (113, 114), (114, 114), (111, 115), (112, 115), (113, 115); tag 0BA3C08C, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Supply reinforcement team _ScareTeam1 (08900CBC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4054, Events line 4137, Actions line 4220.

24. Start Suprise 2 - 091BCB2C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 25 tagged map cells: (69, 63), (65, 65), (71, 65), (66, 67), (68, 67), (70, 67), (62, 68), (65, 68), (67, 68), (68, 68), (73, 68), (64, 69), (63, 70), (70, 70), (71, 70), (66, 71), (69, 71), (69, 72), (72, 72), (73, 72), (63, 73), (65, 73), (67, 73), (70, 74), (67, 75); tag 091BC62C, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Supply reinforcement team _ScareTeam2 (091BD49C).
2. Supply reinforcement team _ScareTeam3 (091BAD9C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4055, Events line 4138, Actions line 4221.

25. Kill Suprise 2 - 0BCEF55C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 28 tagged map cells: (40, 63), (41, 63), (42, 63), (43, 63), (44, 63), (45, 63), (46, 63), (47, 63), (40, 64), (47, 64), (40, 65), (47, 65), (40, 66), (47, 66), (40, 67), (47, 67), (40, 68), (47, 68), (40, 69), (47, 69), (40, 70), (41, 70), (42, 70), (43, 70), (44, 70), (45, 70), (46, 70), (47, 70); tag 0BCF4DCC, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Disable Start Suprise 2 (091BCB2C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4056, Events line 4139, Actions line 4222.

26. Gattling Isn't For The Weak - 0B99BBFC

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B99B67C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 500 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team Gattling Isn't For The Weak (089046CC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4057, Events line 4140, Actions line 4223.

27. It's Over! - 0B1EE03C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown (09078A2C).

Attached scope: tag definitions 0B1EF03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS4_YuriInevitable.
2. Enable and reset applicable timers for It's Over! 2 (068847BC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4058, Events line 4141, Actions line 4224.

28. It's Over! 2 - 068847BC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from It's Over! (0B1EE03C).

Attached scope: tag definitions 06885E4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 8 (country/type RUSSIANS; placed owner Russians) the winner.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4059, Events line 4142, Actions line 4225.

29. Kill Suprise 1 - 0BF1BB4C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 30 tagged map cells: (91, 114), (92, 114), (93, 114), (94, 114), (95, 114), (96, 114), (97, 114), (98, 114), (91, 115), (98, 115), (91, 116), (98, 116), (91, 117), (98, 117), (91, 118), (98, 118), (91, 119), (98, 119), (91, 120), (93, 120), (94, 120), (98, 120), (91, 121), (92, 121), (93, 121), (94, 121), (95, 121), (96, 121), (97, 121), (98, 121); tag 0BF1B55C, persistence mode 0.

Wait for the recorded events:

1. Entered or Overflown By: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Then perform these actions in order:

1. Disable Start Suprise 1 (0BA3903C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4060, Events line 4143, Actions line 4226.

30. _Don't Stop Lasers - 0BFCCF3C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Start Don't Stop Lasers (0BFC984C).

Attached scope: tag definitions 0BFC912C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 500 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Create/recruit team _Don't Stop Lasers (08908B5C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4061, Events line 4144, Actions line 4227.

31. _Start Don't Stop Lasers - 0BFC984C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BFCA0DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Enable and reset applicable timers for _Don't Stop Lasers (0BFCCF3C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4062, Events line 4145, Actions line 4228.

32. Barracks Gone - 0BFCAF3C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Barracks (YABRCK), owner YuriCountry, cell (23, 46), tag 0BFCAB9C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Kill Blue Light 5 (090EB69C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4063, Events line 4146, Actions line 4229.

33. Kill Blue Light 5 - 090EB69C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Barracks Gone (0BFCAF3C).

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (21, 46), tag 090EB45C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4064, Events line 4147, Actions line 4230.

34. _Extra Taunt - 0C04613C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C04049C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Play voice notification Mis_xA3_YuriTaunt.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4065, Events line 4148, Actions line 4231.

35. _Extra Taunt 2 - 0C04667C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C04514C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Then perform these actions in order:

1. Play voice notification Mis_xS3_YuriLeave.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4066, Events line 4149, Actions line 4232.

36. Protect Lunar Base - 0C9D724C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CA0E59C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _S06_MM Guard LB AA (069E632C).
2. Create/recruit team _S06_MM Guard LB Z (069E67DC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4067, Events line 4150, Actions line 4233.

37. Revealing Shroud - 0C994D4C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0C993F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 0 (cell 118, 145).
2. Reveal terrain around waypoint 5 (cell 124, 143).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4068, Events line 4151, Actions line 4234.

38. Objective 1 - 0994531C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09944D7C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Find a location to set up base” (MISSION:BuildBase).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4069, Events line 4152, Actions line 4235.

39. Objective 2 - 09944C8C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Soviet MCV Exists (0994422C).

Attached scope: tag definitions 09944A4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Locate and destroy Yuri's Lunar Command Center” (MISSION:DestroyLunarCommand).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4070, Events line 4153, Actions line 4236.

40. Objective 3 - 0994495C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lunar Command Gone (0994462C); enable from Lunar Destroyed (0951F89C).

Attached scope: tag definitions 0994471C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 200 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective: Destroy all remaining Yuri buildings” (MISSION:DestroyYuri06S).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4071, Events line 4154, Actions line 4237.

41. Lunar Command Gone - 0994462C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0994431C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Objective 2 (09944C8C).
2. Enable and reset applicable timers for Objective 3 (0994495C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4072, Events line 4155, Actions line 4238.

42. Soviet MCV Exists - 0994422C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09943E7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. At least 1 instances of Soviet Construction Yard (NACNST) exist on the map, under this event's ownership scope.

Then perform these actions in order:

1. Disable Objective 1 (0994531C).
2. Enable and reset applicable timers for Objective 2 (09944C8C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4073, Events line 4156, Actions line 4239.

43. Lunar Destroyed - 0951F89C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri´s Command Center (YACOMD), owner YuriCountry, cell (45, 14), tag 0951F21C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Objective 1 (0994531C).
2. Disable Objective 2 (09944C8C).
3. Enable and reset applicable timers for Objective 3 (0994495C).
4. Play voice notification Mis_xS6_ZofiaWellDone.
5. Display message “Objective: Destroy all remaining Yuri buildings” (MISSION:DestroyYuri06S).
6. Enable and reset applicable timers for Kill Blue Light 3 (090EC3FC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4074, Events line 4157, Actions line 4240.

44. Kill Blue Light 3 - 090EC3FC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Lunar Destroyed (0951F89C).

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (46, 12), tag 090EC1BC, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4075, Events line 4158, Actions line 4241.

45. Demo Floating Disk 1 - 079E07EC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Demo Floating Disk 0 (095408BC).

Attached scope: tag definitions 079E22EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team _S06_Demo Floating Disk (08F7BDEC).
2. Enable and reset applicable timers for Floating Disk Timer (0915944C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4076, Events line 4159, Actions line 4242.

46. Floating Disk Timer - 0915944C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Demo Floating Disk 1 (079E07EC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 70 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Demo Floating Disk 2 (079E21FC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4077, Events line 4160, Actions line 4243.

47. Demo Floating Disk 2 - 079E21FC

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Floating Disk Timer (0915944C); enable from Shot On (05A800AC).

Attached scope: tag definitions 079E38CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team _S06_Demo Floating Disk (08F7BDEC) with duration setting 90.
2. Play voice notification Unit_Sofia_FloatDisc.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4078, Events line 4161, Actions line 4244.

48. _welcome! Mastermind - 08DAAADC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DAB9BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 58 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _S06_Mastermind Intro (0853DB7C).
2. Enable and reset applicable timers for _welcome! MM Speech (08EFDB7C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4079, Events line 4162, Actions line 4245.

49. _welcome! MM Speech - 08EFDB7C

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! Mastermind (08DAAADC).

Attached scope: tag definitions 08EFD47C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team _S06_Mastermind Intro (0853DB7C) with duration setting 90.
2. Play voice notification Unit_Sofia_MasterMind.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4080, Events line 4163, Actions line 4246.

50. _welcome! Mag Speech - 08DAB8CC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _welcome! Magentron (043FDD9C).

Attached scope: tag definitions 08DAB71C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS6_ZofiaMagnetronIntro.
2. Flash team _S06_Magnetron Start (0A2A809C) with duration setting 90.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4081, Events line 4164, Actions line 4247.

51. _welcome!zzz - 08DAB62C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DAB4BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

No action entries.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4082, Events line 4165, Actions line 4248.

52. _welcome! rhinos - 043FEB4C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043FAB6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team S6_start_rhino (08B506CC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4083, Events line 4166, Actions line 4249.

53. _welcome! Magentron - 043FDD9C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 043FDBEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 44 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 36 (cell 114, 129).
2. Create/recruit team _S06_Magnetron Start (0A2A809C).
3. Enable and reset applicable timers for _welcome! Mag Speech (08DAB8CC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4084, Events line 4167, Actions line 4250.

54. _welcome! Cosmonaunts - 05E805AC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05E81CDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team S6_start_moontroops (0932B32C).
2. Supply reinforcement team S6_Moontroops 2 (0C430EFC).
3. Supply reinforcement team S6_Moontroops 3 (043A463C).
4. Supply reinforcement team S6_Moontroops 4 (043AF7DC).
5. Supply reinforcement team S6_Moontroops 5 (0932712C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4085, Events line 4168, Actions line 4251.

55. _welcome! MCV - 05E81BEC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05E8134C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team S6_start_MCV (0C65889C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4086, Events line 4169, Actions line 4252.

56. _welcome! Cos Attack - 05E9BCAC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05E9B72C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 90 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team _S06_Cos Attack (08EC7C8C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4087, Events line 4170, Actions line 4253.

57. Kill Blue Light 1 - 08AAD06C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (68, 104), tag 08EEA05C, persistence mode 0.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4088, Events line 4171, Actions line 4254.

58. Kill Blue Light 2 - 090ECF3C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (88, 51), tag 090EC9EC, persistence mode 0.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4089, Events line 4172, Actions line 4255.

59. Kill Blue Light 4 - 090EBE6C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Yuri MCV Gone (090EBABC).

Attached scope: Invisible Blue Light Post (INBLULMP), owner Neutral, cell (26, 23), tag 090EBC2C, persistence mode 0.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4090, Events line 4173, Actions line 4256.

60. Yuri MCV Gone - 090EBABC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Yuri Construction Yard (YACNST), owner YuriCountry, cell (28, 26), tag 090EB87C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Kill Blue Light 4 (090EBE6C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4091, Events line 4174, Actions line 4257.

61. Show the base! - 096C769C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 096C732C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 78 (cell 45, 12).
2. Reveal terrain around waypoint 80 (cell 43, 18).
3. Reveal terrain around waypoint 81 (cell 51, 18).
4. Move the camera to waypoint 78 (cell 45, 12) with speed setting 3.
5. Enable and reset applicable timers for Show the base! 2 (096E96AC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4092, Events line 4175, Actions line 4258.

62. Show the base! 2 - 096E96AC

Owner reference: Russians. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Show the base! (096C769C).

Attached scope: tag definitions 096E92CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 33 (cell 116, 136) with speed setting 3.

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4093, Events line 4176, Actions line 4259.

63. Fire Sale - 0907E1DC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09078B1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Base 1 Down) is set.
2. local flag 2 (Base 2 Down) is set.
3. local flag 3 (Base 3 Down) is set.

Flag writers in this mission: set local flag 1 (Base 1 Down) at Fire Sale A (08B8E03C); set local flag 2 (Base 2 Down) at Fire Sale B (08BE205C); set local flag 3 (Base 3 Down) at Fire Sale C (08BEB06C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Fire Sale Countdown (09078A2C).
2. Disable _Extra Taunt (0C04613C).
3. Disable _Extra Taunt 2 (0C04667C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4094, Events line 4177, Actions line 4260.

64. Fire Sale Countdown - 09078A2C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale (0907E1DC).

Attached scope: tag definitions 090787EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Fire Sale - 2 Alliance (07B9CE5C).
3. Enable and reset applicable timers for Fire Sale - 1 America (07B9BA5C).
4. Enable and reset applicable timers for Fire Sale Countdown 2 (0782720C).
5. Enable and reset applicable timers for It's Over! (0B1EE03C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4095, Events line 4178, Actions line 4261.

65. Fire Sale - 2 Alliance - 07B9CE5C

Owner reference: Alliance. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown (09078A2C).

Attached scope: tag definitions 07B9CCAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4096, Events line 4179, Actions line 4262.

66. Fire Sale - 1 America - 07B9BA5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown (09078A2C).

Attached scope: tag definitions 07B9CF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Fire Sale: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4097, Events line 4180, Actions line 4263.

67. Fire Sale Countdown 2 - 0782720C

Owner reference: YuriCountry. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown (09078A2C).

Attached scope: tag definitions 07826B8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all of: owner selector 9 (country/type YURICOUNTRY; placed owner YuriCountry).
2. Enable and reset applicable timers for Fire Sale Countdown 2b (09A0EC1C).
3. Enable and reset applicable timers for Fire Sale Countdown 2a (09A0C36C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4098, Events line 4181, Actions line 4264.

68. Fire Sale Countdown 2b - 09A0EC1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown 2 (0782720C).

Attached scope: tag definitions 09A0A4AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all of: owner selector 0 (country/type AMERICANS; placed owner Americans).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4099, Events line 4182, Actions line 4265.

69. Fire Sale Countdown 2a - 09A0C36C

Owner reference: Alliance. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Fire Sale Countdown 2 (0782720C).

Attached scope: tag definitions 09A0ED0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy all of: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4100, Events line 4183, Actions line 4266.

70. More Rhinos - 093BDCBC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093BD66C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team S6_start_rhino (08B506CC).
2. Supply reinforcement team S6_start_rhino (08B506CC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4101, Events line 4184, Actions line 4267.

71. Production - 05E4BF3C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 05E4BA5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Production Begins: owner selector 0 (country/type AMERICANS; placed owner Americans).
2. Production Begins: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4102, Events line 4185, Actions line 4268.

72. Bonus Money 1 - 08916D7C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089167FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 0 (country/type AMERICANS; placed owner Americans).

Then perform these actions in order:

1. Create crate type 0 at waypoint 16 (cell 75, 101).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4103, Events line 4186, Actions line 4269.

73. Bonus Money 2 - 0891670C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 089164CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 1 (country/type ALLIANCE; placed owner Alliance).

Then perform these actions in order:

1. Create crate type 0 at waypoint 13 (cell 86, 54).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4104, Events line 4187, Actions line 4270.

74. Limited Troops 1 - 08B7F03C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B86F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 11 (global list position: Soviet Barracks (NAHAND)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Limited Troops 1a (092630BC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4105, Events line 4188, Actions line 4271.

75. No Resources 0 - 084F7E0C

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 084F1DAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for No Resources (077B937C).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4106, Events line 4189, Actions line 4272.

76. Fire Sale A - 08B8E03C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B9604C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
2. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
4. Building does not exist: type index 301 (global list position: Yuri Construction Yard (YACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 1 (Base 1 Down).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4107, Events line 4190, Actions line 4273.

77. Fire Sale B - 08BE205C

Owner reference: Alliance. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08BEE06C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
2. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 301 (global list position: Yuri Construction Yard (YACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 2 (Base 2 Down).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4108, Events line 4191, Actions line 4274.

78. Fire Sale C - 08BEB06C

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08BF607C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 302 (global list position: Bio Reactor (YAPOWR)). A map-local type-list change can affect index interpretation.
2. Building does not exist: type index 354 (global list position: MassiveSoft Campus (CASEAT02)). A map-local type-list change can affect index interpretation.
3. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.
4. Building does not exist: type index 303 (global list position: Yuri Barracks (YABRCK)). A map-local type-list change can affect index interpretation.
5. Building does not exist: type index 301 (global list position: Yuri Construction Yard (YACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 3 (Base 3 Down).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4109, Events line 4192, Actions line 4275.

79. Demo Floating Disk 0 - 095408BC

Owner reference: Russians. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09544C9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 14 (global list position: Soviet War Factory (NAWEAP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Demo Floating Disk 1 (079E07EC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4110, Events line 4193, Actions line 4276.

80. Shot On - 05A800AC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Floating Disk Timer (0915944C).

Attached scope: tag definitions 0915BD6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for Demo Floating Disk 2 (079E21FC).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4111, Events line 4194, Actions line 4277.

81. Yuri Hates Russia - 07706ADC

Owner reference: YuriCountry. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0770661C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make enemy: owner selector 8 (country/type RUSSIANS; placed owner Russians).

Source locator: mapsmd03.mix/sov06lmd.map; Triggers line 4112, Events line 4195, Actions line 4278.

All team rosters and ordered plans | All mission overrides

Operation: To The Moon - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov06lmd.map; each team/script ID identifies its section.

S6_start_moontroops - 0932B32C

Owner: Russians. Roster: 1 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Moon Troops (09337DBC).

1. Move to waypoint: waypoint 5 (cell 124, 143).

S6_start_rhino - 08B506CC

Owner: Russians. Roster: 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Rhinos (09332D4C).

1. Move to waypoint: waypoint 4 (cell 112, 140).

S6_start_MCV - 0C65889C

Owner: Russians. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: MCV (0C65851C).

1. Move to waypoint: waypoint 0 (cell 118, 145).

_ScareTeam1 - 08900CBC

Owner: YuriCountry. Roster: 3 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: ScareTeam1 (0890076C).

1. Move to waypoint: waypoint 7 (cell 110, 111).
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

_ScareTeam2 - 091BD49C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: K.

Ordered plan: ScareTeam2 (091BDB4C).

1. Move to waypoint: waypoint 8 (cell 64, 67).
2. Seek/attack target category; configured argument 1.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.

_ScareTeam3 - 091BAD9C

Owner: YuriCountry. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: J.

Ordered plan: ScareTeam3 (091BAA1C).

1. Move to waypoint: waypoint 8 (cell 64, 67).
2. Seek/attack target category; configured argument 1.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

_BaseDef1 - 0890193C

Owner: YuriCountry. Roster: 2 × Cosmonaut (LUNR); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: BaseDef1 (093826FC).

1. Adopt object mission: area guard.

_BaseDef2 - 0890148C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 2 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: BaseDef2 (09387CAC).

1. Adopt object mission: area guard.

S6_SaucerFun! - 08902EFC

Owner: YuriCountry. Roster: 3 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 110; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: SaucerFun! (08902C8C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131081.
4. Report team success.
5. Attack selected enemy-building category; configured argument 65.
6. Report team success.
7. Attack selected enemy-building category; configured argument 196617.
8. Report team success.
9. Seek/attack target category; configured argument 1.

S6_Evil Moon Troopers - 093DA04C

Owner: YuriCountry. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Evil Moon Troopers (093EF12C).

1. Attack selected enemy-building category; configured argument 14.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Report team success.

7. Seek/attack target category; configured argument 1.

S6_Gattling Fun! - 0890259C

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 90; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Gattling Fun! (093EA0FC).

1. Seek/attack target category; configured argument 9.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Report team success.
7. Seek/attack target category; configured argument 1.

S6_Lashers - 089020EC

Owner: YuriCountry. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 125; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Lashers (08903DBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Report team success.
7. Seek/attack target category; configured argument 2.
8. Report team success.
9. Seek/attack target category; configured argument 5.

Tons O Mooners - 089037DC

Owner: Americans. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Tons O Mooners (069E045C).

1. Move to waypoint: waypoint 16 (cell 75, 101).
2. Seek/attack target category; configured argument 7.
3. Seek/attack target category; configured argument 1.

Tons O Mooners 2 - 08900EFC

Owner: Americans. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Tons O Mooners 2 (08900A4C).

1. Move to waypoint: waypoint 16 (cell 75, 101).
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 4.

6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 1.

MasterMind 1 - 0890063C

Owner: Americans. Roster: 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Mastermind 1 (08904DBC).

1. Seek/attack target category; configured argument 5.
2. Seek/attack target category; configured argument 1.
3. Seek/attack target category; configured argument 5.
4. Adopt object mission: area guard.

Laser Jerks - 099A9B7C

Owner: Alliance. Roster: 4 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: N.

Ordered plan: Laser Jerks (068EDDBC).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 5.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 1.

Gattling Isn't For The Weak - 089046CC

Owner: Alliance. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Gattling Isn't For The Weak (0890445C).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.
8. Adopt object mission: area guard.

Endless Laser Bastards - 092B9EFC

Owner: Americans. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 150; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: Endless Laser Bastards (092BAB1C).

1. Seek/attack target category; configured argument 6.
2. Seek/attack target category; configured argument 1.

_BaseDef-Left1 - 092BA62C

Owner: Americans. Roster: 2 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Base Def1 (092BBA1C).

1. Adopt object mission: area guard.

_BaseDef-Left2 - 092BB81C

Owner: Americans. Roster: 2 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDef2 (092BB49C).

1. Adopt object mission: area guard.

_BaseDef-Right1 - 0BE0132C

Owner: Alliance. Roster: 2 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDefR1 (0BE0384C).

1. Adopt object mission: area guard.

_BaseDef-Right2 - 0BE0351C

Owner: Alliance. Roster: 2 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: BaseDefR2 (0BE0319C).

1. Adopt object mission: area guard.

Um More Laser People - 0BE04EFC

Owner: Alliance. Roster: 3 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: More Laser People (0BE04B7C).

1. Seek/attack target category; configured argument 7.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 5.

S6_Moontroops 2 - 0C430EFC

Owner: Russians. Roster: 1 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Moon Troops (09337DBC).

1. Move to waypoint: waypoint 5 (cell 124, 143).

S6_Moontroops 3 - 043A463C

Owner: Russians. Roster: 1 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: S.

Ordered plan: Moon Troops (09337DBC).

1. Move to waypoint: waypoint 5 (cell 124, 143).

S6_Moontroops 4 - 043AF7DC

Owner: Russians. Roster: 1 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: T.

Ordered plan: Moon Troops (09337DBC).

1. Move to waypoint: waypoint 5 (cell 124, 143).

S6_Moontroops 5 - 0932712C

Owner: Russians. Roster: 1 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: U.

Ordered plan: Moon Troops (09337DBC).

1. Move to waypoint: waypoint 5 (cell 124, 143).

_Sneaky Lasers - 099AC53C

Owner: YuriCountry. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Sneaky Lasers (0C4565CC).

1. Attack-move toward waypoint: waypoint 21 (cell 36, 70).
2. Attack-move toward waypoint: waypoint 0 (cell 118, 145).
3. Attack selected enemy-building category; configured argument 131085.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

_Sneaky Gattling - 089030FC

Owner: YuriCountry. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 115; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Sneaky Gattling (0890762C).

1. Attack-move toward waypoint: waypoint 22 (cell 101, 68).
2. Attack-move toward waypoint: waypoint 23 (cell 147, 116).
3. Seek/attack target category; configured argument 4.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

_Sneaky Lashers 1 - 099ADB7C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Sneaky Lashers 1 (0941E64C).

1. Attack-move toward waypoint: waypoint 21 (cell 36, 70).
2. Attack-move toward waypoint: waypoint 0 (cell 118, 145).
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

_Sneaky Lashers 2 - 099AAC8C

Owner: YuriCountry. Roster: 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Sneaky Lashers 2 (0941E91C).

1. Attack-move toward waypoint: waypoint 22 (cell 101, 68).
2. Attack-move toward waypoint: waypoint 23 (cell 147, 116).
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

_Don't Stop Lasers - 08908B5C

Owner: YuriCountry. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Defense Kill (089088EC).

1. Seek/attack target category; configured argument 7.
2. Attack selected enemy-building category; configured argument 13.
3. Attack selected enemy-building category; configured argument 25.
4. Seek/attack target category; configured argument 1.
5. Adopt object mission: hunt.

_S06_MM Guard LB Z - 069E67DC

Owner: YuriCountry. Roster: 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Z.

Ordered plan: Area Guard (0C9EF14C).

1. Adopt object mission: area guard.

_S06_MM Guard LB AA - 069E632C

Owner: YuriCountry. Roster: 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Area Guard (0C9EF14C).

1. Adopt object mission: area guard.

_S06_Kill Flak Cannons - 0890834C

Owner: YuriCountry. Roster: 5 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 120; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Flak Cannons (089080DC).

1. Attack selected enemy-building category; configured argument 67.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131139.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131139.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131139.
8. Seek/attack target category; configured argument 1.
9. Adopt object mission: area guard.

_S06_5 Vicious Lashers - 099BDB7C

Owner: YuriCountry. Roster: 5 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 125; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Vehicles (0983725C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.
7. Adopt object mission: area guard.

_S06_Magnetron Start - 0A2A809C

Owner: YuriCountry. Roster: 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AB.

Ordered plan: Move to P (0A267DBC).

1. Move to waypoint: waypoint 35 (cell 113, 132).
2. Adopt object mission: area guard.

_S06_Gattling STAY! - 0C9AF4EC

Owner: YuriCountry. Roster: 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Guard (0C9AF27C).

1. Adopt object mission: guard.

_S06_Demo Floating Disk - 08F7BDEC

Owner: YuriCountry. Roster: 1 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 120; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: M.

Ordered plan: Attack Power (08F7BB7C).

1. Move to waypoint: waypoint 16 (cell 75, 101).
2. Attack selected enemy-building category; configured argument 131081.
3. Seek/attack target category; configured argument 1.

_S06_Mastermind Intro - 0853DB7C

Owner: YuriCountry. Roster: 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: MasterMind Demo (0853D90C).

1. Move to waypoint: waypoint 29 (cell 115, 127).
2. Adopt object mission: area guard.

_S06_Cos Attack - 08EC7C8C

Owner: Russians. Roster: 5 × Cosmonaut (LUNR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 200; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: F.

Ordered plan: Attack (08EC7A1C).

1. Attack waypoint: waypoint 29 (cell 115, 127).

_S06_1 Mastermind - 0890A13C

Owner: YuriCountry. Roster: 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Hunt Vehicles (0890BDBC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Adopt object mission: area guard.

_S06_3 Magnetrons - 08F33C5C

Owner: YuriCountry. Roster: 3 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 100; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Attack Defense (08F338DC).

1. Seek/attack target category; configured argument 7.
2. Report team success.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.
5. Adopt object mission: area guard.

_S06_Mastermind & Magentron - 076D109C

Owner: YuriCountry. Roster: 2 × Magnetron (TELE); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 110; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Attacking Vehicles (076D325C).

1. Move to waypoint: waypoint 32 (cell 115, 119).
2. Guard for interval; configured argument 10.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.
7. Adopt object mission: area guard.

Operation: To The Moon - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov06lmd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Slave Miner Number	0,0,0	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	0.05	3
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Allied Crew	LUNR	4
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Soviet Crew	LUNR	5
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Third Crew	LUNR	6
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Engineer	LUNR	7
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Easy	15000	8
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Campaign Money Delta Hard	-15000	9
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Solo Crate Money	10000	10
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	13
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	16
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	19
Terror Drone (DRON)	Production-time multiplier	1.0	22
Flak Track (HTK)	Production-time multiplier	1.0	25
Apocalypse (APOC)	Production-time multiplier	1.0	28
Gattling Tank (YTNK)	Production-time multiplier	1.0	31
Magnetron (TELE)	Production-time multiplier	1.0	34
Master Mind (MIND)	Production-time multiplier	1.0	37
Floating Disc (DISK)	Production-time multiplier	1.0	40
Industrial Plant (NAINDP)	Required structures/groups	NATECH,NACNST	43
Battle Bunker (NABNKR)	Name	Soviet Battle Bunker	46
Battle Bunker (NABNKR)	Technology level	11	47
Bunker (CABUNK01)	Name	Concrete Bunker 01	50
Bunker (CABUNK01)	Technology level	11	51
Virus (VIRUS)	Name	Yuri Virus	54
Virus (VIRUS)	Technology level	11	55
Brute (BRUTE)	Name	Yuri Brute	58
Brute (BRUTE)	Technology level	11	59

Object/system	Property	Mission value	Source line
Initiate (INIT)	Name	Yuri Initiate	62
Initiate (INIT)	Technology level	11	63
Engineer (YENGINEER)	Technology level	11	66
Yuri Clone (YURI)	Name	Yuri Clone	69
Yuri Clone (YURI)	Technology level	11	70
Yuri Prime (YURIPR)	Technology level	11	73
Chaos Drone (CAOS)	Name	Chaos Drone	76
Chaos Drone (CAOS)	Technology level	11	77
Yuri MCV (PCV)	Name	Yuri Construction Vehicle	80
Yuri MCV (PCV)	Technology level	11	81
Psychic Dominator (YAPPET)	Name	Yuri Puppet Master	84
Psychic Dominator (YAPPET)	Technology level	11	85
Genetic Mutator (YAGNTC)	Name	Yuri Genetic Mutator Device	88
Genetic Mutator (YAGNTC)	Technology level	11	89
Tank Bunker (NATBNK)	Name	Yuri Tank Bunker	92
Tank Bunker (NATBNK)	Technology level	11	93
Desolator (DESO)	Name	Desolater	96
Desolator (DESO)	Category	Soldier	97
Desolator (DESO)	Primary	RadBeamWeapon	98
Desolator (DESO)	Secondary	RadEruptionWeapon	99
Desolator (DESO)	Required structures/groups	BARRACKS,RADAR	100
Desolator (DESO)	Required countries	Russians	101
Conscript (E2)	Name	Conscript	104
Conscript (E2)	Technology level	11	105
Flak Trooper (FLAKT)	Name	Flak Trooper	108
Flak Trooper (FLAKT)	Technology level	11	109
Engineer (SENGINEER)	Image	ENGINEER	112
Engineer (SENGINEER)	Name	Soviet Engineer	113
Engineer (SENGINEER)	Technology level	11	114
Attack Dog (DOG)	Name	Attack Dog	117
Attack Dog (DOG)	Technology level	11	118
Tesla Trooper (SHK)	Name	Shock Trooper	121
Tesla Trooper (SHK)	Technology level	11	122
Crazy Ivan (IVAN)	Name	Crazy Ivan	125
Crazy Ivan (IVAN)	Technology level	11	126
Nuclear Missile Silo (NAMISL)	Name	Soviet Nuclear Missile Silo	129
Nuclear Missile Silo (NAMISL)	Technology level	11	130
Iron Curtain Device (NAIRON)	Name	Soviet Iron Curtain Device	133
Iron Curtain Device (NAIRON)	Technology level	11	134
Boris (BORIS)	Name	Boris	137
Boris (BORIS)	Technology level	11	138

Object/system	Property	Mission value	Source line
Radar Tower (NARADR)	Name	Soviet Radar Tower	141
Radar Tower (NARADR)	Required structures/groups	NACNST,NAPOWR	142
Radar Tower (NARADR)	Primary granted special weapon	none	143
V3 Launcher (V3)	Name	V3 Launcher	146
V3 Launcher (V3)	Technology level	11	147
Siege Chopper (SCHP)	Name	Soviet Siege Chopper	150
Siege Chopper (SCHP)	Technology level	11	151
Kirov Airship (ZEP)	Name	Kirov Airship	154
Kirov Airship (ZEP)	Technology level	11	155
Cosmonaut (LUNR)	Name	Lunar Infantry	158
Cosmonaut (LUNR)	Required structures/groups	NAPILE	159
Cosmonaut (LUNR)	Technology level	1	160
Cosmonaut (LUNR)	Starting health capacity	200	161
Soviet Ore Refinery (NAREFN)	Name	Soviet Ore Refinery	164
Soviet Ore Refinery (NAREFN)	Technology level	11	165
Soviet War Factory (NAWEAP)	Name	Soviet War Factory	168
Soviet War Factory (NAWEAP)	Required structures/groups	NAHAND,NACNST	169
SPECIALFLAGS	Tiberium Grows	no	188
SPECIALFLAGS	Tiberium Spreads	yes	189
SPECIALFLAGS	Tiberium Explosive	no	190
SPECIALFLAGS	Destroyable Bridges	yes	191
SPECIALFLAGS	MCV Deploy	no	192
SPECIALFLAGS	Initial Veteran	no	193
SPECIALFLAGS	Fixed Alliance	no	194
SPECIALFLAGS	Harvester Immune	no	195
SPECIALFLAGS	Fog Of War	no	196
SPECIALFLAGS	Inert	no	197
SPECIALFLAGS	Ion Storms	no	198
SPECIALFLAGS	Meteorites	no	199
SPECIALFLAGS	Visceroids	no	200
VARIABLENAMES (VARIABLENAMES)	0	Mastermind Exposed,0	250
VARIABLENAMES (VARIABLENAMES)	1	Base 1 Down,0	251
VARIABLENAMES (VARIABLENAMES)	2	Base 2 Down,0	252
VARIABLENAMES (VARIABLENAMES)	3	Base 3 Down,0	253
America (AMERICANS)	Country	Americans	293
America (AMERICANS)	Technology level	10	294
America (AMERICANS)	Credits	500	295
America (AMERICANS)	IQ	5	296
America (AMERICANS)	Edge	West	297
America (AMERICANS)	Player Control	no	298
America (AMERICANS)	Color	Purple	299

Object/system	Property	Mission value	Source line
America (AMERICANS)	Allies	Americans,Alliance,British,YuriCountry	300
America (AMERICANS)	Percent Built	0	301
America (AMERICANS)	Node Count	0	302
Korea (ALLIANCE)	Country	Alliance	305
Korea (ALLIANCE)	Technology level	10	306
Korea (ALLIANCE)	Credits	500	307
Korea (ALLIANCE)	IQ	5	308
Korea (ALLIANCE)	Edge	East	309
Korea (ALLIANCE)	Player Control	no	310
Korea (ALLIANCE)	Color	Purple	311
Korea (ALLIANCE)	Allies	Americans,Alliance,British,YuriCountry	312
Korea (ALLIANCE)	Percent Built	0	313
Korea (ALLIANCE)	Node Count	0	314
France (FRENCH)	Country	French	317
France (FRENCH)	Technology level	1	318
France (FRENCH)	Credits	0	319
France (FRENCH)	IQ	0	320
France (FRENCH)	Edge	North	321
France (FRENCH)	Player Control	no	322
France (FRENCH)	Color	Gold	323
France (FRENCH)	Allies	French	324
France (FRENCH)	Percent Built	0	325
France (FRENCH)	Node Count	0	326
Germany (GERMANS)	Country	Germans	329
Germany (GERMANS)	Technology level	1	330
Germany (GERMANS)	Credits	0	331
Germany (GERMANS)	IQ	0	332
Germany (GERMANS)	Edge	North	333
Germany (GERMANS)	Player Control	no	334
Germany (GERMANS)	Color	Gold	335
Germany (GERMANS)	Allies	Germans	336
Germany (GERMANS)	Percent Built	0	337
Germany (GERMANS)	Node Count	0	338
Great Britain (BRITISH)	Country	British	341
Great Britain (BRITISH)	Technology level	1	342
Great Britain (BRITISH)	Credits	0	343
Great Britain (BRITISH)	IQ	0	344
Great Britain (BRITISH)	Edge	North	345
Great Britain (BRITISH)	Player Control	no	346
Great Britain (BRITISH)	Color	DarkBlue	347
Great Britain (BRITISH)	Allies	British	348

Object/system	Property	Mission value	Source line
Great Britain (BRITISH)	Percent Built	0	349
Great Britain (BRITISH)	Node Count	0	350
Libya (AFRICANS)	Country	Africans	353
Libya (AFRICANS)	Technology level	1	354
Libya (AFRICANS)	Credits	0	355
Libya (AFRICANS)	IQ	0	356
Libya (AFRICANS)	Edge	North	357
Libya (AFRICANS)	Player Control	no	358
Libya (AFRICANS)	Color	DarkRed	359
Libya (AFRICANS)	Allies	Africans	360
Libya (AFRICANS)	Percent Built	0	361
Libya (AFRICANS)	Node Count	0	362
Iraq (ARABS)	Country	Arabs	365
Iraq (ARABS)	Technology level	1	366
Iraq (ARABS)	Credits	0	367
Iraq (ARABS)	IQ	0	368
Iraq (ARABS)	Edge	North	369
Iraq (ARABS)	Player Control	no	370
Iraq (ARABS)	Color	DarkRed	371
Iraq (ARABS)	Allies	Arabs	372
Iraq (ARABS)	Percent Built	0	373
Iraq (ARABS)	Node Count	0	374
Cuba (CONFEDERATION)	Country	Confederation	377
Cuba (CONFEDERATION)	Technology level	1	378
Cuba (CONFEDERATION)	Credits	0	379
Cuba (CONFEDERATION)	IQ	0	380
Cuba (CONFEDERATION)	Edge	North	381
Cuba (CONFEDERATION)	Player Control	no	382
Cuba (CONFEDERATION)	Color	DarkRed	383
Cuba (CONFEDERATION)	Allies	Confederation	384
Cuba (CONFEDERATION)	Percent Built	0	385
Cuba (CONFEDERATION)	Node Count	0	386
Russia (RUSSIANS)	Country	Russians	389
Russia (RUSSIANS)	Technology level	10	390
Russia (RUSSIANS)	Credits	700	391
Russia (RUSSIANS)	IQ	0	392
Russia (RUSSIANS)	Edge	South	393
Russia (RUSSIANS)	Player Control	yes	394
Russia (RUSSIANS)	Color	DarkRed	395
Russia (RUSSIANS)	Allies	Russians	396
Russia (RUSSIANS)	Percent Built	0	397

Object/system	Property	Mission value	Source line
Russia (RUSSIANS)	Node Count	0	398
Yuri (YURICOUNTRY)	Country	YuriCountry	401
Yuri (YURICOUNTRY)	Technology level	10	402
Yuri (YURICOUNTRY)	Credits	2000	403
Yuri (YURICOUNTRY)	IQ	5	404
Yuri (YURICOUNTRY)	Edge	North	405
Yuri (YURICOUNTRY)	Player Control	no	406
Yuri (YURICOUNTRY)	Color	Purple	407
Yuri (YURICOUNTRY)	Allies	Americans,Alliance,YuriCountry	408
Yuri (YURICOUNTRY)	Percent Built	100	409
Yuri (YURICOUNTRY)	Node Count	7	410
Yuri (YURICOUNTRY)	000	YAPOWR,12,44	411
Yuri (YURICOUNTRY)	001	YAPOWR,18,34	412
Yuri (YURICOUNTRY)	002	YAPOWR,26,39	413
Yuri (YURICOUNTRY)	003	YAPOWR,30,35	414
Yuri (YURICOUNTRY)	004	YAPOWR,34,28	415
Yuri (YURICOUNTRY)	005	YAPOWR,40,16	416
Yuri (YURICOUNTRY)	006	YAPOWR,48,21	417
GDI (GDI)	Country	GDI	420
GDI (GDI)	Technology level	1	421
GDI (GDI)	Credits	0	422
GDI (GDI)	IQ	0	423
GDI (GDI)	Edge	North	424
GDI (GDI)	Player Control	no	425
GDI (GDI)	Color	Gold	426
GDI (GDI)	Allies	GDI	427
GDI (GDI)	Percent Built	0	428
GDI (GDI)	Node Count	0	429
Nod (NOD)	Country	Nod	432
Nod (NOD)	Technology level	1	433
Nod (NOD)	Credits	0	434
Nod (NOD)	IQ	0	435
Nod (NOD)	Edge	North	436
Nod (NOD)	Player Control	no	437
Nod (NOD)	Color	Gold	438
Nod (NOD)	Allies	Nod	439
Nod (NOD)	Percent Built	0	440
Nod (NOD)	Node Count	0	441
Civilian (NEUTRAL)	Country	Neutral	444
Civilian (NEUTRAL)	Technology level	1	445
Civilian (NEUTRAL)	Credits	0	446

Object/system	Property	Mission value	Source line
Civilian (NEUTRAL)	IQ	0	447
Civilian (NEUTRAL)	Edge	North	448
Civilian (NEUTRAL)	Player Control	no	449
Civilian (NEUTRAL)	Color	Grey	450
Civilian (NEUTRAL)	Allies	Neutral	451
Civilian (NEUTRAL)	Percent Built	0	452
Civilian (NEUTRAL)	Node Count	0	453
JP (SPECIAL)	Country	Special	456
JP (SPECIAL)	Technology level	1	457
JP (SPECIAL)	Credits	0	458
JP (SPECIAL)	IQ	0	459
JP (SPECIAL)	Edge	North	460
JP (SPECIAL)	Player Control	no	461
JP (SPECIAL)	Color	Grey	462
JP (SPECIAL)	Allies	Special	463
JP (SPECIAL)	Percent Built	0	464
JP (SPECIAL)	Node Count	0	465

Operation: Head Games

Campaign reading guide | Engine

Operation: Head Games

sov07tmd.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- BadGuy1 House (126)
- BadGuy3 House (86)
- BadGuy2 House (76)
- Civilian House (51)
- German2 House (8)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: mapsmd03.mix/sov07tmd.map; initial Structures / Units / Infantry / Aircraft records.

Notable type references

1. CATRAN03
2. NAPSYB

Initial placement schematic for sov07tmd.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov07tmd.map. **Effective extracted member:** mapsmd03.mix/sov07tmd.map. **Trigger definitions:** 126.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,103,110
Visible local rectangle	5,5,93,99
Placed vehicles	37
Placed infantry	128
Placed structures	190
Placed aircraft	4
Team templates	129

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	100	Player
1	BadGuy1 House	400	BadGuy1
2	BadGuy2 House	400	BadGuy2
3	German1 House	10	Germany1
4	Civilian House	0	Neutral
5	Einstein House	100	Einstein
6	BadGuy3 House	400	BadGuy3
7	German2 House	50	Germany2
8	German3 House	50	Germany3
9	Temp House	0	Temp

Local state flags at initialization

Flag	Meaning label and initial value
0	Minions Build,0
1	Demo Driver L In,0
2	Demo Driver R In,0
3	Player MCV on map,0
4	Deployed MCV,0
5	Soviets Freed,0
6	Allies Freed,0
7	IFV for Combine 1,0
8	Shock for Combine 1,0
9	Combine 01,0
10	Combine 02,0
11	IFV for Combine 2,0
12	Shock for Combine 2,0
13	IFV for Combine 3,0
14	Troops for Combine ,0
15	Combine 03a,0
16	Combine 03b,0
17	Combine 03c,0
18	Combine 03d,0
19	Combine 03e,0
20	WCryptKIA,0
21	ECryptKIA,0
22	SW Grinder KIA,0
23	NE Grinder KIA,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
_Win (Game Over) (0B0A4B9C)	9 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.
_Lose (05FD863C)	Destroyed, All: owner selector 15 (country/type PLAYER; placed owner Player House).	Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Soviets Build Nuke (M) - 0D06808C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Soviets Build Nuke (On-Iron Curtain) (0D06981C); enable from Soviets Build Nuke (On-nuke silo) (0D06925C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Soviets Freed) is clear.
2. 205 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Soviets Freed) at Soviets Freed (0B5A6B7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building NAMISL at waypoint 0 (cell 91, 48).
2. Play voice notification EVA_NuclearSiloDetected.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10615, Events line 10743, Actions line 10871.

2. Soviets Build Nuke (On-Iron Curtain) - 0D06981C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 24 (global list position: Iron Curtain Device (NAIRON)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Minions Build).
2. Enable and reset applicable timers for Soviets Build Nuke (M) (0D06808C).
3. Enable and reset applicable timers for Soviets Build Nuke (H) (07F2570C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10616, Events line 10744, Actions line 10872.

3. Soviets Build Nuke (H) - 07F2570C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Soviets Build Nuke (M) (0D06808C).

Incoming activation links: enable from Soviets Build Nuke (On-Iron Curtain) (0D06981C); enable from Soviets Build Nuke (On-nuke silo) (0D06925C).

Attached scope: tag definitions 0D06996C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Soviets Freed) is clear.
2. 280 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 5 (Soviets Freed) at Soviets Freed (0B5A6B7C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building NAMISL at waypoint 0 (cell 91, 48).
2. Play voice notification EVA_NuclearSiloDetected.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10617, Events line 10745, Actions line 10873.

4. Allies Build Weather Controller (M) - 0CF90E6C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Allies Build Weather (On-Iron Curtain) (0B5A3C8C); enable from Allies Build Weather (On-Nuke) (0B5A7A8C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 6 (Allies Freed) is clear.
2. 325 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 6 (Allies Freed) at Allies Freed (0B5A5B5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GAWEAT at waypoint 1 (cell 18, 107).
2. Play voice notification EVA_WeatherDeviceReady.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10618, Events line 10746, Actions line 10874.

5. Soviets Build Nuke (On-nuke silo) - 0D06925C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Soviets Build Nuke (On-Iron Curtain) (0D06981C).

Attached scope: tag definitions 0D06934C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Minions Build).
2. Enable and reset applicable timers for Soviets Build Nuke (M) (0D06808C).
3. Enable and reset applicable timers for Soviets Build Nuke (H) (07F2570C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10619, Events line 10747, Actions line 10875.

6. Allies Freed - 0B5A5B5C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. All change house: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Disable Allies Build Weather (On-Iron Curtain) (0B5A3C8C).
3. Disable Allies Build Weather (On-Nuke) (0B5A7A8C).
4. Disable Allies Build Weather Controller (M) (0CF90E6C).
5. Set local flag 6 (Allies Freed).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10620, Events line 10748, Actions line 10876.

7. Allies Build Weather (On-Iron Curtain) - 0B5A3C8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 24 (global list position: Iron Curtain Device (NAIRON)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Minions Build).
2. Enable and reset applicable timers for Allies Build Weather Controller (M) (0CF90E6C).
3. Enable and reset applicable timers for Allies Build Weather Controller (H) (07F26E0C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10621, Events line 10749, Actions line 10877.

8. Allies Build Weather (On-Nuke) - 0B5A7A8C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Allies Build Weather (On-Iron Curtain) (0B5A3C8C).

Attached scope: tag definitions 0B5A3A5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 54 (global list position: Nuclear Missile Silo (NAMISL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 0 (Minions Build).
2. Enable and reset applicable timers for Allies Build Weather Controller (M) (0CF90E6C).
3. Enable and reset applicable timers for Allies Build Weather Controller (H) (07F26E0C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10622, Events line 10750, Actions line 10878.

9. Allies Build Weather Controller (H) - 07F26E0C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Allies Build Weather Controller (M) (0CF90E6C).

Incoming activation links: enable from Allies Build Weather (On-Iron Curtain) (0B5A3C8C); enable from Allies Build Weather (On-Nuke) (0B5A7A8C).

Attached scope: tag definitions 0CF90C3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (Allies Freed) is clear.
2. 290 configured time units have elapsed since the trigger timer was initialized/reset.

Flag writers in this mission: set local flag 6 (Allies Freed) at Allies Freed (0B5A5B5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create building GAWEAT at waypoint 1 (cell 18, 107).
2. Play voice notification EVA_WeatherDeviceReady.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10623, Events line 10751, Actions line 10879.

10. Soviets Freed - 0B5A6B7C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. All change house: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Disable Soviets Build Nuke (On-Iron Curtain) (0D06981C).
3. Disable Soviets Build Nuke (On-nuke silo) (0D06925C).
4. Set local flag 5 (Soviets Freed).
5. Disable Soviets Build Nuke (M) (0D06808C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10624, Events line 10752, Actions line 10880.

11. _Win (Bldgs KIA) - 0B0A52BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable _Win (Bldgs KIA) (0B0A52BC).
2. Enable and reset applicable timers for _Win (Free Soviets) (0E2AB85C).
3. Enable and reset applicable timers for _Win (Cheer) (0B0A72AC).
4. Enable and reset applicable timers for _Win (Free Allies) (0CD9E15C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10625, Events line 10753, Actions line 10881.

12. _Win (Free Soviets) - 0E2AB85C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Soviets Freed (0B5A6B7C).

Incoming activation links: enable from _Win (Bldgs KIA) (0B0A52BC).

Attached scope: Psychic Beacon (NAPSYB), owner BadGuy1 House, cell (95, 42), tag 0B5A680C, persistence mode 0.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. All change house: owner selector 15 (country/type PLAYER; placed owner Player House).
3. Disable Soviets Build Nuke (M) (0D06808C).
4. Disable Soviets Build Nuke (On-Iron Curtain) (0D06981C).
5. Disable Soviets Build Nuke (On-nuke silo) (0D06925C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10626, Events line 10754, Actions line 10882.

13. _Win (Cheer) - 0B0A72AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (Bldgs KIA) (0B0A52BC).

Attached scope: tag definitions 0B0A4C8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Enable and reset applicable timers for _Win (Game Over) (0B0A4B9C).
3. Enable and reset applicable timers for Loop_Cheer for Win (094320DC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10627, Events line 10755, Actions line 10883.

14. _Win (Free Allies) - 0CD9E15C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Allies Freed (0B5A5B5C).

Incoming activation links: enable from _Win (Bldgs KIA) (0B0A52BC).

Attached scope: Psychic Beacon (NAPSYB), owner BadGuy1 House, cell (27, 100), tag 0B5A55EC, persistence mode 0.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.
2. All change house: owner selector 15 (country/type PLAYER; placed owner Player House).
3. Disable Allies Build Weather (On-Iron Curtain) (0B5A3C8C).
4. Disable Allies Build Weather (On-Nuke) (0B5A7A8C).
5. Disable Allies Build Weather Controller (M) (0CF90E6C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10628, Events line 10756, Actions line 10884.

15. _Win (Game Over) - 0B0A4B9C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (Cheer) (0B0A72AC).

Attached scope: tag definitions 0B0A47CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 9 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the winner.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10629, Events line 10757, Actions line 10885.

16. Loop_Cheer for Win - 094320DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from _Win (Cheer) (0B0A72AC).

Attached scope: tag definitions 09437F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Make side cheer: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10630, Events line 10758, Actions line 10886.

17. Rally Volunteers 01 - 093C666C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Demolition Truck (DTRUCK), owner Einstein House, cell (193, 110), tag 093B806C, persistence mode 0; Demolition Truck (DTRUCK), owner Einstein House, cell (193, 107), tag 093B806C, persistence mode 0; Terrorist (TERROR), owner Einstein House, cell (190, 110), tag 093B806C, persistence mode 0; Terrorist (TERROR), owner Einstein House, cell (190, 112), tag 093B806C, persistence mode 0; Terrorist (TERROR), owner Einstein House, cell (191, 111), tag 093B806C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 26 (cell 187, 110).
2. Reveal terrain around waypoint 24 (cell 193, 109).
3. Change House: owner selector 15 (country/type PLAYER; placed owner Player House).
4. Play voice notification Mis_xS7_ZofiaFreedomFighters.
5. Create radar-event marker type 1 at waypoint 26 (cell 187, 110).
6. Set local flag 1 (Demo Driver L In).
7. Set local flag 2 (Demo Driver R In).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10631, Events line 10759, Actions line 10887.

18. Rally Volunteers 02 - 093BB0FC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093B92BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Demo Driver R In) is set.
2. local flag 1 (Demo Driver L In) is set.

Flag writers in this mission: set local flag 2 (Demo Driver R In) at Rally Volunteers 01 (093C666C); set local flag 1 (Demo Driver L In) at Rally Volunteers 01 (093C666C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team Rally Volunteers (0BF4446C).
2. Set Tech Level (Techno)[Level]; main setting TERROR; location/duration field 5.
3. Set Tech Level (Techno)[Level]; main setting DTRUCK; location/duration field 5.
4. Enable and reset applicable timers for Rally Volunteers 03 (093B91CC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10632, Events line 10760, Actions line 10888.

19. Rally Volunteers 03 - 093B91CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rally Volunteers 02 (093BB0FC).

Attached scope: tag definitions 093CF0FC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound Terrorist-Sov07.
2. Enable and reset applicable timers for Rally Volunteers 04 (093CAF3C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10633, Events line 10761, Actions line 10889.

20. Rally Volunteers 04 - 093CAF3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Rally Volunteers 03 (093B91CC).

Attached scope: tag definitions 093CBE7C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound DemoTruck-Sov07.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10634, Events line 10762, Actions line 10890.

21. Hello - 06A1603C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (118, 133); tag 06A2303C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “KBO AEO” (MISSION:HiKBOAEO).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10635, Events line 10763, Actions line 10891.

22. BG3 Bunker Boys Go - 09389BBC

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093A509C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Bunker Boys C (093953FC).
2. Supply reinforcement team Bunker Boys D (0938E81C).
3. Supply reinforcement team Bunker Boys E (093A0EFC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10636, Events line 10764, Actions line 10892.

23. BG1 Bunker Boys Go - 093A68FC

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093A642C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Bunker Boys F (093A5ADC).
2. Supply reinforcement team Bunker Boys G (0BD7BC8C).
3. Create/recruit team BG1 Tank Bunkers (0A9F5B8C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10637, Events line 10765, Actions line 10893.

24. BG2 Bunker Boys Go - 093A633C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093A2B4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Bunker Boys H (093A2A1C).
2. Supply reinforcement team Bunker Boys I (093A230C).
3. Supply reinforcement team Bunker Boys M (093A7AEC).
4. Create/recruit team BG2 Tank Bunkers (07DA769C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10638, Events line 10766, Actions line 10894.

25. Player Starters 1 Go - 0939307C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 093A05EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Player Starters MCV (093813CC).
2. Supply reinforcement team Player Starters Armor L (08B8991C).
3. Supply reinforcement team Player Starters Armor R (08B8946C).
4. Enable and reset applicable timers for Player Starters 2 Go (093A04FC).
5. Disable player input.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10639, Events line 10767, Actions line 10895.

26. Player Starters 2 Go - 093A04FC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Player Starters 1 Go (0939307C).

Attached scope: tag definitions 093A7CDC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Player Starters Infantry L (08B8843C).
2. Supply reinforcement team Player Starters Infantry R (08B89CBC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10640, Events line 10768, Actions line 10896.

27. Briefing Begin - 0947BC0C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0947B5BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 3 (Player MCV on map) is set.

Then perform these actions in order:

1. Play in-game movie 55.
2. Enable and reset applicable timers for Briefing Audio (092D8F3C).
3. Enable and reset applicable timers for _Lose (05FD863C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10641, Events line 10769, Actions line 10897.

28. Briefing Audio - 092D8F3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing Begin (0947BC0C).

Attached scope: tag definitions 092D8E5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification S07_p01.
2. Enable and reset applicable timers for Briefing Allies (0947B21C).
3. Display message “Objective: Destroy Yuri's Fortress.” (MISSION:Sov07Obj01).
4. Move the camera to waypoint 43 (cell 70, 72) with speed setting 3.
5. Reveal terrain around waypoint 43 (cell 70, 72).
6. Flash buildings of type CATRAN03; duration argument 120.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10642, Events line 10770, Actions line 10898.

29. _Lose - 05FD863C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing Begin (0947BC0C); enable from Briefing End (0947C79C).

Attached scope: tag definitions 05FDA03C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 15 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 15 (country/type PLAYER; placed owner Player House) the loser.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10643, Events line 10771, Actions line 10899.

30. Briefing Allies - 0947B21C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing Audio (092D8F3C).

Attached scope: tag definitions 0947CD5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 44 (cell 29, 102).
2. Enable and reset applicable timers for Briefing Soviets (0947CB9C).
3. Reveal terrain around waypoint 44 (cell 29, 102).
4. Create radar-event marker type 5 at waypoint 44 (cell 29, 102).
5. Display message “Hint: Capture or Destroy the Psychic Beacon in the Allied Base to release them from Yuri's control.” (MISSION:AllyBeacon).
6. Flash buildings of type NAPSYB; duration argument 120.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10644, Events line 10772, Actions line 10900.

31. Briefing Soviets - 0947CB9C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing Allies (0947B21C).

Attached scope: tag definitions 0947C95C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 4 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Jump the camera to waypoint 45 (cell 97, 44).
2. Enable and reset applicable timers for Briefing End (0947C79C).
3. Reveal terrain around waypoint 45 (cell 97, 44).
4. Create radar-event marker type 5 at waypoint 45 (cell 97, 44).
5. Display message “Hint: Neutralize the Psychic Beacon controlling the Soviet Base and they will rally to your side against Yuri.” (MISSION:SovBeacon).
6. Flash buildings of type NAPSYB; duration argument 120.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10645, Events line 10773, Actions line 10901.

32. Briefing End - 0947C79C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Briefing Soviets (0947CB9C).

Attached scope: tag definitions 0947AF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 17 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Move the camera to waypoint 17 (cell 149, 148) with speed setting 4.
2. Enable player input.
3. Play voice notification EVA_BattlefieldControlOnline.
4. Enable and reset applicable timers for _Lose (05FD863C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10646, Events line 10774, Actions line 10902.

33. Yuri Weary Taunt - 0BD60BFC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BD6050C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 4 (Deployed MCV) is clear.
2. 120 configured time units have elapsed since scenario start.

Flag writers in this mission: set local flag 4 (Deployed MCV) at Player Deployed MCV (0BD6041C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS7_YuriGrowWeary.
2. Disable 1st Attkrs (Go) (0CBE5C3C).
3. Supply reinforcement team 1st All Attkrs (0CBF1C4C).
4. Supply reinforcement team 1st Sov Attkrs (0CBF330C).
5. Supply reinforcement team 1st Yuri Attkrs (0CBF7D5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10647, Events line 10775, Actions line 10903.

34. 1st Attkrs (Go) - 0CBE5C3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Attkrs (Enable) (0BED4ABC).

Attached scope: tag definitions 0CBE4F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 1st All Attkrs (0CBF1C4C).
2. Enable and reset applicable timers for 2nd Attkrs Go (H) (096653CC).
3. Enable and reset applicable timers for 2nd Attkrs Go (M) (0B66ECBC).
4. Enable and reset applicable timers for 1st Attkrs (Sov) (05D9A29C).
5. Enable and reset applicable timers for 1st Attkrs (Yuri) (05D9A0CC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10648, Events line 10776, Actions line 10904.

35. 2nd Attkrs Go (H) - 096653CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Attkrs (Go) (0CBE5C3C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 120 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 1st All Attkrs (0CBF1C4C).
2. Supply reinforcement team 1st Sov Attkrs (0CBF330C).
3. Supply reinforcement team 1st Yuri Attkrs (0CBF7D5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10649, Events line 10777, Actions line 10905.

36. 2nd Attkrs Go (M) - 0B66ECBC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: 2nd Attkrs Go (H) (096653CC).

Incoming activation links: enable from 1st Attkrs (Go) (0CBE5C3C).

Attached scope: tag definitions 0966641C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 210 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 1st All Attkrs (0CBF1C4C).
2. Supply reinforcement team 1st Sov Attkrs (0CBF330C).
3. Supply reinforcement team 1st Yuri Attkrs (0CBF7D5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10650, Events line 10778, Actions line 10906.

37. 1st Attkrs (Sov) - 05D9A29C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Attkrs (Go) (0CBE5C3C).

Attached scope: tag definitions 05D9A1BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 30 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 1st Sov Attkrs (0CBF330C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10651, Events line 10779, Actions line 10907.

38. 1st Attkrs (Yuri) - 05D9A0CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Attkrs (Go) (0CBE5C3C).

Attached scope: tag definitions 05D9BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team 1st Yuri Attkrs (0CBF7D5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10652, Events line 10780, Actions line 10908.

39. SW Peasent Grinder 01 - 07C1C26C

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07C2D9DC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 01 SW (08FA906C) at waypoint 13 (cell 90, 182).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10653, Events line 10781, Actions line 10909.

40. SW Peasent Grinder 02 - 07C1E3CC

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07C30F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 02 SW (08FAAB7C) at waypoint 16 (cell 111, 194).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10654, Events line 10782, Actions line 10910.

41. SW Peasent Grinder 03 - 08B932FC

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 0A9AA32C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 03 SW (08FAA93C) at waypoint 15 (cell 103, 177).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10655, Events line 10783, Actions line 10911.

42. SW Peasent Grinder 04 - 07C1D25C

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07C1E4BC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 01 SW (08FA906C) at waypoint 14 (cell 94, 178).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10656, Events line 10784, Actions line 10912.

43. SW Peasent Grinder 05 - 07C1DE6C

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07C1D34C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Cow SW (08FAA6FC) at waypoint 27 (cell 112, 201).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10657, Events line 10785, Actions line 10913.

44. Combine 01 (IFV) - 06B0394C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine Team Alpha_b (06A7E97C); enable from Combo Teams Initiate (Battle Lab) (07BA16AC); enable from Combo Teams Initiate (Timer H) (07BA277C); enable from Combo Teams Initiate (Timer E_M) (07BA238C).

Attached scope: tag definitions 06B033CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 01 IFV (0C1E84DC).
2. Enable and reset applicable timers for Combine Team Alpha_a (06A7EEDC).
3. Disable Combine 01 (IFV) (06B0394C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10658, Events line 10786, Actions line 10914.

45. Combine Team Alpha_a - 06A7EEDC

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01 (IFV) (06B0394C).

Attached scope: tag definitions 06A7EA6C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Combine 02) is set.
2. local flag 9 (Combine 01) is set.

Flag writers in this mission: clear local flag 10 (Combine 02) at Combine Team Alpha_b (06A7E97C); clear local flag 10 (Combine 02) at Combine 02 (S_I) KIA (0954B2BC); clear local flag 9 (Combine 01) at Combine Team Alpha_b (06A7E97C); clear local flag 9 (Combine 01) at Combine 01 (S_I) KIA (0952AC5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine Team Alpha_b (06A7E97C).
2. Disable Combine 02 (Begin) (09554A8C).
3. Disable Combine Team Alpha_a (06A7EEDC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10659, Events line 10787, Actions line 10915.

46. Combine Team Alpha_b - 06A7E97C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine Team Alpha_a (06A7EEDC).

Attached scope: tag definitions 06A7E73C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine Team Alpha (06A7C74C).
2. Enable and reset applicable timers for Combine 01 (IFV) (06B0394C).
3. Enable and reset applicable timers for Combine 01 (Shock) (06B032DC).
4. Clear local flag 9 (Combine 01).
5. Clear local flag 10 (Combine 02).
6. Disable Combine Team Alpha_b (06A7E97C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10660, Events line 10788, Actions line 10916.

47. Combine 02 (Begin) - 09554A8C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01b (Shock_IFV) (06B0190C).

Attached scope: tag definitions 0955450C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.
2. local flag 10 (Combine 02) is clear.

Flag writers in this mission: clear local flag 10 (Combine 02) at Combine Team Alpha_b (06A7E97C); clear local flag 10 (Combine 02) at Combine 02 (S_I) KIA (0954B2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 02 (IFV) (0BF1B7BC).
2. Enable and reset applicable timers for Combine 02 (Shock) (0BF1DF3C).
3. Disable Combine 02 (Begin) (09554A8C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10661, Events line 10789, Actions line 10917.

48. Combine 01 (Shock) - 06B032DC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine Team Alpha_b (06A7E97C); enable from Combo Teams Initiate (Battle Lab) (07BA16AC); enable from Combo Teams Initiate (Timer H) (07BA277C); enable from Combo Teams Initiate (Timer E_M) (07BA238C).

Attached scope: tag definitions 06B0309C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 240 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 01 Shock (0C1F7EFC).
2. Enable and reset applicable timers for Combine 01a (Shock_IFV) (06B01CCC).
3. Disable Combine 01 (Shock) (06B032DC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10662, Events line 10790, Actions line 10918.

49. Combine 02 (IFV) - 0BF1B7BC

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02 (Begin) (09554A8C).

Attached scope: tag definitions 0BF1B0EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 02 IFV (0C35943C).
2. Disable Combine 02 (IFV) (0BF1B7BC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10663, Events line 10791, Actions line 10919.

50. Combine 02 (Shock) - 0BF1DF3C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02 (Begin) (09554A8C).

Attached scope: tag definitions 0BF1DD8C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 02 Shock (0C358EFC).
2. Enable and reset applicable timers for Combine 02a (Shock_IFV) (0BF1DC9C).
3. Disable Combine 02 (Shock) (0BF1DF3C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10664, Events line 10792, Actions line 10920.

51. Combine 01a (Shock_IFV) - 06B01CCC

Owner reference: Temp. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01 (Shock) (06B032DC); enable from Combine 01 (S_I) KIA (0952AC5C).

Attached scope: tag definitions 06B019FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 7 (IFV for Combine 1) is set.
2. local flag 8 (Shock for Combine 1) is set.

Flag writers in this mission: clear local flag 7 (IFV for Combine 1) at Combine 01 (S_I) KIA (0952AC5C); clear local flag 8 (Shock for Combine 1) at Combine 01 (S_I) KIA (0952AC5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01b (Shock_IFV) (06B0190C).
2. Enable and reset applicable timers for Combine Alert (E) (06B5903C).
3. Enable and reset applicable timers for Combine Alert (M_H) (0BA1D7AC).
4. Disable Combine 01a (Shock_IFV) (06B01CCC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10665, Events line 10793, Actions line 10921.

52. Combine 02a (Shock_IFV) - 0BF1DC9C

Owner reference: Temp. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02 (Shock) (0BF1DF3C); enable from Combine 02 (S_I) KIA (0954B2BC).

Attached scope: tag definitions 0BF1D73C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 11 (IFV for Combine 2) is set.
2. local flag 12 (Shock for Combine 2) is set.

Flag writers in this mission: clear local flag 11 (IFV for Combine 2) at Combine 02 (S_I) KIA (0954B2BC); clear local flag 12 (Shock for Combine 2) at Combine 02 (S_I) KIA (0954B2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 02b (Shock_IFV) (0BF1D64C).

2. Disable Combine 02a (Shock_IFV) (0BF1DC9C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10666, Events line 10794, Actions line 10922.

53. Combine 01b (Shock_IFV) - 06B0190C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01a (Shock_IFV) (06B01CCC).

Attached scope: tag definitions 06B0154C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine Shock_IFV 01 (0C566A9C).
2. Enable and reset applicable timers for Combine 02 (Begin) (09554A8C).
3. Disable Combine 01b (Shock_IFV) (06B0190C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10667, Events line 10795, Actions line 10923.

54. Combine Alert (E) - 06B5903C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 0, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01a (Shock_IFV) (06B01CCC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS7_ZofiaAllianceWarning.
2. Reveal terrain around waypoint 70 (cell 114, 98).
3. Create radar-event marker type 5 at waypoint 70 (cell 114, 98).
4. Display message “WARNING - Yuri has begun mixing the technologies at his disposal.” (MISSION:ComboWarn01).
5. Display message “Make ready for these attacks.” (MISSION:ComboWarn02).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10668, Events line 10796, Actions line 10924.

55. Combine Alert (M_H) - 0BA1D7AC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Combine Alert (E) (06B5903C).

Incoming activation links: enable from Combine 01a (Shock_IFV) (06B01CCC).

Attached scope: tag definitions 06B6C6AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_xS7_ZofiaAllianceWarning.
2. Create radar-event marker type 5 at waypoint 70 (cell 114, 98).
3. Display message “WARNING - Yuri has begun mixing the technologies at his disposal.” (MISSION:ComboWarn01).
4. Display message “Make ready for these attacks.” (MISSION:ComboWarn02).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10669, Events line 10797, Actions line 10925.

56. Combine 02b (Shock_IFV) - 0BF1D64C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02a (Shock_IFV) (0BF1DC9C).

Attached scope: tag definitions 0BF1D40C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine Shock_IFV 02 (0BF0622C).
2. Disable Combine 02b (Shock_IFV) (0BF1D64C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10670, Events line 10798, Actions line 10926.

57. Combine 03 (Begin) - 094920FC

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine Team Beta_b (0949370C); enable from Combo Teams Initiate (Battle Lab) (07BA16AC); enable from Combo Teams Initiate (Timer H) (07BA277C); enable from Combo Teams Initiate (Timer E_M) (07BA238C).

Attached scope: tag definitions 09493F4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 300 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 03 (IFV) (09490F3C).
2. Enable and reset applicable timers for Combine 03 (Troops) (0949246C).
3. Disable Combine 03 (Begin) (094920FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10671, Events line 10799, Actions line 10927.

58. Combine 03 (IFV) - 09490F3C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 03 (Begin) (094920FC).

Attached scope: tag definitions 094908EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 03 IFV (06A9AB9C).
2. Enable and reset applicable timers for Combine 03a (Combos) (094907FC).
3. Disable Combine 03 (IFV) (09490F3C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10672, Events line 10800, Actions line 10928.

59. Combine 03 (Troops) - 0949246C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 03 (Begin) (094920FC).

Attached scope: tag definitions 094921EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 03 Troops (06A9E3BC).
2. Disable Combine 03 (Troops) (0949246C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10673, Events line 10801, Actions line 10929.

60. Combine 03a (Combos) - 094907FC

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 03 (IFV) (09490F3C).

Attached scope: tag definitions 0949049C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 14 (Troops for Combine) is set.
2. local flag 13 (IFV for Combine 3) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 03b (Combos) (0949024C).
2. Disable Combine 03a (Combos) (094907FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10674, Events line 10802, Actions line 10930.

61. Combine 03b (Combos) - 0949024C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 03a (Combos) (094907FC).

Attached scope: tag definitions 09491EBC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine Shock_IFV 03a (06AB166C).
2. Create/recruit team Combine Shock_IFV 03b (043E164C).
3. Create/recruit team Combine Shock_IFV 03c (043E2EFC).
4. Create/recruit team Combine Flakker_IFV 03d (043E24CC).
5. Create/recruit team Combine Ivan_IFV 03e (043E476C).
6. Enable and reset applicable timers for Combine Team Beta_a (09493B1C).
7. Disable Combine 03b (Combos) (0949024C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10675, Events line 10803, Actions line 10931.

62. Combine Team Beta_a - 09493B1C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 03b (Combos) (0949024C).

Attached scope: tag definitions 094937FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 19 (Combine 03e) is set.
2. local flag 18 (Combine 03d) is set.
3. local flag 17 (Combine 03c) is set.
4. local flag 16 (Combine 03b) is set.
5. local flag 15 (Combine 03a) is set.

Flag writers in this mission: clear local flag 19 (Combine 03e) at Combine Team Beta_b (0949370C); clear local flag 18 (Combine 03d) at Combine Team Beta_b (0949370C); clear local flag 17 (Combine 03c) at Combine Team Beta_b (0949370C); clear local flag 16 (Combine 03b) at Combine Team Beta_b (0949370C); clear local flag 15 (Combine 03a) at Combine Team Beta_b (0949370C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine Team Beta_b (0949370C).
2. Disable Combine Team Beta_a (09493B1C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10676, Events line 10804, Actions line 10932.

63. Combine Team Beta_b - 0949370C

Owner reference: Temp. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine Team Beta_a (09493B1C).

Attached scope: tag definitions 0949337C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine Team Beta (043E413C).
2. Clear local flag 15 (Combine 03a).
3. Clear local flag 16 (Combine 03b).
4. Clear local flag 17 (Combine 03c).
5. Clear local flag 18 (Combine 03d).
6. Clear local flag 19 (Combine 03e).
7. Enable and reset applicable timers for Combine 03 (Begin) (094920FC).
8. Disable Combine Team Beta_b (0949370C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10677, Events line 10805, Actions line 10933.

64. Player Deployed MCV - 0BD6041C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BD65B5C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 4 (Deployed MCV).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10678, Events line 10806, Actions line 10934.

65. BG3 Defenders Spawn (E_M) - 043B17DC

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Def_AArmor Lt (0A2DDEFC) at waypoint 1 (cell 18, 107).
2. Supply reinforcement team Def_AInfantry (E_M) (0A2DEEFC) at waypoint 44 (cell 29, 102).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10679, Events line 10807, Actions line 10935.

66. BG3 Defenders Spawn (H) - 0DAFC42C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: BG3 Defenders Spawn (E_M) (043B17DC).

Attached scope: 1 tagged map cells: (18, 107); tag 043AFE1C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Def_AArmor Hvy (E_M) (0A2DDA4C) at waypoint 1 (cell 18, 107).
2. Supply reinforcement team Def_AInfantry (H) (0A2DECBC) at waypoint 44 (cell 29, 102).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10680, Events line 10808, Actions line 10936.

67. Yuri Superweapon Taunt (None Free) - 0DB0041C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Soviets Freed) is clear.
2. local flag 6 (Allies Freed) is clear.

3. local flag 0 (Minions Build) is set.

Flag writers in this mission: set local flag 5 (Soviets Freed) at Soviets Freed (0B5A6B7C); set local flag 6 (Allies Freed) at Allies Freed (0B5A5B5C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-Iron Curtain) (0D06981C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-nuke silo) (0D06925C); set local flag 0 (Minions Build) at Allies Build Weather (On-Iron Curtain) (0B5A3C8C); set local flag 0 (Minions Build) at Allies Build Weather (On-Nuke) (0B5A7A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS7_YuriSuperweapons.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10681, Events line 10809, Actions line 10937.

68. Yuri Superweapon Taunt (Allies Free) - 0DB01CAC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri Superweapon Taunt (None Free) (0DB0041C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 5 (Soviets Freed) is clear.
2. local flag 6 (Allies Freed) is set.
3. local flag 0 (Minions Build) is set.

Flag writers in this mission: set local flag 5 (Soviets Freed) at Soviets Freed (0B5A6B7C); set local flag 6 (Allies Freed) at Allies Freed (0B5A5B5C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-Iron Curtain) (0D06981C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-nuke silo) (0D06925C); set local flag 0 (Minions Build) at Allies Build Weather (On-Iron Curtain) (0B5A3C8C); set local flag 0 (Minions Build) at Allies Build Weather (On-Nuke) (0B5A7A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS7_YuriSuperweapons.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10682, Events line 10810, Actions line 10938.

69. Yuri Superweapon Taunt (Soviets Free) - 0DB018CC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: Yuri Superweapon Taunt (Allies Free) (0DB01CAC).

Attached scope: tag definitions 0DB000BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Soviets Freed) is set.
2. local flag 6 (Allies Freed) is clear.
3. local flag 0 (Minions Build) is set.

Flag writers in this mission: set local flag 5 (Soviets Freed) at Soviets Freed (0B5A6B7C); set local flag 6 (Allies Freed) at Allies Freed (0B5A5B5C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-Iron Curtain) (0D06981C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-nuke silo) (0D06925C); set local flag 0 (Minions Build) at Allies Build Weather (On-Iron Curtain) (0B5A3C8C); set local flag 0 (Minions Build) at Allies Build Weather (On-Nuke) (0B5A7A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Play voice notification Mis_xS7_YuriSuperweapons.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10683, Events line 10811, Actions line 10939.

70. BG1 Bld Psy Dom (M) - 0DB01E6C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Build Psychic Dominator (On) (0DB011BC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 445 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAPPET at waypoint 60 (cell 58, 85).
2. Enable and reset applicable timers for BG1 Build Genetic Mutator (095CB76C).

3. Play voice notification EVA_PsychicDominatorDetected.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10684, Events line 10812, Actions line 10940.

71. BG1 Build Genetic Mutator - 095CB76C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from BG1 Bld Psy Dom (M) (0DB01E6C); enable from BG1 Bld Psy Dom (H) (07F1BF3C).

Attached scope: tag definitions 095CD28C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 205 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAGNTC at waypoint 61 (cell 75, 52).
2. Play in-game movie 56.
3. Display message “WARNING - Yuri's Genetic Mutator mutates normal soldiers, turning them into Brutes under Yuri's control.” (MISSION:GeneWarn).
4. Play voice notification EVA_GeneticMutatorDetected.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10685, Events line 10813, Actions line 10941.

72. BG1 Build Psychic Dominator (On) - 0DB011BC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB02F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Minions Build) is set.

Flag writers in this mission: set local flag 0 (Minions Build) at Soviets Build Nuke (On-Iron Curtain) (0D06981C); set local flag 0 (Minions Build) at Soviets Build Nuke (On-nuke silo) (0D06925C); set local flag 0 (Minions Build) at Allies Build Weather (On-Iron Curtain) (0B5A3C8C); set local flag 0 (Minions Build) at Allies Build Weather (On-Nuke) (0B5A7A8C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for BG1 Bld Psy Dom (M) (0DB01E6C).
2. Enable and reset applicable timers for BG1 Bld Psy Dom (H) (07F1BF3C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10686, Events line 10814, Actions line 10942.

73. BG1 Bld Psy Dom (H) - 07F1BF3C

Owner reference: BadGuy1. Initially disabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: BG1 Bld Psy Dom (M) (0DB01E6C).

Incoming activation links: enable from BG1 Build Psychic Dominator (On) (0DB011BC).

Attached scope: tag definitions 0DB012AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 300 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create building YAPPET at waypoint 60 (cell 58, 85).
2. Enable and reset applicable timers for BG1 Build Genetic Mutator (095CB76C).
3. Play voice notification EVA_PsychicDominatorDetected.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10687, Events line 10815, Actions line 10943.

74. BG2 Defenders Spawn (E_M) - 0A49703C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Def_SArmor Lt (0C39A04C) at waypoint 58 (cell 116, 60).
2. Supply reinforcement team Def_SInfantry (E_M) (0CC7CB4C) at waypoint 49 (cell 91, 55).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10688, Events line 10816, Actions line 10944.

75. BG2 Defenders Spawn (H) - 0DB094AC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: BG2 Defenders Spawn (E_M) (0A49703C).

Attached scope: tag definitions 0A4A004C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Supply reinforcement team Def_SArmor Hvy (E_M) (0CC783EC) at waypoint 58 (cell 116, 60).
2. Supply reinforcement team Def_SInfantry (H) (0CC7C0CC) at waypoint 49 (cell 91, 55).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10689, Events line 10817, Actions line 10945.

76. Backdoor Discovered - 0CBDEA2C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 10 tagged map cells: (105, 30), (106, 30), (107, 30), (108, 30), (104, 31), (105, 31), (106, 31), (107, 31), (108, 31), (109, 31); tag 0CBDCF4C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 53 (cell 107, 35).
2. Play voice notification Mis_xS7_ZofiaBackDoorNotice.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10690, Events line 10818, Actions line 10946.

77. BG1 Has ConYard - 0CBDC94C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CBD8BAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 300 (global list position: Bus Stop (CASTRT05)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable BG1 Build Psychic Dominator (On) (0DB011BC).
2. Disable BG1 Bld Psy Dom (M) (0DB01E6C).
3. Disable BG1 Build Genetic Mutator (095CB76C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10691, Events line 10819, Actions line 10947.

78. BG2 Has ConYard - 0CBD8ABC

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CBD834C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Soviets Build Nuke (M) (0D06808C).
2. Disable Soviets Build Nuke (On-Iron Curtain) (0D06981C).
3. Disable Soviets Build Nuke (On-nuke silo) (0D06925C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10692, Events line 10820, Actions line 10948.

79. BG3 Has ConYard - 0CBD825C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CBDF88C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable Allies Build Weather (On-Iron Curtain) (0B5A3C8C).
2. Disable Allies Build Weather (On-Nuke) (0B5A7A8C).
3. Disable Allies Build Weather Controller (M) (0CF90E6C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10693, Events line 10821, Actions line 10949.

80. SW Grinder Setpiece 02 - 0CBE9A3C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0CBEF19C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team SW Grinder Setpiece Team 03 (0BC1493C).
2. Enable and reset applicable timers for Check on SW Grinder (ALL) (0CC9415C).
3. Enable and reset applicable timers for Check on SW Grinder (Sov) (0CC9453C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10694, Events line 10822, Actions line 10950.

81. Check on SW Grinder (ALL) - 0CC9415C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SW Grinder Setpiece 02 (0CBE9A3C).

Attached scope: tag definitions 0CC91DEC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Check on SW Grinder (All) (0C06717C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10695, Events line 10823, Actions line 10951.

82. Check on SW Grinder (Sov) - 0CC9453C

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from SW Grinder Setpiece 02 (0CBE9A3C).

Attached scope: tag definitions 0CC9424C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Check on SW Grinder (Sov) (0CCA46AC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10696, Events line 10824, Actions line 10952.

83. SW Grinder Setpiece 01a - 0CBEE55C

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team SW Grinder Setpiece Team 02 (0BC14DEC).
2. Enable and reset applicable timers for SW Grinder Destroyed (0AA4409C).
3. Disable SW Grinder Setpiece 01a (0CBEE55C).
4. Disable SW Grinder Setpiece 01b (0CBF5A9C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10697, Events line 10825, Actions line 10953.

84. SW Grinder Destroyed - 0AA4409C

Owner reference: Germany1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: SW Grinder Setpiece 01b (0CBF5A9C).

Incoming activation links: enable from SW Grinder Setpiece 01a (0CBEE55C); enable from SW Grinder Setpiece 01b (0CBF5A9C).

Attached scope: Initiate (INIT), owner BadGuy1 House, cell (106, 179), tag 0CBEE83C, persistence mode 2; Initiate (INIT), owner BadGuy1 House, cell (106, 182), tag 0CBEE83C, persistence mode 2; Initiate (INIT), owner BadGuy1 House, cell (106, 183), tag 0CBEE83C, persistence mode 2; Initiate (INIT), owner BadGuy1 House, cell (106, 180), tag 0CBEE83C, persistence mode 2; Yuri Clone (YURI), owner BadGuy1 House, cell (106, 185), tag 0CBEE83C, persistence mode 2; Virus (VIRUS), owner BadGuy1 House, cell (107, 177), tag 0CBEE83C, persistence mode 2; Brute (BRUTE), owner BadGuy1 House, cell (99, 187), tag 0CBEE83C, persistence mode 2; Brute (BRUTE), owner BadGuy1 House, cell (98, 175), tag 0CBEE83C, persistence mode 2; Brute (BRUTE), owner BadGuy1 House, cell (93, 179), tag 0CBEE83C, persistence mode 2; Grinder (YAGRND), owner German1 House, cell (102, 180), tag 0CBEE83C, persistence mode 2.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 22 (SW Grinder KIA).
2. Disable SW Grinder Destroyed (0AA4409C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10698, Events line 10826, Actions line 10954.

85. SW Grinder Setpiece 01b - 0CBF5A9C

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: SW Grinder Setpiece 01a (0CBEE55C).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team SW Grinder Setpiece Team 02 (0BC14DEC).
2. Enable and reset applicable timers for SW Grinder Destroyed (0AA4409C).
3. Disable SW Grinder Setpiece 01a (0CBEE55C).
4. Disable SW Grinder Setpiece 01b (0CBF5A9C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10699, Events line 10827, Actions line 10955.

86. NE Grinder Setpiece 01 - 0CBE799C

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Brute (BRUTE), owner BadGuy1 House, cell (151, 93), tag 0CBEB7DC, persistence mode 0; Brute (BRUTE), owner BadGuy1 House, cell (134, 94), tag 0CBEB7DC, persistence mode 0; Brute (BRUTE), owner BadGuy1 House, cell (144, 103), tag 0CBEB7DC, persistence mode 0; Yuri Clone (YURI), owner BadGuy1 House, cell (144, 99), tag 0CBEB7DC, persistence mode 0; Initiate (INIT), owner BadGuy1 House, cell (143, 98), tag 0CBEB7DC, persistence mode 0; Initiate (INIT), owner BadGuy1 House, cell (145, 98), tag 0CBEB7DC, persistence mode 0; Initiate (INIT), owner BadGuy1 House, cell (144, 98), tag 0CBEB7DC, persistence mode 0; Initiate (INIT), owner BadGuy1 House, cell (144, 98), tag 0CBEB7DC, persistence mode 0; Virus (VIRUS), owner BadGuy1 House, cell (143, 90), tag 0CBEB7DC, persistence mode 0; Grinder (YAGRND), owner German2 House, cell (141, 92), tag 0CBEB7DC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team NE Grinder Setpiece Team 01 (0BC12B7C).
2. Enable and reset applicable timers for NE Peasent Grinder 01 (07BEBCEC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10700, Events line 10828, Actions line 10956.

87. NE Peasent Grinder 01 - 07BEBCEC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from NE Grinder Setpiece 01 (0CBE799C); enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07BE9A3C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 01 NE (0A9F81EC) at waypoint 22 (cell 147, 107).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10701, Events line 10829, Actions line 10957.

88. NE Peasent Grinder 02 - 07BEABEC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07BED22C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 02 NE (0AA0B08C) at waypoint 21 (cell 139, 105).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10702, Events line 10830, Actions line 10958.

89. NE Peasent Grinder 03 - 07BE91BC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07BEAF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 03 NE (0AA0CB1C) at waypoint 20 (cell 144, 89).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10703, Events line 10831, Actions line 10959.

90. NE Peasent Grinder 04 - 07BEA0FC

Owner reference: Germany2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Enable_Peasant Grinders (08408E8C).

Attached scope: tag definitions 07BE92AC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. A random delay centered on 60 configured time units expires (the editor describes a 50%-150% range).

Then perform these actions in order:

1. Supply reinforcement team Grinder Peasent 03 NE (0AA0CB1C) at waypoint 23 (cell 138, 95).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10704, Events line 10832, Actions line 10960.

91. BG1 Hates Player - 0965013C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (132, 112); tag 0965282C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).
2. Play voice notification EVA_EstablishBattlefieldControl.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10705, Events line 10833, Actions line 10961.

92. BG2 Hates Player - 0965263C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (166, 115); tag 096523FC, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10706, Events line 10834, Actions line 10962.

93. BG3 Hates Player - 0965230C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (118, 178); tag 09657F4C, persistence mode 0.

Wait for the recorded events:

1. The unconditional/any-event condition is satisfied.

Then perform these actions in order:

1. Make enemy: owner selector 15 (country/type PLAYER; placed owner Player House).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10707, Events line 10835, Actions line 10963.

94. NE Grinder Setpiece 02 - 06B1C55C

Owner reference: BadGuy1. Initially enabled. Difficulty eligibility: Easy 0, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 06B1E68C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team NE Grinder Setpiece Team 02 (06B1E1EC).
2. Create/recruit team Check on NE Grinder (Sov) (0D957EFC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10708, Events line 10836, Actions line 10964.

95. 1st Attkrs (Enable) - 0BED4ABC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0BED0B4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 25 (global list position: Soviet Construction Yard (NACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for 1st Attkrs (Go) (0CBE5C3C).
2. Production Begins: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
3. Production Begins: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
4. Production Begins: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).

5. AI triggers begin: owner selector 16 (country/type BADGUY1; placed owner BadGuy1 House).
6. AI triggers begin: owner selector 17 (country/type BADGUY2; placed owner BadGuy2 House).
7. AI triggers begin: owner selector 18 (country/type BADGUY3; placed owner BadGuy3 House).
8. Enable and reset applicable timers for Enable_Peasant Grinders (08408E8C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10709, Events line 10837, Actions line 10965.

96. Enable_Peasant Grinders - 08408E8C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1st Attkrs (Enable) (0BED4ABC).

Attached scope: tag definitions 08408DAC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for NE Peasent Grinder 01 (07BEBCEC).
2. Enable and reset applicable timers for NE Peasent Grinder 02 (07BEABEC).
3. Enable and reset applicable timers for NE Peasent Grinder 03 (07BE91BC).
4. Enable and reset applicable timers for NE Peasent Grinder 04 (07BEA0FC).
5. Enable and reset applicable timers for SW Peasent Grinder 01 (07C1C26C).
6. Enable and reset applicable timers for SW Peasent Grinder 02 (07C1E3CC).
7. Enable and reset applicable timers for SW Peasent Grinder 03 (08B932FC).
8. Enable and reset applicable timers for SW Peasent Grinder 04 (07C1D25C).
9. Enable and reset applicable timers for SW Peasent Grinder 05 (07C1DE6C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10710, Events line 10838, Actions line 10966.

97. Combine 01 (IFV) KIA_01 - 0DB2278C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB2206C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.
2. local flag 7 (IFV for Combine 1) is clear.

Flag writers in this mission: clear local flag 7 (IFV for Combine 1) at Combine 01 (S_I) KIA (0952AC5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01 (IFV) KIA_02 (0DB1703C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10711, Events line 10839, Actions line 10967.

98. Combine 01 (IFV) KIA_02 - 0DB1703C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01 (IFV) KIA_01 (0DB2278C).

Attached scope: tag definitions 0DB1004C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 01 IFV (0C1E84DC).
2. Disable Combine 01 (IFV) KIA_02 (0DB1703C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10712, Events line 10840, Actions line 10968.

99. Combine 01 (Shock) KIA_01 - 0DB1203C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB1505C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.
2. local flag 8 (Shock for Combine 1) is clear.

Flag writers in this mission: clear local flag 8 (Shock for Combine 1) at Combine 01 (S_I) KIA (0952AC5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01 (Shock) KIA_02 (0DB2246C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10713, Events line 10841, Actions line 10969.

100. Combine 01 (Shock) KIA_02 - 0DB2246C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 01 (Shock) KIA_01 (0DB1203C).

Attached scope: tag definitions 0DB37C0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 01 Shock (0C1F7EFC).
2. Disable Combine 01 (Shock) KIA_02 (0DB2246C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10714, Events line 10842, Actions line 10970.

101. Combine 02 (IFV) KIA_02 - 0DB55B5C

Owner reference: BadGuy3. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02 (IFV) KIA_01 (0DB5507C).

Attached scope: tag definitions 0DB561EC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 02 IFV (0C35943C).
2. Disable Combine 02 (IFV) KIA_02 (0DB55B5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10715, Events line 10843, Actions line 10971.

102. Combine 02 (Shock) KIA_02 - 0DB560FC

Owner reference: BadGuy2. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Combine 02 (Shock) KIA_01 (0DB5195C).

Attached scope: tag definitions 0DB5516C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team Combine 02 Shock (0C358EFC).
2. Disable Combine 02 (Shock) KIA_02 (0DB560FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10716, Events line 10844, Actions line 10972.

103. Combine 02 (IFV) KIA_01 - 0DB5507C

Owner reference: BadGuy3. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB51A4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.
2. local flag 11 (IFV for Combine 2) is clear.

Flag writers in this mission: clear local flag 11 (IFV for Combine 2) at Combine 02 (S_I) KIA (0954B2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 02 (IFV) KIA_02 (0DB55B5C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10717, Events line 10845, Actions line 10973.

104. Combine 02 (Shock) KIA_01 - 0DB5195C

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0DB517AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.
2. local flag 12 (Shock for Combine 2) is clear.

Flag writers in this mission: clear local flag 12 (Shock for Combine 2) at Combine 02 (S_I) KIA (0954B2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 02 (Shock) KIA_02 (0DB560FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10718, Events line 10846, Actions line 10974.

105. Combine 01 (S_I) KIA - 0952AC5C

Owner reference: Temp. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0952BF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.
2. local flag 9 (Combine 01) is set.

Flag writers in this mission: clear local flag 9 (Combine 01) at Combine Team Alpha_b (06A7E97C); clear local flag 9 (Combine 01) at Combine 01 (S_I) KIA (0952AC5C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 9 (Combine 01).
2. Clear local flag 7 (IFV for Combine 1).
3. Clear local flag 8 (Shock for Combine 1).
4. Create/recruit team Combine 01 IFV (0C1E84DC).
5. Create/recruit team Combine 01 Shock (0C1F7EFC).
6. Enable and reset applicable timers for Combine 01a (Shock_IFV) (06B01CCC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10719, Events line 10847, Actions line 10975.

106. Combine 02 (S_I) KIA - 0954B2BC

Owner reference: Temp. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0954C86C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 10 (Combine 02) is set.
2. Destroyed by anything [not infiltrate]. See attached-object/cell scope below.

Flag writers in this mission: clear local flag 10 (Combine 02) at Combine Team Alpha_b (06A7E97C); clear local flag 10 (Combine 02) at Combine 02 (S_I) KIA (0954B2BC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Clear local flag 10 (Combine 02).
2. Clear local flag 11 (IFV for Combine 2).
3. Clear local flag 12 (Shock for Combine 2).
4. Create/recruit team Combine 02 IFV (0C35943C).
5. Create/recruit team Combine 02 Shock (0C358EFC).
6. Enable and reset applicable timers for Combine 02a (Shock_IFV) (0BF1DC9C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10720, Events line 10848, Actions line 10976.

107. West Crypt KIA - 0921D64C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0921FF4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 268 (global list position: French Flag (CAFRFGL)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 20 (WCryptKIA).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10721, Events line 10849, Actions line 10977.

108. East Crypt KIA - 09220CCC

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09220A8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 140 (global list position: Crypt (CATRAN01)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Set local flag 21 (ECryptKIA).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10722, Events line 10850, Actions line 10978.

109. West Crypt Lights Out - 0922057C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Orange Light Post (INORANLAMP), owner Civilian House, cell (81, 151), tag 09222F4C, persistence mode 0.

Wait for the recorded events:

1. local flag 20 (WCryptKIA) is set.

Flag writers in this mission: set local flag 20 (WCryptKIA) at West Crypt KIA (0921D64C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10723, Events line 10851, Actions line 10979.

110. East Crypt Lights Out - 07DF0F3C

Owner reference: Neutral. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Orange Light Post (INORANLAMP), owner Civilian House, cell (162, 92), tag 07DF644C, persistence mode 0.

Wait for the recorded events:

1. local flag 21 (ECryptKIA) is set.

Flag writers in this mission: set local flag 21 (ECryptKIA) at East Crypt KIA (09220CCC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10724, Events line 10852, Actions line 10980.

111. SW Grinder Eliminated - 0AA45A2C

Owner reference: Germany1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AA458BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 22 (SW Grinder KIA) is set.

Flag writers in this mission: set local flag 22 (SW Grinder KIA) at SW Grinder Destroyed (0AA4409C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder Cow SW (08FAA6FC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 01 SW (08FA906C).
3. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 02 SW (08FAAB7C).
4. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 03 SW (08FAA93C).
5. Disable SW Peasent Grinder 01 (07C1C26C).
6. Disable SW Peasent Grinder 02 (07C1E3CC).
7. Disable SW Peasent Grinder 03 (08B932FC).
8. Disable SW Peasent Grinder 04 (07C1D25C).
9. Disable SW Peasent Grinder 05 (07C1DE6C).
10. All change house: owner selector 12 (country/type NEUTRAL; placed owner Civilian House).
11. Make side cheer: owner selector 12 (country/type NEUTRAL; placed owner Civilian House).
12. Create crate type 0 at waypoint 72 (cell 105, 181).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10725, Events line 10853, Actions line 10981.

112. NE Grinder Eliminated - 0AA466CC

Owner reference: Germany2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AA465EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building does not exist: type index 311 (global list position: Industrial Plant (NAINDP)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) Grinder Cow SW (08FAA6FC).
2. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 01 SW (08FA906C).
3. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 02 SW (08FAAB7C).
4. Remove instances of the team organization (not automatically its surviving objects) Grinder Peasent 03 SW (08FAA93C).
5. Disable NE Peasent Grinder 01 (07BEBCEC).
6. Disable NE Peasent Grinder 02 (07BEABEC).
7. Disable NE Peasent Grinder 03 (07BE91BC).
8. Disable NE Peasent Grinder 04 (07BEA0FC).
9. Create crate type 0 at waypoint 73 (cell 144, 93).
10. All change house: owner selector 12 (country/type NEUTRAL; placed owner Civilian House).
11. Make side cheer: owner selector 12 (country/type NEUTRAL; placed owner Civilian House).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10726, Events line 10854, Actions line 10982.

113. Combo Teams Initiate (Battle Lab) - 07BA16AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Build Building Type: type index 10 (global list position: Soviet Battle Lab (NATECH)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01 (IFV) (06B0394C).
2. Enable and reset applicable timers for Combine 01 (Shock) (06B032DC).
3. Enable and reset applicable timers for Combine 03 (Begin) (094920FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10727, Events line 10855, Actions line 10983.

114. Combo Teams Initiate (Timer H) - 07BA277C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 0, Normal 0, Hard 1 (1 means included). Linked trigger: Combo Teams Initiate (Battle Lab) (07BA16AC).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. 450 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01 (IFV) (06B0394C).
2. Enable and reset applicable timers for Combine 01 (Shock) (06B032DC).
3. Enable and reset applicable timers for Combine 03 (Begin) (094920FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10728, Events line 10856, Actions line 10984.

115. Combo Teams Initiate (Timer E_M) - 07BA238C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 0 (1 means included). Linked trigger: Combo Teams Initiate (Timer H) (07BA277C).

Attached scope: tag definitions 07BA286C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 900 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Combine 01 (IFV) (06B0394C).
2. Enable and reset applicable timers for Combine 01 (Shock) (06B032DC).
3. Enable and reset applicable timers for Combine 03 (Begin) (094920FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10729, Events line 10857, Actions line 10985.

116. Castle Attacked - 05BC965C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: _Win (Bldgs KIA) (0B0A52BC).

Attached scope: Yuri's Fortress (CATRAN03), owner BadGuy1 House, cell (65, 67), tag 05BC8BAC, persistence mode 2.

Wait for the recorded events:

1. Attacked by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable Castle Attacked (05BC965C).
2. Play sound NukeSiren at waypoint 43 (cell 70, 72).
3. Create/recruit team TM_BG1_Engineers 4 Castle (079126AC).
4. Create/recruit team TM_BG1_Castle Guard @ CD (093DDE5C).
5. Create/recruit team TM_BG1_Castle Guard @ CE (09091C8C).
6. Create/recruit team TM_BG2_Castle Guard @ CB (093DD3CC).
7. Create/recruit team TM_BG3_Castle Guard @ CC (093DA83C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10730, Events line 10858, Actions line 10986.

117. Detect_V House Dead - 08461EEC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Farm House (CAFRMA), owner Civilian House, cell (137, 104), tag 08461E0C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable NE Peasent Grinder 02 (07BEABEC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10731, Events line 10859, Actions line 10987.

118. Detect_W House Dead - 08461D1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cottage (CAEUR2), owner Civilian House, cell (145, 106), tag 08461C3C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable NE Peasent Grinder 01 (07BEBCEC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10732, Events line 10860, Actions line 10988.

119. Detect_AB House Dead - 08461B4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Farm (CAFARM01), owner Civilian House, cell (112, 202), tag 08461A6C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SW Peasent Grinder 05 (07C1DE6C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10733, Events line 10861, Actions line 10989.

120. Detect_P House Dead - 0846197C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE01), owner Civilian House, cell (102, 175), tag 0846189C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SW Peasent Grinder 03 (08B932FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10734, Events line 10862, Actions line 10990.

121. Detect_N House Dead - 084615BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE01), owner Civilian House, cell (89, 180), tag 084614DC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SW Peasent Grinder 01 (07C1C26C).
2. Disable SW Peasent Grinder 04 (07C1D25C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10735, Events line 10863, Actions line 10991.

122. Detect_Q House Dead - 084613EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE01), owner Civilian House, cell (110, 192), tag 0846130C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SW Peasent Grinder 02 (07C1E3CC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10736, Events line 10864, Actions line 10992.

123. Detect_X House Dead - 084697FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: House (CAHSE01), owner Civilian House, cell (137, 93), tag 0846971C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable NE Peasent Grinder 04 (07BEA0FC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10737, Events line 10865, Actions line 10993.

124. Detect_U House Dead - 0846962C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cottage (CAEUR1), owner Civilian House, cell (142, 88), tag 0846954C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable NE Peasent Grinder 03 (07BE91BC).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10738, Events line 10866, Actions line 10994.

125. Detect_O House Dead - 084887CC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Building (CAEUR04), owner Civilian House, cell (92, 175), tag 0848BC4C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Disable SW Peasent Grinder 04 (07C1D25C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10739, Events line 10867, Actions line 10995.

126. Create_BG1_Bio Loaders - 094512EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0945120C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Create/recruit team TM_BG1_Bio Loaders @ BW (0945487C).
2. Create/recruit team TM_BG1_Bio Loaders @ BX (094542DC).
3. Create/recruit team TM_BG1_Bio Loaders @ BY (09451EFC).
4. Create/recruit team TM_BG1_Bio Loaders @ BZ (09451DCC).
5. Create/recruit team TM_BG1_Bio Loaders @ CA (09451C9C).

Source locator: mapsmd03.mix/sov07tmd.map; Triggers line 10740, Events line 10868, Actions line 10996.

All team rosters and ordered plans | All mission overrides

Operation: Head Games - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: mapsmd03.mix/sov07tmd.map; each team/script ID identifies its section.

Demo Driver L - 0BF44CBC

Owner: Player. Roster: 1 × Technician (CTECH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Demo Driver L SCR (093C5ABC).

1. Move to waypoint: waypoint 24 (cell 193, 109).
2. Set local flag: local flag 1 (Demo Driver L In).
3. Delete team objects.

Demo Driver R - 0BF4480C

Owner: Player. Roster: 1 × Technician (CTECH)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Demo Driver R SCR (093C234C).

1. Move to waypoint: waypoint 25 (cell 193, 108).
2. Set local flag: local flag 2 (Demo Driver R In).
3. Delete team objects.

Rally Volunteers - 0BF4446C

Owner: Player. Roster: 3 × Terrorist (TERROR); 2 × Demolition Truck (DTRUCK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Rally Volunteers SCR (093C182C).

1. Move to waypoint: waypoint 26 (cell 187, 110).
2. Change country ownership; configured argument 15.
3. Report team success.

Bunker Boys C - 093953FC

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AC.

Ordered plan: Bunker Boys C SCR (0983132C).

1. Attack/garrison waypoint building: waypoint 2 (cell 55, 145).
2. Report team success.

Bunker Boys D - 0938E81C

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AD.

Ordered plan: Bunker Boys D SCR (09832C8C).

1. Attack/garrison waypoint building: waypoint 3 (cell 65, 132).
2. Report team success.

Bunker Boys E - 093A0EFC

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AE.

Ordered plan: Bunker Boys E SCR (098328EC).

1. Attack/garrison waypoint building: waypoint 4 (cell 65, 116).
2. Report team success.

Bunker Boys F - 093A5ADC

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Bunker Boys F SCR (0983254C).

1. Attack/garrison waypoint building: waypoint 5 (cell 83, 91).
2. Report team success.

Bunker Boys G - 0BD7BC8C

Owner: BadGuy1. Roster: 5 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AG.

Ordered plan: Bunker Boys G SCR (09833DBC).

1. Attack/garrison waypoint building: waypoint 6 (cell 92, 81).
2. Report team success.

Bunker Boys H - 093A2A1C

Owner: BadGuy2. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AH.

Ordered plan: Bunker Boys H SCR (09833B4C).

1. Attack/garrison waypoint building: waypoint 7 (cell 99, 76).
2. Report team success.

Bunker Boys I - 093A230C

Owner: BadGuy2. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AI.

Ordered plan: Bunker Boys I SCR (0983369C).

1. Attack/garrison waypoint building: waypoint 8 (cell 105, 78).
2. Report team success.

Bunker Boys M - 093A7AEC

Owner: BadGuy2. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AM.

Ordered plan: Bunker Boys M SCR (098332FC).

1. Attack/garrison waypoint building: waypoint 12 (cell 119, 30).
2. Report team success.

Player Starters MCV - 093813CC

Owner: Player. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AJ.

Ordered plan: Player Starters MCV SCR (093878FC).

1. Move to waypoint: waypoint 17 (cell 149, 148).
2. Report team success.
3. Set local flag: local flag 3 (Player MCV on map).

Player Starters Infantry L - 08B8843C

Owner: Player. Roster: 1 × Flak Track (HTK); 2 × Conscript (E2); 1 × Flak Trooper (FLAKT); 1 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Player Starters Infantry L SCR (08B881CC).

1. Move to waypoint: waypoint 41 (cell 147, 153).
2. Report team success.
3. Unload with continuation mode: both leave the continuing team.

Player Starters Infantry R - 08B89CBC

Owner: Player. Roster: 1 × Flak Track (HTK); 2 × Conscript (E2); 1 × Flak Trooper (FLAKT); 1 × Attack Dog (DOG); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Player Starters Infantry R SCR (08B89A4C).

1. Move to waypoint: waypoint 42 (cell 154, 146).
2. Report team success.
3. Unload with continuation mode: both leave the continuing team.

Player Starters Armor L - 08B8991C

Owner: Player. Roster: 1 × Tesla Tank (TTNK); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AK.

Ordered plan: Player Starters Armor L SCR (08B896AC).

1. Move to waypoint: waypoint 39 (cell 144, 147).
2. Report team success.

Player Starters Armor R - 08B8946C

Owner: Player. Roster: 1 × Tesla Tank (TTNK); 1 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AL.

Ordered plan: Player Starters Armor R SCR (08B891FC).

1. Move to waypoint: waypoint 40 (cell 148, 143).
2. Report team success.

Def_AArmor Lt - 0A2DDEFC

Owner: BadGuy3. Roster: 4 × Guardian GI (GGI); 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_AArmor Lt SCR (0A2DDC8C).

1. Report team success.
2. Move to waypoint: waypoint 44 (cell 29, 102).
3. Guard for interval; configured argument 18.

4. Move to waypoint: waypoint 46 (cell 60, 105).
5. Guard for interval; configured argument 18.
6. Move to waypoint: waypoint 30 (cell 61, 117).
7. Guard for interval; configured argument 18.
8. Move to waypoint: waypoint 29 (cell 61, 128).
9. Guard for interval; configured argument 18.
10. Move to waypoint: waypoint 28 (cell 54, 138).
11. Guard for interval; configured argument 18.
12. Jump to script line; configured argument 2.

Def_AArmor Hvy (E_M) - 0A2DDA4C

Owner: BadGuy3. Roster: 3 × Grizzly Battle Tank (MTNK); 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Allied SCR (0BE0DC8C).

1. Report team success.
2. Move to waypoint: waypoint 28 (cell 54, 138).
3. Guard for interval; configured argument 20.
4. Move to waypoint: waypoint 29 (cell 61, 128).
5. Guard for interval; configured argument 20.
6. Move to waypoint: waypoint 30 (cell 61, 117).
7. Guard for interval; configured argument 20.
8. Move to waypoint: waypoint 46 (cell 60, 105).
9. Guard for interval; configured argument 20.
10. Move to waypoint: waypoint 44 (cell 29, 102).
11. Guard for interval; configured argument 20.
12. Jump to script line; configured argument 2.

Def_AArmor Hvy (H) - 0A2DD59C

Owner: BadGuy3. Roster: 5 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_AArmor Hvy (H) SCR (0A2DD32C).

1. Adopt object mission: area guard.
2. Report team success.

Def_AInfantry (E_M) - 0A2DEEFC

Owner: BadGuy3. Roster: 5 × GI (E1); 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Allied SCR (0BE0DC8C).

1. Report team success.
2. Move to waypoint: waypoint 28 (cell 54, 138).
3. Guard for interval; configured argument 20.
4. Move to waypoint: waypoint 29 (cell 61, 128).
5. Guard for interval; configured argument 20.
6. Move to waypoint: waypoint 30 (cell 61, 117).
7. Guard for interval; configured argument 20.
8. Move to waypoint: waypoint 46 (cell 60, 105).

9. Guard for interval; configured argument 20.
10. Move to waypoint: waypoint 44 (cell 29, 102).
11. Guard for interval; configured argument 20.
12. Jump to script line; configured argument 2.

Def_AInfantry (H) - 0A2DECBC

Owner: BadGuy3. Roster: 4 × SEAL (GHOST); 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_Allied SCR (0BE0DC8C).

1. Report team success.
2. Move to waypoint: waypoint 28 (cell 54, 138).
3. Guard for interval; configured argument 20.
4. Move to waypoint: waypoint 29 (cell 61, 128).
5. Guard for interval; configured argument 20.
6. Move to waypoint: waypoint 30 (cell 61, 117).
7. Guard for interval; configured argument 20.
8. Move to waypoint: waypoint 46 (cell 60, 105).
9. Guard for interval; configured argument 20.
10. Move to waypoint: waypoint 44 (cell 29, 102).
11. Guard for interval; configured argument 20.
12. Jump to script line; configured argument 2.

Def_Engineer_Spy - 043B331C

Owner: BadGuy3. Roster: 3 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_AArmor Hvy (H) SCR (0A2DD32C).

1. Adopt object mission: area guard.
2. Report team success.

Def_SArmor Lt - 0C39A04C

Owner: BadGuy2. Roster: 3 × Tesla Trooper (SHK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_SArmor SCR (0CC78DBC).

1. Report team success.
2. Move to waypoint: waypoint 47 (cell 103, 69).
3. Guard for interval; configured argument 25.
4. Move to waypoint: waypoint 48 (cell 92, 65).
5. Move to waypoint: waypoint 49 (cell 91, 55).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 50 (cell 81, 44).
8. Move to waypoint: waypoint 51 (cell 92, 32).
9. Move to waypoint: waypoint 52 (cell 97, 33).
10. Move to waypoint: waypoint 53 (cell 107, 35).
11. Guard for interval; configured argument 25.
12. Move to waypoint: waypoint 54 (cell 115, 40).
13. Move to waypoint: waypoint 55 (cell 119, 46).

14. Move to waypoint: waypoint 56 (cell 125, 46).
15. Guard for interval; configured argument 25.
16. Move to waypoint: waypoint 57 (cell 122, 58).
17. Move to waypoint: waypoint 58 (cell 116, 60).
18. Move to waypoint: waypoint 59 (cell 115, 66).
19. Jump to script line; configured argument 2.

Def_SArmor Hvy (E_M) - 0CC783EC

Owner: BadGuy2. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Apocalypse (APOC); 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_SArmor SCR (0CC78DBC).

1. Report team success.
2. Move to waypoint: waypoint 47 (cell 103, 69).
3. Guard for interval; configured argument 25.
4. Move to waypoint: waypoint 48 (cell 92, 65).
5. Move to waypoint: waypoint 49 (cell 91, 55).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 50 (cell 81, 44).
8. Move to waypoint: waypoint 51 (cell 92, 32).
9. Move to waypoint: waypoint 52 (cell 97, 33).
10. Move to waypoint: waypoint 53 (cell 107, 35).
11. Guard for interval; configured argument 25.
12. Move to waypoint: waypoint 54 (cell 115, 40).
13. Move to waypoint: waypoint 55 (cell 119, 46).
14. Move to waypoint: waypoint 56 (cell 125, 46).
15. Guard for interval; configured argument 25.
16. Move to waypoint: waypoint 57 (cell 122, 58).
17. Move to waypoint: waypoint 58 (cell 116, 60).
18. Move to waypoint: waypoint 59 (cell 115, 66).
19. Jump to script line; configured argument 2.

Def_SArmor Hvy (H) - 0CC7B0EC

Owner: BadGuy2. Roster: 2 × Apocalypse (APOC); 2 × Terror Drone (DRON); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_SArmor SCR (0CC78DBC).

1. Report team success.
2. Move to waypoint: waypoint 47 (cell 103, 69).
3. Guard for interval; configured argument 25.
4. Move to waypoint: waypoint 48 (cell 92, 65).
5. Move to waypoint: waypoint 49 (cell 91, 55).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 50 (cell 81, 44).
8. Move to waypoint: waypoint 51 (cell 92, 32).
9. Move to waypoint: waypoint 52 (cell 97, 33).
10. Move to waypoint: waypoint 53 (cell 107, 35).
11. Guard for interval; configured argument 25.
12. Move to waypoint: waypoint 54 (cell 115, 40).

13. Move to waypoint: waypoint 55 (cell 119, 46).
14. Move to waypoint: waypoint 56 (cell 125, 46).
15. Guard for interval; configured argument 25.
16. Move to waypoint: waypoint 57 (cell 122, 58).
17. Move to waypoint: waypoint 58 (cell 116, 60).
18. Move to waypoint: waypoint 59 (cell 115, 66).
19. Jump to script line; configured argument 2.

Def_SInfantry (E_M) - 0CC7CB4C

Owner: BadGuy2. Roster: 5 × Conscript (E2); 2 × Flak Trooper (FLAKT); 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_SInfantry SCR (0CC7C7CC).

1. Report team success.
2. Move to waypoint: waypoint 59 (cell 115, 66).
3. Move to waypoint: waypoint 58 (cell 116, 60).
4. Move to waypoint: waypoint 57 (cell 122, 58).
5. Move to waypoint: waypoint 56 (cell 125, 46).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 55 (cell 119, 46).
8. Move to waypoint: waypoint 54 (cell 115, 40).
9. Move to waypoint: waypoint 53 (cell 107, 35).
10. Guard for interval; configured argument 25.
11. Move to waypoint: waypoint 52 (cell 97, 33).
12. Move to waypoint: waypoint 51 (cell 92, 32).
13. Move to waypoint: waypoint 50 (cell 81, 44).
14. Move to waypoint: waypoint 49 (cell 91, 55).
15. Guard for interval; configured argument 25.
16. Move to waypoint: waypoint 48 (cell 92, 65).
17. Move to waypoint: waypoint 47 (cell 103, 69).
18. Guard for interval; configured argument 25.
19. Jump to script line; configured argument 2.

Def_SInfantry (H) - 0CC7C0CC

Owner: BadGuy2. Roster: 3 × Conscript (E2); 2 × Flak Trooper (FLAKT); 2 × Attack Dog (DOG); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Def_SInfantry SCR (0CC7C7CC).

1. Report team success.
2. Move to waypoint: waypoint 59 (cell 115, 66).
3. Move to waypoint: waypoint 58 (cell 116, 60).
4. Move to waypoint: waypoint 57 (cell 122, 58).
5. Move to waypoint: waypoint 56 (cell 125, 46).
6. Guard for interval; configured argument 25.
7. Move to waypoint: waypoint 55 (cell 119, 46).
8. Move to waypoint: waypoint 54 (cell 115, 40).
9. Move to waypoint: waypoint 53 (cell 107, 35).
10. Guard for interval; configured argument 25.
11. Move to waypoint: waypoint 52 (cell 97, 33).

12. Move to waypoint: waypoint 51 (cell 92, 32).
13. Move to waypoint: waypoint 50 (cell 81, 44).
14. Move to waypoint: waypoint 49 (cell 91, 55).
15. Guard for interval; configured argument 25.
16. Move to waypoint: waypoint 48 (cell 92, 65).
17. Move to waypoint: waypoint 47 (cell 103, 69).
18. Guard for interval; configured argument 25.
19. Jump to script line; configured argument 2.

SW Grinder Setpiece Team 02 - 0BC14DEC

Owner: BadGuy1. Roster: 3 × Brute (BRUTE); 1 × Yuri Clone (YURI); 4 × Initiate (INIT); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: SW Grinder Setpiece Team 02 SCR (0CBEA98C).

1. Approach friendly building category; configured argument 131383.
2. Report team success.
3. Seek/attack target category; configured argument 1.
4. Approach friendly building category; configured argument 131383.
5. Scatter.
6. Scatter.
7. Adopt object mission: area guard.

SW Grinder Setpiece Team 03 - 0BC1493C

Owner: BadGuy1. Roster: 1 × Master Mind (MIND); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BK.

Ordered plan: SW Grinder Setpiece Team 03 SCR (0BC1445C).

1. Move to waypoint: waypoint 63 (cell 82, 163).
2. Move to waypoint: waypoint 64 (cell 108, 180).
3. Seek/attack target category; configured argument 1.
4. Report team success.
5. Approach friendly building category; configured argument 131383.
6. Adopt object mission: area guard.

NE Grinder Setpiece Team 01 - 0BC12B7C

Owner: BadGuy1. Roster: 3 × Brute (BRUTE); 1 × Virus (VIRUS); 1 × Yuri Clone (YURI); 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: NE Grinder Setpiece Team 01 SCR (08B8D6FC).

1. Approach friendly building category; configured argument 131383.
2. Seek/attack target category; configured argument 1.
3. Report team success.
4. Approach friendly building category; configured argument 131383.
5. Guard for interval; configured argument 120.
6. Jump to script line; configured argument 2.

1st Sov Attkrs - 0CBF330C

Owner: BadGuy2. Roster: 5 × Conscript (E2); 1 × Attack Dog (ADOG); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BN.

Ordered plan: 1st Attkrs SCR (0CBF231C).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

1st All Attkrs - 0CBF1C4C

Owner: BadGuy3. Roster: 1 × Attack Dog (ADOG); 5 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BO.

Ordered plan: 1st Attkrs SCR (0CBF231C).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

1st Yuri Attkrs - 0CBF7D5C

Owner: BadGuy1. Roster: 5 × Initiate (INIT); 1 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: BP.

Ordered plan: 1st Attkrs SCR (0CBF231C).

1. Attack selected enemy-building category; configured argument 131081.
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Check on SW Grinder (All) - 0C06717C

Owner: BadGuy3. Roster: 5 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Check on SW Grinder (All) SCR (0CCA24BC).

1. Move to waypoint: waypoint 63 (cell 82, 163).
2. Report team success.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

Check on SW Grinder (Sov) - 0CCA46AC

Owner: BadGuy2. Roster: 1 × Flak Track (HTK); 2 × Rhino Heavy Tank (HTNK); 1 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Check on SW Grinder (Sov) SCR (0CCA432C).

1. Move to waypoint: waypoint 700 (cell 107, 109).

2. Move to waypoint: waypoint 64 (cell 108, 180).
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

NE Grinder Setpiece Team 02 - 06B1E1EC

Owner: BadGuy1. Roster: 2 × Gattling Tank (YTNK); 3 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: NE Grinder Setpiece Team 02 SCR (06B07B4C).

1. Move to waypoint: waypoint 68 (cell 124, 94).
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

Check on NE Grinder (Sov) - 0D957EFC

Owner: BadGuy2. Roster: 4 × Conscript (E2); 1 × Attack Dog (DOG); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Check on NE Grinder (Sov) SCR (0D95B12C).

1. Move to waypoint: waypoint 53 (cell 107, 35).
2. Move to waypoint: waypoint 38 (cell 116, 27).
3. Move to waypoint: waypoint 20 (cell 144, 89).
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

Combine 01 IFV - 0C1E84DC

Owner: BadGuy3. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 01 IFV SCR (0C2BD2AC).

1. Move to waypoint: waypoint 69 (cell 113, 94).
2. Set local flag: local flag 7 (IFV for Combine 1).
3. Change country ownership; configured argument 22.

Combine 01 Shock - 0C1F7EFC

Owner: BadGuy2. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 01 Shock SCR (0C2B8D4C).

1. Move to waypoint: waypoint 69 (cell 113, 94).
2. Set local flag: local flag 8 (Shock for Combine 1).
3. Change country ownership; configured argument 22.

Combine Shock_IFV 01 - 0C566A9C

Owner: Temp. Roster: 1 × IFV (FV); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 5; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Shock_IFV 01 SCR (0C366B7C).

1. Load transport.
2. Report team success.
3. Clear local flag: local flag 8 (Shock for Combine 1).
4. Clear local flag: local flag 7 (IFV for Combine 1).
5. Set local flag: local flag 9 (Combine 01).
6. Move to waypoint: waypoint 70 (cell 114, 98).
7. Adopt object mission: area guard.

Combine Shock_IFV 02 - 0BF0622C

Owner: Temp. Roster: 1 × IFV (FV); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Shock_IFV 02 SCR (0C3666CC).

1. Load transport.
2. Report team success.
3. Clear local flag: local flag 11 (IFV for Combine 2).
4. Clear local flag: local flag 12 (Shock for Combine 2).
5. Set local flag: local flag 10 (Combine 02).
6. Move to waypoint: waypoint 70 (cell 114, 98).
7. Adopt object mission: area guard.

Combine 02 IFV - 0C35943C

Owner: BadGuy3. Roster: 1 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 02 IFV SCR (0BF1E8AC).

1. Move to waypoint: waypoint 69 (cell 113, 94).
2. Set local flag: local flag 11 (IFV for Combine 2).
3. Change country ownership; configured argument 22.

Combine 02 Shock - 0C358EFC

Owner: BadGuy2. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 02 Shock SCR (0BF1E33C).

1. Move to waypoint: waypoint 69 (cell 113, 94).
2. Set local flag: local flag 12 (Shock for Combine 2).
3. Change country ownership; configured argument 22.

Combine Team Alpha - 06A7C74C

Owner: Temp. Roster: 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Combine Team Alpha SCR (06A7DC5C).

1. Attack selected enemy-building category; configured argument 131087.
2. Report team success.
3. Seek/attack target category; configured argument 3.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Combine 03 IFV - 06A9AB9C

Owner: BadGuy3. Roster: 5 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 03 IFV SCR (06A9811C).

1. Move to waypoint: waypoint 69 (cell 113, 94).
2. Set local flag: local flag 13 (IFV for Combine 3).
3. Change country ownership; configured argument 22.

Combine 03 Troops - 06A9E3BC

Owner: BadGuy2. Roster: 1 × Flak Track (HTK); 1 × Flak Trooper (FLAKT); 3 × Tesla Trooper (SHK); 1 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Combine 03 Troops SCR (06AB1DBC).

1. Load transport.
2. Move to waypoint: waypoint 69 (cell 113, 94).
3. Unload with continuation mode: passengers continue; transport leaves team.
4. Set local flag: local flag 14 (Troops for Combine).
5. Change country ownership; configured argument 22.

Combine Shock_IFV 03a - 06AB166C

Owner: Temp. Roster: 1 × IFV (FV); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Shock_IFV 03a (06AB442C).

1. Load transport.
2. Report team success.
3. Set local flag: local flag 15 (Combine 03a).
4. Clear local flag: local flag 14 (Troops for Combine).
5. Clear local flag: local flag 13 (IFV for Combine 3).
6. Move to waypoint: waypoint 70 (cell 114, 98).
7. Adopt object mission: area guard.

Combine Shock_IFV 03b - 043E164C

Owner: Temp. Roster: 1 × IFV (FV); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 29; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Shock_IFV 03b SCR (043E13DC).

1. Load transport.
2. Report team success.
3. Set local flag: local flag 16 (Combine 03b).
4. Move to waypoint: waypoint 70 (cell 114, 98).

5. Adopt object mission: area guard.

Combine Shock_IFV 03c - 043E2EFC

Owner: Temp. Roster: 1 × IFV (FV); 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 28; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Shock_IFV 03c SCR (043E29CC).

1. Load transport.
2. Report team success.
3. Set local flag: local flag 17 (Combine 03c).
4. Move to waypoint: waypoint 70 (cell 114, 98).
5. Adopt object mission: area guard.

Combine Flakker_IFV 03d - 043E24CC

Owner: Temp. Roster: 1 × IFV (FV); 1 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 27; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Flakker_IFV 03d SCR (043E4A6C).

1. Load transport.
2. Report team success.
3. Set local flag: local flag 18 (Combine 03d).
4. Move to waypoint: waypoint 70 (cell 114, 98).
5. Adopt object mission: area guard.

Combine Ivan_IFV 03e - 043E476C

Owner: Temp. Roster: 1 × IFV (FV); 1 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 26; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BR.

Ordered plan: Combine Ivan_IFV 03e SCR (043E43EC).

1. Load transport.
2. Report team success.
3. Set local flag: local flag 19 (Combine 03e).
4. Move to waypoint: waypoint 70 (cell 114, 98).
5. Adopt object mission: area guard.

Combine Team Beta - 043E413C

Owner: Temp. Roster: 5 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BS.

Ordered plan: Combine Team Beta SCR (043E5DBC).

1. Move to waypoint: waypoint 71 (cell 108, 148).
2. Attack selected enemy-building category; configured argument 131083.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 1.

Grinder Peasent 01 SW - 08FA906C

Owner: Germany1. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

Grinder Peasent 02 SW - 08FAAB7C

Owner: Germany1. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

Grinder Peasent 03 SW - 08FAA93C

Owner: Germany1. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

Grinder Cow SW - 08FAA6FC

Owner: Germany1. Roster: 1 × Cow (COW)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

BG1 Tank Bunkers - 0A9F5B8C

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 60; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Tank Bunkers SCR (07DA7A7C).

1. Enter Tank Bunker.
2. Report team success.

BG2 Tank Bunkers - 07DA769C

Owner: BadGuy2. Roster: 3 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 60; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Tank Bunkers SCR (07DA7A7C).

1. Enter Tank Bunker.
2. Report team success.

Grinder Peasent 01 NE - 0A9F81EC

Owner: Germany2. Roster: 1 × Civilian (CIVSFM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

Grinder Peasent 02 NE - 0AA0B08C

Owner: Germany2. Roster: 1 × Civilian (CIVSF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

Grinder Peasent 03 NE - 0AA0CB1C

Owner: Germany2. Roster: 1 × Civilian (CIVSTM)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Grinder Peasent SCR (07C1E14C).

1. Enter Grinder.
2. Report team success.

AInfantry_E01 - 0783DEAC

Owner: BadGuy3. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Infantry Attack (0783DC3C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

AInfantry_M01 - 0783D80C

Owner: BadGuy3. Roster: 2 × Attack Dog (ADOG); 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Infantry Attack (0783DC3C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

SInfantry_E01 - 0783D6DC

Owner: BadGuy2. Roster: 6 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack (0783D46C).

1. Seek/attack target category; configured argument 4.
2. Report team success.

3. Seek/attack target category; configured argument 8.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

SInfantry_M01 - 0783D16C

Owner: BadGuy2. Roster: 2 × Attack Dog (DOG); 5 × Conscript (E2); 2 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack (0783D46C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 8.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

AInfantry_H01 - 0783D03C

Owner: BadGuy3. Roster: 2 × Attack Dog (ADOG); 4 × Guardian GI (GGI); 2 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Infantry Attack (0783DC3C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

SInfantry_H01 - 0783EEFC

Owner: BadGuy2. Roster: 5 × Conscript (E2); 3 × Flak Trooper (FLAKT); 2 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack (0783D46C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 8.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

YInfantry_E01 - 078D6C6C

Owner: BadGuy1. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Infantry Attack (078D69FC).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 1.

YInfantry_M01 - 08FFCDEC

Owner: BadGuy1. Roster: 4 × Initiate (INIT); 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Infantry + Clone Attack (078D635C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

YInfantry_H01 - 08FFC93C

Owner: BadGuy1. Roster: 3 × Initiate (INIT); 1 × Yuri Clone (YURI); 2 × Virus (VIRUS); 2 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Infantry + Clone Attack (078D635C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

YInfantry_H02 - 08FFC6FC

Owner: BadGuy1. Roster: 1 × Yuri Prime (YURIPR); 2 × Yuri Clone (YURI); 2 × Virus (VIRUS); 3 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Infantry + Clone Attack (078D635C).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 5.
4. Seek/attack target category; configured argument 1.

AArmor_E01 - 078D7DCC

Owner: BadGuy3. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Armor Attack (08CC673C).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 66 (cell 115, 183).
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

AArmor_M01 - 078D75FC

Owner: BadGuy3. Roster: 3 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Armor Attack (08CC673C).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 66 (cell 115, 183).

3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

AArmor_H01 - 078D74CC

Owner: BadGuy3. Roster: 4 × Grizzly Battle Tank (MTNK); 2 × Mirage Tank (MGTK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Armor Attack (08CC673C).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 66 (cell 115, 183).
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

SArmor_E01 - 078D739C

Owner: BadGuy2. Roster: 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Armor Attack (078D712C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

SArmor_M01 - 08FC1EFC

Owner: BadGuy2. Roster: 3 × Rhino Heavy Tank (HTNK); 2 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Armor Attack (078D712C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

SArmor_H01 - 07850EFC

Owner: BadGuy2. Roster: 2 × Rhino Heavy Tank (HTNK); 2 × Apocalypse (APOC); 2 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Armor Attack (078D712C).

1. Seek/attack target category; configured argument 5.

2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

SArmor_H02 - 078509CC

Owner: BadGuy2. Roster: 4 × Apocalypse (APOC); 2 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Armor Attack (078D712C).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

AADA_01 - 077F5EFC

Owner: BadGuy3. Roster: 3 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Air (07800DBC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.
3. Report team success.

AADA_02 - 07800A0C

Owner: BadGuy3. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Air (07800DBC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.
3. Report team success.

SADA_01 - 09E0F27C

Owner: BadGuy2. Roster: 3 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Anti-Air Defense (09E4ACFC).

1. Gather near own base; configured argument 0.
2. Adopt object mission: area guard.
3. Report team success.

SADA_02 - 09E48EFC

Owner: BadGuy2. Roster: 5 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Anti-Air Defense (09E4ACFC).

1. Gather near own base; configured argument 0.

2. Adopt object mission: area guard.
3. Report team success.

YArmor_E01 - 09E49EFC

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Armor Attack (09E4BDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

YArmor_M01 - 09E4B17C

Owner: BadGuy1. Roster: No roster entries recovered in the linked task-force section.

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Armor Attack (09E4BDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

YArmor_H01 - 09E49AFC

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Armor Attack (09E4BDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 1.

YArmor_H02 - 0781794C

Owner: BadGuy1. Roster: 2 × Master Mind (MIND); 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK); 1 × Magnetron (TELE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Armor Attack (09E4BDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 5.

6. Seek/attack target category; configured argument 1.

ABombard_01 - 078379CC

Owner: BadGuy3. Roster: 2 × IFV (FV); 1 × Grizzly Battle Tank (MTNK); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Artillery Attack (08CC824C).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 66 (cell 115, 183).
3. Gather near enemy base; configured argument 0.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131082.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

ABombard_02 - 078372AC

Owner: BadGuy3. Roster: 4 × Prism Tank (SREF); 2 × Grizzly Battle Tank (MTNK); 2 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Artillery Attack (08CC824C).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 66 (cell 115, 183).
3. Gather near enemy base; configured argument 0.
4. Report team success.
5. Attack selected enemy-building category; configured argument 131082.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

SBombard_01 - 0782CEBC

Owner: BadGuy2. Roster: 1 × Rhino Heavy Tank (HTNK); 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Artillery Attack (08FFEDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131177.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

SBombard_02 - 07846C6C

Owner: BadGuy2. Roster: 2 × Apocalypse (APOC); 3 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Artillery Attack (08FFEDBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 131177.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

YBombard_01 - 078DE94C

Owner: BadGuy1. Roster: 1 × Master Mind (MIND); 1 × Gattling Tank (YTNK); 2 × Yuri Clone (YURI); 3 × Brute (BRUTE)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Artillery Attack (08CCADBC).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 65 (cell 152, 104).
3. Gather near enemy base; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.

YBombard_02 - 078DE1EC

Owner: BadGuy1. Roster: 2 × Master Mind (MIND); 2 × Gattling Tank (YTNK); 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Artillery Attack (08CCADBC).

1. Gather near own base; configured argument 0.
2. Attack-move toward waypoint: waypoint 65 (cell 152, 104).
3. Gather near enemy base; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 5.
6. Seek/attack target category; configured argument 4.
7. Seek/attack target category; configured argument 1.

STerror_E+M - 077F8EFC

Owner: BadGuy2. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Terror Drone Attack (077F8C8C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

STerror_H01 - 077F889C

Owner: BadGuy2. Roster: 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Terror Drone Attack (077F8C8C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 1.

YChaos_M01 - 077F876C

Owner: BadGuy1. Roster: 3 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Chaos Drone Attack (077F84FC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 4.
5. Seek/attack target category; configured argument 1.

YChaos_H01 - 07849E2C

Owner: BadGuy1. Roster: 3 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Chaos Drone Base Attack (07849BBC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Approach selected enemy-building category; configured argument 131082.
5. Deploy.
6. Adopt object mission: area guard.

ASpy_01 - 0786C28C

Owner: BadGuy3. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Spy Mission-->Barracks (0786DDBC).

1. Attack selected enemy-building category; configured argument 131083.
2. Report team success.

ASpy_02 - 0786DC8C

Owner: BadGuy3. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Spy Mission-->War Factory (0786DA1C).

1. Attack selected enemy-building category; configured argument 131086.
2. Report team success.

ASpy_03 - 0786D7DC

Owner: BadGuy3. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Spy Mission-->Refinery (0786D56C).

1. Attack selected enemy-building category; configured argument 131087.
2. Report team success.

ARocketeer_E - 0930630C

Owner: BadGuy3. Roster: 4 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Rocketeer Attack (0786D10C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

ARocketeer_M+H - 0786EE7C

Owner: BadGuy3. Roster: 8 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Rocketeer Attack (0786D10C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

AChrono_M01 - 0786ED4C

Owner: BadGuy3. Roster: 2 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chrono Attack (0786EADC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 65545.
5. Attack selected enemy-building category; configured argument 65550.
6. Attack selected enemy-building category; configured argument 65547.
7. Seek/attack target category; configured argument 1.

AChrono_H01 - 0786E7EC

Owner: BadGuy3. Roster: 3 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chrono Attack (0786EADC).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Report team success.
4. Attack selected enemy-building category; configured argument 65545.
5. Attack selected enemy-building category; configured argument 65550.

6. Attack selected enemy-building category; configured argument 65547.
7. Seek/attack target category; configured argument 1.

AHarrier_E - 0786FC1C

Owner: BadGuy3. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier vs Vehicles (0786F9AC).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 1.

AHarrier_M01 - 0786F72C

Owner: BadGuy3. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier vs Miner (0786F4BC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

AHarrier_H01 - 078D61BC

Owner: BadGuy3. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier vs Miner (0786F4BC).

1. Seek/attack target category; configured argument 3.
2. Report team success.
3. Seek/attack target category; configured argument 1.

AHarrier_H02 - 078D7EFC

Owner: BadGuy3. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier vs Factory (078D7C5C).

1. Seek/attack target category; configured argument 6.
2. Report team success.
3. Seek/attack target category; configured argument 1.

ASpec Ops_01 - 078D79DC

Owner: BadGuy3. Roster: 1 × NightHawk Transport (SHAD); 2 × Engineer (ENGINEER); 3 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spec Ops Attack (078F6DBC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 131086.
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.

6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 1.

ASpec Ops_02 - 077D5EFC

Owner: BadGuy3. Roster: 1 × NightHawk Transport (SHAD); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spec Ops vs Iron Curtain (077E0DBC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 131096.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Report team success.
6. Attack selected enemy-building category; configured argument 131096.
7. Attack selected enemy-building category; configured argument 131126.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 9.
10. Seek/attack target category; configured argument 1.

ASpec Ops_03 - 077E057C

Owner: BadGuy3. Roster: 1 × NightHawk Transport (SHAD); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spec Ops vs Nuke (077E030C).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 131126.
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131126.
7. Seek/attack target category; configured argument 6.
8. Seek/attack target category; configured argument 9.
9. Seek/attack target category; configured argument 1.

SChopper_E - 09209B3C

Owner: BadGuy2. Roster: 2 × Siege Chopper (SCHP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Siege Chopper Attack (092098CC).

1. Approach selected enemy-building category; configured argument 131082.
2. Report team success.
3. Deploy.
4. Attack selected enemy-building category; configured argument 131082.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

SChopper_M01 - 0920944C

Owner: BadGuy2. Roster: 2 × Siege Chopper (SCHP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Siege Chopper Attack (092098CC).

1. Approach selected enemy-building category; configured argument 131082.
2. Report team success.
3. Deploy.
4. Attack selected enemy-building category; configured argument 131082.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

SChopper_H01 - 0920931C

Owner: BadGuy2. Roster: 4 × Siege Chopper (SCHP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Siege Chopper Attack (092098CC).

1. Approach selected enemy-building category; configured argument 131082.
2. Report team success.
3. Deploy.
4. Attack selected enemy-building category; configured argument 131082.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 1.

SKirov_M+H - 09218B1C

Owner: BadGuy2. Roster: 2 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Kirov Attack (092188AC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

SKirov_H - 0921846C

Owner: BadGuy2. Roster: 3 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Kirov Attack (092188AC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 1.

SSpec Ops_01 - 0921833C

Owner: BadGuy2. Roster: 1 × Flak Track (HTK); 3 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Spec Ops 1 Attack (0921DDBC).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 131086.
4. Unload with continuation mode: passengers continue; transport leaves team.
5. Deploy.
6. Adopt object mission: area guard.

SSpec Ops_02 - 0921DB8C

Owner: BadGuy2. Roster: 1 × Flak Track (HTK); 2 × Desolator (DESO); 3 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Spec Ops 2 Attack (0921D91C).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Approach selected enemy-building category; configured argument 131082.
4. Report team success.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 9.
8. Seek/attack target category; configured argument 5.
9. Seek/attack target category; configured argument 4.
10. Seek/attack target category; configured argument 1.

YDisc_01 - 0921D52C

Owner: BadGuy1. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floating Disc Attack (0921D2BC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 9.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 2.

YDisc_02 - 0921D08C

Owner: BadGuy1. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floating Disc Attack (0921D2BC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 9.
3. Attack selected enemy-building category; configured argument 131087.
4. Seek/attack target category; configured argument 2.

TM_BG1_Engineers 4 Castle - 079126AC

Owner: BadGuy1. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Fix the Castle (0791243C).

1. Attack/garrison waypoint building: waypoint 652 (cell 67, 69).

TM_BG1_Bio Loaders @ BW - 0945487C

Owner: BadGuy1. Roster: 9 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BW.

Ordered plan: Load into Bio Reactor (0945460C).

1. Enter Bio Reactor.

TM_BG1_Bio Loaders @ BX - 094542DC

Owner: BadGuy1. Roster: 9 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BX.

Ordered plan: Load into Bio Reactor (0945460C).

1. Enter Bio Reactor.

TM_BG1_Bio Loaders @ BY - 09451EFC

Owner: BadGuy1. Roster: 9 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BY.

Ordered plan: Load into Bio Reactor (0945460C).

1. Enter Bio Reactor.

TM_BG1_Bio Loaders @ BZ - 09451DCC

Owner: BadGuy1. Roster: 9 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: BZ.

Ordered plan: Load into Bio Reactor (0945460C).

1. Enter Bio Reactor.

TM_BG1_Bio Loaders @ CA - 09451C9C

Owner: BadGuy1. Roster: 9 × Initiate (INIT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: CA.

Ordered plan: Load into Bio Reactor (0945460C).

1. Enter Bio Reactor.

TM_BG1_Castle Guard @ CD - 093DDE5C

Owner: BadGuy1. Roster: 4 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Defend Castle @ CD (093DDBEC).

1. Move to waypoint: waypoint 81 (cell 74, 69).
2. Adopt object mission: area guard.

TM_BG1_Castle Guard @ CE - 09091C8C

Owner: BadGuy1. Roster: No roster entries recovered in the linked task-force section.

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Defend Castle @ CE (093DD60C).

1. Move to waypoint: waypoint 82 (cell 67, 76).
2. Adopt object mission: area guard.

TM_BG2_Castle Guard @ CB - 093DD3CC

Owner: BadGuy2. Roster: 2 × IFV (FV); 1 × Grizzly Battle Tank (MTNK); 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Defend Castle @ CB (093DD15C).

1. Move to waypoint: waypoint 79 (cell 59, 68).
2. Adopt object mission: area guard.

TM_BG3_Castle Guard @ CC - 093DA83C

Owner: BadGuy3. Roster: 3 × Rhino Heavy Tank (HTNK); 2 × Tesla Tank (TTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Defend Castle @ CC (093DA5CC).

1. Move to waypoint: waypoint 80 (cell 66, 60).
2. Adopt object mission: area guard.

Operation: Head Games - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: mapsmd03.mix/sov07tmd.map.

Object/system	Property	Mission value	Source line
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	AI Safe Distance	20	2
Yuri's Revenge -- Official Rules of Engagement (GENERAL)	Spy Money Steal Percent	.05	3
CRATERULES (CRATERULES)	Solo Crate Money	2500	6
Tech Secret Lab (CASLAB)	Name	Tech Secret Lab	9
Tech Secret Lab (CASLAB)	Secret Building	GTGCAN	10
Rhino Heavy Tank (HTNK)	Production-time multiplier	1.0	13
Grizzly Battle Tank (MTNK)	Production-time multiplier	1.0	16
Lasher Light Tank (LTNK)	Production-time multiplier	1.0	19
Tesla Tank (TTNK)	Name	Tesla Tank	22
Tesla Tank (TTNK)	Technology level	2	23
Tesla Tank (TTNK)	Required countries	Player,BadGuy2	24
Engineer (ENGINEER)	Name	Engineer	27
Engineer (ENGINEER)	Excluded countries	Russians,Confederation,Africans,Arabs,YuriCountry,Player	28
Engineer (YENGINEER)	Excluded countries	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs,Player	31
Attack Dog (ADOG)	Name	Allied Attack Dog	34
Attack Dog (ADOG)	Excluded countries	Russians,Confederation,Africans,Arabs,YuriCountry,Player	35
Desolator (DESO)	Name	Desolater	38
Desolator (DESO)	Required countries	Arabs,BadGuy2,Player	39
Yuri's Fortress (CATRAN03)	Name	TRANS FORTRESS	42
Yuri's Fortress (CATRAN03)	Starting health capacity	5000	43
Yuri's Fortress (CATRAN03)	Armor class	concrete	44
Yuri's Fortress (CATRAN03)	Repair-tool permission	yes	45
Yuri's Fortress (CATRAN03)	Engineer-capture permission	false	46
Yuri's Fortress (CATRAN03)	To Protect	yes	47
Grinder (YAGRND)	Name	Yuri Grinder	50
Grinder (YAGRND)	Crewed	no	51
Building (CAPARS04)	Name	Paris Building 4	54
Building (CAPARS04)	Starting health capacity	1000	55
Building (CAPARS06)	Name	Paris Building 6	58
Building (CAPARS06)	Starting health capacity	1000	59
Allied Shipyard (GAYARD)	Technology level	12	62
Soviet Shipyard (NAYARD)	Technology level	12	65

Object/system	Property	Mission value	Source line
Yuri Naval Yard (YAYARD)	Technology level	12	68
Boris (BORIS)	Name	Boris	71
Boris (BORIS)	Technology level	12	72
Tanya (TANY)	Name	Tanya	75
Tanya (TANY)	Technology level	12	76
Yuri Prime (YURIPR)	Name	Yuri Prime	79
Yuri Prime (YURIPR)	Technology level	12	80
Chrono Sphere (GACSPH)	Name	Allied Chrono Sphere	83
Chrono Sphere (GACSPH)	Technology level	12	84
Terrorist (TERROR)	Name	Terrorist	87
Terrorist (TERROR)	Required structures/groups	NAHAND,RADAR	88
Terrorist (TERROR)	Technology level	12	89
Terrorist (TERROR)	Required countries	Player	90
Demolition Truck (DTRUCK)	Name	Demolitions Truck	93
Demolition Truck (DTRUCK)	Required structures/groups	NAWEAP,RADAR	94
Demolition Truck (DTRUCK)	Technology level	12	95
Demolition Truck (DTRUCK)	Required countries	Player	96
Orange Light Post (INORANLAMP)	Local light reach	3000	99
Orange Light Post (INORANLAMP)	Local light intensity	0.005	100
Orange Light Post (INORANLAMP)	Light Red Tint	1.00	101
Orange Light Post (INORANLAMP)	Light Green Tint	0.15	102
Orange Light Post (INORANLAMP)	Light Blue Tint	0.02	103
Negative Light Post (NEGLAMP)	Name	Negative Light Post	106
Negative Light Post (NEGLAMP)	Local light reach	5000	107
Negative Light Post (NEGLAMP)	Local light intensity	-0.10	108
Negative Light Post (NEGLAMP)	Light Red Tint	0.03	109
Negative Light Post (NEGLAMP)	Light Green Tint	0.04	110
Negative Light Post (NEGLAMP)	Light Blue Tint	0.04	111
Invisible Yellow Light Post (INYELWLAMP)	Name	Invisible Yellow Light Post	114
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	2500	115
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	.01	116
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.4392	117
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.4471	118
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.1138	119
COUNTRIES (COUNTRIES)	0	Einstein	122
COUNTRIES (COUNTRIES)	1	Player	123
COUNTRIES (COUNTRIES)	2	BadGuy1	124
COUNTRIES (COUNTRIES)	3	BadGuy2	125

Object/system	Property	Mission value	Source line
COUNTRIES (COUNTRIES)	4	BadGuy3	126
COUNTRIES (COUNTRIES)	5	Germany1	127
COUNTRIES (COUNTRIES)	6	Germany2	128
COUNTRIES (COUNTRIES)	7	Germany3	129
COUNTRIES (COUNTRIES)	8	Temp	130
SPECIALFLAGS	Tiberium Grows	yes	238
SPECIALFLAGS	Tiberium Spreads	yes	239
SPECIALFLAGS	Tiberium Explosive	no	240
SPECIALFLAGS	Destroyable Bridges	yes	241
SPECIALFLAGS	MCV Deploy	no	242
SPECIALFLAGS	Initial Veteran	no	243
SPECIALFLAGS	Fixed Alliance	no	244
SPECIALFLAGS	Harvester Immune	no	245
SPECIALFLAGS	Fog Of War	no	246
SPECIALFLAGS	Inert	no	247
SPECIALFLAGS	Ion Storms	no	248
SPECIALFLAGS	Meteorites	no	249
SPECIALFLAGS	Visceroids	no	250
VARIABLENAMES (VARIABLENAMES)	0	Minions Build,0	300
VARIABLENAMES (VARIABLENAMES)	1	Demo Driver L In,0	301
VARIABLENAMES (VARIABLENAMES)	2	Demo Driver R In,0	302
VARIABLENAMES (VARIABLENAMES)	3	Player MCV on map,0	303
VARIABLENAMES (VARIABLENAMES)	4	Deployed MCV,0	304
VARIABLENAMES (VARIABLENAMES)	5	Soviets Freed,0	305
VARIABLENAMES (VARIABLENAMES)	6	Allies Freed,0	306
VARIABLENAMES (VARIABLENAMES)	7	IFV for Combine 1,0	307
VARIABLENAMES (VARIABLENAMES)	8	Shock for Combine 1,0	308
VARIABLENAMES (VARIABLENAMES)	9	Combine 01,0	309
VARIABLENAMES (VARIABLENAMES)	10	Combine 02,0	310
VARIABLENAMES (VARIABLENAMES)	11	IFV for Combine 2,0	311
VARIABLENAMES (VARIABLENAMES)	12	Shock for Combine 2,0	312
VARIABLENAMES (VARIABLENAMES)	13	IFV for Combine 3,0	313
VARIABLENAMES (VARIABLENAMES)	14	Troops for Combine ,0	314
VARIABLENAMES (VARIABLENAMES)	15	Combine 03a,0	315
VARIABLENAMES (VARIABLENAMES)	16	Combine 03b,0	316
VARIABLENAMES (VARIABLENAMES)	17	Combine 03c,0	317
VARIABLENAMES (VARIABLENAMES)	18	Combine 03d,0	318
VARIABLENAMES (VARIABLENAMES)	19	Combine 03e,0	319
VARIABLENAMES (VARIABLENAMES)	20	WCryptKIA,0	320
VARIABLENAMES (VARIABLENAMES)	21	ECryptKIA,0	321
VARIABLENAMES (VARIABLENAMES)	22	SW Grinder KIA,0	322

Object/system	Property	Mission value	Source line
VARIABLENAMES (VARIABLENAMES)	23	NE Grinder KIA,0	323

Boot Camp - Day 1

Campaign reading guide | Engine

Boot Camp - Day 1

trn01t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- Other1 House (19)
- Civie1 House (13)
- Other2 House (6)
- BadGuy1 House (3)
- Player House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/trn01t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for trn01t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: trn01t.map. **Effective extracted member:** MAPS01.MIX/trn01t.map. **Trigger definitions:** 72.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,56,69
Visible local rectangle	3,19,50,44
Placed vehicles	2
Placed infantry	6
Placed structures	34
Placed aircraft	0
Team templates	12

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	0	Player
1	BadGuy1 House	100	BadGuy1
2	BadGuy2 House	0	BadGuy2
3	BadGuy3 House	0	BadGuy3
4	Civie1 House	0	Civilian1
5	Other1 House	20	Other1
6	Other2 House	0	Other2
7	Other3 House	0	Other3

Local state flags at initialization

Flag	Meaning label and initial value
0	Engineer Landed,0
1	Helicopter Leaves,0
2	Annoyed,0
3	Annoyed_Again,0
4	Near Target,0
5	Far Target,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
Mission Complete (07B729DC)	45 configured time units have elapsed since the trigger timer was initialized/reset.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
Friendly Fire (07CAA20C)	Destroyed by any house. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
Friendly Destroyed (07C4FB34)	Destroyed by anything. See attached-object/cell scope below.	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Every trigger, in file order

1. Smoke From Tank - 07AD555C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tank Sighted (07B499AC).

Attached scope: tag definitions 07AC2BFC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Particle Anim at; main setting 2.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2153, Events line 2227, Actions line 2301.

2. Tank Dead No Smoke - 07CFFD8C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Derelict Tank (CAMSC13), owner BadGuy1 House, cell (55, 26), tag 07CFF60C, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Remove Particle Anim at; main setting 0.
2. Enable and reset applicable timers for Drill Sarge 9 (07B72F3C).
3. Disable Objective 6b Reminder (07AE7BAC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2154, Events line 2228, Actions line 2302.

3. Drill Sarge 9 - 07B72F3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tank Dead No Smoke (07CFFD8C).

Attached scope: tag definitions 07B72ACC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6 Complete” (MISSION:TRN01j).
2. Enable and reset applicable timers for Mission Complete (07B729DC).
3. Display message “Day One Training Complete” (MISSION:TRN01k).
4. Play voice notification Mis_T1_DrillSearg09.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2155, Events line 2229, Actions line 2303.

4. Objective 6b Reminder - 07AE7BAC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tank Sighted (07B499AC).

Attached scope: tag definitions 07AE78FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Destroy the derelict tank” (MISSION:TRN01i).
2. Create radar-event marker type 1 at waypoint 0 (cell 55, 26).
3. Play Anim At; main setting 479; location/duration field I.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2156, Events line 2230, Actions line 2304.

5. Mission Complete - 07B729DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 9 (07B72F3C).

Attached scope: tag definitions 07B7272C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 45 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2157, Events line 2231, Actions line 2305.

6. Objective 6a Reminder - 0922E85C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 7 (07B7941C).

Attached scope: tag definitions 0922E77C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Continue up the path and destroy the derelict tank” (MISSION:TRN01h).
2. Create radar-event marker type 0 at waypoint 0 (cell 55, 26).
3. Play Anim At; main setting 476; location/duration field L.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2158, Events line 2232, Actions line 2306.

7. Extend Local Map Size - 07517CFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Both Targets Destroyed (08DE3C4C).

Attached scope: tag definitions 0751773C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Resize Player View; main setting 0; parameter 1: 3, parameter 2: 4, parameter 3: 50, parameter 4: 59.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2159, Events line 2233, Actions line 2307.

8. Broken Bridge Sighted - 0751023C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 37 tagged map cells: (69, 64), (70, 64), (69, 65), (70, 65), (70, 66), (71, 66), (83, 66), (84, 66), (85, 66), (86, 66), (71, 67), (72, 67), (82, 67), (83, 67), (84, 67), (85, 67), (86, 67), (72, 68), (73, 68), (74, 68), (75, 68), (76, 68), (77, 68), (78, 68), (79, 68), (80, 68), (81, 68), (82, 68), (73, 69), (74, 69), (75, 69), (76, 69), (77, 69), (78, 69), (79, 69), (80, 69), (81, 69); tag 075100AC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Reveal terrain around waypoint 2 (cell 77, 66).
2. Reveal terrain around waypoint 3 (cell 77, 58).
3. Reveal terrain around waypoint 4 (cell 77, 49).
4. Play sound HealCrate.
5. Enable and reset applicable timers for Engineer en-route (08FD02AC).
6. Enable and reset applicable timers for Drill Sarge 4 (07B79E4C).
7. Enable and reset applicable timers for Text_Objective 3 (07BADA9C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2160, Events line 2234, Actions line 2308.

9. Engineer en-route - 08FD02AC

Owner reference: Other1. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Broken Bridge Sighted (0751023C).

Attached scope: tag definitions 08FD2E9C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Supply reinforcement team Engineer by Blackhawk (0D521B7C) at waypoint 5 (cell 112, 74).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2161, Events line 2235, Actions line 2309.

10. Drill Sarge 4 - 07B79E4C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Broken Bridge Sighted (0751023C).

Attached scope: tag definitions 07B79A0C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2 Complete” (MISSION:Objective2).
2. Disable Objective 2 Reminder (0922D40C).
3. Enable and reset applicable timers for Objective 3 Reminder (0922D15C).
4. Play voice notification Mis_T1_DrillSearg04.
5. Disable Drill Sarge 3 Text (09CA94AC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2162, Events line 2236, Actions line 2310.

11. Text_Objective 3 - 07BADA9C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Broken Bridge Sighted (0751023C).

Attached scope: tag definitions 07BAD5BC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 25 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Select the ENGINEER and move him into the REPAIR HUT” (MISSION:TRN01c).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2163, Events line 2237, Actions line 2311.

12. Objective 2 Reminder - 0922D40C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 3 (043B011C).

Attached scope: tag definitions 0922D24C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Select all GIs and head right to the bridge” (MISSION:TRN01b).
2. Create radar-event marker type 1 at waypoint 3 (cell 77, 58).
3. Play Anim At; main setting 472; location/duration field AU.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2164, Events line 2238, Actions line 2312.

13. Objective 3 Reminder - 0922D15C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 4 (07B79E4C).

Attached scope: tag definitions 0922EDCC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Select the ENGINEER and move him into the REPAIR HUT” (MISSION:TRN01c).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2165, Events line 2239, Actions line 2313.

14. Drill Sarge 3 Text - 09CA94AC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 3 (043B011C).

Attached scope: tag definitions 09CA93CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 38 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Select all GIs and head right to the bridge” (MISSION:TRN01b).
2. Create radar-event marker type 1 at waypoint 3 (cell 77, 58).
3. Enable and reset applicable timers for Point to Bridge (0B45896C).
4. Enable and reset applicable timers for Point to Bridge Stop (0B4585CC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2166, Events line 2240, Actions line 2314.

15. Point to Bridge - 0B45896C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 3 Text (09CA94AC).

Attached scope: tag definitions 0B45876C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 472; location/duration field AU.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2167, Events line 2241, Actions line 2315.

16. Point to Bridge Stop - 0B4585CC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 3 Text (09CA94AC).

Attached scope: tag definitions 084D617C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point to Bridge (0B45896C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2168, Events line 2242, Actions line 2316.

17. 075109EC - 075109EC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

No event entries. Reachability requires separate runtime interpretation.

Then perform these actions in order:

No action entries.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2169, Events line 2243, Actions line 2317.

18. Drill Sarge 1 - 0751768C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0751748C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 3 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for Create 1GI Team (07516AFC).
2. Particle Anim at; main setting 2.

3. Enable and reset applicable timers for Objective 1 Reminder (0922D5DC).
4. Play voice notification Mis_T1_DrillSearg01.
5. Enable and reset applicable timers for Reveal Base Gate (09C9503C).
6. Enable and reset applicable timers for Drill Sarge 2 (08FABE0C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2170, Events line 2244, Actions line 2318.

19. Create 1GI Team - 07516AFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 1 (0751768C).

Attached scope: tag definitions 07516A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 28 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team 1 GI (0D7FE2AC).
2. Enable and reset applicable timers for Arrow Out of Base (086E1C1C).
3. Destroy current instances of Quick Create 1 GI Team (0A71229C).
4. Enable and reset applicable timers for Point at GI (0847214C).
5. Enable and reset applicable timers for Point at GI Stop (0848304C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2171, Events line 2245, Actions line 2319.

20. Objective 1 Reminder - 0922D5DC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 1 (0751768C).

Attached scope: tag definitions 0922D4FC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 220 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Move GI down out of the base” (MISSION:TRN01a).
2. Create radar-event marker type 1 at waypoint 6 (cell 71, 95).
3. Play Anim At; main setting 474; location/duration field W.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2172, Events line 2246, Actions line 2320.

21. Reveal Base Gate - 09C9503C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 1 (0751768C).

Attached scope: tag definitions 09C9704C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 35 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Reveal terrain around waypoint 22 (cell 60, 91).
2. Display message “Objective 1: Move GI down out of the base” (MISSION:TRN01a).
3. Create radar-event marker type 1 at waypoint 6 (cell 71, 95).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2173, Events line 2247, Actions line 2321.

22. Drill Sarge 2 - 08FABE0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 1 (0751768C).

Attached scope: tag definitions 08FAB6DC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 85 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 1 at waypoint 6 (cell 71, 95).
2. Play voice notification Mis_T1_DrillSearg02.
3. Display message “Objective 1: Move GI down out of the base” (MISSION:TRN01a).
4. Play Anim At; main setting 474; location/duration field W.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2174, Events line 2248, Actions line 2322.

23. Arrow Out of Base - 086E1C1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create 1GI Team (07516AFC); enable from Quick Create 1 GI Team (0A71229C).

Attached scope: tag definitions 086E1A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Point Out of Base (0B45D33C).
2. Enable and reset applicable timers for Point Out of Base Stop (0847B03C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2175, Events line 2249, Actions line 2323.

24. Quick Create 1 GI Team - 0A71229C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: GI (E1), owner Player House, cell (57, 89), tag 0A71735C, persistence mode 0.

Wait for the recorded events:

1. Selected by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Create/recruit team 1 GI (0D7FE2AC).
2. Enable and reset applicable timers for Arrow Out of Base (086E1C1C).
3. Destroy current instances of Create 1GI Team (07516AFC).
4. Enable and reset applicable timers for Point at GI (0847214C).
5. Enable and reset applicable timers for Point at GI Stop (0848304C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2176, Events line 2250, Actions line 2324.

25. Point at GI - 0847214C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create 1GI Team (07516AFC); enable from Quick Create 1 GI Team (0A71229C).

Attached scope: tag definitions 0847F04C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field AV.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2177, Events line 2251, Actions line 2325.

26. Point at GI Stop - 0848304C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create 1GI Team (07516AFC); enable from Quick Create 1 GI Team (0A71229C).

Attached scope: tag definitions 084D625C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point at GI (0847214C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2178, Events line 2252, Actions line 2326.

27. Point Out of Base - 0B45D33C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Arrow Out of Base (086E1C1C).

Attached scope: tag definitions 0B458D2C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 474; location/duration field W.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2179, Events line 2253, Actions line 2327.

28. Point Out of Base Stop - 0847B03C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Arrow Out of Base (086E1C1C).

Attached scope: tag definitions 084D633C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point Out of Base (0B45D33C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2180, Events line 2254, Actions line 2328.

29. Drill Sarge 3 - 043B011C

Owner reference: Other2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Army Tents (CAARMY04), owner Civie1 House, cell (71, 92), tag 043BD15C, persistence mode 0; Army Tents (CAARMY01), owner Civie1 House, cell (69, 96), tag 043BD15C, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Display message “Objective 1 Complete” (MISSION:Objective1).
2. Create/recruit team 4 GIs (0B197B7C).
3. Reveal terrain around waypoint 6 (cell 71, 95).
4. Play sound HealCrate.
5. Make ally: owner selector 13 (country/type PLAYER; placed owner Player House).
6. Disable Objective 1 Reminder (0922D5DC).
7. Enable and reset applicable timers for Objective 2 Reminder (0922D40C).
8. Play voice notification Mis_T1_DrillSearg03.
9. Disable Drill Sarge 2 (08FABE0C).
10. Enable and reset applicable timers for Drill Sarge 3 Text (09CA94AC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2181, Events line 2255, Actions line 2329.

30. Both Targets Destroyed - 08DE3C4C

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DE336C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Far Target) is set.
2. local flag 4 (Near Target) is set.

Flag writers in this mission: set local flag 5 (Far Target) at Far Target Destroyed (0893EE4C); set local flag 4 (Near Target) at Near Target Destroyed (07B7879C). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Enable and reset applicable timers for Extend Local Map Size (07517CFC).
2. Play sound HealCrate.
3. Enable and reset applicable timers for Drill Sarge 7 (07B7941C).
4. Reveal terrain around waypoint 9 (cell 67, 34).
5. Reveal terrain around waypoint 10 (cell 68, 35).
6. Reveal terrain around waypoint 11 (cell 65, 32).
7. Play Anim At; main setting 476; location/duration field L.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2182, Events line 2256, Actions line 2330.

31. Drill Sarge 7 - 07B7941C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Both Targets Destroyed (08DE3C4C).

Attached scope: tag definitions 07B7921C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4 Complete” (MISSION:TRN01e).
2. Disable Objective 4 Reminder (0922EBFC).
3. Disable Objective 5 Reminder (0922EA2C).
4. Enable and reset applicable timers for Objective 6a Reminder (0922E85C).
5. Play voice notification Mis_T1_DrillSearg07.
6. Enable and reset applicable timers for Drill Sarge 7 Text (090C6E1C).
7. Disable Drill Sarge 6 Text (0AB5C41C).
8. Supply reinforcement team Veteran GI (0B070B5C) at waypoint 50 (cell 76, 42).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2183, Events line 2257, Actions line 2331.

32. Objective 4 Reminder - 0922EBFC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 5 (08FA96EC).

Attached scope: tag definitions 0922EB1C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4: Move into the firing range and destroy the nearest target” (MISSION:TRN01d).
2. Create radar-event marker type 1 at waypoint 16 (cell 71, 40).
3. Play Anim At; main setting 476; location/duration field E.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2184, Events line 2258, Actions line 2332.

33. Objective 5 Reminder - 0922EA2C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 6 (07B7986C).

Attached scope: tag definitions 0922E94C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 5: Deploy(double-click) your men and destroy the far target” (MISSION:TRN01f).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2185, Events line 2259, Actions line 2333.

34. Drill Sarge 7 Text - 090C6E1C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 7 (07B7941C).

Attached scope: tag definitions 090C6A1C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 40 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Continue up the path and destroy the derelict tank” (MISSION:TRN01h).
2. Create radar-event marker type 1 at waypoint 0 (cell 55, 26).
3. Enable and reset applicable timers for Point to Tank (0B3F91BC).
4. Enable and reset applicable timers for Point to Tank Stop (0B3FCF3C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2186, Events line 2260, Actions line 2334.

35. Drill Sarge 6 Text - 0AB5C41C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 6 (07B7986C).

Attached scope: tag definitions 0AB5894C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 10 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 5: Deploy(double-click) your men and destroy the far target” (MISSION:TRN01f).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2187, Events line 2261, Actions line 2335.

36. Point to Tank - 0B3F91BC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 7 Text (090C6E1C).

Attached scope: tag definitions 0B3FB17C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 476; location/duration field J.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2188, Events line 2262, Actions line 2336.

37. Point to Tank Stop - 0B3FCF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 7 Text (090C6E1C).

Attached scope: tag definitions 084D609C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point to Tank (0B3F91BC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2189, Events line 2263, Actions line 2337.

38. Near Target Destroyed - 07B7879C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Practice Target (CAMSC12), owner BadGuy1 House, cell (65, 44), tag 07B784AC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 4 (Near Target).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2190, Events line 2264, Actions line 2338.

39. Drill Sarge 6 - 07B7986C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B7966C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4 Complete” (MISSION:TRN01e).
2. Disable Objective 4 Reminder (0922EBFC).
3. Enable and reset applicable timers for Objective 5 Reminder (0922EA2C).
4. Play voice notification Mis_T1_DrillSearg06.
5. Enable and reset applicable timers for Drill Sarge 6 Text (0AB5C41C).
6. Disable Drill Sarge 5 Text (0956E23C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2191, Events line 2265, Actions line 2339.

40. Drill Sarge 5 Text - 0956E23C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Drill Sarge 5 (08FA96EC).

Attached scope: tag definitions 0956E15C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 20 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4: Move into the firing range and destroy the nearest target” (MISSION:TRN01d).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2192, Events line 2266, Actions line 2340.

41. Friendly Fire - 07CAA20C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07CABA4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by any house. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2193, Events line 2267, Actions line 2341.

42. Helicopter Attacked - 08F4EC1C

Owner reference: Other1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08F4E85C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Attacked by (house): owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Create/recruit team 1 Blackhawk Team (0D7D821C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2194, Events line 2268, Actions line 2342.

43. Drill Sarge 5 - 08FA96EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Target Range Sighted (08FA93FC).

Attached scope: tag definitions 08FA94EC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Objective 4 Reminder (0922EBFC).
2. Play voice notification Mis_T1_DrillSearg05.
3. Enable and reset applicable timers for Drill Sarge 5 Text (0956E23C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2195, Events line 2269, Actions line 2343.

44. Target Range Sighted - 08FA93FC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 29 tagged map cells: (74, 46), (75, 46), (76, 46), (77, 46), (78, 46), (79, 46), (80, 46), (74, 47), (75, 47), (76, 47), (77, 47), (78, 47), (79, 47), (80, 47), (74, 48), (75, 48), (79, 48), (80, 48), (74, 49), (75, 49), (79, 49), (80, 49), (74, 50), (75, 50), (79, 50), (80, 50), (79, 51), (80, 51), (80, 52); tag 08FA91FC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Drill Sarge 5 (08FA96EC).
2. Reveal terrain around waypoint 7 (cell 65, 47).
3. Play sound HealCrate.
4. Reveal terrain around waypoint 16 (cell 71, 40).
5. Disable Cross Bridge Reminder (086E174C).
6. Enable and reset applicable timers for Point to Range (0B45F65C).
7. Enable and reset applicable timers for Point to Range Stop (0B45F36C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2196, Events line 2270, Actions line 2344.

45. Cross Bridge Reminder - 086E174C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Enters Hut (0922739C).

Attached scope: tag definitions 086E154C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Move your troops across the bridge” (MISSION:TRN01cc).
2. Play Anim At; main setting 472; location/duration field D.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2197, Events line 2271, Actions line 2345.

46. Point to Range - 0B45F65C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Target Range Sighted (08FA93FC).

Attached scope: tag definitions 0B45F45C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 476; location/duration field AW.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2198, Events line 2272, Actions line 2346.

47. Point to Range Stop - 0B45F36C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Target Range Sighted (08FA93FC).

Attached scope: tag definitions 084D7D8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point to Range (0B45F65C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2199, Events line 2273, Actions line 2347.

48. Tank Sighted - 07B499AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 27 tagged map cells: (65, 24), (65, 25), (66, 25), (65, 26), (66, 26), (66, 27), (66, 28), (67, 28), (64, 29), (65, 29), (66, 29), (67, 29), (63, 30), (64, 30), (65, 30), (66, 30), (62, 31), (63, 31), (61, 32), (62, 32), (63, 32), (61, 33), (62, 33), (63, 33), (61, 34), (62, 34), (61, 35); tag 07B4960C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for Drill Sarge 8 (07B4951C).
2. Reveal terrain around waypoint 8 (cell 53, 24).
3. Play sound HealCrate.
4. Enable and reset applicable timers for Smoke From Tank (07AD555C).
5. Enable and reset applicable timers for Objective 6b Reminder (07AE7BAC).
6. Disable Objective 6a Reminder (0922E85C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2200, Events line 2274, Actions line 2348.

49. Drill Sarge 8 - 07B4951C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Tank Sighted (07B499AC).

Attached scope: tag definitions 07B4931C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Destroy the derelict tank” (MISSION:TRN01i).
2. Play voice notification Mis_T1_DrillSearg08.
3. Disable Drill Sarge 7 Text (090C6E1C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2201, Events line 2275, Actions line 2349.

50. Bridge Sighted - 07536F3C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0753052C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Reveal terrain around waypoint 13 (cell 43, 36).
2. Reveal terrain around waypoint 14 (cell 43, 41).
3. Reveal terrain around waypoint 15 (cell 43, 47).
4. Play sound HealCrate.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2202, Events line 2276, Actions line 2350.

51. Engineer Enters Hut - 0922739C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Bridge Repair Hut (CABHUT), owner Civie1 House, cell (80, 65), tag 09223EAC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector -1 (unresolved or special selector).

Then perform these actions in order:

1. Display message “Objective 3 Complete” (MISSION:Objective3).
2. Disable Objective 3 Reminder (0922D15C).
3. Display message “Move your troops across the bridge” (MISSION:TRN01cc).
4. Enable and reset applicable timers for Cross Bridge Reminder (086E174C).
5. Enable and reset applicable timers for Point Across Bridge (0B45FC0C).
6. Enable and reset applicable timers for Point Across Bridge Stop (0B45F91C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2203, Events line 2277, Actions line 2351.

52. Point Across Bridge - 0B45FC0C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Enters Hut (0922739C).

Attached scope: tag definitions 0B45FA0C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 472; location/duration field D.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2204, Events line 2278, Actions line 2352.

53. Point Across Bridge Stop - 0B45F91C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Enters Hut (0922739C).

Attached scope: tag definitions 084D7F4C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point Across Bridge (0B45FC0C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2205, Events line 2279, Actions line 2353.

54. Copter - 094B9F34

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: NightHawk Transport (SHAD), owner Civie1 House, cell (37, 66), tag 094BA404, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 13 (country/type PLAYER; placed owner Player House).
2. Play sound HealCrate.
3. Reveal terrain around waypoint 17 (cell 36, 65).
4. Play sound BlackOpsSelect.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2206, Events line 2280, Actions line 2354.

55. Farm_Cow - 094BCE04

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).

Then perform these actions in order:

1. Play sound CowDie.
2. Display message “Bovine rescued” (MISSION:All05j).
3. Enable and reset applicable timers for Cow Prize (0AF1F7EC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2207, Events line 2281, Actions line 2355.

56. Cow Prize - 0AF1F7EC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Farm_Cow (094BCE04).

Attached scope: tag definitions 0AF1F39C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play sound HealCrate.
2. Create crate type 8 at waypoint 18 (cell 61, 17).
3. Play voice notification Mis_T2_DrillSearg18.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2208, Events line 2282, Actions line 2356.

57. Con Destroyed - 0972AA24

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Construction Yard (GACNST), owner Other1 House, cell (47, 79), tag 0972A634, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Special Engineer (0AF766CC) at waypoint 19 (cell 48, 80).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2209, Events line 2283, Actions line 2357.

58. Cow - 08DADE24

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Cow (COW), owner Civie1 House, cell (21, 60), tag 08DAD3F4, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Change House: owner selector 16 (country/type BADGUY3; placed owner BadGuy3 House).
2. Play sound CowSelect.
3. Reveal terrain around waypoint 20 (cell 20, 59).
4. Reveal terrain around waypoint 49 (cell 24, 57).
5. Enable and reset applicable timers for Bought the Farm (0A3AFF3C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2210, Events line 2284, Actions line 2358.

59. Bought the Farm - 0A3AFF3C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Cow (08DADE24).

Attached scope: Farm (CAFARM01), owner Civie1 House, cell (22, 56), tag 0A3AFE5C, persistence mode 0; Farm Silo (CAFARM02), owner Civie1 House, cell (24, 55), tag 0A3AFE5C, persistence mode 0.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy the attached object through the scripted destruction action.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2211, Events line 2285, Actions line 2359.

60. Friendly Destroyed - 07C4FB34

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Chrono Miner (CMIN), owner Other1 House, cell (48, 87), tag 07C4F3D4, persistence mode 0; Allied Barracks (GAPILE), owner Other1 House, cell (56, 85), tag 07C4F3D4, persistence mode 0; Allied Battle Lab (GATECH), owner Other1 House, cell (53, 80), tag 07C4F3D4, persistence mode 0; Allied Ore Refinery (GAREFN), owner Other1 House, cell (46, 89), tag 07C4F3D4, persistence mode 0; Allied War Factory (GAWEAP), owner Other1 House, cell (52, 95), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (63, 79), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (53, 75), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (43, 74), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (34, 76), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (41, 89), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (54, 102), tag 07C4F3D4, persistence mode 0; Patriot Missile (NASAM), owner Other1 House, cell (63, 109), tag 07C4F3D4, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (46, 76), tag 07C4F3D4, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (48, 93), tag 07C4F3D4, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (61, 98), tag 07C4F3D4, persistence mode 0; Power Plant (GAPOWR), owner Other1 House, cell (57, 82), tag 07C4F3D4, persistence mode 0; Prism Tower (ATESLA), owner Other2 House, cell (65, 96), tag 07C4F3D4, persistence mode 0; Prism Tower (ATESLA), owner Other2 House, cell (65, 90), tag 07C4F3D4, persistence mode 0; Air Force Command Headquarters (GAAIRC), owner Other1 House, cell (57, 100), tag 07C4F3D4, persistence mode 0; Allied Barracks (GAPILE), owner Other1 House, cell (75, 39), tag 07C4F3D4, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2212, Events line 2286, Actions line 2360.

61. Farm_Other - 07C57F34

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Farm_Cow (094BCE04).

Attached scope: Farm (CAFARM01), owner Civie1 House, cell (60, 14), tag 094BCB94, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play sound CowFear.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2213, Events line 2287, Actions line 2361.

62. Engineer Landed - 07C412F4

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07C4A934 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (Engineer Landed) is set.

Then perform these actions in order:

1. Create/recruit team 1 Engineer (0C1046CC).
2. Enable and reset applicable timers for Point at Bridge Hut (0B45830C).
3. Enable and reset applicable timers for Point at Bridge Hut Stop (0B45FE5C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2214, Events line 2288, Actions line 2362.

63. Point at Bridge Hut - 0B45830C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Landed (07C412F4).

Attached scope: tag definitions 0B45FF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 479; location/duration field AT.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2215, Events line 2289, Actions line 2363.

64. Point at Bridge Hut Stop - 0B45FE5C

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Engineer Landed (07C412F4).

Attached scope: tag definitions 084D7E6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Destroy current instances of Point at Bridge Hut (0B45830C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2216, Events line 2290, Actions line 2364.

65. Helicopter Leaves - 07B582D4

Owner reference: BadGuy2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07B97B64 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 1 (Helicopter Leaves) is set.

Flag writers in this mission: set local flag 1 (Helicopter Leaves) at Heli Ready to Leave (0C4ABEBC). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Create/recruit team 1 Blackhawk BadGuy2 (0D6E0A4C).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2217, Events line 2291, Actions line 2365.

66. Ambient River 1 - 0AF1E1AC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF1E0CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_River at waypoint 23 (cell 86, 96).

2. Play sound _Amb_River at waypoint 24 (cell 92, 85).
3. Play sound _Amb_River at waypoint 25 (cell 90, 72).
4. Play sound _Amb_River at waypoint 26 (cell 86, 59).
5. Play sound _Amb_River at waypoint 3 (cell 77, 58).
6. Play sound _Amb_River at waypoint 27 (cell 68, 47).
7. Play sound _Amb_River at waypoint 28 (cell 63, 37).
8. Play sound _Amb_River at waypoint 29 (cell 53, 39).
9. Play sound _Amb_River at waypoint 14 (cell 43, 41).
10. Reveal terrain around waypoint 44 (cell 40, 81).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2218, Events line 2292, Actions line 2366.

67. Ambient River 2 - 0AF0A10C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0AF091CC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_River at waypoint 30 (cell 35, 39).
2. Play sound _Amb_River at waypoint 31 (cell 26, 36).
3. Play sound _Amb_River at waypoint 32 (cell 31, 49).
4. Play sound _Amb_River at waypoint 33 (cell 29, 67).
5. Play sound _Amb_River at waypoint 34 (cell 24, 73).
6. Play sound _Amb_River at waypoint 36 (cell 101, 73).
7. Play sound _Amb_River at waypoint 37 (cell 99, 59).
8. Play sound _Amb_River at waypoint 35 (cell 93, 51).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2219, Events line 2293, Actions line 2367.

68. Ambient Wind - 07FEADBC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07FEA2AC (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_WindPlains at waypoint 38 (cell 72, 104).
2. Play sound _Amb_WindPlains at waypoint 12 (cell 69, 93).
3. Play sound _Amb_WindPlains at waypoint 39 (cell 73, 84).
4. Play sound _Amb_WindPlains at waypoint 40 (cell 76, 74).
5. Play sound _Amb_WindPlains at waypoint 8 (cell 53, 24).
6. Play sound _Amb_WindPlains at waypoint 41 (cell 50, 59).
7. Play sound _Amb_WindPlains at waypoint 42 (cell 60, 58).
8. Play sound _Amb_WindPlains at waypoint 43 (cell 57, 70).
9. Play sound _Amb_WindPlains at waypoint 21 (cell 38, 63).
10. Play sound _Amb_WindPlains at waypoint 20 (cell 20, 59).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2220, Events line 2294, Actions line 2368.

69. Cow Country - 0C0CB4BC

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 28 tagged map cells: (45, 43), (46, 43), (40, 44), (41, 44), (45, 44), (46, 44), (40, 45), (41, 45), (45, 45), (46, 45), (40, 46), (41, 46), (45, 46), (46, 46), (40, 47), (41, 47), (42, 47), (43, 47), (44, 47), (45, 47), (46, 47), (40, 48), (41, 48), (42, 48), (43, 48), (44, 48), (45, 48), (46, 48); tag 0C0CB0DC, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Display message “Hey! You're not supposed to be here!” (MISSION:Sov11e).
2. Play sound CowDie.

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2221, Events line 2295, Actions line 2369.

70. Heli Preps to Leave - 0B08DA1C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0B08ED8C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (Annoyed) is set.

Then perform these actions in order:

1. Enable and reset applicable timers for Heli Ready to Leave (0C4ABEBC).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2222, Events line 2296, Actions line 2370.

71. Heli Ready to Leave - 0C4ABEBC

Owner reference: Americans. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Heli Preps to Leave (0B08DA1C).

Attached scope: tag definitions 0C4ABA6C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Set local flag 1 (Helicopter Leaves).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2223, Events line 2297, Actions line 2371.

72. Far Target Destroyed - 0893EE4C

Owner reference: Americans. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Practice Target (CAMSC12), owner BadGuy1 House, cell (65, 43), tag 0893EAEC, persistence mode 0.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 5 (Far Target).

Source locator: MAPS01.MIX/trn01t.map; Triggers line 2224, Events line 2298, Actions line 2372.

All team rosters and ordered plans | All mission overrides

Boot Camp - Day 1 - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/trn01t.map; each team/script ID identifies its section.

1 GI - 0D7FE2AC

Owner: Player. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CU.

Ordered plan: Flash! (0D7FA78C).

1. Flash team; configured argument 70.

Engineer by Blackhawk - 0D521B7C

Owner: Other1. Roster: 1 × NightHawk Transport (SHAD); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Drop-off Engineer (0D52190C).

1. Move to waypoint: waypoint 1 (cell 72, 67).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 0 (Engineer Landed).
4. Set local flag: local flag 2 (Annoyed).
5. Change country ownership; configured argument 15.

4 GIs - 0B197B7C

Owner: Other2. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Move Flash Give to Player (07B0C37C).

1. Flash team; configured argument 70.
2. Change country ownership; configured argument 13.

1 Blackhawk Team - 0D7D821C

Owner: Other1. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Blackhawk Change House (0C1B345C).

1. Set local flag: local flag 1 (Helicopter Leaves).
2. Change country ownership; configured argument 15.

Player 5GIs - 0AF76B7C

Owner: Player. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: G.

Ordered plan: Stand up! (08CDB21C).

1. Move to waypoint: waypoint 12 (cell 69, 93).

Special Engineer - 0AF766CC

Owner: Player. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Do Nothing (0AC7532C).

1. Adopt object mission: stop.

1 Engineer - 0C1046CC

Owner: Other1. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Engineer to Player House (0D6B1B7C).

1. Flash team; configured argument 70.
2. Change country ownership; configured argument 13.

1 Blackhawk BadGuy2 - 0D6E0A4C

Owner: BadGuy2. Roster: 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: B.

Ordered plan: Blackhawk Leaves (0D6B17DC).

1. Move to waypoint: waypoint 21 (cell 38, 63).
2. Delete team objects.

Players_Engineer - 0AF738EC

Owner: Player. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AO.

Ordered plan: Do Nothing (0AC7532C).

1. Adopt object mission: stop.

5 GIs - 0AFD1C8C

Owner: Player. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 4; Veteran Level: 1; Technology level: 0.

Ordered plan: Change House (0B0258EC).

1. Change country ownership; configured argument 19.
2. Flash team; configured argument 300.

5 GIs to Player - 089399CC

Owner: Other2. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 5; Veteran Level: 1; Technology level: 0.

Ordered plan: Change Back (0D12EDBC).

1. Change country ownership; configured argument 13.

Veteran GI - 0B070B5C

Owner: Player. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 2; Technology level: 0.

Ordered plan: Move and Deploy (0B0708EC).

1. Attack-move toward waypoint: waypoint 51 (cell 72, 43).
2. Deploy.

3. Change country ownership; configured argument 13.

Boot Camp - Day 1 - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/trn01t.map.

Object/system	Property	Mission value	Source line
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Auto Deploy Frame Delay	10000,10000,10000	2
War Miner (HARV)	Resource cargo capacity	20	5
Chrono Miner (CMIN)	Resource cargo capacity	10	8
TIBERIUMS (TIBERIUMS)	0	Riparius	11
TIBERIUMS (TIBERIUMS)	1	Cruentus	12
TIBERIUMS (TIBERIUMS)	2	Vinifera	13
TIBERIUMS (TIBERIUMS)	3	Aboreus	14
Tiberium Riparius (RIPARIUS)	Value	50	17
Tiberium Cruentus (CRUENTUS)	Value	100	20
Tiberium Vinifera (VINIFERA)	Value	50	23
Tiberium Aboreus (ABOREUS)	Value	50	26
Patriot Missile (NASAM)	Name	Patriot Missile	29
Patriot Missile (NASAM)	Sight radius setting	7	30
Allied War Factory (GAWEAP)	Name	Allied War Factory	33
Allied War Factory (GAWEAP)	Sight radius setting	15	34
Outhouse (CAFRMB)	Name	RA2 Outhouse	37
Outhouse (CAFRMB)	Infantry garrison permitted	yes	38
Outhouse (CAFRMB)	Garrison capacity	1	39
Allied Construction Yard (GACNST)	Name	Allied Construction Yard	42
Allied Construction Yard (GACNST)	Points	0	43
Allied Construction Yard (GACNST)	Engineer-capture permission	false	44
Allied Construction Yard (GACNST)	Crewed	no	45
M60 (M60)	Damage	25	48
M60 (M60)	ROF	20	49
M60 (M60)	Range	6	50
PARA (PARA)	Damage	15	53
PARA (PARA)	ROF	10	54
PARA (PARA)	Range	8	55
PARA (PARA)	Projectile	InvisibleLow	56
PARA (PARA)	Movement rating	100	57
PARA (PARA)	Warhead	SSA	58
PARA (PARA)	Report	GIAttackDeployed	59
Cow (COW)	UI Name	Name:COW	62

Object/system	Property	Mission value	Source line
Cow (COW)	Name	Cow	63
Cow (COW)	Category	Soldier	64
Cow (COW)	Starting health capacity	150	65
Cow (COW)	Armor class	none	66
Cow (COW)	Technology level	-1	67
Cow (COW)	Can be crushed	no	68
Cow (COW)	Insignificant-object flag	no	69
Cow (COW)	Can garrison buildings	yes	70
Cow (COW)	Sight radius setting	4	71
Cow (COW)	Movement rating	4	72
Cow (COW)	Permitted country list	British,French,Germans,Americans,Alliance,Russians,Confederation,Africans,Arabs	73
Cow (COW)	Allowed To Start In Multiplayer	yes	74
Cow (COW)	Price in credits	10	75
Cow (COW)	Recycling value setting	2000	76
Cow (COW)	Points	1	77
Cow (COW)	Fraidycat	yes	78
Cow (COW)	Civilian	no	79
Cow (COW)	Nominal	no	80
Cow (COW)	Pip	green	81
Cow (COW)	Voice Select	CowSelect	82
Cow (COW)	Voice Move	CowMove	83
Cow (COW)	Voice Attack	CowMove	84
Cow (COW)	Voice Feedback	CowFear	85
Cow (COW)	Voice Die	CowDie	86
Cow (COW)	Locomotor	{4A582744-9839-11d1-B709-00A024DDAFD1}	87
Cow (COW)	Physical Size	1	88
Cow (COW)	Permitted movement zone	Infantry	89
Cow (COW)	Threat contribution	0	90
Cow (COW)	Immune To Veins	yes	91
Cow (COW)	Transport size usage	1	92
SPECIALFLAGS	Tiberium Grows	no	95
SPECIALFLAGS	Tiberium Spreads	yes	96
SPECIALFLAGS	Tiberium Explosive	no	97
SPECIALFLAGS	Destroyable Bridges	yes	98
SPECIALFLAGS	MCV Deploy	no	99
SPECIALFLAGS	Initial Veteran	no	100
SPECIALFLAGS	Fixed Alliance	no	101
SPECIALFLAGS	Harvester Immune	no	102
SPECIALFLAGS	Fog Of War	no	103
SPECIALFLAGS	Inert	no	104
SPECIALFLAGS	Ion Storms	no	105

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Meteorites	no	106
SPECIALFLAGS	Visceroids	no	107
COUNTRIES (COUNTRIES)	0	Player	110
COUNTRIES (COUNTRIES)	1	BadGuy1	111
COUNTRIES (COUNTRIES)	2	BadGuy2	112
COUNTRIES (COUNTRIES)	3	BadGuy3	113
COUNTRIES (COUNTRIES)	4	Civilian1	114
COUNTRIES (COUNTRIES)	5	Other1	115
COUNTRIES (COUNTRIES)	6	Other2	116
COUNTRIES (COUNTRIES)	7	Other3	117
VARIABLENAMES (VARIABLENAMES)	0	Engineer Landed,0	246
VARIABLENAMES (VARIABLENAMES)	1	Helicopter Leaves,0	247
VARIABLENAMES (VARIABLENAMES)	2	Annoyed,0	248
VARIABLENAMES (VARIABLENAMES)	3	Annoyed_Again,0	249
VARIABLENAMES (VARIABLENAMES)	4	Near Target,0	250
VARIABLENAMES (VARIABLENAMES)	5	Far Target,0	251

Boot Camp - Day 2

Campaign reading guide | Engine

Boot Camp - Day 2

trn02t.map | initial object placements in projected cell coordinates



Owner groups (largest 5)

- RedTeam House (15)
- Civilian House (12)
- Other1 House (2)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS01.MIX/trn02t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for trn02t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: trn02t.map. **Effective extracted member:** MAPS01.MIX/trn02t.map. **Trigger definitions:** 45.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	Player House
Theater	TEMPERATE
Map size	0,0,40,41
Visible local rectangle	2,4,36,31
Placed vehicles	1
Placed infantry	10
Placed structures	18
Placed aircraft	0
Team templates	9

Houses

Map house slot	Owner name	Starting credits setting	Country
0	Player House	50	Player
1	RedTeam House	100	RedTeam
2	Civilian House	0	Neutral
3	Other1 House	20	Other1
4	Other2 House	20	Other2

Local state flags at initialization

Flag	Meaning label and initial value
0	1stRedTeamWon,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions
PlayerLose (09E02EA0)	Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.
PlayerWin (09E02BF0)	Destroyed, Buildings, All: owner selector 14 (country/type REDTEAM; placed owner RedTeam House).	Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.

Every trigger, in file order

1. 1Speech - 0907B430

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0907B1E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 15 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Enable and reset applicable timers for 1Text (09078F40).
2. Play voice notification Mis_T2_DrillSearg01.
3. Enable and reset applicable timers for 1!MCVFlash (094C6984).
4. Enable and reset applicable timers for 1EnableArrowMoveOut (07F8CD3C).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1790, Events line 1837, Actions line 1884.

2. 1Text - 09078F40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1Speech (0907B430).

Attached scope: tag definitions 09078CB0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 1: Move your Mobile Construction Vehicle to open ground” (MISSION:TRN02a).
2. Create radar-event marker type 1 at waypoint 14 (cell 42, 28).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1791, Events line 1838, Actions line 1885.

3. 1!MCVFlash - 094C6984

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1Speech (0907B430).

Attached scope: tag definitions 094C6234 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 13 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Flash team Player_MCV (0BEB05FC) with duration setting 120.
2. Display message “Objective 1: Move your Mobile Construction Vehicle to open ground” (MISSION:TRN02a).
3. Create radar-event marker type 1 at waypoint 14 (cell 42, 28).
4. Reveal terrain around waypoint 14 (cell 42, 28).
5. Reveal terrain around waypoint 4 (cell 46, 27).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1792, Events line 1839, Actions line 1886.

4. 1EnableArrowMoveOut - 07F8CD3C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1Speech (0907B430).

Attached scope: tag definitions 07F8CB3C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 22 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Enable and reset applicable timers for Arrow - MoveOut (07F8B04C).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1793, Events line 1840, Actions line 1887.

5. Arrow - MoveOut - 07F8B04C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1EnableArrowMoveOut (07F8CD3C).

Attached scope: tag definitions 07F8CF4C (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 477; location/duration field P.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1794, Events line 1841, Actions line 1888.

6. 1Complete(OpenGround) - 09078860

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 2 tagged map cells: (40, 26), (41, 26); tag 09078730, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable 1Text (09078F40).
2. Enable and reset applicable timers for 2Speech (0907AF40).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1795, Events line 1842, Actions line 1889.

7. 2Speech - 0907AF40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 1Complete(OpenGround) (09078860).

Attached scope: tag definitions 0907ADD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Deploy your Mobile Construction Vehicle into a Construction Yard” (MISSION:TRN02b).
2. Enable and reset applicable timers for 2Text (0907ACF0).
3. Play voice notification Mis_T2_DrillSearg02.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1796, Events line 1843, Actions line 1890.

8. 2Text - 0907ACF0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2Speech (0907AF40).

Attached scope: tag definitions 0907AB20 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 2: Deploy your Mobile Construction Vehicle into a Construction Yard” (MISSION:TRN02b).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1797, Events line 1844, Actions line 1891.

9. 2Complete(ConYard) - 0907A900

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0907A7D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Destroy current instances of 2Text (0907ACF0).
2. Enable and reset applicable timers for 3Speech (07DCAB60).
3. Destroy current instances of 1Complete(OpenGround) (09078860).
4. Destroy current instances of 1Text (09078F40).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1798, Events line 1845, Actions line 1892.

10. 3Speech - 07DCAB60

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 2Complete(ConYard) (0907A900).

Attached scope: tag definitions 07DCAA90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 8 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Build a Power Plant” (MISSION:TRN02c).
2. Enable and reset applicable timers for 3Text (07DCA9B0).
3. Play voice notification Mis_T2_DrillSearg03.
4. Flash cameo/type 0; additional configured duration/location argument 150.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1799, Events line 1846, Actions line 1893.

11. 3Text - 07DCA9B0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 3Speech (07DCAB60).

Attached scope: tag definitions 07DCA840 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 3: Build a Power Plant” (MISSION:TRN02c).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1800, Events line 1847, Actions line 1894.

12. 3Complete(Power) - 07DCA4B0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07DCA3E0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 0 (global list position: Power Plant (GAPOWR)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable 3Text (07DCA9B0).
2. Enable and reset applicable timers for 4Speech (07DCDF40).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1801, Events line 1848, Actions line 1895.

13. 4Speech - 07DCDF40

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 3Complete(Power) (07DCA4B0).

Attached scope: tag definitions 07DCDE70 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 7 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4: Build an Ore Refinery” (MISSION:TRN02d).
2. Enable and reset applicable timers for 4Text (07DCDC50).
3. Play voice notification Mis_T2_DrillSearg04.
4. Flash cameo/type 1; additional configured duration/location argument 150.
5. Switch the sidebar to tab 0.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1802, Events line 1849, Actions line 1896.

14. 4Text - 07DCDC50

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 4Speech (07DCDF40).

Attached scope: tag definitions 07DCDB20 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 4: Build an Ore Refinery” (MISSION:TRN02d).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1803, Events line 1850, Actions line 1897.

15. 4Complete(Refinery) - 03F6A0A0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 03F68190 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 1 (global list position: Allied Ore Refinery (GAREFN)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable 4Text (07DCDC50).
2. Enable and reset applicable timers for 4Complete2(Miner Hint) (0B30B27C).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1804, Events line 1851, Actions line 1898.

16. 4Complete2(Miner Hint) - 0B30B27C

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 4Complete(Refinery) (03F6A0A0).

Attached scope: tag definitions 0B30B19C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 6 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play voice notification Mis_T2_DrillSearg12.
2. Enable and reset applicable timers for 5Speech (08FA9940).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1805, Events line 1852, Actions line 1899.

17. 5Speech - 08FA9940

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 4Complete2(Miner Hint) (0B30B27C).

Attached scope: tag definitions 08FA9810 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 11 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 5: Build a Barracks” (MISSION:TRN02f).
2. Enable and reset applicable timers for 5Text (08FAED70).
3. Play voice notification Mis_T2_DrillSearg05.
4. Flash cameo/type 3; additional configured duration/location argument 150.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1806, Events line 1853, Actions line 1900.

18. 5Text - 08FAED70

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 5Speech (08FA9940).

Attached scope: tag definitions 08FAEAE0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 5: Build a Barracks” (MISSION:TRN02f).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1807, Events line 1854, Actions line 1901.

19. 6Text - 08FAEA00

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 6Speech (08FA95F0).

Attached scope: tag definitions 08FAE830 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Build a squad of GIs” (MISSION:TRN02g).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1808, Events line 1855, Actions line 1902.

20. 7Text - 08FAE4A0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DestroyRedBase (09E06A00).

Attached scope: tag definitions 08FA9EB0 (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 100 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 7: Destroy Red Team's base” (MISSION:TRN02i).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1809, Events line 1856, Actions line 1903.

21. 6Speech - 08FA95F0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 5Complete(Barracks) (08FADE60).

Attached scope: tag definitions 08FA83D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 6: Build a squad of GIs” (MISSION:TRN02g).
2. Enable and reset applicable timers for 6Text (08FAEA00).
3. Play voice notification Mis_T2_DrillSearg06.
4. Switch the sidebar to tab 2.
5. Flash cameo/type 364; additional configured duration/location argument 150.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1810, Events line 1857, Actions line 1904.

22. 5Complete(Barracks) - 08FADE60

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08FA9D40 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Building exists: type index 3 (global list position: Allied Barracks (GAPILE)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Destroy current instances of 5Speech (08FA9940).
2. Enable and reset applicable timers for 6Speech (08FA95F0).
3. Disable 5Text (08FAED70).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1811, Events line 1858, Actions line 1905.

23. 6Complete(GIBuilt) - 07D47630

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07D47440 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Infantry Type: type index 0 (global list position: GI (E1)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Disable 6Text (08FAEA00).
2. Enable and reset applicable timers for RedTeamA-Create (098925C0).
3. Enable and reset applicable timers for RedTeamA-Won (0909F130).
4. Display message “Deploy your GIs near the entrance to your base for a better defense” (MISSION:TRN02_Hint1).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1812, Events line 1859, Actions line 1906.

24. RedTeamA-Create - 098925C0

Owner reference: RedTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 6Complete(GIBuilt) (07D47630).

Attached scope: tag definitions 098924F0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 75 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team RedAttackTeamA (09AB3C8C).
2. Display message “WARNING: Red Team invasion imminent” (MISSION:TRN02h).
3. Make enemy: owner selector 13 (country/type PLAYER; placed owner Player House).
4. Production Begins: owner selector 14 (country/type REDTEAM; placed owner RedTeam House).
5. Play voice notification Mis_T2_DrillSearg07.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1813, Events line 1860, Actions line 1907.

25. RedTeamA-Won - 0909F130

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from 6Complete(GIBuilt) (07D47630).

Attached scope: tag definitions 090B34D0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (1stRedTeamWon) is set.

Then perform these actions in order:

1. Create/recruit team RedTeamRegroup (07FB10F4).
2. Enable and reset applicable timers for RedTeamB-Create (098A0B80).
3. Play voice notification Mis_T2_DrillSearg10.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1814, Events line 1861, Actions line 1908.

26. RedTeamB-Create - 098A0B80

Owner reference: RedTeam. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from RedTeamA-Won (0909F130).

Attached scope: tag definitions 098A0700 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 60 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create/recruit team RedAttackTeamB (0973C33C).
2. Display message “WARNING: The stench of Red Team is in the air” (MISSION:TRN02hAlt).
3. Play voice notification Mis_T2_DrillSearg19.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1815, Events line 1862, Actions line 1909.

27. RedTeamA-Destroyed - 091050B0

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09104210 (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for DestroyRedBase (09E06A00).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1816, Events line 1863, Actions line 1910.

28. DestroyRedBase - 09E06A00

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from RedTeamA-Destroyed (091050B0); enable from RedTeamB-Destroyed (09E06560).

Attached scope: tag definitions 09E06930 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 5 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Display message “Objective 7: Destroy Red Team's base” (MISSION:TRN02i).
2. Play voice notification Mis_T2_DrillSearg09.
3. Enable and reset applicable timers for Ping Map (096D1994).
4. Enable and reset applicable timers for 7Text (08FAE4A0).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1817, Events line 1864, Actions line 1911.

29. Ping Map - 096D1994

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from DestroyRedBase (09E06A00).

Attached scope: tag definitions 096D2734 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 12 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Create radar-event marker type 5 at waypoint 17 (cell 44, 56).
2. Enable and reset applicable timers for Arrow - GoToRedBase (0B09C8CC).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1818, Events line 1865, Actions line 1912.

30. Arrow - GoToRedBase - 0B09C8CC

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Ping Map (096D1994).

Attached scope: tag definitions 0B09C6CC (persistence 2); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Play Anim At; main setting 473; location/duration field Q.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1819, Events line 1866, Actions line 1913.

31. EnteredPotty - 098A71F0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Enable and reset applicable timers for EvictPottyBoy (094D2984).
2. Play voice notification Mis_T2_DrillSearg17.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1820, Events line 1867, Actions line 1914.

32. EvictPottyBoy - 094D2984

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: EnteredPotty (098A71F0).

Incoming activation links: enable from EnteredPotty (098A71F0).

Attached scope: Outhouse (CAFRMB), owner Civilian House, cell (44, 14), tag 098A2460, persistence mode 2.

Wait for the recorded events:

1. 3 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Evict occupants from the attached building.
2. Disable EvictPottyBoy (094D2984).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1821, Events line 1868, Actions line 1915.

33. DiscoverBarn - 07EF1C00

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Farm Silo (CAFARM02), owner Civilian House, cell (61, 34), tag 07EFE840, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.
2. Build Infantry Type: type index 0 (global list position: GI (E1)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Reveal terrain around waypoint 2 (cell 58, 34).
2. Play voice notification Mis_T2_DrillSearg21.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1822, Events line 1869, Actions line 1916.

34. RedTeamB-Destroyed - 09E06560

Owner reference: RedTeam. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E06490 (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Enable and reset applicable timers for DestroyRedBase (09E06A00).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1823, Events line 1870, Actions line 1917.

35. PlayerLose - 09E02EA0

Owner reference: Player. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from CreateMCVTeam (0975F6C4).

Attached scope: tag definitions 09E02CD0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, All: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the loser.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1824, Events line 1871, Actions line 1918.

36. PlayerWin - 09E02BF0

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09E02A20 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed, Buildings, All: owner selector 14 (country/type REDTEAM; placed owner RedTeam House).

Then perform these actions in order:

1. Declare owner selector 13 (country/type PLAYER; placed owner Player House) the winner.
2. Play voice notification Mis_T2_DrillSearg11.

3. Disable 7Text (08FAE4A0).
4. Make side cheer: owner selector 13 (country/type PLAYER; placed owner Player House).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1825, Events line 1872, Actions line 1919.

37. CreateMCVTeam - 0975F6C4

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0975D424 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team Player_MCV (0BEB05FC).
2. Enable and reset applicable timers for PlayerLose (09E02EA0).
3. Reveal terrain around waypoint 98 (cell 21, 38).
4. Reveal terrain around waypoint 3 (cell 17, 39).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1826, Events line 1873, Actions line 1920.

38. RedAttackBarn - 07BA8B6C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Farm (CAFARM01), owner Civilian House, cell (59, 35), tag 07BA8A8C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Supply reinforcement team BarnHaters (088CE6EC).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1827, Events line 1874, Actions line 1921.

39. BarnHatersDestroyed - 07BA892C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 07BA884C (persistence 1); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Play voice notification Mis_T2_DrillSearg23.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1828, Events line 1875, Actions line 1922.

40. HintCrate - 07D66E1C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 13 tagged map cells: (44, 36), (45, 36), (46, 36), (42, 37), (44, 37), (45, 37), (46, 37), (48, 37), (43, 38), (44, 38), (45, 38), (46, 38), (47, 38); tag 07D66D3C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Play voice notification Mis_T2_DrillSearg20.

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1829, Events line 1876, Actions line 1923.

41. AmbientSounds/Crate - 09F9C49C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 09F9C34C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 1 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Play sound _Amb_River at waypoint 5 (cell 19, 49).
2. Play sound _Amb_River at waypoint 6 (cell 32, 49).
3. Play sound _Amb_River at waypoint 7 (cell 38, 42).
4. Play sound _Amb_River at waypoint 8 (cell 52, 44).
5. Play sound _Amb_BirdsTemperate2 at waypoint 10 (cell 32, 38).
6. Play sound _Amb_BirdsPark at waypoint 9 (cell 27, 59).
7. Play sound _Amb_BirdsPark at waypoint 11 (cell 39, 23).
8. Play sound _Amb_BirdsTemperate1 at waypoint 12 (cell 66, 33).
9. Play sound _Amb_UrbanMurmur2 at waypoint 90 (cell 5, 38).
10. Create crate type 0 at waypoint 80 (cell 45, 39).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1830, Events line 1877, Actions line 1924.

42. RedTeamRepairBridge - 0868B9AC

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 0868B46C (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. Build Building Type: type index 2 (global list position: Allied Construction Yard (GACNST)). A map-local type-list change can affect index interpretation.

Then perform these actions in order:

1. Supply reinforcement team EngineerBridge (0868EEFC) at waypoint 17 (cell 44, 56).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1831, Events line 1878, Actions line 1925.

43. Disable MoveOutArrow - 0BBDB55C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 2 tagged map cells: (29, 30), (30, 30); tag 0BBDB1BC, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Arrow - MoveOut (07F8B04C).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1832, Events line 1879, Actions line 1926.

44. Disable RedBaseArrow - 0B09C52C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 16 tagged map cells: (51, 44), (52, 44), (53, 44), (54, 44), (55, 44), (56, 44), (57, 44), (58, 44), (51, 45), (52, 45), (53, 45), (54, 45), (55, 45), (56, 45), (57, 45), (58, 45); tag 0B09C32C, persistence mode 0.

Wait for the recorded events:

1. Entered by: owner selector 13 (country/type PLAYER; placed owner Player House).

Then perform these actions in order:

1. Disable Arrow - GoToRedBase (0B09C8CC).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1833, Events line 1880, Actions line 1927.

45. RevealRedBase - 0D9E7F3C

Owner reference: Player. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Allied Construction Yard (GACNST), owner RedTeam House, cell (38, 55), tag 0D9E4BAC, persistence mode 0; Allied Ore Refinery (GAREFN), owner RedTeam House, cell (38, 64), tag 0D9E4BAC, persistence mode 0; Allied Barracks (GAPILE), owner RedTeam House, cell (47, 57), tag 0D9E4BAC, persistence mode 0; Power Plant (GAPOWR), owner RedTeam House, cell (50, 55), tag 0D9E4BAC, persistence mode 0; Power

Plant (GAPOWR), owner RedTeam House, cell (32, 64), tag 0D9E4BAC, persistence mode 0; Power Plant (GAPOWR), owner RedTeam House, cell (35, 64), tag 0D9E4BAC, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Reveal terrain around waypoint 19 (cell 46, 56).
2. Reveal terrain around waypoint 54 (cell 42, 58).
3. Reveal terrain around waypoint 20 (cell 42, 62).
4. Reveal terrain around waypoint 21 (cell 37, 64).

Source locator: MAPS01.MIX/trn02t.map; Triggers line 1834, Events line 1881, Actions line 1928.

All team rosters and ordered plans | All mission overrides

Boot Camp - Day 2 - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS01.MIX/trn02t.map; each team/script ID identifies its section.

RedAttackTeamA - 09AB3C8C

Owner: RedTeam. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: AttackBlueInfantry (09E7CB7C).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 10.
4. Seek/attack target category; configured argument 4.
5. Set local flag: local flag 0 (1stRedTeamWon).

RedTeamRegroup - 07FB10F4

Owner: RedTeam. Roster: 5 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: ReturnToBase (0A562854).

1. Move to waypoint: waypoint 0 (cell 47, 60).
2. Adopt object mission: area guard.

BaseDef1 - 07FB0284

Owner: RedTeam. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BA.

Ordered plan: GuardBase (07FB21D4).

1. Adopt object mission: area guard.

BaseDef2 - 08F9B580

Owner: RedTeam. Roster: 1 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BB.

Ordered plan: GuardBase (07FB21D4).

1. Adopt object mission: area guard.

BaseDef3 - 08F9B360

Owner: RedTeam. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BC.

Ordered plan: GuardBase (07FB21D4).

1. Adopt object mission: area guard.

RedAttackTeamB - 0973C33C

Owner: RedTeam. Roster: 8 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 40; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: A.

Ordered plan: AttackBlueBase (0973BDBC).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 4.
3. Seek/attack target category; configured argument 9.
4. Attack selected enemy-building category; configured argument 1.
5. Attack selected enemy-building category; configured argument 2.
6. Attack selected enemy-building category; configured argument 3.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Player_MCV - 0BEB05FC

Owner: Player. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: CM.

Ordered plan: DriveOn (0BEB038C).

1. Move to waypoint: waypoint 18 (cell 23, 38).
2. Guard for interval; configured argument 200.

BarnHaters - 088CE6EC

Owner: RedTeam. Roster: 2 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: BH.

Ordered plan: BarnMustDie (09FF245C).

1. Move to waypoint: waypoint 13 (cell 57, 51).
2. Attack selected enemy-building category; configured argument 131158.
3. Adopt object mission: area guard.

EngineerBridge - 0868EEFC

Owner: RedTeam. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: RepairBridge (0868BC9C).

1. Attack selected enemy-building category; configured argument 131102.

Boot Camp - Day 2 - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS01.MIX/trn02t.map.

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Tiberium Grows	no	2
SPECIALFLAGS	Tiberium Spreads	yes	3
SPECIALFLAGS	Tiberium Explosive	no	4
SPECIALFLAGS	Destroyable Bridges	yes	5
SPECIALFLAGS	MCV Deploy	no	6
SPECIALFLAGS	Initial Veteran	no	7
SPECIALFLAGS	Fixed Alliance	no	8
SPECIALFLAGS	Harvester Immune	no	9
SPECIALFLAGS	Fog Of War	no	10
SPECIALFLAGS	Inert	no	11
SPECIALFLAGS	Ion Storms	no	12
SPECIALFLAGS	Meteorites	no	13
SPECIALFLAGS	Visceroids	no	14
War Miner (HARV)	Resource cargo capacity	20	17
Chrono Miner (CMIN)	Resource cargo capacity	10	20
TIBERIUMS (TIBERIUMS)	0	Riparius	23
TIBERIUMS (TIBERIUMS)	1	Cruentus	24
TIBERIUMS (TIBERIUMS)	2	Vinifera	25
TIBERIUMS (TIBERIUMS)	3	Aboreus	26
Tiberium Riparius (RIPARIUS)	Value	50	29
Tiberium Cruentus (CRUENTUS)	Value	100	32
Tiberium Vinifera (VINIFERA)	Value	50	35
Tiberium Aboreus (ABOREUS)	Value	50	38
COUNTRIES (COUNTRIES)	0	Player	41
COUNTRIES (COUNTRIES)	1	RedTeam	42
COUNTRIES (COUNTRIES)	2	Civilian	43
COUNTRIES (COUNTRIES)	3	Other1	44
COUNTRIES (COUNTRIES)	4	Other2	45
Invisible Yellow Light Post (INYELWLAMP)	Local light reach	3300	96
Invisible Yellow Light Post (INYELWLAMP)	Local light intensity	0.01	97
Invisible Yellow Light Post (INYELWLAMP)	Light Red Tint	0.40	98

Object/system	Property	Mission value	Source line
Invisible Yellow Light Post (INYELWLAMP)	Light Green Tint	0.40	99
Invisible Yellow Light Post (INYELWLAMP)	Light Blue Tint	0.15	100
Engineer (ENGINEER)	Technology level	-1	103
Engineer (SENGINEER)	Technology level	-1	106
Attack Dog (ADOG)	Technology level	-1	109
Attack Dog (DOG)	Technology level	-1	112
Allied War Factory (GAWEAP)	Technology level	-1	115
Pill Box (GAPILL)	Technology level	-1	118
Allied Wall (GAWALL)	Technology level	-1	121
Allied Construction Yard (GACNST)	Name	Allied Construction Yard	124
Allied Construction Yard (GACNST)	Selling forbidden	true	125
Allied Ore Refinery (GAREFN)	Name	Allied Ore Refinery	128
Allied Ore Refinery (GAREFN)	Selling forbidden	true	129
Power Plant (GAPOWR)	Name	Power Plant	132
Power Plant (GAPOWR)	Selling forbidden	true	133
Allied Barracks (GAPILE)	Name	Allied Barracks	136
Allied Barracks (GAPILE)	Required structures/groups	GAPOWR	137
Allied Barracks (GAPILE)	Selling forbidden	true	138
Red Alert 2 -- Official Rules of Engagement (GENERAL)	AI Safe Distance	8	141
VARIABLENAMES (VARIABLENAMES)	0	1stRedTeamWon,0	191

sov09t.map

Campaign reading guide | Engine

sov09t.map

sov09t.map | initial object placements in projected cell coordinates

Owner groups (largest 5)

- SovStar House (28)
- Alamo (28)
- USA1 House (13)
- President House (1)

Squares: structures. Dots: mobile objects. Colors identify owners, not inferred friends or enemies.

Schematic only: terrain, roads, elevation, passability and object footprints are not decoded here.

Source: MAPS02.MIX/sov09t.map; initial Structures / Units / Infantry / Aircraft records.

Initial placement schematic for sov09t.map. Explanatory diagram derived from the guide and local data; not a screenshot.

Map: sov09t.map. **Effective extracted member:** MAPS02.MIX/sov09t.map. **Trigger definitions:** 16.

This is a translated static ledger, not a recorded playthrough. Trigger numbering below is browsing order, not chronological execution. Each trigger still requires eligibility, enabling, relevant attachments and its event logic. Values called time units remain in the source scale; no unverified wall-clock conversion is applied.

Read an event as applying to the trigger's attached scope when it is object/cell-specific. Multiple event entries are recorded conditions for the trigger, not alternative objectives unless the runtime's event logic makes them so. Tag persistence modes: 0 consumes on the relevant first occurrence; 1 waits for the applicable attached-object completion; 2 permits repeating. Not all definitions have a live attached instance.

All team rosters and ordered plans | All mission overrides

Starting world

Part	Recorded value
Player house	SovStar House
Theater	TEMPERATE
Map size	0,0,90,65
Visible local rectangle	5,8,80,50
Placed vehicles	6
Placed infantry	14
Placed structures	50
Placed aircraft	0
Team templates	29

Houses

Map house slot	Owner name	Starting credits setting	Country
0	President House	50	President
1	SecretService House	100	SecretService
2	USA1 House	100	USA1
3	USA2 House	100	USA2
4	Alamo	0	Neutral
5	SovStar House	50	SovStar
6	SovReg House	100	SovReg

Local state flags at initialization

Flag	Meaning label and initial value
0	PresOnGround,0
1	SS Breakup,0
2	1st Retreat,0
3	PrmaryBlown,0
4	1st Retreat A,0
5	Call 2nd Retreat,0
6	1st Retreat B,0

Terminal gates: victory, defeat or forced end

These records can issue an outcome or its announcement. An announcement is distinguished from the actual winner/loser action. Follow the linked trigger for all guards and action order.

Gate	Conditions recorded	Terminal-related actions

Every trigger, in file order

1. AF1 Landing - 08B415A0

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B46C90 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 0 configured time units have elapsed since scenario start.

Then perform these actions in order:

1. Supply reinforcement team PresLoadIn (08942CE0) at waypoint 16 (cell 121, 42).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2655, Events line 2673, Actions line 2691.

2. Create POTUS - 08B46880

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B466B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (PresOnGround) is set.

Then perform these actions in order:

1. Create/recruit team POTUS 00 (089394E0).
2. Create/recruit team SS1 to be (078F8940).

3. Enable and reset applicable timers for Create SS1 (08B465D0).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2656, Events line 2674, Actions line 2692.

3. Create SS1 - 08B465D0

Owner reference: SecretService. Initially disabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Incoming activation links: enable from Create POTUS (08B46880).

Attached scope: tag definitions 08B46400 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. 2 configured time units have elapsed since the trigger timer was initialized/reset.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) SS1 to be (078F8940).
2. Create/recruit team SS1 00 (08942180).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2657, Events line 2675, Actions line 2693.

4. Call Vanguard - 08B3F860

Owner reference: USA1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08B3F390 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 0 (PresOnGround) is set.

Then perform these actions in order:

1. Supply reinforcement team Defend POTUS 1 (08B3C780) at waypoint 18 (cell 68, 74).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2658, Events line 2676, Actions line 2694.

5. Call SS2 Reinforce - 08DC06B0

Owner reference: SecretService. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (50, 91); tag 08DC02D0, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 13 (country/type PRESIDENT; placed owner President House).

Then perform these actions in order:

1. Supply reinforcement team SS2 00 (089414A0) at waypoint 22 (cell 40, 94).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2659, Events line 2677, Actions line 2695.

6. Turrets Blown - 08D4BCA0

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Prism Tower (ATESLA), owner USA1 House, cell (70, 81), tag 08D4B7D0, persistence mode 1; Pill Box (GAPILL), owner USA1 House, cell (74, 76), tag 08D4B7D0, persistence mode 1; Pill Box (GAPILL), owner USA1 House, cell (74, 71), tag 08D4B7D0, persistence mode 1.

Wait for the recorded events:

1. Destroyed by anything. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 3 (PrmaryBlown).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2660, Events line 2678, Actions line 2696.

7. VertRetreat1 - 08D4B5D0

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (74, 74); tag 08D4AAF0, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 17 (country/type SOVSTAR; placed owner SovStar House).

Then perform these actions in order:

1. Set local flag 4 (1st Retreat A).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2661, Events line 2679, Actions line 2697.

8. Crossed Line - 08D4A7C0

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 4 (1st Retreat A) is set.

Flag writers in this mission: set local flag 4 (1st Retreat A) at VertRetreat1 (08D4B5D0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) POTUS 00 (089394E0).
2. Create/recruit team POTUS 01 (08947F00).
3. Set local flag 2 (1st Retreat).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2662, Events line 2680, Actions line 2698.

9. Blew Primaries - 08D4A3D0

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Crossed Line (08D4A7C0).

Attached scope: no direct placed object/cell tag found; can be scenario-wide, linked or dynamically attached.

Wait for the recorded events:

1. local flag 3 (PrmaryBlown) is set.

Flag writers in this mission: set local flag 3 (PrmaryBlown) at Turrets Blown (08D4BCA0). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) POTUS 00 (089394E0).
2. Create/recruit team POTUS 01 (08947F00).
3. Set local flag 2 (1st Retreat).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2663, Events line 2681, Actions line 2699.

10. 2ndCrossVert - 08D45A50

Owner reference: SovStar. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 1 tagged map cells: (48, 96); tag 08D456A0, persistence mode 0.

Wait for the recorded events:

1. Crosses Vertical Line: owner selector 17 (country/type SOVSTAR; placed owner SovStar House).

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) POTUS 01 (08947F00).
2. Create/recruit team POTUS 02 (08953160).
3. Set local flag 5 (Call 2nd Retreat).
4. Supply reinforcement team IFV Rollout (08DB9AB0) at waypoint 23 (cell 67, 79).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2664, Events line 2682, Actions line 2700.

11. Bridges Blown - 08D42580

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: 3 tagged map cells: (82, 62), (79, 78), (74, 87); tag 08D42230, persistence mode 1.

Wait for the recorded events:

1. Bridge destroyed. See attached-object/cell scope below.

Then perform these actions in order:

1. Set local flag 6 (1st Retreat B).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2665, Events line 2683, Actions line 2701.

12. Bridges Destroyed - 08D42150

Owner reference: President. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: Blew Primaries (08D4A3D0).

Attached scope: tag definitions 08D4A550 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 6 (1st Retreat B) is set.

Flag writers in this mission: set local flag 6 (1st Retreat B) at Bridges Blown (08D42580). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Remove instances of the team organization (not automatically its surviving objects) POTUS 00 (089394E0).
2. Create/recruit team POTUS 01 (08947F00).
3. Set local flag 2 (1st Retreat).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2666, Events line 2684, Actions line 2702.

13. Set up 2nd base - 08D51F40

Owner reference: USA2. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08D519B0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 2 (1st Retreat) is set.

Flag writers in this mission: set local flag 2 (1st Retreat) at Crossed Line (08D4A7C0); set local flag 2 (1st Retreat) at Blew Primaries (08D4A3D0); set local flag 2 (1st Retreat) at Bridges Destroyed (08D42150). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team 1R MCV (08D4C630) at waypoint 23 (cell 67, 79).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2667, Events line 2685, Actions line 2703.

14. Cover 2nd Retreat - 08DBB890

Owner reference: SecretService. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DBB320 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Call 2nd Retreat) is set.

Flag writers in this mission: set local flag 5 (Call 2nd Retreat) at 2ndCrossVert (08D45A50). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team SS2 01 (0895B6F0) at waypoint 26 (cell 30, 94).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2668, Events line 2686, Actions line 2704.

15. Intercept 2nd Retreat - 08DBFE80

Owner reference: SecretService. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: tag definitions 08DBFCB0 (persistence 0); no placed object/cell attachment found by this extraction.

Wait for the recorded events:

1. local flag 5 (Call 2nd Retreat) is set.

Flag writers in this mission: set local flag 5 (Call 2nd Retreat) at 2ndCrossVert (08D45A50). Script steps can also change flags; see teams below.

Then perform these actions in order:

1. Supply reinforcement team SS2 02 (0895B5D0) at waypoint 22 (cell 40, 94).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2669, Events line 2687, Actions line 2705.

16. Airfield Discovered - 08DBA880

Owner reference: USA1. Initially enabled. Difficulty eligibility: Easy 1, Normal 1, Hard 1 (1 means included). Linked trigger: none.

Attached scope: Air Force Command Headquarters (GAAIRC), owner USA1 House, cell (66, 57), tag 08DBA530, persistence mode 0.

Wait for the recorded events:

1. Discovered by player. See attached-object/cell scope below.

Then perform these actions in order:

1. Supply reinforcement team Air Discovery (08DBA410) at waypoint 31 (cell 62, 43).

Source locator: MAPS02.MIX/sov09t.map; Triggers line 2670, Events line 2688, Actions line 2706.

All team rosters and ordered plans | All mission overrides

sov09t.map - team rosters and plans

Trigger ledger | Mission overrides | Campaign guide

These are declared possibilities. A create/reinforcement action, AI selection, recruitment path or another mechanism must make a live team before its plan runs. Script arguments for encoded building selection remain identified numeric settings; an unproved index-to-target interpretation is not invented. Source: MAPS02.MIX/sov09t.map; each team/script ID identifies its section.

PresLoadIn - 08942CE0

Owner: President. Roster: 1 × NightHawk Transport (SHAD); 1 × Civilian (CIV2); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: yes; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: Q.

Ordered plan: FlyIn (08942A80).

1. Move to waypoint: waypoint 17 (cell 107, 61).
2. Unload with continuation mode: transport continues; passengers leave team.
3. Set local flag: local flag 0 (PresOnGround).
4. Seek/attack target category; configured argument 2.

POTUS 00 - 089394E0

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 00 - 08942180

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Move 1st scatter (07386CA0).

1. Scatter.
2. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 to be - 078F8940

Owner: President. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: R.

Ordered plan: Change to SS (08A0E720).

1. Change country ownership; configured argument 14.

Defend POTUS 1 - 08B3C780

Owner: USA1. Roster: No roster entries recovered in the linked task-force section.

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Forward Defense (08B3FAA0).

1. Move to waypoint: waypoint 17 (cell 107, 61).
2. Scatter.
3. Deploy.

SS2 00 - 089414A0

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Cover 1st Retreat (08935DC0).

1. Attack-move toward waypoint: waypoint 11 (cell 83, 79).
2. Scatter.
3. Guard for interval; configured argument 100.
4. Adopt object mission: hunt.

POTUS 01 - 08947F00

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Pres 1st Retreat (08D64DC0).

1. Move to waypoint: waypoint 15 (cell 39, 89).

POTUS 02 - 08953160

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: P.

Ordered plan: Move 2nd Retreat (08D44B80).

1. Move to waypoint: waypoint 0 (cell 65, 133).

POTUS 03 - 08947940

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st scatter (07386CA0).

1. Scatter.
2. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 04 - 08947820

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 05 - 08947700

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 06 - 089475E0

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 07 - 089474C0

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 08 - 089473A0

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 09 - 08947280

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

POTUS 10 - 08947160

Owner: President. Roster: 1 × Civilian (CIV2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: C.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 01 - 08DBB140

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 02 - 08DBB400

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 03 - 08DBEDB0

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 04 - 08DBEC90

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS1 05 - 08DBEB70

Owner: SecretService. Roster: 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: D.

Ordered plan: Move 1st In (08B475C0).

1. Move to waypoint: waypoint 4 (cell 69, 69).

SS2 01 - 0895B6F0

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Cover 2nd Retreat (08DB8C40).

1. Attack-move toward waypoint: waypoint 27 (cell 54, 96).
2. Scatter.
3. Seek/attack target category; configured argument 4.
4. Seek/attack target category; configured argument 5.

SS2 02 - 0895B5D0

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Reinf 2nd Retreat (08DBF910).

1. Attack-move toward waypoint: waypoint 30 (cell 45, 89).
2. Scatter.
3. Guard for interval; configured argument 100.
4. Adopt object mission: hunt.

SS2 03 - 08DBE810

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Cover 1st Retreat (08935DC0).

1. Attack-move toward waypoint: waypoint 11 (cell 83, 79).
2. Scatter.
3. Guard for interval; configured argument 100.
4. Adopt object mission: hunt.

SS2 04 - 08DBE6F0

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Cover 1st Retreat (08935DC0).

1. Attack-move toward waypoint: waypoint 11 (cell 83, 79).
2. Scatter.
3. Guard for interval; configured argument 100.
4. Adopt object mission: hunt.

SS2 05 - 08DBE5D0

Owner: SecretService. Roster: 10 × GI (E1); 5 × SEAL (GHOST)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0; Waypoint: W.

Ordered plan: Cover 1st Retreat (08935DC0).

1. Attack-move toward waypoint: waypoint 11 (cell 83, 79).
2. Scatter.
3. Guard for interval; configured argument 100.
4. Adopt object mission: hunt.

1R MCV - 08D4C630

Owner: USA2. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: Esc to 2ndardy (08D4F0F0).

1. Move to waypoint: waypoint 7 (cell 67, 83).
2. Move to waypoint: waypoint 27 (cell 54, 96).
3. Move to waypoint: waypoint 28 (cell 59, 107).
4. Move to waypoint: waypoint 29 (cell 62, 116).
5. Deploy.

Air Discovery - 08DBA410

Owner: USA1. Roster: 3 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: AF.

Ordered plan: Blackhawk Discovery (08DBF7E0).

1. Attack-move toward waypoint: waypoint 8 (cell 70, 57).
2. Scatter.
3. Guard for interval; configured argument 50.

IFV Rollout - 08DB9AB0

Owner: USA1. Roster: 5 × IFV (FV)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0; Waypoint: X.

Ordered plan: IFV Aggress (08DB9750).

1. Seek/attack target category; configured argument 4.
2. Seek/attack target category; configured argument 5.

sov09t.map - mission overrides and local definitions

Trigger ledger | Team plans | Campaign guide

Each row is explicitly written in this map. It replaces/adds that property for the scenario; properties absent here continue to come from the effective rules/defaults. This table includes matching common-rule/weapon/terrain sections and new registered type definitions, but excludes map-placement data, packed art/terrain blocks and trigger/team sections translated in the companions. It is a property reference, not a claim to have decoded every packed map field. Source: MAPS02.MIX/sov09t.map.

Object/system	Property	Mission value	Source line
SPECIALFLAGS	Tiberium Grows	no	2
SPECIALFLAGS	Tiberium Spreads	yes	3
SPECIALFLAGS	Tiberium Explosive	no	4
SPECIALFLAGS	Destroyable Bridges	yes	5
SPECIALFLAGS	MCV Deploy	no	6
SPECIALFLAGS	Initial Veteran	no	7
SPECIALFLAGS	Fixed Alliance	no	8
SPECIALFLAGS	Harvester Immune	no	9
SPECIALFLAGS	Fog Of War	no	10
SPECIALFLAGS	Inert	no	11
SPECIALFLAGS	Ion Storms	no	12
SPECIALFLAGS	Meteorites	no	13
SPECIALFLAGS	Visceroids	no	14
COUNTRIES (COUNTRIES)	0	President	17
COUNTRIES (COUNTRIES)	1	SecretService	18
COUNTRIES (COUNTRIES)	2	USA1	19
COUNTRIES (COUNTRIES)	3	USA2	20
COUNTRIES (COUNTRIES)	4	SovStar	21
COUNTRIES (COUNTRIES)	5	SovReg	22
VARIABLENAMES (VARIABLENAMES)	0	PresOnGround,0	122
VARIABLENAMES (VARIABLENAMES)	1	SS Breakup,0	123
VARIABLENAMES (VARIABLENAMES)	2	1st Retreat,0	124
VARIABLENAMES (VARIABLENAMES)	3	PrmaryBlown,0	125
VARIABLENAMES (VARIABLENAMES)	4	1st Retreat A,0	126
VARIABLENAMES (VARIABLENAMES)	5	Call 2nd Retreat,0	127
VARIABLENAMES (VARIABLENAMES)	6	1st Retreat B,0	128

Weapon paths: firing record, projectile and warhead

Guide index | Combat explanation

Every explicit normal, secondary, elite, occupant, numbered-stage and death weapon on the registered object cards is represented. Additional weapon references reached through projectile/warhead effects are followed recursively. A special weapon's damage field must not automatically be interpreted as ordinary health damage.

Each card is read in order: choose weapon; check range/reload; create its effect/projectile; apply its warhead to the target. Percentages use the armor order explained in Combat. Unspecified fields are not invented defaults.

Red Alert 2 - 105MM

Part of attack	Explicit setting/value
Firing record	105MM
Firing - base effect magnitude	65
Firing - reload interval	60
Firing - maximum range setting	5
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 105MM, first property line 16693. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 105MME

Part of attack	Explicit setting/value
Firing record	105MME
Firing - base effect magnitude	55
Firing - reload interval	75
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	GRIZAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	GRIZAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 105MME, first property line 17736. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 120MM

Part of attack	Explicit setting/value
Firing record	120MM
Firing - base effect magnitude	90
Firing - reload interval	65
Firing - maximum range setting	5.75
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 120MM, first property line 16718. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 120MME

Part of attack	Explicit setting/value
Firing record	120MME
Firing - base effect magnitude	85
Firing - reload interval	80
Firing - maximum range setting	5.75
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	RHINAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RHINAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 120MME, first property line 17762. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 120MMX

Part of attack	Explicit setting/value
Firing record	120MMX
Firing - base effect magnitude	100
Firing - reload interval	80
Firing - maximum range setting	5.75
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	ApocAP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ApocAP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,100%,100%,70%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	APOCEXP
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 120MMX, first property line 16705. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 120MMXE

Part of attack	Explicit setting/value
Firing record	120MMXE
Firing - base effect magnitude	100
Firing - reload interval	80
Firing - maximum range setting	5.75
Firing - Burst	4
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	ApocAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ApocAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,100%,100%,100%,100%,70%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 120MMXE, first property line 17749. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 155MM

Part of attack	Explicit setting/value
Firing record	155MM
Firing - base effect magnitude	60
Firing - reload interval	110
Firing - maximum range setting	8
Firing - minimum range setting	0
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	ARTYHE
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,80%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section 155MM, first property line 16797. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 155MME

Part of attack	Explicit setting/value
Firing record	155MME
Firing - base effect magnitude	60
Firing - reload interval	110
Firing - maximum range setting	8
Firing - minimum range setting	0
Firing - Burst	2
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	ARTYHE
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,80%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section 155MME, first property line 17784. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 20MM

Part of attack	Explicit setting/value
Firing record	20MM
Firing - base effect magnitude	25
Firing - reload interval	30
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Invisible3
Firing - Warhead	SSA
Projectile record	Invisible3
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 20MM, first property line 16459. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 20MME

Part of attack	Explicit setting/value
Firing record	20MME
Firing - base effect magnitude	25
Firing - reload interval	5
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Invisible3
Firing - Warhead	SSA
Projectile record	Invisible3
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 20MME, first property line 17774. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 20MMRAPID

Part of attack	Explicit setting/value
Firing record	20MMRAPID
Firing - base effect magnitude	30
Firing - reload interval	20
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HARVWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HARVWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,20%,20%,20%,15%,10%,200%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 20MMRAPID, first property line 16449. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 20MMRAPIDE

Part of attack	Explicit setting/value
Firing record	20MMRAPIDE
Firing - base effect magnitude	50
Firing - reload interval	50
Firing - maximum range setting	5.75
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	HowitzerWH
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HowitzerWH
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,60%,40%,40%,50%,40%,25%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 20MMRAPIDE, first property line 18056. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - 90MM

Part of attack	Explicit setting/value
Firing record	90MM
Firing - base effect magnitude	36
Firing - reload interval	50
Firing - maximum range setting	5.75
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section 90MM, first property line 16681. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ALLIEDOCCUPYW

Part of attack	Explicit setting/value
Firing record	ALLIEDOCCUPYW
Firing - base effect magnitude	30
Firing - reload interval	15
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section ALLIEDOCCUPYW, first property line 16112. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ALLIGATORBITE

Part of attack	Explicit setting/value
Firing record	ALLIGATORBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section ALLIGATORBITE, first property line 16871. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ASSAULTBOLT

Part of attack	Explicit setting/value
Firing record	ASSAULTBOLT
Firing - base effect magnitude	10
Firing - reload interval	25
Firing - maximum range setting	1.83
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ElectricAssault
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ElectricAssault
Warhead - armor effectiveness, ordered percentages	0%,0,0%,0%,0%,0%,100%,100%,100%,50%,100%
Warhead - Infdeath	5

Source: ra2.mix/local.mix/rules.ini, section ASSAULTBOLT, first property line 17111. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ASWBOMB

Part of attack	Explicit setting/value
Firing record	ASWBOMB
Firing - base effect magnitude	50
Firing - reload interval	3
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	DepthCharge
Firing - Warhead	APSplash
Projectile record	DepthCharge
Projectile - Arm	2
Projectile - Rot	1
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section ASWBOMB, first property line 16611. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ASWCOLLISION

Part of attack	Explicit setting/value
Firing record	ASWCOLLISION
Firing - base effect magnitude	100
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	AP
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section ASWCOLLISION, first property line 16647. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ASWLAUNCHER

Part of attack	Explicit setting/value
Firing record	ASWLAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	-2
Firing - Speed	10
Firing - Projectile	ASWVirt
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	ASWVirt
Projectile - air targeting	no
Projectile - ground targeting	no
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	Special

Source: ra2.mix/local.mix/rules.ini, section ASWLAUNCHER, first property line 16948. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - AWP

Part of attack	Explicit setting/value
Firing record	AWP
Firing - base effect magnitude	125
Firing - reload interval	150
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section AWP, first property line 16508. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - AWPE

Part of attack	Explicit setting/value
Firing record	AWPE
Firing - base effect magnitude	125
Firing - reload interval	60
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section AWPE, first property line 18015. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BADTEETH

Part of attack	Explicit setting/value
Firing record	BADTEETH
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	DOGJUMP
Firing - Warhead	ParasiteDog
Projectile record	DOGJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasiteDog
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: ra2.mix/local.mix/rules.ini, section BADTEETH, first property line 16848. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BARRELEXPLOSION

Part of attack	Explicit setting/value
Firing record	BARRELEXPLOSION
Firing - base effect magnitude	200
Firing - Projectile	Invisible
Firing - Warhead	OilExplosionWH
Projectile record	Invisible
Warhead record	OilExplosionWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,70%,50%,200%,90%,50%,100%,100%
Warhead - area spread	4
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	4

Source: ra2.mix/local.mix/rules.ini, section BARRELEXPLOSION, first property line 16097. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BEARBITE

Part of attack	Explicit setting/value
Firing record	BEARBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section BEARBITE, first property line 16881. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BLACKHAWKCANNON

Part of attack	Explicit setting/value
Firing record	BLACKHAWKCANNON
Firing - base effect magnitude	35
Firing - reload interval	40
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	QuadShell
Firing - Warhead	SA
Firing - Omnifire	yes
Projectile record	QuadShell
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section BLACKHAWKCANNON, first property line 16530. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BLACKHAWKCANNONE

Part of attack	Explicit setting/value
Firing record	BLACKHAWKCANNONE
Firing - base effect magnitude	40
Firing - reload interval	40
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	QuadShell
Firing - Warhead	SSA
Firing - Omnifire	yes
Projectile record	QuadShell
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section BLACKHAWKCANNONE, first property line 17932. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BLIMPBOMB

Part of attack	Explicit setting/value
Firing record	BLIMPBOMB
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	BlimpBombP
Firing - Warhead	BlimpHE
Firing - Omnifire	yes
Projectile record	BlimpBombP
Projectile - Arm	10
Warhead record	BlimpHE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,35%,35%,85%,75%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section BLIMPBOMB, first property line 16164. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - BLIMPBOMBE

Part of attack	Explicit setting/value
Firing record	BLIMPBOMBE
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	BlimpBombP
Firing - Warhead	KTSTLEXP
Firing - Omnifire	yes
Projectile record	BlimpBombP
Projectile - Arm	10
Warhead record	KTSTLEXP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,35%,35%,85%,75%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	KTSTLEXP
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section BLIMPBOMBE, first property line 17876. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CHIMPBITE

Part of attack	Explicit setting/value
Firing record	CHIMPBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section CHIMPBITE, first property line 16891. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CHRONOMP5

Part of attack	Explicit setting/value
Firing record	CHRONOMP5
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPointNoBuilding
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPointNoBuilding
Warhead - armor effectiveness, ordered percentages	200%,100%,75%,1%,1%,1%,0%,0%,0%,75%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section CHRONOMP5, first property line 16488. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CHRONOMP5E

Part of attack	Explicit setting/value
Firing record	CHRONOMP5E
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPointNoBuilding
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPointNoBuilding
Warhead - armor effectiveness, ordered percentages	200%,100%,75%,1%,1%,1%,0%,0%,0%,75%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section CHRONOMP5E, first property line 18035. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - COILBOLT

Part of attack	Explicit setting/value
Firing record	COILBOLT
Firing - base effect magnitude	200
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	Invisible
Firing - Warhead	Electric
Projectile record	Invisible
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section COILBOLT, first property line 17123. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - COMET

Part of attack	Explicit setting/value
Firing record	COMET
Firing - base effect magnitude	100
Firing - reload interval	100
Firing - maximum range setting	10
Firing - Speed	40
Firing - Projectile	LargeCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	LargeCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	CometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: ra2.mix/local.mix/rules.ini, section COMET, first property line 17434. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - COMETFRAGMENT

Part of attack	Explicit setting/value
Firing record	COMETFRAGMENT
Firing - base effect magnitude	30
Firing - reload interval	120
Firing - maximum range setting	3
Firing - Speed	10
Firing - Projectile	SmallCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SmallCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: ra2.mix/local.mix/rules.ini, section COMETFRAGMENT, first property line 17452. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - COWSHOT

Part of attack	Explicit setting/value
Firing record	COWSHOT
Firing - base effect magnitude	300
Firing - reload interval	75
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Islaser	true
Firing - Isbiglaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: ra2.mix/local.mix/rules.ini, section COWSHOT, first property line 17631. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRELECTRICBOLT

Part of attack	Explicit setting/value
Firing record	CRELECTRICBOLT
Firing - base effect magnitude	60
Firing - reload interval	45
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Shock
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section CRELECTRICBOLT, first property line 17491. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRFLAKGUYGUN

Part of attack	Explicit setting/value
Firing record	CRFLAKGUYGUN
Firing - base effect magnitude	30
Firing - reload interval	15
Firing - maximum range setting	7
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: ra2.mix/local.mix/rules.ini, section CRFLAKGUYGUN, first property line 17656. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRM60

Part of attack	Explicit setting/value
Firing record	CRM60
Firing - base effect magnitude	20
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section CRM60, first property line 17480. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRMINDCONTROL

Part of attack	Explicit setting/value
Firing record	CRMINDCONTROL
Firing - base effect magnitude	200
Firing - reload interval	10
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	PsiPulse
Projectile record	Psychic
Warhead record	PsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - area spread	3
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6

Source: ra2.mix/local.mix/rules.ini, section CRMINDCONTROL, first property line 17607. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRMP5

Part of attack	Explicit setting/value
Firing record	CRMP5
Firing - base effect magnitude	125
Firing - reload interval	20
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint3
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint3
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,2%,2%,2%,2%,2%,2%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section CRMP5, first property line 17512. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRNEUTRONRIFLE

Part of attack	Explicit setting/value
Firing record	CRNEUTRONRIFLE
Firing - base effect magnitude	10
Firing - reload interval	120
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ChronoBeam
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Temporal	yes

Source: ra2.mix/local.mix/rules.ini, section CRNEUTRONRIFLE, first property line 17536. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRNUKE

Part of attack	Explicit setting/value
Firing record	CRNUKE
Firing - base effect magnitude	200
Firing - reload interval	80
Firing - maximum range setting	1
Firing - Speed	35
Firing - Projectile	InvisibleLow
Firing - Warhead	CRNUKEWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	CRNUKEWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,90%,50%,50%,60%,150%,20%,100%,100%
Warhead - area spread	5
Warhead - Percentatmax	.25
Warhead - Infdeath	4
Warhead - Animlist	MININUKE - added 11/30
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section CRNUKE, first property line 17557. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRRADBEAMWEAPON

Part of attack	Explicit setting/value
Firing record	CRRADBEAMWEAPON
Firing - base effect magnitude	175
Firing - reload interval	30
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: ra2.mix/local.mix/rules.ini, section CRRADBEAMWEAPON, first property line 17589. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - CRTERRORBOMB

Part of attack	Explicit setting/value
Firing record	CRTERRORBOMB
Firing - base effect magnitude	250
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	TerrorBombWH
Projectile record	Invisible
Warhead record	TerrorBombWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,50%,50%,100%,150%,30%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Infdeath	4
Warhead - Animlist	MININUKE

Source: ra2.mix/local.mix/rules.ini, section CRTERRORBOMB, first property line 17568. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DEFAULTDEATHWEAPON

Part of attack	Explicit setting/value
Firing record	DEFAULTDEATHWEAPON
Firing - Projectile	Invisible
Firing - Warhead	DeathWH
Projectile record	Invisible
Warhead record	DeathWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - area spread	1.5
Warhead - Percentatmax	.5
Warhead - Infdeath	3

Source: ra2.mix/local.mix/rules.ini, section DEFAULTDEATHWEAPON, first property line 16087. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DEFUSEKIT

Part of attack	Explicit setting/value
Firing record	DEFUSEKIT
Firing - base effect magnitude	1
Firing - reload interval	20
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	BombDisarm
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	BombDisarm

Source: ra2.mix/local.mix/rules.ini, section DEFUSEKIT, first property line 17237. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DEMOBOMB

Part of attack	Explicit setting/value
Firing record	DEMOBOMB
Firing - base effect magnitude	300
Firing - reload interval	80
Firing - maximum range setting	1
Firing - Speed	35
Firing - Projectile	InvisibleLow
Firing - Warhead	DemobombWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	DemobombWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,50%,50%,80%,150%,10%,100%,100%
Warhead - area spread	8
Warhead - Percentatmax	.1
Warhead - Infdeath	4
Warhead - Animlist	DEMTEXP
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section DEMOBOMB, first property line 17577. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DOUBLEPISTOLS

Part of attack	Explicit setting/value
Firing record	DOUBLEPISTOLS
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section DOUBLEPISTOLS, first property line 16478. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DOUBLEPISTOLSE

Part of attack	Explicit setting/value
Firing record	DOUBLEPISTOLSE
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section DOUBLEPISTOLSE, first property line 18092. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DREDLAUNCHER

Part of attack	Explicit setting/value
Firing record	DREDLAUNCHER
Firing - base effect magnitude	50
Firing - reload interval	50
Firing - maximum range setting	25
Firing - minimum range setting	8
Firing - Burst	2
Firing - Speed	15
Firing - Projectile	InvisibleHigh
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Special

Source: ra2.mix/local.mix/rules.ini, section DREDLAUNCHER, first property line 16823. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - DRONEJUMP

Part of attack	Explicit setting/value
Firing record	DRONEJUMP
Firing - base effect magnitude	50
Firing - reload interval	60
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	JUMP
Firing - Warhead	Parasite
Projectile record	JUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	Parasite
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: ra2.mix/local.mix/rules.ini, section DRONEJUMP, first property line 16837. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - EIFFELBOLT

Part of attack	Explicit setting/value
Firing record	EIFFELBOLT
Firing - base effect magnitude	2000
Firing - reload interval	20
Firing - maximum range setting	20
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	Electric
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section EIFFELBOLT, first property line 17148. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ELECTRICBOLT

Part of attack	Explicit setting/value
Firing record	ELECTRICBOLT
Firing - base effect magnitude	50
Firing - reload interval	60
Firing - maximum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Shock
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section ELECTRICBOLT, first property line 17088. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - ELECTRICBOLTE

Part of attack	Explicit setting/value
Firing record	ELECTRICBOLTE
Firing - base effect magnitude	50
Firing - reload interval	40
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Electricbounce
Firing - Warhead	Shock
Projectile record	Electricbounce
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	TeslaFragment
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section ELECTRICBOLTE, first property line 17808. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FAKEC4

Part of attack	Explicit setting/value
Firing record	FAKEC4
Firing - base effect magnitude	5000
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	FakeC4WH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FakeC4WH
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,100%,100%,100%,0%,100%
Warhead - area spread	0

Source: ra2.mix/local.mix/rules.ini, section FAKEC4, first property line 16497. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKGUYAAGUN

Part of attack	Explicit setting/value
Firing record	FLAKGUYAAGUN
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakGuyWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakGuyWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,80%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKGUYAAGUN, first property line 17404. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKGUYAAGUNE

Part of attack	Explicit setting/value
Firing record	FLAKGUYAAGUNE
Firing - base effect magnitude	8
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakGuyWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakGuyWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,80%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKGUYAAGUNE, first property line 17724. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKGUYGUN

Part of attack	Explicit setting/value
Firing record	FLAKGUYGUN
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	5
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKGUYGUN, first property line 17424. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKGUYGUNE

Part of attack	Explicit setting/value
Firing record	FLAKGUYGUNE
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKGUYGUNE, first property line 17713. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKTRACKAAGUN

Part of attack	Explicit setting/value
Firing record	FLAKTRACKAAGUN
Firing - base effect magnitude	35
Firing - reload interval	25
Firing - maximum range setting	10
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKTRACKAAGUN, first property line 17394. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKTRACKAAGUNE

Part of attack	Explicit setting/value
Firing record	FLAKTRACKAAGUNE
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKTRACKAAGUNE, first property line 17691. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKTRACKGUN

Part of attack	Explicit setting/value
Firing record	FLAKTRACKGUN
Firing - base effect magnitude	25
Firing - reload interval	40
Firing - maximum range setting	5
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKTRACKGUN, first property line 17414. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKTRACKGUNE

Part of attack	Explicit setting/value
Firing record	FLAKTRACKGUNE
Firing - base effect magnitude	25
Firing - reload interval	40
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKTRACKGUNE, first property line 17702. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKWEAPON

Part of attack	Explicit setting/value
Firing record	FLAKWEAPON
Firing - base effect magnitude	40
Firing - reload interval	20
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKWEAPON, first property line 17384. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - FLAKWEAPONE

Part of attack	Explicit setting/value
Firing record	FLAKWEAPONE
Firing - base effect magnitude	35
Firing - reload interval	20
Firing - maximum range setting	10
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,20%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: ra2.mix/local.mix/rules.ini, section FLAKWEAPONE, first property line 17680. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - GOODTEETH

Part of attack	Explicit setting/value
Firing record	GOODTEETH
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	ADOGJUMP
Firing - Warhead	ParasiteDog
Projectile record	ADOGJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasiteDog
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: ra2.mix/local.mix/rules.ini, section GOODTEETH, first property line 16860. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - GRANDCANNONWEAPON

Part of attack	Explicit setting/value
Firing record	GRANDCANNONWEAPON
Firing - base effect magnitude	150
Firing - reload interval	120
Firing - maximum range setting	15
Firing - minimum range setting	3
Firing - Speed	1
Firing - Projectile	GrandCannonBall
Firing - Warhead	GrandCannonWH
Projectile record	GrandCannonBall
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	GrandCannonWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,50%,100%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.2
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	30%

Source: ra2.mix/local.mix/rules.ini, section GRANDCANNONWEAPON, first property line 17372. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HORNETBOMB

Part of attack	Explicit setting/value
Firing record	HORNETBOMB
Firing - base effect magnitude	40
Firing - reload interval	3
Firing - maximum range setting	5
Firing - Speed	30
Firing - Projectile	NormalBomb
Firing - Warhead	ORCAAP
Projectile record	NormalBomb
Projectile - Arm	2
Projectile - Rot	1
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section HORNETBOMB, first property line 16602. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HORNETBOMBE

Part of attack	Explicit setting/value
Firing record	HORNETBOMBE
Firing - base effect magnitude	80
Firing - reload interval	3
Firing - maximum range setting	5
Firing - Speed	30
Firing - Projectile	NormalBomb
Firing - Warhead	ARTYHE
Projectile record	NormalBomb
Projectile - Arm	2
Projectile - Rot	1
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,80%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section HORNETBOMBE, first property line 17920. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HORNETCOLLISION

Part of attack	Explicit setting/value
Firing record	HORNETCOLLISION
Firing - base effect magnitude	100
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	AP
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section HORNETCOLLISION, first property line 16626. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HORNETLAUNCHER

Part of attack	Explicit setting/value
Firing record	HORNETLAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	25
Firing - Speed	10
Firing - Projectile	Invisible
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	Invisible
Warhead record	Special

Source: ra2.mix/local.mix/rules.ini, section HORNETLAUNCHER, first property line 16936. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HOVERMISSILE

Part of attack	Explicit setting/value
Firing record	HOVERMISSILE
Firing - base effect magnitude	25
Firing - reload interval	50
Firing - maximum range setting	6
Firing - minimum range setting	1
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	HE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,70%,35%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section HOVERMISSILE, first property line 16285. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HOVERMISSILEE

Part of attack	Explicit setting/value
Firing record	HOVERMISSILEE
Firing - base effect magnitude	80
Firing - reload interval	50
Firing - maximum range setting	6
Firing - minimum range setting	1
Firing - Burst	4
Firing - Speed	40
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	HE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,70%,35%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section HOVERMISSILEE, first property line 17992. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - HOWITZERGUN

Part of attack	Explicit setting/value
Firing record	HOWITZERGUN
Firing - base effect magnitude	75
Firing - reload interval	100
Firing - maximum range setting	12
Firing - minimum range setting	2
Firing - Speed	100
Firing - Projectile	Ballistic
Firing - Warhead	HowitzerWH
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	HowitzerWH
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,60%,40%,40%,50%,40%,25%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section HOWITZERGUN, first property line 16754. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - IVANBOMBER

Part of attack	Explicit setting/value
Firing record	IVANBOMBER
Firing - base effect magnitude	400
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	IvanBomb
Projectile record	Invisible
Warhead record	IvanBomb
Warhead - Ivanbomb	yes

Source: ra2.mix/local.mix/rules.ini, section IVANBOMBER, first property line 17306. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - IVANBOMBERE

Part of attack	Explicit setting/value
Firing record	IVANBOMBERE
Firing - base effect magnitude	600
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	IvanBomb
Projectile record	Invisible
Warhead record	IvanBomb
Warhead - Ivanbomb	yes

Source: ra2.mix/local.mix/rules.ini, section IVANBOMBERE, first property line 17943. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - M1CARBINE

Part of attack	Explicit setting/value
Firing record	M1CARBINE
Firing - base effect magnitude	15
Firing - reload interval	25
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section M1CARBINE, first property line 16421. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - M1CARBINEE

Part of attack	Explicit setting/value
Firing record	M1CARBINEE
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section M1CARBINEE, first property line 17671. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - M60

Part of attack	Explicit setting/value
Firing record	M60
Firing - base effect magnitude	15
Firing - reload interval	20
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section M60, first property line 16430. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - M60E

Part of attack	Explicit setting/value
Firing record	M60E
Firing - base effect magnitude	25
Firing - reload interval	20
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section M60E, first property line 18128. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAKEUPKIT

Part of attack	Explicit setting/value
Firing record	MAKEUPKIT
Firing - base effect magnitude	1
Firing - reload interval	100
Firing - maximum range setting	-2
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	Snapshot
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	Snapshot
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,100%,100%

Source: ra2.mix/local.mix/rules.ini, section MAKEUPKIT, first property line 17335. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAMMOTHTUSK

Part of attack	Explicit setting/value
Firing record	MAMMOTHTUSK
Firing - base effect magnitude	50
Firing - reload interval	80
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	20
Firing - Projectile	AAHeatSeeker
Firing - Warhead	HE
Projectile record	AAHeatSeeker
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	2
Projectile - Rot	80
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,70%,35%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section MAMMOTHTUSK, first property line 16786. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAVERICK

Part of attack	Explicit setting/value
Firing record	MAVERICK
Firing - base effect magnitude	150
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section MAVERICK, first property line 16564. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAVERICK2

Part of attack	Explicit setting/value
Firing record	MAVERICK2
Firing - base effect magnitude	200
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section MAVERICK2, first property line 16574. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAVERICK2E

Part of attack	Explicit setting/value
Firing record	MAVERICK2E
Firing - base effect magnitude	400
Firing - reload interval	10
Firing - maximum range setting	9
Firing - Burst	2
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section MAVERICK2E, first property line 17910. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAVERICKE

Part of attack	Explicit setting/value
Firing record	MAVERICKE
Firing - base effect magnitude	300
Firing - reload interval	10
Firing - maximum range setting	9
Firing - Burst	4
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section MAVERICKE, first property line 17900. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MAYANPRISM

Part of attack	Explicit setting/value
Firing record	MAYANPRISM
Firing - base effect magnitude	1000
Firing - reload interval	20
Firing - maximum range setting	12
Firing - Speed	25
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: ra2.mix/local.mix/rules.ini, section MAYANPRISM, first property line 17056. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MEDUSA

Part of attack	Explicit setting/value
Firing record	MEDUSA
Firing - base effect magnitude	100
Firing - reload interval	15
Firing - maximum range setting	12
Firing - Speed	120
Firing - Projectile	MedusaProjectile
Firing - Warhead	SAMWH
Firing - Omnifire	yes
Projectile record	MedusaProjectile
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	1
Projectile - Rot	20
Projectile - High	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section MEDUSA, first property line 16310. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MEDUSAE

Part of attack	Explicit setting/value
Firing record	MEDUSAE
Firing - base effect magnitude	100
Firing - reload interval	5
Firing - maximum range setting	14
Firing - Burst	2
Firing - Speed	150
Firing - Projectile	MedusaProjectile
Firing - Warhead	SAMWH
Firing - Omnifire	yes
Projectile record	MedusaProjectile
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	1
Projectile - Rot	20
Projectile - High	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section MEDUSAE, first property line 18080. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MINDCONTROL

Part of attack	Explicit setting/value
Firing record	MINDCONTROL
Firing - base effect magnitude	10
Firing - reload interval	200
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: ra2.mix/local.mix/rules.ini, section MINDCONTROL, first property line 17271. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MINDCONTROLE

Part of attack	Explicit setting/value
Firing record	MINDCONTROLE
Firing - base effect magnitude	10
Firing - reload interval	200
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: ra2.mix/local.mix/rules.ini, section MINDCONTROLE, first property line 18067. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MIRAGEGUN

Part of attack	Explicit setting/value
Firing record	MIRAGEGUN
Firing - base effect magnitude	100
Firing - reload interval	70
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	MirageWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	MirageWH
Warhead - armor effectiveness, ordered percentages	100%,100%,80%,100%,100%,100%,30%,20%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	IRONFX

Source: ra2.mix/local.mix/rules.ini, section MIRAGEGUN, first property line 17358. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MIRAGEGUNE

Part of attack	Explicit setting/value
Firing record	MIRAGEGUNE
Firing - base effect magnitude	150
Firing - reload interval	80
Firing - maximum range setting	9
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	MirageWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	MirageWH
Warhead - armor effectiveness, ordered percentages	100%,100%,80%,100%,100%,100%,30%,20%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	IRONFX

Source: ra2.mix/local.mix/rules.ini, section MIRAGEGUNE, first property line 17863. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MP5

Part of attack	Explicit setting/value
Firing record	MP5
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section MP5, first property line 16468. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - MP5E

Part of attack	Explicit setting/value
Firing record	MP5E
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section MP5E, first property line 18025. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - NEUTRONRIFLE

Part of attack	Explicit setting/value
Firing record	NEUTRONRIFLE
Firing - base effect magnitude	8
Firing - reload interval	120
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ChronoBeam
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Temporal	yes

Source: ra2.mix/local.mix/rules.ini, section NEUTRONRIFLE, first property line 17003. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - NEUTRONRIFLEE

Part of attack	Explicit setting/value
Firing record	NEUTRONRIFLEE
Firing - base effect magnitude	16
Firing - reload interval	120
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ChronoBeam
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Temporal	yes

Source: ra2.mix/local.mix/rules.ini, section NEUTRONRIFLEE, first property line 17890. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - NUKECARRIER

Part of attack	Explicit setting/value
Firing record	NUKECARRIER
Firing - Speed	100
Firing - Projectile	GiantNukeUp
Firing - Warhead	NukeMaker
Projectile record	GiantNukeUp
Projectile - Arm	2
Warhead record	NukeMaker

Source: ra2.mix/local.mix/rules.ini, section NUKECARRIER, first property line 17257. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - NUKEPAYLOAD

Part of attack	Explicit setting/value
Firing record	NUKEPAYLOAD
Firing - base effect magnitude	600
Firing - maximum range setting	30
Firing - Speed	10
Firing - Projectile	GiantNukeDown
Firing - Warhead	NUKE
Projectile record	GiantNukeDown
Projectile - Arm	2
Warhead record	NUKE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,200%,100%,100%,60%,100%,8%,100%,100%
Warhead - area spread	10
Warhead - Percentatmax	.02
Warhead - Wood	yes
Warhead - Infdeath	7
Warhead - Animlist	NUKEANIM
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section NUKEPAYLOAD, first property line 17248. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - OILEXPLOSION

Part of attack	Explicit setting/value
Firing record	OILEXPLOSION
Firing - base effect magnitude	600
Firing - Projectile	Invisible
Firing - Warhead	OilExplosionWH
Projectile record	Invisible
Warhead record	OilExplosionWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,70%,50%,200%,90%,50%,100%,100%
Warhead - area spread	4
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	4

Source: ra2.mix/local.mix/rules.ini, section OILEXPLOSION, first property line 16091. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - OPCOILBOLT

Part of attack	Explicit setting/value
Firing record	OPCOILBOLT
Firing - base effect magnitude	300
Firing - reload interval	100
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	Electric
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section OPCOILBOLT, first property line 17136. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PARA

Part of attack	Explicit setting/value
Firing record	PARA
Firing - base effect magnitude	15
Firing - reload interval	15
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section PARA, first property line 16440. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PARADROPWEAPON

Part of attack	Explicit setting/value
Firing record	PARADROPWEAPON
Firing - base effect magnitude	60
Firing - reload interval	130
Firing - maximum range setting	4
Firing - Burst	1
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	MaverickHE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	MaverickHE
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,100%,50%,50%,100%,75%,50%,25%,100%
Warhead - area spread	1
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section PARADROPWEAPON, first property line 16584. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PARAE

Part of attack	Explicit setting/value
Firing record	PARAE
Firing - base effect magnitude	25
Firing - reload interval	5
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,70%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section PARAE, first property line 18138. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PISTOLA

Part of attack	Explicit setting/value
Firing record	PISTOLA
Firing - base effect magnitude	2
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section PISTOLA, first property line 17262. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PRISMSHOT

Part of attack	Explicit setting/value
Firing record	PRISMSHOT
Firing - base effect magnitude	120
Firing - reload interval	60
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: ra2.mix/local.mix/rules.ini, section PRISMSHOT, first property line 17039. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PRISMSUPPORT

Part of attack	Explicit setting/value
Firing record	PRISMSUPPORT
Firing - base effect magnitude	200
Firing - reload interval	60
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	DummyWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	DummyWarhead
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,0%,0%,0%,0%,0%

Source: ra2.mix/local.mix/rules.ini, section PRISMSUPPORT, first property line 17072. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - PSIWAVE

Part of attack	Explicit setting/value
Firing record	PSIWAVE
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	PsiPulse
Projectile record	Psychic
Warhead record	PsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - area spread	3
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6

Source: ra2.mix/local.mix/rules.ini, section PSIWAVE, first property line 17294. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - RADBEAMWEAPON

Part of attack	Explicit setting/value
Firing record	RADBEAMWEAPON
Firing - base effect magnitude	125
Firing - reload interval	50
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: ra2.mix/local.mix/rules.ini, section RADBEAMWEAPON, first property line 17014. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - RADBEAMWEAPONE

Part of attack	Explicit setting/value
Firing record	RADBEAMWEAPONE
Firing - base effect magnitude	200
Firing - reload interval	50
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: ra2.mix/local.mix/rules.ini, section RADBEAMWEAPONE, first property line 17954. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - RADERUPTIONWEAPON

Part of attack	Explicit setting/value
Firing record	RADERUPTIONWEAPON
Firing - base effect magnitude	1
Firing - reload interval	60
Firing - maximum range setting	4
Firing - Speed	1
Firing - Projectile	InvisibleLow
Firing - Warhead	RadEruptionWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadEruptionWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,10%,10%,0%,0%,0%,100%,100%
Warhead - area spread	10
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: ra2.mix/local.mix/rules.ini, section RADERUPTIONWEAPON, first property line 17025. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - REDEYE2

Part of attack	Explicit setting/value
Firing record	REDEYE2
Firing - base effect magnitude	75
Firing - reload interval	55
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	AAHeatSeeker
Firing - Warhead	SAMWH
Projectile record	AAHeatSeeker
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	2
Projectile - Rot	80
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: ra2.mix/local.mix/rules.ini, section REDEYE2, first property line 16274. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - REPAIRBULLET

Part of attack	Explicit setting/value
Firing record	REPAIRBULLET
Firing - base effect magnitude	-50
Firing - reload interval	80
Firing - maximum range setting	1.8
Firing - Speed	100
Firing - Projectile	Invisible
Firing - Warhead	Mechanical
Projectile record	Invisible
Warhead record	Mechanical
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Infdeath	0

Source: ra2.mix/local.mix/rules.ini, section REPAIRBULLET, first property line 16979. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SABOT

Part of attack	Explicit setting/value
Firing record	SABOT
Firing - base effect magnitude	150
Firing - reload interval	70
Firing - maximum range setting	5
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	UltraAP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	UltraAP
Warhead - armor effectiveness, ordered percentages	2%,2%,2%,100%,40%,100%,2%,2%,2%,2%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN30
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section SABOT, first property line 16742. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SABOTE

Part of attack	Explicit setting/value
Firing record	SABOTE
Firing - base effect magnitude	175
Firing - reload interval	60
Firing - maximum range setting	6.75
Firing - Burst	2
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	UltraAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	UltraAPE
Warhead - armor effectiveness, ordered percentages	2%,2%,2%,100%,50%,100%,2%,2%,2%,100%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section SABOTE, first property line 18044. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SAPPER

Part of attack	Explicit setting/value
Firing record	SAPPER
Firing - base effect magnitude	2500
Firing - reload interval	100
Firing - maximum range setting	1.5
Firing - Projectile	Invisible5
Firing - Warhead	Super
Projectile record	Invisible5
Projectile - air targeting	no
Projectile - ground targeting	no
Warhead record	Super
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	100%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section SAPPER, first property line 16407. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SONICZAP

Part of attack	Explicit setting/value
Firing record	SONICZAP
Firing - base effect magnitude	4
Firing - reload interval	120
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	Sonic
Firing - Warhead	SonicWarhead
Firing - Issonic	Yes
Projectile record	Sonic
Warhead record	SonicWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,80%,80%,100%,60%,60%,100%,100%
Warhead - area spread	.1
Warhead - Percentatmax	1
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Pronedamage	50%
Warhead - Sonic	yes

Source: ra2.mix/local.mix/rules.ini, section SONICZAP, first property line 16963. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SONICZAPE

Part of attack	Explicit setting/value
Firing record	SONICZAPE
Firing - base effect magnitude	8
Firing - reload interval	80
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Sonic
Firing - Warhead	SonicWarhead
Firing - Issonic	Yes
Projectile record	Sonic
Warhead record	SonicWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,80%,80%,100%,60%,60%,100%,100%
Warhead - area spread	.1
Warhead - Percentatmax	1
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Pronedamage	50%
Warhead - Sonic	yes

Source: ra2.mix/local.mix/rules.ini, section SONICZAPE, first property line 17977. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SOVIETOCCUPYW

Part of attack	Explicit setting/value
Firing record	SOVIETOCCUPYW
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section SOVIETOCCUPYW, first property line 16122. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SQUIDGRAB

Part of attack	Explicit setting/value
Firing record	SQUIDGRAB
Firing - base effect magnitude	15
Firing - reload interval	99
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	SQDJUMP
Firing - Warhead	ParasitePlus
Projectile record	SQDJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasitePlus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: ra2.mix/local.mix/rules.ini, section SQUIDGRAB, first property line 16910. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SQUIDGRABE

Part of attack	Explicit setting/value
Firing record	SQUIDGRABE
Firing - base effect magnitude	40
Firing - reload interval	99
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	SQDJUMP
Firing - Warhead	ParasitePlus
Projectile record	SQDJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasitePlus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: ra2.mix/local.mix/rules.ini, section SQUIDGRABE, first property line 18103. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SQUIDPUNCH

Part of attack	Explicit setting/value
Firing record	SQUIDPUNCH
Firing - base effect magnitude	50
Firing - reload interval	32
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	InvisibleLow
Firing - Warhead	HE
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,70%,35%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section SQUIDPUNCH, first property line 16924. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SQUIDPUNCHE

Part of attack	Explicit setting/value
Firing record	SQUIDPUNCHE
Firing - base effect magnitude	200
Firing - reload interval	32
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	InvisibleAll
Firing - Warhead	HE
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,70%,35%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section SQUIDPUNCHE, first property line 18118. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SUBTORPEDO

Part of attack	Explicit setting/value
Firing record	SUBTORPEDO
Firing - base effect magnitude	100
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Speed	25
Firing - Projectile	Torpedo
Firing - Warhead	APSplash
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section SUBTORPEDO, first property line 16253. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SUBTORPEDOE

Part of attack	Explicit setting/value
Firing record	SUBTORPEDOE
Firing - base effect magnitude	100
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Burst	2
Firing - Speed	18
Firing - Projectile	Torpedo
Firing - Warhead	APSplash
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: ra2.mix/local.mix/rules.ini, section SUBTORPEDOE, first property line 17966. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SUPERCOMET

Part of attack	Explicit setting/value
Firing record	SUPERCOMET
Firing - base effect magnitude	150
Firing - reload interval	100
Firing - maximum range setting	10
Firing - Speed	10
Firing - Projectile	SuperCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SuperCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	SuperCometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: ra2.mix/local.mix/rules.ini, section SUPERCOMET, first property line 17831. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SUPERCOMETFRAGMENT

Part of attack	Explicit setting/value
Firing record	SUPERCOMETFRAGMENT
Firing - base effect magnitude	50
Firing - reload interval	100
Firing - maximum range setting	5
Firing - Speed	10
Firing - Projectile	SuperSmallCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SuperSmallCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	CometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: ra2.mix/local.mix/rules.ini, section SUPERCOMETFRAGMENT, first property line 17847. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - SUPERMINDCONTROL

Part of attack	Explicit setting/value
Firing record	SUPERMINDCONTROL
Firing - base effect magnitude	10
Firing - reload interval	200
Firing - maximum range setting	30
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: ra2.mix/local.mix/rules.ini, section SUPERMINDCONTROL, first property line 17282. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - TANKBOLT

Part of attack	Explicit setting/value
Firing record	TANKBOLT
Firing - base effect magnitude	135
Firing - reload interval	75
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Electric
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section TANKBOLT, first property line 17100. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - TANKBOLTE

Part of attack	Explicit setting/value
Firing record	TANKBOLTE
Firing - base effect magnitude	150
Firing - reload interval	60
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	Electricbounce
Firing - Warhead	Electric
Projectile record	Electricbounce
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	TeslaFragment
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section TANKBOLTE, first property line 17797. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - TERRORBOMB

Part of attack	Explicit setting/value
Firing record	TERRORBOMB
Firing - base effect magnitude	225
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	TerrorBombWH
Projectile record	Invisible
Warhead record	TerrorBombWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,50%,50%,100%,150%,30%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Infdeath	4
Warhead - Animlist	MININUKE

Source: ra2.mix/local.mix/rules.ini, section TERRORBOMB, first property line 16103. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - TESLAFRAGMENT

Part of attack	Explicit setting/value
Firing record	TESLAFRAGMENT
Firing - base effect magnitude	30
Firing - reload interval	80
Firing - maximum range setting	3
Firing - Speed	10
Firing - Projectile	SmallTeslaP
Firing - Warhead	Electric
Projectile record	SmallTeslaP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: ra2.mix/local.mix/rules.ini, section TESLAFRAGMENT, first property line 17467. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - V3CLUSTER

Part of attack	Explicit setting/value
Firing record	V3CLUSTER
Firing - base effect magnitude	80
Firing - reload interval	80
Firing - maximum range setting	6
Firing - Speed	20
Firing - Projectile	ClusterBits
Firing - Warhead	V3HE
Projectile record	ClusterBits
Projectile - Arm	2
Projectile - Rot	60
Warhead record	V3HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,30%,5%,5%,85%,50%,30%,100%,0%
Warhead - area spread	.9
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Tiberium	yes

Source: ra2.mix/local.mix/rules.ini, section V3CLUSTER, first property line 17315. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - V3LAUNCHER

Part of attack	Explicit setting/value
Firing record	V3LAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	18
Firing - minimum range setting	5
Firing - Speed	10
Firing - Projectile	InvisibleHigh
Firing - Warhead	Special
Firing - Spawner	yes
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Special

Source: ra2.mix/local.mix/rules.ini, section V3LAUNCHER, first property line 16812. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - VIRTUALSCANNER

Part of attack	Explicit setting/value
Firing record	VIRTUALSCANNER
Firing - base effect magnitude	1
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	SA
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section VIRTUALSCANNER, first property line 16901. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - VULCAN

Part of attack	Explicit setting/value
Firing record	VULCAN
Firing - base effect magnitude	50
Firing - reload interval	26
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section VULCAN, first property line 16350. Projectile/warhead rows use the named sections in that same rules source.

Red Alert 2 - VULCAN2

Part of attack	Explicit setting/value
Firing record	VULCAN2
Firing - base effect magnitude	50
Firing - reload interval	26
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: ra2.mix/local.mix/rules.ini, section VULCAN2, first property line 16230. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 105MM

Part of attack	Explicit setting/value
Firing record	105MM
Firing - base effect magnitude	65
Firing - reload interval	60
Firing - maximum range setting	5
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 105MM, first property line 23326. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 105MME

Part of attack	Explicit setting/value
Firing record	105MME
Firing - base effect magnitude	65
Firing - reload interval	50
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	GRIZAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	GRIZAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 105MME, first property line 24787. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 120MM

Part of attack	Explicit setting/value
Firing record	120MM
Firing - base effect magnitude	90
Firing - reload interval	65
Firing - maximum range setting	5.75
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 120MM, first property line 23351. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 120MME

Part of attack	Explicit setting/value
Firing record	120MME
Firing - base effect magnitude	90
Firing - reload interval	65
Firing - maximum range setting	5.75
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	RHINAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RHINAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 120MME, first property line 24813. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 120MMX

Part of attack	Explicit setting/value
Firing record	120MMX
Firing - base effect magnitude	100
Firing - reload interval	80
Firing - maximum range setting	5.75
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	ApocAP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ApocAP
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,100%,100%,70%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	APOCEXP
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 120MMX, first property line 23338. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 120MMXE

Part of attack	Explicit setting/value
Firing record	120MMXE
Firing - base effect magnitude	100
Firing - reload interval	80
Firing - maximum range setting	5.75
Firing - Burst	4
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	ApocAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ApocAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,100%,100%,100%,100%,70%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 120MMXE, first property line 24800. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 155MM

Part of attack	Explicit setting/value
Firing record	155MM
Firing - base effect magnitude	60
Firing - reload interval	110
Firing - maximum range setting	8
Firing - minimum range setting	0
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	ARTYHE
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,100%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section 155MM, first property line 23453. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 155MME

Part of attack	Explicit setting/value
Firing record	155MME
Firing - base effect magnitude	60
Firing - reload interval	110
Firing - maximum range setting	8
Firing - minimum range setting	0
Firing - Burst	2
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	ARTYHE
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,100%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section 155MME, first property line 24835. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 160MM

Part of attack	Explicit setting/value
Firing record	160MM
Firing - base effect magnitude	90
Firing - reload interval	100
Firing - maximum range setting	12
Firing - minimum range setting	0
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	SCHOPWH
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	SCHOPWH
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,80%,50%,50%,100%,100%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section 160MM, first property line 23467. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 160MME

Part of attack	Explicit setting/value
Firing record	160MME
Firing - base effect magnitude	90
Firing - reload interval	100
Firing - maximum range setting	12
Firing - minimum range setting	0
Firing - Burst	2
Firing - Speed	10
Firing - Projectile	Ballistic
Firing - Warhead	SCHOPWH
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	SCHOPWH
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,80%,50%,50%,100%,100%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section 160MME, first property line 24849. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 20MM

Part of attack	Explicit setting/value
Firing record	20MM
Firing - base effect magnitude	25
Firing - reload interval	30
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Invisible3
Firing - Warhead	SSA
Projectile record	Invisible3
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section 20MM, first property line 22977. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 20MME

Part of attack	Explicit setting/value
Firing record	20MME
Firing - base effect magnitude	25
Firing - reload interval	5
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Invisible3
Firing - Warhead	SSA
Projectile record	Invisible3
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section 20MME, first property line 24825. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 20MMRAPID

Part of attack	Explicit setting/value
Firing record	20MMRAPID
Firing - base effect magnitude	30
Firing - reload interval	20
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HARVWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HARVWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,20%,20%,20%,15%,10%,400%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 20MMRAPID, first property line 22967. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - 20MMRAPIDE

Part of attack	Explicit setting/value
Firing record	20MMRAPIDE
Firing - base effect magnitude	50
Firing - reload interval	50
Firing - maximum range setting	5.75
Firing - Speed	40
Firing - Projectile	Cannon
Firing - Warhead	HowitzerWH
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HowitzerWH
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,60%,40%,40%,50%,40%,25%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section 20MMRAPIDE, first property line 25200. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTCANN

Part of attack	Explicit setting/value
Firing record	AAGATTCANN
Firing - base effect magnitude	30
Firing - reload interval	16
Firing - maximum range setting	12
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTCANN, first property line 22762. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTCANN2

Part of attack	Explicit setting/value
Firing record	AAGATTCANN2
Firing - base effect magnitude	30
Firing - reload interval	8
Firing - maximum range setting	12
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTCANN2, first property line 22775. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTCANN3

Part of attack	Explicit setting/value
Firing record	AAGATTCANN3
Firing - base effect magnitude	30
Firing - reload interval	4
Firing - maximum range setting	12
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTCANN3, first property line 22788. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLING

Part of attack	Explicit setting/value
Firing record	AAGATTLING
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLING, first property line 22696. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLING2

Part of attack	Explicit setting/value
Firing record	AAGATTLING2
Firing - base effect magnitude	30
Firing - reload interval	8
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLING2, first property line 22722. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLING2E

Part of attack	Explicit setting/value
Firing record	AAGATTLING2E
Firing - base effect magnitude	25
Firing - reload interval	8
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLING2E, first property line 24641. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLING3

Part of attack	Explicit setting/value
Firing record	AAGATTLING3
Firing - base effect magnitude	40
Firing - reload interval	4
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLING3, first property line 22748. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLING3E

Part of attack	Explicit setting/value
Firing record	AAGATTLING3E
Firing - base effect magnitude	25
Firing - reload interval	4
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLING3E, first property line 24667. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AAGATTLINGE

Part of attack	Explicit setting/value
Firing record	AAGATTLINGE
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisible4
Firing - Warhead	GattWH
Projectile record	Invisible4
Projectile - air targeting	yes
Projectile - ground targeting	no
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AAGATTLINGE, first property line 24615. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLING

Part of attack	Explicit setting/value
Firing record	AGGATTLING
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	GattWH
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLING, first property line 22683. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLING2

Part of attack	Explicit setting/value
Firing record	AGGATTLING2
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	SA
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLING2, first property line 22709. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLING2E

Part of attack	Explicit setting/value
Firing record	AGGATTLING2E
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	SA
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLING2E, first property line 24628. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLING3

Part of attack	Explicit setting/value
Firing record	AGGATTLING3
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	SSA
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLING3, first property line 22735. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLING3E

Part of attack	Explicit setting/value
Firing record	AGGATTLING3E
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	SSA
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLING3E, first property line 24654. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AGGATTLINGE

Part of attack	Explicit setting/value
Firing record	AGGATTLINGE
Firing - base effect magnitude	25
Firing - reload interval	16
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Invisiblelow
Firing - Warhead	GattWH
Projectile record	Invisiblelow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	GattWH
Warhead - armor effectiveness, ordered percentages	100%,80%,70%,50%,30%,10%,10%,5%,3%,200%,50%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AGGATTLINGE, first property line 24602. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AKM

Part of attack	Explicit setting/value
Firing record	AKM
Firing - base effect magnitude	65
Firing - reload interval	20
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	BORISWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	BORISWH
Warhead - armor effectiveness, ordered percentages	200%,200%,100%,50%,50%,50%,1%,1%,1%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AKM, first property line 23006. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AKME

Part of attack	Explicit setting/value
Firing record	AKME
Firing - base effect magnitude	90
Firing - reload interval	20
Firing - maximum range setting	9
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	BORISWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	BORISWH
Warhead - armor effectiveness, ordered percentages	200%,200%,100%,50%,50%,50%,1%,1%,1%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section AKME, first property line 25246. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ALLIGATORBITE

Part of attack	Explicit setting/value
Firing record	ALLIGATORBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section ALLIGATORBITE, first property line 23560. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ASSAULTBOLT

Part of attack	Explicit setting/value
Firing record	ASSAULTBOLT
Firing - base effect magnitude	10
Firing - reload interval	25
Firing - maximum range setting	1.83
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ElectricAssault
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ElectricAssault
Warhead - armor effectiveness, ordered percentages	0%,0,0%,0%,0%,0%,100%,100%,100%,50%,100%
Warhead - Infdeath	5

Source: expandmd01.mix/rulesmd.ini, section ASSAULTBOLT, first property line 23880. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ASWBOMB

Part of attack	Explicit setting/value
Firing record	ASWBOMB
Firing - base effect magnitude	50
Firing - reload interval	3
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	DepthCharge
Firing - Warhead	APSplash
Projectile record	DepthCharge
Projectile - Arm	2
Projectile - Rot	1
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section ASWBOMB, first property line 23220. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ASWCOLLISION

Part of attack	Explicit setting/value
Firing record	ASWCOLLISION
Firing - base effect magnitude	100
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	AP
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section ASWCOLLISION, first property line 23256. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ASWLAUNCHER

Part of attack	Explicit setting/value
Firing record	ASWLAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	-2
Firing - Speed	10
Firing - Projectile	ASWVirt
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	ASWVirt
Projectile - air targeting	no
Projectile - ground targeting	no
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	Special

Source: expandmd01.mix/rulesmd.ini, section ASWLAUNCHER, first property line 23667. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ATGUN

Part of attack	Explicit setting/value
Firing record	ATGUN
Firing - base effect magnitude	65
Firing - reload interval	60
Firing - maximum range setting	5
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section ATGUN, first property line 23375. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ATGUNE

Part of attack	Explicit setting/value
Firing record	ATGUNE
Firing - base effect magnitude	65
Firing - reload interval	50
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	RHINAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RHINAPE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section ATGUNE, first property line 25176. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AWP

Part of attack	Explicit setting/value
Firing record	AWP
Firing - base effect magnitude	125
Firing - reload interval	150
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section AWP, first property line 23077. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - AWPE

Part of attack	Explicit setting/value
Firing record	AWPE
Firing - base effect magnitude	125
Firing - reload interval	60
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section AWPE, first property line 25147. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BADTEETH

Part of attack	Explicit setting/value
Firing record	BADTEETH
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	DOGJUMP
Firing - Warhead	ParasiteDog
Firing - Fireintransport	no
Projectile record	DOGJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasiteDog
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: expandmd01.mix/rulesmd.ini, section BADTEETH, first property line 23535. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BARRELEXPLOSION

Part of attack	Explicit setting/value
Firing record	BARRELEXPLOSION
Firing - base effect magnitude	200
Firing - Projectile	Invisible
Firing - Warhead	OilExplosionWH
Projectile record	Invisible
Warhead record	OilExplosionWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,70%,50%,200%,200%,200%,100%,100%
Warhead - area spread	4
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	4

Source: expandmd01.mix/rulesmd.ini, section BARRELEXPLOSION, first property line 22365. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BEARBITE

Part of attack	Explicit setting/value
Firing record	BEARBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section BEARBITE, first property line 23570. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BLACKHAWKCANNON

Part of attack	Explicit setting/value
Firing record	BLACKHAWKCANNON
Firing - base effect magnitude	35
Firing - reload interval	40
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	QuadShell
Firing - Warhead	SA
Firing - Omnifire	yes
Projectile record	QuadShell
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section BLACKHAWKCANNON, first property line 23121. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BLACKHAWKCANNONE

Part of attack	Explicit setting/value
Firing record	BLACKHAWKCANNONE
Firing - base effect magnitude	40
Firing - reload interval	40
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	QuadShell
Firing - Warhead	SSA
Firing - Omnifire	yes
Projectile record	QuadShell
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section BLACKHAWKCANNONE, first property line 25042. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BLIMPBOMB

Part of attack	Explicit setting/value
Firing record	BLIMPBOMB
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	BlimpBombP
Firing - Warhead	BlimpHE
Firing - Omnifire	yes
Projectile record	BlimpBombP
Projectile - Arm	10
Warhead record	BlimpHE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,35%,35%,85%,75%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section BLIMPBOMB, first property line 22413. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BLIMPBOMBE

Part of attack	Explicit setting/value
Firing record	BLIMPBOMBE
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	BlimpBombP
Firing - Warhead	KTSTLEXP
Firing - Omnifire	yes
Projectile record	BlimpBombP
Projectile - Arm	10
Warhead record	KTSTLEXP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,35%,35%,85%,75%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	KTSTLEXP
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section BLIMPBOMBE, first property line 24941. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BLIMPBOMBEFFECT

Part of attack	Explicit setting/value
Firing record	BLIMPBOMBEFFECT
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	BlimpBombP
Firing - Warhead	BlimpHEEffect
Firing - Omnifire	yes
Projectile record	BlimpBombP
Projectile - Arm	10
Warhead record	BlimpHEEffect
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,35%,35%,85%,75%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	EXPLOMED
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section BLIMPBOMBEFFECT, first property line 22425. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BOOMERTORPEDO

Part of attack	Explicit setting/value
Firing record	BOOMERTORPEDO
Firing - base effect magnitude	60
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Burst	2
Firing - Speed	25
Firing - Projectile	Torpedo
Firing - Warhead	APSplash2
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash2
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section BOOMERTORPEDO, first property line 22525. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - BOOMERTORPEDOE

Part of attack	Explicit setting/value
Firing record	BOOMERTORPEDOE
Firing - base effect magnitude	60
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Burst	4
Firing - Speed	18
Firing - Projectile	Torpedo
Firing - Warhead	APSplash2
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash2
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section BOOMERTORPEDOE, first property line 25086. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CHAOSATTACK

Part of attack	Explicit setting/value
Firing record	CHAOSATTACK
Firing - base effect magnitude	600
Firing - reload interval	45
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	InvisibleLow
Firing - Warhead	PsychGasCreate
Firing - Omnifire	yes
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	PsychGasCreate
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,50%,50%,50%,0%,0%,0%,100%,100%
Warhead - area spread	3
Warhead - Percentatmax	1
Warhead - Infdeath	1
Warhead - Animlist	CDGAS

Source: expandmd01.mix/rulesmd.ini, section CHAOSATTACK, first property line 23507. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CHIMPBITE

Part of attack	Explicit setting/value
Firing record	CHIMPBITE
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CHIMPBITE, first property line 23580. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CHRONOMP5

Part of attack	Explicit setting/value
Firing record	CHRONOMP5
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPointNoBuilding
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPointNoBuilding
Warhead - armor effectiveness, ordered percentages	200%,100%,75%,1%,1%,1%,0%,0%,0%,75%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CHRONOMP5, first property line 23057. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CHRONOMP5E

Part of attack	Explicit setting/value
Firing record	CHRONOMP5E
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPointNoBuilding
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPointNoBuilding
Warhead - armor effectiveness, ordered percentages	200%,100%,75%,1%,1%,1%,0%,0%,0%,75%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CHRONOMP5E, first property line 25167. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CLINTGUN

Part of attack	Explicit setting/value
Firing record	CLINTGUN
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CLINTGUN, first property line 23046. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - COILBOLT

Part of attack	Explicit setting/value
Firing record	COILBOLT
Firing - base effect magnitude	200
Firing - reload interval	80
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	Invisible
Firing - Warhead	Electric
Projectile record	Invisible
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section COILBOLT, first property line 23892. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - COMET

Part of attack	Explicit setting/value
Firing record	COMET
Firing - base effect magnitude	100
Firing - reload interval	100
Firing - maximum range setting	10
Firing - Speed	40
Firing - Projectile	LargeCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	LargeCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	CometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: expandmd01.mix/rulesmd.ini, section COMET, first property line 24289. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - COMETFRAGMENT

Part of attack	Explicit setting/value
Firing record	COMETFRAGMENT
Firing - base effect magnitude	30
Firing - reload interval	120
Firing - maximum range setting	3
Firing - Speed	10
Firing - Projectile	SmallCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SmallCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: expandmd01.mix/rulesmd.ini, section COMETFRAGMENT, first property line 24307. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - COWSHOT

Part of attack	Explicit setting/value
Firing record	COWSHOT
Firing - base effect magnitude	300
Firing - reload interval	75
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Islaser	true
Firing - Isbiglaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: expandmd01.mix/rulesmd.ini, section COWSHOT, first property line 24561. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRELECTRICBOLT

Part of attack	Explicit setting/value
Firing record	CRELECTRICBOLT
Firing - base effect magnitude	60
Firing - reload interval	45
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Shock
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section CRELECTRICBOLT, first property line 24378. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRFLAKGUYGUN

Part of attack	Explicit setting/value
Firing record	CRFLAKGUYGUN
Firing - base effect magnitude	30
Firing - reload interval	15
Firing - maximum range setting	7
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,125%,100%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	1.0
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: expandmd01.mix/rulesmd.ini, section CRFLAKGUYGUN, first property line 24586. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRM60

Part of attack	Explicit setting/value
Firing record	CRM60
Firing - base effect magnitude	25
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section CRM60, first property line 24367. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRMINDCONTROL

Part of attack	Explicit setting/value
Firing record	CRMINDCONTROL
Firing - base effect magnitude	200
Firing - reload interval	10
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	PsiPulse
Projectile record	Psychic
Warhead record	PsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - area spread	3
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6
Warhead - Affectsallies	no

Source: expandmd01.mix/rulesmd.ini, section CRMINDCONTROL, first property line 24537. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRMISSILELAUNCHER

Part of attack	Explicit setting/value
Firing record	CRMISSILELAUNCHER
Firing - base effect magnitude	30
Firing - reload interval	40
Firing - maximum range setting	8
Firing - minimum range setting	1
Firing - Burst	2
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	GUARDWH
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	GUARDWH
Warhead - armor effectiveness, ordered percentages	20%,20%,20%,100%,50%,100%,10%,10%,10%,100%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section CRMISSILELAUNCHER, first property line 24496. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRMP5

Part of attack	Explicit setting/value
Firing record	CRMP5
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint3
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint3
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,2%,2%,2%,2%,2%,2%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CRMP5, first property line 24399. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRNEUTRONRIFLE

Part of attack	Explicit setting/value
Firing record	CRNEUTRONRIFLE
Firing - base effect magnitude	5
Firing - reload interval	120
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ChronoBeam
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,0%
Warhead - Temporal	yes

Source: expandmd01.mix/rulesmd.ini, section CRNEUTRONRIFLE, first property line 24423. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRNUKE

Part of attack	Explicit setting/value
Firing record	CRNUKE
Firing - base effect magnitude	200
Firing - reload interval	80
Firing - maximum range setting	1
Firing - Speed	35
Firing - Projectile	InvisibleLow
Firing - Warhead	CRNUKEWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	CRNUKEWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,90%,50%,50%,60%,150%,20%,100%,100%
Warhead - area spread	5
Warhead - Percentatmax	.25
Warhead - Infdeath	4
Warhead - Animlist	MININUKE - added 11/30
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section CRNUKE, first property line 24444. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRPSYCHICJAB

Part of attack	Explicit setting/value
Firing record	CRPSYCHICJAB
Firing - base effect magnitude	25
Firing - reload interval	15
Firing - maximum range setting	6.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SAFlame
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SAFlame
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	INITFIRE
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section CRPSYCHICJAB, first property line 24464. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRRADBEAMWEAPON

Part of attack	Explicit setting/value
Firing record	CRRADBEAMWEAPON
Firing - base effect magnitude	175
Firing - reload interval	30
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: expandmd01.mix/rulesmd.ini, section CRRADBEAMWEAPON, first property line 24519. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRSUPERMINDBLAST

Part of attack	Explicit setting/value
Firing record	CRSUPERMINDBLAST
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	SuperPsiPulse
Projectile record	Psychic
Warhead record	SuperPsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,50%,50%,50%,0%,0%,0%,0%,0%
Warhead - area spread	5
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6
Warhead - Affectsallies	no

Source: expandmd01.mix/rulesmd.ini, section CRSUPERMINDBLAST, first property line 24483. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRTERRORBOMB

Part of attack	Explicit setting/value
Firing record	CRTERRORBOMB
Firing - base effect magnitude	250
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	TerrorBombWH
Projectile record	Invisible
Warhead record	TerrorBombWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,50%,50%,100%,150%,30%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Infdeath	4
Warhead - Animlist	MININUKE

Source: expandmd01.mix/rulesmd.ini, section CRTERRORBOMB, first property line 24455. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRUISELAUNCHER

Part of attack	Explicit setting/value
Firing record	CRUISELAUNCHER
Firing - base effect magnitude	25
Firing - reload interval	50
Firing - maximum range setting	20
Firing - minimum range setting	8
Firing - Burst	2
Firing - Speed	15
Firing - Projectile	InvisibleHigh
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Special

Source: expandmd01.mix/rulesmd.ini, section CRUISELAUNCHER, first property line 22594. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - CRVIRUSGUN

Part of attack	Explicit setting/value
Firing record	CRVIRUSGUN
Firing - base effect magnitude	125
Firing - reload interval	80
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Virus
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Virus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	8
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section CRVIRUSGUN, first property line 24473. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DEFAULTDEATHWEAPON

Part of attack	Explicit setting/value
Firing record	DEFAULTDEATHWEAPON
Firing - Projectile	Invisible
Firing - Warhead	DeathWH
Projectile record	Invisible
Warhead record	DeathWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - area spread	1.5
Warhead - Percentatmax	.5
Warhead - Infdeath	3

Source: expandmd01.mix/rulesmd.ini, section DEFAULTDEATHWEAPON, first property line 22355. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DEFUSEKIT

Part of attack	Explicit setting/value
Firing record	DEFUSEKIT
Firing - base effect magnitude	1
Firing - reload interval	20
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	BombDisarm
Firing - Fireintransport	no
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	BombDisarm

Source: expandmd01.mix/rulesmd.ini, section DEFUSEKIT, first property line 24006. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DEMOBOMB

Part of attack	Explicit setting/value
Firing record	DEMOBOMB
Firing - base effect magnitude	300
Firing - reload interval	80
Firing - maximum range setting	1
Firing - Speed	35
Firing - Projectile	InvisibleLow
Firing - Warhead	DemobombWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	DemobombWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,50%,50%,80%,150%,10%,100%,100%
Warhead - area spread	8
Warhead - Percentatmax	.1
Warhead - Infdeath	4
Warhead - Animlist	DEMTEXP
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section DEMOBOMB, first property line 24507. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DISKDRAIN

Part of attack	Explicit setting/value
Firing record	DISKDRAIN
Firing - base effect magnitude	1
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Burst	1
Firing - Speed	20
Firing - Projectile	InvisibleVertical
Firing - Warhead	AntiB
Firing - Omnifire	yes
Projectile record	InvisibleVertical
Warhead record	AntiB
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,100%,100%,100%,0%,0%

Source: expandmd01.mix/rulesmd.ini, section DISKDRAIN, first property line 24274. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DISKLASER

Part of attack	Explicit setting/value
Firing record	DISKLASER
Firing - base effect magnitude	90
Firing - reload interval	80
Firing - maximum range setting	7
Firing - Speed	40
Firing - Projectile	InvisibleAll
Firing - Warhead	DiskWH
Firing - Omnifire	yes
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	DiskWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,50%,50%,50%,100%,100%,100%,100%,100%
Warhead - Wall	no
Warhead - Infdeath	7
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section DISKLASER, first property line 24256. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DISKLASERE

Part of attack	Explicit setting/value
Firing record	DISKLASERE
Firing - base effect magnitude	90
Firing - reload interval	80
Firing - maximum range setting	7
Firing - Speed	40
Firing - Projectile	InvisibleAll
Firing - Warhead	DiskWH
Firing - Omnifire	yes
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	DiskWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,50%,50%,50%,100%,100%,100%,100%,100%
Warhead - Wall	no
Warhead - Infdeath	7
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section DISKLASERE, first property line 24755. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DOUBLEPISTOLS

Part of attack	Explicit setting/value
Firing record	DOUBLEPISTOLS
Firing - base effect magnitude	125
Firing - reload interval	5
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint2
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint2
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section DOUBLEPISTOLS, first property line 22996. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DOUBLEPISTOLSE

Part of attack	Explicit setting/value
Firing record	DOUBLEPISTOLSE
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint2
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint2
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section DOUBLEPISTOLSE, first property line 25236. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DREDLAUNCHER

Part of attack	Explicit setting/value
Firing record	DREDLAUNCHER
Firing - base effect magnitude	50
Firing - reload interval	50
Firing - maximum range setting	25
Firing - minimum range setting	8
Firing - Burst	2
Firing - Speed	15
Firing - Projectile	InvisibleHigh
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Special

Source: expandmd01.mix/rulesmd.ini, section DREDLAUNCHER, first property line 23493. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - DRONEJUMP

Part of attack	Explicit setting/value
Firing record	DRONEJUMP
Firing - base effect magnitude	50
Firing - reload interval	60
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	JUMP
Firing - Warhead	Parasite
Firing - Fireintransport	no
Projectile record	JUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	Parasite
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: expandmd01.mix/rulesmd.ini, section DRONEJUMP, first property line 23521. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - EIFFELBOLT

Part of attack	Explicit setting/value
Firing record	EIFFELBOLT
Firing - base effect magnitude	2000
Firing - reload interval	20
Firing - maximum range setting	20
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	Electric
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section EIFFELBOLT, first property line 23917. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ELECTRICBOLT

Part of attack	Explicit setting/value
Firing record	ELECTRICBOLT
Firing - base effect magnitude	50
Firing - reload interval	60
Firing - maximum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Shock
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section ELECTRICBOLT, first property line 23857. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ELECTRICBOLTE

Part of attack	Explicit setting/value
Firing record	ELECTRICBOLTE
Firing - base effect magnitude	50
Firing - reload interval	40
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	Electricbounce
Firing - Warhead	Shock
Projectile record	Electricbounce
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	TeslaFragment
Warhead record	Shock
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section ELECTRICBOLTE, first property line 24873. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FAKEC4

Part of attack	Explicit setting/value
Firing record	FAKEC4
Firing - base effect magnitude	5000
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	FakeC4WH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FakeC4WH
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,100%,100%,100%,0%,100%
Warhead - area spread	0

Source: expandmd01.mix/rulesmd.ini, section FAKEC4, first property line 23066. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKGUYAAGUN

Part of attack	Explicit setting/value
Firing record	FLAKGUYAAGUN
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakGuyWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakGuyWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,80%,80%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKGUYAAGUN, first property line 24211. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKGUYAAGUNE

Part of attack	Explicit setting/value
Firing record	FLAKGUYAAGUNE
Firing - base effect magnitude	8
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakGuyWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakGuyWH
Warhead - armor effectiveness, ordered percentages	150%,100%,50%,80%,80%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.2
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKGUYAAGUNE, first property line 24744. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKGUYGUN

Part of attack	Explicit setting/value
Firing record	FLAKGUYGUN
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	5
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,125%,100%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	1.0
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKGUYGUN, first property line 24231. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKGUYGUNE

Part of attack	Explicit setting/value
Firing record	FLAKGUYGUNE
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,125%,100%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	1.0
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKGUYGUNE, first property line 24733. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKTRACKAAGUN

Part of attack	Explicit setting/value
Firing record	FLAKTRACKAAGUN
Firing - base effect magnitude	35
Firing - reload interval	25
Firing - maximum range setting	10
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,100%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKTRACKAAGUN, first property line 24201. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKTRACKAAGUNE

Part of attack	Explicit setting/value
Firing record	FLAKTRACKAAGUNE
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,100%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKTRACKAAGUNE, first property line 24711. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKTRACKGUN

Part of attack	Explicit setting/value
Firing record	FLAKTRACKGUN
Firing - base effect magnitude	25
Firing - reload interval	25
Firing - maximum range setting	5
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,125%,100%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	1.0
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKTRACKGUN, first property line 24221. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKTRACKGUNE

Part of attack	Explicit setting/value
Firing record	FLAKTRACKGUNE
Firing - base effect magnitude	25
Firing - reload interval	25
Firing - maximum range setting	5
Firing - Burst	2
Firing - Speed	50
Firing - Projectile	FlakTProj
Firing - Warhead	FlakTWH
Projectile record	FlakTProj
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	FlakTWH
Warhead - armor effectiveness, ordered percentages	150%,125%,100%,60%,10%,10%,30%,20%,10%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	1.0
Warhead - Infdeath	3
Warhead - Animlist	HTRKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKTRACKGUNE, first property line 24722. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKWEAPON

Part of attack	Explicit setting/value
Firing record	FLAKWEAPON
Firing - base effect magnitude	40
Firing - reload interval	20
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,100%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKWEAPON, first property line 24191. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLAKWEAPONE

Part of attack	Explicit setting/value
Firing record	FLAKWEAPONE
Firing - base effect magnitude	35
Firing - reload interval	20
Firing - maximum range setting	10
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	FlakProj
Firing - Warhead	FlakWH
Projectile record	FlakProj
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Inaccurate	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	FlakWH
Warhead - armor effectiveness, ordered percentages	150%,80%,50%,100%,100%,20%,0%,0%,0%,100%,100%
Warhead - area spread	1.0
Warhead - Percentatmax	.1
Warhead - Infdeath	3
Warhead - Animlist	SMKPUFF

Source: expandmd01.mix/rulesmd.ini, section FLAKWEAPONE, first property line 24700. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - FLARE

Part of attack	Explicit setting/value
Firing record	FLARE
Firing - base effect magnitude	1
Firing - reload interval	60
Firing - maximum range setting	12
Firing - Projectile	Invisible
Firing - Warhead	AirstrikeFlare
Firing - Ishousecolor	true
Projectile record	Invisible
Warhead record	AirstrikeFlare
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,1%,1%,1%,0%,0%

Source: expandmd01.mix/rulesmd.ini, section FLARE, first property line 23279. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - GOODTEETH

Part of attack	Explicit setting/value
Firing record	GOODTEETH
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	ADOGJUMP
Firing - Warhead	ParasiteDog
Firing - Fireintransport	no
Projectile record	ADOGJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasiteDog
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: expandmd01.mix/rulesmd.ini, section GOODTEETH, first property line 23548. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - GRANDCANNONWEAPON

Part of attack	Explicit setting/value
Firing record	GRANDCANNONWEAPON
Firing - base effect magnitude	150
Firing - reload interval	120
Firing - maximum range setting	15
Firing - minimum range setting	3
Firing - Speed	1
Firing - Projectile	GrandCannonBall
Firing - Warhead	GrandCannonWH
Projectile record	GrandCannonBall
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	GrandCannonWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,50%,100%,50%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.2
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	30%

Source: expandmd01.mix/rulesmd.ini, section GRANDCANNONWEAPON, first property line 24179. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HORNETBOMB

Part of attack	Explicit setting/value
Firing record	HORNETBOMB
Firing - base effect magnitude	40
Firing - reload interval	3
Firing - maximum range setting	5
Firing - Speed	30
Firing - Projectile	NormalBomb
Firing - Warhead	ORCAAP
Projectile record	NormalBomb
Projectile - Arm	2
Projectile - Rot	1
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section HORNETBOMB, first property line 23211. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HORNETBOMBE

Part of attack	Explicit setting/value
Firing record	HORNETBOMBE
Firing - base effect magnitude	80
Firing - reload interval	3
Firing - maximum range setting	5
Firing - Speed	30
Firing - Projectile	NormalBomb
Firing - Warhead	ARTYHE
Projectile record	NormalBomb
Projectile - Arm	2
Projectile - Rot	1
Warhead record	ARTYHE
Warhead - armor effectiveness, ordered percentages	100%,80%,60%,100%,60%,60%,100%,100%,60%,100%,100%
Warhead - area spread	1
Warhead - Percentatmax	.25
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG
Warhead - Pronedamage	50%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section HORNETBOMBE, first property line 25032. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HORNETCOLLISION

Part of attack	Explicit setting/value
Firing record	HORNETCOLLISION
Firing - base effect magnitude	100
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	AP
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section HORNETCOLLISION, first property line 23235. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HORNETLAUNCHER

Part of attack	Explicit setting/value
Firing record	HORNETLAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	25
Firing - Speed	10
Firing - Projectile	Invisible
Firing - Warhead	Special
Firing - Omnifire	yes
Firing - Spawner	yes
Projectile record	Invisible
Warhead record	Special

Source: expandmd01.mix/rulesmd.ini, section HORNETLAUNCHER, first property line 23655. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HOVERMISSILE

Part of attack	Explicit setting/value
Firing record	HOVERMISSILE
Firing - base effect magnitude	25
Firing - reload interval	50
Firing - maximum range setting	6
Firing - minimum range setting	1
Firing - Burst	2
Firing - Speed	40
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	HE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,70%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section HOVERMISSILE, first property line 22558. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HOVERMISSILEE

Part of attack	Explicit setting/value
Firing record	HOVERMISSILEE
Firing - base effect magnitude	80
Firing - reload interval	50
Firing - maximum range setting	6
Firing - minimum range setting	1
Firing - Burst	4
Firing - Speed	40
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	HE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,70%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section HOVERMISSILEE, first property line 25113. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - HOWITZERGUN

Part of attack	Explicit setting/value
Firing record	HOWITZERGUN
Firing - base effect magnitude	75
Firing - reload interval	100
Firing - maximum range setting	12
Firing - minimum range setting	2
Firing - Speed	100
Firing - Projectile	Ballistic
Firing - Warhead	HowitzerWH
Projectile record	Ballistic
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	HowitzerWH
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,60%,40%,40%,50%,40%,25%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section HOWITZERGUN, first property line 23410. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - IVANBOMBER

Part of attack	Explicit setting/value
Firing record	IVANBOMBER
Firing - base effect magnitude	400
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	IvanBomb
Firing - Fireintransport	no
Projectile record	Invisible
Warhead record	IvanBomb
Warhead - Ivanbomb	yes

Source: expandmd01.mix/rulesmd.ini, section IVANBOMBER, first property line 24111. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - IVANBOMBERE

Part of attack	Explicit setting/value
Firing record	IVANBOMBERE
Firing - base effect magnitude	600
Firing - reload interval	50
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	IvanBomb
Firing - Fireintransport	no
Projectile record	Invisible
Warhead record	IvanBomb
Warhead - Ivanbomb	yes

Source: expandmd01.mix/rulesmd.ini, section IVANBOMBERE, first property line 25053. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - LUNARLASER

Part of attack	Explicit setting/value
Firing record	LUNARLASER
Firing - base effect magnitude	25
Firing - reload interval	20
Firing - maximum range setting	7
Firing - Speed	40
Firing - Projectile	InvisibleAll
Firing - Warhead	LUNARWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	LUNARWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,100%,100%,100%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: expandmd01.mix/rulesmd.ini, section LUNARLASER, first property line 24242. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - M1CARBINE

Part of attack	Explicit setting/value
Firing record	M1CARBINE
Firing - base effect magnitude	15
Firing - reload interval	25
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Firing - Occupantanim	UCCONS
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section M1CARBINE, first property line 22861. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - M1CARBINEE

Part of attack	Explicit setting/value
Firing record	M1CARBINEE
Firing - base effect magnitude	20
Firing - reload interval	25
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Firing - Occupantanim	UCCONS
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section M1CARBINEE, first property line 24679. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - M60

Part of attack	Explicit setting/value
Firing record	M60
Firing - base effect magnitude	15
Firing - reload interval	20
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Firing - Occupantanim	UCFLASH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section M60, first property line 22923. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - M60E

Part of attack	Explicit setting/value
Firing record	M60E
Firing - base effect magnitude	25
Firing - reload interval	20
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Firing - Occupantanim	UCFLASH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section M60E, first property line 25282. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAGNESHAKE

Part of attack	Explicit setting/value
Firing record	MAGNESHAKE
Firing - base effect magnitude	80
Firing - reload interval	110
Firing - maximum range setting	10
Firing - Speed	40
Firing - Projectile	InvisibleHigh
Firing - Warhead	MagneShakeWH
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	MagneShakeWH
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,100%,0%,100%,100%,100%,0%,0%

Source: expandmd01.mix/rulesmd.ini, section MAGNESHAKE, first property line 24347. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAGNETICBEAM

Part of attack	Explicit setting/value
Firing record	MAGNETICBEAM
Firing - base effect magnitude	5000
Firing - reload interval	20
Firing - maximum range setting	12
Firing - minimum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	LocomotorBeam
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	LocomotorBeam
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,100%,100%,0%,0%,0%,100%,0%

Source: expandmd01.mix/rulesmd.ini, section MAGNETICBEAM, first property line 24334. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAGNETICBEAME

Part of attack	Explicit setting/value
Firing record	MAGNETICBEAME
Firing - base effect magnitude	10000
Firing - reload interval	20
Firing - maximum range setting	12
Firing - minimum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	LocomotorBeam
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	LocomotorBeam
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,100%,100%,0%,0%,0%,100%,0%

Source: expandmd01.mix/rulesmd.ini, section MAGNETICBEAME, first property line 24991. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAKEUPKIT

Part of attack	Explicit setting/value
Firing record	MAKEUPKIT
Firing - base effect magnitude	1
Firing - reload interval	100
Firing - maximum range setting	-2
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	Snapshot
Firing - Fireintransport	no
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	Snapshot
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,100%,100%

Source: expandmd01.mix/rulesmd.ini, section MAKEUPKIT, first property line 24141. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAMMOTHTUSK

Part of attack	Explicit setting/value
Firing record	MAMMOTHTUSK
Firing - base effect magnitude	50
Firing - reload interval	80
Firing - maximum range setting	8
Firing - Burst	2
Firing - Speed	20
Firing - Projectile	AAHeatSeeker
Firing - Warhead	HE
Projectile record	AAHeatSeeker
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	2
Projectile - Rot	80
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,70%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section MAMMOTHTUSK, first property line 23442. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICK

Part of attack	Explicit setting/value
Firing record	MAVERICK
Firing - base effect magnitude	150
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Burst	1
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section MAVERICK, first property line 23155. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICK2

Part of attack	Explicit setting/value
Firing record	MAVERICK2
Firing - base effect magnitude	200
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Burst	1
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section MAVERICK2, first property line 23165. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICK2E

Part of attack	Explicit setting/value
Firing record	MAVERICK2E
Firing - base effect magnitude	400
Firing - reload interval	10
Firing - maximum range setting	9
Firing - Burst	1
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section MAVERICK2E, first property line 25012. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICK3

Part of attack	Explicit setting/value
Firing record	MAVERICK3
Firing - base effect magnitude	750
Firing - reload interval	10
Firing - maximum range setting	4
Firing - Burst	2
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	MIGWH
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	MIGWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,50%,100%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section MAVERICK3, first property line 23175. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICK3E

Part of attack	Explicit setting/value
Firing record	MAVERICK3E
Firing - base effect magnitude	400
Firing - reload interval	10
Firing - maximum range setting	9
Firing - Burst	2
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section MAVERICK3E, first property line 25022. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAVERICKE

Part of attack	Explicit setting/value
Firing record	MAVERICKE
Firing - base effect magnitude	300
Firing - reload interval	10
Firing - maximum range setting	9
Firing - Burst	1
Firing - Speed	70
Firing - Projectile	AirToGroundMissile
Firing - Warhead	ORCAAP
Projectile record	AirToGroundMissile
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	100
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	ORCAAP
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,75%,100%,100%
Warhead - area spread	.4
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%
Warhead - Penetratesbunker	yes

Source: expandmd01.mix/rulesmd.ini, section MAVERICKE, first property line 25002. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MAYANPRISM

Part of attack	Explicit setting/value
Firing record	MAYANPRISM
Firing - base effect magnitude	1000
Firing - reload interval	20
Firing - maximum range setting	12
Firing - Speed	25
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: expandmd01.mix/rulesmd.ini, section MAYANPRISM, first property line 23826. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MEDUSA

Part of attack	Explicit setting/value
Firing record	MEDUSA
Firing - base effect magnitude	100
Firing - reload interval	15
Firing - maximum range setting	12
Firing - Speed	120
Firing - Projectile	MedusaProjectile
Firing - Warhead	SAMWH
Firing - Omnifire	yes
Projectile record	MedusaProjectile
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	1
Projectile - Rot	20
Projectile - High	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section MEDUSA, first property line 22620. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MEDUSAE

Part of attack	Explicit setting/value
Firing record	MEDUSAE
Firing - base effect magnitude	100
Firing - reload interval	5
Firing - maximum range setting	14
Firing - Burst	2
Firing - Speed	150
Firing - Projectile	MedusaProjectile
Firing - Warhead	SAMWH
Firing - Omnifire	yes
Projectile record	MedusaProjectile
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	1
Projectile - Rot	20
Projectile - High	yes
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section MEDUSAE, first property line 25224. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MINDCONTROL

Part of attack	Explicit setting/value
Firing record	MINDCONTROL
Firing - base effect magnitude	1
Firing - reload interval	200
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: expandmd01.mix/rulesmd.ini, section MINDCONTROL, first property line 24041. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MINDCONTROLE

Part of attack	Explicit setting/value
Firing record	MINDCONTROLE
Firing - base effect magnitude	10
Firing - reload interval	200
Firing - maximum range setting	14
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: expandmd01.mix/rulesmd.ini, section MINDCONTROLE, first property line 25211. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MIRAGEGUN

Part of attack	Explicit setting/value
Firing record	MIRAGEGUN
Firing - base effect magnitude	100
Firing - reload interval	70
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	MirageWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	MirageWH
Warhead - armor effectiveness, ordered percentages	100%,100%,80%,100%,100%,100%,30%,20%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	IRONFX

Source: expandmd01.mix/rulesmd.ini, section MIRAGEGUN, first property line 24165. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MIRAGEGUNE

Part of attack	Explicit setting/value
Firing record	MIRAGEGUNE
Firing - base effect magnitude	150
Firing - reload interval	80
Firing - maximum range setting	9
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	MirageWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	MirageWH
Warhead - armor effectiveness, ordered percentages	100%,100%,80%,100%,100%,100%,30%,20%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	IRONFX

Source: expandmd01.mix/rulesmd.ini, section MIRAGEGUNE, first property line 24928. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MISSILELAUNCHER

Part of attack	Explicit setting/value
Firing record	MISSILELAUNCHER
Firing - base effect magnitude	40
Firing - reload interval	40
Firing - maximum range setting	8
Firing - minimum range setting	1
Firing - Burst	1
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	GUARDWH
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	GUARDWH
Warhead - armor effectiveness, ordered percentages	20%,20%,20%,100%,50%,100%,10%,10%,10%,100%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section MISSILELAUNCHER, first property line 22570. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MISSILELAUNCHERE

Part of attack	Explicit setting/value
Firing record	MISSILELAUNCHERE
Firing - base effect magnitude	50
Firing - reload interval	20
Firing - maximum range setting	8
Firing - minimum range setting	1
Firing - Burst	1
Firing - Speed	40
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	GUARDWH
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	GUARDWH
Warhead - armor effectiveness, ordered percentages	20%,20%,20%,100%,50%,100%,10%,10%,10%,100%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section MISSILELAUNCHERE, first property line 25124. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MP5

Part of attack	Explicit setting/value
Firing record	MP5
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section MP5, first property line 22986. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MP5E

Part of attack	Explicit setting/value
Firing record	MP5E
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section MP5E, first property line 25157. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MULTIPLEMINDCONTROLTANK

Part of attack	Explicit setting/value
Firing record	MULTIPLEMINDCONTROLTANK
Firing - base effect magnitude	3
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Firing - Omnifire	yes
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: expandmd01.mix/rulesmd.ini, section MULTIPLEMINDCONTROLTANK, first property line 24063. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MULTIPLEMINDCONTROLTOWER

Part of attack	Explicit setting/value
Firing record	MULTIPLEMINDCONTROLTOWER
Firing - base effect magnitude	3
Firing - reload interval	100
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	Controller
Projectile record	PsychicControl
Warhead record	Controller
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: expandmd01.mix/rulesmd.ini, section MULTIPLEMINDCONTROLTOWER, first property line 24076. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MUMMYPUNCH

Part of attack	Explicit setting/value
Firing record	MUMMYPUNCH
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Battering
Firing - Fireintransport	no
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Battering
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,30%,30%,20%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section MUMMYPUNCH, first property line 23738. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - MUMMYSMASH

Part of attack	Explicit setting/value
Firing record	MUMMYSMASH
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.1
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Smashing
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Smashing
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,20%,100%,0%,0%,0%,0%,0%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section MUMMYSMASH, first property line 23749. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - NEUTRONRIFLE

Part of attack	Explicit setting/value
Firing record	NEUTRONRIFLE
Firing - base effect magnitude	8
Firing - reload interval	120
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleMedium
Firing - Warhead	ChronoBeam
Projectile record	InvisibleMedium
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,0%
Warhead - Temporal	yes

Source: expandmd01.mix/rulesmd.ini, section NEUTRONRIFLE, first property line 23759. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - NEUTRONRIFLEE

Part of attack	Explicit setting/value
Firing record	NEUTRONRIFLEE
Firing - base effect magnitude	16
Firing - reload interval	120
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	ChronoBeam
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	ChronoBeam
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,0%
Warhead - Temporal	yes

Source: expandmd01.mix/rulesmd.ini, section NEUTRONRIFLEE, first property line 24980. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - NUKECARRIER

Part of attack	Explicit setting/value
Firing record	NUKECARRIER
Firing - Speed	100
Firing - Projectile	GiantNukeUp
Firing - Warhead	NukeMaker
Projectile record	GiantNukeUp
Projectile - Arm	2
Warhead record	NukeMaker

Source: expandmd01.mix/rulesmd.ini, section NUKECARRIER, first property line 24027. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - NUKEPAYLOAD

Part of attack	Explicit setting/value
Firing record	NUKEPAYLOAD
Firing - base effect magnitude	600
Firing - maximum range setting	30
Firing - Speed	10
Firing - Projectile	GiantNukeDown
Firing - Warhead	NUKE
Projectile record	GiantNukeDown
Projectile - Arm	2
Warhead record	NUKE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,200%,100%,100%,60%,100%,8%,100%,100%
Warhead - area spread	10
Warhead - Percentatmax	.02
Warhead - Wood	yes
Warhead - Infdeath	7
Warhead - Animlist	NUKEANIM
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section NUKEPAYLOAD, first property line 24018. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - OILEXPLOSION

Part of attack	Explicit setting/value
Firing record	OILEXPLOSION
Firing - base effect magnitude	600
Firing - Projectile	Invisible
Firing - Warhead	OilExplosionWH
Projectile record	Invisible
Warhead record	OilExplosionWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,70%,50%,200%,200%,200%,100%,100%
Warhead - area spread	4
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	4

Source: expandmd01.mix/rulesmd.ini, section OILEXPLOSION, first property line 22359. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - OPCOILBOLT

Part of attack	Explicit setting/value
Firing record	OPCOILBOLT
Firing - base effect magnitude	300
Firing - reload interval	80
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	Electric
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section OPCOILBOLT, first property line 23905. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PARA

Part of attack	Explicit setting/value
Firing record	PARA
Firing - base effect magnitude	25
Firing - reload interval	15
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Firing - Occupantanim	UCFLASH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section PARA, first property line 22934. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PARADROPWEAPON

Part of attack	Explicit setting/value
Firing record	PARADROPWEAPON
Firing - base effect magnitude	60
Firing - reload interval	130
Firing - maximum range setting	4
Firing - Burst	1
Firing - Speed	30
Firing - Projectile	AAHeatSeeker2
Firing - Warhead	MaverickHE
Projectile record	AAHeatSeeker2
Projectile - air targeting	yes
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	60
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	MaverickHE
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,100%,50%,50%,100%,75%,50%,25%,100%
Warhead - area spread	1
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section PARADROPWEAPON, first property line 23185. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PARAE

Part of attack	Explicit setting/value
Firing record	PARAE
Firing - base effect magnitude	25
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SSA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SSA
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,60%,40%,40%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	80%

Source: expandmd01.mix/rulesmd.ini, section PARAE, first property line 25294. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PISTOLA

Part of attack	Explicit setting/value
Firing record	PISTOLA
Firing - base effect magnitude	2
Firing - reload interval	20
Firing - maximum range setting	3
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section PISTOLA, first property line 24032. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PRISMSHOT

Part of attack	Explicit setting/value
Firing record	PRISMSHOT
Firing - base effect magnitude	120
Firing - reload interval	45
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	PrismWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	PrismWarhead
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,100%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Infdeath	5

Source: expandmd01.mix/rulesmd.ini, section PRISMSHOT, first property line 23795. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PRISMSUPPORT

Part of attack	Explicit setting/value
Firing record	PRISMSUPPORT
Firing - base effect magnitude	200
Firing - reload interval	45
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	DummyWarhead
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	DummyWarhead
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,0%,0%,0%,0%,0%

Source: expandmd01.mix/rulesmd.ini, section PRISMSUPPORT, first property line 23842. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PSIWAVE

Part of attack	Explicit setting/value
Firing record	PSIWAVE
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	PsiPulse
Projectile record	Psychic
Warhead record	PsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - area spread	3
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6
Warhead - Affectsallies	no

Source: expandmd01.mix/rulesmd.ini, section PSIWAVE, first property line 24087. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PSYCHICJAB

Part of attack	Explicit setting/value
Firing record	PSYCHICJAB
Firing - base effect magnitude	25
Firing - reload interval	15
Firing - maximum range setting	4.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SAFlame
Firing - Occupantanim	UCINIT
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SAFlame
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	INITFIRE
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section PSYCHICJAB, first property line 22891. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PSYCHICJABE

Part of attack	Explicit setting/value
Firing record	PSYCHICJABE
Firing - base effect magnitude	30
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SAFlame
Firing - Occupantanim	UCINIT
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SAFlame
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	INITFIRE
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section PSYCHICJABE, first property line 24689. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PUNCH

Part of attack	Explicit setting/value
Firing record	PUNCH
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Battering
Firing - Fireintransport	no
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Battering
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,30%,30%,20%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section PUNCH, first property line 23716. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - PUNCHE

Part of attack	Explicit setting/value
Firing record	PUNCHE
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Battering
Firing - Fireintransport	no
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Battering
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,30%,30%,20%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section PUNCHE, first property line 24954. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - RADBEAMWEAPON

Part of attack	Explicit setting/value
Firing record	RADBEAMWEAPON
Firing - base effect magnitude	125
Firing - reload interval	50
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: expandmd01.mix/rulesmd.ini, section RADBEAMWEAPON, first property line 23770. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - RADBEAMWEAPONE

Part of attack	Explicit setting/value
Firing record	RADBEAMWEAPONE
Firing - base effect magnitude	200
Firing - reload interval	50
Firing - maximum range setting	8
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	RadBeamWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadBeamWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,15%,10%,0%,0%,0%,100%,100%
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: expandmd01.mix/rulesmd.ini, section RADBEAMWEAPONE, first property line 25065. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - RADERUPTIONWEAPON

Part of attack	Explicit setting/value
Firing record	RADERUPTIONWEAPON
Firing - base effect magnitude	1
Firing - reload interval	60
Firing - maximum range setting	4
Firing - Speed	1
Firing - Projectile	InvisibleLow
Firing - Warhead	RadEruptionWarhead
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	RadEruptionWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,20%,10%,10%,0%,0%,0%,100%,100%
Warhead - area spread	10
Warhead - Radiation	yes
Warhead - Infdeath	7

Source: expandmd01.mix/rulesmd.ini, section RADERUPTIONWEAPON, first property line 23781. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - REDEYE2

Part of attack	Explicit setting/value
Firing record	REDEYE2
Firing - base effect magnitude	75
Firing - reload interval	55
Firing - maximum range setting	12
Firing - Speed	100
Firing - Projectile	AAHeatSeeker
Firing - Warhead	SAMWH
Projectile record	AAHeatSeeker
Projectile - air targeting	yes
Projectile - ground targeting	no
Projectile - Arm	2
Projectile - Rot	80
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Warhead record	SAMWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - area spread	.3
Warhead - Percentatmax	1
Warhead - Infdeath	3
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section REDEYE2, first property line 22547. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - REPAIRBULLET

Part of attack	Explicit setting/value
Firing record	REPAIRBULLET
Firing - base effect magnitude	-50
Firing - reload interval	80
Firing - maximum range setting	1.8
Firing - Speed	100
Firing - Projectile	Invisible
Firing - Warhead	Mechanical
Projectile record	Invisible
Warhead record	Mechanical
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Infdeath	0

Source: expandmd01.mix/rulesmd.ini, section REPAIRBULLET, first property line 23694. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - ROBOGUN

Part of attack	Explicit setting/value
Firing record	ROBOGUN
Firing - base effect magnitude	65
Firing - reload interval	60
Firing - maximum range setting	5
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	AP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	AP
Warhead - armor effectiveness, ordered percentages	25%,25%,15%,75%,100%,100%,65%,45%,60%,60%,100%
Warhead - area spread	.3
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section ROBOGUN, first property line 23386. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SABOT

Part of attack	Explicit setting/value
Firing record	SABOT
Firing - base effect magnitude	150
Firing - reload interval	70
Firing - maximum range setting	5
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	UltraAP
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	UltraAP
Warhead - armor effectiveness, ordered percentages	2%,2%,2%,100%,40%,100%,2%,2%,2%,2%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN30
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section SABOT, first property line 23398. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SABOTE

Part of attack	Explicit setting/value
Firing record	SABOTE
Firing - base effect magnitude	175
Firing - reload interval	60
Firing - maximum range setting	6.75
Firing - Burst	2
Firing - Speed	60
Firing - Projectile	Cannon
Firing - Warhead	UltraAPE
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	UltraAPE
Warhead - armor effectiveness, ordered percentages	2%,2%,2%,100%,50%,100%,2%,2%,2%,100%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	VTEXPLOD
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section SABOTE, first property line 25188. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SAPPER

Part of attack	Explicit setting/value
Firing record	SAPPER
Firing - base effect magnitude	2500
Firing - reload interval	100
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	Mechanical
Projectile record	Invisible
Warhead record	Mechanical
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,100%,100%,0%,0%,0%,100%,100%
Warhead - Infdeath	0

Source: expandmd01.mix/rulesmd.ini, section SAPPER, first property line 22847. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SHOVEL

Part of attack	Explicit setting/value
Firing record	SHOVEL
Firing - base effect magnitude	30
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section SHOVEL, first property line 23610. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SMASH

Part of attack	Explicit setting/value
Firing record	SMASH
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.1
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Smashing
Firing - Fireintransport	no
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Smashing
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,20%,100%,0%,0%,0%,0%,0%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section SMASH, first property line 23727. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SMASHE

Part of attack	Explicit setting/value
Firing record	SMASHE
Firing - base effect magnitude	100
Firing - reload interval	60
Firing - maximum range setting	1.1
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Smashing
Firing - Fireintransport	no
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Smashing
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,100%,20%,100%,0%,0%,0%,0%,0%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10

Source: expandmd01.mix/rulesmd.ini, section SMASHE, first property line 24967. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SONICZAP

Part of attack	Explicit setting/value
Firing record	SONICZAP
Firing - base effect magnitude	4
Firing - reload interval	120
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	Sonic
Firing - Warhead	SonicWarhead
Firing - Issonic	Yes
Projectile record	Sonic
Warhead record	SonicWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,80%,80%,100%,60%,60%,100%,100%
Warhead - area spread	.1
Warhead - Percentatmax	1
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Pronedamage	50%
Warhead - Sonic	yes

Source: expandmd01.mix/rulesmd.ini, section SONICZAP, first property line 23679. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SONICZAPE

Part of attack	Explicit setting/value
Firing record	SONICZAPE
Firing - base effect magnitude	8
Firing - reload interval	80
Firing - maximum range setting	6
Firing - Burst	2
Firing - Speed	100
Firing - Projectile	Sonic
Firing - Warhead	SonicWarhead
Firing - Issonic	Yes
Projectile record	Sonic
Warhead record	SonicWarhead
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,80%,80%,100%,60%,60%,100%,100%
Warhead - area spread	.1
Warhead - Percentatmax	1
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Pronedamage	50%
Warhead - Sonic	yes

Source: expandmd01.mix/rulesmd.ini, section SONICZAPE, first property line 25098. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SPYCAMERAWEAPON

Part of attack	Explicit setting/value
Firing record	SPYCAMERAWEAPON
Firing - base effect magnitude	6
Firing - maximum range setting	20
Firing - Burst	1
Firing - Projectile	InvisibleHigh
Firing - Warhead	DummyWarhead
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	DummyWarhead
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,0%,0%,0%,0%,0%

Source: expandmd01.mix/rulesmd.ini, section SPYCAMERAWEAPON, first property line 23194. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SQUIDGRAB

Part of attack	Explicit setting/value
Firing record	SQUIDGRAB
Firing - base effect magnitude	15
Firing - reload interval	99
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	SQDJUMP
Firing - Warhead	ParasitePlus
Projectile record	SQDJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasitePlus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: expandmd01.mix/rulesmd.ini, section SQUIDGRAB, first property line 23629. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SQUIDGRABE

Part of attack	Explicit setting/value
Firing record	SQUIDGRABE
Firing - base effect magnitude	40
Firing - reload interval	99
Firing - maximum range setting	1.5
Firing - Speed	30
Firing - Projectile	SQDJUMP
Firing - Warhead	ParasitePlus
Projectile record	SQDJUMP
Projectile - air targeting	no
Projectile - Arm	2
Projectile - Rot	8
Projectile - Subjecttocliffs	no
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	no
Warhead record	ParasitePlus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Parasite	yes
Warhead - Infdeath	1

Source: expandmd01.mix/rulesmd.ini, section SQUIDGRABE, first property line 25257. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SQUIDPUNCH

Part of attack	Explicit setting/value
Firing record	SQUIDPUNCH
Firing - base effect magnitude	100
Firing - reload interval	32
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	InvisibleLow
Firing - Warhead	HE
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,70%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section SQUIDPUNCH, first property line 23643. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SQUIDPUNCHE

Part of attack	Explicit setting/value
Firing record	SQUIDPUNCHE
Firing - base effect magnitude	200
Firing - reload interval	32
Firing - maximum range setting	1.83
Firing - Speed	30
Firing - Projectile	InvisibleAll
Firing - Warhead	HE
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,70%,70%,35%,75%,40%,20%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Pronedamage	70%
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section SQUIDPUNCHE, first property line 25272. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - STALGREN

Part of attack	Explicit setting/value
Firing record	STALGREN
Firing - base effect magnitude	10000
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	Cannon
Firing - Warhead	NukeB
Projectile record	Cannon
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	NukeB
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,0%,0%,0%,100%,100%,100%,0%,0%
Warhead - Animlist	MININUKE

Source: expandmd01.mix/rulesmd.ini, section STALGREN, first property line 23036. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - STALGUN

Part of attack	Explicit setting/value
Firing record	STALGUN
Firing - base effect magnitude	125
Firing - reload interval	10
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint4
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint4
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,0%,0%,0%,0%,0%,0%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section STALGUN, first property line 23026. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUBTORPEDO

Part of attack	Explicit setting/value
Firing record	SUBTORPEDO
Firing - base effect magnitude	100
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Speed	25
Firing - Projectile	Torpedo
Firing - Warhead	APSplash
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section SUBTORPEDO, first property line 22514. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUBTORPEDOE

Part of attack	Explicit setting/value
Firing record	SUBTORPEDOE
Firing - base effect magnitude	100
Firing - reload interval	120
Firing - maximum range setting	7
Firing - Burst	2
Firing - Speed	18
Firing - Projectile	Torpedo
Firing - Warhead	APSplash
Projectile record	Torpedo
Projectile - air targeting	no
Projectile - ground targeting	yes
Projectile - Arm	2
Projectile - Rot	12
Warhead record	APSplash
Warhead - armor effectiveness, ordered percentages	25%,25%,25%,75%,100%,100%,65%,65%,60%,25%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.8
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	3
Warhead - Animlist	S_CLSN16,S_CLSN22,S_CLSN30,S_CLSN42,S_CLSN58
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section SUBTORPEDOE, first property line 25075. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUPERCOMET

Part of attack	Explicit setting/value
Firing record	SUPERCOMET
Firing - base effect magnitude	150
Firing - reload interval	100
Firing - maximum range setting	10
Firing - Speed	10
Firing - Projectile	SuperCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SuperCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	SuperCometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: expandmd01.mix/rulesmd.ini, section SUPERCOMET, first property line 24896. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUPERCOMETFRAGMENT

Part of attack	Explicit setting/value
Firing record	SUPERCOMETFRAGMENT
Firing - base effect magnitude	50
Firing - reload interval	100
Firing - maximum range setting	5
Firing - Speed	10
Firing - Projectile	SuperSmallCometP
Firing - Warhead	CometWH
Firing - Ishousecolor	true
Firing - Islaser	true
Projectile record	SuperSmallCometP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	CometFragment
Warhead record	CometWH
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,75%,50%,50%,200%,200%,200%,100%,100%
Warhead - Wall	no
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070

Source: expandmd01.mix/rulesmd.ini, section SUPERCOMETFRAGMENT, first property line 24912. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUPERMINDCONTROL

Part of attack	Explicit setting/value
Firing record	SUPERMINDCONTROL
Firing - base effect magnitude	1
Firing - reload interval	200
Firing - maximum range setting	7
Firing - Speed	100
Firing - Projectile	PsychicControl
Firing - Warhead	ControllerBuilding
Projectile record	PsychicControl
Warhead record	ControllerBuilding
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,100%,100%,100%,100%,100%,100%,100%,100%
Warhead - Mindcontrol	yes
Warhead - Animlist	YURICNTL

Source: expandmd01.mix/rulesmd.ini, section SUPERMINDCONTROL, first property line 24052. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - SUPERPSIWAVE

Part of attack	Explicit setting/value
Firing record	SUPERPSIWAVE
Firing - base effect magnitude	250
Firing - reload interval	50
Firing - maximum range setting	1
Firing - Speed	1
Firing - Projectile	Psychic
Firing - Warhead	SuperPsiPulse
Projectile record	Psychic
Warhead record	SuperPsiPulse
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,50%,50%,50%,0%,0%,0%,0%,0%
Warhead - area spread	5
Warhead - Percentatmax	.85
Warhead - Psychicdamage	yes
Warhead - Infdeath	6
Warhead - Affectsallies	no

Source: expandmd01.mix/rulesmd.ini, section SUPERPSIWAVE, first property line 24099. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TANKBOLT

Part of attack	Explicit setting/value
Firing record	TANKBOLT
Firing - base effect magnitude	135
Firing - reload interval	75
Firing - maximum range setting	4
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Electric
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section TANKBOLT, first property line 23869. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TANKBOLTE

Part of attack	Explicit setting/value
Firing record	TANKBOLTE
Firing - base effect magnitude	150
Firing - reload interval	60
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	Electricbounce
Firing - Warhead	Electric
Projectile record	Electricbounce
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	no
Projectile - Subjecttoelevation	no
Projectile - Shrapnelweapon	TeslaFragment
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section TANKBOLTE, first property line 24862. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TERMIGUN

Part of attack	Explicit setting/value
Firing record	TERMIGUN
Firing - base effect magnitude	125
Firing - reload interval	5
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	HollowPoint
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	HollowPoint
Warhead - armor effectiveness, ordered percentages	200%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section TERMIGUN, first property line 23016. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TERRORBOMB

Part of attack	Explicit setting/value
Firing record	TERRORBOMB
Firing - base effect magnitude	225
Firing - reload interval	10
Firing - maximum range setting	1.5
Firing - Projectile	Invisible
Firing - Warhead	TerrorBombWH
Firing - Fireintransport	no
Projectile record	Invisible
Warhead record	TerrorBombWH
Warhead - armor effectiveness, ordered percentages	150%,100%,100%,90%,50%,50%,100%,150%,30%,100%,100%
Warhead - area spread	2
Warhead - Percentatmax	.5
Warhead - Infdeath	4
Warhead - Animlist	MININUKE

Source: expandmd01.mix/rulesmd.ini, section TERRORBOMB, first property line 22371. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TESLAFRAGMENT

Part of attack	Explicit setting/value
Firing record	TESLAFRAGMENT
Firing - base effect magnitude	30
Firing - reload interval	80
Firing - maximum range setting	3
Firing - Speed	10
Firing - Projectile	SmallTeslaP
Firing - Warhead	Electric
Projectile record	SmallTeslaP
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Electric
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,85%,100%,100%,50%,50%,50%,200%,100%
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	5
Warhead - Animlist	TSTIMPCT

Source: expandmd01.mix/rulesmd.ini, section TESLAFRAGMENT, first property line 24322. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TREXBITE

Part of attack	Explicit setting/value
Firing record	TREXBITE
Firing - base effect magnitude	200
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	TRexWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	TRexWH
Warhead - armor effectiveness, ordered percentages	0%,0%,0%,60%,40%,40%,50%,40%,25%,80%,100%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section TREXBITE, first property line 23590. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - TREXINFBITE

Part of attack	Explicit setting/value
Firing record	TREXINFBITE
Firing - base effect magnitude	200
Firing - reload interval	30
Firing - maximum range setting	1.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	TRexInfWH
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	TRexInfWH
Warhead - armor effectiveness, ordered percentages	100%,90%,80%,0%,0%,0%,0%,0%,0%,0%,0%
Warhead - area spread	.5
Warhead - Percentatmax	.5
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	10
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section TREXINFBITE, first property line 23600. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCELITEM1CARBINE

Part of attack	Explicit setting/value
Firing record	UCELITEM1CARBINE
Firing - base effect magnitude	30
Firing - reload interval	20
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Firing - Occupantanim	UCCONS
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCELITEM1CARBINE, first property line 22881. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCELITEPARA

Part of attack	Explicit setting/value
Firing record	UCELITEPARA
Firing - base effect magnitude	40
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Firing - Occupantanim	UCFLASH
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCELITEPARA, first property line 22956. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCELITEPSYCHICJAB

Part of attack	Explicit setting/value
Firing record	UCELITEPSYCHICJAB
Firing - base effect magnitude	73
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSABFlame
Firing - Occupantanim	UCINIT
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSABFlame
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	INITFIRE
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCELITEPSYCHICJAB, first property line 22913. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCM1CARBINE

Part of attack	Explicit setting/value
Firing record	UCM1CARBINE
Firing - base effect magnitude	20
Firing - reload interval	20
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Firing - Occupantanim	UCCONS
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCM1CARBINE, first property line 22871. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCPARA

Part of attack	Explicit setting/value
Firing record	UCPARA
Firing - base effect magnitude	30
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSAB
Firing - Occupantanim	UCFLASH
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSAB
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCPARA, first property line 22945. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - UCPSYCHICJAB

Part of attack	Explicit setting/value
Firing record	UCPSYCHICJAB
Firing - base effect magnitude	63
Firing - reload interval	15
Firing - maximum range setting	6
Firing - Speed	100
Firing - Projectile	InvisibleHigh
Firing - Warhead	SSABFlame
Firing - Occupantanim	UCINIT
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	SSABFlame
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,30%,20%,100%,100%
Warhead - Infdeath	4
Warhead - Animlist	INITFIRE
Warhead - Pronedamage	50%

Source: expandmd01.mix/rulesmd.ini, section UCPSYCHICJAB, first property line 22903. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - V3CLUSTER

Part of attack	Explicit setting/value
Firing record	V3CLUSTER
Firing - base effect magnitude	80
Firing - reload interval	80
Firing - maximum range setting	6
Firing - Speed	20
Firing - Projectile	ClusterBits
Firing - Warhead	V3HE
Projectile record	ClusterBits
Projectile - Arm	2
Projectile - Rot	60
Warhead record	V3HE
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,30%,5%,5%,85%,50%,30%,100%,0%
Warhead - area spread	.9
Warhead - Percentatmax	1
Warhead - Wall	yes
Warhead - Wood	yes
Warhead - Infdeath	2
Warhead - Animlist	XGRYSML1,XGRYSML2,EXPLOSML,XGRYMED1,XGRYMED2,EXPLOMED,EXPLOLRG,TWLT070
Warhead - Tiberium	yes

Source: expandmd01.mix/rulesmd.ini, section V3CLUSTER, first property line 24121. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - V3LAUNCHER

Part of attack	Explicit setting/value
Firing record	V3LAUNCHER
Firing - base effect magnitude	1
Firing - reload interval	150
Firing - maximum range setting	18
Firing - minimum range setting	5
Firing - Speed	10
Firing - Projectile	InvisibleHigh
Firing - Warhead	Special
Firing - Spawner	yes
Projectile record	InvisibleHigh
Projectile - Subjecttoelevation	yes
Warhead record	Special

Source: expandmd01.mix/rulesmd.ini, section V3LAUNCHER, first property line 23482. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - VIRTUALSCANNER

Part of attack	Explicit setting/value
Firing record	VIRTUALSCANNER
Firing - base effect magnitude	1
Firing - maximum range setting	5
Firing - Speed	100
Firing - Projectile	InvisibleAll
Firing - Warhead	SA
Projectile record	InvisibleAll
Projectile - air targeting	yes
Projectile - ground targeting	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section VIRTUALSCANNER, first property line 23620. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - VIRUSGUN

Part of attack	Explicit setting/value
Firing record	VIRUSGUN
Firing - base effect magnitude	125
Firing - reload interval	100
Firing - maximum range setting	10
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Virus
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Virus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	8
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section VIRUSGUN, first property line 23087. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - VIRUSGUNE

Part of attack	Explicit setting/value
Firing record	VIRUSGUNE
Firing - base effect magnitude	125
Firing - reload interval	80
Firing - maximum range setting	16
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	Virus
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	Virus
Warhead - armor effectiveness, ordered percentages	100%,100%,100%,1%,1%,1%,1%,1%,1%,1%,100%
Warhead - Infdeath	8
Warhead - Animlist	PIFF
Warhead - Pronedamage	100%

Source: expandmd01.mix/rulesmd.ini, section VIRUSGUNE, first property line 23098. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - VULCAN

Part of attack	Explicit setting/value
Firing record	VULCAN
Firing - base effect magnitude	50
Firing - reload interval	26
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section VULCAN, first property line 22660. Projectile/warhead rows use the named sections in that same rules source.

Yuri's Revenge - VULCAN2

Part of attack	Explicit setting/value
Firing record	VULCAN2
Firing - base effect magnitude	50
Firing - reload interval	26
Firing - maximum range setting	5.5
Firing - Speed	100
Firing - Projectile	InvisibleLow
Firing - Warhead	SA
Projectile record	InvisibleLow
Projectile - Subjecttocliffs	yes
Projectile - Subjecttowalls	yes
Projectile - Subjecttoelevation	yes
Warhead record	SA
Warhead - armor effectiveness, ordered percentages	100%,80%,80%,50%,25%,25%,75%,50%,25%,100%,100%
Warhead - Infdeath	1
Warhead - Animlist	PIFFPIFF,PIFFPIFF
Warhead - Pronedamage	70%

Source: expandmd01.mix/rulesmd.ini, section VULCAN2, first property line 22491. Projectile/warhead rows use the named sections in that same rules source.

Global AI team templates

Guide index | AI explanation

These rosters/plans are translated from the local global AI data. They are templates, not an assertion that every team is selected in a particular battle. Campaign maps can supply or override their own templates; use each mission page for those.

Red Alert 2

Source member: ra2.mix/local.mix/ai.ini.

Allied Base Guard - Refine - 0CAC7C2C-G

Owner: <none>. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Guard (0C9C878C-G).

1. Approach friendly building category; configured argument 1.
2. Guard for interval; configured argument 10.
3. Approach friendly building category; configured argument 196609.
4. Guard for interval; configured argument 10.
5. Approach friendly building category; configured argument 196609.
6. Guard for interval; configured argument 10.
7. Jump to script line; configured argument 1.

Allied Base Guard - Tech - 0CE4CEFC-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Guard - Tech (0CE4CC8C-G).

1. Approach friendly building category; configured argument 131078.
2. Adopt object mission: area guard.

Allied Base Guard - Adv - 0CE4CA3C-G

Owner: <none>. Roster: 2 × Prism Tank (SREF); 2 × IFV (FV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied Infantry Attack - H1 - 0C9AEDEC-G

Owner: <none>. Roster: 10 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Infantry Attack - H2 - 0C9BEEFC-G

Owner: <none>. Roster: 10 × GI (E1); 2 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Infantry Attack - M1 - 0C9BEA4C-G

Owner: <none>. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Infantry Attack - E1 - 0CABF46C-G

Owner: <none>. Roster: 4 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Tech Oil Capture - 0CFFF59C-G

Owner: <none>. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Oil Derrick Capture (0C94D80C-G).

1. Attack selected enemy-building category; configured argument 131143.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

Allied Tech Airport Capture - 0CFFF0EC-G

Owner: <none>. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Airport Capture (0C94EC8C-G).

1. Attack selected enemy-building category; configured argument 131142.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.

Allied Grizzly Attack - H1 - 0CABE7DC-G

Owner: <none>. Roster: 4 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Fast Factory Attack (0D21B81C-G).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - H2 - 0C930DEC-G

Owner: <none>. Roster: 2 × IFV (FV); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0CE0F88C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - H3 - 0CA0486C-G

Owner: <none>. Roster: 4 × Rocketeer (JUMPJET); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0CE0F88C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - M1 - 0A86A48C-G

Owner: <none>. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Grizzly Attack - E1 - 0C3F3B8C-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.

4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Allied Rocketeer - H1 - 0CE0FAFC-G

Owner: <none>. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0CE0F88C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Harrier - H1 - 0CAC9EFC-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Vehicle Attack (0D09293C-G).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Allied Harrier - H2 - 0CACFEFC-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Harrier - M1 - 0CA0532C-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Harrier - E1 - 0CA7122C-G

Owner: <none>. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Spy vs Soviet Power - 0CE1E6AC-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Soviet Power (0CADC46C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131081.
3. Attack selected enemy-building category; configured argument 9.
4. Approach selected enemy-building category; configured argument 131083.
5. Attack selected enemy-building category; configured argument 11.

Allied Spy vs Allied Power - 0CE1F59C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied Power (0CADDDBC-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 0.
3. Attack selected enemy-building category; configured argument 131072.
4. Approach selected enemy-building category; configured argument 131083.
5. Attack selected enemy-building category; configured argument 11.

Allied Spy vs Allied War - 0CE1BE7C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied War (0CADDA1C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 7.
3. Attack selected enemy-building category; configured argument 7.
4. Approach selected enemy-building category; configured argument 131072.
5. Attack selected enemy-building category; configured argument 131072.

Allied Spy vs Soviet War - 0CE1B99C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Soviet War (0C8A3C8C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131086.

3. Attack selected enemy-building category; configured argument 131086.
4. Attack selected enemy-building category; configured argument 131081.

Allied Spy vs Soviet Tech - 0CE1B53C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Sov Tech (0C8A254C-G).

1. Seek/attack target category; configured argument 0.
2. Approach selected enemy-building category; configured argument 10.
3. Attack selected enemy-building category; configured argument 10.

Allied spy vs Allied Tech - 0CE20EFC-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied Tech (0C8A354C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 6.
3. Attack selected enemy-building category; configured argument 6.
4. Attack selected enemy-building category; configured argument 131072.

Allied Tanya vs Soviet Con - 0AD4D7BC-G

Owner: <none>. Roster: 2 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Sov Conyard (0C954B4C-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131097.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied Tanya - M1 - 0CAE77DC-G

Owner: <none>. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Tanya vs Allied Con - 0AD4D0CC-G

Owner: <none>. Roster: 2 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Allied Con (0A86CDBC-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131074.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied C-Legion vs Soviet Con - 0CE33A8C-G

Owner: <none>. Roster: 2 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied C-Legion vs Soviet Con (0CE3381C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 25.
4. Attack selected enemy-building category; configured argument 25.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied C-Legion vs Allied Con - 0CE334AC-G

Owner: <none>. Roster: 2 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied C-Legion vs Ally Con (0CE3323C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 2.
4. Attack selected enemy-building category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied Spy vs Sov Barracks - 0CE32D3C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spy vs Sov Barracks (0CADF67C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 11.

3. Attack selected enemy-building category; configured argument 11.
4. Approach selected enemy-building category; configured argument 131081.
5. Attack selected enemy-building category; configured argument 131081.

Allied Spy vs Allied Barracks - 0CADF54C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spy vs Allied Barracks (0CADF2DC-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 3.
3. Attack selected enemy-building category; configured argument 3.
4. Approach selected enemy-building category; configured argument 131072.
5. Attack selected enemy-building category; configured argument 131072.

Allied Chrono Commando - 0CE3247C-G

Owner: <none>. Roster: 2 × Chrono Commando (CCOMAND)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Psi-Corp - 0CE376DC-G

Owner: <none>. Roster: 2 × Psi Commando (PTROOP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied Bombard - H1 - 0A6E210C-G

Owner: <none>. Roster: 2 × IFV (FV); 2 × Prism Tank (SREF); 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Allied Bombard - M1 - 0A874DEC-G

Owner: <none>. Roster: 2 × Prism Tank (SREF); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Allied Bombard - E1 - 0A6E452C-G

Owner: <none>. Roster: 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Allied Ultra-Hard Attack - 0A43AEFC-G

Owner: <none>. Roster: 6 × Grizzly Battle Tank (MTNK); 3 × Prism Tank (SREF); 4 × IFV (FV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Chrono-Sphere Unit - 0A87472C-G

Owner: <none>. Roster: 4 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chronosphere (0CAC55CC-G).

1. Gather near own base; configured argument 0.
2. Chronoshift toward target category; configured argument 9.
3. Guard for interval; configured argument 10.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied Anti-Nuke Team - 1 - 0A6E575C-G

Owner: <none>. Roster: 2 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Nuke Transport (0A6E54EC-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 54.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Report team success.
7. Attack selected enemy-building category; configured argument 54.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Allied Anti-Weather Team - 1 - 0A6E513C-G

Owner: <none>. Roster: 2 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Weather Transport (0A6E6DBC-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 29.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 29.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Allied Naval Hunters - 1 - 0CA1E67C-G

Owner: <none>. Roster: 3 × Destroyer (DEST)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Naval Bombard- 1 - 0CAC330C-G

Owner: <none>. Roster: 1 × Aegis Cruiser (AEGIS); 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Naval Bombard (0A869C8C-G).

1. Seek/attack target category; configured argument 6.
2. Report team success.

3. Seek/attack target category; configured argument 1.

Nation British Sniper 1 - 0CACC1FC-G

Owner: <none>. Roster: 1 × Sniper (SNIPE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (0CACDB4C-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Nation British Sniper - 2 - 0CAC27DC-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Sniper (SNIPE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Nation British - Transport Sniper (0C9506CC-G).

1. Approach friendly building category; configured argument 196608.
2. Load transport.
3. Wait for loading completion.
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Nation German Tank Dest 1 - 0A87293C-G

Owner: <none>. Roster: 4 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (0A6E716C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Nation Korea - 1 - 0CB1CDEC-G

Owner: <none>. Roster: 4 × Black Eagle (BEAG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Base Guard - Basic - 0CAD093C-G

Owner: <none>. Roster: 6 × GI (E1)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied IFV Rush vs Sov - 0CA79EFC-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Sov Conyard (0C954B4C-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131097.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied IFV Rush vs Allied Con - 0A86849C-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Allied Con (0A86CDBC-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131074.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied Mirage Tanks - 0ACCD81C-G

Owner: <none>. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Defense (0C90CA2C-G).

1. Approach friendly building category; configured argument 131073.
2. Adopt object mission: area guard.

Soviet Infantry Easy 1 - 0CD9D13C-G

Owner: <none>. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.

2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Soviet Infantry Easy 2 - 0D2F858C-G

Owner: <none>. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Infantry Medium 1 - 0D305A6C-G

Owner: <none>. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Infantry Medium 2 - 0D30575C-G

Owner: <none>. Roster: 10 × Conscript (E2); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Infantry Hard 1 - 0D30562C-G

Owner: <none>. Roster: 20 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.

3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Infantry Hard 2 - 0D3053EC-G

Owner: <none>. Roster: 2 × Flak Trooper (FLAKT); 10 × Conscript (E2); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Armor Easy - 0A37742C-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Armor Medium - 0C31CA7C-G

Owner: <none>. Roster: 2 × Flak Track (HTK); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Armor Hard - 0CA1D38C-G

Owner: <none>. Roster: 2 × Flak Track (HTK); 5 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Factories (0CA1FDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 6.

4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Bombard - Easy - 0ACDDDAC-G

Owner: <none>. Roster: 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Soviet Bombard Medium - 0ACDDB6C-G

Owner: <none>. Roster: 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Soviet Bombard Hard - 0CA1683C-G

Owner: <none>. Roster: 3 × V3 Rocket (V3ROCKET); 2 × Tesla Trooper (SHK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0CE4D82C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 0.

Soviet Iron Curtain Team - 0ACDAEFC-G

Owner: <none>. Roster: 6 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.

5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Apoc Medium - 0CA1614C-G

Owner: <none>. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Apoc Hard - 0CAD3CBC-G

Owner: <none>. Roster: 4 × Apocalypse (APOC)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Navy Hunters - 0CA18BAC-G

Owner: <none>. Roster: 3 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Navy Bombard - 0EC2038C-G

Owner: <none>. Roster: 1 × Dreadnought (DRED); 2 × Sea Scorpion (HYD); 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Naval Bombard (0A869C8C-G).

1. Seek/attack target category; configured argument 6.
2. Report team success.

3. Seek/attack target category; configured argument 1.

Soviet Terror Drone - Easy - 0C90996C-G

Owner: <none>. Roster: 1 × Terror Drone (DRON)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (0A6E716C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Soviet Terror Drone Attack - 0EC24B7C-G

Owner: <none>. Roster: 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (0A6E716C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Nation: Russian Tesla Tank - 0CADBA7C-G

Owner: <none>. Roster: 3 × Tesla Tank (TTNK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Nation Cuba T vs Sov - 0C95BBAC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Terrorist (TERROR)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.

8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Nation Cuba T vs Ally - 0C95B6FC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Terrorist (TERROR)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Nation Iraqi - 0C9088EC-G

Owner: <none>. Roster: 2 × Desolator (DESO)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Base Defense (0EC7A7AC-G).

1. Approach friendly building category; configured argument 10.
2. Adopt object mission: area guard.

Nation Libyan Boom - 0CACCB7C-G

Owner: <none>. Roster: 1 × Demolition Truck (DTRUCK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Demo Truck (0AD0CDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 6.

Soviet Kirov Medium - 0CA03A4C-G

Owner: <none>. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Kirov Hard - 0CA0380C-G

Owner: <none>. Roster: 3 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0CE4BDBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Engineer vs Ally - 0C143EFC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Ivan vs Allies - 0A42EBFC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 3 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Ivan vs Soviet - 0A43080C-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 3 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Yuri - 0D2C7B2C-G

Owner: <none>. Roster: 2 × Yuri (YURI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Con Yard Defense (0D2C345C-G).

1. Approach friendly building category; configured argument 25.
2. Adopt object mission: area guard.

Soviet Base Defense Infantry - 0C916DEC-G

Owner: <none>. Roster: 4 × Conscript (E2); 4 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Guards (0C91433C-G).

1. Approach friendly building category; configured argument 15.
2. Adopt object mission: area guard.

Soviet Engineer vs Soviet - 0C142C8C-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Engineer (SENGINEER)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Engineer Oil - 0D04C46C-G

Owner: <none>. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Oil Derrick Capture (0C94D80C-G).

1. Attack selected enemy-building category; configured argument 131143.

2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

Soviet Engineer Airport - 0A31428C-G

Owner: <none>. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Airport Capture (0C94EC8C-G).

1. Attack selected enemy-building category; configured argument 131142.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.

Soviet War Miner - 0ECCB03C-G

Owner: <none>. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Harvester (0ECC9B0C-G).

1. Approach friendly building category; configured argument 15.

Allied Chrono Miner - 0ECC97DC-G

Owner: <none>. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harvester (0ECC92DC-G).

1. Approach friendly building category; configured argument 1.

Soviet Guard Dog Tech - 0D6266CC-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Dog Guard Tech (0A3142EC-G).

1. Approach friendly building category; configured argument 10.
2. Adopt object mission: area guard.

Soviet Guard Dog Power - 0A312ECC-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Guard Dog Power (0A312C5C-G).

1. Approach friendly building category; configured argument 9.
2. Adopt object mission: area guard.

Allied Harrier Support - 0CB246CC-G

Owner: <none>. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Vehicle Attack (0D09293C-G).

1. Seek/attack target category; configured argument 5.

2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Allied Anit-Grand Cannon - 0D020EFC-G

Owner: <none>. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Anti-Grand Cannon (0D020C8C-G).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 64.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Anti-Grand Cannon - 0D02081C-G

Owner: <none>. Roster: 2 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Anti-Grand Cannon (0D020C8C-G).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 64.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Refinery Guards - 0C9146DC-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Guard (0C9C878C-G).

1. Approach friendly building category; configured argument 1.
2. Guard for interval; configured argument 10.
3. Approach friendly building category; configured argument 196609.
4. Guard for interval; configured argument 10.
5. Approach friendly building category; configured argument 196609.
6. Guard for interval; configured argument 10.
7. Jump to script line; configured argument 1.

Soviet Refinery Guard - 0C12237C-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Guards (0C91433C-G).

1. Approach friendly building category; configured argument 15.
2. Adopt object mission: area guard.

Soviet Flak Defenses - 0CA0405C-G

Owner: <none>. Roster: 6 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Flak Defense (0CA2192C-G).

1. Approach friendly building category; configured argument 131139.
2. Scatter.
3. Adopt object mission: area guard.

Allied Small Armor Team - 0CA48EFC-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0CE0F88C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Soviet Small Armor Team - 0CA48CBC-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0CE0F88C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Chrono Unit Easy - 0D2701DC-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chronosphere (0CAC55CC-G).

1. Gather near own base; configured argument 0.
2. Chronoshift toward target category; configured argument 9.
3. Guard for interval; configured argument 10.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Soviet Iron Curtain Unit Easy - 0D27E06C-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Factories (0CA1FDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Terror Drone Base D - 0A454B9C-G

Owner: <none>. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Base Patrol (0A4529FC-G).

1. Approach friendly building category; configured argument 131087.
2. Guard for interval; configured argument 30.
3. Approach friendly building category; configured argument 131086.
4. Guard for interval; configured argument 30.
5. Approach friendly building category; configured argument 131081.
6. Guard for interval; configured argument 30.
7. Approach friendly building category; configured argument 131092.
8. Guard for interval; configured argument 30.
9. Jump to script line; configured argument 1.

Allied Dog Guard Refine - 0A45227C-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Defense (0C90CA2C-G).

1. Approach friendly building category; configured argument 131073.
2. Adopt object mission: area guard.

Soviet Refinery Guard - 0A4520CC-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Guards (0C91433C-G).

1. Approach friendly building category; configured argument 15.
2. Adopt object mission: area guard.

Soviet Tesla Charge Team - 0A36DEFC-G

Owner: <none>. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: no; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Tesla Charge (0A36952C-G).

1. Approach friendly building category; configured argument 196661.
2. Adopt object mission: area guard.

Yuri's Revenge

Source member: ra2md.mix/localmd.mix/aimd.ini.

Allied Base Guard - Refine - 06175EFC-G

Owner: <none>. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Guard (0C9C878C-G).

1. Approach friendly building category; configured argument 1.
2. Guard for interval; configured argument 10.
3. Approach friendly building category; configured argument 196609.
4. Guard for interval; configured argument 10.
5. Approach friendly building category; configured argument 196609.
6. Guard for interval; configured argument 10.
7. Jump to script line; configured argument 1.

Allied Base Guard - Tech - 0CE4CEFC-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Guard - Tech (0CE4CC8C-G).

1. Approach friendly building category; configured argument 131078.
2. Adopt object mission: area guard.

Allied Base Guard - Adv - 0CE4CA3C-G

Owner: <none>. Roster: 2 × Prism Tank (SREF); 2 × IFV (FV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied Infantry Attack - H1 - 0617FC8C-G

Owner: <none>. Roster: 5 × GI (E1); 5 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Infantry Attack - H2 - 0617EEFC-G

Owner: <none>. Roster: 6 × GI (E1); 2 × Engineer (ENGINEER); 4 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.

7. Seek/attack target category; configured argument 1.

Allied Infantry Attack - M1 - 06BB88BC-G

Owner: <none>. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Infantry Attack - E1 - 0617E91C-G

Owner: <none>. Roster: 2 × GI (E1); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Tech Oil Capture - 0CFFF59C-G

Owner: <none>. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Oil Derrick Capture (0C94D80C-G).

1. Attack selected enemy-building category; configured argument 131143.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

Allied Tech Airport Capture - 0CFFF0EC-G

Owner: <none>. Roster: 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Airport Capture (09B4DB1C-G).

1. Attack selected enemy-building category; configured argument 131142.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.

Allied Grizzly Attack - H1 - 0CABE7DC-G

Owner: <none>. Roster: 4 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Fast Factory Attack (0ABA756C-G).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 7.

5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - H2 - 09B4FB7C-G

Owner: <none>. Roster: 2 × IFV (FV); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0ABA6DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - H3 - 0CA0486C-G

Owner: <none>. Roster: 4 × Rocketeer (JUMPJET); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0ABA6DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Grizzly Attack - M1 - 0A86A48C-G

Owner: <none>. Roster: 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Grizzly Attack - E1 - 09B4F12C-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Rocketeer - H1 - 09B4E8BC-G

Owner: <none>. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0ABA6DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Harrier - H1 - 0CAC9EFC-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Vehicle Attack (08A2135C-G).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Allied Harrier - H2 - 0CACFEFC-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Harrier - M1 - 09B50C8C-G

Owner: <none>. Roster: 4 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Harrier - E1 - 0CA7122C-G

Owner: <none>. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Spy vs Soviet Power - 09B5091C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Soviet Power (0CADC46C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131081.
3. Attack selected enemy-building category; configured argument 9.
4. Approach selected enemy-building category; configured argument 131083.
5. Attack selected enemy-building category; configured argument 11.

Allied Spy vs Allied Power - 0CE1F59C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied Power (0CADDDBC-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 0.
3. Attack selected enemy-building category; configured argument 131072.
4. Approach selected enemy-building category; configured argument 131083.
5. Attack selected enemy-building category; configured argument 11.

Allied Spy vs Allied War - 0CE1BE7C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied War (0CADDA1C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 7.
3. Attack selected enemy-building category; configured argument 7.
4. Approach selected enemy-building category; configured argument 131072.
5. Attack selected enemy-building category; configured argument 131072.

Allied Spy vs Soviet War - 0CE1B99C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Soviet War (0C8A3C8C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 131086.
3. Attack selected enemy-building category; configured argument 131086.
4. Attack selected enemy-building category; configured argument 131081.

Allied Spy vs Soviet Tech - 09B517BC-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Sov Tech (0C8A254C-G).

1. Seek/attack target category; configured argument 0.

2. Approach selected enemy-building category; configured argument 10.
3. Attack selected enemy-building category; configured argument 10.

Allied spy vs Allied Tech - 09B5141C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Spy vs Allied Tech (0C8A354C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 6.
3. Attack selected enemy-building category; configured argument 6.
4. Attack selected enemy-building category; configured argument 131072.

Allied Tanya vs Soviet Con - 0AD4D7BC-G

Owner: <none>. Roster: 1 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD); 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Sov Conyard (0C954B4C-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131097.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied Tanya - M1 - 09B52C8C-G

Owner: <none>. Roster: 1 × Tanya (TANY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Attack Buildings (0CE4EC8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 2.

Allied Tanya vs Allied Con - 06178A4C-G

Owner: <none>. Roster: 1 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD); 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Allied Con (0A86CDBC-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131074.

7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied C-Legion vs Soviet Con - 0CE33A8C-G

Owner: <none>. Roster: 2 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied C-Legion vs Soviet Con (0CE3381C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 25.
4. Attack selected enemy-building category; configured argument 25.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied C-Legion vs Allied Con - 0CE334AC-G

Owner: <none>. Roster: 2 × Chrono Legionnaire (CLEG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied C-Legion vs Ally Con (0CE3323C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 2.
4. Attack selected enemy-building category; configured argument 2.
5. Report team success.
6. Seek/attack target category; configured argument 6.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied Spy vs Sov Barracks - 0CE32D3C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spy vs Sov Barracks (0CADF67C-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 11.
3. Attack selected enemy-building category; configured argument 11.
4. Approach selected enemy-building category; configured argument 131081.
5. Attack selected enemy-building category; configured argument 131081.

Allied Spy vs Allied Barracks - 0CADF54C-G

Owner: <none>. Roster: 1 × Spy (SPY)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Spy vs Allied Barracks (0CADF2DC-G).

1. Seek/attack target category; configured argument 4.
2. Approach selected enemy-building category; configured argument 3.
3. Attack selected enemy-building category; configured argument 3.
4. Approach selected enemy-building category; configured argument 131072.
5. Attack selected enemy-building category; configured argument 131072.

Allied Chrono Commando - 09B5354C-G

Owner: <none>. Roster: 2 × Chrono Commando (CCOMAND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Allied Psi-Corp - 09B5330C-G

Owner: <none>. Roster: 2 × Psi Commando (PTROOP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied Bombard - H1 - 0A6E210C-G

Owner: <none>. Roster: 2 × IFV (FV); 2 × Prism Tank (SREF); 4 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Bombard - M1 - 0A874DEC-G

Owner: <none>. Roster: 2 × Prism Tank (SREF); 6 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.

6. Seek/attack target category; configured argument 1.

Allied Bombard - E1 - 0A6E452C-G

Owner: <none>. Roster: 2 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Ultra-Hard Attack - 0A43AEFC-G

Owner: <none>. Roster: 6 × Grizzly Battle Tank (MTNK); 3 × Prism Tank (SREF); 4 × IFV (FV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Allied Chrono-Sphere Unit - 0A87472C-G

Owner: <none>. Roster: 4 × Grizzly Battle Tank (MTNK); 1 × Mirage Tank (MGTK); 1 × Prism Tank (SREF)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chronosphere (0CAC55CC-G).

1. Gather near own base; configured argument 0.
2. Chronoshift toward target category; configured argument 9.
3. Guard for interval; configured argument 10.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Allied Anti-Nuke Team - 1 - 08DA125C-G

Owner: <none>. Roster: 1 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD); 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Nuke Transport (0A6E54EC-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.

4. Approach selected enemy-building category; configured argument 54.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Report team success.
7. Attack selected enemy-building category; configured argument 54.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Allied Anti-Weather Team - 1 - 0A6E513C-G

Owner: <none>. Roster: 1 × Tanya (TANY); 3 × GI (E1); 1 × NightHawk Transport (SHAD); 1 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Weather Transport (0A6E6DBC-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 29.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 29.
7. Report team success.
8. Seek/attack target category; configured argument 2.
9. Seek/attack target category; configured argument 1.

Allied Naval Hunters - 1 - 0CA1E67C-G

Owner: <none>. Roster: 3 × Destroyer (DEST)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Allied Naval Bombard- 1 - 0CAC330C-G

Owner: <none>. Roster: 1 × Aegis Cruiser (AEGIS); 1 × Aircraft Carrier (CARRIER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Naval Bombard (0A869C8C-G).

1. Seek/attack target category; configured argument 6.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Nation British Sniper 1 - 0CACC1FC-G

Owner: <none>. Roster: 1 × Sniper (SNIPE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Nation British Sniper - 2 - 0CAC27DC-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Sniper (SNIPE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Nation British - Transport Sniper (0C9506CC-G).

1. Approach friendly building category; configured argument 196608.
2. Load transport.
3. Wait for loading completion.
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 1.

Nation German Tank Dest 1 - 0A87293C-G

Owner: <none>. Roster: 4 × Tank Destroyer (TNKD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Nation Korea - 1 - 0CB1CDEC-G

Owner: <none>. Roster: 4 × Black Eagle (BEAG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Attack (0CB13B4C-G).

1. Seek/attack target category; configured argument 3.
2. Seek/attack target category; configured argument 7.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Allied Base Guard - Basic - 08DA30EC-G

Owner: <none>. Roster: 3 × GI (E1); 3 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Base Defense (0CE4C2DC-G).

1. Approach friendly building category; configured argument 131075.
2. Adopt object mission: area guard.

Allied IFV Rush vs Sov - 0CA79EFC-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Sov Conyard (0C954B4C-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131097.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied IFV Rush vs Allied Con - 0A86849C-G

Owner: <none>. Roster: 1 × IFV (FV); 1 × Engineer (ENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 25; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Transport vs Allied Con (0A86CDBC-G).

1. Approach friendly building category; configured argument 7.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: passengers continue; transport leaves team.
6. Attack selected enemy-building category; configured argument 131074.
7. Report team success.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Allied Mirage Tanks - 0ACCD81C-G

Owner: <none>. Roster: 2 × Mirage Tank (MGTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Defense (0C90CA2C-G).

1. Approach friendly building category; configured argument 131073.
2. Adopt object mission: area guard.

Soviet Infantry Easy 1 - 060F5C8C-G

Owner: <none>. Roster: 8 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack 01 (043F45FC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 7.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Infantry Easy 2 - 09B575AC-G

Owner: <none>. Roster: 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Infantry Medium 1 - 060F580C-G

Owner: <none>. Roster: 10 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack 02 (043EB5AC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Infantry Medium 2 - 09B5712C-G

Owner: <none>. Roster: 10 × Conscript (E2); 2 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Infantry Hard 1 - 060F538C-G

Owner: <none>. Roster: 20 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Infantry Attack 02 (043EB5AC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.

6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Infantry Hard 2 - 0613D80C-G

Owner: <none>. Roster: 2 × Flak Trooper (FLAKT); 10 × Conscript (E2); 3 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Armor Easy - 06BB841C-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK); 1 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Armor Medium - 0C31CA7C-G

Owner: <none>. Roster: 2 × Flak Track (HTK); 3 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Armor Hard - 0CA1D38C-G

Owner: <none>. Roster: 2 × Flak Track (HTK); 5 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Factories (0CA1FDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.

3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Bombard - Easy - 0ACDDDAC-G

Owner: <none>. Roster: 2 × V3 Launcher (V3)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Bombard Medium - 0ACDDB6C-G

Owner: <none>. Roster: 2 × V3 Launcher (V3); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Bombard Hard - 0CA1683C-G

Owner: <none>. Roster: 3 × V3 Rocket (V3ROCKET); 2 × Tesla Trooper (SHK); 2 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Base Defense Attack (0607B8FC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Iron Curtain Team - 0ACDAEFC-G

Owner: <none>. Roster: 6 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.

4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Apoc Medium - 0CA1614C-G

Owner: <none>. Roster: 1 × Apocalypse (APOC)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Apoc Hard - 0CAD3CBC-G

Owner: <none>. Roster: 4 × Apocalypse (APOC)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Navy Hunters - 0CA18BAC-G

Owner: <none>. Roster: 3 × Typhoon Attack Sub (SUB)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Navy Bombard - 0EC2038C-G

Owner: <none>. Roster: 1 × Dreadnought (DRED); 2 × Sea Scorpion (HYD); 1 × Giant Squid (SQD)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Naval Bombard (0A869C8C-G).

1. Seek/attack target category; configured argument 6.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Soviet Terror Drone - Easy - 06BC103C-G

Owner: <none>. Roster: 1 × Terror Drone (DRON)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Soviet Terror Drone Attack - 0EC24B7C-G

Owner: <none>. Roster: 4 × Terror Drone (DRON)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Nation: Russian Tesla Tank - 0CADBA7C-G

Owner: <none>. Roster: 3 × Tesla Tank (TTNK); 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain (0C31EA4C-G).

1. Gather near enemy base; configured argument 0.
2. Guard for interval; configured argument 10.
3. Request special-weapon support; configured argument 0.
4. Report team success.
5. Seek/attack target category; configured argument 7.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Nation Cuba T vs Sov - 06BC27CC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Terrorist (TERROR)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.

6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Nation Cuba T vs Ally - 0C95B6FC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Terrorist (TERROR)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Nation Iraqi - 06BC3EFC-G

Owner: <none>. Roster: 2 × Desolator (DESO)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Base Defense (0EC7A7AC-G).

1. Approach friendly building category; configured argument 10.
2. Adopt object mission: area guard.

Nation Libyan Boom - 0CACCB7C-G

Owner: <none>. Roster: 1 × Demolition Truck (DTRUCK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Demo Truck (0AD0CDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 6.

Soviet Kirov Medium - 06BC359C-G

Owner: <none>. Roster: 1 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.

6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Kirov Hard - 0CA0380C-G

Owner: <none>. Roster: 3 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Engineer vs Ally - 0C143EFC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Ivan vs Allies - 0A42EBFC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 3 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Allied Con (0A88524C-G).

1. Approach friendly building category; configured argument 131086.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 2.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131074.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Ivan vs Soviet - 0A43080C-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 3 × Crazy Ivan (IVAN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Base Defense Infantry - 05C643BC-G

Owner: <none>. Roster: 4 × Conscript (E2); 4 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Guard Refinery (05C77DBC-G).

1. Gather near own base; configured argument 0.
2. Approach friendly building category; configured argument 196623.
3. Guard for interval; configured argument 10.
4. Approach friendly building category; configured argument 196623.
5. Guard for interval; configured argument 10.
6. Approach friendly building category; configured argument 196623.
7. Guard for interval; configured argument 10.
8. Jump to script line; configured argument 1.

Soviet Engineer vs Soviet - 06BC2DEC-G

Owner: <none>. Roster: 1 × Flak Track (HTK); 5 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Transport vs Sov Con (0A8856FC-G).

1. Approach friendly building category; configured argument 25.
2. Load transport.
3. Wait for loading completion.
4. Approach selected enemy-building category; configured argument 25.
5. Unload with continuation mode: transport and passengers continue.
6. Report team success.
7. Attack selected enemy-building category; configured argument 131097.
8. Seek/attack target category; configured argument 6.
9. Seek/attack target category; configured argument 2.
10. Seek/attack target category; configured argument 1.

Soviet Engineer Oil - 0D04C46C-G

Owner: <none>. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 15; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Oil Derrick Capture (0C94D80C-G).

1. Attack selected enemy-building category; configured argument 131143.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 1.

Soviet Engineer Airport - 0A31428C-G

Owner: <none>. Roster: 1 × Engineer (SENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Airport Capture (09B4DB1C-G).

1. Attack selected enemy-building category; configured argument 131142.
2. Seek/attack target category; configured argument 6.
3. Seek/attack target category; configured argument 9.
4. Seek/attack target category; configured argument 2.

Soviet War Miner - 0ECCB03C-G

Owner: <none>. Roster: 1 × War Miner (HARV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Harvester (0ECC9B0C-G).

1. Approach friendly building category; configured argument 15.

Allied Chrono Miner - 06BC5B7C-G

Owner: <none>. Roster: 1 × Chrono Miner (CMIN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harvester (0ECC92DC-G).

1. Approach friendly building category; configured argument 1.

Soviet Guard Dog Tech - 0D6266CC-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Dog Guard Tech (0A3142EC-G).

1. Approach friendly building category; configured argument 10.
2. Adopt object mission: area guard.

Soviet Guard Dog Power - 06BC521C-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Guard Dog Power (0A312C5C-G).

1. Approach friendly building category; configured argument 9.
2. Adopt object mission: area guard.

Allied Harrier Support - 0CB246CC-G

Owner: <none>. Roster: 2 × Harrier (ORCA)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Harrier Vehicle Attack (08A2135C-G).

1. Seek/attack target category; configured argument 5.
2. Report team success.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 1.

Allied Anit-Grand Cannon - 0D020EFC-G

Owner: <none>. Roster: 5 × Rocketeer (JUMPJET)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Anti-Grand Cannon (0D020C8C-G).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 64.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Anti-Grand Cannon - 06BC67BC-G

Owner: <none>. Roster: 2 × Kirov Airship (ZEP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Anti-Grand Cannon (0D020C8C-G).

1. Gather near enemy base; configured argument 0.
2. Attack selected enemy-building category; configured argument 64.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Allied Refinery Guards - 0C9146DC-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Guard (0C9C878C-G).

1. Approach friendly building category; configured argument 1.
2. Guard for interval; configured argument 10.
3. Approach friendly building category; configured argument 196609.
4. Guard for interval; configured argument 10.
5. Approach friendly building category; configured argument 196609.
6. Guard for interval; configured argument 10.
7. Jump to script line; configured argument 1.

Soviet Refinery Guard - 0C12237C-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Guards (0C91433C-G).

1. Approach friendly building category; configured argument 15.
2. Adopt object mission: area guard.

Soviet Flak Defenses - 06BC625C-G

Owner: <none>. Roster: 6 × Flak Trooper (FLAKT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Flak Defense (0CA2192C-G).

1. Approach friendly building category; configured argument 131139.
2. Scatter.
3. Adopt object mission: area guard.

Allied Small Armor Team - 0CA48EFC-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0ABA6DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Soviet Small Armor Team - 06BC7B5C-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Harvester Hunt (0ABA6DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 3.
3. Report team success.
4. Seek/attack target category; configured argument 5.
5. Seek/attack target category; configured argument 1.

Allied Chrono Unit Easy - 0D2701DC-G

Owner: <none>. Roster: 3 × Grizzly Battle Tank (MTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Chronosphere (0CAC55CC-G).

1. Gather near own base; configured argument 0.
2. Chronoshift toward target category; configured argument 9.
3. Guard for interval; configured argument 10.
4. Report team success.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Soviet Iron Curtain Unit Easy - 0D27E06C-G

Owner: <none>. Roster: 2 × Rhino Heavy Tank (HTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Iron Curtain Factories (0CA1FDBC-G).

1. Gather near enemy base; configured argument 0.
2. Request special-weapon support; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 2.
6. Seek/attack target category; configured argument 1.

Soviet Terror Drone Base D - 0A454B9C-G

Owner: <none>. Roster: 2 × Terror Drone (DRON)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Base Patrol (0A4529FC-G).

1. Approach friendly building category; configured argument 131087.
2. Guard for interval; configured argument 30.
3. Approach friendly building category; configured argument 131086.
4. Guard for interval; configured argument 30.
5. Approach friendly building category; configured argument 131081.
6. Guard for interval; configured argument 30.
7. Approach friendly building category; configured argument 131092.
8. Guard for interval; configured argument 30.
9. Jump to script line; configured argument 1.

Allied Dog Guard Refine - 06BC70AC-G

Owner: <none>. Roster: 2 × Attack Dog (ADOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Refinery Defense (0C90CA2C-G).

1. Approach friendly building category; configured argument 131073.
2. Adopt object mission: area guard.

Soviet Refinery Guard - 0A4520CC-G

Owner: <none>. Roster: 2 × Attack Dog (DOG)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Refinery Guards (0C91433C-G).

1. Approach friendly building category; configured argument 15.
2. Adopt object mission: area guard.

Soviet Tesla Charge Team - 09B58D0C-G

Owner: <none>. Roster: 1 × Tesla Trooper (SHK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Tesla Charge (0A36952C-G).

1. Approach friendly building category; configured argument 196661.

2. Adopt object mission: area guard.

Yuri Guard - Basic I - 06099EFC-G

Owner: <none>. Roster: 5 × Initiate (INIT); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Base Defense SCR (043E08AC-G).

1. Approach friendly building category; configured argument 131374.
2. Guard for interval; configured argument 12.
3. Approach friendly building category; configured argument 131372.
4. Guard for interval; configured argument 12.
5. Approach friendly building category; configured argument 131375.
6. Guard for interval; configured argument 12.
7. Jump to script line; configured argument 1.

Yuri Naval Hunters - 06C5992C-G

Owner: <none>. Roster: 2 × Boomer (BSUB)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Naval Hunters SCR (06C55C6C-G).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 1.

Yuri Guard - Basic II - 0609946C-G

Owner: <none>. Roster: 3 × Initiate (INIT); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Base Defense SCR (043E08AC-G).

1. Approach friendly building category; configured argument 131374.
2. Guard for interval; configured argument 12.
3. Approach friendly building category; configured argument 131372.
4. Guard for interval; configured argument 12.
5. Approach friendly building category; configured argument 131375.
6. Guard for interval; configured argument 12.
7. Jump to script line; configured argument 1.

Yuri Armor - 1 - 05FFBD7C-G

Owner: <none>. Roster: 5 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Infantry - M1 - 05FFB46C-G

Owner: <none>. Roster: 5 × Initiate (INIT); 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Armor - M2 - 05FFAA3C-G

Owner: <none>. Roster: 2 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Infantry - M2 - 05FFA48C-G

Owner: <none>. Roster: 1 × Brute (BRUTE); 1 × Yuri Clone (YURI); 4 × Initiate (INIT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Prime - M1 - 07C00E7C-G

Owner: <none>. Roster: 1 × Yuri Prime (YURIPR)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Prime - M1 SCR (07C03C8C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 9.
3. Report team success.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.

Yuri Air Force - M1 - 0ABB14BC-G

Owner: <none>. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floater vs. Power (0ABB124C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 9.

4. Report team success.

Yuri Chaos - M1 - 07C0304C-G

Owner: <none>. Roster: 1 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Magnetron - 07C0AEFC-G

Owner: <none>. Roster: 1 × Magnetron (TELE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 5; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Magnetron SCR (07C0B52C-G).

1. Approach friendly building category; configured argument 131381.
2. Report team success.
3. Adopt object mission: area guard.

Yuri Infantry - M3 - 05FBBBEC-G

Owner: <none>. Roster: 2 × Brute (BRUTE); 1 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Armor - E1 - 05FC195C-G

Owner: <none>. Roster: 3 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Infantry - E1 - 05FC3EFC-G

Owner: <none>. Roster: 4 × Initiate (INIT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Infantry - E2 - 05FC3B6C-G

Owner: <none>. Roster: 2 × Brute (BRUTE); 1 × Yuri Clone (YURI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri Armor - H2 - 060F8A7C-G

Owner: <none>. Roster: 5 × Lasher Light Tank (LTNK); 2 × Gattling Tank (YTNK); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Armor - H3 - 060F883C-G

Owner: <none>. Roster: 4 × Lasher Light Tank (LTNK); 1 × Gattling Tank (YTNK); 1 × Magnetron (TELE); 2 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Chaos - H1 - 05FC0B6C-G

Owner: <none>. Roster: 3 × Chaos Drone (CAOS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.

6. Seek/attack target category; configured argument 1.

Yuri Disc - H1 - 05FC075C-G

Owner: <none>. Roster: 3 × Floating Disc (DISK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floater vs. Power (0ABB124C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 9.
4. Report team success.

Yuri Disc - H2_S - 05FC019C-G

Owner: <none>. Roster: 3 × Floating Disc (DISK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floater vs Sov Refinery (05FC7DBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131087.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Yuri Disc - H2_A - 05FC7C8C-G

Owner: <none>. Roster: 3 × Floating Disc (DISK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Floater vs All Refinery (05FC78DC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131073.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Yuri Infantry - H1 - 08B90EFC-G

Owner: <none>. Roster: 1 × Yuri Clone (YURI); 10 × Initiate (INIT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Infantry - H2 - 08B9141C-G

Owner: <none>. Roster: 1 × Yuri Clone (YURI); 8 × Initiate (INIT); 2 × Virus (VIRUS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Brute Squad - 08B9108C-G

Owner: <none>. Roster: 5 × Brute (BRUTE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 3; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Yuri Infantry - H3 - 08B93EFC-G

Owner: <none>. Roster: 6 × Initiate (INIT); 3 × Yuri Clone (YURI); 1 × Virus (VIRUS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Prime - H1 - 05CA183C-G

Owner: <none>. Roster: 3 × Brute (BRUTE); 1 × Yuri Prime (YURIPR); 2 × Virus (VIRUS)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Prime - H1 SCR (05CA15CC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 6.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Yuri Big Team - 08B9343C-G

Owner: <none>. Roster: 6 × Lasher Light Tank (LTNK); 3 × Gattling Tank (YTNK); 2 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 20; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Fast Factory Attack (0ABA756C-G).

1. Gather near enemy base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 2.

6. Seek/attack target category; configured argument 1.

Yuri Anti-Grand Cannon - 08B94EFC-G

Owner: <none>. Roster: 2 × Floating Disc (DISK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Anti-Grand Cannon (08B94C8C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Attack selected enemy-building category; configured argument 131136.
4. Report team success.
5. Seek/attack target category; configured argument 9.
6. Seek/attack target category; configured argument 1.

Yuri Anti-Dog - 08B9449C-G

Owner: <none>. Roster: 2 × Brute (BRUTE)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Engineers - 08B95EFC-G

Owner: <none>. Roster: 2 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Engineers (08B95B7C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 6.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 2.

Yuri Slave Miners - 08B9573C-G

Owner: <none>. Roster: 1 × Slave Miner (SMIN)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Slave Miners (08B953BC-G).

1. Adopt object mission: area guard.
2. Report team success.

Yuri Refinery Guards - 061183BC-G

Owner: <none>. Roster: 1 × Yuri Clone (YURI); 1 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Miner Defense (08B96C8C-G).

1. Gather near own base; configured argument 0.
2. Report team success.

3. Approach friendly building category; configured argument 131429.
4. Guard for interval; configured argument 120.
5. Approach friendly building category; configured argument 196965.
6. Guard for interval; configured argument 120.
7. Jump to script line; configured argument 5.

Yuri Psychic Force - 08B967BC-G

Owner: <none>. Roster: 4 × Yuri Clone (YURI); 2 × Gattling Tank (YTNK); 2 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Unit Hunter (060F6DBC-G).

1. Gather near own base; configured argument 0.
2. Enter Tank Bunker.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 4.
6. Seek/attack target category; configured argument 1.

Yuri Capture Airport - 08B962EC-G

Owner: <none>. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Capture Airport (08B97DBC-G).

1. Attack selected enemy-building category; configured argument 131142.
2. Report team success.
3. Seek/attack target category; configured argument 2.

Yuri Capture Oil - 08B97B3C-G

Owner: <none>. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Capture Oil (08B978CC-G).

1. Attack selected enemy-building category; configured argument 131143.
2. Report team success.
3. Seek/attack target category; configured argument 2.

Yuri Capture Machine - 08B9754C-G

Owner: <none>. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Capture Machine (08B972DC-G).

1. Attack selected enemy-building category; configured argument 131128.
2. Report team success.
3. Seek/attack target category; configured argument 2.

Yuri Capture Hospital - 05FC006C-G

Owner: <none>. Roster: 1 × Engineer (YENGINEER)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Capture Hospital (05FC30CC-G).

1. Attack selected enemy-building category; configured argument 131141.
2. Report team success.
3. Seek/attack target category; configured argument 2.

Yuri Anti-BEagle Defense - 06109EFC-G

Owner: <none>. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Anti-Air Defense (08B945CC-G).

1. Gather near own base; configured argument 0.
2. Report team success.
3. Approach friendly building category; configured argument 131372.
4. Guard for interval; configured argument 120.
5. Approach friendly building category; configured argument 196916.
6. Guard for interval; configured argument 60.
7. Jump to script line; configured argument 3.

Yuri Anti-Harrier Defense - 06109A4C-G

Owner: <none>. Roster: 3 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Anti-Air Defense (08B945CC-G).

1. Gather near own base; configured argument 0.
2. Report team success.
3. Approach friendly building category; configured argument 131372.
4. Guard for interval; configured argument 120.
5. Approach friendly building category; configured argument 196916.
6. Guard for interval; configured argument 60.
7. Jump to script line; configured argument 3.

Yuri Cloning Vats - 08B91ABC-G

Owner: <none>. Roster: 1 × Yuri Clone (YURI); 1 × Engineer (YENGINEER); 8 × Initiate (INIT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Infanty Attack (08A29DBC-G).

1. Seek/attack target category; configured argument 4.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Yuri Boomer Bombard_A - 05FC5C6C-G

Owner: <none>. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 14; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Boomer Bombard_A (08B9184C-G).

1. Attack selected enemy-building category; configured argument 131095.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131072.
4. Attack selected enemy-building category; configured argument 131075.
5. Attack selected enemy-building category; configured argument 131075.

6. Attack selected enemy-building category; configured argument 131074.
7. Seek/attack target category; configured argument 1.

Yuri Boomer Bombard_S - 08B909EC-G

Owner: <none>. Roster: 3 × Boomer (BSUB)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Boomer Bombard_S (08B9077C-G).

1. Attack selected enemy-building category; configured argument 131133.
2. Report team success.
3. Attack selected enemy-building category; configured argument 131081.
4. Attack selected enemy-building category; configured argument 131081.
5. Attack selected enemy-building category; configured argument 131083.
6. Attack selected enemy-building category; configured argument 131097.
7. Seek/attack target category; configured argument 1.

Yuri Base Guard - Adv - 08BE3EFC-G

Owner: <none>. Roster: 3 × Yuri Clone (YURI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: yes; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: yes; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Base Guard - Adv (08BE420C-G).

1. Approach friendly building category; configured argument 131372.
2. Report team success.
3. Adopt object mission: area guard.

Allied Battle Fort - M1 - 044091AC-G

Owner: <none>. Roster: 2 × Battle Fortress (BFRT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Vehicle Attack (08DA356C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 5.
4. Report team success.
5. Seek/attack target category; configured argument 1.

Allied Battle Fort - M2 - 07C257EC-G

Owner: <none>. Roster: 1 × Battle Fortress (BFRT); 2 × GI (E1); 2 × Guardian GI (GGI); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Loaded BF Unit Hunt (07C30DBC-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Seek/attack target category; configured argument 4.
5. Report team success.
6. Seek/attack target category; configured argument 5.
7. Seek/attack target category; configured argument 1.

Allied Battle Fort - H1 - 07C32EFC-G

Owner: <none>. Roster: 1 × Battle Fortress (BFRT); 2 × GI (E1); 2 × Guardian GI (GGI); 1 × SEAL (GHOST)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Loaded BF Waiter (07C32C8C-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Approach friendly building category; configured argument 131078.
5. Report team success.
6. Adopt object mission: area guard.

Allied Battle Fort - H2 - 07C328CC-G

Owner: <none>. Roster: 1 × Battle Fortress (BFRT); 1 × SEAL (GHOST); 2 × Chrono Legionnaire (CLEG); 2 × Guardian GI (GGI)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Loaded BF Waiter (07C32C8C-G).

1. Gather near own base; configured argument 0.
2. Load transport.
3. Wait for loading completion.
4. Approach friendly building category; configured argument 131078.
5. Report team success.
6. Adopt object mission: area guard.

Allied Battle Fort - H3 - 07C3227C-G

Owner: <none>. Roster: 4 × Battle Fortress (BFRT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General Factory Attack (0612EDBC-G).

1. Gather near own base; configured argument 0.
2. Enter Battle Bunker.
3. Gather near enemy base; configured argument 0.
4. Seek/attack target category; configured argument 6.
5. Report team success.
6. Seek/attack target category; configured argument 2.
7. Seek/attack target category; configured argument 1.

Soviet Siege Bunker - 0610813C-G

Owner: <none>. Roster: 5 × Conscript (E2)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Siege Bunker (06109AFC-G).

1. Enter Battle Bunker.
2. Report team success.

Soviet SChop vs Sov - 07C460CC-G

Owner: <none>. Roster: 2 × Siege Chopper (SCHP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet vs Sov SChop Attk (07C3188C-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 131081.
4. Deploy.
5. Attack selected enemy-building category; configured argument 131081.
6. Seek/attack target category; configured argument 9.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Soviet SChop vs All - 07C3092C-G

Owner: <none>. Roster: 2 × Siege Chopper (SCHP)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: yes; Priority: 7; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet vs All SChop Attk (07C48DBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Approach selected enemy-building category; configured argument 131072.
4. Deploy.
5. Seek/attack target category; configured argument 9.
6. Report team success.
7. Seek/attack target category; configured argument 2.
8. Seek/attack target category; configured argument 1.

Yuri MCV - 043F89AC-G

Owner: <none>. Roster: 1 × Yuri MCV (PCV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General MCV Deploy (043F23CC-G).

1. Gather near own base; configured argument 0.
2. Deploy.
3. Report team success.

Allied MCV - 043F29AC-G

Owner: <none>. Roster: 1 × Allied Construction Vehicle (AMCV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General MCV Deploy (043F23CC-G).

1. Gather near own base; configured argument 0.
2. Deploy.
3. Report team success.

Soviet MCV - 043F83EC-G

Owner: <none>. Roster: 1 × Soviet Construction Vehicle (SMCV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: yes; Priority: 50; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: General MCV Deploy (043F23CC-G).

1. Gather near own base; configured argument 0.
2. Deploy.

3. Report team success.

Yuri BioReactors - 043F828C-G

Owner: <none>. Roster: 3 × Initiate (INIT)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: yes; Aggressive: no; Base-defense role: no; Avoid Threats: no; Priority: 10; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri BioReactors SCR (043F784C-G).

1. Enter Bio Reactor.
2. Report team success.
3. Seek/attack target category; configured argument 1.

Allied Anti-Floater - 05CAB5CC-G

Owner: <none>. Roster: 5 × IFV (FV)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Anti-Floater SCR (05CAB35C-G).

1. Gather near own base; configured argument 0.
2. Approach friendly building category; configured argument 196608.
3. Guard for interval; configured argument 15.
4. Approach friendly building category; configured argument 131073.
5. Guard for interval; configured argument 10.
6. Approach friendly building category; configured argument 196608.
7. Guard for interval; configured argument 15.
8. Approach friendly building category; configured argument 131428.
9. Guard for interval; configured argument 15.
10. Jump to script line; configured argument 1.

Soviet Anti-Floater - 05C566EC-G

Owner: <none>. Roster: 5 × Flak Track (HTK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Soviet Anti-Floater SCR (05C5411C-G).

1. Gather near own base; configured argument 0.
2. Approach friendly building category; configured argument 131087.
3. Guard for interval; configured argument 15.
4. Approach friendly building category; configured argument 196617.
5. Guard for interval; configured argument 15.
6. Approach friendly building category; configured argument 131137.
7. Guard for interval; configured argument 15.
8. Approach friendly building category; configured argument 131087.
9. Guard for interval; configured argument 15.
10. Jump to script line; configured argument 1.

Yuri Anti-Floater - 05CACB7C-G

Owner: <none>. Roster: 5 × Gattling Tank (YTNK)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 30; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Anti-Floater SCR (05CAC90C-G).

1. Gather near own base; configured argument 0.

2. Approach friendly building category; configured argument 196909.
3. Guard for interval; configured argument 15.
4. Approach friendly building category; configured argument 196965.
5. Guard for interval; configured argument 15.
6. Approach friendly building category; configured argument 131373.
7. Guard for interval; configured argument 15.
8. Jump to script line; configured argument 1.

Yuri Finishers - 078F3A3C-G

Owner: <none>. Roster: 4 × Magnetron (TELE); 2 × Gattling Tank (YTNK); 2 × Lasher Light Tank (LTNK); 4 × Brute (BRUTE); 1 × Master Mind (MIND)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: yes; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 12; Max: 1; Veteran Level: 1; Technology level: 0.

Ordered plan: Yuri Finishers SCR (078F4DBC-G).

1. Gather near own base; configured argument 0.
2. Gather near enemy base; configured argument 0.
3. Seek/attack target category; configured argument 7.
4. Seek/attack target category; configured argument 6.
5. Seek/attack target category; configured argument 1.
6. Jump to script line; configured argument 2.

Allied Robo Tank - Easy - 07A735EC-G

Owner: <none>. Roster: 4 × Robot Tank (ROBO)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Robo Tank - Easy (079D823C-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 9.
5. Seek/attack target category; configured argument 1.

Allied Robo Tank - M_H - 079D93BC-G

Owner: <none>. Roster: 6 × Robot Tank (ROBO)

Explicit team settings: Autocreate: yes; Prebuild: no; Reinforce: no; Recruiter: no; Full: no; Loadable: no; Suicide: no; Aggressive: yes; Base-defense role: no; Avoid Threats: no; Priority: 7; Max: 2; Veteran Level: 1; Technology level: 0.

Ordered plan: Allied Robo Tank - M_H (07A72DBC-G).

1. Gather near own base; configured argument 0.
2. Seek/attack target category; configured argument 5.
3. Report team success.
4. Seek/attack target category; configured argument 7.
5. Seek/attack target category; configured argument 6.
6. Seek/attack target category; configured argument 1.

Images, screenshots and their provenance

Guide index

The screenshots below are existing project captures copied byte-for-byte. They are not newly recorded complete playthroughs. Diagram figures are separate authored explanations. Mission layout figures use initial placed-object coordinates; they do not decode terrain or prove reachable paths.

ra2-allied-start.png

RA2 Allied opening: Lone Guardian. Dreadnoughts, the river approach and the original sidebar are visible. Historical local Android-emulator campaign-start capture; not a complete mission playthrough.

Source in original workspace: Native-APK/qa/ra2-allied-mission.png. SHA-256: 9eb4c15dfe5202c95dc44d1b1dc2dbeb69b9262ba46bad7a004e23ba38f712ff.

ra2-soviet-start.png

RA2 Soviet opening: Red Dawn. The initial Washington scene is visible with the Android command toolbar. Historical local Android-emulator campaign-start capture; not physical Samsung testing.

Source in original workspace: Native-APK/qa/ra2-soviet-mission.png. SHA-256: 399cf758b9c2b714dab7cdd85c1a86190334a3b5182bda15a841ea76560b86bd.

yuri-allied-start.png

Yuri Allied opening: Time Lapse. The starting base contains multiple building roles and a visible Dominator countdown. Historical local Android-emulator campaign-start capture; not a completed campaign.

Source in original workspace: Native-APK/qa/yuri-allied-mission.png. SHA-256: 8f7a70bb6ab11438cdecfc935f5f6306ef0971f18c40daa203a666637ad094da.

yuri-soviet-start.png

Yuri Soviet opening: Time Shift. Naval forces and the defended shore show why target domains and arrival scripts matter. Historical local Android-emulator campaign-start capture.

Source in original workspace: Native-APK/qa/yuri-soviet-mission.png. SHA-256: ffd4a96e17bf0fadd3d6967e07a6d92af5fc66bea7b7fd190c8590c40eda7ec4.

save-name-ra2.png

Version 0.1.4 save dialog: the current mission precedes the complete local timestamp. Recorded RA2 save-name QA, injected finger input on an emulator.

Source in original workspace: Native-APK/qa/save-0.1.4/classic-finger/save-name.png. SHA-256: cad32c48726286c007ab00bd99731d955337a985682816cd5990a6a953ba3e78.

save-confirmation-ra2.png



The original save flow reaches its acknowledgement through the Android bridge. Recorded version 0.1.4 save QA; read with its report and limits.

Source in original workspace: Native-APK/qa/save-0.1.4/classic-finger/save-confirmation.png. SHA-256: c85b8d8011ee855337368ab0681ab3b81dc2d06620c506a5b4e9c10643597d88.

save-name-yuri.png

Yuri uses the same mission-first naming bridge while retaining the original save interface. Recorded version 0.1.4 Yuri save-name QA on an emulator.

Source in original workspace: Native-APK/qa/save-0.1.4/yuri-finger/save-name.png. SHA-256: 2c6aac384ff4d528acef3a06727d966e8bc1d400f8d63677c16a4d5467dffff4.

unit-roster-desktop.png

A supplied desktop-runtime capture shows mobile objects sharing a battlefield: the selected MCV, tanks and infantry. Upstream project screenshot retained locally; illustrative desktop evidence, not an Android-device test.

Source in original workspace: native-ra2/docs/screenshots/skirmish-units.png. SHA-256: a78c7dcdc53fd8aeffa824148c17fddfbabc0caa2d7e2b569e41dcd635af5c89.

voxel-comparison.png



The local renderer notes compare normal and enhanced voxel presentation. Read this as a rendering example. Supplied upstream desktop comparison; does not establish that the Android APK enables this enhancement.

Source in original workspace: native-ra2/docs/screenshots/hd-voxels.png. SHA-256: 7329b4975ae22bde3118ef2b0e6727b5b307393194b851c283836975c2a902ac.

Diagram sources

Eight workflow diagrams explain engine layers, unit decisions, combat, economy, buildings, triggers, AI teams and Android input. Forty-one placement schematics derive from the recovered scenario maps. Owner colors distinguish source owners; they are not an assertion of allies or enemies. Initial placements do not include units later created by triggers.

Sources, verification and limits

Guide index

Prepared from the local game install and port workspace on 26 October 2026. This is a plain-language analysis, not the original source code and not a claim of a completed playthrough of every mission.

Evidence labels

- **Data-confirmed:** present in extracted rules, campaign tables, maps or strings.
- **Binary-supported:** backed by local class/function recovery or inspected lifted procedures.
- **Manual-described:** player-visible behavior described by the supplied English manuals.
- **Conceptual reconstruction:** an explanatory decision sequence consistent with these sources, without a claim that every original instruction/order has been recovered.
- **Unverified in play:** a prediction or branch not exercised in a recorded playthrough.

Extraction and precedence

1. Read the original MIX archive index, decrypting its header where required.
2. Resolve member names with the game-compatible filename hash.
3. Check every member span stays within the declared archive body.
4. Extract the known rules, AI, campaign tables, localization tables and campaign maps.
5. Validate the complete CSF string-table structure and decode its text.
6. Apply the patch archive's rulesmd.ini and all02umd.map in preference to the base members.
7. Keep RA2 and Yuri rules separate.
8. Merge a mission's explicit overrides only for its scenario; missing values are not invented.
9. Translate every recovered event/action record, retaining action order, identifiers and source line locators.

The tools and raw extracted resources remain in the local build-cache/engine-guide-research folder. The reading folder contains derived explanations and factual reference tables, not a new dump of the original rule/map files.

Coverage

Item	Count
Distinct registered mobile types across both games	157
Distinct registered building types across both games	408
Story missions	38
Training missions	2
Additional legacy/alternate map	1
Documented scenario maps	41
Translated trigger definitions	4274
Translated event records	4787
Translated ordered action records	13724
Weapon/effect cards (game-specific)	341
RA2 global AI team templates	103
Yuri global AI team templates	163

Local binary evidence

- native-ra2/game/game.exe: 5,077,312 bytes; SHA-256 73288c03b58d370be268ca6d156b4e33bfdb2066dc980359467d8852ff3b00df.
- native-ra2/game/gamemd.exe: 5,286,208 bytes; SHA-256 3e81a61775d2745d1dabe397325ef663cd994ffc194da4e998e3bf5d2d308600.

The local recovered class catalogue contains the expected live-object/type, house, cell, trigger, team, factory, projectile and movement-controller responsibilities. The guide does not equate class names with a complete recovery of their algorithms. The Yuri function catalogue and lifted action runner were checked together. The action-runner trace at original address 0x007265C0 checks enabled/destroyed state, walks the action list and invokes the executor at 0x006DD8B0. Those addresses are version-specific evidence locators, not mobile gameplay instructions.

Local source locators: native-ra2/work/rtti.json; native-ra2/work/game/rtti.json; native-ra2/work/functions.json; native-ra2/src/recomp/gen/recomp_0049.c; native-ra2/docs/voxels.md; native-android/PORTING.md; native-android/src/android_entry.c; native-android/app/src/main/java; Native-APK/qa/save-0.1.4/report.md. Relative paths here describe the original workspace and are not required to read the published guide.

Supplied manuals

The accompanying English RA2 manual explains units, structures, garrisons, Engineers, economy, powers and controls. The English Yuri manual explains expansion changes and the added units/structures. They were text-extracted locally for this analysis; the reading guide paraphrases their gameplay explanations and cross-checks explicit rule fields. Manuals can describe intended behavior that differs from a particular patch or scenario.

Local files: Command.&.Conquer.Red.Alert.II/game/Manuals/Red Alert 2 - English 2 - Manual.pdf; Command.&.Conquer.Red.Alert.II/game/Manuals/Yuri_s Revenge - English - Manual.pdf.

Primary technical cross-checks

- YRpp TriggerClass: event state and trigger-action responsibilities.
- YRpp TActionClass: action executor and identified operation entry points.
- YRpp ScriptClass: ordered script state.
- YRpp GeneralDefinitions: event identifiers and object-mission identifiers.
- FinalAlert extension documentation: editor labels for script instruction numbers. Only vanilla instructions used by these maps are described; extension-only features are not assigned to this APK.
- The supplied FinalAlert2/FAData.ini event/action descriptions supply the main translation vocabulary. Its modification date is newer than the retail game, so descriptions are cross-checking aids, not proof that later extension behavior is present.
- Static recompilation project: background for the local runtime and renderer research. Android behavior here is established from the local port, not inferred from desktop feature claims.

What remains open

The guide does not claim exact pathfinder search/tie-breaking, every target-score formula, complete save serialization internals, exhaustive numeric hardcoded defaults, or proof that every declared trigger is reachable. Special editor parameters not independently established remain named configured values. No new complete campaign playthrough, physical Samsung S Pen/OTG qualification, performance measurement or long-session stability trial was performed while writing this guide.

The legacy sov09t.map is documented separately from the campaign-selected sov09u.map. Both tutorial maps are included. Multiplayer/co-op/skirmish maps are not each treated as a new story mission, and multiplayer is disabled in the delivered APK. Global rules/AI still explain their shared mechanisms.

Extracted member fingerprints

These identify the exact local source bytes used. Duplicated maps in multiple archives remain listed so provenance is not lost.

Archive/member	Bytes	SHA-256
ra2.mix/local.mix/rules.ini	541915	fd1e95cea0306ea78049dc81c8cd816e18c28c496872a1ff02edd50bd082062f
ra2.mix/local.mix/art.ini	245825	b477f861063a9509e87b7836b78190204c73bea5ea5595a842c456f5920ea223
ra2.mix/local.mix/ai.ini	84972	1feac6ddea6886b177ddf7e5f8580b7a99a63f12684f2cbb42831671bb7a8a79
ra2.mix/local.mix/battle.ini	4054	a5752a8d49e1c3823fe01a55e0057f91f2996d8b4a78804f197251a79b552a1d
ra2.mix/local.mix/mission.ini	9756	49eb674e46058d67a08e0cf4ba31c99b1948d3d2072b10beced873f62226c54e
ra2.mix/local.mix/mapsel.ini	7875	f4bcbb678d182c35a4331d69c92150a719d73fc0c95fae36cc52e65d74923982

Archive/member	Bytes	SHA-256
ra2.mix/local.mix/tutorial.ini	14762	59b44499e1720c275e78cb5397e19fb94dbac46e22ea54c220e01e9e1a1d0492
ra2md.mix/localmd.mix/rulesmd.ini	742958	06761dd7f714e7d9400216ec3c06109ec5c1461f6a0727be7401eb9d8b0f6d05
ra2md.mix/localmd.mix/artmd.ini	336535	e1f0378394313c04ebbd5073f47785ee3e46f1b3c62d65724e8f3c310ee7ba31
ra2md.mix/localmd.mix/aimd.ini	138538	5df41eaec00a78d0760ef5eecdf27d65ae1cd537309c7eac973318266986f89d
ra2md.mix/localmd.mix/battlemd.ini	2733	7e40691a3480b1e5ffe6d1cdfccb83f67da4447157607ec3ecb5d2278acf0791
ra2md.mix/localmd.mix/missionmd.ini	5034	ce170ec97fc28589ee971792a31d135e0f0510f878acde3fd0d79a7b7896a775
ra2md.mix/localmd.mix/mapselmd.ini	5573	074ccccd9e156d586d0ed099ceab78b3d72384c808725d8b5bee2c9799691d52
expandmd01.mix/rulesmd.ini	743215	3d341ef8a13a4b5ab24af2eef48ac94931ac2bb87d950fe3330a07e2d25672ef
expandmd01.mix/all02umd.map	465788	e761d28ce43401308ca4532d65479b1cf4a309d74fd4f996fafa92a0a06f8b65
language.mix/ra2.csf	485776	e46715fcdf038c4c3231a457873fc711174110d721a0a5390a508dbadcf4ff72
langmd.mix/ra2md.csf	573269	f3382231d7eb3bd713bf3908ecdba175a1b2e20d9d80fa2702e9ab84c3a79deb
MAPS01.MIX/all01t.map	146240	ad64c9293a8bccb85c38f5871a974ed9c09b8b5da11bb346e990423bf625c79c
MAPS01.MIX/all02s.map	191242	5ebd7a3aaa60215a6da1f63e87a53c4ebf8cb28378b09f7128953ab05e6425fc
MAPS01.MIX/all03u.map	202576	186e317d4be77eaeec8e0b09e5c813f6ff95aa01e4e206f4b4c82178bf679a61
MAPS01.MIX/all04u.map	222831	09e52db16946a330c032e988679ef61ff7745670ddad5e9bfcf96f916d18d093
MAPS01.MIX/all05s.map	214744	d09cebddc1f4009098dfa48b18bf4022e6e4d00801f1ca8efd99917f185bb225
MAPS01.MIX/all06u.map	260458	9e02b8fa4c570000c2bb34c9b0e702b143e2e93ae529faa36556e1f43af0f922
MAPS01.MIX/all07t.map	471258	3925c1211d86938a7137ff0df11cba85c59d3ae75742221d5e2d4d502d33c103
MAPS01.MIX/all08u.map	199442	71a119187bd8f78a1c7677636e20a18a258f24dc94add2ac2b108a3dae9df8ea
MAPS01.MIX/all09t.map	190682	89a243ea0d9ccc802bd6e1d7da4d271d0077f86c3883802e27be7840364ac279
MAPS01.MIX/all10s.map	289946	ac0ea14ec650256a014626db7c78135bb74168ba86d4eb863d987f04b07d1593
MAPS01.MIX/all11t.map	369324	08456515dd5e258f5a9ff73b8961491883eccaa3635a8f008dcb1f9369d43887
MAPS01.MIX/all12s.map	185688	e6d31134742f8566a425a252113fa6b8e3f3eb178b00e34124deec4f7e11250b
MAPS01.MIX/sov01t.map	184260	7f4492961d30b5799367aa840ba007932057b19a22a77f95475a18ca1407b99f
MAPS01.MIX/trn01t.map	98389	4dcec9e12f2541e4c15bf1e7da78c6ff74932c794837c35029a02de5bf43cd71
MAPS01.MIX/trn02t.map	57795	35f7b531a8d0312ca7e44fa1da33f88dde1af48ac3781841bc74d3122c498445

Archive/member	Bytes	SHA-256
MAPS02.MIX/all01t.map	146240	ad64c9293a8bccb85c38f5871a974ed9c09b8b5da11bb346e990423bf625c79c
MAPS02.MIX/sov01t.map	184260	7f4492961d30b5799367aa840ba007932057b19a22a77f95475a18ca1407b99f
MAPS02.MIX/sov02t.map	186385	ea3aff6876f7e81e76284a2c9b41ee693c71f0f27e1ae45542e8f5ea95c96ae7
MAPS02.MIX/sov03u.map	173904	a0ec1cd648f2b1f5cd122713d405b51463494197728908 0e22990021f8719c05
MAPS02.MIX/sov04s.map	201817	a0a95b26639cc1d4d916dea3a264a18e409bef3d2b84c245e67cd250defc2100
MAPS02.MIX/sov05u.map	85694	31c6883ce678c0bcede293c571a610d355319a7cd729d45560183ced152a5629
MAPS02.MIX/sov06t.map	262145	bea4548cca589aa1caf6fbc4e69700f8b408d650b700b71c65242f0df9eeeb83
MAPS02.MIX/sov07s.map	178521	0ad2fde5c76f17085065f7b43cb76045935774092b2498badc44fe91e7793171
MAPS02.MIX/sov08u.map	197257	91817fa1585e631cd929b6356ccc29c99f1dfb8144c52cd225e3eeb924370b7e
MAPS02.MIX/sov09t.map	110638	e444665c9afec8ffa2528d4e10641739f8a7c16921522b91dba3520cacd71041
MAPS02.MIX/sov09u.map	105691	ef2dd5c5280d20f5759c02cebf860111280dc0f091c322f21b42eeae6b53c8b6
MAPS02.MIX/sov10t.map	276498	5c3d8b26e05a0a73530630db8353637fa9ed7072144d5360e1ab994869428449
MAPS02.MIX/sov11s.map	187412	2f51c08a063f3c4d648bd486672eacc50d3f32903aa14e9566bfd2030464fc7f
MAPS02.MIX/sov12s.map	231726	f69c18a54ce5915c9cdc08c2f10113853bc8656cf3e5f1392a64818a700d2720
mapsmd03.mix/all01umd.map	301077	dee38769f2247a85908705486c175ef14a4cf90437899defe7c8b4c0d1c51fb0
mapsmd03.mix/all02umd.map	465825	168ed42024991b6c2af4de0e5a667e9c2bf15767741efe99dac975721460b303
mapsmd03.mix/all03umd.map	418628	b84a2e689cc00f0be064ecbfcd385635ac037f28bf8f72c02b426a0e52ff1547
mapsmd03.mix/all04dmd.map	282057	f1621a21e7221c1e475a52dccd4a04bb3125f8a095377c917e2122019f2157b2
mapsmd03.mix/all05umd.map	274279	7ee8148ad4b0092b7970588d9b064ddd6b753fc7bfb352bcc043affeb72c6aed
mapsmd03.mix/all06umd.map	192301	cfd2b50c5448fd84ab3647ff3a95f96b45e8dccd6a72b2601c0bb603cddeeb63
mapsmd03.mix/all07smd.map	434373	0ec687c320382e4c02cf66eec0153b713e56c4449fab7d29b5a19b61bf10e4f3
mapsmd03.mix/sov01umd.map	329188	498b989a4b6f579dee0904a77f1fabf982c14786db21a46c41900fc8344ec72b
mapsmd03.mix/sov02smd.map	327808	139a7f17a17cefc20d12c21e9221d94ff6e1e8894ac09ab716fc9f6975d5a665
mapsmd03.mix/sov03umd.map	189836	df69d0f63f982823bb5818d3d49776028a719a2c20ced2526fab8f5cecb49fe6
mapsmd03.mix/sov04dmd.map	228003	702bd788efbd08ae5b7591a1dfc240684e73faedace2ffaac68baefdfd0fb12a
mapsmd03.mix/sov05umd.map	467636	22518e8b4a86331a9172048e10de13b45c2826ea4fdf4d2203b58994b897761b

Archive/member	Bytes	SHA-256
mapsmd03.mix/sov06lmd.map	141376	f55b65fd33a53dd03f61b48259d7732d260a4f97170e6dcf0767a61af82403a4
mapsmd03.mix/sov07tmd.map	367021	eacf89952cb6e8eacd762f97895a062e0b6bfa16c8f916b901c1e667def266d4