

JMeter的安装、配置与使用

- 一、JMeter安装
- 二、配置Selenium+JMeter
- 三、JMeter的使用
- 四、附录

一、JMeter安装

1. 准备 [jdk](#) 环境，并配置环境变量，在命令行输入 `java -version` 得到的java版本大于等于8即可
2. 下载 JMeter

macOS用户

```
1 brew install jmeter
2 # 在终端输入jmeter成功打开说明安装成功
```

windows用户

前往 [JMeter下载页面](#) 下载最新版本压缩包 `apache-jmeter-5.x.zip`，解压后将其加入环境变量，运行 `apache-jmeter-5.x/bin/jmeter.bat` 成功启动JMeter说明安装成功。

官方文档 <https://jmeter.apache.org/usermanual/get-started.html#running>


博客 <https://blog.csdn.net/Deng872347348/article/details/126953048>


二、配置Selenium+JMeter

1. 启动JMeter
2. 使用 JMeter 插件管理器安装“ Selenium/WebDriver ”插件，应用更改并重启

如果没有插件管理器需要先手动下载 <https://jmeter-plugins.org/install/Install/>


WebDriver文档: <https://jmeter-plugins.org/wiki/WebDriverSampler/>






3. 下载对应于本机浏览器的驱动(以Chrome为例), 根据本机Chrome的版本在 [ChromeDriver下载页面](#) 选择合适的驱动进行下载



4. 添加一个Thread Group




5. 添加WebDriver Sampler



6. 添加浏览器驱动程序配置，并指定第3步下载的驱动所在路径




7. 添加View Results in Table与View Results Tree便于查看测试结果




8. 在WebDriver Sampler中填入以下脚本


```
1 WDS.sampleResult.sampleStart()
2 WDS.browser.get('https://baidu.com')
3 WDS.sampleResult.sampleEnd()
4 WDS.log.info("successfully navigated to https://baidu.com/");
```



9. 运行线程组




10. 查看结果，如图所示说明JMeter结合Selenium配置成功



参考博客 <https://www.baeldung.com/selenium-jmeter>


三、JMeter的使用

1. 编写测试脚本



2. 在GUI对测试脚本进行验证

3. 设置线程数



4. 在CLI执行测试

```
1 # Warning From JMeter
2 # Do not use GUI mode for load testing ! Only for Test creation and
  Test debugging.
3 # For load testing, use CLI Mode (was NON GUI):
4 jmeter -n -t [jmx file] -l results/result.txt -e -o results
```

```
(base) → 软件测试与维护 jmeter -n -t Test_Baidu.jmx -l results/result.txt -e -o results
```

四、附录

测试百度搜索的脚本如下，语言为java

```
1 import org.openqa.selenium.By;
2 WDS.sampleResult.sampleStart();
3 WDS.browser.get("https://baidu.com");
4 var what = WDS.browser.findElement(By.name("wd"));
5 what.sendKeys(new String[] { "China" });
6 var serach_button = WDS.browser.findElement(By.id("su"));
7 serach_button.click();
8 Thread.sleep(1000);
9 var results = WDS.browser.findElements(By.cssSelector(".result-
  op,.result"));
10 if(results.isEmpty()) {
11     WDS.sampleResult.successful = false;
12     WDS.sampleResult.responseMessage = "There were no results returned";
```



```
13 }  
14 WDS.log.info("successfully searched something on https://baidu.com/");  
15 WDS.sampleResult.sampleEnd();
```