Forward Inverse Example's own settings, where a change helped

ODEs
Integro-differential ODE †
Integro-differential ODE – Volterra kernel †
Linear ODE system † — ω
Lotka-Volterra ODE † — a, d
Second-order ODE † — a, b
Lorenz ODE – unknown C_1, C_2, C_3 † — C1, C3, C2
Lorenz ODE – unknown C_1, C_2, C_3, exogenous input † — C3, C2, C1

1D, steady
Euler beam 1D † — EI
Fractional Poisson 1D †
Poisson 1D – Dirichlet †
Poisson 1D – Dirichlet/Neumann †
Poisson 1D – Dirichlet/Periodic †
Poisson 1D – Dirichlet/point-set operator †
Poisson 1D – Dirichlet/Robin †
Poisson 1D – hard BCs †
Poisson 1D – multi-scale Fourier features †
Brinkman-Forchheimer 1D – unknown ν_e, K † — K, ν_e
Diffusion-reaction 1D – unknown rate field † ‡
Fractional Poisson 1D – unknown order α † — α
Poisson 1D – unknown forcing field †
Poisson 1D – unknown forcing field (batches) †

1D, time-dependent
Allen-Cahn 1D – Wight & Zhao † — gamma_2, gamma_1
Cahn-Hilliard 1D – Wight & Zhao †
Cahn-Hilliard 1D – Mattey & Ghosh †
Black-Scholes 1D – American put
Black-Scholes 1D – European call †
Burgers 1D – Raissi et al. † — lambda_1, lambda_2
Burgers 1D – RAR †
Diffusion 1D †
Diffusion 1D – hard IC and BCs †
Diffusion 1D – resampling †
Diffusion-reaction 1D † — D
Fractional diffusion 1D †
Heat 1D – Dirichlet † — a
Heat 1D – resampling †
Klein-Gordon 1D † — γ
Schrödinger 1D † — c
Wave 1D – space-time multi-scale Fourier features † — C
Diffusion 1D – unknown coefficient † — C
Diffusion-reaction 1D – unknown k_f, D † — D, kf

2D, steady
Fractional Poisson 2D – disk †
Helmholtz 2D – Dirichlet † ‡ — k_0
Helmholtz 2D – hyperparameter search
Helmholtz 2D – sound-hard scattering †
Helmholtz 2D – square with hole †
Laplace 2D – disk †
Linear elasticity 2D – plate † — μ, λ
Linear elasticity 2D – plate, soft BCs †
Navier-Stokes 2D – Kovasznay flow † — Re
Poisson 2D – disk † — f
Poisson 2D – L-shape †
Fractional Poisson 2D – unknown order α † — α

2D, time-dependent
Allen-Cahn 2D – Wight & Zhao † — λ, $\lambda\varepsilon^2$
Allen-Cahn 2D – Mattey & Ghosh † ‡ — c_2, c_1^2
Cahn-Hilliard 2D – Wight & Zhao † ‡ — ε^2
Cahn-Hilliard 2D – Mattey & Ghosh † ‡ — kappa, α
Burgers 2D – Mathias et al. † — ν
Heat 2D † — α

3D
Fractional Poisson 3D – sphere †
Poisson 3D – cube with spherical cut-out †
Poisson 3D – sphere † — f
Allen-Cahn 3D – Wight & Zhao † — $\lambda\varepsilon^2$, λ
Heat 3D † — α
Navier-Stokes 3D – Beltrami flow † — ν

10^{-6} 10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^{0}
Relative L_2 error of the main output at the last reference time

0.001 0.1 10
Worst parameter error (%)

† in this study (filled: the chosen run); rows without † show the README's result. ‡ the run with the lowest training loss (shown) is more than 2× less accurate than another run.