


CSS Positioning

Positioning – what is it?

Positioning refers to the layout of the items on your page.


It also refers to the “position” descriptor in CSS rules (more on this in a minute)

Normal Flow – no “positioning”



Normal Flow – no “positioning”

Top left of the page = (0,0)



Left to Right, Top to Bottom

Normal Flow

The yellow box is the container (more on this)

This is a paragraph to which I have set the width.

If the next paragraph fits next to it on the right, it will line up.

Normal Flow

This is a paragraph to which I have set the width.

However, if the second paragraph is too wide to fit the container, it will shift down.

Normal Flow

This is a paragraph to which I have set the width.


However, if the second paragraph is too wide to fit the container, it will shift down.




This is the basic principle of Normal Flow

Box Model

All of the items in your webpage generate invisible “boxes” – you have to figure out how all of those boxes will fit into your page, like a puzzle.




Box Model



Box Model

Think of it like an egg:



Margin and Padding

```
styleX {
```

```
  margin: 10px 10px 10px 10px;
```

```
  padding: 5px 5px 5px 5px; }
```

TRBL

top – right – bottom - left

OR

```
styleX {
```

```
  margin: 10px;
```

```
  padding: 10px; }
```

Shorthand:

Just one number = all 4 sides

Two numbers = top/bottom, left/right

OR

```
styleX {
```

```
  margin: 10px 15px; padding: 5px 10px; }
```

Interrupt the Flow

- Absolute
- Relative
- Float

When you want to do fancier layout, you can **position** “boxes” or “containers.” By doing this, you interrupt the normal (top to bottom, left to right) flow. You can do this in three ways; **Float**, **Absolute**, and **Relative**.

HTML

```
<div>
```

```
<p> This is the  
normal...</p>
```

```
<p class="float">This  
text is floated  
right.</p>
```

```
</div>
```

CSS

```
.float {float:right;}
```

Float

This is the normal flow of a document; from top to bottom, left to right. When the floated text is added, it moves to the **top right corner** of the containing element, in this case the <div>. Normal text flows **around** the floated text. **This text is floated right.**

HTML

```
<div>
```

```
<p> This is the  
normal... <span  
class="abs"> This  
text is absolutely  
positioned.</span>...  
top to bottom... </p>
```

```
</div>
```

CSS

```
.abs {position: absolute;  
      top: 40px;  
      left: 80px;}
```

Absolute

This is the normal flow of a document; from top to bottom, left to right. When you add the absolutely positioned text, it moves to the coordinates you set based on the **top left corner** of the containing element, in this case the `<div>`. Normal text flows **over** the absolutely positioned text. There is no gap where the text is taken from.

This text is
absolutely
positioned

This text is relatively positioned.

HTML

```
<div>  
  
<p> This is the  
normal... <span  
class="rel"> This text  
is relatively positioned.  
</span> ... from top to  
bottom...</p>  
  
</div>
```

CSS

```
.rel {position: relative;  
      top: -50px;  
      left: -150px}
```

Relative

This is the normal flow of a document;

from top to bottom, left to right. When you add the relatively positioned text, it moves to the coordinates you set based on the **top left corner** of the containing element, in this case the `<div>`. Normal text flows **as normal**, but a gap is left where the relative text used to be, and the text **overlaps** with the newly positioned relative text if they are in the same area.

```
<html>
  <head>
    <title>My Resume</title>
    <link href="home.css" rel="stylesheet"
type="text/css">
  </head>
<body>
  <div id="container">
    Content goes here
  </div>
</body>
</html>
```

HTML

#container

```
graph TD; container["#container"] --- banner["#banner"]; container --- nav["#nav"]; container --- content["#content"]; container --- footer["#footer"];
```

The diagram illustrates a web page layout within a container. The container is a large rectangle with a light blue border. Inside, there are four distinct sections, each outlined with a different color: a purple box for the banner at the top, a green box for the navigation menu on the left, an orange box for the main content area on the right, and a yellow box for the footer at the bottom.

#banner

#nav

#content

#footer

```
<body>
<div id="container">
  <div id="banner"></div>
  <div id="nav">
    <span><a href="home.htm">home</a></span>
    <span><a href="contact.htm">contact</a></span>
  </div>
  <div id="content">
    <h1>My Resume</h1>
    <p>Resume text</p>
  </div>
  <div id="footer">Copyright info here</div>
</div>
</body>
```

HTML

```
body {  
  font-size: 1em; }  
#container {  
  width: 920px; }  
#banner {  
  width: 920px; height: 120px; }  
#nav {  
  float: left; width: 200px; }  
#content {  
  width: 720px; }  
#footer {  
  font-size: .8em; }
```

CSS