

Test Execution Report




Feature			Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	T	P	F	S	
Search and place the order for Products	11.867 s	1	0	1	0	4	3	1	0	

Tag	Scenario Fe			Fea	nture			
Name	<i>T</i>	P	F	S	T	P	F	S
@Sanity	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Search and place the order for Products	1	0	1	0	11.867 s




#	# Feature Name Scenario Name		T	P	F	S	Duration
1	Search and place the order for Products	Serach Experience for product serach in both home and	4	3	1	0	11.853 s
		offers page					

DETAILED SECTION -- 6 --

Search and place the order for Products

FAILED	DURATION - 11.867 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:51:53.699 am //	12:52:05.566 am /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Serach Experience for product serach in both home and offers page



#	Step / Hook Details	Status	Duration
1	Given User is on Greenkart Lending Page	PASSED	4.864 s
2	When user serached with Shortname Beet and extracted the actual product name	PASSED	1.310 s
3	Then user serached for Beet shortname in offers page	PASSED	4.861 s
4	And validate product name in offers page matches with Lending page	FAILED	0.020 s
	java.lang.AssertionError: expected [No data] but found [Beetroot] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.fail(NotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.OfferPageStepDefinition.validate_product_name_in_offers_page_matches_with_lending_page(OfferPageStepDefinition. java:45) at ?.validate product name in offers page matches with Lending page(file:///C:/Users/user/eclipse-workspace/CucumberFramework/src/test/resources/Features/searchProduct.feature:27) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario)	FAILED	0.318 s

#	Step / Hook Details	Status	Duration
	java.lang.NoClassDefFoundError: org/apache/commons/io/FileUtils		
	at stepDefinitions.Hooks.getScreenshot(Hooks.java:44)		
	Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.FileUtils		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)		
	at stepDefinitions.Hooks.getScreenshot(Hooks.java:44)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833)		